









Indoor Unit			AR09TXHQASINEU	AR12TXHQASINEU	AR18TXHQASINEU	AR24TXHQASINEU
Outdoor Unit			AR09TXHQASIXEU	AR12TXHQASIXEU	AR18TXHQASIXEU	AR24TXHQASIXEU
Capacity						
Capacity	Cooling (Nominal)	kW	2.6	3.5	5.3	7.0
	Cooling (Min–Max)	kW	0.9–3.4	1.1–4.2	1.8–6.1	2.1–8.0
	Heating @ +7 °C	kW	2.9	3.8	5.3	7.3
	Heating (Min–Max)	kW	0.8–3.4	1.1–4.2	1.4–6.7	1.6–8.8
	Heating @ -5 °C	kW	TBA	TBA	TBA	TBA
	Heating @ -10 °C	kW	TBA	TBA	TBA	TBA
	Heating @ -15 °C	kW	TBA	TBA	TBA	TBA
Performance						
Energy Efficiency Cooling	SEER ¹	W/W	6.3/ 	6.1/ 	7.1/ 	6.1/ 
	Power Consumption	kWh/a	156	211	256	412
	Pdesignc	kW	2.8	3.6	5.2	7.0
	EER	W/W	3.43	2.90	3.43	2.87
Energy Efficiency Heating	SCOP ¹	W/W	4.0/ 	3.9/ 	4.0/ 	3.9/ 
	Power Consumption	kWh/a	910	969	1,435	1,723
	Pdesignh (average)	kW	2.6	2.7	4.1	4.8
	COP ¹	W/W	3.91	3.50	3.56	2.71
Moisture Removal		l/h	1.0	1.2	1.8	2.6
Maximum Airflow (Cooling)	Indoor Unit	m ³ /min	7.77	9.00	14.00	16.33
	Outdoor Unit	m ³ /min	TBA	TBA	TBA	TBA
Sound Power	Indoor Unit (Cooling)	dB(A)	55	55	55	59
	Outdoor Unit (Cooling)	dB(A)	62	65	63	68
Sound Pressure	Indoor Unit High/Silent Mode	dB(A)	36/20	37/22	42/25	43/28
	Outdoor Unit High	dB(A)	49	50	51	56
Operating Temperature Range	Cooling	°C	-10~46	-10~46	-10~46	-10~46
	Heating	°C	-15~24	-15~24	-15~24	-15~24
Electrical Data						