



<MXZ-4F83VF / MXZ-5F102VF /  
MXZ-6F122VF / MXZ-4F83VFHZ>

Connectable indoor unit lineups(Heat pump inverter type)		Capacity class [kW/h]									
Model type	Model name	15	18	20	22	25	35	42	50	60	71
		Wall mounted	MSZ-LN**VG2			●			●	●	
MSZ-BT**VG				●			●	●			
MSZ-EF**VG				●	●		●	●	●	●	
MSZ-AP**VG	●			●			●	●	●	●	●
1way cassette	MLZ-KP**VF						●	●		●	
Floor standing	MFZ-KT**VG						●	●		●	
4way cassette	SLZ-M**FA	●					●	●		●	
Floor standing	SFZ-M**VA						●	●		●	●
Ceiling concealed	SEZ-M**DA(L)						●	●		●	●

<MXZ-2F53VFHZ>

Connectable indoor unit lineups(Heat pump inverter type)		Capacity class [kW/h]									
Model type	Model name	15	18	20	22	25	35	42	50	60	71
		Wall mounted	MSZ-LN**VG2			●			●	●	
MSZ-BT**VG				●			●	●			
MSZ-EF**VG				●	●		●	●	●	●	
MSZ-AP**VG	●			●			●	●	●	●	
1way cassette	MLZ-KP**VF						●	●		●	
Floor standing	MFZ-KT**VG						●	●		●	
4way cassette	SLZ-M**FA	●					●	●		●	
Floor standing	SFZ-M**VA						●	●		●	
Ceiling concealed	SEZ-M**DA(L)						●	●		●	

**MXZ-2F33VF MXZ-2F33VF2 MXZ-2F33VF3 COOLING**

Indoor units combination	Cooling capacity (kW)			Outdoor unit power consumption(kW)		Current (A)			Power factor(%)			
	Unit A	Unit B	Total			220	230	240				
15	1.50	-	1.50	-	2.90	0.360	-	0.840	1.82	1.74	1.67	90
18	1.80	-	1.80	-	4.00	0.360	-	1.120	2.02	1.93	1.85	90
20	2.00	-	2.00	-	2.90	0.360	-	0.840	2.37	2.27	2.18	90
22	2.20	-	2.20	-	4.00	0.360	-	1.120	2.53	2.42	2.31	90
25	2.50	-	2.50	-	4.20	0.360	-	1.140	2.83	2.71	2.59	90
15+15	1.20	1.20	2.40	-	3.80	0.296	-	1.106	2.63	2.51	2.41	90
15+18	1.50	1.80	3.30	-	3.80	0.279	-	1.029	4.11	3.93	3.76	90
15+20	1.28	1.72	3.00	-	3.80	0.304	-	1.104	4.38	4.19	4.01	90
15+22	1.34	1.96	3.30	-	3.80	0.279	-	1.029	4.26	4.07	3.90	90
15+25	1.24	2.06	3.30	-	3.80	0.302	-	1.102	4.37	4.18	4.01	90
18+18	1.65	1.65	3.30	-	3.80	0.252	-	0.962	3.68	3.52	3.38	90
18+20	1.56	1.74	3.30	-	3.80	0.277	-	1.027	4.25	4.06	3.89	90
18+22	1.49	1.82	3.30	-	3.80	0.302	-	1.102	4.37	4.18	4.01	90
18+25	1.38	1.92	3.30	-	3.90	0.252	-	1.002	3.68	3.52	3.38	90
20+20	1.65	1.65	3.30	-	3.80	0.302	-	1.102	4.37	4.18	4.01	90
20+22	1.57	1.73	3.30	-	3.80	0.277	-	1.027	4.25	4.06	3.89	90
20+25	1.47	1.83	3.30	-	3.80	0.277	-	1.027	4.25	4.06	3.89	90
22+22	1.65	1.65	3.30	-	3.80	0.252	-	0.962	3.68	3.52	3.38	90
22+25	1.54	1.76	3.30	-	3.90	0.252	-	1.002	3.68	3.52	3.38	90
25+25	1.65	1.65	3.30	-	4.00	0.252	-	1.042	3.68	3.52	3.38	90

**MXZ-2F33VF MXZ-2F33VF2 MXZ-2F33VF3 HEATING**

Indoor units combination	Heating capacity (kW)			Outdoor unit power consumption(kW)		Current (A)			Power factor(%)	
	Unit A	Unit B	Total			220	230	240		
15	1.70	-	1.70 - 3.80	0.428	-	1.520	2.16	2.07	1.98	90
18	3.30	-	3.30 2.40 - 4.40	0.470	-	1.190	3.64	3.48	3.33	90
20	2.20	-	2.20 2.20 - 3.80	0.554	-	1.520	2.80	2.68	2.56	90
22	3.30	-	3.30 2.40 - 4.40	0.470	-	1.190	3.64	3.48	3.33	90
25	3.60	-	3.60 2.40 - 4.40	0.450	-	1.110	3.94	3.77	3.61	90
15+15	1.50	1.50	3.00 1.00 - 3.90	0.246	-	0.936	3.15	3.01	2.89	90
15+18	1.36	2.64	4.00 1.00 - 4.10	0.226	-	0.956	4.36	4.17	4.00	90
15+20	1.70	2.20	3.90 1.00 - 4.00	0.254	-	0.974	4.62	4.42	4.24	90
15+22	1.36	2.64	4.00 1.00 - 4.10	0.226	-	0.956	4.53	4.34	4.16	90
15+25	1.28	2.72	4.00 1.00 - 4.00	0.252	-	0.972	4.81	4.60	4.41	90
18+18	2.00	2.00	4.00 1.00 - 4.30	0.196	-	0.956	4.14	3.96	3.79	90
18+20	2.40	1.60	4.00 1.00 - 4.10	0.234	-	0.954	4.52	4.33	4.15	90
18+22	2.00	2.00	4.00 1.00 - 4.00	0.252	-	0.972	4.81	4.60	4.41	90
18+25	1.91	2.09	4.00 1.00 - 4.30	0.196	-	0.956	4.14	3.96	3.79	90
20+20	2.00	2.00	4.00 1.00 - 4.00	0.252	-	0.972	4.81	4.60	4.41	90
20+22	1.60	2.40	4.00 1.00 - 4.10	0.234	-	0.954	4.52	4.33	4.15	90
20+25	1.52	2.48	4.00 1.00 - 4.10	0.234	-	0.954	4.52	4.33	4.15	90
22+22	2.00	2.00	4.00 1.00 - 4.30	0.196	-	0.956	4.14	3.96	3.79	90
22+25	1.91	2.09	4.00 1.00 - 4.30	0.196	-	0.956	4.14	3.96	3.79	90
25+25	2.00	2.00	4.00 1.00 - 4.40	0.196	-	0.996	4.14	3.96	3.79	90

**MXZ-2F42VF MXZ-2F42VF2 MXZ-2F42VF3 COOLING**

Indoor units combination	Cooling capacity (kW)			Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Total			220	230	240	
15	1.50	-	1.50 1.20 - 2.90	0.250	0.310 - 0.770	1.48	1.42	1.36	95
18	1.80	-	1.80 1.20 - 3.40	0.250	0.370 - 0.800	1.77	1.69	1.62	95
20	2.00	-	2.00 1.20 - 2.90	0.250	0.430 - 0.770	2.06	1.97	1.89	95
22	2.20	-	2.20 1.20 - 3.40	0.250	0.460 - 0.800	2.20	2.11	2.02	95
25	2.50	-	2.50 1.30 - 3.60	0.250	0.510 - 0.800	2.44	2.33	2.24	95
35	3.50	-	3.50 1.30 - 5.10	0.250	0.780 - 1.710	3.73	3.57	3.42	95
15+15	1.40	1.40	2.80 1.10 - 4.30	0.446	0.607 - 1.286	2.91	2.78	2.66	95
15+18	1.50	1.80	3.30 1.10 - 4.30	0.289	1.037 - 1.539	4.96	4.75	4.55	95
15+20	1.41	1.89	3.30 1.10 - 4.30	0.334	1.275 - 1.944	5.97	5.71	5.48	97
15+22	1.34	1.96	3.30 1.10 - 4.30	0.289	1.037 - 1.539	4.86	4.65	4.45	97
15+25	1.50	2.50	4.00 1.10 - 4.30	0.292	1.127 - 1.472	5.28	5.05	4.84	97
15+35	1.20	2.80	4.00 1.10 - 4.40	0.292	1.127 - 1.512	5.28	5.05	4.84	97
18+18	1.65	1.65	3.30 1.10 - 4.30	0.252	0.710 - 1.142	3.33	3.18	3.05	97
18+20	1.66	1.84	3.50 1.10 - 4.30	0.287	1.103 - 1.537	5.17	4.94	4.74	97
18+22	1.80	2.20	4.00 1.10 - 4.30	0.252	0.914 - 1.142	4.28	4.10	3.93	97
18+25	1.76	2.44	4.20 1.10 - 4.40	0.252	0.940 - 1.182	4.40	4.21	4.04	97
18+35	1.43	2.77	4.20 1.10 - 4.40	0.252	0.943 - 1.182	4.42	4.23	4.05	97
20+20	2.00	2.00	4.00 1.10 - 4.30	0.442	1.185 - 1.282	5.55	5.31	5.09	97
20+25	1.87	2.33	4.20 1.10 - 4.30	0.287	1.389 - 1.537	6.51	6.23	5.97	97
20+35	1.53	2.67	4.20 1.10 - 4.40	0.287	1.389 - 1.577	6.51	6.23	5.97	97
22+22	2.10	2.10	4.20 1.10 - 4.40	0.252	0.943 - 1.182	4.42	4.23	4.05	97
22+25	1.97	2.23	4.20 1.10 - 4.40	0.252	0.943 - 1.182	4.42	4.23	4.05	97
22+35	1.62	2.58	4.20 1.10 - 4.40	0.252	0.943 - 1.182	4.42	4.23	4.05	97
25+25	2.10	2.10	4.20 1.10 - 4.40	0.252	0.943 - 1.182	4.42	4.23	4.05	97
25+35	1.75	2.45	4.20 1.10 - 4.50	0.252	0.943 - 1.212	4.42	4.23	4.05	97

**MXZ-2F42VF MXZ-2F42VF2 MXZ-2F42VF3 HEATING**

Indoor units combination	Heating capacity (kW)			Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Total			220	230	240	
15	1.70	-	1.70 - 2.60	0.360 - 0.630	1.72	1.65	1.58	95	
18	3.30	-	3.30 - 4.50	0.670 - 1.130	3.21	3.07	2.94	95	
20	2.20	-	2.20 - 2.60	0.500 - 0.630	2.39	2.29	2.19	95	
22	3.30	-	3.30 - 4.50	0.670 - 1.130	3.21	3.07	2.94	95	
25	3.60	-	3.60 - 5.40	0.720 - 1.450	3.44	3.30	3.16	95	
35	4.00	-	4.00 - 5.40	0.830 - 1.450	3.97	3.80	3.64	95	
15+15	1.60	1.60	3.20 - 4.80	0.653 - 1.724	3.12	2.99	2.86	95	
15+18	1.36	2.64	4.00 - 4.80	1.035 - 1.366	4.95	4.74	4.54	95	
15+20	1.70	2.20	3.90 - 4.80	1.288 - 1.724	6.03	5.77	5.53	97	
15+22	1.36	2.64	4.00 - 4.80	1.035 - 1.366	4.85	4.64	4.45	97	
15+25	1.44	3.06	4.50 - 4.80	1.094 - 1.366	5.13	4.90	4.70	97	
15+35	1.34	3.16	4.50 - 4.90	1.094 - 1.390	5.13	4.90	4.70	97	
18+18	2.00	2.00	4.00 - 4.80	0.770 - 0.996	3.61	3.45	3.31	97	
18+20	2.40	1.60	4.00 - 4.80	1.033 - 1.366	4.84	4.63	4.44	97	
18+22	2.25	2.25	4.50 - 4.80	0.858 - 0.996	4.02	3.85	3.69	97	
18+25	2.15	2.35	4.50 - 4.80	0.822 - 0.996	3.85	3.68	3.53	97	
18+35	2.03	2.47	4.50 - 4.90	0.858 - 1.022	4.02	3.85	3.69	97	
20+20	2.20	2.20	4.40 - 4.80	1.031 - 1.724	4.83	4.62	4.43	97	
20+25	1.71	2.79	4.50 - 4.80	1.160 - 1.366	5.44	5.20	4.98	97	
20+35	1.60	2.90	4.50 - 4.90	1.156 - 1.390	5.42	5.18	4.97	97	
22+22	2.25	2.25	4.50 - 4.80	0.858 - 0.996	4.02	3.85	3.69	97	
22+25	2.15	2.35	4.50 - 4.80	0.858 - 0.996	4.02	3.85	3.69	97	
22+35	2.03	2.47	4.50 - 4.90	0.855 - 1.022	4.00	3.83	3.67	97	
25+25	2.25	2.25	4.50 - 4.90	0.858 - 1.026	4.02	3.85	3.69	97	
25+35	2.13	2.37	4.50 - 5.00	0.855 - 1.052	4.00	3.83	3.67	97	

**MXZ-2F53VF MXZ-2F53VF2 MXZ-2F53VF3 MXZ-2F53VFH MXZ-2F53VFH2 MXZ-2F53VFH3 COOLING**

Indoor units combination	Cooling capacity (kW)			Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Total			220	230	240	
15	1.50	-	1.50 1.20 - 2.90	0.250	0.310 - 0.770	1.48	1.42	1.36	95
18	1.80	-	1.80 1.20 - 3.40	0.250	0.370 - 0.800	1.77	1.69	1.62	95
20	2.00	-	2.00 1.20 - 3.40	0.250	0.370 - 0.800	1.77	1.69	1.62	95
22	2.20	-	2.20 1.20 - 2.90	0.250	0.460 - 0.800	2.20	2.11	2.02	95
25	2.50	-	2.50 1.30 - 3.60	0.250	0.510 - 0.800	2.44	2.33	2.24	95
35	3.50	-	3.50 1.30 - 5.10	0.250	0.780 - 1.710	3.73	3.57	3.42	95
42	4.20	-	4.20 1.30 - 5.19	0.250	1.040 - 1.840	4.98	4.76	4.56	95
50	4.50	-	4.50 1.30 - 5.19	0.250	1.420 - 1.840	6.79	6.50	6.23	95
15+15	1.50	1.50	3.00 1.10 - 4.80	0.326	0.685 - 1.326	3.28	3.13	3.00	95
15+18	1.50	1.80	3.30 1.10 - 5.00	0.289	0.756 - 1.299	3.62	3.46	3.31	95
15+20	1.50	2.00	3.50 1.10 - 4.80	0.334	0.887 - 1.324	4.15	3.97	3.81	97
15+22	1.50	2.20	3.70 1.10 - 5.00	0.289	0.930 - 1.299	4.36	4.17	4.00	97
15+25	1.50	2.50	4.00 1.10 - 4.80	0.372	1.292 - 1.652	6.05	5.79	5.55	97
15+35	1.50	3.50	5.00 1.10 - 5.60	0.292	1.408 - 1.882	6.60	6.31	6.05	97
15+42	1.39	3.91	5.30 1.10 - 5.60	0.292	1.680 - 1.882	7.87	7.53	7.22	97
15+50	1.22	4.08	5.30 1.10 - 5.80	0.295	1.799 - 2.035	8.43	8.07	7.73	97
18+18	1.80	1.80	3.60 1.10 - 5.30	0.252	0.885 - 1.512	4.15	3.97	3.80	97
18+20	1.80	2.00	3.80 1.10 - 5.00	0.287	0.957 - 1.297	4.49	4.29	4.11	97
18+22	1.80	2.20	4.00 1.10 - 4.80	0.332	1.079 - 1.322	5.05	4.83	4.63	97
18+25	1.80	2.50	4.30 1.10 - 5.40	0.252	1.040 - 1.532	4.87	4.66	4.47	97
18+35	1.80	3.50	5.30 1.10 - 5.60	0.252	1.356 - 1.552	6.35	6.08	5.82	97
18+42	1.59	3.71	5.30 1.10 - 5.80	0.252	1.467 - 1.582	6.87	6.57	6.30	97
18+50	1.40	3.90	5.30 1.10 - 6.00	0.248	1.463 - 1.618	6.85	6.56	6.28	97
20+20	2.00	2.00	4.00 1.10 - 4.80	0.332	1.079 - 1.322	5.05	4.83	4.63	97
20+22	2.00	2.20	4.20 1.10 - 5.00	0.287	1.074 - 1.297	5.03	4.81	4.61	97
20+25	2.00	2.50	4.50 1.10 - 5.20	0.287	1.142 - 1.617	5.35	5.12	4.90	97
20+35	1.93	3.37	5.30 1.10 - 5.60	0.287	1.801 - 2.007	8.44	8.07	7.74	97
20+42	1.71	3.59	5.30 1.10 - 5.80	0.287	1.801 - 2.037	8.44	8.07	7.74	97
20+50	1.51	3.79	5.30 1.10 - 6.00	0.292	1.680 - 1.952	7.87	7.53	7.22	97
22+22	2.20	2.20	4.40 1.10 - 5.30	0.252	1.069 - 1.512	5.01	4.79	4.59	97
22+25	2.20	2.50	4.70 1.10 - 5.40	0.252	1.127 - 1.532	5.28	5.05	4.84	97
22+35	2.05	3.25	5.30 1.10 - 5.60	0.252	1.467 - 1.552	6.87	6.57	6.30	97
22+42	1.44	2.76	4.20 1.10 - 5.80	0.252	1.467 - 1.582	6.87	6.57	6.30	97
22+50	1.62	3.68	5.30 1.10 - 6.00	0.248	1.463 - 1.618	6.85	6.56	6.28	97
25+25	2.50	2.50	5.00 1.10 - 5.60	0.252	1.195 - 1.552	5.60	5.36	5.13	97
25+35	2.21	3.09	5.30 1.10 - 5.80	0.252	1.467 - 1.582	6.87	6.57	6.30	97
25+42	1.98	3.32	5.30 1.10 - 5.80	0.252	1.467 - 1.582	6.87	6.57	6.30	97
25+50	1.77	3.53	5.30 1.10 - 6.00	0.248	1.463 - 1.618	6.85	6.56	6.28	97
35+35	2.65	2.65	5.30 1.10 - 6.00	0.252	1.467 - 1.622	6.87	6.57	6.30	97

**MXZ-2F53VF MXZ-2F53VF2 MXZ-2F53VF3 MXZ-2F53VFH MXZ-2F53VFH2 MXZ-2F53VFH3 HEATING**

Indoor units combination	Heating capacity (kW)			Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Total			220	230	240	
15	1.70	-	1.70 - 2.60	0.360 - 0.630	1.72	1.65	1.58	95	
18	3.30	-	3.30 - 4.50	0.670 - 1.130	3.21	3.07	2.94	95	
20	2.20	-	2.20 - 2.60	0.500 - 0.630	2.39	2.29	2.19	95	
22	3.30	-	3.30 - 4.50	0.670 - 1.130	3.21	3.07	2.94	95	
25	3.60	-	3.60 - 5.40	0.720 - 1.450	3.44	3.30	3.16	95	
35	4.00	-	4.00 - 5.40	0.830 - 1.450	3.97	3.80	3.64	95	
42	4.80	-	4.80 - 5.40	1.289 - 1.450	6.17	5.90	5.65	95	
50	5.00	-	5.00 - 5.50	1.343 - 1.477	6.42	6.14	5.89	95	
15+15	1.70	1.70	3.40 - 5.00	0.692 - 1.176	3.31	3.17	3.03	95	
15+18	1.46	2.84	4.30 - 5.30	0.907 - 1.246	4.34	4.15	3.98	95	
15+20	1.70	2.20	3.90 - 5.20	0.857 - 1.314	4.01	3.84	3.68	97	
15+22	1.46	2.84	4.30 - 5.30	0.907 - 1.246	4.25	4.07	3.90	97	
15+25	1.44	3.06	4.50 - 5.40	1.207 - 1.752	5.66	5.41	5.19	97	
15+35	1.70	4.00	5.70 - 7.00	1.721 - 2.126	8.06	7.71	7.39	97	
15+42	1.67	4.73	6.40 - 7.00	1.805 - 2.122	8.46	8.09	7.75	97	
15+50	1.62	4.78	6.40 - 7.00	1.910 - 2.249	8.95	8.56	8.20	97	
18+18	3.05	3.05	6.10 - 6.70	1.348 - 1.736	6.32	6.04	5.79	97	
18+20	3.12	2.08	5.20 - 6.10	1.190 - 1.484	5.58	5.33	5.11	97	
18+22	2.25	2.25	4.50 - 5.40	1.011 - 1.452	4.74	4.53	4.34	97	
18+25	2.97	3.23	6.20 - 6.80	1.437 - 1.766	6.73	6.44	6.17	97	
18+35	2.89	3.51	6.40 - 7.00	1.502 - 1.822	7.04	6.73	6.45	97	
18+42	2.61	3.79	6.40 - 7.00	1.609 - 1.822	7.54	7.21	6.91	97	
18+50	2.54	3.86	6.40 - 7.00	1.606 - 1.819	7.53	7.20	6.90	97	
20+20	2.20	2.20	4.40 - 5.40	1.011 - 1.452	4.74	4.53	4.34	97	
20+22	2.08	3.12	5.20 - 6.10	1.190 - 1.484	5.58	5.33	5.11	97	
20+25	2.05	3.35	5.40 - 6.20	1.317 - 1.574	6.17	5.90	5.66	97	
20+35	2.20	4.00	6.20 - 7.00	1.911 - 2.250	8.96	8.57	8.21	97	
20+42	2.01	4.39	6.40 - 7.00	1.911 - 2.250	8.96	8.57	8.21	97	
20+50	1.96	4.44	6.40 - 7.00	1.801 - 2.118	8.44	8.07	7.74	97	
22+22	3.05	3.05	6.10 - 6.70	1.348 - 1.736	6.32	6.04	5.79	97	
22+25	2.97	3.23	6.20 - 6.80	1.437 - 1.766	6.73	6.44	6.17	97	
22+35	2.89	3.51	6.40 - 7.00	1.609 - 1.822	7.54	7.21	6.91	97	
22+42	2.61	3.79	6.40 - 7.00	1.609 - 1.822	7.54	7.21	6.91	97	
22+50	2.54	3.86	6.40 - 7.00	1.606 - 1.819	7.53	7.20	6.90	97	
25+25	3.15	3.15	6.30 - 7.00	1.525 - 1.826	7.15	6.83	6.55	97	
25+35	3.03	3.37	6.40 - 7.00	1.609 - 1.822	7.54	7.21	6.91	97	
25+42	2.74	3.66	6.40 - 7.00	1.609 - 1.822	7.54	7.21	6.91	97	
25+50	2.68	3.72	6.40 - 7.00	1.606 - 1.819	7.53	7.20	6.90	97	
35+35	3.20	3.20	6.40 - 7.00	1.605 - 1.818	7.52	7.20	6.90	97	



**MXZ-3F54VF MXZ-3F54VF2 MXZ-3F54VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)			
	Unit A	Unit B	Unit C	Total			220	230	240				
15	1.50	-	-	1.50	-	2.80	0.460	-	0.700	2.11	2.02	1.94	99
18	1.80	-	-	1.80	-	3.80	0.460	-	0.870	2.11	2.02	1.94	99
20	2.00	-	-	2.00	-	2.80	0.460	-	0.700	2.39	2.28	2.19	99
22	2.20	-	-	2.20	-	3.80	0.460	-	0.870	2.39	2.28	2.19	99
25	2.50	-	-	2.50	-	3.80	0.520	-	0.870	2.80	2.68	2.57	99
35	3.50	-	-	3.50	-	5.20	0.520	-	1.500	3.72	3.56	3.41	99
42	4.20	-	-	4.20	-	5.00	0.520	-	1.585	4.73	4.52	4.34	99
50	5.00	-	-	5.00	-	5.60	0.520	-	1.775	6.20	5.93	5.68	99
15+15	1.50	1.50	-	3.00	-	5.40	0.540	-	1.800	3.52	3.37	3.23	99
15+18	1.50	1.80	-	3.30	-	5.40	0.620	-	1.890	3.75	3.58	3.43	99
15+20	1.50	2.00	-	3.50	-	5.40	0.700	-	2.005	3.94	3.77	3.61	99
15+22	1.50	2.20	-	3.70	-	5.40	0.660	-	1.850	4.14	3.96	3.79	99
15+25	1.50	2.50	-	4.00	-	5.40	0.780	-	1.970	5.03	4.81	4.61	99
15+35	1.50	3.50	-	5.00	-	6.00	0.620	-	2.150	6.55	6.26	6.00	99
15+42	1.42	3.98	-	5.40	-	6.80	0.620	-	2.790	7.18	6.87	6.59	99
15+50	1.25	4.15	-	5.40	-	6.80	0.630	-	2.780	7.18	6.87	6.59	99
18+18	1.80	1.80	-	3.60	-	5.40	0.540	-	1.640	3.71	3.54	3.40	99
18+20	1.80	2.00	-	3.80	-	5.40	0.700	-	1.890	4.44	4.24	4.07	99
18+22	1.80	2.20	-	4.00	-	5.40	0.700	-	1.800	4.90	4.69	4.49	99
18+25	1.80	2.50	-	4.30	-	5.40	0.580	-	1.680	5.24	5.01	4.81	99
18+35	1.80	3.50	-	5.30	-	6.60	0.540	-	2.460	6.89	6.59	6.32	99
18+42	1.62	3.78	-	5.40	-	6.80	0.540	-	2.620	7.05	6.74	6.46	99
18+50	1.43	3.97	-	5.40	-	6.80	0.550	-	2.610	7.05	6.74	6.46	99
20+20	2.00	2.00	-	4.00	-	5.40	0.700	-	1.800	4.90	4.69	4.49	99
20+22	2.00	2.20	-	4.20	-	5.40	0.700	-	1.890	5.26	5.03	4.82	99
20+25	2.00	2.50	-	4.50	-	5.50	0.620	-	1.865	5.67	5.42	5.19	99
20+35	1.82	3.18	-	5.00	-	6.00	0.620	-	2.150	6.55	6.26	6.00	99
20+42	1.74	3.66	-	5.40	-	6.80	0.620	-	2.790	7.18	6.87	6.59	99
20+50	1.54	3.86	-	5.40	-	6.80	0.630	-	2.780	7.18	6.87	6.59	99
22+22	2.20	2.20	-	4.40	-	5.40	0.540	-	1.640	5.35	5.12	4.91	99
22+25	2.20	2.50	-	4.70	-	5.70	0.540	-	1.810	5.88	5.63	5.39	99
22+35	2.08	3.32	-	5.40	-	6.80	0.540	-	2.620	7.05	6.74	6.46	99
22+42	1.86	3.54	-	5.40	-	6.80	0.540	-	2.620	7.05	6.74	6.46	99
22+50	1.65	3.75	-	5.40	-	6.80	0.550	-	2.610	7.05	6.74	6.46	99
25+25	2.50	2.50	-	5.00	-	6.00	0.540	-	1.980	6.41	6.13	5.88	99
25+35	2.25	3.15	-	5.40	-	6.80	0.540	-	2.620	7.05	6.74	6.46	99
25+42	2.01	3.39	-	5.40	-	6.80	0.540	-	2.620	7.05	6.74	6.46	99
25+50	1.80	3.60	-	5.40	-	6.80	0.550	-	2.610	7.05	6.74	6.46	99
35+35	2.70	2.70	-	5.40	-	6.80	0.540	-	2.620	7.05	6.74	6.46	99

**MXZ-3F54VF MXZ-3F54VF2 MXZ-3F54VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
35+42	2.45	2.95	-	5.40 2.00 - 6.80	1.536 0.550 - 2.620	7.05	6.74	6.46	99	
35+50	2.22	3.18	-	5.40 2.00 - 6.80	1.533 0.560 - 2.595	7.04	6.73	6.45	99	
42+42	2.70	2.70	-	5.40 2.00 - 6.80	1.536 0.550 - 2.620	7.05	6.74	6.46	99	
42+50	2.47	2.93	-	5.40 2.10 - 6.80	1.510 0.570 - 2.470	6.93	6.63	6.36	99	
50+50	2.70	2.70	-	5.40 2.10 - 6.80	1.484 0.560 - 2.340	6.81	6.52	6.25	99	
15+15+15	1.50	1.50	1.50	4.50 2.90 - 6.80	0.931 0.670 - 1.770	4.28	4.09	3.92	99	
15+15+18	1.50	1.50	1.80	4.80 2.90 - 6.80	1.141 0.730 - 2.130	5.24	5.01	4.80	99	
15+15+20	1.50	1.50	2.00	5.00 2.90 - 6.80	1.264 0.760 - 2.310	5.80	5.55	5.32	99	
15+15+22	1.50	1.50	2.20	5.20 2.90 - 6.80	1.291 0.730 - 2.130	5.93	5.67	5.43	99	
15+15+25	1.47	1.47	2.45	5.40 2.90 - 6.80	1.366 0.730 - 2.130	6.27	6.00	5.75	99	
15+15+35	1.25	1.25	2.91	5.40 2.90 - 6.80	1.366 0.730 - 2.130	6.27	6.00	5.75	99	
15+15+42	1.13	1.13	3.15 *	5.40 2.90 - 6.80	1.346 0.730 - 2.120	6.18	5.91	5.67	99	
15+15+50	1.01	1.01	3.38 *	5.40 2.90 - 6.80	1.337 0.730 - 2.110	6.14	5.87	5.63	99	
15+18+18	1.50	1.80	1.80	5.10 2.90 - 6.80	1.205 0.700 - 1.950	5.53	5.29	5.07	99	
15+18+20	1.50	1.80	2.00	5.30 2.90 - 6.80	1.328 0.730 - 2.130	6.10	5.83	5.59	99	
15+18+22	1.47	1.77	2.16	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99	
15+18+25	1.40	1.68	2.33	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99	
15+18+35	1.19	1.43	2.78	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99	
15+18+42	1.08	1.30	3.02 *	5.40 2.90 - 6.80	1.298 0.700 - 1.940	5.96	5.70	5.46	99	
15+18+50	0.98	1.17	3.25 *	5.40 2.90 - 6.80	1.288 0.700 - 1.930	5.91	5.66	5.42	99	
15+20+20	1.47	1.96	1.96	5.40 2.90 - 6.80	1.414 0.760 - 2.310	6.49	6.21	5.95	99	
15+20+22	1.42	1.89	2.08	5.40 2.90 - 6.80	1.366 0.730 - 2.130	6.27	6.00	5.75	99	
15+20+25	1.35	1.80	2.25	5.40 2.90 - 6.80	1.366 0.730 - 2.130	6.27	6.00	5.75	99	
15+20+35	1.16	1.54	2.70	5.40 2.90 - 6.80	1.366 0.730 - 2.130	6.27	6.00	5.75	99	
15+20+42	1.05	1.40	2.95 *	5.40 2.90 - 6.80	1.346 0.730 - 2.120	6.18	5.91	5.67	99	
15+20+50	0.95	1.27	3.18 *	5.40 2.90 - 6.80	1.337 0.730 - 2.110	6.14	5.87	5.63	99	
15+22+22	1.37	2.01	2.01	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99	
15+22+25	1.31	1.92	2.18	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99	
15+22+35	1.13	1.65	2.63	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99	
15+22+42	1.03	1.50	2.87 *	5.40 2.90 - 6.80	1.298 0.700 - 1.940	5.96	5.70	5.46	99	
15+22+50	0.93	1.37	3.10 *	5.40 2.90 - 6.80	1.288 0.700 - 1.930	5.91	5.66	5.42	99	
15+25+25	1.25	2.08	2.08	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99	
15+25+35	1.08	1.80	2.52	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99	
15+25+42	0.99	1.65	2.77 *	5.40 2.90 - 6.80	1.298 0.700 - 1.940	5.96	5.70	5.46	99	
15+25+50	0.90	1.50	3.00 *	5.40 2.90 - 6.80	1.288 0.700 - 1.930	5.91	5.66	5.42	99	
15+35+35	0.95	2.22	2.22	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99	
15+35+42	0.88	2.05	2.47 *	5.40 2.90 - 6.80	1.298 0.700 - 1.940	5.96	5.70	5.46	99	
15+35+50	0.81	1.89	2.70 *	5.40 2.90 - 6.80	1.288 0.700 - 1.930	5.91	5.66	5.42	99	
15+42+42	0.82	2.29 *	2.29 *	5.40 2.90 - 6.80	1.278 0.700 - 1.930	5.87	5.61	5.38	99	

**MXZ-3F54VF MXZ-3F54VF2 MXZ-3F54VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
18+18+18	1.80	1.80	1.80	5.40 2.90 - 6.80	1.260 0.670 - 1.770	5.79	5.53	5.30	99	
18+18+20	1.74	1.74	1.93	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99	
18+18+22	1.68	1.68	2.05	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99	
18+18+25	1.59	1.59	2.21	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99	
18+18+35	1.37	1.37	2.66	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99	
18+18+42	1.25	1.25	2.91 *	5.40 2.90 - 6.80	1.249 0.670 - 1.760	5.74	5.49	5.26	99	
18+18+50	1.13	1.13	3.14 *	5.40 2.90 - 6.80	1.240 0.670 - 1.750	5.69	5.44	5.22	99	
18+20+20	1.68	1.86	1.86	5.40 2.90 - 6.80	1.366 0.730 - 2.130	6.27	6.00	5.75	99	
18+20+22	1.62	1.80	1.98	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99	
18+20+25	1.54	1.71	2.14	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99	
18+20+35	1.33	1.48	2.59	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99	
18+20+42	1.22	1.35	2.84 *	5.40 2.90 - 6.80	1.298 0.700 - 1.940	5.96	5.70	5.46	99	
18+20+50	1.10	1.23	3.07 *	5.40 2.90 - 6.80	1.288 0.700 - 1.930	5.91	5.66	5.42	99	
18+22+22	1.57	1.92	1.92	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99	
18+22+25	1.50	1.83	2.08	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99	
18+22+35	1.30	1.58	2.52	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99	
18+22+42	1.19	1.45	2.77 *	5.40 2.90 - 6.80	1.249 0.670 - 1.760	5.74	5.49	5.26	99	
18+22+50	1.08	1.32	3.00 *	5.40 2.90 - 6.80	1.240 0.670 - 1.750	5.69	5.44	5.22	99	
18+25+25	1.43	1.99	1.99	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99	
18+25+35	1.25	1.73	2.42	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99	
18+25+42	1.14	1.59	2.67 *	5.40 2.90 - 6.80	1.249 0.670 - 1.760	5.74	5.49	5.26	99	
18+25+50	1.05	1.45	2.90 *	5.40 2.90 - 6.80	1.240 0.670 - 1.750	5.69	5.44	5.22	99	
18+35+35	1.10	2.15	2.15	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99	
18+35+42	1.02	1.99	2.39 *	5.40 2.90 - 6.80	1.249 0.670 - 1.760	5.74	5.49	5.26	99	
20+20+20	1.80	1.80	1.80	5.40 2.90 - 6.80	1.414 0.760 - 2.310	6.49	6.21	5.95	99	
20+20+22	1.74	1.74	1.92	5.40 2.90 - 6.80	1.366 0.730 - 2.130	6.27	6.00	5.75	99	
20+20+25	1.66	1.66	2.08	5.40 2.90 - 6.80	1.366 0.730 - 2.130	6.27	6.00	5.75	99	
20+20+35	1.44	1.44	2.52	5.40 2.90 - 6.80	1.366 0.730 - 2.130	6.27	6.00	5.75	99	
20+20+42	1.32	1.32	2.77 *	5.40 2.90 - 6.80	1.346 0.730 - 2.120	6.18	5.91	5.67	99	
20+20+50	1.20	1.20	3.00 *	5.40 2.90 - 6.80	1.337 0.730 - 2.110	6.14	5.87	5.63	99	
20+22+22	1.69	1.86	1.86	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99	
20+22+25	1.61	1.77	2.01	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99	
20+22+35	1.40	1.54	2.45	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99	
20+22+42	1.29	1.41	2.70 *	5.40 2.90 - 6.80	1.298 0.700 - 1.940	5.96	5.70	5.46	99	
20+22+50	1.17	1.29	2.93 *	5.40 2.90 - 6.80	1.288 0.700 - 1.930	5.91	5.66	5.42	99	
20+25+25	1.54	1.93	1.93	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99	
20+25+35	1.35	1.69	2.36	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99	
20+25+42	1.24	1.55	2.61 *	5.40 2.90 - 6.80	1.298 0.700 - 1.940	5.96	5.70	5.46	99	
20+25+50	1.14	1.42	2.84 *	5.40 2.90 - 6.80	1.288 0.700 - 1.930	5.91	5.66	5.42	99	

**MXZ-3F54VF MXZ-3F54VF2 MXZ-3F54VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
20+35+35	1.20	2.10	2.10	5.40 2.90 - 6.80	0.700	1.317 - 1.950	6.05	5.79	5.54	99
20+35+42	1.11	1.95	2.34 *	5.40 2.90 - 6.80	0.700	1.298 - 1.940	5.96	5.70	5.46	99
22+22+22	1.80	1.80	1.80	5.40 2.90 - 6.80	0.670	1.269 - 1.770	5.83	5.57	5.34	99
22+22+25	1.72	1.72	1.96	5.40 2.90 - 6.80	0.670	1.269 - 1.770	5.83	5.57	5.34	99
22+22+35	1.50	1.50	2.39	5.40 2.90 - 6.80	0.670	1.269 - 1.770	5.83	5.57	5.34	99
22+22+42	1.38	1.38	2.64 *	5.40 2.90 - 6.80	0.670	1.249 - 1.760	5.74	5.49	5.26	99
22+22+50	1.26	1.26	2.87 *	5.40 2.90 - 6.80	0.670	1.240 - 1.750	5.69	5.44	5.22	99
22+25+25	1.65	1.88	1.88	5.40 2.90 - 6.80	0.670	1.269 - 1.770	5.83	5.57	5.34	99
22+25+35	1.45	1.65	2.30	5.40 2.90 - 6.80	0.670	1.269 - 1.770	5.83	5.57	5.34	99
22+25+42	1.33	1.52	2.55 *	5.40 2.90 - 6.80	0.670	1.249 - 1.760	5.74	5.49	5.26	99
22+25+50	1.22	1.39	2.78 *	5.40 2.90 - 6.80	0.670	1.240 - 1.750	5.69	5.44	5.22	99
22+35+35	1.29	2.05	2.05	5.40 2.90 - 6.80	0.670	1.269 - 1.770	5.83	5.57	5.34	99
22+35+42	1.20	1.91	2.29 *	5.40 2.90 - 6.80	0.670	1.249 - 1.760	5.74	5.49	5.26	99
25+25+25	1.80	1.80	1.80	5.40 2.90 - 6.80	0.670	1.269 - 1.770	5.83	5.57	5.34	99
25+25+35	1.59	1.59	2.22	5.40 2.90 - 6.80	0.670	1.269 - 1.770	5.83	5.57	5.34	99
25+25+42	1.47	1.47	2.47 *	5.40 2.90 - 6.80	0.670	1.249 - 1.760	5.74	5.49	5.26	99
25+25+50	1.35	1.35	2.70 *	5.40 2.90 - 6.80	0.670	1.240 - 1.750	5.69	5.44	5.22	99
25+35+35	1.42	1.99	1.99	5.40 2.90 - 6.80	0.670	1.269 - 1.770	5.83	5.57	5.34	99

\* In case of MSZ-AP42/50VG or SLZ-M50FA, Rated capacity is lower than another model.

	Total connect indoor unit
	3, 4 units
MSZ-AP42VG	90%
MSZ-AP50VG	80%
SLZ-M50FA	70%

ex.) MSZ-LN18VG + MSZ-LN22VG + MSZ-AP42VG

- MSZ-LN18VG : Rated capacity is 1.78kW.
- MSZ-LN22VG : Rated capacity is 2.66kW.
- MSZ-AP42VG : Rated capacity is 3.92kW. (=4.36\*0.9)

**MXZ-3F54VF MXZ-3F54VF2 MXZ-3F54VF3 HEATING**

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)			
	Unit A	Unit B	Unit C	Total			220	230	240				
15	1.70	-	-	1.70	-	2.50	0.502	-	0.780	2.30	2.20	2.11	99
18	3.30	-	-	3.30	2.00	4.50	0.780	-	1.250	3.58	3.43	3.28	99
20	2.20	-	-	2.20	2.20	2.50	0.598	-	1.440	2.74	2.63	2.52	99
22	3.30	-	-	3.30	2.00	4.50	0.780	-	1.250	3.58	3.43	3.28	99
25	3.60	-	-	3.60	2.00	5.30	0.830	-	1.480	3.81	3.65	3.49	99
35	4.00	-	-	4.00	2.00	5.30	0.960	-	1.480	4.41	4.22	4.04	99
42	5.40	-	-	5.40	2.00	5.60	1.508	-	1.564	6.92	6.62	6.35	99
50	5.80	-	-	5.80	2.00	6.80	1.620	-	2.431	7.44	7.11	6.82	99
15+15	1.70	1.70	-	3.40	1.80	5.00	0.780	-	1.300	3.58	3.43	3.28	99
15+18	1.70	3.30	-	5.00	1.80	6.10	1.123	-	1.530	5.16	4.93	4.73	99
15+20	1.70	2.20	-	3.90	1.80	5.80	0.947	-	1.625	4.35	4.16	3.98	99
15+22	1.70	3.30	-	5.00	1.80	6.10	1.123	-	1.530	5.16	4.93	4.73	99
15+25	1.60	3.40	-	5.00	1.80	6.10	1.123	-	1.530	5.16	4.93	4.73	99
15+35	1.55	3.65	-	5.20	1.80	7.90	1.205	-	2.090	5.53	5.29	5.07	99
15+42	1.25	3.95	-	5.20	1.80	7.90	1.205	-	2.090	5.53	5.29	5.07	99
15+50	1.04	4.16	-	5.20	1.80	7.90	1.196	-	2.080	5.49	5.25	5.03	99
18+18	3.30	3.30	-	6.60	1.80	7.20	1.466	-	1.760	6.73	6.44	6.17	99
18+20	3.30	2.20	-	5.50	1.80	6.90	1.290	-	1.855	5.92	5.66	5.43	99
18+22	3.30	3.30	-	6.60	1.80	7.20	1.466	-	1.760	6.73	6.44	6.17	99
18+25	3.16	3.44	-	6.60	1.80	7.20	1.466	-	1.760	6.73	6.44	6.17	99
18+35	3.07	3.73	-	6.80	1.80	9.00	1.548	-	2.320	7.11	6.80	6.52	99
18+42	2.58	4.22	-	6.80	1.80	9.00	1.548	-	2.320	7.11	6.80	6.52	99
18+50	2.22	4.58	-	6.80	1.80	9.00	1.539	-	2.310	7.06	6.76	6.48	99
20+20	2.20	2.20	-	4.40	1.80	6.60	1.113	-	1.950	5.11	4.89	4.69	99
20+22	2.20	3.30	-	5.50	1.80	6.90	1.290	-	1.855	5.92	5.66	5.43	99
20+25	2.09	3.41	-	5.50	1.80	7.20	1.303	-	1.950	5.98	5.72	5.49	99
20+35	2.02	3.68	-	5.70	1.80	8.70	1.372	-	2.415	6.30	6.03	5.77	99
20+42	1.65	4.05	-	5.70	1.80	8.70	1.372	-	2.415	6.30	6.03	5.77	99
20+50	1.39	4.31	-	5.70	1.80	8.70	1.362	-	2.405	6.25	5.98	5.73	99
22+22	3.30	3.30	-	6.60	1.80	7.20	1.466	-	1.760	6.73	6.44	6.17	99
22+25	3.20	3.50	-	6.70	1.80	8.10	1.507	-	2.040	6.92	6.62	6.34	99
22+35	3.07	3.73	-	6.80	1.80	9.00	1.548	-	2.320	7.11	6.80	6.52	99
22+42	2.58	4.22	-	6.80	1.80	9.00	1.548	-	2.320	7.11	6.80	6.52	99
22+50	2.22	4.58	-	6.80	1.80	9.00	1.519	-	2.300	6.97	6.67	6.39	99
25+25	3.40	3.40	-	6.80	1.80	9.00	1.548	-	2.320	7.11	6.80	6.52	99
25+35	3.22	3.58	-	6.80	1.80	9.00	1.548	-	2.320	7.11	6.80	6.52	99
25+42	2.72	4.08	-	6.80	1.80	9.00	1.548	-	2.320	7.11	6.80	6.52	99
25+50	2.35	4.45	-	6.80	1.80	9.00	1.490	-	2.290	6.84	6.54	6.27	99
35+35	3.40	3.40	-	6.80	1.80	9.00	1.548	-	2.320	7.11	6.80	6.52	99

**MXZ-3F54VF MXZ-3F54VF2 MXZ-3F54VF3 HEATING**

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
35+42	2.89	3.91	-	6.80 1.80 - 9.00	1.480 0.410 - 2.290	6.79	6.50	6.23	99	
35+50	2.52	4.28	-	6.80 1.80 - 9.00	1.398 0.410 - 2.240	6.42	6.14	5.89	99	
42+42	3.40	3.40	-	6.80 1.80 - 9.00	1.411 0.410 - 2.260	6.48	6.20	5.94	99	
42+50	3.01	3.79	-	6.80 1.90 - 9.00	1.377 0.390 - 2.170	6.32	6.05	5.80	99	
50+50	3.40	3.40	-	6.80 1.90 - 9.00	1.343 0.360 - 2.080	6.16	5.90	5.65	99	
15+15+15	1.70	1.70	1.70	5.10 2.60 - 7.90	1.126 0.710 - 2.410	5.17	4.95	4.74	99	
15+15+18	1.47	1.47	2.86	5.80 2.60 - 8.40	1.244 0.640 - 2.300	5.71	5.46	5.23	99	
15+15+20	1.70	1.70	2.20	5.60 2.60 - 8.10	1.293 0.600 - 2.380	5.93	5.68	5.44	99	
15+15+22	1.47	1.47	2.86	5.80 2.60 - 8.40	1.244 0.560 - 2.300	5.71	5.46	5.23	99	
15+15+25	1.41	1.41	2.98	5.80 2.60 - 8.40	1.244 0.550 - 2.300	5.71	5.46	5.23	99	
15+15+35	1.33	1.33	3.14	5.80 2.60 - 8.40	1.244 0.550 - 2.300	5.71	5.46	5.23	99	
15+15+42	1.12	1.12	3.56	5.80 2.60 - 8.40	1.244 0.520 - 2.300	5.71	5.46	5.23	99	
15+15+50	0.97	0.97	3.87	5.80 2.60 - 8.40	1.244 0.520 - 2.300	5.71	5.46	5.23	99	
15+18+18	1.31	2.54	2.54	6.40 2.60 - 8.70	1.361 0.570 - 2.190	6.25	5.98	5.73	99	
15+18+20	1.49	2.89	1.93	6.30 2.60 - 8.40	1.410 0.530 - 2.270	6.47	6.19	5.94	99	
15+18+22	1.31	2.54	2.54	6.40 2.60 - 8.70	1.361 0.540 - 2.190	6.25	5.98	5.73	99	
15+18+25	1.27	2.46	2.68	6.40 2.60 - 8.70	1.361 0.630 - 2.190	6.25	5.98	5.73	99	
15+18+35	1.21	2.35	2.84	6.40 2.60 - 8.70	1.361 0.510 - 2.190	6.25	5.98	5.73	99	
15+18+42	1.05	2.03	3.32	6.40 2.60 - 8.70	1.361 0.510 - 2.190	6.25	5.98	5.73	99	
15+18+50	0.92	1.79	3.69	6.40 2.60 - 8.70	1.361 0.510 - 2.190	6.25	5.98	5.73	99	
15+20+20	1.70	2.20	2.20	6.10 2.60 - 8.10	1.459 0.540 - 2.350	6.70	6.41	6.14	99	
15+20+22	1.49	1.93	2.89	6.30 2.60 - 8.40	1.410 0.600 - 2.270	6.47	6.19	5.94	99	
15+20+25	1.43	1.85	3.02	6.30 2.60 - 8.40	1.410 0.690 - 2.270	6.47	6.19	5.94	99	
15+20+35	1.36	1.75	3.19	6.30 2.60 - 8.40	1.410 0.510 - 2.270	6.47	6.19	5.94	99	
15+20+42	1.15	1.49	3.66	6.30 2.60 - 8.40	1.410 0.510 - 2.270	6.47	6.19	5.94	99	
15+20+50	1.00	1.30	4.00	6.30 2.60 - 8.40	1.410 0.510 - 2.270	6.47	6.19	5.94	99	
15+22+22	1.31	2.54	2.54	6.40 2.60 - 8.70	1.361 0.660 - 2.190	6.25	5.98	5.73	99	
15+22+25	1.27	2.46	2.68	6.40 2.60 - 8.70	1.361 0.630 - 2.190	6.25	5.98	5.73	99	
15+22+35	1.21	2.35	2.84	6.40 2.60 - 8.70	1.361 0.510 - 2.190	6.25	5.98	5.73	99	
15+22+42	1.05	2.03	3.32	6.40 2.60 - 8.70	1.361 0.510 - 2.190	6.25	5.98	5.73	99	
15+22+50	0.92	1.79	3.69	6.40 2.60 - 8.70	1.361 0.510 - 2.190	6.25	5.98	5.73	99	
15+25+25	1.22	2.59	2.59	6.40 2.60 - 8.70	1.361 0.540 - 2.190	6.25	5.98	5.73	99	
15+25+35	1.17	2.48	2.75	6.40 2.60 - 8.70	1.361 0.510 - 2.190	6.25	5.98	5.73	99	
15+25+42	1.02	2.15	3.23	6.40 2.60 - 8.70	1.361 0.510 - 2.190	6.25	5.98	5.73	99	
15+25+50	0.90	1.90	3.60	6.40 2.60 - 8.70	1.361 0.510 - 2.190	6.25	5.98	5.73	99	
15+35+35	1.12	2.64	2.64	6.40 2.60 - 8.70	1.361 0.510 - 2.190	6.25	5.98	5.73	99	
15+35+42	0.98	2.31	3.11	6.40 2.60 - 8.70	1.361 0.510 - 2.190	6.25	5.98	5.73	99	
15+35+50	0.87	2.05	3.48	6.40 2.60 - 8.70	1.361 0.510 - 2.190	6.25	5.98	5.73	99	
15+42+42	0.87	2.76	2.76	6.40 2.60 - 8.70	1.361 0.510 - 2.190	6.25	5.98	5.73	99	

**MXZ-3F54VF MXZ-3F54VF2 MXZ-3F54VF3 HEATING**

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
18+18+18	2.33	2.33	2.33	7.00 2.60 - 9.00	0.500	1.313 - 2.080	6.03	5.77	5.53	99
18+18+20	2.59	2.59	1.73	6.90 2.60 - 8.70	0.560	1.528 - 2.160	7.01	6.71	6.43	99
18+18+22	2.33	2.33	2.33	7.00 2.60 - 9.00	0.620	1.479 - 2.080	6.79	6.49	6.22	99
18+18+25	2.26	2.26	2.47	7.00 2.60 - 9.00	0.650	1.479 - 2.080	6.79	6.49	6.22	99
18+18+35	2.18	2.18	2.64	7.00 2.60 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
18+18+42	1.93	1.93	3.15	7.00 2.60 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
18+18+50	1.72	1.72	3.55	7.00 2.60 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
18+20+20	2.91	1.94	1.94	6.80 2.60 - 8.40	0.620	1.577 - 2.240	7.24	6.92	6.64	99
18+20+22	2.59	1.73	2.59	6.90 2.60 - 8.70	0.680	1.528 - 2.160	7.01	6.71	6.43	99
18+20+25	2.50	1.67	2.73	6.90 2.60 - 8.70	0.590	1.528 - 2.160	7.01	6.71	6.43	99
18+20+35	2.40	1.60	2.91	6.90 2.60 - 8.70	0.500	1.528 - 2.160	7.01	6.71	6.43	99
18+20+42	2.09	1.39	3.42	6.90 2.60 - 8.70	0.500	1.528 - 2.160	7.01	6.71	6.43	99
18+20+50	1.85	1.23	3.81	6.90 2.60 - 8.70	0.500	1.528 - 2.160	7.01	6.71	6.43	99
18+22+22	2.33	2.33	2.33	7.00 2.60 - 9.00	0.620	1.479 - 2.080	6.79	6.49	6.22	99
18+22+25	2.26	2.26	2.47	7.00 2.60 - 9.00	0.530	1.479 - 2.080	6.79	6.49	6.22	99
18+22+35	2.18	2.18	2.64	7.00 2.60 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
18+22+42	1.93	1.93	3.15	7.00 2.60 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
18+22+50	1.72	1.72	3.55	7.00 2.60 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
18+25+25	2.20	2.40	2.40	7.00 2.60 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
18+25+35	2.12	2.31	2.57	7.00 2.60 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
18+25+42	1.88	2.05	3.07	7.00 2.60 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
18+25+50	1.69	1.84	3.47	7.00 2.60 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
18+35+35	2.04	2.48	2.48	7.00 2.60 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
18+35+42	1.82	2.20	2.98	7.00 2.60 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
20+20+20	2.20	2.20	2.20	6.60 2.60 - 8.00	0.680	1.626 - 2.320	7.46	7.14	6.84	99
20+20+22	1.94	1.94	2.91	6.80 2.60 - 8.40	0.620	1.577 - 2.240	7.24	6.92	6.64	99
20+20+25	1.87	1.87	3.06	6.80 2.60 - 8.40	0.530	1.577 - 2.240	7.24	6.92	6.64	99
20+20+35	1.78	1.78	3.24	6.80 2.60 - 8.40	0.500	1.577 - 2.240	7.24	6.92	6.64	99
20+20+42	1.53	1.53	3.75	6.80 2.60 - 8.40	0.500	1.577 - 2.240	7.24	6.92	6.64	99
20+20+50	1.34	1.34	4.13	6.80 2.60 - 8.40	0.500	1.577 - 2.240	7.24	6.92	6.64	99
20+22+22	1.73	2.59	2.59	6.90 2.60 - 8.70	0.560	1.528 - 2.160	7.01	6.71	6.43	99
20+22+25	1.67	2.50	2.73	6.90 2.60 - 8.70	0.500	1.528 - 2.160	7.01	6.71	6.43	99
20+22+35	1.60	2.40	2.91	6.90 2.60 - 8.70	0.500	1.528 - 2.160	7.01	6.71	6.43	99
20+22+42	1.39	2.09	3.42	6.90 2.60 - 8.70	0.500	1.528 - 2.160	7.01	6.71	6.43	99
20+22+50	1.23	1.85	3.81	6.90 2.60 - 8.70	0.500	1.528 - 2.160	7.01	6.71	6.43	99
20+25+25	1.61	2.64	2.64	6.90 2.60 - 8.70	0.500	1.528 - 2.160	7.01	6.71	6.43	99
20+25+35	1.55	2.53	2.82	6.90 2.60 - 8.70	0.500	1.528 - 2.160	7.01	6.71	6.43	99
20+25+42	1.36	2.22	3.33	6.90 2.60 - 8.70	0.500	1.528 - 2.160	7.01	6.71	6.43	99
20+25+50	1.20	1.97	3.72	6.90 2.60 - 8.70	0.500	1.528 - 2.160	7.01	6.71	6.43	99

**MXZ-3F54VF MXZ-3F54VF2 MXZ-3F54VF3 HEATING**

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
20+35+35	1.49	2.71	2.71	6.90 - 8.70	0.500	1.528 - 2.160	7.01	6.71	6.43	99
20+35+42	1.31	2.38	3.21	6.90 - 8.70	0.500	1.528 - 2.160	7.01	6.71	6.43	99
22+22+22	2.33	2.33	2.33	7.00 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
22+22+25	2.26	2.26	2.47	7.00 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
22+22+35	2.18	2.18	2.64	7.00 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
22+22+42	1.93	1.93	3.15	7.00 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
22+22+50	1.72	1.72	3.55	7.00 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
22+25+25	2.20	2.40	2.40	7.00 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
22+25+35	2.12	2.31	2.57	7.00 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
22+25+42	1.88	2.05	3.07	7.00 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
22+25+50	1.69	1.84	3.47	7.00 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
22+35+35	2.04	2.48	2.48	7.00 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
22+35+42	1.82	2.20	2.98	7.00 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
25+25+25	2.33	2.33	2.33	7.00 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
25+25+35	2.25	2.25	2.50	7.00 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
25+25+42	2.00	2.00	3.00	7.00 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
25+25+50	1.80	1.80	3.40	7.00 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99
25+35+35	2.17	2.41	2.41	7.00 - 9.00	0.500	1.479 - 2.080	6.79	6.49	6.22	99



**MXZ-3F68VF MXZ-3F68VF2 MXZ-3F68VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)			
	Unit A	Unit B	Unit C	Total			220	230	240				
15	1.50	-	-	1.50	-	2.80	0.460	-	0.700	2.11	2.02	1.94	99
18	1.80	-	-	1.80	-	3.80	0.460	-	0.870	2.11	2.02	1.94	99
20	2.00	-	-	2.00	-	2.80	0.460	-	0.700	2.39	2.28	2.19	99
22	2.20	-	-	2.20	-	3.80	0.460	-	0.870	2.39	2.28	2.19	99
25	2.50	-	-	2.50	-	3.80	0.520	-	0.870	3.72	3.56	3.41	99
35	3.50	-	-	3.50	-	5.20	0.520	-	1.500	3.72	3.56	3.41	99
42	4.20	-	-	4.20	-	5.00	0.520	-	1.585	4.73	4.52	4.34	99
50	5.00	-	-	5.00	-	5.60	0.520	-	1.775	6.20	5.93	5.68	99
60	6.00	-	-	6.00	-	6.60	0.450	-	2.491	7.94	7.60	7.28	99
15+15	1.50	1.50	-	3.00	-	5.40	0.540	-	1.800	3.52	3.37	3.23	99
15+18	1.50	1.80	-	3.30	-	5.40	0.620	-	1.890	3.75	3.58	3.43	99
15+20	1.50	2.00	-	3.50	-	5.40	0.700	-	2.005	3.94	3.77	3.61	99
15+22	1.50	2.20	-	3.70	-	5.40	0.660	-	1.850	4.14	3.96	3.79	99
15+25	1.50	2.50	-	4.00	-	5.40	0.780	-	1.970	5.03	4.81	4.61	99
15+35	1.50	3.50	-	5.00	-	6.00	0.620	-	2.150	6.55	6.26	6.00	99
15+42	1.50	4.20	-	5.70	-	6.40	0.620	-	2.500	7.53	7.20	6.90	99
15+50	1.50	5.00	-	6.50	-	6.90	0.630	-	2.860	9.19	8.79	8.43	99
15+60	1.36	5.44	-	6.80	-	7.10	0.640	-	2.980	9.94	9.51	9.11	99
18+18	1.80	1.80	-	3.60	-	5.40	0.540	-	1.640	3.71	3.54	3.40	99
18+20	1.80	2.00	-	3.80	-	5.40	0.700	-	1.890	4.44	4.24	4.07	99
18+22	1.80	2.20	-	4.00	-	5.40	0.700	-	1.800	4.90	4.69	4.49	99
18+25	1.80	2.50	-	4.30	-	5.40	0.580	-	1.680	5.24	5.01	4.81	99
18+35	1.80	3.50	-	5.30	-	6.20	0.540	-	2.130	6.84	6.54	6.27	99
18+42	1.80	4.20	-	6.00	-	6.60	0.540	-	2.480	7.82	7.48	7.16	99
18+60	1.57	5.23	-	6.80	-	7.10	0.560	-	2.810	9.81	9.38	8.99	99
20+20	2.00	2.00	-	4.00	-	5.40	0.700	-	1.800	4.90	4.69	4.49	99
20+22	2.00	2.20	-	4.20	-	5.40	0.700	-	1.890	5.26	5.03	4.82	99
20+25	2.00	2.50	-	4.50	-	5.50	0.620	-	1.865	5.67	5.42	5.19	99
20+35	2.00	3.50	-	5.50	-	6.30	0.620	-	2.400	7.25	6.94	6.65	99
20+42	2.00	4.20	-	6.20	-	6.70	0.620	-	2.740	8.45	8.08	7.74	99
20+50	1.70	4.50	-	6.20	-	6.70	0.620	-	2.740	8.45	8.08	7.74	99
20+60	1.70	5.10	-	6.80	-	7.10	0.640	-	2.980	9.94	9.51	9.11	99
22+22	2.20	2.20	-	4.40	-	5.40	0.540	-	1.640	5.35	5.12	4.91	99
22+25	2.20	2.50	-	4.70	-	5.70	0.540	-	1.810	5.88	5.63	5.39	99
22+35	2.20	3.50	-	5.70	-	6.40	0.540	-	2.330	7.40	7.08	6.78	99
22+42	2.20	4.20	-	6.40	-	6.90	0.540	-	2.655	8.81	8.43	8.08	99
22+50	2.08	4.72	-	6.80	-	7.10	0.550	-	2.820	9.81	9.38	8.99	99
22+60	1.82	4.98	-	6.80	-	7.10	0.560	-	2.810	9.81	9.38	8.99	99
25+25	2.50	2.50	-	5.00	-	6.00	0.540	-	1.980	6.41	6.13	5.88	99

**MXZ-3F68VF MXZ-3F68VF2 MXZ-3F68VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
25+35	2.50	3.50	-	6.00 2.00 - 6.60	1.702 0.540 - 2.480	7.82	7.48	7.16	99	
25+42	2.50	4.20	-	6.70 2.00 - 7.00	2.082 0.540 - 2.785	9.56	9.14	8.76	99	
25+50	2.27	4.53	-	6.80 2.00 - 7.10	2.136 0.550 - 2.820	9.81	9.38	8.99	99	
25+60	2.00	4.80	-	6.80 2.00 - 7.10	2.128 0.560 - 2.810	9.77	9.35	8.96	99	
35+35	3.10	3.10	-	6.20 2.00 - 6.70	1.840 0.620 - 2.740	8.45	8.08	7.74	99	
35+42	3.09	3.71	-	6.80 2.00 - 7.10	2.136 0.540 - 2.830	9.81	9.38	8.99	99	
35+50	2.80	4.00	-	6.80 2.00 - 7.10	2.128 0.550 - 2.820	9.77	9.35	8.96	99	
35+60	2.51	4.29	-	6.80 2.10 - 7.10	2.055 0.570 - 2.830	9.44	9.03	8.65	99	
42+42	3.40	3.40	-	6.80 2.00 - 7.10	2.136 0.540 - 2.830	9.81	9.38	8.99	99	
42+50	3.10	3.70	-	6.80 2.10 - 7.10	2.078 0.560 - 2.835	9.54	9.12	8.74	99	
42+60	2.80	4.00	-	6.80 2.10 - 7.10	2.002 0.580 - 2.845	9.19	8.79	8.43	99	
50+50	3.40	3.40	-	6.80 2.10 - 7.10	2.019 0.560 - 2.860	9.27	8.87	8.50	99	
50+60	3.09	3.71	-	6.80 2.10 - 7.10	1.937 0.600 - 2.860	8.89	8.51	8.15	99	
60+60	3.40	3.40	-	6.80 2.10 - 7.10	1.855 0.580 - 2.920	8.52	8.15	7.81	99	
15+15+15	1.50	1.50	1.50	4.50 2.90 - 6.80	0.786 0.670 - 1.770	3.61	3.45	3.31	99	
15+15+18	1.50	1.50	1.80	4.80 2.90 - 6.80	1.064 0.750 - 2.130	4.89	4.67	4.48	99	
15+15+20	1.50	1.50	2.00	5.00 2.90 - 6.60	1.229 0.790 - 2.160	5.64	5.40	5.17	99	
15+15+22	1.50	1.50	2.20	5.20 2.90 - 6.80	1.296 0.750 - 2.130	5.95	5.69	5.45	99	
15+15+25	1.50	1.50	2.50	5.50 2.90 - 7.00	1.454 0.750 - 2.305	6.68	6.39	6.12	99	
15+15+35	1.50	1.50	3.50	6.50 2.90 - 8.10	1.870 0.750 - 3.235	8.59	8.21	7.87	99	
15+15+42	1.42	1.42	3.97 *	6.80 2.90 - 8.40	2.169 0.750 - 3.280	9.96	9.53	9.13	99	
15+15+50	1.28	1.28	4.25 *	6.80 2.90 - 8.40	2.100 0.750 - 3.270	9.64	9.22	8.84	99	
15+15+60	1.13	1.13	4.53	6.80 2.90 - 8.40	1.952 0.750 - 3.255	8.96	8.57	8.21	99	
15+18+18	1.50	1.80	1.80	5.10 2.90 - 6.80	1.186 0.710 - 1.950	5.45	5.21	4.99	99	
15+18+20	1.50	1.80	2.00	5.30 2.90 - 6.60	1.350 0.750 - 1.980	6.20	5.93	5.68	99	
15+18+22	1.50	1.80	2.20	5.50 2.90 - 7.00	1.402 0.710 - 2.125	6.44	6.16	5.90	99	
15+18+25	1.50	1.80	2.50	5.80 2.90 - 7.70	1.527 0.710 - 2.645	7.01	6.71	6.43	99	
15+18+42	1.36	1.63	3.81 *	6.80 2.90 - 8.40	2.117 0.710 - 3.100	9.72	9.30	8.91	99	
15+18+50	1.23	1.47	4.10 *	6.80 2.90 - 8.40	2.012 0.710 - 3.085	9.24	8.84	8.47	99	
15+18+60	1.10	1.32	4.39	6.80 2.90 - 8.40	1.863 0.710 - 3.075	8.56	8.18	7.84	99	
15+20+20	1.50	2.00	2.00	5.50 2.90 - 6.60	1.499 0.790 - 2.185	6.88	6.58	6.31	99	
15+20+22	1.50	2.00	2.20	5.70 2.90 - 7.30	1.534 0.750 - 2.500	7.04	6.74	6.45	99	
15+20+25	1.50	2.00	2.50	6.00 2.90 - 7.90	1.659 0.750 - 3.020	7.62	7.28	6.98	99	
15+20+35	1.46	1.94	3.40	6.80 2.90 - 8.20	2.184 0.750 - 3.140	10.03	9.59	9.19	99	
15+20+42	1.32	1.77	3.71 *	6.80 2.90 - 8.20	2.141 0.750 - 3.130	9.83	9.40	9.01	99	
15+20+50	1.20	1.60	4.00 *	6.80 2.90 - 8.20	2.036 0.750 - 3.115	9.35	8.94	8.57	99	
15+20+60	1.07	1.43	4.29	6.80 2.90 - 8.20	1.888 0.750 - 3.105	8.67	8.29	7.94	99	
15+22+22	1.50	2.20	2.20	5.90 2.90 - 7.90	1.568 0.710 - 2.815	7.20	6.89	6.60	99	
15+22+25	1.50	2.20	2.50	6.20 2.90 - 8.10	1.694 0.710 - 3.015	7.78	7.44	7.13	99	

**MXZ-3F68VF MXZ-3F68VF2 MXZ-3F68VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
15+22+35	1.42	2.08	3.31	6.80 2.90 - 8.40	2.136 0.710 - 3.110	9.81	9.38	8.99	99	
15+22+42	1.29	1.89	3.62 *	6.80 2.90 - 8.40	2.069 0.710 - 3.100	9.50	9.09	8.71	99	
15+22+50	1.17	1.72	3.91 *	6.80 2.90 - 8.40	1.963 0.710 - 3.085	9.01	8.62	8.26	99	
15+22+60	1.05	1.54	4.21	6.80 2.90 - 8.40	1.815 0.710 - 3.075	8.33	7.97	7.64	99	
15+25+25	1.50	2.50	2.50	6.50 2.90 - 8.10	1.818 0.710 - 3.055	8.35	7.98	7.65	99	
15+25+35	1.36	2.27	3.17	6.80 2.90 - 8.40	2.136 0.710 - 3.110	9.81	9.38	8.99	99	
15+25+42	1.24	2.07	3.48 *	6.80 2.90 - 8.40	2.033 0.710 - 3.100	9.33	8.93	8.56	99	
15+25+50	1.13	1.89	3.78 *	6.80 2.90 - 8.40	1.928 0.710 - 3.085	8.85	8.47	8.12	99	
15+25+60	1.02	1.70	4.08	6.80 2.90 - 8.40	1.780 0.710 - 3.070	8.17	7.82	7.49	99	
15+35+35	1.20	2.80	2.80	6.80 2.90 - 8.40	2.017 0.710 - 3.105	9.26	8.86	8.49	99	
15+35+42	1.11	2.59	3.10 *	6.80 2.90 - 8.40	1.914 0.710 - 3.095	8.79	8.40	8.05	99	
15+35+50	1.02	2.38	3.40 *	6.80 2.90 - 8.40	1.809 0.710 - 3.080	8.31	7.94	7.61	99	
15+35+60	0.93	2.16	3.71	6.80 2.90 - 8.40	1.720 0.710 - 3.070	7.90	7.55	7.24	99	
15+42+42	1.03	2.88 *	2.88 *	6.80 2.90 - 8.40	1.811 0.710 - 3.080	8.31	7.95	7.62	99	
15+42+50	0.95	2.67 *	3.18 *	6.80 2.90 - 8.40	1.730 0.710 - 3.070	7.94	7.60	7.28	99	
15+42+60	0.87	2.44 *	3.49	6.80 2.90 - 8.40	1.700 0.710 - 3.060	7.81	7.47	7.16	99	
15+50+50	0.89	2.96 *	2.96 *	6.80 2.90 - 8.40	1.720 0.710 - 3.060	7.90	7.55	7.24	99	
18+18+18	1.80	1.80	1.80	5.40 2.90 - 6.80	1.308 0.670 - 1.770	6.00	5.74	5.50	99	
18+18+20	1.80	1.80	2.00	5.60 2.90 - 7.00	1.439 0.710 - 2.145	6.61	6.32	6.06	99	
18+18+22	1.80	1.80	2.20	5.80 2.90 - 7.70	1.474 0.670 - 2.465	6.77	6.48	6.21	99	
18+18+25	1.80	1.80	2.50	6.10 2.90 - 8.10	1.600 0.670 - 2.825	7.34	7.02	6.73	99	
18+18+35	1.72	1.72	3.35	6.80 2.90 - 8.40	2.084 0.670 - 2.930	9.57	9.15	8.77	99	
18+18+42	1.57	1.57	3.66 *	6.80 2.90 - 8.40	2.028 0.670 - 2.920	9.31	8.91	8.54	99	
18+18+50	1.42	1.42	3.95 *	6.80 2.90 - 8.40	1.924 0.670 - 2.905	8.83	8.45	8.10	99	
18+18+60	1.28	1.28	4.25	6.80 2.90 - 8.40	1.775 0.670 - 2.895	8.15	7.80	7.47	99	
18+20+20	1.80	2.00	2.00	5.80 2.90 - 7.30	1.571 0.750 - 2.525	7.21	6.90	6.61	99	
18+20+22	1.80	2.00	2.20	6.00 2.90 - 7.90	1.606 0.710 - 2.840	7.38	7.05	6.76	99	
18+20+25	1.80	2.00	2.50	6.30 2.90 - 7.90	1.731 0.710 - 2.880	7.95	7.60	7.29	99	
18+20+35	1.68	1.86	3.26	6.80 2.90 - 8.20	2.132 0.710 - 2.960	9.79	9.36	8.97	99	
18+20+42	1.53	1.70	3.57 *	6.80 2.90 - 8.20	2.053 0.710 - 2.950	9.43	9.02	8.64	99	
18+20+50	1.39	1.55	3.86 *	6.80 2.90 - 8.20	1.948 0.710 - 2.935	8.94	8.55	8.20	99	
18+20+60	1.25	1.39	4.16	6.80 2.90 - 8.20	1.799 0.710 - 2.920	8.26	7.90	7.57	99	
18+22+22	1.80	2.20	2.20	6.20 2.90 - 8.10	1.641 0.670 - 2.835	7.54	7.21	6.91	99	
18+22+25	1.80	2.20	2.50	6.50 2.90 - 8.10	1.765 0.670 - 2.875	8.11	7.75	7.43	99	
18+22+35	1.63	1.99	3.17	6.80 2.90 - 8.40	2.084 0.670 - 2.930	9.57	9.15	8.77	99	
18+22+42	1.49	1.82	3.48 *	6.80 2.90 - 8.40	1.981 0.670 - 2.920	9.09	8.70	8.34	99	
18+22+50	1.36	1.66	3.78 *	6.80 2.90 - 8.40	1.876 0.670 - 2.905	8.61	8.24	7.90	99	
18+22+60	1.22	1.50	4.08	6.80 2.90 - 8.40	1.728 0.670 - 2.890	7.93	7.59	7.27	99	
18+25+25	1.80	2.50	2.50	6.80 2.90 - 8.40	1.780 0.670 - 2.930	8.17	7.82	7.49	99	

**MXZ-3F68VF MXZ-3F68VF2 MXZ-3F68VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
18+25+35	1.57	2.18	3.05	6.80 2.90 - 8.40	0.670	2.048 - 2.930	9.40	8.99	8.62	99
18+25+42	1.44	2.00	3.36 *	6.80 2.90 - 8.40	0.670	1.945 - 2.915	8.93	8.54	8.19	99
18+25+50	1.32	1.83	3.66 *	6.80 2.90 - 8.40	0.670	1.840 - 2.905	8.45	8.08	7.74	99
18+25+60	1.19	1.65	3.96	6.80 2.90 - 8.40	0.670	1.692 - 2.890	7.77	7.43	7.12	99
18+35+35	1.39	2.70	2.70	6.80 2.90 - 8.40	0.670	1.928 - 2.925	8.85	8.47	8.12	99
18+35+42	1.29	2.51	3.01 *	6.80 2.90 - 8.40	0.670	1.826 - 2.915	8.38	8.02	7.68	99
18+35+50	1.19	2.31	3.30 *	6.80 2.90 - 8.40	0.670	1.721 - 2.900	7.90	7.56	7.24	99
18+35+60	1.08	2.11	3.61	6.80 2.90 - 8.40	0.670	1.667 - 2.890	7.66	7.32	7.02	99
18+42+42	1.20	2.80 *	2.80 *	6.80 2.90 - 8.40	0.670	1.723 - 2.900	7.91	7.57	7.25	99
18+42+50	1.11	2.60 *	3.09 *	6.80 2.90 - 8.40	0.670	1.677 - 2.890	7.70	7.37	7.06	99
18+42+60	1.02	2.38 *	3.40	6.80 2.90 - 8.40	0.670	1.648 - 2.880	7.57	7.24	6.94	99
18+50+50	1.04	2.88 *	2.88 *	6.80 2.90 - 8.40	0.670	1.667 - 2.880	7.66	7.32	7.02	99
20+20+20	2.00	2.00	2.00	6.00 2.90 - 7.50	0.790	1.703 - 2.900	7.82	7.48	7.17	99
20+20+22	2.00	2.00	2.20	6.20 2.90 - 7.70	0.750	1.738 - 2.895	7.98	7.63	7.32	99
20+20+25	2.00	2.00	2.50	6.50 2.90 - 7.70	0.750	1.862 - 2.935	8.55	8.18	7.84	99
20+20+35	1.81	1.81	3.17	6.80 2.90 - 8.00	0.750	2.181 - 2.990	10.01	9.58	9.18	99
20+20+42	1.66	1.66	3.48 *	6.80 2.90 - 8.00	0.750	2.078 - 2.980	9.54	9.12	8.74	99
20+20+50	1.51	1.51	3.78 *	6.80 2.90 - 8.00	0.750	1.973 - 2.965	9.06	8.66	8.30	99
20+20+60	1.36	1.36	4.08	6.80 2.90 - 8.00	0.750	1.825 - 2.950	8.38	8.01	7.68	99
20+22+22	2.00	2.20	2.20	6.40 2.90 - 7.90	0.710	1.772 - 2.895	8.14	7.78	7.46	99
20+22+25	2.00	2.20	2.50	6.70 2.90 - 8.10	0.710	1.994 - 2.940	9.16	8.76	8.39	99
20+22+35	1.77	1.94	3.09	6.80 2.90 - 8.20	0.710	2.108 - 2.960	9.68	9.26	8.87	99
20+22+42	1.62	1.78	3.40 *	6.80 2.90 - 8.20	0.710	2.005 - 2.945	9.21	8.81	8.44	99
20+22+50	1.48	1.63	3.70 *	6.80 2.90 - 8.20	0.710	1.900 - 2.935	8.72	8.35	8.00	99
20+22+60	1.33	1.47	4.00	6.80 2.90 - 8.20	0.710	1.752 - 2.920	8.04	7.69	7.37	99
20+25+25	1.94	2.43	2.43	6.80 2.90 - 8.20	0.710	2.132 - 2.960	9.79	9.36	8.97	99
20+25+35	1.70	2.13	2.98	6.80 2.90 - 8.20	0.710	2.073 - 2.960	9.52	9.10	8.72	99
20+25+42	1.56	1.95	3.28 *	6.80 2.90 - 8.20	0.710	1.969 - 2.945	9.04	8.65	8.29	99
20+25+50	1.43	1.79	3.58 *	6.80 2.90 - 8.20	0.710	1.864 - 2.935	8.56	8.19	7.85	99
20+25+60	1.30	1.62	3.89	6.80 2.90 - 8.20	0.710	1.716 - 2.920	7.88	7.54	7.22	99
20+35+35	1.51	2.64	2.64	6.80 2.90 - 8.20	0.710	1.954 - 2.955	8.97	8.58	8.22	99
20+35+42	1.40	2.45	2.94 *	6.80 2.90 - 8.20	0.710	1.850 - 2.945	8.49	8.12	7.79	99
20+35+50	1.30	2.27	3.24 *	6.80 2.90 - 8.20	0.710	1.745 - 2.930	8.01	7.66	7.34	99
20+35+60	1.18	2.07	3.55	6.80 2.90 - 8.20	0.710	1.716 - 2.920	7.88	7.54	7.22	99
20+42+42	1.31	2.75 *	2.75 *	6.80 2.90 - 8.20	0.710	1.747 - 2.930	8.02	7.67	7.35	99
20+42+50	1.21	2.55 *	3.04 *	6.80 2.90 - 8.20	0.710	1.726 - 2.920	7.92	7.58	7.26	99
20+50+50	1.13	2.83 *	2.83 *	6.80 2.90 - 8.20	0.710	1.716 - 2.910	7.88	7.54	7.22	99
22+22+22	2.20	2.20	2.20	6.60 2.90 - 8.10	0.670	1.807 - 2.890	8.30	7.94	7.61	99
22+22+25	2.17	2.17	2.46	6.80 2.90 - 8.40	0.670	2.084 - 2.930	9.57	9.15	8.77	99

**MXZ-3F68VF MXZ-3F68VF2 MXZ-3F68VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
22+22+35	1.89	1.89	3.01	6.80 2.90 - 8.40	0.670	2.036 - 2.930	9.35	8.94	8.57	99
22+22+42	1.74	1.74	3.32 *	6.80 2.90 - 8.40	0.670	1.933 - 2.915	8.88	8.49	8.14	99
22+22+50	1.59	1.59	3.62 *	6.80 2.90 - 8.40	0.670	1.827 - 2.905	8.39	8.03	7.69	99
22+22+60	1.44	1.44	3.92	6.80 2.90 - 8.40	0.670	1.679 - 2.890	7.71	7.37	7.07	99
22+25+25	2.08	2.36	2.36	6.80 2.90 - 8.40	0.670	2.084 - 2.930	9.57	9.15	8.77	99
22+25+35	1.82	2.07	2.90	6.80 2.90 - 8.40	0.670	2.000 - 2.930	9.18	8.78	8.42	99
22+25+42	1.68	1.91	3.21 *	6.80 2.90 - 8.40	0.670	1.897 - 2.915	8.71	8.33	7.99	99
22+25+50	1.54	1.75	3.51 *	6.80 2.90 - 8.40	0.670	1.792 - 2.905	8.23	7.87	7.54	99
22+25+60	1.40	1.59	3.81	6.80 2.90 - 8.40	0.670	1.667 - 2.890	7.66	7.32	7.02	99
22+35+35	1.63	2.59	2.59	6.80 2.90 - 8.40	0.670	1.881 - 2.925	8.64	8.26	7.92	99
22+35+42	1.51	2.40	2.88 *	6.80 2.90 - 8.40	0.670	1.778 - 2.910	8.16	7.81	7.48	99
22+35+50	1.40	2.22	3.18 *	6.80 2.90 - 8.40	0.670	1.697 - 2.900	7.79	7.45	7.14	99
22+35+60	1.28	2.03	3.49	6.80 2.90 - 8.40	0.670	1.667 - 2.890	7.66	7.32	7.02	99
22+42+42	1.41	2.69 *	2.69 *	6.80 2.90 - 8.40	0.670	1.687 - 2.900	7.74	7.41	7.10	99
22+42+50	1.31	2.51 *	2.98 *	6.80 2.90 - 8.40	0.670	1.677 - 2.890	7.70	7.37	7.06	99
25+25+25	2.27	2.27	2.27	6.80 2.90 - 8.40	0.670	2.084 - 2.930	9.57	9.15	8.77	99
25+25+35	2.00	2.00	2.80	6.80 2.90 - 8.40	0.670	1.964 - 2.925	9.02	8.63	8.27	99
25+25+42	1.85	1.85	3.10 *	6.80 2.90 - 8.40	0.670	1.861 - 2.915	8.55	8.17	7.83	99
25+25+50	1.70	1.70	3.40 *	6.80 2.90 - 8.40	0.670	1.757 - 2.900	8.07	7.71	7.39	99
25+25+60	1.55	1.55	3.71	6.80 2.90 - 8.40	0.670	1.667 - 2.890	7.66	7.32	7.02	99
25+35+35	1.79	2.51	2.51	6.80 2.90 - 8.40	0.670	1.845 - 2.925	8.47	8.10	7.76	99
25+35+42	1.67	2.33	2.80 *	6.80 2.90 - 8.40	0.670	1.742 - 2.910	8.00	7.65	7.33	99
25+35+50	1.55	2.16	3.09 *	6.80 2.90 - 8.40	0.670	1.697 - 2.900	7.79	7.45	7.14	99
25+35+60	1.42	1.98	3.40	6.80 2.90 - 8.40	0.670	1.667 - 2.890	7.66	7.32	7.02	99
25+42+42	1.56	2.62 *	2.62 *	6.80 2.90 - 8.40	0.670	1.687 - 2.900	7.74	7.41	7.10	99
25+42+50	1.45	2.44 *	2.91 *	6.80 2.90 - 8.40	0.670	1.677 - 2.890	7.70	7.37	7.06	99
35+35+35	2.27	2.27	2.27	6.80 2.90 - 8.40	0.670	1.726 - 2.920	7.92	7.58	7.26	99
35+35+42	2.13	2.13	2.55 *	6.80 2.90 - 8.40	0.670	1.706 - 2.910	7.83	7.49	7.18	99
35+35+50	1.98	1.98	2.83 *	6.80 2.90 - 8.40	0.670	1.697 - 2.900	7.79	7.45	7.14	99
35+42+42	2.00	2.40 *	2.40 *	6.80 2.90 - 8.40	0.670	1.687 - 2.900	7.74	7.41	7.10	99

\* In case of MSZ-AP42/50VG or SLZ-M50FA, Rated capacity is lower than another model.

	Total connect indoor unit
	3, 4 units
MSZ-AP42VG	90%
MSZ-AP50VG	80%
SLZ-M50FA	70%

ex.) MSZ-LN18VG + MSZ-LN22VG + MSZ-AP42VG

- MSZ-LN18VG : Rated capacity is 1.78kW.
- MSZ-LN22VG : Rated capacity is 2.66kW.
- MSZ-AP42VG : Rated capacity is 3.92kW. (=4.36\*0.9)

**MXZ-3F68VF MXZ-3F68VF2 MXZ-3F68VF3 HEATING**

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)			
	Unit A	Unit B	Unit C	Total			220	230	240				
15	1.70	-	-	1.70	-	2.50	0.502	-	0.780	2.30	2.20	2.11	99
18	3.30	-	-	3.30	2.00	4.50	0.780	-	1.250	3.58	3.43	3.28	99
20	2.20	-	-	2.20	2.00	2.50	0.630	-	0.780	2.89	2.77	2.65	99
22	3.30	-	-	3.30	2.00	4.50	0.780	-	1.250	3.58	3.43	3.28	99
25	3.60	-	-	3.60	2.00	5.30	0.830	-	1.480	3.81	3.65	3.49	99
35	4.00	-	-	4.00	2.00	5.30	0.960	-	1.480	4.41	4.22	4.04	99
42	5.40	-	-	5.40	2.00	5.60	1.508	-	1.564	6.92	6.62	6.35	99
50	5.80	-	-	5.80	2.00	6.80	1.620	-	2.431	7.44	7.11	6.82	99
60	7.90	-	-	7.90	2.00	8.60	2.778	-	3.295	12.76	12.20	11.69	99
15+15	1.70	1.70	-	3.40	1.80	5.00	0.780	-	1.300	3.58	3.43	3.28	99
15+18	1.70	3.30	-	5.00	1.80	6.10	1.123	-	1.530	5.16	4.93	4.73	99
15+20	1.70	2.20	-	3.90	1.80	5.80	0.947	-	1.625	4.35	4.16	3.98	99
15+22	1.70	3.30	-	5.00	1.80	6.10	1.123	-	1.530	5.16	4.93	4.73	99
15+25	1.60	3.40	-	5.00	1.80	6.10	1.123	-	1.530	5.16	4.93	4.73	99
15+35	1.67	3.93	-	5.60	1.80	7.90	1.294	-	2.190	5.94	5.68	5.44	99
15+42	1.46	4.64	-	6.10	1.80	7.90	1.417	-	2.190	6.51	6.22	5.96	99
15+50	1.28	5.42	-	6.70	1.80	7.90	1.544	-	2.180	7.09	6.78	6.50	99
15+60	1.24	5.76	-	7.00	1.80	7.90	1.638	-	2.150	7.52	7.19	6.89	99
18+18	3.30	3.30	-	6.60	1.80	7.20	1.466	-	1.760	6.73	6.44	6.17	99
18+20	3.30	2.20	-	5.50	1.80	6.90	1.290	-	1.855	5.92	5.66	5.43	99
18+22	3.30	3.30	-	6.60	1.80	7.20	1.466	-	1.760	6.73	6.44	6.17	99
18+25	3.16	3.44	-	6.60	1.80	7.20	1.466	-	1.760	6.73	6.44	6.17	99
18+35	3.30	4.00	-	7.30	1.80	9.00	1.690	-	2.420	7.76	7.42	7.11	99
18+42	3.00	4.90	-	7.90	1.80	9.00	1.813	-	2.420	8.32	7.96	7.63	99
18+60	2.53	6.07	-	8.60	1.80	9.00	1.993	-	2.365	9.15	8.75	8.39	99
20+20	2.20	2.20	-	4.40	1.80	6.60	1.113	-	1.950	5.11	4.89	4.69	99
20+22	2.20	3.30	-	5.50	1.80	6.90	1.290	-	1.855	5.92	5.66	5.43	99
20+25	2.12	3.48	-	5.60	1.80	7.20	1.320	-	1.965	6.06	5.80	5.56	99
20+35	2.20	4.00	-	6.20	1.80	8.70	1.548	-	2.515	7.11	6.80	6.52	99
20+42	2.00	4.90	-	6.90	1.80	8.70	1.670	-	2.515	7.67	7.33	7.03	99
20+50	1.76	5.74	-	7.50	1.80	8.70	1.793	-	2.505	8.23	7.88	7.55	99
20+60	1.63	5.87	-	7.50	1.80	8.70	1.826	-	2.450	8.38	8.02	7.68	99
22+22	3.30	3.30	-	6.60	1.80	7.20	1.466	-	1.760	6.73	6.44	6.17	99
22+25	3.30	3.60	-	6.90	1.80	8.10	1.556	-	2.095	7.15	6.83	6.55	99
22+35	3.30	4.00	-	7.30	1.80	9.00	1.760	-	2.420	8.08	7.73	7.41	99
22+42	3.11	5.09	-	8.20	1.80	9.00	1.880	-	2.420	8.63	8.25	7.91	99
22+50	2.70	5.90	-	8.60	1.80	9.00	1.979	-	2.400	9.08	8.69	8.33	99
22+60	2.53	6.07	-	8.60	1.80	9.00	2.010	-	2.350	9.23	8.83	8.46	99
25+25	3.60	3.60	-	7.20	1.80	9.00	1.646	-	2.430	7.56	7.23	6.93	99

**MXZ-3F68VF MXZ-3F68VF2 MXZ-3F68VF3 HEATING**

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
25+35	3.60	4.00	-	7.60	1.813	0.410	8.32	7.96	7.63	99
25+42	3.36	5.04	-	8.40	1.930	0.410	8.86	8.47	8.12	99
25+50	2.87	5.73	-	8.60	1.990	0.410	9.14	8.74	8.38	99
25+60	2.69	5.91	-	8.60	2.002	0.400	9.19	8.79	8.43	99
35+35	4.00	4.00	-	8.00	1.970	0.410	9.04	8.65	8.29	99
35+42	3.66	4.94	-	8.60	1.999	0.410	9.18	8.78	8.41	99
35+50	3.07	5.53	-	8.60	2.002	0.400	9.19	8.79	8.43	99
35+60	2.89	5.71	-	8.60	1.827	0.370	8.39	8.02	7.69	99
42+42	4.30	4.30	-	8.60	2.029	0.400	9.31	8.91	8.54	99
42+50	3.69	4.91	-	8.60	1.887	0.380	8.66	8.29	7.94	99
42+60	3.49	5.11	-	8.60	1.742	0.360	8.00	7.65	7.33	99
50+50	4.30	4.30	-	8.60	1.744	0.360	8.01	7.66	7.34	99
50+60	4.10	4.50	-	8.60	1.725	0.360	7.92	7.57	7.26	99
60+60	4.30	4.30	-	8.60	1.705	0.360	7.83	7.49	7.18	99
15+15+15	1.70	1.70	1.70	5.10	1.106	0.890	5.08	4.86	4.66	99
15+15+18	1.62	1.62	3.15	6.40	1.489	0.760	6.83	6.54	6.27	99
15+15+20	1.70	1.70	2.20	5.60	1.244	0.890	5.71	5.46	5.23	99
15+15+22	1.62	1.62	3.15	6.40	1.489	0.760	6.83	6.54	6.27	99
15+15+25	1.55	1.55	3.29	6.40	1.489	0.760	6.83	6.54	6.27	99
15+15+35	1.47	1.47	3.46	6.40	1.479	0.760	6.79	6.49	6.22	99
15+15+42	1.24	1.24	3.93	6.40	1.479	0.760	6.79	6.49	6.22	99
15+15+50	1.03	1.03	4.35	6.40	1.469	1.510	6.74	6.45	6.18	99
15+15+60	0.96	0.96	4.47	6.40	1.459	3.010	6.70	6.41	6.14	99
15+18+18	1.54	2.98	2.98	7.50	1.871	0.630	8.59	8.22	7.87	99
15+18+20	1.63	3.16	2.11	6.90	1.626	0.760	7.46	7.14	6.84	99
15+18+22	1.54	2.98	2.98	7.50	1.871	0.630	8.59	8.22	7.87	99
15+18+25	1.48	2.88	3.14	7.50	1.871	0.630	8.59	8.22	7.87	99
15+18+42	1.23	2.38	3.89	7.50	1.861	0.630	8.54	8.17	7.83	99
15+18+50	1.05	2.03	4.43	7.50	1.851	1.830	8.50	8.13	7.79	99
15+18+60	0.99	1.92	4.59	7.50	1.841	3.330	8.45	8.09	7.75	99
15+20+20	1.70	2.20	2.20	6.10	1.381	0.890	6.34	6.06	5.81	99
15+20+22	1.63	2.11	3.16	6.90	1.626	0.760	7.46	7.14	6.84	99
15+20+25	1.56	2.02	3.31	6.90	1.626	0.760	7.46	7.14	6.84	99
15+20+35	1.48	1.92	3.49	6.90	1.616	0.760	7.42	7.10	6.80	99
15+20+42	1.26	1.63	4.01	6.90	1.616	1.060	7.42	7.10	6.80	99
15+20+50	1.06	1.37	4.48	6.90	1.606	2.260	7.37	7.05	6.76	99
15+20+60	0.99	1.29	4.62	6.90	1.596	3.760	7.33	7.01	6.72	99
15+22+22	1.54	2.98	2.98	7.50	1.871	0.630	8.59	8.22	7.87	99
15+22+25	1.48	2.88	3.14	7.50	1.871	0.630	8.59	8.22	7.87	99

**MXZ-3F68VF MXZ-3F68VF2 MXZ-3F68VF3 HEATING**

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
15+22+35	1.42	2.75	3.33	7.50 2.60 - 9.90	1.861 0.630 - 3.115	8.54	8.17	7.83	99	
15+22+42	1.23	2.38	3.89	7.50 2.60 - 9.90	1.861 1.230 - 3.115	8.54	8.17	7.83	99	
15+22+50	1.05	2.03	4.43	7.50 2.60 - 9.90	1.851 2.430 - 3.105	8.50	8.13	7.79	99	
15+22+60	0.99	1.92	4.59	7.50 2.60 - 9.90	1.841 3.930 - 3.095	8.45	8.09	7.75	99	
15+25+25	1.43	3.03	3.03	7.50 2.60 - 9.90	1.871 0.630 - 3.125	8.59	8.22	7.87	99	
15+25+35	1.37	2.90	3.23	7.50 2.60 - 9.90	1.861 0.630 - 3.115	8.54	8.17	7.83	99	
15+25+42	1.19	2.52	3.79	7.50 2.60 - 9.90	1.861 1.680 - 3.115	8.54	8.17	7.83	99	
15+25+50	1.02	2.16	4.32	7.50 2.60 - 9.90	1.851 2.880 - 3.105	8.50	8.13	7.79	99	
15+25+60	0.97	2.05	4.49	7.50 2.60 - 9.90	1.841 4.380 - 3.095	8.45	8.09	7.75	99	
15+35+35	1.31	3.09	3.09	7.50 2.60 - 9.90	1.851 2.130 - 3.105	8.50	8.13	7.79	99	
15+35+42	1.15	2.70	3.65	7.50 2.60 - 9.90	1.851 3.180 - 3.105	8.50	8.13	7.79	99	
15+35+50	0.99	2.33	4.19	7.50 2.60 - 9.90	1.841 4.380 - 3.095	8.45	8.09	7.75	99	
15+35+60	0.94	2.21	4.36	7.50 2.60 - 9.90	1.832 4.060 - 3.085	8.41	8.04	7.71	99	
15+42+42	1.02	3.24	3.24	7.50 2.60 - 9.90	1.851 4.230 - 3.105	8.50	8.13	7.79	99	
15+42+50	0.89	2.83	3.78	7.50 2.60 - 9.90	1.841 4.700 - 3.095	8.45	8.09	7.75	99	
15+42+60	0.85	2.70	3.95	7.50 2.60 - 9.90	1.832 2.560 - 3.085	8.41	8.04	7.71	99	
15+50+50	0.79	3.35	3.35	7.50 2.60 - 9.90	1.832 2.990 - 3.085	8.41	8.04	7.71	99	
18+18+18	2.87	2.87	2.87	8.60 2.60 - 10.60	2.253 0.500 - 3.475	10.34	9.89	9.48	99	
18+18+20	3.00	3.00	2.00	8.00 2.60 - 10.40	2.008 0.630 - 3.345	9.22	8.82	8.45	99	
18+18+22	2.87	2.87	2.87	8.60 2.60 - 10.60	2.253 0.500 - 3.475	10.34	9.89	9.48	99	
18+18+25	2.78	2.78	3.04	8.60 2.60 - 10.60	2.253 0.500 - 3.475	10.34	9.89	9.48	99	
18+18+35	2.68	2.68	3.25	8.60 2.60 - 10.60	2.243 0.500 - 3.465	10.30	9.85	9.44	99	
18+18+42	2.37	2.37	3.87	8.60 2.60 - 10.60	2.243 0.950 - 3.465	10.30	9.85	9.44	99	
18+18+50	2.06	2.06	4.49	8.60 2.60 - 10.60	2.233 2.150 - 3.455	10.25	9.81	9.40	99	
18+18+60	1.96	1.96	4.69	8.60 2.60 - 10.60	2.224 3.650 - 3.445	10.21	9.77	9.36	99	
18+20+20	3.17	2.11	2.11	7.40 2.60 - 10.20	1.763 0.760 - 3.215	8.09	7.74	7.42	99	
18+20+22	3.00	2.00	3.00	8.00 2.60 - 10.40	2.008 0.630 - 3.345	9.22	8.82	8.45	99	
18+20+25	2.90	1.93	3.16	8.00 2.60 - 10.40	2.008 0.630 - 3.345	9.22	8.82	8.45	99	
18+20+35	2.78	1.85	3.37	8.00 2.60 - 10.40	1.998 0.630 - 3.335	9.17	8.78	8.41	99	
18+20+42	2.42	1.61	3.96	8.00 2.60 - 10.40	1.998 1.380 - 3.335	9.17	8.78	8.41	99	
18+20+50	2.08	1.39	4.54	8.00 2.60 - 10.40	1.988 2.580 - 3.325	9.13	8.73	8.37	99	
18+20+60	1.97	1.31	4.72	8.00 2.60 - 10.40	1.979 4.080 - 3.315	9.08	8.69	8.33	99	
18+22+22	2.87	2.87	2.87	8.60 2.60 - 10.60	2.253 0.500 - 3.475	10.34	9.89	9.48	99	
18+22+25	2.78	2.78	3.04	8.60 2.60 - 10.60	2.253 0.500 - 3.475	10.34	9.89	9.48	99	
18+22+35	2.68	2.68	3.25	8.60 2.60 - 10.60	2.243 0.500 - 3.465	10.30	9.85	9.44	99	
18+22+42	2.37	2.37	3.87	8.60 2.60 - 10.60	2.243 1.550 - 3.465	10.30	9.85	9.44	99	
18+22+50	2.06	2.06	4.49	8.60 2.60 - 10.60	2.233 2.750 - 3.455	10.25	9.81	9.40	99	
18+22+60	1.96	1.96	4.69	8.60 2.60 - 10.60	2.224 4.250 - 3.445	10.21	9.77	9.36	99	
18+25+25	2.70	2.95	2.95	8.60 2.60 - 10.60	1.823 0.500 - 3.475	8.37	8.01	7.67	99	



**MXZ-3F68VF MXZ-3F68VF2 MXZ-3F68VF3 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total				220	230	240	
18+25+35	2.60	2.84	3.16	2.60	8.60	0.950	2.243	10.30	9.85	9.44	99
18+25+42	2.31	2.52	3.78	2.60	8.60	2.000	2.243	10.30	9.85	9.44	99
18+25+50	2.01	2.20	4.39	2.60	8.60	3.200	2.233	10.25	9.81	9.40	99
18+25+60	1.92	2.09	4.59	2.60	8.60	4.700	2.224	10.21	9.77	9.36	99
18+35+35	2.51	3.04	3.04	2.60	8.60	2.450	2.233	10.25	9.81	9.40	99
18+35+42	2.23	2.71	3.66	2.60	8.60	3.500	2.233	10.25	9.81	9.40	99
18+35+50	1.96	2.37	4.27	2.60	8.60	4.700	2.224	10.21	9.77	9.36	99
18+35+60	1.87	2.26	4.47	2.60	8.60	3.290	2.214	10.16	9.72	9.32	99
18+42+42	2.01	3.29	3.29	2.60	8.60	4.550	2.233	10.25	9.81	9.40	99
18+42+50	1.78	2.92	3.89	2.60	8.60	3.930	2.224	10.21	9.77	9.36	99
18+42+60	1.71	2.80	4.09	2.60	8.60	1.790	2.214	10.16	9.72	9.32	99
18+50+50	1.60	3.50	3.50	2.60	8.60	2.210	2.214	10.16	9.72	9.32	99
20+20+20	2.20	2.20	2.20	2.60	6.60	0.890	1.518	6.97	6.67	6.39	99
20+20+22	2.11	2.11	3.17	2.60	7.40	0.760	1.763	8.09	7.74	7.42	99
20+20+25	2.04	2.04	3.33	2.60	7.40	0.760	1.763	8.09	7.74	7.42	99
20+20+35	1.94	1.94	3.52	2.60	7.40	0.760	1.753	8.05	7.70	7.38	99
20+20+42	1.66	1.66	4.08	2.60	7.40	1.810	1.753	8.05	7.70	7.38	99
20+20+50	1.40	1.40	4.59	2.60	7.40	3.010	1.743	8.00	7.66	7.34	99
20+20+60	1.32	1.32	4.75	2.60	7.40	4.510	1.734	7.96	7.61	7.30	99
20+22+22	2.00	3.00	3.00	2.60	8.00	0.630	2.008	9.22	8.82	8.45	99
20+22+25	1.93	2.90	3.16	2.60	8.00	0.630	2.008	9.22	8.82	8.45	99
20+22+35	1.85	2.78	3.37	2.60	8.00	0.930	1.998	9.17	8.78	8.41	99
20+22+42	1.61	2.42	3.96	2.60	8.00	1.980	1.998	9.17	8.78	8.41	99
20+22+50	1.39	2.08	4.54	2.60	8.00	3.180	1.988	9.13	8.73	8.37	99
20+22+60	1.31	1.97	4.72	2.60	8.00	4.680	1.979	9.08	8.69	8.33	99
20+25+25	1.87	3.06	3.06	2.60	8.00	0.630	2.008	9.22	8.82	8.45	99
20+25+35	1.80	2.94	3.27	2.60	8.00	1.380	1.998	9.17	8.78	8.41	99
20+25+42	1.57	2.57	3.86	2.60	8.00	2.430	1.998	9.17	8.78	8.41	99
20+25+50	1.35	2.22	4.43	2.60	8.00	3.630	1.988	9.13	8.73	8.37	99
20+25+60	1.28	2.10	4.61	2.60	8.00	5.130	1.979	9.08	8.69	8.33	99
20+35+35	1.73	3.14	3.14	2.60	8.00	2.880	1.988	9.13	8.73	8.37	99
20+35+42	1.52	2.76	3.72	2.60	8.00	3.930	1.988	9.13	8.73	8.37	99
20+35+50	1.31	2.39	4.30	2.60	8.00	5.130	1.979	9.08	8.69	8.33	99
20+35+60	1.25	2.27	4.48	2.60	8.00	2.990	1.969	9.04	8.65	8.29	99
20+42+42	1.35	3.32	3.32	2.60	8.00	4.980	1.988	9.13	8.73	8.37	99
20+42+50	1.19	2.92	3.89	2.60	8.00	3.630	1.979	9.08	8.69	8.33	99
20+50+50	1.06	3.47	3.47	2.60	8.00	1.920	1.969	9.04	8.65	8.29	99
22+22+22	2.87	2.87	2.87	2.60	8.60	0.500	2.253	10.34	9.89	9.48	99
22+22+25	2.78	2.78	3.04	2.60	8.60	0.500	2.253	10.34	9.89	9.48	99

**MXZ-3F68VF MXZ-3F68VF2 MXZ-3F68VF3 HEATING**

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)			
	Unit A	Unit B	Unit C	Total			220	230	240				
22+22+35	2.68	2.68	3.25	8.60 - 10.60	2.60	-	10.60	2.243 -	3.465	10.30	9.85	9.44	99
22+22+42	2.37	2.37	3.87	8.60 - 10.60	2.60	-	10.60	2.243 -	3.465	10.30	9.85	9.44	99
22+22+50	2.06	2.06	4.49	8.60 - 10.60	2.60	-	10.60	2.233 -	3.455	10.25	9.81	9.40	99
22+22+60	1.96	1.96	4.69	8.60 - 10.60	2.60	-	10.60	2.224 -	3.445	10.21	9.77	9.36	99
22+25+25	2.70	2.95	2.95	8.60 - 10.60	2.60	-	10.60	2.253 -	3.475	10.34	9.89	9.48	99
22+25+35	2.60	2.84	3.16	8.60 - 10.60	2.60	-	10.60	2.243 -	3.465	10.30	9.85	9.44	99
22+25+42	2.31	2.52	3.78	8.60 - 10.60	2.60	-	10.60	2.243 -	3.465	10.30	9.85	9.44	99
22+25+50	2.01	2.20	4.39	8.60 - 10.60	2.60	-	10.60	2.233 -	3.455	10.25	9.81	9.40	99
22+25+60	1.92	2.09	4.59	8.60 - 10.60	2.60	-	10.60	2.224 -	3.445	10.21	9.77	9.36	99
22+35+35	2.51	3.04	3.04	8.60 - 10.60	2.60	-	10.60	2.233 -	3.455	10.25	9.81	9.40	99
22+35+42	2.23	2.71	3.66	8.60 - 10.60	2.60	-	10.60	2.233 -	3.455	10.25	9.81	9.40	99
22+35+50	1.96	2.37	4.27	8.60 - 10.60	2.60	-	10.60	2.224 -	3.445	10.21	9.77	9.36	99
22+35+60	1.87	2.26	4.47	8.60 - 10.60	2.60	-	10.60	2.214 -	3.435	10.16	9.72	9.32	99
22+42+42	2.01	3.29	3.29	8.60 - 10.60	2.60	-	10.60	2.233 -	3.455	10.25	9.81	9.40	99
22+42+50	1.78	2.92	3.89	8.60 - 10.60	2.60	-	10.60	2.224 -	3.445	10.21	9.77	9.36	99
25+25+25	2.87	2.87	2.87	8.60 - 10.60	2.60	-	10.60	2.253 -	3.475	10.34	9.89	9.48	99
25+25+35	2.76	2.76	3.07	8.60 - 10.60	2.60	-	10.60	2.243 -	3.465	10.30	9.85	9.44	99
25+25+42	2.46	2.46	3.69	8.60 - 10.60	2.60	-	10.60	2.243 -	3.465	10.30	9.85	9.44	99
25+25+50	2.15	2.15	4.30	8.60 - 10.60	2.60	-	10.60	2.233 -	3.455	10.25	9.81	9.40	99
25+25+60	2.05	2.05	4.50	8.60 - 10.60	2.60	-	10.60	2.224 -	3.445	10.21	9.77	9.36	99
25+35+35	2.67	2.97	2.97	8.60 - 10.60	2.60	-	10.60	2.233 -	3.455	10.25	9.81	9.40	99
25+35+42	2.38	2.65	3.57	8.60 - 10.60	2.60	-	10.60	2.233 -	3.455	10.25	9.81	9.40	99
25+35+50	2.09	2.32	4.18	8.60 - 10.60	2.60	-	10.60	2.224 -	3.445	10.21	9.77	9.36	99
25+35+60	2.00	2.22	4.38	8.60 - 10.60	2.60	-	10.60	2.214 -	3.435	10.16	9.72	9.32	99
25+42+42	2.15	3.23	3.23	8.60 - 10.60	2.60	-	10.60	2.233 -	3.455	10.25	9.81	9.40	99
25+42+50	1.91	2.87	3.82	8.60 - 10.60	2.60	-	10.60	2.224 -	3.445	10.21	9.77	9.36	99
35+35+35	2.87	2.87	2.87	8.60 - 10.60	2.60	-	10.60	2.224 -	3.445	10.21	9.77	9.36	99
35+35+42	2.57	2.57	3.47	8.60 - 10.60	2.60	-	10.60	2.224 -	3.445	10.21	9.77	9.36	99
35+35+50	2.26	2.26	4.07	8.60 - 10.60	2.60	-	10.60	2.214 -	3.435	10.16	9.72	9.32	99
35+42+42	2.32	3.14	3.14	8.60 - 10.60	2.60	-	10.60	2.224 -	3.445	10.21	9.77	9.36	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)			
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240				
15	1.50	-	-	-	1.50	-	2.80	0.460	-	0.700	2.11	2.02	1.94	99
18	1.80	-	-	-	1.80	-	3.80	0.460	-	0.870	2.11	2.02	1.94	99
20	2.00	-	-	-	2.00	-	2.80	0.460	-	0.700	2.39	2.28	2.19	99
22	2.20	-	-	-	2.20	-	3.80	0.460	-	0.870	2.39	2.28	2.19	99
25	2.50	-	-	-	2.50	-	3.80	0.520	-	0.870	3.72	3.56	3.41	99
35	3.50	-	-	-	3.50	-	5.20	0.520	-	1.500	3.72	3.56	3.41	99
42	4.20	-	-	-	4.20	-	5.00	0.520	-	1.585	4.73	4.52	4.34	99
50	5.00	-	-	-	5.00	-	5.60	0.520	-	1.775	6.20	5.93	5.68	99
60	6.00	-	-	-	6.00	-	6.60	0.450	-	2.491	7.94	7.60	7.28	99
15+15	1.50	1.50	-	-	3.00	-	5.40	0.540	-	1.800	3.52	3.37	3.23	99
15+18	1.50	1.80	-	-	3.30	-	5.40	0.620	-	1.890	3.75	3.58	3.43	99
15+20	1.50	2.00	-	-	3.50	-	5.40	0.700	-	2.005	3.94	3.77	3.61	99
15+22	1.50	2.20	-	-	3.70	-	5.40	0.660	-	1.850	4.14	3.96	3.79	99
15+25	1.50	2.50	-	-	4.00	-	5.40	0.780	-	1.970	5.03	4.81	4.61	99
15+35	1.50	3.50	-	-	5.00	-	6.00	0.620	-	2.150	6.55	6.26	6.00	99
15+42	1.50	4.20	-	-	5.70	-	6.40	0.620	-	2.500	7.53	7.20	6.90	99
15+50	1.50	5.00	-	-	6.50	-	6.90	0.630	-	2.860	9.19	8.79	8.43	99
15+60	1.36	5.44	-	-	6.80	-	7.10	0.640	-	2.980	9.94	9.51	9.11	99
18+18	1.80	1.80	-	-	3.60	-	5.40	0.540	-	1.640	3.71	3.54	3.40	99
18+20	1.80	2.00	-	-	3.80	-	5.40	0.700	-	1.890	4.44	4.24	4.07	99
18+22	1.80	2.20	-	-	4.00	-	5.40	0.700	-	1.800	4.90	4.69	4.49	99
18+25	1.80	2.50	-	-	4.30	-	5.40	0.580	-	1.680	5.24	5.01	4.81	99
18+35	1.80	3.50	-	-	5.30	-	6.20	0.540	-	2.130	6.84	6.54	6.27	99
18+42	1.80	4.20	-	-	6.00	-	6.60	0.540	-	2.480	7.82	7.48	7.16	99
18+50	1.80	5.00	-	-	6.80	-	7.10	0.550	-	2.820	9.81	9.38	8.99	99
18+60	1.57	5.23	-	-	6.80	-	7.10	0.560	-	2.810	9.81	9.38	8.99	99
20+20	2.00	2.00	-	-	4.00	-	5.40	0.700	-	1.800	4.90	4.69	4.49	99
20+22	2.00	2.20	-	-	4.20	-	5.40	0.700	-	1.890	5.26	5.03	4.82	99
20+25	2.00	2.50	-	-	4.50	-	5.50	0.620	-	1.865	5.67	5.42	5.19	99
20+35	2.00	3.50	-	-	5.50	-	6.30	0.620	-	2.400	7.25	6.94	6.65	99
20+42	2.00	4.20	-	-	6.20	-	6.70	0.620	-	2.740	8.45	8.08	7.74	99
20+50	1.94	4.86	-	-	6.80	-	7.10	0.630	-	2.990	9.94	9.51	9.11	99
20+60	1.70	5.10	-	-	6.80	-	7.10	0.640	-	2.980	9.94	9.51	9.11	99
22+22	2.20	2.20	-	-	4.40	-	5.40	0.540	-	1.640	5.35	5.12	4.91	99
22+25	2.20	2.50	-	-	4.70	-	5.70	0.540	-	1.810	5.88	5.63	5.39	99
22+35	2.20	3.50	-	-	5.70	-	6.40	0.540	-	2.330	7.40	7.08	6.78	99
22+42	2.20	4.20	-	-	6.40	-	6.90	0.540	-	2.655	8.81	8.43	8.08	99
22+60	1.82	4.98	-	-	6.80	-	7.10	0.560	-	2.810	9.81	9.38	8.99	99
25+25	2.50	2.50	-	-	5.00	-	6.00	0.540	-	1.980	6.41	6.13	5.88	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Total		Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D					220	230	240	
25+35	2.50	3.50	-	-	2.00	6.00	0.540	1.702	7.82	7.48	7.16	99
25+42	2.50	4.20	-	-	2.00	6.70	0.540	2.082	9.56	9.14	8.76	99
25+50	2.27	4.53	-	-	2.00	6.80	0.550	2.136	9.81	9.38	8.99	99
25+60	2.00	4.80	-	-	2.00	6.80	0.560	2.128	9.77	9.35	8.96	99
35+35	3.20	3.20	-	-	2.00	6.40	0.540	1.920	8.81	8.43	8.08	99
35+42	3.09	3.71	-	-	2.00	6.80	0.540	2.136	9.81	9.38	8.99	99
35+50	2.80	4.00	-	-	2.00	6.80	0.550	2.128	9.77	9.35	8.96	99
35+60	2.51	4.29	-	-	2.10	6.80	0.570	2.055	9.44	9.03	8.65	99
42+42	3.40	3.40	-	-	2.00	6.80	0.540	2.136	9.81	9.38	8.99	99
42+50	3.10	3.70	-	-	2.10	6.80	0.560	2.078	9.54	9.12	8.74	99
42+60	2.80	4.00	-	-	2.10	6.80	0.580	2.002	9.19	8.79	8.43	99
50+50	3.40	3.40	-	-	2.10	6.80	0.560	2.019	9.27	8.87	8.50	99
50+60	3.09	3.71	-	-	2.10	6.80	0.600	1.937	8.89	8.51	8.15	99
60+60	3.40	3.40	-	-	2.10	6.80	0.580	1.855	8.52	8.15	7.81	99
15+15+15	1.50	1.50	1.50	-	2.90	4.50	0.780	0.941	4.32	4.13	3.96	99
15+15+18	1.50	1.50	1.80	-	2.90	4.80	0.800	1.141	5.24	5.01	4.80	99
15+15+20	1.50	1.50	2.00	-	2.90	5.00	0.810	1.261	5.79	5.54	5.31	99
15+15+22	1.50	1.50	2.20	-	2.90	5.20	0.750	1.304	5.99	5.73	5.49	99
15+15+25	1.50	1.50	2.50	-	2.90	5.50	0.750	1.431	6.57	6.28	6.02	99
15+15+35	1.50	1.50	3.50	-	2.90	6.50	0.750	1.586	7.28	6.97	6.67	99
15+15+50	1.35	1.35 *	4.50 *	-	2.90	7.20	0.730	1.850	8.49	8.12	7.79	99
15+15+60	1.20	1.20	4.80	-	2.90	7.20	0.730	1.756	8.06	7.71	7.39	99
15+18+18	1.50	1.80	1.80	-	2.90	5.10	0.740	1.224	5.62	5.38	5.15	99
15+18+20	1.50	1.80	2.00	-	2.90	5.30	0.740	1.344	6.17	5.90	5.66	99
15+18+22	1.50	1.80	2.20	-	2.90	5.50	0.720	1.392	6.39	6.11	5.86	99
15+18+25	1.50	1.80	2.50	-	2.90	5.80	0.770	1.529	7.02	6.71	6.43	99
15+18+35	1.50	1.80	3.50	-	2.90	6.80	0.700	1.646	7.56	7.23	6.93	99
15+18+42	1.44	1.73 *	4.03 *	-	2.90	7.20	0.700	1.853	8.51	8.14	7.80	99
15+18+50	1.30	1.56 *	4.34 *	-	2.90	7.20	0.700	1.792	8.23	7.87	7.54	99
15+18+60	1.16	1.39	4.65	-	2.90	7.20	0.700	1.698	7.79	7.45	7.14	99
15+20+20	1.50	2.00	2.00	-	2.90	5.50	0.780	1.470	6.75	6.45	6.18	99
15+20+22	1.50	2.00	2.20	-	2.90	5.70	0.780	1.522	6.99	6.68	6.41	99
15+20+25	1.50	2.00	2.50	-	2.90	6.00	0.830	1.659	7.62	7.28	6.98	99
15+20+35	1.50	2.00	3.50	-	2.90	7.00	0.740	1.797	8.25	7.89	7.56	99
15+20+42	1.40	1.87 *	3.93 *	-	2.90	7.20	0.730	1.879	8.63	8.25	7.91	99
15+20+50	1.27	1.69 *	4.24 *	-	2.90	7.20	0.730	1.817	8.34	7.98	7.65	99
15+20+60	1.14	1.52	4.55	-	2.90	7.20	0.730	1.724	7.91	7.57	7.25	99
15+22+22	1.50	2.20	2.20	-	2.90	5.90	0.780	1.574	7.23	6.91	6.63	99
15+22+25	1.50	2.20	2.50	-	2.90	6.20	0.770	1.591	7.30	6.99	6.70	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)			
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240				
15+22+42	1.37	2.01 *	3.83 *	-	7.20	2.90	-	8.50	0.700	1.827	8.39	8.02	7.69	99
15+22+50	1.24	1.82 *	4.14 *	-	7.20	2.90	-	8.50	0.700	1.765	8.11	7.75	7.43	99
15+22+60	1.11	1.63	4.45	-	7.20	2.90	-	8.50	0.700	1.671	7.67	7.34	7.03	99
15+25+25	1.50	2.50	2.50	-	6.50	2.90	-	8.10	0.720	1.547	7.10	6.79	6.51	99
15+25+35	1.44	2.40	3.36	-	7.20	2.90	-	8.50	0.700	1.872	8.60	8.22	7.88	99
15+25+42	1.32	2.20 *	3.69 *	-	7.20	2.90	-	8.50	0.700	1.807	8.30	7.94	7.61	99
15+25+50	1.20	2.00 *	4.00 *	-	7.20	2.90	-	8.50	0.700	1.746	8.02	7.67	7.35	99
15+25+60	1.08	1.80	4.32	-	7.20	2.90	-	8.50	0.700	1.652	7.58	7.25	6.95	99
15+35+35	1.27	2.96	2.96	-	7.20	2.90	-	8.50	0.700	1.807	8.30	7.94	7.61	99
15+35+42	1.17	2.74 *	3.29 *	-	7.20	2.90	-	8.50	0.700	1.743	8.00	7.66	7.34	99
15+35+50	1.08	2.52 *	3.60 *	-	7.20	2.90	-	8.50	0.700	1.681	7.72	7.38	7.07	99
15+35+60	0.98	2.29	3.93	-	7.20	2.90	-	8.50	0.700	1.620	7.44	7.11	6.82	99
15+42+42	1.09	3.05 *	3.05 *	-	7.20	2.90	-	8.50	0.700	1.678	7.70	7.37	7.06	99
15+42+50	1.01	2.83 *	3.36 *	-	7.20	2.90	-	8.50	0.700	1.630	7.48	7.16	6.86	99
15+42+60	0.92	2.58	3.69	-	7.20	2.90	-	8.50	0.700	1.601	7.35	7.03	6.74	99
15+50+50	0.94	3.13 *	3.13 *	-	7.20	2.90	-	8.50	0.700	1.620	7.44	7.11	6.82	99
15+50+60	0.86	2.88	3.46	-	7.20	2.90	-	8.50	0.700	1.591	7.30	6.99	6.70	99
18+18+18	1.80	1.80	1.80	-	5.40	2.90	-	8.10	0.670	1.308	6.00	5.74	5.50	99
18+18+20	1.80	1.80	2.00	-	5.60	2.90	-	8.10	0.730	1.438	6.60	6.31	6.05	99
18+18+22	1.80	1.80	2.20	-	5.80	2.90	-	8.10	0.740	1.490	6.84	6.54	6.27	99
18+18+25	1.80	1.80	2.50	-	6.10	2.90	-	8.10	0.750	1.567	7.19	6.88	6.59	99
18+18+35	1.80	1.80	3.50	-	7.10	2.90	-	8.40	0.680	1.777	8.16	7.80	7.48	99
18+18+42	1.66	1.66 *	3.88 *	-	7.20	2.90	-	8.50	0.670	1.795	8.24	7.88	7.55	99
18+18+50	1.51	1.51 *	4.19 *	-	7.20	2.90	-	8.50	0.670	1.733	7.96	7.61	7.30	99
18+18+60	1.35	1.35	4.50	-	7.20	2.90	-	8.50	0.670	1.639	7.53	7.20	6.90	99
18+20+20	1.80	2.00	2.00	-	5.80	2.90	-	8.10	0.800	1.568	7.20	6.88	6.60	99
18+20+22	1.80	2.00	2.20	-	6.00	2.90	-	8.10	0.800	1.620	7.44	7.11	6.82	99
18+20+25	1.80	2.00	2.50	-	6.30	2.90	-	8.10	0.750	1.576	7.24	6.92	6.63	99
18+20+35	1.78	1.97	3.45	-	7.20	2.90	-	8.40	0.710	1.872	8.60	8.22	7.88	99
18+20+42	1.62	1.80 *	3.78 *	-	7.20	2.90	-	8.50	0.700	1.821	8.36	8.00	7.66	99
18+20+50	1.47	1.64 *	4.09 *	-	7.20	2.90	-	8.50	0.700	1.759	8.07	7.72	7.40	99
18+20+60	1.32	1.47	4.41	-	7.20	2.90	-	8.50	0.700	1.665	7.65	7.31	7.01	99
18+22+22	1.80	2.20	2.20	-	6.20	2.90	-	8.10	0.740	1.552	7.13	6.82	6.53	99
18+22+25	1.80	2.20	2.50	-	6.50	2.90	-	8.10	0.690	1.508	6.93	6.62	6.35	99
18+22+35	1.73	2.11	3.36	-	7.20	2.90	-	8.50	0.670	1.833	8.42	8.05	7.72	99
18+22+42	1.58	1.93 *	3.69 *	-	7.20	2.90	-	8.50	0.670	1.768	8.12	7.77	7.44	99
18+22+50	1.44	1.76 *	4.00 *	-	7.20	2.90	-	8.50	0.670	1.707	7.84	7.50	7.19	99
18+22+60	1.30	1.58	4.32	-	7.20	2.90	-	8.50	0.670	1.613	7.41	7.08	6.79	99
18+25+25	1.80	2.50	2.50	-	6.80	2.90	-	8.20	0.670	1.607	7.38	7.06	6.76	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Total		Outdoor unit power consumption(kW)		Current (A)			Power factor(%)	
	Unit A	Unit B	Unit C	Unit D					220	230	240		
18+25+35	1.66	2.31	3.23	-	7.20	2.90	8.50	0.670	1.814	8.33	7.97	7.63	99
18+25+42	1.52	2.12 *	3.56 *	-	7.20	2.90	8.50	0.670	1.749	8.03	7.68	7.36	99
18+25+50	1.39	1.94 *	3.87 *	-	7.20	2.90	8.50	0.670	1.688	7.75	7.41	7.10	99
18+25+60	1.26	1.75	4.19	-	7.20	2.90	8.50	0.670	1.594	7.32	7.00	6.71	99
18+35+35	1.47	2.86	2.86	-	7.20	2.90	8.50	0.670	1.749	8.03	7.68	7.36	99
18+35+42	1.36	2.65 *	3.18 *	-	7.20	2.90	8.50	0.670	1.685	7.74	7.40	7.09	99
18+35+50	1.26	2.45 *	3.50 *	-	7.20	2.90	8.50	0.670	1.623	7.45	7.13	6.83	99
18+35+60	1.15	2.23	3.82	-	7.20	2.90	8.50	0.670	1.581	7.26	6.94	6.65	99
18+42+42	1.27	2.96 *	2.96 *	-	7.20	2.90	8.50	0.670	1.620	7.44	7.11	6.82	99
18+42+50	1.18	2.75 *	3.27 *	-	7.20	2.90	8.50	0.670	1.591	7.30	6.99	6.70	99
18+42+60	1.08	2.52	3.60	-	7.20	2.90	8.50	0.670	1.562	7.17	6.86	6.57	99
18+50+50	1.10	3.05 *	3.05 *	-	7.20	2.90	8.50	0.670	1.581	7.26	6.94	6.65	99
20+20+20	2.00	2.00	2.00	-	6.00	2.90	8.10	0.770	1.581	7.26	6.94	6.65	99
20+20+22	2.00	2.00	2.20	-	6.20	2.90	8.10	0.800	1.630	7.48	7.16	6.86	99
20+20+25	2.00	2.00	2.50	-	6.50	2.90	8.10	0.750	1.586	7.28	6.97	6.67	99
20+20+35	1.92	1.92	3.36	-	7.20	2.90	8.50	0.730	1.911	8.77	8.39	8.04	99
20+20+42	1.76	1.76 *	3.69 *	-	7.20	2.90	8.50	0.730	1.846	8.48	8.11	7.77	99
20+20+50	1.60	1.60 *	4.00 *	-	7.20	2.90	8.50	0.730	1.785	8.19	7.84	7.51	99
20+20+60	1.44	1.44	4.32	-	7.20	2.90	8.50	0.730	1.691	7.76	7.43	7.12	99
20+22+22	2.00	2.20	2.20	-	6.40	2.90	8.10	0.730	1.562	7.17	6.86	6.57	99
20+22+25	2.00	2.20	2.50	-	6.70	2.90	8.20	0.700	1.589	7.30	6.98	6.69	99
20+22+35	1.87	2.06	3.27	-	7.20	2.90	8.50	0.700	1.859	8.54	8.17	7.83	99
20+22+42	1.71	1.89 *	3.60 *	-	7.20	2.90	8.50	0.700	1.795	8.24	7.88	7.55	99
20+22+50	1.57	1.72 *	3.91 *	-	7.20	2.90	8.50	0.700	1.733	7.96	7.61	7.30	99
20+22+60	1.41	1.55	4.24	-	7.20	2.90	8.50	0.700	1.639	7.53	7.20	6.90	99
20+25+25	2.00	2.50	2.50	-	7.00	2.90	8.30	0.710	1.759	8.07	7.72	7.40	99
20+25+35	1.80	2.25	3.15	-	7.20	2.90	8.50	0.700	1.840	8.45	8.08	7.74	99
20+25+42	1.66	2.07 *	3.48 *	-	7.20	2.90	8.50	0.700	1.775	8.15	7.80	7.47	99
20+25+50	1.52	1.89 *	3.79 *	-	7.20	2.90	8.50	0.700	1.714	7.87	7.53	7.21	99
20+25+60	1.37	1.71	4.11	-	7.20	2.90	8.50	0.700	1.620	7.44	7.11	6.82	99
20+35+35	1.60	2.80	2.80	-	7.20	2.90	8.50	0.700	1.775	8.15	7.80	7.47	99
20+35+42	1.48	2.60 *	3.12 *	-	7.20	2.90	8.50	0.700	1.710	7.85	7.51	7.20	99
20+35+50	1.37	2.40 *	3.43 *	-	7.20	2.90	8.50	0.700	1.649	7.57	7.24	6.94	99
20+35+60	1.25	2.19	3.76	-	7.20	2.90	8.50	0.700	1.620	7.44	7.11	6.82	99
20+42+42	1.38	2.91 *	2.91 *	-	7.20	2.90	8.50	0.700	1.646	7.56	7.23	6.93	99
20+42+50	1.29	2.70 *	3.21 *	-	7.20	2.90	8.50	0.700	1.630	7.48	7.16	6.86	99
20+42+60	1.18	2.48	3.54	-	7.20	2.90	8.50	0.700	1.601	7.35	7.03	6.74	99
20+50+50	1.20	3.00 *	3.00 *	-	7.20	2.90	8.50	0.700	1.620	7.44	7.11	6.82	99
22+22+22	2.20	2.20	2.20	-	6.60	2.90	8.10	0.670	1.494	6.86	6.56	6.29	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Total		Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D					220	230	240	
22+22+25	2.20	2.20	2.50	-	2.90	6.90	0.680	1.664	7.64	7.31	7.00	99
22+22+35	2.01	2.01	3.19	-	2.90	7.20	0.670	1.807	8.30	7.94	7.61	99
22+22+42	1.84	1.84 *	3.52 *	-	2.90	7.20	0.670	1.743	8.00	7.66	7.34	99
22+22+50	1.69	1.69 *	3.83 *	-	2.90	7.20	0.670	1.681	7.72	7.38	7.07	99
22+22+60	1.52	1.52	4.15	-	2.90	7.20	0.670	1.588	7.29	6.97	6.68	99
22+25+35	1.93	2.20	3.07	-	2.90	7.20	0.670	1.788	8.21	7.85	7.52	99
22+25+42	1.78	2.02 *	3.40 *	-	2.90	7.20	0.670	1.724	7.91	7.57	7.25	99
22+25+50	1.63	1.86 *	3.71 *	-	2.90	7.20	0.670	1.662	7.63	7.30	6.99	99
22+25+60	1.48	1.68	4.04	-	2.90	7.20	0.670	1.581	7.26	6.94	6.65	99
22+35+35	1.72	2.74	2.74	-	2.90	7.20	0.670	1.724	7.91	7.57	7.25	99
22+35+42	1.60	2.55 *	3.05 *	-	2.90	7.20	0.670	1.659	7.62	7.28	6.98	99
22+35+50	1.48	2.36 *	3.36 *	-	2.90	7.20	0.670	1.610	7.39	7.07	6.78	99
22+35+60	1.35	2.15	3.69	-	2.90	7.20	0.670	1.581	7.26	6.94	6.65	99
22+42+42	1.49	2.85 *	2.85 *	-	2.90	7.20	0.670	1.601	7.35	7.03	6.74	99
22+42+50	1.39	2.65 *	3.16 *	-	2.90	7.20	0.670	1.591	7.30	6.99	6.70	99
22+42+60	1.28	2.44	3.48	-	2.90	7.20	0.670	1.562	7.17	6.86	6.57	99
22+50+50	1.30	2.95 *	2.95 *	-	2.90	7.20	0.670	1.581	7.26	6.94	6.65	99
25+25+25	2.40	2.40	2.40	-	2.90	7.20	0.670	1.833	8.42	8.05	7.72	99
25+25+35	2.12	2.12	2.96	-	2.90	7.20	0.670	1.768	8.12	7.77	7.44	99
25+25+42	1.96	1.96 *	3.29 *	-	2.90	7.20	0.670	1.704	7.83	7.48	7.17	99
25+25+50	1.80	1.80 *	3.60 *	-	2.90	7.20	0.670	1.642	7.54	7.21	6.91	99
25+25+60	1.64	1.64	3.93	-	2.90	7.20	0.670	1.581	7.26	6.94	6.65	99
25+35+35	1.89	2.65	2.65	-	2.90	7.20	0.670	1.704	7.83	7.48	7.17	99
25+35+42	1.76	2.47 *	2.96 *	-	2.90	7.20	0.670	1.639	7.53	7.20	6.90	99
25+35+50	1.64	2.29 *	3.27 *	-	2.90	7.20	0.670	1.610	7.39	7.07	6.78	99
25+35+60	1.50	2.10	3.60	-	2.90	7.20	0.670	1.581	7.26	6.94	6.65	99
25+42+42	1.65	2.77 *	2.77 *	-	2.90	7.20	0.670	1.601	7.35	7.03	6.74	99
25+42+50	1.54	2.58 *	3.08 *	-	2.90	7.20	0.670	1.591	7.30	6.99	6.70	99
25+50+50	1.44	2.88 *	2.88 *	-	2.90	7.20	0.670	1.581	7.26	6.94	6.65	99
35+35+35	2.40	2.40	2.40	-	2.90	7.20	0.670	1.639	7.53	7.20	6.90	99
35+35+42	2.25	2.25 *	2.70 *	-	2.90	7.20	0.670	1.620	7.44	7.11	6.82	99
35+35+50	2.10	2.10 *	3.00 *	-	2.90	7.20	0.670	1.610	7.39	7.07	6.78	99
35+42+42	2.12	2.54 *	2.54 *	-	2.90	7.20	0.670	1.601	7.35	7.03	6.74	99
15+15+15+15	1.50	1.50	1.50	1.50	3.70	6.00	0.800	1.734	7.96	7.62	7.30	99
15+15+15+18	1.50	1.50	1.50	1.80	3.70	6.30	0.890	1.950	8.95	8.56	8.21	99
15+15+15+20	1.50	1.50	1.50	2.00	3.70	6.50	0.920	2.053	9.43	9.02	8.64	99
15+15+15+22	1.50	1.50	1.50	2.20	3.70	6.70	0.890	2.081	9.55	9.14	8.76	99
15+15+15+25	1.50	1.50	1.50	2.50	3.70	7.00	0.890	2.179	10.00	9.57	9.17	99
15+15+15+35	1.35	1.35	1.35	3.15	3.70	7.20	0.890	2.245	10.31	9.86	9.45	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Total		Outdoor unit power consumption(kW)		Current (A)			Power factor(%)			
	Unit A	Unit B	Unit C	Unit D					220	230	240				
15+15+15+42	1.24	1.24	1.24	3.48 *	7.20	-	8.20	0.890	2.225	-	3.330	10.22	9.77	9.37	99
15+15+15+50	1.14	1.14	1.14	3.79 *	7.20	-	8.20	0.890	2.215	-	3.320	10.17	9.73	9.32	99
15+15+15+60	1.03	1.03	1.03	4.11	7.20	-	8.20	0.890	2.186	-	3.310	10.04	9.60	9.20	99
15+15+18+18	1.50	1.50	1.80	1.80	6.60	-	8.40	0.860	2.009	-	3.290	9.22	8.82	8.45	99
15+15+18+20	1.50	1.50	1.80	2.00	6.80	-	8.20	0.890	2.114	-	3.340	9.70	9.28	8.90	99
15+15+18+22	1.50	1.50	1.80	2.20	7.00	-	8.40	0.860	2.140	-	3.290	9.82	9.40	9.01	99
15+15+18+25	1.48	1.48	1.78	2.47	7.20	-	8.40	0.860	2.206	-	3.290	10.13	9.69	9.28	99
15+15+18+35	1.30	1.30	1.56	3.04	7.20	-	8.40	0.860	2.206	-	3.290	10.13	9.69	9.28	99
15+15+18+42	1.20	1.20	1.44	3.36 *	7.20	-	8.40	0.860	2.186	-	3.280	10.04	9.60	9.20	99
15+15+18+50	1.10	1.10	1.32	3.67 *	7.20	-	8.40	0.860	2.177	-	3.270	9.99	9.56	9.16	99
15+15+18+60	1.00	1.00	1.20	4.00	7.20	-	8.40	0.860	2.148	-	3.260	9.86	9.43	9.04	99
15+15+20+20	1.50	1.50	2.00	2.00	7.00	-	8.00	0.920	2.217	-	3.390	10.18	9.74	9.33	99
15+15+20+25	1.44	1.44	1.92	2.40	7.20	-	8.20	0.890	2.245	-	3.340	10.31	9.86	9.45	99
15+15+20+35	1.27	1.27	1.69	2.96	7.20	-	8.20	0.890	2.245	-	3.340	10.31	9.86	9.45	99
15+15+20+42	1.17	1.17	1.57	3.29 *	7.20	-	8.20	0.890	2.225	-	3.330	10.22	9.77	9.37	99
15+15+20+50	1.08	1.08	1.44	3.60 *	7.20	-	8.20	0.890	2.215	-	3.320	10.17	9.73	9.32	99
15+15+20+60	0.98	0.98	1.31	3.93	7.20	-	8.20	0.890	2.186	-	3.310	10.04	9.60	9.20	99
15+15+22+22	1.46	1.46	2.14	2.14	7.20	-	8.40	0.860	2.206	-	3.290	10.13	9.69	9.28	99
15+15+22+25	1.40	1.40	2.06	2.34	7.20	-	8.40	0.860	2.206	-	3.290	10.13	9.69	9.28	99
15+15+22+35	1.24	1.24	1.82	2.90	7.20	-	8.40	0.860	2.206	-	3.290	10.13	9.69	9.28	99
15+15+22+42	1.15	1.15	1.69	3.22 *	7.20	-	8.40	0.860	2.186	-	3.280	10.04	9.60	9.20	99
15+15+22+50	1.06	1.06	1.55	3.53 *	7.20	-	8.40	0.860	2.177	-	3.270	9.99	9.56	9.16	99
15+15+22+60	0.96	0.96	1.41	3.86	7.20	-	8.40	0.860	2.148	-	3.260	9.86	9.43	9.04	99
15+15+25+25	1.35	1.35	2.25	2.25	7.20	-	8.40	0.860	2.206	-	3.290	10.13	9.69	9.28	99
15+15+25+35	1.20	1.20	2.00	2.80	7.20	-	8.40	0.860	2.206	-	3.290	10.13	9.69	9.28	99
15+15+25+42	1.11	1.11	1.86	3.12 *	7.20	-	8.40	0.860	2.186	-	3.280	10.04	9.60	9.20	99
15+15+25+50	1.03	1.03	1.71	3.43 *	7.20	-	8.40	0.860	2.177	-	3.270	9.99	9.56	9.16	99
15+15+25+60	0.94	0.94	1.57	3.76	7.20	-	8.40	0.860	2.148	-	3.260	9.86	9.43	9.04	99
15+15+35+35	1.08	1.08	2.52	2.52	7.20	-	8.40	0.860	2.206	-	3.290	10.13	9.69	9.28	99
15+15+35+42	1.01	1.01	2.36	2.83 *	7.20	-	8.40	0.860	2.186	-	3.280	10.04	9.60	9.20	99
15+15+35+50	0.94	0.94	2.19	3.13 *	7.20	-	8.40	0.860	2.177	-	3.270	9.99	9.56	9.16	99
15+15+35+60	0.86	0.86	2.02	3.46	7.20	-	8.40	0.860	2.148	-	3.260	9.86	9.43	9.04	99
15+15+42+42	0.95	0.95 *	2.65 *	2.65 *	7.20	-	8.40	0.860	2.167	-	3.270	9.95	9.52	9.12	99
15+15+42+50	0.89	0.89 *	2.48 *	2.95 *	7.20	-	8.40	0.860	2.157	-	3.260	9.90	9.47	9.08	99
15+18+18+18	1.50	1.80	1.80	1.80	6.90	-	8.60	0.830	2.069	-	3.240	9.50	9.09	8.71	99
15+18+18+20	1.50	1.80	1.80	2.00	7.10	-	8.40	0.860	2.173	-	3.290	9.98	9.54	9.14	99
15+18+18+22	1.48	1.78	1.78	2.17	7.20	-	8.60	0.830	2.167	-	3.240	9.95	9.52	9.12	99
15+18+18+25	1.42	1.71	1.71	2.37	7.20	-	8.60	0.830	2.167	-	3.240	9.95	9.52	9.12	99
15+18+18+35	1.26	1.51	1.51	2.93	7.20	-	8.60	0.830	2.167	-	3.240	9.95	9.52	9.12	99



**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Total		Outdoor unit power consumption(kW)		Current (A)			Power factor(%)	
	Unit A	Unit B	Unit C	Unit D					220	230	240		
15+18+18+42	1.16	1.39	1.39	3.25 *	7.20	-	8.60	0.830	2.148	9.86	9.43	9.04	99
15+18+18+50	1.07	1.28	1.28	3.56 *	7.20	-	8.60	0.830	2.138	9.82	9.39	9.00	99
15+18+18+60	0.97	1.17	1.17	3.89	7.20	-	8.60	0.830	2.109	9.68	9.26	8.88	99
15+18+20+20	1.48	1.78	1.97	1.97	7.20	-	8.20	0.890	2.245	10.31	9.86	9.45	99
15+18+20+22	1.44	1.73	1.92	2.11	7.20	-	8.40	0.860	2.206	10.13	9.69	9.28	99
15+18+20+25	1.38	1.66	1.85	2.31	7.20	-	8.40	0.860	2.206	10.13	9.69	9.28	99
15+18+20+35	1.23	1.47	1.64	2.86	7.20	-	8.40	0.860	2.206	10.13	9.69	9.28	99
15+18+20+42	1.14	1.36	1.52	3.18 *	7.20	-	8.40	0.860	2.186	10.04	9.60	9.20	99
15+18+20+50	1.05	1.26	1.40	3.50 *	7.20	-	8.40	0.860	2.177	9.99	9.56	9.16	99
15+18+20+60	0.96	1.15	1.27	3.82	7.20	-	8.40	0.860	2.148	9.86	9.43	9.04	99
15+18+22+22	1.40	1.68	2.06	2.06	7.20	-	8.60	0.830	2.167	9.95	9.52	9.12	99
15+18+22+25	1.35	1.62	1.98	2.25	7.20	-	8.60	0.830	2.167	9.95	9.52	9.12	99
15+18+22+35	1.20	1.44	1.76	2.80	7.20	-	8.60	0.830	2.167	9.95	9.52	9.12	99
15+18+22+42	1.11	1.34	1.63	3.12 *	7.20	-	8.60	0.830	2.148	9.86	9.43	9.04	99
15+18+22+50	1.03	1.23	1.51	3.43 *	7.20	-	8.60	0.830	2.138	9.82	9.39	9.00	99
15+18+22+60	0.94	1.13	1.38	3.76	7.20	-	8.60	0.830	2.109	9.68	9.26	8.88	99
15+18+25+25	1.30	1.56	2.17	2.17	7.20	-	8.60	0.830	2.167	9.95	9.52	9.12	99
15+18+25+35	1.16	1.39	1.94	2.71	7.20	-	8.60	0.830	2.167	9.95	9.52	9.12	99
15+18+25+42	1.08	1.30	1.80	3.02 *	7.20	-	8.60	0.830	2.148	9.86	9.43	9.04	99
15+18+25+50	1.00	1.20	1.67	3.33 *	7.20	-	8.60	0.830	2.138	9.82	9.39	9.00	99
15+18+25+60	0.92	1.10	1.53	3.66	7.20	-	8.60	0.830	2.109	9.68	9.26	8.88	99
15+18+35+35	1.05	1.26	2.45	2.45	7.20	-	8.60	0.830	2.167	9.95	9.52	9.12	99
15+18+35+42	0.98	1.18	2.29	2.75 *	7.20	-	8.60	0.830	2.148	9.86	9.43	9.04	99
15+18+35+50	0.92	1.10	2.14	3.05 *	7.20	-	8.60	0.830	2.138	9.82	9.39	9.00	99
15+18+42+42	0.92	1.11 *	2.58 *	2.58 *	7.20	-	8.60	0.830	2.128	9.77	9.35	8.96	99
15+18+42+50	0.86	1.04 *	2.42 *	2.88 *	7.20	-	8.60	0.830	2.118	9.73	9.30	8.92	99
15+20+20+20	1.44	1.92	1.92	1.92	7.20	-	8.00	0.920	2.283	10.48	10.03	9.61	99
15+20+20+22	1.40	1.87	1.87	2.06	7.20	-	8.20	0.890	2.245	10.31	9.86	9.45	99
15+20+20+25	1.35	1.80	1.80	2.25	7.20	-	8.20	0.890	2.245	10.31	9.86	9.45	99
15+20+20+35	1.20	1.60	1.60	2.80	7.20	-	8.20	0.890	2.245	10.31	9.86	9.45	99
15+20+20+42	1.11	1.48	1.48	3.12 *	7.20	-	8.20	0.890	2.225	10.22	9.77	9.37	99
15+20+20+50	1.03	1.37	1.37	3.43 *	7.20	-	8.20	0.890	2.215	10.17	9.73	9.32	99
15+20+20+60	0.94	1.25	1.25	3.76	7.20	-	8.20	0.890	2.186	10.04	9.60	9.20	99
15+20+22+22	1.37	1.82	2.01	2.01	7.20	-	8.40	0.860	2.206	10.13	9.69	9.28	99
15+20+22+25	1.32	1.76	1.93	2.20	7.20	-	8.40	0.860	2.206	10.13	9.69	9.28	99
15+20+22+35	1.17	1.57	1.72	2.74	7.20	-	8.40	0.860	2.206	10.13	9.69	9.28	99
15+20+22+42	1.09	1.45	1.60	3.05 *	7.20	-	8.40	0.860	2.186	10.04	9.60	9.20	99
15+20+22+50	1.01	1.35	1.48	3.36 *	7.20	-	8.40	0.860	2.177	9.99	9.56	9.16	99
15+20+22+60	0.92	1.23	1.35	3.69	7.20	-	8.40	0.860	2.148	9.86	9.43	9.04	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+20+25+25	1.27	1.69	2.12	2.12	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
15+20+25+35	1.14	1.52	1.89	2.65	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
15+20+25+42	1.06	1.41	1.76	2.96 *	7.20 3.70 - 8.40	2.186 - 3.280	0.860	10.04	9.60	9.20	99
15+20+25+50	0.98	1.31	1.64	3.27 *	7.20 3.70 - 8.40	2.177 - 3.270	0.860	9.99	9.56	9.16	99
15+20+25+60	0.90	1.20	1.50	3.60	7.20 3.70 - 8.40	2.148 - 3.260	0.860	9.86	9.43	9.04	99
15+20+35+35	1.03	1.37	2.40	2.40	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
15+20+35+42	0.96	1.29	2.25	2.70 *	7.20 3.70 - 8.40	2.186 - 3.280	0.860	10.04	9.60	9.20	99
15+20+35+50	0.90	1.20	2.10	3.00 *	7.20 3.70 - 8.40	2.177 - 3.270	0.860	9.99	9.56	9.16	99
15+20+42+42	0.91	1.21 *	2.54 *	2.54 *	7.20 3.70 - 8.40	2.167 - 3.270	0.860	9.95	9.52	9.12	99
15+22+22+22	1.33	1.96	1.96	1.96	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
15+22+22+25	1.29	1.89	1.89	2.14	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
15+22+22+35	1.15	1.69	1.69	2.68	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
15+22+22+42	1.07	1.57	1.57	2.99 *	7.20 3.70 - 8.60	2.148 - 3.230	0.830	9.86	9.43	9.04	99
15+22+22+50	0.99	1.45	1.45	3.30 *	7.20 3.70 - 8.60	2.138 - 3.220	0.830	9.82	9.39	9.00	99
15+22+22+60	0.91	1.33	1.33	3.63	7.20 3.70 - 8.60	2.109 - 3.210	0.830	9.68	9.26	8.88	99
15+22+25+25	1.24	1.82	2.07	2.07	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
15+22+25+35	1.11	1.63	1.86	2.60	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
15+22+25+42	1.04	1.52	1.73	2.91 *	7.20 3.70 - 8.60	2.148 - 3.230	0.830	9.86	9.43	9.04	99
15+22+25+50	0.96	1.41	1.61	3.21 *	7.20 3.70 - 8.60	2.138 - 3.220	0.830	9.82	9.39	9.00	99
15+22+25+60	0.89	1.30	1.48	3.54	7.20 3.70 - 8.60	2.109 - 3.210	0.830	9.68	9.26	8.88	99
15+22+35+35	1.01	1.48	2.36	2.36	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
15+22+35+42	0.95	1.39	2.21	2.65 *	7.20 3.70 - 8.60	2.148 - 3.230	0.830	9.86	9.43	9.04	99
15+22+35+50	0.89	1.30	2.07	2.95 *	7.20 3.70 - 8.60	2.138 - 3.220	0.830	9.82	9.39	9.00	99
15+22+42+42	0.89	1.31 *	2.50 *	2.50 *	7.20 3.70 - 8.60	2.128 - 3.220	0.830	9.77	9.35	8.96	99
15+25+25+25	1.20	2.00	2.00	2.00	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
15+25+25+35	1.08	1.80	1.80	2.52	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
15+25+25+42	1.01	1.68	1.68	2.83 *	7.20 3.70 - 8.60	2.148 - 3.230	0.830	9.86	9.43	9.04	99
15+25+25+50	0.94	1.57	1.57	3.13 *	7.20 3.70 - 8.60	2.138 - 3.220	0.830	9.82	9.39	9.00	99
15+25+25+60	0.86	1.44	1.44	3.46	7.20 3.70 - 8.60	2.109 - 3.210	0.830	9.68	9.26	8.88	99
15+25+35+35	0.98	1.64	2.29	2.29	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
15+25+35+42	0.92	1.54	2.15	2.58 *	7.20 3.70 - 8.60	2.148 - 3.230	0.830	9.86	9.43	9.04	99
15+25+35+50	0.86	1.44	2.02	2.88 *	7.20 3.70 - 8.60	2.138 - 3.220	0.830	9.82	9.39	9.00	99
15+25+42+42	0.87	1.45 *	2.44 *	2.44 *	7.20 3.70 - 8.60	2.128 - 3.220	0.830	9.77	9.35	8.96	99
15+35+35+35	0.90	2.10	2.10	2.10	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
18+18+18+18	1.80	1.80	1.80	1.80	7.20 3.70 - 8.80	1.770 - 3.190	0.800	8.13	7.77	7.45	99
18+18+18+20	1.75	1.75	1.75	1.95	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
18+18+18+22	1.71	1.71	1.71	2.08	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+18+18+25	1.64	1.64	1.64	2.28	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+18+18+35	1.46	1.46	1.46	2.83	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
18+18+18+42	1.35	1.35	1.35	3.15 *	7.20 3.70 - 8.80	2.109 - 3.180	0.800	9.68	9.26	8.88	99
18+18+18+50	1.25	1.25	1.25	3.46 *	7.20 3.70 - 8.80	2.099 - 3.170	0.800	9.64	9.22	8.83	99
18+18+18+60	1.14	1.14	1.14	3.79	7.20 3.70 - 8.80	2.070 - 3.160	0.800	9.50	9.09	8.71	99
18+18+20+20	1.71	1.71	1.89	1.89	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
18+18+20+22	1.66	1.66	1.85	2.03	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
18+18+20+25	1.60	1.60	1.78	2.22	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
18+18+20+35	1.42	1.42	1.58	2.77	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
18+18+20+42	1.32	1.32	1.47	3.09 *	7.20 3.70 - 8.60	2.148 - 3.230	0.830	9.86	9.43	9.04	99
18+18+20+50	1.22	1.22	1.36	3.40 *	7.20 3.70 - 8.60	2.138 - 3.220	0.830	9.82	9.39	9.00	99
18+18+20+60	1.12	1.12	1.24	3.72	7.20 3.70 - 8.60	2.109 - 3.210	0.830	9.68	9.26	8.88	99
18+18+22+22	1.62	1.62	1.98	1.98	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+18+22+25	1.56	1.56	1.91	2.17	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+18+22+35	1.39	1.39	1.70	2.71	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+18+22+42	1.30	1.30	1.58	3.02 *	7.20 3.70 - 8.80	2.109 - 3.180	0.800	9.68	9.26	8.88	99
18+18+22+50	1.20	1.20	1.47	3.33 *	7.20 3.70 - 8.80	2.099 - 3.170	0.800	9.64	9.22	8.83	99
18+18+22+60	1.10	1.10	1.34	3.66	7.20 3.70 - 8.80	2.070 - 3.160	0.800	9.50	9.09	8.71	99
18+18+25+25	1.51	1.51	2.09	2.09	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+18+25+35	1.35	1.35	1.88	2.63	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+18+25+42	1.26	1.26	1.75	2.94 *	7.20 3.70 - 8.80	2.109 - 3.180	0.800	9.68	9.26	8.88	99
18+18+25+50	1.17	1.17	1.62	3.24 *	7.20 3.70 - 8.80	2.099 - 3.170	0.800	9.64	9.22	8.83	99
18+18+25+60	1.07	1.07	1.49	3.57	7.20 3.70 - 8.80	2.070 - 3.160	0.800	9.50	9.09	8.71	99
18+18+35+35	1.22	1.22	2.38	2.38	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+18+35+42	1.15	1.15	2.23	2.68 *	7.20 3.70 - 8.80	2.109 - 3.180	0.800	9.68	9.26	8.88	99
18+18+35+50	1.07	1.07	2.08	2.98 *	7.20 3.70 - 8.80	2.099 - 3.170	0.800	9.64	9.22	8.83	99
18+18+42+42	1.08	1.08 *	2.52 *	2.52 *	7.20 3.70 - 8.80	2.089 - 3.170	0.800	9.59	9.18	8.79	99
18+20+20+20	1.66	1.85	1.85	1.85	7.20 3.70 - 8.20	2.245 - 3.340	0.890	10.31	9.86	9.45	99
18+20+20+22	1.62	1.80	1.80	1.98	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
18+20+20+25	1.56	1.73	1.73	2.17	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
18+20+20+35	1.39	1.55	1.55	2.71	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
18+20+20+42	1.30	1.44	1.44	3.02 *	7.20 3.70 - 8.40	2.186 - 3.280	0.860	10.04	9.60	9.20	99
18+20+20+50	1.20	1.33	1.33	3.33 *	7.20 3.70 - 8.40	2.177 - 3.270	0.860	9.99	9.56	9.16	99
18+20+20+60	1.10	1.22	1.22	3.66	7.20 3.70 - 8.40	2.148 - 3.260	0.860	9.86	9.43	9.04	99
18+20+22+22	1.58	1.76	1.93	1.93	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
18+20+22+25	1.52	1.69	1.86	2.12	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
18+20+22+35	1.36	1.52	1.67	2.65	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
18+20+22+42	1.27	1.41	1.55	2.96 *	7.20 3.70 - 8.60	2.148 - 3.230	0.830	9.86	9.43	9.04	99
18+20+22+50	1.18	1.31	1.44	3.27 *	7.20 3.70 - 8.60	2.138 - 3.220	0.830	9.82	9.39	9.00	99
18+20+22+60	1.08	1.20	1.32	3.60	7.20 3.70 - 8.60	2.109 - 3.210	0.830	9.68	9.26	8.88	99
18+20+25+25	1.47	1.64	2.05	2.05	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Total		Outdoor unit power consumption(kW)		Current (A)			Power factor(%)		
	Unit A	Unit B	Unit C	Unit D					220	230	240			
18+20+25+35	1.32	1.47	1.84	2.57	3.70	-	8.60	0.830	2.167	3.240	9.95	9.52	9.12	99
18+20+25+42	1.23	1.37	1.71	2.88 *	3.70	-	8.60	0.830	2.148	3.230	9.86	9.43	9.04	99
18+20+25+50	1.15	1.27	1.59	3.19 *	3.70	-	8.60	0.830	2.138	3.220	9.82	9.39	9.00	99
18+20+25+60	1.05	1.17	1.46	3.51	3.70	-	8.60	0.830	2.109	3.210	9.68	9.26	8.88	99
18+20+35+35	1.20	1.33	2.33	2.33	3.70	-	8.60	0.830	2.167	3.240	9.95	9.52	9.12	99
18+20+35+42	1.13	1.25	2.19	2.63 *	3.70	-	8.60	0.830	2.148	3.230	9.86	9.43	9.04	99
18+20+35+50	1.05	1.17	2.05	2.93 *	3.70	-	8.60	0.830	2.138	3.220	9.82	9.39	9.00	99
18+20+42+42	1.06	1.18 *	2.48 *	2.48 *	3.70	-	8.60	0.830	2.128	3.220	9.77	9.35	8.96	99
18+22+22+22	1.54	1.89	1.89	1.89	3.70	-	8.80	0.800	2.128	3.190	9.77	9.35	8.96	99
18+22+22+25	1.49	1.82	1.82	2.07	3.70	-	8.80	0.800	2.128	3.190	9.77	9.35	8.96	99
18+22+22+35	1.34	1.63	1.63	2.60	3.70	-	8.80	0.800	2.128	3.190	9.77	9.35	8.96	99
18+22+22+42	1.25	1.52	1.52	2.91 *	3.70	-	8.80	0.800	2.109	3.180	9.68	9.26	8.88	99
18+22+22+50	1.16	1.41	1.41	3.21 *	3.70	-	8.80	0.800	2.099	3.170	9.64	9.22	8.83	99
18+22+22+60	1.06	1.30	1.30	3.54	3.70	-	8.80	0.800	2.070	3.160	9.50	9.09	8.71	99
18+22+25+25	1.44	1.76	2.00	2.00	3.70	-	8.80	0.800	2.128	3.190	9.77	9.35	8.96	99
18+22+25+35	1.30	1.58	1.80	2.52	3.70	-	8.80	0.800	2.128	3.190	9.77	9.35	8.96	99
18+22+25+42	1.21	1.48	1.68	2.83 *	3.70	-	8.80	0.800	2.109	3.180	9.68	9.26	8.88	99
18+22+25+50	1.13	1.38	1.57	3.13 *	3.70	-	8.80	0.800	2.099	3.170	9.64	9.22	8.83	99
18+22+25+60	1.04	1.27	1.44	3.46	3.70	-	8.80	0.800	2.070	3.160	9.50	9.09	8.71	99
18+22+35+35	1.18	1.44	2.29	2.29	3.70	-	8.80	0.800	2.128	3.190	9.77	9.35	8.96	99
18+22+35+42	1.11	1.35	2.15	2.58 *	3.70	-	8.80	0.800	2.109	3.180	9.68	9.26	8.88	99
18+22+35+50	1.04	1.27	2.02	2.88 *	3.70	-	8.80	0.800	2.099	3.170	9.64	9.22	8.83	99
18+22+42+42	1.05	1.28 *	2.44 *	2.44 *	3.70	-	8.80	0.800	2.089	3.170	9.59	9.18	8.79	99
18+25+25+25	1.39	1.94	1.94	1.94	3.70	-	8.80	0.800	2.128	3.190	9.77	9.35	8.96	99
18+25+25+35	1.26	1.75	1.75	2.45	3.70	-	8.80	0.800	2.128	3.190	9.77	9.35	8.96	99
18+25+25+42	1.18	1.64	1.64	2.75 *	3.70	-	8.80	0.800	2.109	3.180	9.68	9.26	8.88	99
18+25+25+50	1.10	1.53	1.53	3.05 *	3.70	-	8.80	0.800	2.099	3.170	9.64	9.22	8.83	99
18+25+35+35	1.15	1.59	2.23	2.23	3.70	-	8.80	0.800	2.128	3.190	9.77	9.35	8.96	99
18+25+35+42	1.08	1.50	2.10	2.52 *	3.70	-	8.80	0.800	2.109	3.180	9.68	9.26	8.88	99
18+35+35+35	1.05	2.05	2.05	2.05	3.70	-	8.80	0.800	2.128	3.190	9.77	9.35	8.96	99
20+20+20+20	1.80	1.80	1.80	1.80	3.70	-	8.00	0.800	2.128	3.190	9.77	9.35	8.96	99
20+20+20+22	1.76	1.76	1.76	1.93	3.70	-	8.20	0.890	2.245	3.340	10.31	9.86	9.45	99
20+20+20+25	1.69	1.69	1.69	2.12	3.70	-	8.20	0.890	2.245	3.340	10.31	9.86	9.45	99
20+20+20+35	1.52	1.52	1.52	2.65	3.70	-	8.20	0.890	2.245	3.340	10.31	9.86	9.45	99
20+20+20+42	1.41	1.41	1.41	2.96 *	3.70	-	8.20	0.890	2.225	3.330	10.22	9.77	9.37	99
20+20+20+50	1.31	1.31	1.31	3.27 *	3.70	-	8.20	0.890	2.215	3.320	10.17	9.73	9.32	99
20+20+20+60	1.20	1.20	1.20	3.60	3.70	-	8.20	0.890	2.186	3.310	10.04	9.60	9.20	99
20+20+22+22	1.71	1.71	1.89	1.89	3.70	-	8.40	0.860	2.206	3.290	10.13	9.69	9.28	99
20+20+22+25	1.66	1.66	1.82	2.07	3.70	-	8.40	0.860	2.206	3.290	10.13	9.69	9.28	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Total		Outdoor unit power consumption(kW)		Current (A)			Power factor(%)		
	Unit A	Unit B	Unit C	Unit D					220	230	240			
20+20+22+35	1.48	1.48	1.63	2.60	3.70	-	8.40	0.860	2.206	3.290	10.13	9.69	9.28	99
20+20+22+42	1.38	1.38	1.52	2.91 *	3.70	-	8.40	0.860	2.186	3.280	10.04	9.60	9.20	99
20+20+22+50	1.29	1.29	1.41	3.21 *	3.70	-	8.40	0.860	2.177	3.270	9.99	9.56	9.16	99
20+20+22+60	1.18	1.18	1.30	3.54	3.70	-	8.40	0.860	2.148	3.260	9.86	9.43	9.04	99
20+20+25+25	1.60	1.60	2.00	2.00	3.70	-	8.40	0.860	2.206	3.290	10.13	9.69	9.28	99
20+20+25+35	1.44	1.44	1.80	2.52	3.70	-	8.40	0.860	2.206	3.290	10.13	9.69	9.28	99
20+20+25+42	1.35	1.35	1.68	2.83 *	3.70	-	8.40	0.860	2.186	3.280	10.04	9.60	9.20	99
20+20+25+50	1.25	1.25	1.57	3.13 *	3.70	-	8.40	0.860	2.177	3.270	9.99	9.56	9.16	99
20+20+25+60	1.15	1.15	1.44	3.46	3.70	-	8.40	0.860	2.148	3.260	9.86	9.43	9.04	99
20+20+35+35	1.31	1.31	2.29	2.29	3.70	-	8.40	0.860	2.206	3.290	10.13	9.69	9.28	99
20+20+35+42	1.23	1.23	2.15	2.58 *	3.70	-	8.40	0.860	2.186	3.280	10.04	9.60	9.20	99
20+20+35+50	1.15	1.15	2.02	2.88 *	3.70	-	8.40	0.860	2.177	3.270	9.99	9.56	9.16	99
20+20+42+42	1.16	1.16 *	2.44 *	2.44 *	3.70	-	8.40	0.860	2.167	3.270	9.95	9.52	9.12	99
20+22+22+22	1.67	1.84	1.84	1.84	3.70	-	8.60	0.830	2.167	3.240	9.95	9.52	9.12	99
20+22+22+25	1.62	1.78	1.78	2.02	3.70	-	8.60	0.830	2.167	3.240	9.95	9.52	9.12	99
20+22+22+35	1.45	1.60	1.60	2.55	3.70	-	8.60	0.830	2.167	3.240	9.95	9.52	9.12	99
20+22+22+42	1.36	1.49	1.49	2.85 *	3.70	-	8.60	0.830	2.148	3.230	9.86	9.43	9.04	99
20+22+22+50	1.26	1.39	1.39	3.16 *	3.70	-	8.60	0.830	2.138	3.220	9.82	9.39	9.00	99
20+22+22+60	1.16	1.28	1.28	3.48	3.70	-	8.60	0.830	2.109	3.210	9.68	9.26	8.88	99
20+22+25+25	1.57	1.72	1.96	1.96	3.70	-	8.60	0.830	2.167	3.240	9.95	9.52	9.12	99
20+22+25+35	1.41	1.55	1.76	2.47	3.70	-	8.60	0.830	2.167	3.240	9.95	9.52	9.12	99
20+22+25+42	1.32	1.45	1.65	2.77 *	3.70	-	8.60	0.830	2.148	3.230	9.86	9.43	9.04	99
20+22+25+50	1.23	1.35	1.54	3.08 *	3.70	-	8.60	0.830	2.138	3.220	9.82	9.39	9.00	99
20+22+35+35	1.29	1.41	2.25	2.25	3.70	-	8.60	0.830	2.167	3.240	9.95	9.52	9.12	99
20+22+35+42	1.21	1.33	2.12	2.54 *	3.70	-	8.60	0.830	2.148	3.230	9.86	9.43	9.04	99
20+25+25+25	1.52	1.89	1.89	1.89	3.70	-	8.60	0.830	2.167	3.240	9.95	9.52	9.12	99
20+25+25+35	1.37	1.71	1.71	2.40	3.70	-	8.60	0.830	2.167	3.240	9.95	9.52	9.12	99
20+25+25+42	1.29	1.61	1.61	2.70 *	3.70	-	8.60	0.830	2.148	3.230	9.86	9.43	9.04	99
20+25+25+50	1.20	1.50	1.50	3.00 *	3.70	-	8.60	0.830	2.138	3.220	9.82	9.39	9.00	99
20+25+35+35	1.25	1.57	2.19	2.19	3.70	-	8.60	0.830	2.167	3.240	9.95	9.52	9.12	99
20+25+35+42	1.18	1.48	2.07	2.48 *	3.70	-	8.60	0.830	2.148	3.230	9.86	9.43	9.04	99
20+35+35+35	1.15	2.02	2.02	2.02	3.70	-	8.60	0.830	2.167	3.240	9.95	9.52	9.12	99
22+22+22+22	1.80	1.80	1.80	1.80	3.70	-	8.80	0.800	2.128	3.190	9.77	9.35	8.96	99
22+22+22+25	1.74	1.74	1.74	1.98	3.70	-	8.80	0.800	2.128	3.190	9.77	9.35	8.96	99
22+22+22+35	1.57	1.57	1.57	2.50	3.70	-	8.80	0.800	2.128	3.190	9.77	9.35	8.96	99
22+22+22+42	1.47	1.47	1.47	2.80 *	3.70	-	8.80	0.800	2.109	3.180	9.68	9.26	8.88	99
22+22+22+50	1.37	1.37	1.37	3.10 *	3.70	-	8.80	0.800	2.099	3.170	9.64	9.22	8.83	99
22+22+25+25	1.69	1.69	1.91	1.91	3.70	-	8.80	0.800	2.128	3.190	9.77	9.35	8.96	99
22+22+25+35	1.52	1.52	1.73	2.42	3.70	-	8.80	0.800	2.128	3.190	9.77	9.35	8.96	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total				220	230	240	
22+22+25+42	1.43	1.43	1.62	2.72 *	7.20 3.70 - 8.80	2.109 0.800 - 3.180	9.68	9.26	8.88	99		
22+22+25+50	1.33	1.33	1.51	3.03 *	7.20 3.70 - 8.80	2.099 0.800 - 3.170	9.64	9.22	8.83	99		
22+22+35+35	1.39	1.39	2.21	2.21	7.20 3.70 - 8.80	2.128 0.800 - 3.190	9.77	9.35	8.96	99		
22+22+35+42	1.31	1.31	2.08	2.50 *	7.20 3.70 - 8.80	2.109 0.800 - 3.180	9.68	9.26	8.88	99		
22+25+25+25	1.63	1.86	1.86	1.86	7.20 3.70 - 8.80	2.128 0.800 - 3.190	9.77	9.35	8.96	99		
22+25+25+35	1.48	1.68	1.68	2.36	7.20 3.70 - 8.80	2.128 0.800 - 3.190	9.77	9.35	8.96	99		
22+25+25+42	1.39	1.58	1.58	2.65 *	7.20 3.70 - 8.80	2.109 0.800 - 3.180	9.68	9.26	8.88	99		
22+25+25+50	1.30	1.48	1.48	2.95 *	7.20 3.70 - 8.80	2.099 0.800 - 3.170	9.64	9.22	8.83	99		
22+25+35+35	1.35	1.54	2.15	2.15	7.20 3.70 - 8.80	2.128 0.800 - 3.190	9.77	9.35	8.96	99		
22+25+35+42	1.28	1.45	2.03	2.44 *	7.20 3.70 - 8.80	2.109 0.800 - 3.180	9.68	9.26	8.88	99		
25+25+25+25	1.80	1.80	1.80	1.80	7.20 3.70 - 8.80	2.128 0.800 - 3.190	9.77	9.35	8.96	99		
25+25+25+35	1.64	1.64	1.64	2.29	7.20 3.70 - 8.80	2.128 0.800 - 3.190	9.77	9.35	8.96	99		
25+25+25+42	1.54	1.54	1.54	2.58 *	7.20 3.70 - 8.80	2.109 0.800 - 3.180	9.68	9.26	8.88	99		
25+25+25+50	1.44	1.44	1.44	2.88 *	7.20 3.70 - 8.80	2.099 0.800 - 3.170	9.64	9.22	8.83	99		
25+25+35+35	1.50	1.50	2.10	2.10	7.20 3.70 - 8.80	2.128 0.800 - 3.190	9.77	9.35	8.96	99		

\* In case of MSZ-AP42/50VG or SLZ-M50FA, Rated capacity is lower than another model.

	Total connect indoor unit
	3, 4 units
MSZ-AP42VG	90%
MSZ-AP50VG	80%
SLZ-M50FA	70%

ex.) MSZ-LN18VG + MSZ-LN22VG + MSZ-AP42VG

- MSZ-LN18VG : Rated capacity is 1.78kW.
- MSZ-LN22VG : Rated capacity is 2.66kW.
- MSZ-AP42VG : Rated capacity is 3.92kW. (=4.36\*0.9)

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)			
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240				
15	1.70	-	-	-	1.70	-	2.80	0.502	-	0.780	2.30	2.20	2.11	99
18	3.30	-	-	-	2.00	3.30	4.50	0.480	-	1.250	3.58	3.43	3.28	99
20	2.20	-	-	-	2.00	2.20	2.50	0.590	-	0.780	2.89	2.77	2.65	99
22	3.30	-	-	-	2.00	3.30	4.50	0.480	-	1.250	3.58	3.43	3.28	99
25	3.60	-	-	-	2.00	3.60	5.30	0.460	-	1.480	3.81	3.65	3.49	99
35	4.00	-	-	-	2.00	4.00	5.30	0.460	-	1.480	4.41	4.22	4.04	99
42	5.40	-	-	-	2.00	5.40	5.60	0.460	-	1.564	6.92	6.62	6.35	99
50	5.80	-	-	-	2.00	5.80	6.80	0.460	-	2.431	7.44	7.11	6.82	99
60	7.90	-	-	-	2.00	7.90	8.60	0.440	-	3.295	12.76	12.20	11.69	99
15+15	1.70	1.70	-	-	1.80	3.40	5.00	0.670	-	1.300	3.58	3.43	3.28	99
15+18	1.70	3.30	-	-	1.80	5.00	6.10	0.540	-	1.530	5.16	4.93	4.73	99
15+20	1.70	2.20	-	-	1.80	3.90	5.80	0.650	-	1.625	4.35	4.16	3.98	99
15+22	1.70	3.30	-	-	1.80	5.00	6.10	0.540	-	1.530	5.16	4.93	4.73	99
15+25	1.60	3.40	-	-	1.80	5.00	6.10	0.540	-	1.530	5.16	4.93	4.73	99
15+35	1.67	3.93	-	-	1.80	5.60	7.90	0.540	-	2.190	5.94	5.68	5.44	99
15+42	1.46	4.64	-	-	1.80	6.10	7.90	0.540	-	2.190	6.51	6.22	5.96	99
15+50	1.28	5.42	-	-	1.80	6.70	7.90	0.540	-	2.180	7.09	6.78	6.50	99
15+60	1.24	5.76	-	-	1.80	7.00	7.90	0.540	-	2.150	7.52	7.19	6.89	99
18+18	3.30	3.30	-	-	1.80	6.60	7.20	0.410	-	1.760	6.73	6.44	6.17	99
18+20	3.30	2.20	-	-	1.80	5.50	6.90	0.520	-	1.855	5.92	5.66	5.43	99
18+22	3.30	3.30	-	-	1.80	6.60	7.20	0.410	-	1.760	6.73	6.44	6.17	99
18+25	3.16	3.44	-	-	1.80	6.60	7.20	0.410	-	1.760	6.73	6.44	6.17	99
18+35	3.30	4.00	-	-	1.80	7.30	9.00	0.410	-	2.420	7.76	7.42	7.11	99
18+42	3.00	4.90	-	-	1.80	7.90	9.00	0.410	-	2.420	8.32	7.96	7.63	99
18+50	2.70	5.80	-	-	1.80	8.50	9.00	0.410	-	2.410	8.89	8.50	8.15	99
18+60	2.53	6.07	-	-	1.80	8.60	9.00	0.400	-	2.365	9.15	8.75	8.39	99
20+20	2.20	2.20	-	-	1.80	4.40	6.60	0.630	-	1.950	5.11	4.89	4.69	99
20+22	2.20	3.30	-	-	1.80	5.50	6.90	0.520	-	1.855	5.92	5.66	5.43	99
20+25	2.12	3.48	-	-	1.80	5.60	7.20	0.520	-	1.965	6.06	5.80	5.56	99
20+35	2.20	4.00	-	-	1.80	6.20	8.70	0.520	-	2.515	7.11	6.80	6.52	99
20+42	2.00	4.90	-	-	1.80	6.90	8.70	0.520	-	2.515	7.67	7.33	7.03	99
20+50	1.76	5.74	-	-	1.80	7.50	8.70	0.520	-	2.505	8.23	7.88	7.55	99
20+60	1.63	5.87	-	-	1.80	7.50	8.70	0.510	-	2.450	8.38	8.02	7.68	99
22+22	3.30	3.30	-	-	1.80	6.60	7.20	0.410	-	1.760	6.73	6.44	6.17	99
22+25	3.30	3.60	-	-	1.80	6.90	8.10	0.410	-	2.095	7.15	6.83	6.55	99
22+35	3.30	4.00	-	-	1.80	7.30	9.00	0.410	-	2.420	8.08	7.73	7.41	99
22+42	3.11	5.09	-	-	1.80	8.20	9.00	0.410	-	2.420	8.63	8.25	7.91	99
22+60	2.53	6.07	-	-	1.80	8.60	9.00	0.400	-	2.350	9.23	8.83	8.46	99
25+25	3.60	3.60	-	-	1.80	7.20	9.00	0.410	-	2.430	7.56	7.23	6.93	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240		
25+35	3.60	4.00	-	-	7.60	1.813	0.410	2.420	8.32	7.96	7.63	99
25+42	3.36	5.04	-	-	8.40	1.930	0.410	2.420	8.86	8.47	8.12	99
25+50	2.87	5.73	-	-	8.60	1.990	0.410	2.390	9.14	8.74	8.38	99
25+60	2.69	5.91	-	-	8.60	2.002	0.400	2.335	9.19	8.79	8.43	99
35+35	4.00	4.00	-	-	8.00	1.970	0.410	2.410	9.04	8.65	8.29	99
35+42	3.66	4.94	-	-	8.60	1.999	0.410	2.380	9.18	8.78	8.41	99
35+50	3.07	5.53	-	-	8.60	2.002	0.400	2.335	9.19	8.79	8.43	99
35+60	2.89	5.71	-	-	8.60	1.827	0.370	2.275	8.39	8.02	7.69	99
42+42	4.30	4.30	-	-	8.60	2.029	0.400	2.350	9.31	8.91	8.54	99
42+50	3.69	4.91	-	-	8.60	1.887	0.380	2.300	8.66	8.29	7.94	99
42+60	3.49	5.11	-	-	8.60	1.742	0.360	2.235	8.00	7.65	7.33	99
50+50	4.30	4.30	-	-	8.60	1.744	0.360	2.250	8.01	7.66	7.34	99
50+60	4.10	4.50	-	-	8.60	1.725	0.360	2.160	7.92	7.57	7.26	99
60+60	4.30	4.30	-	-	8.60	1.705	0.360	2.070	7.83	7.49	7.18	99
15+15+15	1.70	1.70	1.70	-	5.10	1.106	0.890	2.425	5.08	4.86	4.66	99
15+15+18	1.62	1.62	3.15	-	6.40	1.489	0.770	2.775	6.83	6.54	6.27	99
15+15+20	1.70	1.70	2.20	-	5.60	1.244	0.910	2.645	5.71	5.46	5.23	99
15+15+22	1.62	1.62	3.15	-	6.40	1.489	0.780	2.775	6.83	6.54	6.27	99
15+15+25	1.55	1.55	3.29	-	6.40	1.489	0.790	2.775	6.83	6.54	6.27	99
15+15+35	1.47	1.47	3.46	-	6.40	1.479	0.790	2.765	6.79	6.49	6.22	99
15+15+50	1.03	1.03	4.35	-	6.40	1.469	0.790	2.755	6.74	6.45	6.18	99
15+15+60	0.96	0.96	4.47	-	6.40	1.459	0.790	2.745	6.70	6.41	6.14	99
15+18+18	1.54	2.98	2.98	-	7.50	1.871	0.650	3.125	8.59	8.22	7.87	99
15+18+20	1.63	3.16	2.11	-	6.90	1.626	0.790	2.995	7.46	7.14	6.84	99
15+18+22	1.54	2.98	2.98	-	7.50	1.871	0.660	3.125	8.59	8.22	7.87	99
15+18+25	1.48	2.88	3.14	-	7.50	1.871	0.640	3.125	8.59	8.22	7.87	99
15+18+35	1.42	2.75	3.33	-	7.50	1.861	0.660	3.115	8.54	8.17	7.83	99
15+18+42	1.23	2.38	3.89	-	7.50	1.861	0.660	3.115	8.54	8.17	7.83	99
15+18+50	1.05	2.03	4.43	-	7.50	1.851	0.660	3.105	8.50	8.13	7.79	99
15+18+60	0.99	1.92	4.59	-	7.50	1.841	0.660	3.095	8.45	8.09	7.75	99
15+20+20	1.70	2.20	2.20	-	6.10	1.381	0.920	2.865	6.34	6.06	5.81	99
15+20+22	1.63	2.11	3.16	-	6.90	1.626	0.780	2.995	7.46	7.14	6.84	99
15+20+25	1.56	2.02	3.31	-	6.90	1.626	0.760	2.995	7.46	7.14	6.84	99
15+20+35	1.48	1.92	3.49	-	6.90	1.616	0.790	2.985	7.42	7.10	6.80	99
15+20+42	1.26	1.63	4.01	-	6.90	1.616	0.790	2.985	7.42	7.10	6.80	99
15+20+50	1.06	1.37	4.48	-	6.90	1.606	0.790	2.975	7.37	7.05	6.76	99
15+20+60	0.99	1.29	4.62	-	6.90	1.596	0.790	2.965	7.33	7.01	6.72	99
15+22+22	1.54	2.98	2.98	-	7.50	1.871	0.640	3.125	8.59	8.22	7.87	99
15+22+25	1.48	2.88	3.14	-	7.50	1.871	0.640	3.125	8.59	8.22	7.87	99



**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+22+42	1.23	2.38	3.89	-	7.50 2.60 - 9.90	1.861 - 3.115	0.660	8.54	8.17	7.83	99
15+22+50	1.05	2.03	4.43	-	7.50 2.60 - 9.90	1.851 - 3.105	0.660	8.50	8.13	7.79	99
15+22+60	0.99	1.92	4.59	-	7.50 2.60 - 9.90	1.841 - 3.095	0.660	8.45	8.09	7.75	99
15+25+25	1.43	3.03	3.03	-	7.50 2.60 - 9.90	1.871 - 3.125	0.660	8.59	8.22	7.87	99
15+25+35	1.37	2.90	3.23	-	7.50 2.60 - 9.90	1.861 - 3.115	0.660	8.54	8.17	7.83	99
15+25+42	1.19	2.52	3.79	-	7.50 2.60 - 9.90	1.861 - 3.115	0.660	8.54	8.17	7.83	99
15+25+50	1.02	2.16	4.32	-	7.50 2.60 - 9.90	1.851 - 3.105	0.660	8.50	8.13	7.79	99
15+25+60	0.97	2.05	4.49	-	7.50 2.60 - 9.90	1.841 - 3.095	0.660	8.45	8.09	7.75	99
15+35+35	1.31	3.09	3.09	-	7.50 2.60 - 9.90	1.851 - 3.105	0.660	8.50	8.13	7.79	99
15+35+42	1.15	2.70	3.65	-	7.50 2.60 - 9.90	1.851 - 3.105	0.660	8.50	8.13	7.79	99
15+35+50	0.99	2.33	4.19	-	7.50 2.60 - 9.90	1.841 - 3.095	0.660	8.45	8.09	7.75	99
15+35+60	0.94	2.21	4.36	-	7.50 2.60 - 9.90	1.832 - 3.085	0.660	8.41	8.04	7.71	99
15+42+42	1.02	3.24	3.24	-	7.50 2.60 - 9.90	1.851 - 3.105	0.660	8.50	8.13	7.79	99
15+42+50	0.89	2.83	3.78	-	7.50 2.60 - 9.90	1.841 - 3.095	0.660	8.45	8.09	7.75	99
15+42+60	0.85	2.70	3.95	-	7.50 2.60 - 9.90	1.832 - 3.085	0.650	8.41	8.04	7.71	99
15+50+50	0.79	3.35	3.35	-	7.50 2.60 - 9.90	1.832 - 3.085	0.650	8.41	8.04	7.71	99
15+50+60	0.76	3.21	3.53	-	7.50 2.60 - 9.90	1.822 - 3.075	0.640	8.36	8.00	7.67	99
18+18+18	2.87	2.87	2.87	-	8.60 2.60 - 10.60	2.253 - 3.475	0.530	10.34	9.89	9.48	99
18+18+20	3.00	3.00	2.00	-	8.00 2.60 - 10.40	2.008 - 3.345	0.650	9.22	8.82	8.45	99
18+18+22	2.87	2.87	2.87	-	8.60 2.60 - 10.60	2.253 - 3.475	0.510	10.34	9.89	9.48	99
18+18+25	2.78	2.78	3.04	-	8.60 2.60 - 10.60	2.253 - 3.475	0.510	10.34	9.89	9.48	99
18+18+35	2.68	2.68	3.25	-	8.60 2.60 - 10.60	2.243 - 3.465	0.530	10.30	9.85	9.44	99
18+18+42	2.37	2.37	3.87	-	8.60 2.60 - 10.60	2.243 - 3.465	0.530	10.30	9.85	9.44	99
18+18+50	2.06	2.06	4.49	-	8.60 2.60 - 10.60	2.233 - 3.455	0.530	10.25	9.81	9.40	99
18+18+60	1.96	1.96	4.69	-	8.60 2.60 - 10.60	2.224 - 3.445	0.530	10.21	9.77	9.36	99
18+20+20	3.17	2.11	2.11	-	7.40 2.60 - 10.20	1.763 - 3.215	0.770	8.09	7.74	7.42	99
18+20+22	3.00	2.00	3.00	-	8.00 2.60 - 10.40	2.008 - 3.345	0.630	9.22	8.82	8.45	99
18+20+25	2.90	1.93	3.16	-	8.00 2.60 - 10.40	2.008 - 3.345	0.650	9.22	8.82	8.45	99
18+20+35	2.78	1.85	3.37	-	8.00 2.60 - 10.40	1.998 - 3.335	0.660	9.17	8.78	8.41	99
18+20+42	2.42	1.61	3.96	-	8.00 2.60 - 10.40	1.998 - 3.335	0.660	9.17	8.78	8.41	99
18+20+50	2.08	1.39	4.54	-	8.00 2.60 - 10.40	1.988 - 3.325	0.660	9.13	8.73	8.37	99
18+20+60	1.97	1.31	4.72	-	8.00 2.60 - 10.40	1.979 - 3.315	0.660	9.08	8.69	8.33	99
18+22+22	2.87	2.87	2.87	-	8.60 2.60 - 10.60	2.253 - 3.475	0.510	10.34	9.89	9.48	99
18+22+25	2.78	2.78	3.04	-	8.60 2.60 - 10.60	2.253 - 3.475	0.530	10.34	9.89	9.48	99
18+22+35	2.68	2.68	3.25	-	8.60 2.60 - 10.60	2.243 - 3.465	0.530	10.30	9.85	9.44	99
18+22+42	2.37	2.37	3.87	-	8.60 2.60 - 10.60	2.243 - 3.465	0.530	10.30	9.85	9.44	99
18+22+50	2.06	2.06	4.49	-	8.60 2.60 - 10.60	2.233 - 3.455	0.530	10.25	9.81	9.40	99
18+22+60	1.96	1.96	4.69	-	8.60 2.60 - 10.60	2.224 - 3.445	0.530	10.21	9.77	9.36	99
18+25+25	2.70	2.95	2.95	-	8.60 2.60 - 10.60	2.253 - 3.475	0.530	10.34	9.89	9.48	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240		
18+25+35	2.60	2.84	3.16	-	8.60 2.60 - 10.60	0.530	2.243 - 3.465	10.30	9.85	9.44	99	
18+25+42	2.31	2.52	3.78	-	8.60 2.60 - 10.60	0.530	2.243 - 3.465	10.30	9.85	9.44	99	
18+25+50	2.01	2.20	4.39	-	8.60 2.60 - 10.60	0.530	2.233 - 3.455	10.25	9.81	9.40	99	
18+25+60	1.92	2.09	4.59	-	8.60 2.60 - 10.60	0.530	2.224 - 3.445	10.21	9.77	9.36	99	
18+35+35	2.51	3.04	3.04	-	8.60 2.60 - 10.60	0.530	2.233 - 3.455	10.25	9.81	9.40	99	
18+35+42	2.23	2.71	3.66	-	8.60 2.60 - 10.60	0.530	2.233 - 3.455	10.25	9.81	9.40	99	
18+35+50	1.96	2.37	4.27	-	8.60 2.60 - 10.60	0.530	2.224 - 3.445	10.21	9.77	9.36	99	
18+35+60	1.87	2.26	4.47	-	8.60 2.60 - 10.60	0.520	2.214 - 3.435	10.16	9.72	9.32	99	
18+42+42	2.01	3.29	3.29	-	8.60 2.60 - 10.60	0.530	2.233 - 3.455	10.25	9.81	9.40	99	
18+42+50	1.78	2.92	3.89	-	8.60 2.60 - 10.60	0.530	2.224 - 3.445	10.21	9.77	9.36	99	
18+42+60	1.71	2.80	4.09	-	8.60 2.60 - 10.60	0.520	2.214 - 3.435	10.16	9.72	9.32	99	
18+50+50	1.60	3.50	3.50	-	8.60 2.60 - 10.60	0.520	2.214 - 3.435	10.16	9.72	9.32	99	
20+20+20	2.20	2.20	2.20	-	6.60 2.60 - 10.00	0.890	1.518 - 3.085	6.97	6.67	6.39	99	
20+20+22	2.11	2.11	3.17	-	7.40 2.60 - 10.20	0.770	1.763 - 3.215	8.09	7.74	7.42	99	
20+20+25	2.04	2.04	3.33	-	7.40 2.60 - 10.20	0.790	1.763 - 3.215	8.09	7.74	7.42	99	
20+20+35	1.94	1.94	3.52	-	7.40 2.60 - 10.20	0.790	1.753 - 3.205	8.05	7.70	7.38	99	
20+20+42	1.66	1.66	4.08	-	7.40 2.60 - 10.20	0.790	1.753 - 3.205	8.05	7.70	7.38	99	
20+20+50	1.40	1.40	4.59	-	7.40 2.60 - 10.20	0.790	1.743 - 3.195	8.00	7.66	7.34	99	
20+20+60	1.32	1.32	4.75	-	7.40 2.60 - 10.20	0.790	1.734 - 3.185	7.96	7.61	7.30	99	
20+22+22	2.00	3.00	3.00	-	8.00 2.60 - 10.40	0.650	2.008 - 3.345	9.22	8.82	8.45	99	
20+22+25	1.93	2.90	3.16	-	8.00 2.60 - 10.40	0.660	2.008 - 3.345	9.22	8.82	8.45	99	
20+22+35	1.85	2.78	3.37	-	8.00 2.60 - 10.40	0.660	1.998 - 3.335	9.17	8.78	8.41	99	
20+22+42	1.61	2.42	3.96	-	8.00 2.60 - 10.40	0.660	1.998 - 3.335	9.17	8.78	8.41	99	
20+22+50	1.39	2.08	4.54	-	8.00 2.60 - 10.40	0.660	1.988 - 3.325	9.13	8.73	8.37	99	
20+22+60	1.31	1.97	4.72	-	8.00 2.60 - 10.40	0.660	1.979 - 3.315	9.08	8.69	8.33	99	
20+25+25	1.87	3.06	3.06	-	8.00 2.60 - 10.40	0.660	2.008 - 3.345	9.22	8.82	8.45	99	
20+25+35	1.80	2.94	3.27	-	8.00 2.60 - 10.40	0.660	1.998 - 3.335	9.17	8.78	8.41	99	
20+25+42	1.57	2.57	3.86	-	8.00 2.60 - 10.40	0.660	1.998 - 3.335	9.17	8.78	8.41	99	
20+25+50	1.35	2.22	4.43	-	8.00 2.60 - 10.40	0.660	1.988 - 3.325	9.13	8.73	8.37	99	
20+25+60	1.28	2.10	4.61	-	8.00 2.60 - 10.40	0.660	1.979 - 3.315	9.08	8.69	8.33	99	
20+35+35	1.73	3.14	3.14	-	8.00 2.60 - 10.40	0.660	1.988 - 3.325	9.13	8.73	8.37	99	
20+35+42	1.52	2.76	3.72	-	8.00 2.60 - 10.40	0.660	1.988 - 3.325	9.13	8.73	8.37	99	
20+35+50	1.31	2.39	4.30	-	8.00 2.60 - 10.40	0.660	1.979 - 3.315	9.08	8.69	8.33	99	
20+35+60	1.25	2.27	4.48	-	8.00 2.60 - 10.40	0.650	1.969 - 3.305	9.04	8.65	8.29	99	
20+42+42	1.35	3.32	3.32	-	8.00 2.60 - 10.40	0.660	1.988 - 3.325	9.13	8.73	8.37	99	
20+42+50	1.19	2.92	3.89	-	8.00 2.60 - 10.40	0.650	1.979 - 3.315	9.08	8.69	8.33	99	
20+42+60	1.14	2.79	4.08	-	8.00 2.60 - 10.40	0.640	1.969 - 3.305	9.04	8.65	8.29	99	
20+50+50	1.06	3.47	3.47	-	8.00 2.60 - 10.40	0.650	1.969 - 3.305	9.04	8.65	8.29	99	
22+22+22	2.87	2.87	2.87	-	8.60 2.60 - 10.60	0.530	2.253 - 3.475	10.34	9.89	9.48	99	

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240		
22+22+25	2.78	2.78	3.04	-	8.60 2.60 - 10.60	0.530	2.253 - 3.475	10.34	9.89	9.48	99	
22+22+35	2.68	2.68	3.25	-	8.60 2.60 - 10.60	0.530	2.243 - 3.465	10.30	9.85	9.44	99	
22+22+42	2.37	2.37	3.87	-	8.60 2.60 - 10.60	0.530	2.243 - 3.465	10.30	9.85	9.44	99	
22+22+50	2.06	2.06	4.49	-	8.60 2.60 - 10.60	0.530	2.233 - 3.455	10.25	9.81	9.40	99	
22+22+60	1.96	1.96	4.69	-	8.60 2.60 - 10.60	0.530	2.224 - 3.445	10.21	9.77	9.36	99	
22+25+35	2.60	2.84	3.16	-	8.60 2.60 - 10.60	0.530	2.243 - 3.465	10.30	9.85	9.44	99	
22+25+42	2.31	2.52	3.78	-	8.60 2.60 - 10.60	0.530	2.243 - 3.465	10.30	9.85	9.44	99	
22+25+50	2.01	2.20	4.39	-	8.60 2.60 - 10.60	0.530	2.233 - 3.455	10.25	9.81	9.40	99	
22+25+60	1.92	2.09	4.59	-	8.60 2.60 - 10.60	0.530	2.224 - 3.445	10.21	9.77	9.36	99	
22+35+35	2.51	3.04	3.04	-	8.60 2.60 - 10.60	0.530	2.233 - 3.455	10.25	9.81	9.40	99	
22+35+42	2.23	2.71	3.66	-	8.60 2.60 - 10.60	0.530	2.233 - 3.455	10.25	9.81	9.40	99	
22+35+50	1.96	2.37	4.27	-	8.60 2.60 - 10.60	0.530	2.224 - 3.445	10.21	9.77	9.36	99	
22+35+60	1.87	2.26	4.47	-	8.60 2.60 - 10.60	0.520	2.214 - 3.435	10.16	9.72	9.32	99	
22+42+42	2.01	3.29	3.29	-	8.60 2.60 - 10.60	0.530	2.233 - 3.455	10.25	9.81	9.40	99	
22+42+50	1.78	2.92	3.89	-	8.60 2.60 - 10.60	0.520	2.224 - 3.445	10.21	9.77	9.36	99	
22+42+60	1.71	2.80	4.09	-	8.60 2.60 - 10.60	0.510	2.214 - 3.435	10.16	9.72	9.32	99	
22+50+50	1.60	3.50	3.50	-	8.60 2.60 - 10.60	0.510	2.214 - 3.435	10.16	9.72	9.32	99	
25+25+25	2.87	2.87	2.87	-	8.60 2.60 - 10.60	0.530	2.253 - 3.475	10.34	9.89	9.48	99	
25+25+35	2.76	2.76	3.07	-	8.60 2.60 - 10.60	0.530	2.243 - 3.465	10.30	9.85	9.44	99	
25+25+42	2.46	2.46	3.69	-	8.60 2.60 - 10.60	0.530	2.243 - 3.465	10.30	9.85	9.44	99	
25+25+50	2.15	2.15	4.30	-	8.60 2.60 - 10.60	0.530	2.233 - 3.455	10.25	9.81	9.40	99	
25+25+60	2.05	2.05	4.50	-	8.60 2.60 - 10.60	0.530	2.224 - 3.445	10.21	9.77	9.36	99	
25+35+35	2.67	2.97	2.97	-	8.60 2.60 - 10.60	0.530	2.233 - 3.455	10.25	9.81	9.40	99	
25+35+42	2.38	2.65	3.57	-	8.60 2.60 - 10.60	0.530	2.233 - 3.455	10.25	9.81	9.40	99	
25+35+50	2.09	2.32	4.18	-	8.60 2.60 - 10.60	0.530	2.224 - 3.445	10.21	9.77	9.36	99	
25+35+60	2.00	2.22	4.38	-	8.60 2.60 - 10.60	0.520	2.214 - 3.435	10.16	9.72	9.32	99	
25+42+42	2.15	3.23	3.23	-	8.60 2.60 - 10.60	0.530	2.233 - 3.455	10.25	9.81	9.40	99	
25+42+50	1.91	2.87	3.82	-	8.60 2.60 - 10.60	0.520	2.224 - 3.445	10.21	9.77	9.36	99	
25+50+50	1.72	3.44	3.44	-	8.60 2.60 - 10.60	0.510	2.214 - 3.435	10.16	9.72	9.32	99	
35+35+35	2.87	2.87	2.87	-	8.60 2.60 - 10.60	0.530	2.224 - 3.445	10.21	9.77	9.36	99	
35+35+42	2.57	2.57	3.47	-	8.60 2.60 - 10.60	0.520	2.224 - 3.445	10.21	9.77	9.36	99	
35+35+50	2.26	2.26	4.07	-	8.60 2.60 - 10.60	0.520	2.214 - 3.435	10.16	9.72	9.32	99	
35+42+42	2.32	3.14	3.14	-	8.60 2.60 - 10.60	0.520	2.224 - 3.445	10.21	9.77	9.36	99	
15+15+15+15	1.70	1.70	1.70	1.70	6.80 3.40 - 9.50	0.880	1.462 - 2.470	6.71	6.42	6.15	99	
15+15+15+18	1.50	1.50	1.50	2.91	7.40 3.40 - 9.80	0.810	1.629 - 2.550	7.48	7.15	6.86	99	
15+15+15+20	1.70	1.70	1.70	2.20	7.30 3.40 - 9.80	0.880	1.727 - 2.695	7.93	7.58	7.27	99	
15+15+15+22	1.50	1.50	1.50	2.91	7.40 3.40 - 9.80	0.810	1.629 - 2.550	7.48	7.15	6.86	99	
15+15+15+25	1.45	1.45	1.45	3.06	7.40 3.40 - 9.80	0.810	1.629 - 2.550	7.48	7.15	6.86	99	
15+15+15+35	1.38	1.38	1.38	3.25	7.40 3.40 - 9.80	0.810	1.619 - 2.540	7.43	7.11	6.81	99	

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+15+15+42	1.20	1.20	1.20	3.81	7.40 3.40 - 9.80	0.810	1.619 - 2.700	7.43	7.11	6.81	99
15+15+15+50	1.02	1.02	1.02	4.33	7.40 3.40 - 9.80	0.810	1.609 - 2.710	7.39	7.07	6.77	99
15+15+15+60	0.97	0.97	0.97	4.50	7.40 3.40 - 9.80	0.810	1.599 - 2.700	7.34	7.02	6.73	99
15+15+18+18	1.33	1.33	2.57	2.57	7.80 3.40 - 10.10	0.740	1.795 - 2.630	8.24	7.88	7.56	99
15+15+18+20	1.49	1.49	2.89	1.93	7.80 3.40 - 10.10	0.810	1.893 - 2.775	8.69	8.32	7.97	99
15+15+18+22	1.33	1.33	2.57	2.57	7.80 3.40 - 10.10	0.740	1.795 - 2.630	8.24	7.88	7.56	99
15+15+18+25	1.29	1.29	2.50	2.73	7.80 3.40 - 10.10	0.740	1.795 - 2.630	8.24	7.88	7.56	99
15+15+18+35	1.24	1.24	2.41	2.92	7.80 3.40 - 10.10	0.740	1.786 - 2.690	8.20	7.84	7.51	99
15+15+18+42	1.10	1.10	2.13	3.48	7.80 3.40 - 10.10	0.740	1.786 - 2.800	8.20	7.84	7.51	99
15+15+18+50	0.95	0.95	1.85	4.04	7.80 3.40 - 10.10	0.740	1.776 - 2.790	8.15	7.80	7.47	99
15+15+18+60	0.91	0.91	1.76	4.22	7.80 3.40 - 10.10	0.740	1.766 - 2.780	8.11	7.76	7.43	99
15+15+20+20	1.70	1.70	2.20	2.20	7.80 3.40 - 10.10	0.880	1.991 - 2.920	9.14	8.75	8.38	99
15+15+20+25	1.44	1.44	1.87	3.05	7.80 3.40 - 10.10	0.810	1.893 - 2.775	8.69	8.32	7.97	99
15+15+20+35	1.38	1.38	1.79	3.25	7.80 3.40 - 10.10	0.810	1.884 - 2.880	8.65	8.27	7.93	99
15+15+20+42	1.21	1.21	1.56	3.83	7.80 3.40 - 10.10	0.810	1.884 - 2.945	8.65	8.27	7.93	99
15+15+20+50	1.04	1.04	1.34	4.39	7.80 3.40 - 10.10	0.810	1.874 - 2.935	8.60	8.23	7.89	99
15+15+20+60	0.98	0.98	1.27	4.56	7.80 3.40 - 10.10	0.810	1.864 - 2.925	8.56	8.19	7.84	99
15+15+22+22	1.33	1.33	2.57	2.57	7.80 3.40 - 10.10	0.740	1.795 - 2.630	8.24	7.88	7.56	99
15+15+22+25	1.29	1.29	2.50	2.73	7.80 3.40 - 10.10	0.740	1.795 - 2.630	8.24	7.88	7.56	99
15+15+22+35	1.24	1.24	2.41	2.92	7.80 3.40 - 10.10	0.740	1.786 - 2.780	8.20	7.84	7.51	99
15+15+22+42	1.10	1.10	2.13	3.48	7.80 3.40 - 10.10	0.740	1.786 - 2.800	8.20	7.84	7.51	99
15+15+22+50	0.95	0.95	1.85	4.04	7.80 3.40 - 10.10	0.740	1.776 - 2.790	8.15	7.80	7.47	99
15+15+22+60	0.91	0.91	1.76	4.22	7.80 3.40 - 10.10	0.740	1.766 - 2.780	8.11	7.76	7.43	99
15+15+25+25	1.25	1.25	2.65	2.65	7.80 3.40 - 10.10	0.740	1.795 - 2.630	8.24	7.88	7.56	99
15+15+25+35	1.21	1.21	2.55	2.84	7.80 3.40 - 10.10	0.740	1.786 - 2.800	8.20	7.84	7.51	99
15+15+25+42	1.07	1.07	2.26	3.40	7.80 3.40 - 10.10	0.740	1.786 - 2.800	8.20	7.84	7.51	99
15+15+25+50	0.93	0.93	1.98	3.95	7.80 3.40 - 10.10	0.740	1.776 - 2.790	8.15	7.80	7.47	99
15+15+25+60	0.89	0.89	1.88	4.14	7.80 3.40 - 10.10	0.740	1.766 - 2.780	8.11	7.76	7.43	99
15+15+35+35	1.16	1.16	2.74	2.74	7.80 3.40 - 10.10	0.740	1.776 - 2.790	8.15	7.80	7.47	99
15+15+35+42	1.04	1.04	2.44	3.29	7.80 3.40 - 10.10	0.740	1.776 - 2.790	8.15	7.80	7.47	99
15+15+35+50	0.91	0.91	2.14	3.85	7.80 3.40 - 10.10	0.740	1.766 - 2.780	8.11	7.76	7.43	99
15+15+35+60	0.87	0.87	2.04	4.03	7.80 3.40 - 10.10	0.740	1.756 - 2.770	8.06	7.71	7.39	99
15+15+42+42	0.93	0.93	2.97	2.97	7.80 3.40 - 10.10	0.740	1.776 - 2.790	8.15	7.80	7.47	99
15+15+42+50	0.83	0.83	2.63	3.51	7.80 3.40 - 10.10	0.740	1.766 - 2.780	8.11	7.76	7.43	99
15+18+18+18	1.20	2.33	2.33	2.33	8.20 3.40 - 10.40	0.670	1.962 - 2.710	9.01	8.62	8.26	99
15+18+18+20	1.33	2.58	2.58	1.72	8.20 3.40 - 10.40	0.740	2.060 - 2.855	9.46	9.05	8.67	99
15+18+18+22	1.20	2.33	2.33	2.33	8.20 3.40 - 10.40	0.670	1.962 - 2.710	9.01	8.62	8.26	99
15+18+18+25	1.17	2.27	2.27	2.48	8.20 3.40 - 10.40	0.670	1.962 - 2.710	9.01	8.62	8.26	99
15+18+18+35	1.13	2.20	2.20	2.67	8.20 3.40 - 10.40	0.670	1.952 - 2.835	8.96	8.57	8.22	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+18+18+42	1.02	1.98	1.98	3.23	8.20 3.40 - 10.40	1.952 - 2.880	0.670	8.96	8.57	8.22	99
15+18+18+50	0.90	1.75	1.75	3.81	8.20 3.40 - 10.40	1.942 - 2.870	0.670	8.92	8.53	8.17	99
15+18+18+60	0.86	1.67	1.67	4.00	8.20 3.40 - 10.40	1.933 - 2.860	0.670	8.87	8.49	8.13	99
15+18+20+20	1.48	2.88	1.92	1.92	8.20 3.40 - 10.40	2.158 - 3.000	0.810	9.91	9.48	9.08	99
15+18+20+22	1.33	2.58	1.72	2.58	8.20 3.40 - 10.40	2.060 - 2.855	0.740	9.46	9.05	8.67	99
15+18+20+25	1.29	2.51	1.67	2.73	8.20 3.40 - 10.40	2.060 - 2.855	0.740	9.46	9.05	8.67	99
15+18+20+35	1.24	2.42	1.61	2.93	8.20 3.40 - 10.40	2.050 - 3.025	0.740	9.41	9.00	8.63	99
15+18+20+42	1.11	2.15	1.43	3.51	8.20 3.40 - 10.40	2.050 - 3.025	0.740	9.41	9.00	8.63	99
15+18+20+50	0.97	1.88	1.25	4.10	8.20 3.40 - 10.40	2.040 - 3.015	0.740	9.37	8.96	8.59	99
15+18+20+60	0.92	1.79	1.19	4.29	8.20 3.40 - 10.40	2.031 - 3.005	0.740	9.32	8.92	8.55	99
15+18+22+22	1.20	2.33	2.33	2.33	8.20 3.40 - 10.40	1.962 - 2.710	0.670	9.01	8.62	8.26	99
15+18+22+25	1.17	2.27	2.27	2.48	8.20 3.40 - 10.40	1.962 - 2.710	0.670	9.01	8.62	8.26	99
15+18+22+35	1.13	2.20	2.20	2.67	8.20 3.40 - 10.40	1.952 - 2.880	0.670	8.96	8.57	8.22	99
15+18+22+42	1.02	1.98	1.98	3.23	8.20 3.40 - 10.40	1.952 - 2.880	0.670	8.96	8.57	8.22	99
15+18+22+50	0.90	1.75	1.75	3.81	8.20 3.40 - 10.40	1.942 - 2.870	0.670	8.92	8.53	8.17	99
15+18+22+60	0.86	1.67	1.67	4.00	8.20 3.40 - 10.40	1.933 - 2.860	0.670	8.87	8.49	8.13	99
15+18+25+25	1.14	2.22	2.42	2.42	8.20 3.40 - 10.40	1.962 - 2.780	0.670	9.01	8.62	8.26	99
15+18+25+35	1.11	2.15	2.34	2.60	8.20 3.40 - 10.40	1.952 - 2.880	0.670	8.96	8.57	8.22	99
15+18+25+42	1.00	1.93	2.11	3.16	8.20 3.40 - 10.40	1.952 - 2.880	0.670	8.96	8.57	8.22	99
15+18+25+50	0.88	1.71	1.87	3.74	8.20 3.40 - 10.40	1.942 - 2.870	0.670	8.92	8.53	8.17	99
15+18+25+60	0.84	1.64	1.79	3.93	8.20 3.40 - 10.40	1.933 - 2.860	0.670	8.87	8.49	8.13	99
15+18+35+35	1.07	2.08	2.52	2.52	8.20 3.40 - 10.40	1.942 - 2.870	0.670	8.92	8.53	8.17	99
15+18+35+42	0.97	1.88	2.28	3.08	8.20 3.40 - 10.40	1.942 - 2.870	0.670	8.92	8.53	8.17	99
15+18+35+50	0.86	1.67	2.02	3.64	8.20 3.40 - 10.40	1.933 - 2.860	0.670	8.87	8.49	8.13	99
15+18+42+42	0.88	1.71	2.80	2.80	8.20 3.40 - 10.40	1.942 - 2.870	0.670	8.92	8.53	8.17	99
15+18+42+50	0.79	1.54	2.52	3.35	8.20 3.40 - 10.40	1.933 - 2.860	0.670	8.87	8.49	8.13	99
15+20+20+20	1.68	2.17	2.17	2.17	8.20 3.40 - 10.40	2.256 - 3.145	0.880	10.36	9.91	9.49	99
15+20+20+22	1.48	1.92	1.92	2.88	8.20 3.40 - 10.40	2.158 - 3.000	0.810	9.91	9.48	9.08	99
15+20+20+25	1.44	1.86	1.86	3.04	8.20 3.40 - 10.40	2.158 - 3.000	0.810	9.91	9.48	9.08	99
15+20+20+35	1.38	1.79	1.79	3.25	8.20 3.40 - 10.40	2.148 - 3.170	0.810	9.86	9.43	9.04	99
15+20+20+42	1.21	1.57	1.57	3.85	8.20 3.40 - 10.40	2.148 - 3.170	0.810	9.86	9.43	9.04	99
15+20+20+50	1.05	1.36	1.36	4.44	8.20 3.40 - 10.40	2.138 - 3.160	0.810	9.82	9.39	9.00	99
15+20+20+60	1.00	1.29	1.29	4.63	8.20 3.40 - 10.40	2.129 - 3.150	0.810	9.77	9.35	8.96	99
15+20+22+22	1.33	1.72	2.58	2.58	8.20 3.40 - 10.40	2.060 - 2.855	0.740	9.46	9.05	8.67	99
15+20+22+25	1.29	1.67	2.51	2.73	8.20 3.40 - 10.40	2.060 - 2.900	0.740	9.46	9.05	8.67	99
15+20+22+35	1.24	1.61	2.42	2.93	8.20 3.40 - 10.40	2.050 - 3.025	0.740	9.41	9.00	8.63	99
15+20+22+42	1.11	1.43	2.15	3.51	8.20 3.40 - 10.40	2.050 - 3.025	0.740	9.41	9.00	8.63	99
15+20+22+50	0.97	1.25	1.88	4.10	8.20 3.40 - 10.40	2.040 - 3.015	0.740	9.37	8.96	8.59	99
15+20+22+60	0.92	1.19	1.79	4.29	8.20 3.40 - 10.40	2.031 - 3.005	0.740	9.32	8.92	8.55	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+20+25+25	1.26	1.63	2.66	2.66	8.20 3.40 - 10.40	2.060 0.740 - 2.970	9.46	9.05	8.67	99	
15+20+25+35	1.21	1.57	2.57	2.85	8.20 3.40 - 10.40	2.050 0.740 - 3.025	9.41	9.00	8.63	99	
15+20+25+42	1.08	1.40	2.29	3.43	8.20 3.40 - 10.40	2.050 0.740 - 3.025	9.41	9.00	8.63	99	
15+20+25+50	0.95	1.23	2.01	4.02	8.20 3.40 - 10.40	2.040 0.740 - 3.015	9.37	8.96	8.59	99	
15+20+25+60	0.91	1.17	1.92	4.21	8.20 3.40 - 10.40	2.031 0.740 - 3.005	9.32	8.92	8.55	99	
15+20+35+35	1.17	1.52	2.76	2.76	8.20 3.40 - 10.40	2.040 0.740 - 3.015	9.37	8.96	8.59	99	
15+20+35+42	1.05	1.36	2.47	3.33	8.20 3.40 - 10.40	2.040 0.740 - 3.015	9.37	8.96	8.59	99	
15+20+35+50	0.92	1.19	2.17	3.91	8.20 3.40 - 10.40	2.031 0.740 - 3.005	9.32	8.92	8.55	99	
15+20+42+42	0.95	1.23	3.01	3.01	8.20 3.40 - 10.40	2.040 0.740 - 3.015	9.37	8.96	8.59	99	
15+22+22+22	1.20	2.33	2.33	2.33	8.20 3.40 - 10.40	1.962 0.670 - 2.735	9.01	8.62	8.26	99	
15+22+22+25	1.17	2.27	2.27	2.48	8.20 3.40 - 10.40	1.962 0.670 - 2.800	9.01	8.62	8.26	99	
15+22+22+35	1.13	2.20	2.20	2.67	8.20 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99	
15+22+22+42	1.02	1.98	1.98	3.23	8.20 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99	
15+22+22+50	0.90	1.75	1.75	3.81	8.20 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99	
15+22+22+60	0.86	1.67	1.67	4.00	8.20 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99	
15+22+25+25	1.14	2.22	2.42	2.42	8.20 3.40 - 10.40	1.962 0.670 - 2.870	9.01	8.62	8.26	99	
15+22+25+35	1.11	2.15	2.34	2.60	8.20 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99	
15+22+25+42	1.00	1.93	2.11	3.16	8.20 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99	
15+22+25+50	0.88	1.71	1.87	3.74	8.20 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99	
15+22+25+60	0.84	1.64	1.79	3.93	8.20 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99	
15+22+35+35	1.07	2.08	2.52	2.52	8.20 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99	
15+22+35+42	0.97	1.88	2.28	3.08	8.20 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99	
15+22+35+50	0.86	1.67	2.02	3.64	8.20 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99	
15+22+42+42	0.88	1.71	2.80	2.80	8.20 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99	
15+25+25+25	1.12	2.36	2.36	2.36	8.20 3.40 - 10.40	1.962 0.670 - 2.890	9.01	8.62	8.26	99	
15+25+25+35	1.08	2.29	2.29	2.54	8.20 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99	
15+25+25+42	0.97	2.06	2.06	3.10	8.20 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99	
15+25+25+50	0.87	1.83	1.83	3.67	8.20 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99	
15+25+25+60	0.83	1.76	1.76	3.86	8.20 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99	
15+25+35+35	1.05	2.22	2.47	2.47	8.20 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99	
15+25+35+42	0.95	2.01	2.23	3.01	8.20 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99	
15+25+35+50	0.84	1.79	1.99	3.58	8.20 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99	
15+25+42+42	0.87	1.83	2.75	2.75	8.20 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99	
15+35+35+35	1.02	2.39	2.39	2.39	8.20 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99	
18+18+18+18	2.15	2.15	2.15	2.15	8.60 3.40 - 10.70	1.754 0.600 - 2.790	8.05	7.70	7.38	99	
18+18+18+20	2.35	2.35	2.35	1.56	8.60 3.40 - 10.70	2.227 0.670 - 2.935	10.22	9.78	9.37	99	
18+18+18+22	2.15	2.15	2.15	2.15	8.60 3.40 - 10.70	2.129 0.600 - 2.790	9.77	9.35	8.96	99	
18+18+18+25	2.10	2.10	2.10	2.29	8.60 3.40 - 10.70	2.129 0.600 - 2.790	9.77	9.35	8.96	99	
18+18+18+35	2.04	2.04	2.04	2.47	8.60 3.40 - 10.70	2.119 0.600 - 2.960	9.73	9.31	8.92	99	

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240		
18+18+18+42	1.85	1.85	1.85	3.04	8.60 3.40 - 10.70	0.600	2.119 -	2.960	9.73	9.31	8.92	99
18+18+18+50	1.66	1.66	1.66	3.62	8.60 3.40 - 10.70	0.600	2.109 -	2.950	9.68	9.26	8.88	99
18+18+18+60	1.59	1.59	1.59	3.82	8.60 3.40 - 10.70	0.600	2.099 -	2.940	9.64	9.22	8.83	99
18+18+20+20	2.58	2.58	1.72	1.72	8.60 3.40 - 10.70	0.740	2.325 -	3.080	10.67	10.21	9.78	99
18+18+20+22	2.35	2.35	1.56	2.35	8.60 3.40 - 10.70	0.670	2.227 -	2.935	10.22	9.78	9.37	99
18+18+20+25	2.29	2.29	1.53	2.50	8.60 3.40 - 10.70	0.670	2.227 -	2.960	10.22	9.78	9.37	99
18+18+20+35	2.22	2.22	1.48	2.69	8.60 3.40 - 10.70	0.670	2.217 -	3.105	10.18	9.74	9.33	99
18+18+20+42	2.00	2.00	1.33	3.27	8.60 3.40 - 10.70	0.670	2.217 -	3.105	10.18	9.74	9.33	99
18+18+20+50	1.77	1.77	1.18	3.87	8.60 3.40 - 10.70	0.670	2.207 -	3.095	10.13	9.69	9.29	99
18+18+20+60	1.70	1.70	1.13	4.07	8.60 3.40 - 10.70	0.670	2.197 -	3.085	10.09	9.65	9.25	99
18+18+22+22	2.15	2.15	2.15	2.15	8.60 3.40 - 10.70	0.600	2.129 -	2.790	9.77	9.35	8.96	99
18+18+22+25	2.10	2.10	2.10	2.29	8.60 3.40 - 10.70	0.600	2.129 -	2.860	9.77	9.35	8.96	99
18+18+22+35	2.04	2.04	2.04	2.47	8.60 3.40 - 10.70	0.600	2.119 -	2.960	9.73	9.31	8.92	99
18+18+22+42	1.85	1.85	1.85	3.04	8.60 3.40 - 10.70	0.600	2.119 -	2.960	9.73	9.31	8.92	99
18+18+22+50	1.66	1.66	1.66	3.62	8.60 3.40 - 10.70	0.600	2.109 -	2.950	9.68	9.26	8.88	99
18+18+22+60	1.59	1.59	1.59	3.82	8.60 3.40 - 10.70	0.600	2.099 -	2.940	9.64	9.22	8.83	99
18+18+25+25	2.06	2.06	2.24	2.24	8.60 3.40 - 10.70	0.600	2.129 -	2.925	9.77	9.35	8.96	99
18+18+25+35	2.00	2.00	2.18	2.42	8.60 3.40 - 10.70	0.600	2.119 -	2.960	9.73	9.31	8.92	99
18+18+25+42	1.82	1.82	1.98	2.98	8.60 3.40 - 10.70	0.600	2.119 -	2.960	9.73	9.31	8.92	99
18+18+25+50	1.63	1.63	1.78	3.56	8.60 3.40 - 10.70	0.600	2.109 -	2.950	9.68	9.26	8.88	99
18+18+25+60	1.57	1.57	1.71	3.75	8.60 3.40 - 10.70	0.600	2.099 -	2.940	9.64	9.22	8.83	99
18+18+35+35	1.94	1.94	2.36	2.36	8.60 3.40 - 10.70	0.600	2.109 -	2.950	9.68	9.26	8.88	99
18+18+35+42	1.77	1.77	2.15	2.90	8.60 3.40 - 10.70	0.600	2.109 -	2.950	9.68	9.26	8.88	99
18+18+35+50	1.59	1.59	1.93	3.48	8.60 3.40 - 10.70	0.600	2.099 -	2.940	9.64	9.22	8.83	99
18+18+42+42	1.63	1.63	2.67	2.67	8.60 3.40 - 10.70	0.600	2.109 -	2.950	9.68	9.26	8.88	99
18+20+20+20	2.87	1.91	1.91	1.91	8.60 3.40 - 10.70	0.810	2.423 -	3.225	11.12	10.64	10.20	99
18+20+20+22	2.58	1.72	1.72	2.58	8.60 3.40 - 10.70	0.740	2.325 -	3.080	10.67	10.21	9.78	99
18+20+20+25	2.51	1.67	1.67	2.74	8.60 3.40 - 10.70	0.740	2.325 -	3.150	10.67	10.21	9.78	99
18+20+20+35	2.43	1.62	1.62	2.94	8.60 3.40 - 10.70	0.740	2.315 -	3.250	10.63	10.17	9.74	99
18+20+20+42	2.17	1.44	1.44	3.55	8.60 3.40 - 10.70	0.740	2.315 -	3.250	10.63	10.17	9.74	99
18+20+20+50	1.90	1.27	1.27	4.16	8.60 3.40 - 10.70	0.740	2.305 -	3.240	10.58	10.12	9.70	99
18+20+20+60	1.82	1.21	1.21	4.36	8.60 3.40 - 10.70	0.740	2.295 -	3.230	10.54	10.08	9.66	99
18+20+22+22	2.35	1.56	2.35	2.35	8.60 3.40 - 10.70	0.670	2.227 -	2.980	10.22	9.78	9.37	99
18+20+22+25	2.29	1.53	2.29	2.50	8.60 3.40 - 10.70	0.670	2.227 -	3.050	10.22	9.78	9.37	99
18+20+22+35	2.22	1.48	2.22	2.69	8.60 3.40 - 10.70	0.670	2.217 -	3.105	10.18	9.74	9.33	99
18+20+22+42	2.00	1.33	2.00	3.27	8.60 3.40 - 10.70	0.670	2.217 -	3.105	10.18	9.74	9.33	99
18+20+22+50	1.77	1.18	1.77	3.87	8.60 3.40 - 10.70	0.670	2.207 -	3.095	10.13	9.69	9.29	99
18+20+22+60	1.70	1.13	1.70	4.07	8.60 3.40 - 10.70	0.670	2.197 -	3.085	10.09	9.65	9.25	99
18+20+25+25	2.23	1.49	2.44	2.44	8.60 3.40 - 10.70	0.670	2.227 -	3.115	10.22	9.78	9.37	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
18+20+25+35	2.17	1.44	2.36	2.63	8.60 3.40 - 10.70	0.670	2.217 - 3.105	10.18	9.74	9.33	99
18+20+25+42	1.96	1.30	2.14	3.20	8.60 3.40 - 10.70	0.670	2.217 - 3.105	10.18	9.74	9.33	99
18+20+25+50	1.74	1.16	1.90	3.80	8.60 3.40 - 10.70	0.670	2.207 - 3.095	10.13	9.69	9.29	99
18+20+25+60	1.67	1.11	1.82	4.00	8.60 3.40 - 10.70	0.670	2.197 - 3.085	10.09	9.65	9.25	99
18+20+35+35	2.10	1.40	2.55	2.55	8.60 3.40 - 10.70	0.670	2.207 - 3.095	10.13	9.69	9.29	99
18+20+35+42	1.90	1.27	2.31	3.12	8.60 3.40 - 10.70	0.670	2.207 - 3.095	10.13	9.69	9.29	99
18+20+35+50	1.70	1.13	2.06	3.71	8.60 3.40 - 10.70	0.670	2.197 - 3.085	10.09	9.65	9.25	99
18+20+42+42	1.74	1.16	2.85	2.85	8.60 3.40 - 10.70	0.670	2.207 - 3.095	10.13	9.69	9.29	99
18+22+22+22	2.15	2.15	2.15	2.15	8.60 3.40 - 10.70	0.600	2.129 - 2.880	9.77	9.35	8.96	99
18+22+22+25	2.10	2.10	2.10	2.29	8.60 3.40 - 10.70	0.600	2.129 - 2.950	9.77	9.35	8.96	99
18+22+22+35	2.04	2.04	2.04	2.47	8.60 3.40 - 10.70	0.600	2.119 - 2.960	9.73	9.31	8.92	99
18+22+22+42	1.85	1.85	1.85	3.04	8.60 3.40 - 10.70	0.600	2.119 - 2.960	9.73	9.31	8.92	99
18+22+22+50	1.66	1.66	1.66	3.62	8.60 3.40 - 10.70	0.600	2.109 - 2.950	9.68	9.26	8.88	99
18+22+22+60	1.59	1.59	1.59	3.82	8.60 3.40 - 10.70	0.600	2.099 - 2.940	9.64	9.22	8.83	99
18+22+25+25	2.06	2.06	2.24	2.24	8.60 3.40 - 10.70	0.600	2.129 - 2.970	9.77	9.35	8.96	99
18+22+25+35	2.00	2.00	2.18	2.42	8.60 3.40 - 10.70	0.600	2.119 - 2.960	9.73	9.31	8.92	99
18+22+25+42	1.82	1.82	1.98	2.98	8.60 3.40 - 10.70	0.600	2.119 - 2.960	9.73	9.31	8.92	99
18+22+25+50	1.63	1.63	1.78	3.56	8.60 3.40 - 10.70	0.600	2.109 - 2.950	9.68	9.26	8.88	99
18+22+25+60	1.57	1.57	1.71	3.75	8.60 3.40 - 10.70	0.600	2.099 - 2.940	9.64	9.22	8.83	99
18+22+35+35	1.94	1.94	2.36	2.36	8.60 3.40 - 10.70	0.600	2.109 - 2.950	9.68	9.26	8.88	99
18+22+35+42	1.77	1.77	2.15	2.90	8.60 3.40 - 10.70	0.600	2.109 - 2.950	9.68	9.26	8.88	99
18+22+35+50	1.59	1.59	1.93	3.48	8.60 3.40 - 10.70	0.600	2.099 - 2.940	9.64	9.22	8.83	99
18+22+42+42	1.63	1.63	2.67	2.67	8.60 3.40 - 10.70	0.600	2.109 - 2.950	9.68	9.26	8.88	99
18+25+25+25	2.01	2.20	2.20	2.20	8.60 3.40 - 10.70	0.600	2.129 - 2.970	9.77	9.35	8.96	99
18+25+25+35	1.96	2.14	2.14	2.37	8.60 3.40 - 10.70	0.600	2.119 - 2.960	9.73	9.31	8.92	99
18+25+25+42	1.78	1.95	1.95	2.92	8.60 3.40 - 10.70	0.600	2.119 - 2.960	9.73	9.31	8.92	99
18+25+25+50	1.60	1.75	1.75	3.50	8.60 3.40 - 10.70	0.600	2.109 - 2.950	9.68	9.26	8.88	99
18+25+35+35	1.90	2.08	2.31	2.31	8.60 3.40 - 10.70	0.600	2.109 - 2.950	9.68	9.26	8.88	99
18+25+35+42	1.74	1.90	2.11	2.85	8.60 3.40 - 10.70	0.600	2.109 - 2.950	9.68	9.26	8.88	99
18+35+35+35	1.85	2.25	2.25	2.25	8.60 3.40 - 10.70	0.600	2.099 - 2.940	9.64	9.22	8.83	99
20+20+20+20	2.15	2.15	2.15	2.15	8.60 3.40 - 10.70	0.880	2.521 - 3.370	11.57	11.07	10.61	99
20+20+20+22	1.91	1.91	1.91	2.87	8.60 3.40 - 10.70	0.810	2.423 - 3.270	11.12	10.64	10.20	99
20+20+20+25	1.85	1.85	1.85	3.04	8.60 3.40 - 10.70	0.810	2.423 - 3.340	11.12	10.64	10.20	99
20+20+20+35	1.78	1.78	1.78	3.25	8.60 3.40 - 10.70	0.810	2.413 - 3.395	11.08	10.60	10.15	99
20+20+20+42	1.58	1.58	1.58	3.87	8.60 3.40 - 10.70	0.810	2.413 - 3.395	11.08	10.60	10.15	99
20+20+20+50	1.37	1.37	1.37	4.49	8.60 3.40 - 10.70	0.810	2.403 - 3.385	11.03	10.55	10.11	99
20+20+20+60	1.30	1.30	1.30	4.69	8.60 3.40 - 10.70	0.810	2.393 - 3.375	10.99	10.51	10.07	99
20+20+22+22	1.72	1.72	2.58	2.58	8.60 3.40 - 10.70	0.740	2.325 - 3.170	10.67	10.21	9.78	99
20+20+22+25	1.67	1.67	2.51	2.74	8.60 3.40 - 10.70	0.740	2.325 - 3.240	10.67	10.21	9.78	99



**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
20+20+22+35	1.62	1.62	2.43	2.94	8.60 3.40 - 10.70	0.740	2.315 - 3.250	10.63	10.17	9.74	99
20+20+22+42	1.44	1.44	2.17	3.55	8.60 3.40 - 10.70	0.740	2.315 - 3.250	10.63	10.17	9.74	99
20+20+22+50	1.27	1.27	1.90	4.16	8.60 3.40 - 10.70	0.740	2.305 - 3.240	10.58	10.12	9.70	99
20+20+22+60	1.21	1.21	1.82	4.36	8.60 3.40 - 10.70	0.740	2.295 - 3.230	10.54	10.08	9.66	99
20+20+25+25	1.63	1.63	2.67	2.67	8.60 3.40 - 10.70	0.740	2.325 - 3.260	10.67	10.21	9.78	99
20+20+25+35	1.58	1.58	2.58	2.87	8.60 3.40 - 10.70	0.740	2.315 - 3.250	10.63	10.17	9.74	99
20+20+25+42	1.41	1.41	2.31	3.47	8.60 3.40 - 10.70	0.740	2.315 - 3.250	10.63	10.17	9.74	99
20+20+25+50	1.24	1.24	2.04	4.07	8.60 3.40 - 10.70	0.740	2.305 - 3.240	10.58	10.12	9.70	99
20+20+25+60	1.19	1.19	1.95	4.27	8.60 3.40 - 10.70	0.740	2.295 - 3.230	10.54	10.08	9.66	99
20+20+35+35	1.53	1.53	2.77	2.77	8.60 3.40 - 10.70	0.740	2.305 - 3.240	10.58	10.12	9.70	99
20+20+35+42	1.37	1.37	2.49	3.37	8.60 3.40 - 10.70	0.740	2.305 - 3.240	10.58	10.12	9.70	99
20+20+35+50	1.21	1.21	2.21	3.97	8.60 3.40 - 10.70	0.740	2.295 - 3.230	10.54	10.08	9.66	99
20+20+42+42	1.24	1.24	3.06	3.06	8.60 3.40 - 10.70	0.740	2.305 - 3.240	10.58	10.12	9.70	99
20+22+22+22	1.56	2.35	2.35	2.35	8.60 3.40 - 10.70	0.670	2.227 - 3.070	10.22	9.78	9.37	99
20+22+22+25	1.53	2.29	2.29	2.50	8.60 3.40 - 10.70	0.670	2.227 - 3.115	10.22	9.78	9.37	99
20+22+22+35	1.48	2.22	2.22	2.69	8.60 3.40 - 10.70	0.670	2.217 - 3.105	10.18	9.74	9.33	99
20+22+22+42	1.33	2.00	2.00	3.27	8.60 3.40 - 10.70	0.670	2.217 - 3.105	10.18	9.74	9.33	99
20+22+22+50	1.18	1.77	1.77	3.87	8.60 3.40 - 10.70	0.670	2.207 - 3.095	10.13	9.69	9.29	99
20+22+22+60	1.13	1.70	1.70	4.07	8.60 3.40 - 10.70	0.670	2.197 - 3.085	10.09	9.65	9.25	99
20+22+25+25	1.49	2.23	2.44	2.44	8.60 3.40 - 10.70	0.670	2.227 - 3.115	10.22	9.78	9.37	99
20+22+25+35	1.44	2.17	2.36	2.63	8.60 3.40 - 10.70	0.670	2.217 - 3.105	10.18	9.74	9.33	99
20+22+25+42	1.30	1.96	2.14	3.20	8.60 3.40 - 10.70	0.670	2.217 - 3.105	10.18	9.74	9.33	99
20+22+25+50	1.16	1.74	1.90	3.80	8.60 3.40 - 10.70	0.670	2.207 - 3.095	10.13	9.69	9.29	99
20+22+35+35	1.40	2.10	2.55	2.55	8.60 3.40 - 10.70	0.670	2.207 - 3.095	10.13	9.69	9.29	99
20+22+35+42	1.27	1.90	2.31	3.12	8.60 3.40 - 10.70	0.670	2.207 - 3.095	10.13	9.69	9.29	99
20+25+25+25	1.46	2.38	2.38	2.38	8.60 3.40 - 10.70	0.670	2.227 - 3.115	10.22	9.78	9.37	99
20+25+25+35	1.41	2.31	2.31	2.57	8.60 3.40 - 10.70	0.670	2.217 - 3.105	10.18	9.74	9.33	99
20+25+25+42	1.28	2.09	2.09	3.14	8.60 3.40 - 10.70	0.670	2.217 - 3.105	10.18	9.74	9.33	99
20+25+25+50	1.14	1.87	1.87	3.73	8.60 3.40 - 10.70	0.670	2.207 - 3.095	10.13	9.69	9.29	99
20+25+35+35	1.37	2.24	2.49	2.49	8.60 3.40 - 10.70	0.670	2.207 - 3.095	10.13	9.69	9.29	99
20+25+35+42	1.24	2.04	2.26	3.06	8.60 3.40 - 10.70	0.670	2.207 - 3.095	10.13	9.69	9.29	99
20+35+35+35	1.33	2.42	2.42	2.42	8.60 3.40 - 10.70	0.670	2.197 - 3.085	10.09	9.65	9.25	99
22+22+22+22	2.15	2.15	2.15	2.15	8.60 3.40 - 10.70	0.600	2.129 - 2.970	9.77	9.35	8.96	99
22+22+22+25	2.10	2.10	2.10	2.29	8.60 3.40 - 10.70	0.600	2.129 - 2.970	9.77	9.35	8.96	99
22+22+22+35	2.04	2.04	2.04	2.47	8.60 3.40 - 10.70	0.600	2.119 - 2.960	9.73	9.31	8.92	99
22+22+22+42	1.85	1.85	1.85	3.04	8.60 3.40 - 10.70	0.600	2.119 - 2.960	9.73	9.31	8.92	99
22+22+22+50	1.66	1.66	1.66	3.62	8.60 3.40 - 10.70	0.600	2.109 - 2.950	9.68	9.26	8.88	99
22+22+25+25	2.06	2.06	2.24	2.24	8.60 3.40 - 10.70	0.600	2.129 - 2.970	9.77	9.35	8.96	99
22+22+25+35	2.00	2.00	2.18	2.42	8.60 3.40 - 10.70	0.600	2.119 - 2.960	9.73	9.31	8.92	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total				220	230	240	
22+22+25+42	1.82	1.82	1.98	2.98	8.60 3.40 - 10.70	0.600	2.119 - 2.960		9.73	9.31	8.92	99
22+22+25+50	1.63	1.63	1.78	3.56	8.60 3.40 - 10.70	0.600	2.109 - 2.950		9.68	9.26	8.88	99
22+22+35+35	1.94	1.94	2.36	2.36	8.60 3.40 - 10.70	0.600	2.109 - 2.950		9.68	9.26	8.88	99
22+22+35+42	1.77	1.77	2.15	2.90	8.60 3.40 - 10.70	0.600	2.109 - 2.950		9.68	9.26	8.88	99
22+25+25+25	2.01	2.20	2.20	2.20	8.60 3.40 - 10.70	0.600	2.129 - 2.970		9.77	9.35	8.96	99
22+25+25+35	1.96	2.14	2.14	2.37	8.60 3.40 - 10.70	0.600	2.119 - 2.960		9.73	9.31	8.92	99
22+25+25+42	1.78	1.95	1.95	2.92	8.60 3.40 - 10.70	0.600	2.119 - 2.960		9.73	9.31	8.92	99
22+25+25+50	1.60	1.75	1.75	3.50	8.60 3.40 - 10.70	0.600	2.109 - 2.950		9.68	9.26	8.88	99
22+25+35+35	1.90	2.08	2.31	2.31	8.60 3.40 - 10.70	0.600	2.109 - 2.950		9.68	9.26	8.88	99
22+25+35+42	1.74	1.90	2.11	2.85	8.60 3.40 - 10.70	0.600	2.109 - 2.950		9.68	9.26	8.88	99
25+25+25+25	2.15	2.15	2.15	2.15	8.60 3.40 - 10.70	0.600	2.129 - 2.970		9.77	9.35	8.96	99
25+25+25+35	2.09	2.09	2.09	2.32	8.60 3.40 - 10.70	0.600	2.119 - 2.960		9.73	9.31	8.92	99
25+25+25+42	1.91	1.91	1.91	2.87	8.60 3.40 - 10.70	0.600	2.119 - 2.960		9.73	9.31	8.92	99
25+25+25+50	1.72	1.72	1.72	3.44	8.60 3.40 - 10.70	0.600	2.109 - 2.950		9.68	9.26	8.88	99
25+25+35+35	2.04	2.04	2.26	2.26	8.60 3.40 - 10.70	0.600	2.109 - 2.950		9.68	9.26	8.88	99

**MXZ-4F80VF2 MXZ-4F80VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	power consumption(kW)		220	230	240	
15	1.50	-	-	-	1.50 1.50 - 2.80	0.460 - 0.700	2.11	2.02	1.94	99
18	1.80	-	-	-	1.80 1.80 - 3.80	0.460 - 0.870	2.11	2.02	1.94	99
20	2.00	-	-	-	2.00 1.60 - 2.80	0.520 - 0.700	2.39	2.28	2.19	99
22	2.20	-	-	-	2.20 1.60 - 3.80	0.520 - 0.870	2.39	2.28	2.19	99
25	2.50	-	-	-	2.50 1.80 - 3.80	0.810 - 0.870	3.72	3.56	3.41	99
35	3.50	-	-	-	3.50 1.80 - 5.20	0.810 - 1.500	3.72	3.56	3.41	99
42	4.20	-	-	-	4.20 1.80 - 5.00	1.030 - 1.585	4.73	4.52	4.34	99
50	5.00	-	-	-	5.00 1.80 - 5.60	1.350 - 1.775	6.20	5.93	5.68	99
60	6.00	-	-	-	6.00 1.90 - 6.60	1.730 - 2.491	7.94	7.60	7.28	99
15+15	1.50	1.50	-	-	3.00 2.00 - 5.40	0.766 - 1.800	3.52	3.37	3.23	99
15+18	1.50	1.80	-	-	3.30 2.00 - 5.40	0.816 - 1.890	3.75	3.58	3.43	99
15+20	1.50	2.00	-	-	3.50 2.00 - 5.40	0.858 - 2.005	3.94	3.77	3.61	99
15+22	1.50	2.20	-	-	3.70 2.00 - 5.40	0.901 - 1.850	4.14	3.96	3.79	99
15+25	1.50	2.50	-	-	4.00 2.00 - 5.40	1.096 - 1.970	5.03	4.81	4.61	99
15+35	1.50	3.50	-	-	5.00 2.00 - 6.00	1.426 - 2.150	6.55	6.26	6.00	99
15+42	1.50	4.20	-	-	5.70 2.00 - 6.40	1.640 - 2.500	7.53	7.20	6.90	99
15+50	1.50	5.00	-	-	6.50 2.00 - 6.90	2.002 - 2.860	9.19	8.79	8.43	99
15+60	1.36	5.44	-	-	6.80 2.00 - 7.10	2.165 - 2.980	9.94	9.51	9.11	99
18+18	1.80	1.80	-	-	3.60 2.00 - 5.40	0.807 - 1.640	3.71	3.54	3.40	99
18+20	1.80	2.00	-	-	3.80 2.00 - 5.40	0.966 - 1.890	4.44	4.24	4.07	99
18+22	1.80	2.20	-	-	4.00 2.00 - 5.40	1.067 - 1.800	4.90	4.69	4.49	99
18+25	1.80	2.50	-	-	4.30 2.00 - 5.40	1.142 - 1.680	5.24	5.01	4.81	99
18+35	1.80	3.50	-	-	5.30 2.00 - 6.20	1.489 - 2.130	6.84	6.54	6.27	99
18+42	1.80	4.20	-	-	6.00 2.00 - 6.60	1.702 - 2.480	7.82	7.48	7.16	99
18+50	1.80	5.00	-	-	6.80 2.00 - 7.10	2.136 - 2.820	9.81	9.38	8.99	99
18+60	1.57	5.23	-	-	6.80 2.00 - 7.10	2.136 - 2.810	9.81	9.38	8.99	99
20+20	2.00	2.00	-	-	4.00 2.00 - 5.40	1.067 - 1.800	4.90	4.69	4.49	99
20+22	2.00	2.20	-	-	4.20 2.00 - 5.40	1.146 - 1.890	5.26	5.03	4.82	99
20+25	2.00	2.50	-	-	4.50 2.00 - 5.50	1.234 - 1.865	5.67	5.42	5.19	99
20+35	2.00	3.50	-	-	5.50 2.00 - 6.30	1.579 - 2.400	7.25	6.94	6.65	99
20+42	2.00	4.20	-	-	6.20 2.00 - 6.70	1.840 - 2.740	8.45	8.08	7.74	99
20+50	1.94	4.86	-	-	6.80 2.00 - 7.10	2.165 - 2.990	9.94	9.51	9.11	99
22+22	2.20	2.20	-	-	4.40 2.00 - 5.40	1.166 - 1.640	5.35	5.12	4.91	99
22+25	2.20	2.50	-	-	4.70 2.00 - 5.70	1.281 - 1.810	5.88	5.63	5.39	99
22+35	2.20	3.50	-	-	5.70 2.00 - 6.40	1.611 - 2.330	7.40	7.08	6.78	99
22+42	2.20	4.20	-	-	6.40 2.00 - 6.90	1.920 - 2.655	8.81	8.43	8.08	99
22+50	2.08	4.72	-	-	6.80 2.00 - 7.10	2.136 - 2.810	9.81	9.38	8.99	99
22+60	1.82	4.98	-	-	6.80 2.00 - 7.10	2.136 - 2.810	9.81	9.38	8.99	99
25+25	2.50	2.50	-	-	5.00 2.00 - 6.00	1.397 - 1.980	6.41	6.13	5.88	99
25+35	2.50	3.50	-	-	6.00 2.00 - 6.60	1.702 - 2.480	7.82	7.48	7.16	99
25+42	2.50	4.20	-	-	6.70 2.00 - 7.00	2.082 - 2.785	9.56	9.14	8.76	99
25+50	2.27	4.53	-	-	6.80 2.00 - 7.10	2.136 - 2.820	9.81	9.38	8.99	99
25+60	2.00	4.80	-	-	6.80 2.00 - 7.10	2.128 - 2.810	9.77	9.35	8.96	99

**MXZ-4F80VF2 MXZ-4F80VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
35+35	3.40	3.40	-	-	6.80 2.00 - 6.90	1.920 0.540 - 2.655	8.81	8.43	8.08	99
35+42	3.09	3.71	-	-	6.80 2.00 - 7.10	2.136 0.540 - 2.830	9.81	9.38	8.99	99
35+50	2.80	4.00	-	-	6.80 2.00 - 7.10	2.128 0.550 - 2.820	9.77	9.35	8.96	99
35+60	2.51	4.29	-	-	6.80 2.10 - 7.10	2.055 0.570 - 2.830	9.44	9.03	8.65	99
42+42	3.40	3.40	-	-	6.80 2.00 - 7.10	2.136 0.540 - 2.830	9.81	9.38	8.99	99
42+50	3.10	3.70	-	-	6.80 2.10 - 7.10	2.078 0.560 - 2.835	9.54	9.12	8.74	99
42+60	2.80	4.00	-	-	6.80 2.10 - 7.10	2.002 0.580 - 2.845	9.19	8.79	8.43	99
50+50	3.40	3.40	-	-	6.80 2.10 - 7.10	2.019 0.560 - 2.860	9.27	8.87	8.50	99
50+60	3.09	3.71	-	-	6.80 2.10 - 7.10	1.937 0.600 - 2.860	8.89	8.51	8.15	99
60+60	3.40	3.40	-	-	6.80 2.10 - 7.10	1.855 0.580 - 2.920	8.52	8.15	7.81	99
15+15+15	1.50	1.50	1.50	-	4.50 2.90 - 7.30	0.941 0.780 - 2.310	4.32	4.13	3.96	99
15+15+18	1.50	1.50	1.80	-	4.80 2.90 - 7.60	1.141 0.800 - 2.210	5.24	5.01	4.80	99
15+15+20	1.50	1.50	2.00	-	5.00 2.90 - 7.70	1.261 0.810 - 2.130	5.79	5.54	5.31	99
15+15+22	1.50	1.50	2.20	-	5.20 2.90 - 7.90	1.304 0.750 - 1.970	5.99	5.73	5.49	99
15+15+25	1.50	1.50	2.50	-	5.50 2.90 - 8.10	1.431 0.750 - 2.205	6.57	6.28	6.02	99
15+15+35	1.50	1.50	3.50	-	6.50 2.90 - 8.10	1.586 0.750 - 3.140	7.28	6.97	6.67	99
15+15+42	1.50	1.50	4.20 *	-	7.20 2.90 - 8.10	1.586 0.750 - 3.140	7.28	6.97	6.67	99
15+15+60	1.33	1.33	5.33	-	8.00 2.90 - 8.50	1.878 0.730 - 2.535	8.62	8.25	7.90	99
15+18+18	1.50	1.80	1.80	-	5.10 2.90 - 7.80	1.224 0.740 - 1.990	5.62	5.38	5.15	99
15+18+20	1.50	1.80	2.00	-	5.30 2.90 - 8.00	1.344 0.740 - 1.910	6.17	5.90	5.66	99
15+18+22	1.50	1.80	2.20	-	5.50 2.90 - 8.10	1.392 0.720 - 2.165	6.39	6.11	5.86	99
15+18+25	1.50	1.80	2.50	-	5.80 2.90 - 8.10	1.529 0.770 - 3.230	7.02	6.71	6.43	99
15+18+35	1.50	1.80	3.50	-	6.80 2.90 - 8.20	1.646 0.700 - 2.790	7.56	7.23	6.93	99
15+18+42	1.50	1.80	4.20 *	-	7.50 2.90 - 8.50	1.898 0.700 - 2.530	8.72	8.34	7.99	99
15+18+50	1.45	1.73	4.82 *	-	8.00 2.90 - 8.50	1.913 0.700 - 2.510	8.79	8.40	8.05	99
15+18+60	1.29	1.55	5.16	-	8.00 2.90 - 8.50	1.819 0.700 - 2.490	8.35	7.99	7.66	99
15+20+20	1.50	2.00	2.00	-	5.50 2.90 - 8.10	1.470 0.780 - 2.245	6.75	6.45	6.18	99
15+20+22	1.50	2.00	2.20	-	5.70 2.90 - 8.10	1.522 0.780 - 2.915	6.99	6.68	6.41	99
15+20+25	1.50	2.00	2.50	-	6.00 2.90 - 8.10	1.659 0.830 - 3.980	7.62	7.28	6.98	99
15+20+35	1.50	2.00	3.50	-	7.00 2.90 - 8.30	1.797 0.740 - 2.690	8.25	7.89	7.56	99
15+20+42	1.50	2.00	4.20 *	-	7.70 2.90 - 8.50	1.955 0.730 - 2.570	8.98	8.59	8.23	99
15+20+50	1.41	1.88	4.71 *	-	8.00 2.90 - 8.50	1.939 0.730 - 2.550	8.90	8.51	8.16	99
15+20+60	1.26	1.68	5.05	-	8.00 2.90 - 8.50	1.846 0.730 - 2.530	8.47	8.11	7.77	99
15+22+22	1.50	2.20	2.20	-	5.90 2.90 - 8.10	1.574 0.780 - 3.585	7.23	6.91	6.63	99
15+22+25	1.50	2.20	2.50	-	6.20 2.90 - 8.10	1.591 0.770 - 3.605	7.30	6.99	6.70	99
15+22+35	1.50	2.20	3.50	-	7.20 2.90 - 8.30	1.591 0.770 - 3.605	7.30	6.99	6.70	99
15+22+42	1.50	2.20	4.20 *	-	7.90 2.90 - 8.50	1.933 0.700 - 2.525	8.88	8.49	8.14	99
15+22+50	1.38	2.02	4.60 *	-	8.00 2.90 - 8.50	1.887 0.700 - 2.510	8.66	8.29	7.94	99
15+22+60	1.24	1.81	4.95	-	8.00 2.90 - 8.50	1.793 0.700 - 2.490	8.23	7.87	7.55	99
15+25+25	1.50	2.50	2.50	-	6.50 2.90 - 8.10	1.547 0.720 - 3.100	7.10	6.79	6.51	99
15+25+35	1.50	2.50	3.50	-	7.50 2.90 - 8.50	1.918 0.700 - 2.540	8.81	8.42	8.07	99
15+25+42	1.46	2.44	4.10 *	-	8.00 2.90 - 8.50	1.929 0.700 - 2.525	8.86	8.47	8.12	99
15+25+50	1.33	2.22	4.44 *	-	8.00 2.90 - 8.50	1.868 0.700 - 2.505	8.58	8.20	7.86	99

**MXZ-4F80VF2 MXZ-4F80VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	240	
15+25+60	1.20	2.00	4.80	-	8.00 2.90 - 8.50	1.774 0.700 - 2.485	8.14	7.79	7.47	99
15+35+35	1.41	3.29	3.29	-	8.00 2.90 - 8.50	1.929 0.700 - 2.530	8.86	8.47	8.12	99
15+35+42	1.30	3.04	3.65 *	-	8.00 2.90 - 8.50	1.865 0.700 - 2.515	8.56	8.19	7.85	99
15+35+50	1.20	2.80	4.00 *	-	8.00 2.90 - 8.50	1.803 0.700 - 2.495	8.28	7.92	7.59	99
15+35+60	1.09	2.55	4.36	-	8.00 2.90 - 8.50	1.742 0.700 - 2.480	8.00	7.65	7.33	99
15+42+42	1.21	3.39 *	3.39 *	-	8.00 2.90 - 8.50	1.800 0.700 - 2.495	8.26	7.90	7.58	99
15+42+50	1.12	3.14 *	3.74 *	-	8.00 2.90 - 8.50	1.751 0.700 - 2.480	8.04	7.69	7.37	99
15+42+60	1.03	2.87 *	4.10	-	8.00 2.90 - 8.50	1.722 0.700 - 2.470	7.91	7.56	7.25	99
15+50+50	1.04	3.48 *	3.48 *	-	8.00 2.90 - 8.50	1.742 0.700 - 2.470	8.00	7.65	7.33	99
15+50+60	0.96	3.20 *	3.84	-	8.00 2.90 - 8.50	1.713 0.700 - 2.460	7.86	7.52	7.21	99
18+18+18	1.80	1.80	1.80	-	5.40 2.90 - 8.10	1.308 0.670 - 1.770	6.00	5.74	5.50	99
18+18+20	1.80	1.80	2.00	-	5.60 2.90 - 8.10	1.438 0.730 - 2.520	6.60	6.31	6.05	99
18+18+22	1.80	1.80	2.20	-	5.80 2.90 - 8.10	1.490 0.740 - 3.190	6.84	6.54	6.27	99
18+18+25	1.80	1.80	2.50	-	6.10 2.90 - 8.10	1.567 0.750 - 3.730	7.19	6.88	6.59	99
18+18+35	1.80	1.80	3.50	-	7.10 2.90 - 8.40	1.777 0.680 - 2.540	8.16	7.80	7.48	99
18+18+42	1.80	1.80	4.20 *	-	7.80 2.90 - 8.50	1.886 0.670 - 2.485	8.66	8.28	7.94	99
18+18+50	1.67	1.67	4.65 *	-	8.00 2.90 - 8.50	1.855 0.670 - 2.470	8.52	8.15	7.81	99
18+18+60	1.50	1.50	5.00	-	8.00 2.90 - 8.50	1.761 0.670 - 2.450	8.09	7.73	7.41	99
18+20+20	1.80	2.00	2.00	-	5.80 2.90 - 8.10	1.568 0.800 - 3.270	7.20	6.88	6.60	99
18+20+22	1.80	2.00	2.20	-	6.00 2.90 - 8.10	1.620 0.800 - 3.940	7.44	7.11	6.82	99
18+20+25	1.80	2.00	2.50	-	6.30 2.90 - 8.10	1.576 0.750 - 3.435	7.24	6.92	6.63	99
18+20+35	1.80	2.00	3.50	-	7.30 2.90 - 8.40	1.887 0.710 - 2.520	8.67	8.29	7.94	99
18+20+50	1.64	1.82	4.55 *	-	8.00 2.90 - 8.50	1.880 0.700 - 2.505	8.63	8.26	7.91	99
18+20+60	1.47	1.63	4.90	-	8.00 2.90 - 8.50	1.787 0.700 - 2.485	8.21	7.85	7.52	99
18+22+22	1.80	2.20	2.20	-	6.20 2.90 - 8.10	1.552 0.740 - 3.565	7.13	6.82	6.53	99
18+22+25	1.80	2.20	2.50	-	6.50 2.90 - 8.10	1.508 0.690 - 3.060	6.93	6.62	6.35	99
18+22+35	1.80	2.20	3.50	-	7.50 2.90 - 8.50	1.879 0.670 - 2.500	8.63	8.25	7.91	99
18+22+42	1.76	2.15	4.10 *	-	8.00 2.90 - 8.50	1.890 0.670 - 2.485	8.68	8.30	7.96	99
18+22+50	1.60	1.96	4.44 *	-	8.00 2.90 - 8.50	1.829 0.670 - 2.465	8.40	8.03	7.70	99
18+22+60	1.44	1.76	4.80	-	8.00 2.90 - 8.50	1.735 0.670 - 2.445	7.97	7.62	7.30	99
18+25+25	1.80	2.50	2.50	-	6.80 2.90 - 8.20	1.607 0.670 - 2.750	7.38	7.06	6.76	99
18+25+35	1.80	2.50	3.50	-	7.80 2.90 - 8.50	1.905 0.670 - 2.495	8.75	8.37	8.02	99
18+25+42	1.69	2.35	3.95 *	-	8.00 2.90 - 8.50	1.871 0.670 - 2.480	8.59	8.22	7.87	99
18+25+50	1.55	2.15	4.30 *	-	8.00 2.90 - 8.50	1.810 0.670 - 2.460	8.31	7.95	7.62	99
18+25+60	1.40	1.94	4.66	-	8.00 2.90 - 8.50	1.716 0.670 - 2.440	7.88	7.53	7.22	99
18+35+35	1.64	3.18	3.18	-	8.00 2.90 - 8.50	1.871 0.670 - 2.485	8.59	8.22	7.87	99
18+35+42	1.52	2.95	3.54 *	-	8.00 2.90 - 8.50	1.807 0.670 - 2.470	8.30	7.93	7.60	99
18+35+50	1.40	2.72	3.88 *	-	8.00 2.90 - 8.50	1.745 0.670 - 2.450	8.01	7.66	7.34	99
18+35+60	1.27	2.48	4.25	-	8.00 2.90 - 8.50	1.703 0.670 - 2.440	7.82	7.48	7.17	99
18+42+42	1.41	3.29 *	3.29 *	-	8.00 2.90 - 8.50	1.742 0.670 - 2.455	8.00	7.65	7.33	99
18+42+50	1.31	3.05 *	3.64 *	-	8.00 2.90 - 8.50	1.713 0.670 - 2.440	7.86	7.52	7.21	99
18+42+60	1.20	2.80 *	4.00	-	8.00 2.90 - 8.50	1.684 0.670 - 2.430	7.73	7.39	7.09	99
18+50+50	1.22	3.39 *	3.39 *	-	8.00 2.90 - 8.50	1.703 0.670 - 2.430	7.82	7.48	7.17	99

**MXZ-4F80VF2 MXZ-4F80VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D		power consumption(kW)		220	230	240	
20+20+20	2.00	2.00	2.00	-	6.00 2.90 - 8.10	1.581 0.770 - 3.900		7.26	6.94	6.65	99
20+20+22	2.00	2.00	2.20	-	6.20 2.90 - 8.10	1.630 0.800 - 3.645		7.48	7.16	6.86	99
20+20+25	2.00	2.00	2.50	-	6.50 2.90 - 8.10	1.586 0.750 - 3.140		7.28	6.97	6.67	99
20+20+35	2.00	2.00	3.50	-	7.50 2.90 - 8.50	1.957 0.730 - 2.580		8.98	8.59	8.23	99
20+20+42	1.95	1.95	4.10 *	-	8.00 2.90 - 8.50	1.968 0.730 - 2.565		9.03	8.64	8.28	99
20+20+50	1.78	1.78	4.44 *	-	8.00 2.90 - 8.50	1.907 0.730 - 2.545		8.75	8.37	8.02	99
20+20+60	1.60	1.60	4.80	-	8.00 2.90 - 8.50	1.813 0.730 - 2.525		8.32	7.96	7.63	99
20+22+22	2.00	2.20	2.20	-	6.40 2.90 - 8.10	1.562 0.730 - 3.265		7.17	6.86	6.57	99
20+22+25	2.00	2.20	2.50	-	6.70 2.90 - 8.20	1.589 0.700 - 2.860		7.30	6.98	6.69	99
20+22+35	2.00	2.20	3.50	-	7.70 2.90 - 8.50	1.936 0.700 - 2.540		8.89	8.50	8.15	99
20+22+42	1.90	2.10	4.00 *	-	8.00 2.90 - 8.50	1.916 0.700 - 2.520		8.80	8.42	8.07	99
20+22+50	1.74	1.91	4.35 *	-	8.00 2.90 - 8.50	1.855 0.700 - 2.505		8.52	8.15	7.81	99
20+22+60	1.57	1.73	4.71	-	8.00 2.90 - 8.50	1.761 0.700 - 2.485		8.09	7.73	7.41	99
20+25+25	2.00	2.50	2.50	-	7.00 2.90 - 8.30	1.759 0.710 - 2.650		8.07	7.72	7.40	99
20+25+42	1.84	2.30	3.86 *	-	8.00 2.90 - 8.50	1.897 0.700 - 2.520		8.71	8.33	7.98	99
20+25+50	1.68	2.11	4.21 *	-	8.00 2.90 - 8.50	1.836 0.700 - 2.500		8.43	8.06	7.73	99
20+25+60	1.52	1.90	4.57	-	8.00 2.90 - 8.50	1.742 0.700 - 2.480		8.00	7.65	7.33	99
20+35+35	1.78	3.11	3.11	-	8.00 2.90 - 8.50	1.897 0.700 - 2.525		8.71	8.33	7.98	99
20+35+42	1.65	2.89	3.46 *	-	8.00 2.90 - 8.50	1.832 0.700 - 2.510		8.41	8.05	7.71	99
20+35+50	1.52	2.67	3.81 *	-	8.00 2.90 - 8.50	1.771 0.700 - 2.490		8.13	7.78	7.45	99
20+35+60	1.39	2.43	4.17	-	8.00 2.90 - 8.50	1.742 0.700 - 2.480		8.00	7.65	7.33	99
20+42+42	1.54	3.23 *	3.23 *	-	8.00 2.90 - 8.50	1.768 0.700 - 2.490		8.12	7.76	7.44	99
20+42+50	1.43	3.00 *	3.57 *	-	8.00 2.90 - 8.50	1.751 0.700 - 2.480		8.04	7.69	7.37	99
20+42+60	1.31	2.75 *	3.93	-	8.00 2.90 - 8.50	1.722 0.700 - 2.470		7.91	7.56	7.25	99
20+50+50	1.33	3.33 *	3.33 *	-	8.00 2.90 - 8.50	1.742 0.700 - 2.470		8.00	7.65	7.33	99
22+22+22	2.20	2.20	2.20	-	6.60 2.90 - 8.10	1.494 0.670 - 2.890		6.86	6.56	6.29	99
22+22+25	2.20	2.20	2.50	-	6.90 2.90 - 8.30	1.664 0.680 - 2.680		7.64	7.31	7.00	99
22+22+35	2.20	2.20	3.50	-	7.90 2.90 - 8.50	1.914 0.670 - 2.495		8.79	8.40	8.05	99
22+22+42	2.05	2.05	3.91 *	-	8.00 2.90 - 8.50	1.865 0.670 - 2.480		8.56	8.19	7.85	99
22+22+50	1.87	1.87	4.26 *	-	8.00 2.90 - 8.50	1.803 0.670 - 2.460		8.28	7.92	7.59	99
22+22+60	1.69	1.69	4.62	-	8.00 2.90 - 8.50	1.710 0.670 - 2.440		7.85	7.51	7.20	99
22+25+25	2.20	2.50	2.50	-	7.20 2.90 - 8.50	1.910 0.670 - 2.495		8.77	8.39	8.04	99
22+25+35	2.15	2.44	3.41	-	8.00 2.90 - 8.50	1.910 0.670 - 2.495		8.77	8.39	8.04	99
22+25+42	1.98	2.25	3.78 *	-	8.00 2.90 - 8.50	1.846 0.670 - 2.475		8.47	8.11	7.77	99
22+25+50	1.81	2.06	4.12 *	-	8.00 2.90 - 8.50	1.783 0.670 - 2.460		8.19	7.83	7.51	99
22+25+60	1.64	1.87	4.49	-	8.00 2.90 - 8.50	1.703 0.670 - 2.440		7.82	7.48	7.17	99
22+35+35	1.91	3.04	3.04	-	8.00 2.90 - 8.50	1.846 0.670 - 2.485		8.47	8.11	7.77	99
22+35+42	1.78	2.83	3.39 *	-	8.00 2.90 - 8.50	1.781 0.670 - 2.465		8.18	7.82	7.49	99
22+35+50	1.64	2.62	3.74 *	-	8.00 2.90 - 8.50	1.732 0.670 - 2.450		7.95	7.61	7.29	99
22+35+60	1.50	2.39	4.10	-	8.00 2.90 - 8.50	1.703 0.670 - 2.440		7.82	7.48	7.17	99
22+42+42	1.66	3.17 *	3.17 *	-	8.00 2.90 - 8.50	1.722 0.670 - 2.450		7.91	7.56	7.25	99
22+42+50	1.54	2.95 *	3.51 *	-	8.00 2.90 - 8.50	1.713 0.670 - 2.440		7.86	7.52	7.21	99
22+42+60	1.42	2.71 *	3.87	-	8.00 2.90 - 8.50	1.684 0.670 - 2.430		7.73	7.39	7.09	99

**MXZ-4F80VF2 MXZ-4F80VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	240	
22+50+50	1.44	3.28 *	3.28 *	-	8.00 2.90 - 8.50	1.703 0.670 - 2.430	7.82	7.48	7.17	99
25+25+25	2.50	2.50	2.50	-	7.50 2.90 - 8.50	1.879 0.670 - 2.500	8.63	8.25	7.91	99
25+25+35	2.35	2.35	3.29	-	8.00 2.90 - 8.50	1.890 0.670 - 2.490	8.68	8.30	7.96	99
25+25+42	2.17	2.17	3.65 *	-	8.00 2.90 - 8.50	1.826 0.670 - 2.475	8.38	8.02	7.69	99
25+25+50	2.00	2.00	4.00 *	-	8.00 2.90 - 8.50	1.764 0.670 - 2.455	8.10	7.75	7.42	99
25+25+60	1.82	1.82	4.36	-	8.00 2.90 - 8.50	1.703 0.670 - 2.440	7.82	7.48	7.17	99
25+35+35	2.11	2.95	2.95	-	8.00 2.90 - 8.50	1.826 0.670 - 2.480	8.38	8.02	7.69	99
25+35+42	1.96	2.75	3.29 *	-	8.00 2.90 - 8.50	1.761 0.670 - 2.465	8.09	7.73	7.41	99
25+35+50	1.82	2.55	3.64 *	-	8.00 2.90 - 8.50	1.732 0.670 - 2.450	7.95	7.61	7.29	99
25+35+60	1.67	2.33	4.00	-	8.00 2.90 - 8.50	1.703 0.670 - 2.440	7.82	7.48	7.17	99
25+42+42	1.83	3.08 *	3.08 *	-	8.00 2.90 - 8.50	1.722 0.670 - 2.450	7.91	7.56	7.25	99
25+42+50	1.71	2.87 *	3.42 *	-	8.00 2.90 - 8.50	1.713 0.670 - 2.440	7.86	7.52	7.21	99
25+50+50	1.60	3.20 *	3.20 *	-	8.00 2.90 - 8.50	1.703 0.670 - 2.430	7.82	7.48	7.17	99
35+35+35	2.67	2.67	2.67	-	8.00 2.90 - 8.50	1.761 0.670 - 2.470	8.09	7.73	7.41	99
35+35+42	2.50	2.50	3.00 *	-	8.00 2.90 - 8.50	1.742 0.670 - 2.460	8.00	7.65	7.33	99
35+35+50	2.33	2.33	3.33 *	-	8.00 2.90 - 8.50	1.732 0.670 - 2.450	7.95	7.61	7.29	99
35+42+42	2.35	2.82 *	2.82 *	-	8.00 2.90 - 8.50	1.722 0.670 - 2.450	7.91	7.56	7.25	99
15+15+15+15	1.50	1.50	1.50	1.50	6.00 3.70 - 8.00	1.734 0.800 - 3.190	7.96	7.62	7.30	99
15+15+15+18	1.50	1.50	1.50	1.80	6.30 3.70 - 8.20	1.950 0.890 - 3.340	8.95	8.56	8.21	99
15+15+15+20	1.50	1.50	1.50	2.00	6.50 3.70 - 8.00	2.053 0.920 - 3.390	9.43	9.02	8.64	99
15+15+15+22	1.50	1.50	1.50	2.20	6.70 3.70 - 8.20	2.081 0.890 - 3.340	9.55	9.14	8.76	99
15+15+15+25	1.50	1.50	1.50	2.50	7.00 3.70 - 8.20	2.179 0.890 - 3.340	10.00	9.57	9.17	99
15+15+15+42	1.38	1.38	1.38	3.86 *	8.00 3.70 - 8.20	2.347 0.890 - 3.330	10.78	10.31	9.88	99
15+15+15+50	1.26	1.26	1.26	4.21 *	8.00 3.70 - 8.20	2.337 0.890 - 3.320	10.73	10.26	9.84	99
15+15+15+60	1.14	1.14	1.14	4.57	8.00 3.70 - 8.20	2.308 0.890 - 3.310	10.60	10.14	9.71	99
15+15+18+18	1.50	1.50	1.80	1.80	6.60 3.70 - 8.40	2.009 0.860 - 3.290	9.22	8.82	8.45	99
15+15+18+20	1.50	1.50	1.80	2.00	6.80 3.70 - 8.20	2.114 0.890 - 3.340	9.70	9.28	8.90	99
15+15+18+22	1.50	1.50	1.80	2.20	7.00 3.70 - 8.40	2.140 0.860 - 3.290	9.82	9.40	9.01	99
15+15+18+25	1.50	1.50	1.80	2.50	7.30 3.70 - 8.40	2.221 0.860 - 3.290	10.20	9.75	9.35	99
15+15+18+35	1.45	1.45	1.73	3.37	8.00 3.70 - 8.40	2.328 0.860 - 3.290	10.69	10.22	9.80	99
15+15+18+42	1.33	1.33	1.60	3.73 *	8.00 3.70 - 8.40	2.308 0.860 - 3.280	10.60	10.14	9.71	99
15+15+18+50	1.22	1.22	1.47	4.08 *	8.00 3.70 - 8.40	2.299 0.860 - 3.270	10.55	10.09	9.67	99
15+15+18+60	1.11	1.11	1.33	4.44	8.00 3.70 - 8.40	2.269 0.860 - 3.260	10.42	9.97	9.55	99
15+15+20+20	1.50	1.50	2.00	2.00	7.00 3.70 - 8.00	2.217 0.920 - 3.390	10.18	9.74	9.33	99
15+15+20+22	1.50	1.50	2.00	2.20	7.20 3.70 - 8.40	2.290 0.890 - 3.340	10.52	10.06	9.64	99
15+15+20+25	1.50	1.50	2.00	2.50	7.50 3.70 - 8.20	2.290 0.890 - 3.340	10.52	10.06	9.64	99
15+15+20+35	1.41	1.41	1.88	3.29	8.00 3.70 - 8.20	2.366 0.890 - 3.340	10.87	10.39	9.96	99
15+15+20+42	1.30	1.30	1.74	3.65 *	8.00 3.70 - 8.20	2.347 0.890 - 3.330	10.78	10.31	9.88	99
15+15+20+50	1.20	1.20	1.60	4.00 *	8.00 3.70 - 8.20	2.337 0.890 - 3.320	10.73	10.26	9.84	99
15+15+20+60	1.09	1.09	1.45	4.36	8.00 3.70 - 8.20	2.308 0.890 - 3.310	10.60	10.14	9.71	99
15+15+22+22	1.50	1.50	2.20	2.20	7.40 3.70 - 8.40	2.236 0.860 - 3.290	10.27	9.82	9.41	99
15+15+22+25	1.50	1.50	2.20	2.50	7.70 3.70 - 8.40	2.282 0.860 - 3.290	10.48	10.02	9.60	99
15+15+22+35	1.38	1.38	2.02	3.22	8.00 3.70 - 8.40	2.328 0.860 - 3.290	10.69	10.22	9.80	99

**MXZ-4F80VF2 MXZ-4F80VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	240	
15+15+22+42	1.28	1.28	1.87	3.57 *	8.00 3.70 - 8.40	2.308 0.860 - 3.280	10.60	10.14	9.71	99
15+15+22+50	1.18	1.18	1.73	3.92 *	8.00 3.70 - 8.40	2.299 0.860 - 3.270	10.55	10.09	9.67	99
15+15+22+60	1.07	1.07	1.57	4.29	8.00 3.70 - 8.40	2.269 0.860 - 3.260	10.42	9.97	9.55	99
15+15+25+35	1.33	1.33	2.22	3.11	8.00 3.70 - 8.40	2.328 0.860 - 3.290	10.69	10.22	9.80	99
15+15+25+42	1.24	1.24	2.06	3.46 *	8.00 3.70 - 8.40	2.308 0.860 - 3.280	10.60	10.14	9.71	99
15+15+25+50	1.14	1.14	1.90	3.81 *	8.00 3.70 - 8.40	2.299 0.860 - 3.270	10.55	10.09	9.67	99
15+15+25+60	1.04	1.04	1.74	4.17	8.00 3.70 - 8.40	2.269 0.860 - 3.260	10.42	9.97	9.55	99
15+15+35+35	1.20	1.20	2.80	2.80	8.00 3.70 - 8.40	2.328 0.860 - 3.290	10.69	10.22	9.80	99
15+15+35+42	1.12	1.12	2.62	3.14 *	8.00 3.70 - 8.40	2.308 0.860 - 3.280	10.60	10.14	9.71	99
15+15+35+50	1.04	1.04	2.43	3.48 *	8.00 3.70 - 8.40	2.299 0.860 - 3.270	10.55	10.09	9.67	99
15+15+35+60	0.96	0.96	2.24	3.84	8.00 3.70 - 8.40	2.269 0.860 - 3.260	10.42	9.97	9.55	99
15+15+42+42	1.05	1.05	2.95 *	2.95 *	8.00 3.70 - 8.40	2.289 0.860 - 3.270	10.51	10.05	9.63	99
15+15+42+50	0.98	0.98	2.75 *	3.28 *	8.00 3.70 - 8.40	2.279 0.860 - 3.260	10.46	10.01	9.59	99
15+18+18+18	1.50	1.80	1.80	1.80	6.90 3.70 - 8.60	2.069 0.830 - 3.240	9.50	9.09	8.71	99
15+18+18+20	1.50	1.80	1.80	2.00	7.10 3.70 - 8.40	2.173 0.860 - 3.290	9.98	9.54	9.14	99
15+18+18+22	1.50	1.80	1.80	2.20	7.30 3.70 - 8.60	2.182 0.830 - 3.240	10.02	9.58	9.18	99
15+18+18+25	1.50	1.80	1.80	2.50	7.60 3.70 - 8.60	2.228 0.830 - 3.240	10.23	9.78	9.38	99
15+18+18+35	1.40	1.67	1.67	3.26	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+18+18+42	1.29	1.55	1.55	3.61 *	8.00 3.70 - 8.60	2.269 0.830 - 3.230	10.42	9.97	9.55	99
15+18+18+50	1.19	1.43	1.43	3.96 *	8.00 3.70 - 8.60	2.260 0.830 - 3.220	10.38	9.92	9.51	99
15+18+18+60	1.08	1.30	1.30	4.32	8.00 3.70 - 8.60	2.231 0.830 - 3.210	10.24	9.80	9.39	99
15+18+20+20	1.50	1.80	2.00	2.00	7.30 3.70 - 8.20	2.260 0.890 - 3.340	10.38	9.92	9.51	99
15+18+20+22	1.50	1.80	2.00	2.20	7.50 3.70 - 8.40	2.251 0.860 - 3.290	10.34	9.89	9.48	99
15+18+20+25	1.50	1.80	2.00	2.50	7.80 3.70 - 8.40	2.297 0.860 - 3.290	10.55	10.09	9.67	99
15+18+20+35	1.36	1.64	1.82	3.18	8.00 3.70 - 8.40	2.328 0.860 - 3.290	10.69	10.22	9.80	99
15+18+20+42	1.26	1.52	1.68	3.54 *	8.00 3.70 - 8.40	2.308 0.860 - 3.280	10.60	10.14	9.71	99
15+18+20+50	1.17	1.40	1.55	3.88 *	8.00 3.70 - 8.40	2.299 0.860 - 3.270	10.55	10.09	9.67	99
15+18+20+60	1.06	1.27	1.42	4.25	8.00 3.70 - 8.40	2.269 0.860 - 3.260	10.42	9.97	9.55	99
15+18+22+22	1.50	1.80	2.20	2.20	7.70 3.70 - 8.60	2.243 0.830 - 3.240	10.30	9.85	9.44	99
15+18+22+35	1.33	1.60	1.96	3.11	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+18+22+42	1.24	1.48	1.81	3.46 *	8.00 3.70 - 8.60	2.269 0.830 - 3.230	10.42	9.97	9.55	99
15+18+22+50	1.14	1.37	1.68	3.81 *	8.00 3.70 - 8.60	2.260 0.830 - 3.220	10.38	9.92	9.51	99
15+18+22+60	1.04	1.25	1.53	4.17	8.00 3.70 - 8.60	2.231 0.830 - 3.210	10.24	9.80	9.39	99
15+18+25+25	1.45	1.73	2.41	2.41	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+18+25+35	1.29	1.55	2.15	3.01	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+18+25+42	1.20	1.44	2.00	3.36 *	8.00 3.70 - 8.60	2.269 0.830 - 3.230	10.42	9.97	9.55	99
15+18+25+50	1.11	1.33	1.85	3.70 *	8.00 3.70 - 8.60	2.260 0.830 - 3.220	10.38	9.92	9.51	99
15+18+25+60	1.02	1.22	1.69	4.07	8.00 3.70 - 8.60	2.231 0.830 - 3.210	10.24	9.80	9.39	99
15+18+35+35	1.17	1.40	2.72	2.72	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+18+35+42	1.09	1.31	2.55	3.05 *	8.00 3.70 - 8.60	2.269 0.830 - 3.230	10.42	9.97	9.55	99
15+18+35+50	1.02	1.22	2.37	3.39 *	8.00 3.70 - 8.60	2.260 0.830 - 3.220	10.38	9.92	9.51	99
15+18+42+42	1.03	1.23	2.87 *	2.87 *	8.00 3.70 - 8.60	2.250 0.830 - 3.220	10.33	9.88	9.47	99
15+18+42+50	0.96	1.15	2.69 *	3.20 *	8.00 3.70 - 8.60	2.240 0.830 - 3.210	10.29	9.84	9.43	99



**MXZ-4F80VF2 MXZ-4F80VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	240	
15+20+20+20	1.50	2.00	2.00	2.00	7.50 3.70 - 8.00	2.329 0.920 - 3.390	10.69	10.23	9.80	99
15+20+20+22	1.50	2.00	2.00	2.20	7.70 3.70 - 8.20	2.321 0.890 - 3.340	10.66	10.19	9.77	99
15+20+20+35	1.33	1.78	1.78	3.11	8.00 3.70 - 8.20	2.366 0.890 - 3.340	10.87	10.39	9.96	99
15+20+20+42	1.24	1.65	1.65	3.46 *	8.00 3.70 - 8.20	2.347 0.890 - 3.330	10.78	10.31	9.88	99
15+20+20+50	1.14	1.52	1.52	3.81 *	8.00 3.70 - 8.20	2.337 0.890 - 3.320	10.73	10.26	9.84	99
15+20+20+60	1.04	1.39	1.39	4.17	8.00 3.70 - 8.20	2.308 0.890 - 3.310	10.60	10.14	9.71	99
15+20+22+22	1.50	2.00	2.20	2.20	7.90 3.70 - 8.40	2.312 0.860 - 3.290	10.62	10.16	9.73	99
15+20+22+25	1.46	1.95	2.15	2.44	8.00 3.70 - 8.40	2.328 0.860 - 3.290	10.69	10.22	9.80	99
15+20+22+35	1.30	1.74	1.91	3.04	8.00 3.70 - 8.40	2.328 0.860 - 3.290	10.69	10.22	9.80	99
15+20+22+42	1.21	1.62	1.78	3.39 *	8.00 3.70 - 8.40	2.308 0.860 - 3.280	10.60	10.14	9.71	99
15+20+22+50	1.12	1.50	1.64	3.74 *	8.00 3.70 - 8.40	2.299 0.860 - 3.270	10.55	10.09	9.67	99
15+20+22+60	1.03	1.37	1.50	4.10	8.00 3.70 - 8.40	2.269 0.860 - 3.260	10.42	9.97	9.55	99
15+20+25+25	1.41	1.88	2.35	2.35	8.00 3.70 - 8.40	2.328 0.860 - 3.290	10.69	10.22	9.80	99
15+20+25+35	1.26	1.68	2.11	2.95	8.00 3.70 - 8.40	2.328 0.860 - 3.290	10.69	10.22	9.80	99
15+20+25+42	1.18	1.57	1.96	3.29 *	8.00 3.70 - 8.40	2.308 0.860 - 3.280	10.60	10.14	9.71	99
15+20+25+50	1.09	1.45	1.82	3.64 *	8.00 3.70 - 8.40	2.299 0.860 - 3.270	10.55	10.09	9.67	99
15+20+25+60	1.00	1.33	1.67	4.00	8.00 3.70 - 8.40	2.269 0.860 - 3.260	10.42	9.97	9.55	99
15+20+35+35	1.14	1.52	2.67	2.67	8.00 3.70 - 8.40	2.328 0.860 - 3.290	10.69	10.22	9.80	99
15+20+35+42	1.07	1.43	2.50	3.00 *	8.00 3.70 - 8.40	2.308 0.860 - 3.280	10.60	10.14	9.71	99
15+20+35+50	1.00	1.33	2.33	3.33 *	8.00 3.70 - 8.40	2.299 0.860 - 3.270	10.55	10.09	9.67	99
15+20+42+42	1.01	1.34	2.82 *	2.82 *	8.00 3.70 - 8.40	2.289 0.860 - 3.270	10.51	10.05	9.63	99
15+22+22+22	1.48	2.17	2.17	2.17	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+22+22+25	1.43	2.10	2.10	2.38	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+22+22+35	1.28	1.87	1.87	2.98	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+22+22+42	1.19	1.74	1.74	3.33 *	8.00 3.70 - 8.60	2.269 0.830 - 3.230	10.42	9.97	9.55	99
15+22+22+50	1.10	1.61	1.61	3.67 *	8.00 3.70 - 8.60	2.260 0.830 - 3.220	10.38	9.92	9.51	99
15+22+22+60	1.01	1.48	1.48	4.03	8.00 3.70 - 8.60	2.231 0.830 - 3.210	10.24	9.80	9.39	99
15+22+25+25	1.38	2.02	2.30	2.30	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+22+25+35	1.24	1.81	2.06	2.89	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+22+25+42	1.15	1.69	1.92	3.23 *	8.00 3.70 - 8.60	2.269 0.830 - 3.230	10.42	9.97	9.55	99
15+22+25+50	1.07	1.57	1.79	3.57 *	8.00 3.70 - 8.60	2.260 0.830 - 3.220	10.38	9.92	9.51	99
15+22+25+60	0.98	1.44	1.64	3.93	8.00 3.70 - 8.60	2.231 0.830 - 3.210	10.24	9.80	9.39	99
15+22+35+35	1.12	1.64	2.62	2.62	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+22+35+42	1.05	1.54	2.46	2.95 *	8.00 3.70 - 8.60	2.269 0.830 - 3.230	10.42	9.97	9.55	99
15+22+35+50	0.98	1.44	2.30	3.28 *	8.00 3.70 - 8.60	2.260 0.830 - 3.220	10.38	9.92	9.51	99
15+22+42+42	0.99	1.45	2.78 *	2.78 *	8.00 3.70 - 8.60	2.250 0.830 - 3.220	10.33	9.88	9.47	99
15+25+25+25	1.33	2.22	2.22	2.22	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+25+25+35	1.20	2.00	2.00	2.80	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+25+25+42	1.12	1.87	1.87	3.14 *	8.00 3.70 - 8.60	2.269 0.830 - 3.230	10.42	9.97	9.55	99
15+25+25+50	1.04	1.74	1.74	3.48 *	8.00 3.70 - 8.60	2.260 0.830 - 3.220	10.38	9.92	9.51	99
15+25+25+60	0.96	1.60	1.60	3.84	8.00 3.70 - 8.60	2.231 0.830 - 3.210	10.24	9.80	9.39	99
15+25+35+35	1.09	1.82	2.55	2.55	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+25+35+42	1.03	1.71	2.39	2.87 *	8.00 3.70 - 8.60	2.269 0.830 - 3.230	10.42	9.97	9.55	99

**MXZ-4F80VF2 MXZ-4F80VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+25+35+50	0.96	1.60	2.24	3.20 *	8.00 3.70 - 8.60	2.260 - 3.220	0.830	9.92	9.51	99
15+25+42+42	0.97	1.61	2.71 *	2.71 *	8.00 3.70 - 8.60	2.250 - 3.220	0.830	9.88	9.47	99
15+35+35+35	1.00	2.33	2.33	2.33	8.00 3.70 - 8.60	2.289 - 3.240	0.830	10.05	9.63	99
18+18+18+18	1.80	1.80	1.80	1.80	7.20 3.70 - 9.00	1.770 - 3.190	0.800	7.77	7.45	99
18+18+18+20	1.80	1.80	1.80	2.00	7.40 3.70 - 8.60	2.197 - 3.240	0.830	9.65	9.25	99
18+18+18+22	1.80	1.80	1.80	2.20	7.60 3.70 - 9.00	2.189 - 3.190	0.800	9.61	9.21	99
18+18+18+25	1.80	1.80	1.80	2.50	7.90 3.70 - 9.00	2.235 - 3.190	0.800	9.81	9.41	99
18+18+18+35	1.62	1.62	1.62	3.15	8.00 3.70 - 9.00	2.250 - 3.190	0.800	9.88	9.47	99
18+18+18+42	1.50	1.50	1.50	3.50 *	8.00 3.70 - 9.00	2.231 - 3.180	0.800	9.80	9.39	99
18+18+18+50	1.38	1.38	1.38	3.85 *	8.00 3.70 - 9.00	2.221 - 3.170	0.800	9.75	9.35	99
18+18+18+60	1.26	1.26	1.26	4.21	8.00 3.70 - 9.00	2.192 - 3.160	0.800	9.63	9.22	99
18+18+20+20	1.80	1.80	2.00	2.00	7.60 3.70 - 8.40	2.267 - 3.290	0.860	9.95	9.54	99
18+18+20+22	1.80	1.80	2.00	2.20	7.80 3.70 - 8.60	2.258 - 3.240	0.830	9.92	9.50	99
18+18+20+25	1.78	1.78	1.98	2.47	8.00 3.70 - 8.60	2.289 - 3.240	0.830	10.05	9.63	99
18+18+20+35	1.58	1.58	1.76	3.08	8.00 3.70 - 8.60	2.289 - 3.240	0.830	10.05	9.63	99
18+18+20+42	1.47	1.47	1.63	3.43 *	8.00 3.70 - 8.60	2.269 - 3.230	0.830	9.97	9.55	99
18+18+20+50	1.36	1.36	1.51	3.77 *	8.00 3.70 - 8.60	2.260 - 3.220	0.830	9.92	9.51	99
18+18+20+60	1.24	1.24	1.38	4.14	8.00 3.70 - 8.60	2.231 - 3.210	0.830	9.80	9.39	99
18+18+22+25	1.73	1.73	2.12	2.41	8.00 3.70 - 9.00	2.250 - 3.190	0.800	9.88	9.47	99
18+18+22+35	1.55	1.55	1.89	3.01	8.00 3.70 - 9.00	2.250 - 3.190	0.800	9.88	9.47	99
18+18+22+42	1.44	1.44	1.76	3.36 *	8.00 3.70 - 9.00	2.231 - 3.180	0.800	9.80	9.39	99
18+18+22+50	1.33	1.33	1.63	3.70 *	8.00 3.70 - 9.00	2.221 - 3.170	0.800	9.75	9.35	99
18+18+22+60	1.22	1.22	1.49	4.07	8.00 3.70 - 9.00	2.192 - 3.160	0.800	9.63	9.22	99
18+18+25+25	1.67	1.67	2.33	2.33	8.00 3.70 - 9.00	2.250 - 3.190	0.800	9.88	9.47	99
18+18+25+35	1.50	1.50	2.08	2.92	8.00 3.70 - 9.00	2.250 - 3.190	0.800	9.88	9.47	99
18+18+25+42	1.40	1.40	1.94	3.26 *	8.00 3.70 - 9.00	2.231 - 3.180	0.800	9.80	9.39	99
18+18+25+50	1.30	1.30	1.80	3.60 *	8.00 3.70 - 9.00	2.221 - 3.170	0.800	9.75	9.35	99
18+18+25+60	1.19	1.19	1.65	3.97	8.00 3.70 - 9.00	2.192 - 3.160	0.800	9.63	9.22	99
18+18+35+35	1.36	1.36	2.64	2.64	8.00 3.70 - 9.00	2.250 - 3.190	0.800	9.88	9.47	99
18+18+35+42	1.27	1.27	2.48	2.97 *	8.00 3.70 - 9.00	2.231 - 3.180	0.800	9.80	9.39	99
18+18+35+50	1.19	1.19	2.31	3.31 *	8.00 3.70 - 9.00	2.221 - 3.170	0.800	9.75	9.35	99
18+18+42+42	1.20	1.20	2.80 *	2.80 *	8.00 3.70 - 9.00	2.211 - 3.170	0.800	9.71	9.31	99
18+20+20+20	1.80	2.00	2.00	2.00	7.80 3.70 - 8.20	2.336 - 3.340	0.890	10.26	9.83	99
18+20+20+25	1.73	1.93	1.93	2.41	8.00 3.70 - 8.40	2.328 - 3.290	0.860	10.22	9.80	99
18+20+20+35	1.55	1.72	1.72	3.01	8.00 3.70 - 8.40	2.328 - 3.290	0.860	10.22	9.80	99
18+20+20+42	1.44	1.60	1.60	3.36 *	8.00 3.70 - 8.40	2.308 - 3.280	0.860	10.14	9.71	99
18+20+20+50	1.33	1.48	1.48	3.70 *	8.00 3.70 - 8.40	2.299 - 3.270	0.860	10.09	9.67	99
18+20+20+60	1.22	1.36	1.36	4.07	8.00 3.70 - 8.40	2.269 - 3.260	0.860	9.97	9.55	99
18+20+22+22	1.76	1.95	2.15	2.15	8.00 3.70 - 8.60	2.289 - 3.240	0.830	10.05	9.63	99
18+20+22+25	1.69	1.88	2.07	2.35	8.00 3.70 - 8.60	2.289 - 3.240	0.830	10.05	9.63	99
18+20+22+35	1.52	1.68	1.85	2.95	8.00 3.70 - 8.60	2.289 - 3.240	0.830	10.05	9.63	99
18+20+22+42	1.41	1.57	1.73	3.29 *	8.00 3.70 - 8.60	2.269 - 3.230	0.830	9.97	9.55	99
18+20+22+50	1.31	1.45	1.60	3.64 *	8.00 3.70 - 8.60	2.260 - 3.220	0.830	9.92	9.51	99

**MXZ-4F80VF2 MXZ-4F80VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Total		Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D			power consumption(kW)		220	230	240	
18+20+22+60	1.20	1.33	1.47	4.00	8.00 3.70 - 8.60	8.00 - 8.60	0.830	2.231 - 3.210	10.24	9.80	9.39	99
18+20+25+25	1.64	1.82	2.27	2.27	8.00 3.70 - 8.60	8.00 - 8.60	0.830	2.289 - 3.240	10.51	10.05	9.63	99
18+20+25+35	1.47	1.63	2.04	2.86	8.00 3.70 - 8.60	8.00 - 8.60	0.830	2.289 - 3.240	10.51	10.05	9.63	99
18+20+25+42	1.37	1.52	1.90	3.20 *	8.00 3.70 - 8.60	8.00 - 8.60	0.830	2.269 - 3.230	10.42	9.97	9.55	99
18+20+25+50	1.27	1.42	1.77	3.54 *	8.00 3.70 - 8.60	8.00 - 8.60	0.830	2.260 - 3.220	10.38	9.92	9.51	99
18+20+25+60	1.17	1.30	1.63	3.90	8.00 3.70 - 8.60	8.00 - 8.60	0.830	2.231 - 3.210	10.24	9.80	9.39	99
18+20+35+35	1.33	1.48	2.59	2.59	8.00 3.70 - 8.60	8.00 - 8.60	0.830	2.289 - 3.240	10.51	10.05	9.63	99
18+20+35+42	1.25	1.39	2.43	2.92 *	8.00 3.70 - 8.60	8.00 - 8.60	0.830	2.269 - 3.230	10.42	9.97	9.55	99
18+20+35+50	1.17	1.30	2.28	3.25 *	8.00 3.70 - 8.60	8.00 - 8.60	0.830	2.260 - 3.220	10.38	9.92	9.51	99
18+20+42+42	1.18	1.31	2.75 *	2.75 *	8.00 3.70 - 8.60	8.00 - 8.60	0.830	2.250 - 3.220	10.33	9.88	9.47	99
18+22+22+22	1.71	2.10	2.10	2.10	8.00 3.70 - 9.00	8.00 - 9.00	0.800	2.250 - 3.190	10.33	9.88	9.47	99
18+22+22+25	1.66	2.02	2.02	2.30	8.00 3.70 - 9.00	8.00 - 9.00	0.800	2.250 - 3.190	10.33	9.88	9.47	99
18+22+22+35	1.48	1.81	1.81	2.89	8.00 3.70 - 9.00	8.00 - 9.00	0.800	2.250 - 3.190	10.33	9.88	9.47	99
18+22+22+42	1.38	1.69	1.69	3.23 *	8.00 3.70 - 9.00	8.00 - 9.00	0.800	2.231 - 3.180	10.24	9.80	9.39	99
18+22+22+50	1.29	1.57	1.57	3.57 *	8.00 3.70 - 9.00	8.00 - 9.00	0.800	2.221 - 3.170	10.20	9.75	9.35	99
18+22+22+60	1.18	1.44	1.44	3.93	8.00 3.70 - 9.00	8.00 - 9.00	0.800	2.192 - 3.160	10.06	9.63	9.22	99
18+22+25+25	1.60	1.96	2.22	2.22	8.00 3.70 - 9.00	8.00 - 9.00	0.800	2.250 - 3.190	10.33	9.88	9.47	99
18+22+25+35	1.44	1.76	2.00	2.80	8.00 3.70 - 9.00	8.00 - 9.00	0.800	2.250 - 3.190	10.33	9.88	9.47	99
18+22+25+42	1.35	1.64	1.87	3.14 *	8.00 3.70 - 9.00	8.00 - 9.00	0.800	2.231 - 3.180	10.24	9.80	9.39	99
18+22+25+50	1.25	1.53	1.74	3.48 *	8.00 3.70 - 9.00	8.00 - 9.00	0.800	2.221 - 3.170	10.20	9.75	9.35	99
18+22+25+60	1.15	1.41	1.60	3.84	8.00 3.70 - 9.00	8.00 - 9.00	0.800	2.192 - 3.160	10.06	9.63	9.22	99
18+22+35+35	1.31	1.60	2.55	2.55	8.00 3.70 - 9.00	8.00 - 9.00	0.800	2.250 - 3.190	10.33	9.88	9.47	99
18+22+35+42	1.23	1.50	2.39	2.87 *	8.00 3.70 - 9.00	8.00 - 9.00	0.800	2.231 - 3.180	10.24	9.80	9.39	99
18+22+35+50	1.15	1.41	2.24	3.20 *	8.00 3.70 - 9.00	8.00 - 9.00	0.800	2.221 - 3.170	10.20	9.75	9.35	99
18+22+42+42	1.16	1.42	2.71 *	2.71 *	8.00 3.70 - 9.00	8.00 - 9.00	0.800	2.211 - 3.170	10.15	9.71	9.31	99
18+25+25+25	1.55	2.15	2.15	2.15	8.00 3.70 - 9.00	8.00 - 9.00	0.800	2.250 - 3.190	10.33	9.88	9.47	99
18+25+25+35	1.40	1.94	1.94	2.72	8.00 3.70 - 9.00	8.00 - 9.00	0.800	2.250 - 3.190	10.33	9.88	9.47	99
18+25+25+42	1.31	1.82	1.82	3.05 *	8.00 3.70 - 9.00	8.00 - 9.00	0.800	2.231 - 3.180	10.24	9.80	9.39	99
18+25+25+50	1.22	1.69	1.69	3.39 *	8.00 3.70 - 9.00	8.00 - 9.00	0.800	2.221 - 3.170	10.20	9.75	9.35	99
18+25+35+35	1.27	1.77	2.48	2.48	8.00 3.70 - 9.00	8.00 - 9.00	0.800	2.250 - 3.190	10.33	9.88	9.47	99
18+25+35+42	1.20	1.67	2.33	2.80 *	8.00 3.70 - 9.00	8.00 - 9.00	0.800	2.231 - 3.180	10.24	9.80	9.39	99
18+35+35+35	1.17	2.28	2.28	2.28	8.00 3.70 - 9.00	8.00 - 9.00	0.800	2.250 - 3.190	10.33	9.88	9.47	99
20+20+20+22	1.95	1.95	1.95	2.15	8.00 3.70 - 8.20	8.00 - 8.20	0.890	2.366 - 3.340	10.87	10.39	9.96	99
20+20+20+25	1.88	1.88	1.88	2.35	8.00 3.70 - 8.20	8.00 - 8.20	0.890	2.366 - 3.340	10.87	10.39	9.96	99
20+20+20+35	1.68	1.68	1.68	2.95	8.00 3.70 - 8.20	8.00 - 8.20	0.890	2.366 - 3.340	10.87	10.39	9.96	99
20+20+20+42	1.57	1.57	1.57	3.29 *	8.00 3.70 - 8.20	8.00 - 8.20	0.890	2.347 - 3.330	10.78	10.31	9.88	99
20+20+20+50	1.45	1.45	1.45	3.64 *	8.00 3.70 - 8.20	8.00 - 8.20	0.890	2.337 - 3.320	10.73	10.26	9.84	99
20+20+20+60	1.33	1.33	1.33	4.00	8.00 3.70 - 8.20	8.00 - 8.20	0.890	2.308 - 3.310	10.60	10.14	9.71	99
20+20+22+22	1.90	1.90	2.10	2.10	8.00 3.70 - 8.40	8.00 - 8.40	0.860	2.328 - 3.290	10.69	10.22	9.80	99
20+20+22+25	1.84	1.84	2.02	2.30	8.00 3.70 - 8.40	8.00 - 8.40	0.860	2.328 - 3.290	10.69	10.22	9.80	99
20+20+22+35	1.65	1.65	1.81	2.89	8.00 3.70 - 8.40	8.00 - 8.40	0.860	2.328 - 3.290	10.69	10.22	9.80	99
20+20+22+42	1.54	1.54	1.69	3.23 *	8.00 3.70 - 8.40	8.00 - 8.40	0.860	2.308 - 3.280	10.60	10.14	9.71	99
20+20+22+50	1.43	1.43	1.57	3.57 *	8.00 3.70 - 8.40	8.00 - 8.40	0.860	2.299 - 3.270	10.55	10.09	9.67	99

**MXZ-4F80VF2 MXZ-4F80VF3 COOLING**

Indoor units combination	Cooling capacity (kW)				Total		Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D			power consumption(kW)		220	230	240	
20+20+22+60	1.31	1.31	1.44	3.93	8.00 3.70 - 8.40	2.269 - 3.260	0.860	10.42	9.97	9.55	99	
20+20+25+25	1.78	1.78	2.22	2.22	8.00 3.70 - 8.40	2.328 - 3.290	0.860	10.69	10.22	9.80	99	
20+20+25+35	1.60	1.60	2.00	2.80	8.00 3.70 - 8.40	2.328 - 3.290	0.860	10.69	10.22	9.80	99	
20+20+25+42	1.50	1.50	1.87	3.14 *	8.00 3.70 - 8.40	2.308 - 3.280	0.860	10.60	10.14	9.71	99	
20+20+25+50	1.39	1.39	1.74	3.48 *	8.00 3.70 - 8.40	2.299 - 3.270	0.860	10.55	10.09	9.67	99	
20+20+25+60	1.28	1.28	1.60	3.84	8.00 3.70 - 8.40	2.269 - 3.260	0.860	10.42	9.97	9.55	99	
20+20+35+35	1.45	1.45	2.55	2.55	8.00 3.70 - 8.40	2.328 - 3.290	0.860	10.69	10.22	9.80	99	
20+20+35+42	1.37	1.37	2.39	2.87 *	8.00 3.70 - 8.40	2.308 - 3.280	0.860	10.60	10.14	9.71	99	
20+20+35+50	1.28	1.28	2.24	3.20 *	8.00 3.70 - 8.40	2.299 - 3.270	0.860	10.55	10.09	9.67	99	
20+20+42+42	1.29	1.29	2.71 *	2.71 *	8.00 3.70 - 8.40	2.289 - 3.270	0.860	10.51	10.05	9.63	99	
20+22+22+22	1.86	2.05	2.05	2.05	8.00 3.70 - 8.60	2.289 - 3.240	0.830	10.51	10.05	9.63	99	
20+22+22+25	1.80	1.98	1.98	2.25	8.00 3.70 - 8.60	2.289 - 3.240	0.830	10.51	10.05	9.63	99	
20+22+22+35	1.62	1.78	1.78	2.83	8.00 3.70 - 8.60	2.289 - 3.240	0.830	10.51	10.05	9.63	99	
20+22+22+42	1.51	1.66	1.66	3.17 *	8.00 3.70 - 8.60	2.269 - 3.230	0.830	10.42	9.97	9.55	99	
20+22+22+50	1.40	1.54	1.54	3.51 *	8.00 3.70 - 8.60	2.260 - 3.220	0.830	10.38	9.92	9.51	99	
20+22+22+60	1.29	1.42	1.42	3.87	8.00 3.70 - 8.60	2.231 - 3.210	0.830	10.24	9.80	9.39	99	
20+22+25+25	1.74	1.91	2.17	2.17	8.00 3.70 - 8.60	2.289 - 3.240	0.830	10.51	10.05	9.63	99	
20+22+25+35	1.57	1.73	1.96	2.75	8.00 3.70 - 8.60	2.289 - 3.240	0.830	10.51	10.05	9.63	99	
20+22+25+42	1.47	1.61	1.83	3.08 *	8.00 3.70 - 8.60	2.269 - 3.230	0.830	10.42	9.97	9.55	99	
20+22+25+50	1.37	1.50	1.71	3.42 *	8.00 3.70 - 8.60	2.260 - 3.220	0.830	10.38	9.92	9.51	99	
20+22+35+35	1.43	1.57	2.50	2.50	8.00 3.70 - 8.60	2.289 - 3.240	0.830	10.51	10.05	9.63	99	
20+22+35+42	1.34	1.48	2.35	2.82 *	8.00 3.70 - 8.60	2.269 - 3.230	0.830	10.42	9.97	9.55	99	
20+25+25+25	1.68	2.11	2.11	2.11	8.00 3.70 - 8.60	2.289 - 3.240	0.830	10.51	10.05	9.63	99	
20+25+25+35	1.52	1.90	1.90	2.67	8.00 3.70 - 8.60	2.289 - 3.240	0.830	10.51	10.05	9.63	99	
20+25+25+42	1.43	1.79	1.79	3.00 *	8.00 3.70 - 8.60	2.269 - 3.230	0.830	10.42	9.97	9.55	99	
20+25+25+50	1.33	1.67	1.67	3.33 *	8.00 3.70 - 8.60	2.260 - 3.220	0.830	10.38	9.92	9.51	99	
20+25+35+35	1.39	1.74	2.43	2.43	8.00 3.70 - 8.60	2.289 - 3.240	0.830	10.51	10.05	9.63	99	
20+25+35+42	1.31	1.64	2.30	2.75 *	8.00 3.70 - 8.60	2.269 - 3.230	0.830	10.42	9.97	9.55	99	
20+35+35+35	1.28	2.24	2.24	2.24	8.00 3.70 - 8.60	2.289 - 3.240	0.830	10.51	10.05	9.63	99	
22+22+22+22	2.00	2.00	2.00	2.00	8.00 3.70 - 9.00	2.250 - 3.190	0.800	10.33	9.88	9.47	99	
22+22+22+25	1.93	1.93	1.93	2.20	8.00 3.70 - 9.00	2.250 - 3.190	0.800	10.33	9.88	9.47	99	
22+22+22+35	1.74	1.74	1.74	2.77	8.00 3.70 - 9.00	2.250 - 3.190	0.800	10.33	9.88	9.47	99	
22+22+22+42	1.63	1.63	1.63	3.11 *	8.00 3.70 - 9.00	2.231 - 3.180	0.800	10.24	9.80	9.39	99	
22+22+22+50	1.52	1.52	1.52	3.45 *	8.00 3.70 - 9.00	2.221 - 3.170	0.800	10.20	9.75	9.35	99	
22+22+25+25	1.87	1.87	2.13	2.13	8.00 3.70 - 9.00	2.250 - 3.190	0.800	10.33	9.88	9.47	99	
22+22+25+35	1.69	1.69	1.92	2.69	8.00 3.70 - 9.00	2.250 - 3.190	0.800	10.33	9.88	9.47	99	
22+22+25+42	1.59	1.59	1.80	3.03 *	8.00 3.70 - 9.00	2.231 - 3.180	0.800	10.24	9.80	9.39	99	
22+22+25+50	1.48	1.48	1.68	3.36 *	8.00 3.70 - 9.00	2.221 - 3.170	0.800	10.20	9.75	9.35	99	
22+22+35+35	1.54	1.54	2.46	2.46	8.00 3.70 - 9.00	2.250 - 3.190	0.800	10.33	9.88	9.47	99	
22+22+35+42	1.45	1.45	2.31	2.78 *	8.00 3.70 - 9.00	2.231 - 3.180	0.800	10.24	9.80	9.39	99	
22+25+25+25	1.81	2.06	2.06	2.06	8.00 3.70 - 9.00	2.250 - 3.190	0.800	10.33	9.88	9.47	99	
22+25+25+35	1.64	1.87	1.87	2.62	8.00 3.70 - 9.00	2.250 - 3.190	0.800	10.33	9.88	9.47	99	
22+25+25+42	1.54	1.75	1.75	2.95 *	8.00 3.70 - 9.00	2.231 - 3.180	0.800	10.24	9.80	9.39	99	

### MXZ-4F80VF2 MXZ-4F80VF3 COOLING

Indoor units combination	Cooling capacity (kW)				Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D		power consumption(kW)		220	230	240	
22+25+25+50	1.44	1.64	1.64	3.28 *	8.00 3.70 - 9.00	2.221 - 3.170	0.800	10.20	9.75	9.35	99
22+25+35+35	1.50	1.71	2.39	2.39	8.00 3.70 - 9.00	2.250 - 3.190	0.800	10.33	9.88	9.47	99
22+25+35+42	1.42	1.61	2.26	2.71 *	8.00 3.70 - 9.00	2.231 - 3.180	0.800	10.24	9.80	9.39	99
25+25+25+25	2.00	2.00	2.00	2.00	8.00 3.70 - 9.00	2.250 - 3.190	0.800	10.33	9.88	9.47	99
25+25+25+35	1.82	1.82	1.82	2.55	8.00 3.70 - 9.00	2.250 - 3.190	0.800	10.33	9.88	9.47	99
25+25+25+42	1.71	1.71	1.71	2.87 *	8.00 3.70 - 9.00	2.231 - 3.180	0.800	10.24	9.80	9.39	99
25+25+25+50	1.60	1.60	1.60	3.20 *	8.00 3.70 - 9.00	2.221 - 3.170	0.800	10.20	9.75	9.35	99
25+25+35+35	1.67	1.67	2.33	2.33	8.00 3.70 - 9.00	2.250 - 3.190	0.800	10.33	9.88	9.47	99

\* In case of MSZ-AP42/50VG or SLZ-M50FA, Rated capacity is lower than another model.

	Total connect indoor unit
MSZ-AP42VG	90%
MSZ-AP50VG	80%
SLZ-M50FA	70%

ex.) MSZ-LN18VG + MSZ-LN22VG + MSZ-AP42VG

- MSZ-LN18VG : Rated capacity is 1.78kW.
- MSZ-LN22VG : Rated capacity is 2.66kW.
- MSZ-AP42VG : Rated capacity is 3.92kW. (=4.36\*0.9)

**MXZ-4F80VF2 MXZ-4F80VF3 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15	1.70	-	-	-	1.70 - 2.80	0.502 - 0.780	2.30	2.20	2.11	99
18	2.20	-	-	-	2.20 2.00 - 4.50	0.480 - 1.250	3.58	3.43	3.28	99
20	2.20	-	-	-	2.20 2.00 - 2.50	0.630 - 0.780	2.89	2.77	2.65	99
22	3.30	-	-	-	3.30 2.00 - 4.50	0.480 - 1.250	3.58	3.43	3.28	99
25	3.60	-	-	-	3.60 2.00 - 5.30	0.460 - 1.480	3.81	3.65	3.49	99
35	4.00	-	-	-	4.00 2.00 - 5.30	0.460 - 1.480	4.41	4.22	4.04	99
42	5.40	-	-	-	5.40 2.00 - 5.60	1.508 - 1.564	6.92	6.62	6.35	99
50	5.80	-	-	-	5.80 2.00 - 6.80	1.620 - 2.431	7.44	7.11	6.82	99
60	7.90	-	-	-	7.90 2.00 - 8.60	2.778 - 3.295	12.76	12.20	11.69	99
15+15	1.70	1.70	-	-	3.40 1.80 - 5.00	0.780 - 1.300	3.58	3.43	3.28	99
15+18	1.70	2.20	-	-	3.90 1.80 - 6.10	1.123 - 1.530	5.16	4.93	4.73	99
15+20	1.70	2.20	-	-	3.90 1.80 - 5.80	0.947 - 1.625	4.35	4.16	3.98	99
15+22	1.70	3.30	-	-	5.00 1.80 - 6.10	1.123 - 1.530	5.16	4.93	4.73	99
15+25	1.70	3.60	-	-	5.30 1.80 - 6.10	1.123 - 1.530	5.16	4.93	4.73	99
15+35	1.70	4.00	-	-	5.70 1.80 - 7.90	1.294 - 2.190	5.94	5.68	5.44	99
15+42	1.70	5.40	-	-	7.10 1.80 - 7.90	1.417 - 2.190	6.51	6.22	5.96	99
15+50	1.70	5.80	-	-	7.50 1.80 - 7.90	1.544 - 2.180	7.09	6.78	6.50	99
15+60	1.56	7.24	-	-	8.80 1.80 - 7.90	1.638 - 2.150	7.52	7.19	6.89	99
18+18	2.20	2.20	-	-	4.40 1.80 - 7.20	1.466 - 1.760	6.73	6.44	6.17	99
18+20	2.20	2.20	-	-	4.40 1.80 - 6.90	1.290 - 1.855	5.92	5.66	5.43	99
18+22	2.20	3.30	-	-	5.50 1.80 - 7.20	1.466 - 1.760	6.73	6.44	6.17	99
18+25	2.20	3.60	-	-	5.80 1.80 - 7.20	1.466 - 1.760	6.73	6.44	6.17	99
18+35	2.20	4.00	-	-	6.20 1.80 - 9.00	1.690 - 2.420	7.76	7.42	7.11	99
18+42	2.20	5.40	-	-	7.60 1.80 - 9.00	1.813 - 2.420	8.32	7.96	7.63	99
18+50	2.20	5.80	-	-	8.00 1.80 - 9.00	1.936 - 2.410	8.89	8.50	8.15	99
18+60	1.92	6.88	-	-	8.80 1.80 - 9.00	2.574 - 2.574	11.82	11.30	10.83	99
20+20	2.20	2.20	-	-	4.40 1.80 - 6.60	1.113 - 1.950	5.11	4.89	4.69	99
20+22	2.20	3.30	-	-	5.50 1.80 - 6.90	1.290 - 1.855	5.92	5.66	5.43	99
20+25	2.20	3.60	-	-	5.80 1.80 - 7.20	1.320 - 1.965	6.06	5.80	5.56	99
20+35	2.20	4.00	-	-	6.20 1.80 - 8.70	1.548 - 2.515	7.11	6.80	6.52	99
20+42	2.20	5.40	-	-	7.60 1.80 - 8.70	1.670 - 2.515	7.67	7.33	7.03	99
20+50	2.20	5.80	-	-	8.00 1.80 - 8.70	1.793 - 2.505	8.23	7.88	7.55	99
22+22	3.30	3.30	-	-	6.60 1.80 - 7.20	1.466 - 1.760	6.73	6.44	6.17	99
22+25	3.30	3.60	-	-	6.90 1.80 - 8.10	1.556 - 2.095	7.15	6.83	6.55	99
22+35	3.30	4.00	-	-	7.30 1.80 - 9.00	1.760 - 2.420	8.08	7.73	7.41	99
22+42	3.30	5.40	-	-	8.70 1.80 - 9.00	1.880 - 2.420	8.63	8.25	7.91	99
22+50	3.19	5.61	-	-	8.80 1.80 - 9.00	2.591 - 2.591	11.90	11.38	10.90	99
22+60	2.59	6.21	-	-	8.80 1.80 - 9.00	2.591 - 2.591	11.90	11.38	10.90	99
25+25	3.60	3.60	-	-	7.20 1.80 - 9.00	1.646 - 2.430	7.56	7.23	6.93	99
25+35	3.60	4.00	-	-	7.60 1.80 - 9.00	1.813 - 2.420	8.32	7.96	7.63	99
25+42	3.52	5.28	-	-	8.80 1.80 - 9.00	1.930 - 2.420	8.86	8.47	8.12	99
25+50	3.37	5.43	-	-	8.80 1.80 - 9.00	1.990 - 2.390	9.14	8.74	8.38	99

**MXZ-4F80VF2 MXZ-4F80VF3 HEATING**

Indoor units combination	Heating capacity (kW)				Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	240	
25+60	2.75	6.05	-	-	8.80 1.80 - 9.00	2.583 0.400 - 2.583	11.86	11.34	10.87	99
35+35	4.00	4.00	-	-	8.00 1.80 - 9.00	1.970 0.410 - 2.410	9.04	8.65	8.29	99
35+42	3.74	5.06	-	-	8.80 1.80 - 9.00	2.580 0.410 - 2.580	11.85	11.33	10.86	99
35+50	3.59	5.21	-	-	8.80 1.80 - 9.00	2.583 0.400 - 2.583	11.86	11.34	10.87	99
35+60	2.96	5.84	-	-	8.80 1.90 - 9.00	2.408 0.370 - 2.408	11.05	10.57	10.13	99
42+42	4.40	4.40	-	-	8.80 1.80 - 9.00	2.609 0.400 - 2.609	11.98	11.46	10.98	99
42+50	4.24	4.56	-	-	8.80 1.90 - 9.00	2.467 0.380 - 2.467	11.33	10.84	10.38	99
42+60	3.57	5.23	-	-	8.80 1.90 - 9.00	2.323 0.360 - 2.323	10.67	10.20	9.78	99
50+50	4.40	4.40	-	-	8.80 1.90 - 9.00	2.325 0.360 - 2.325	10.68	10.21	9.79	99
50+60	3.73	5.07	-	-	8.80 1.90 - 9.00	2.306 0.360 - 2.306	10.59	10.13	9.70	99
60+60	4.40	4.40	-	-	8.80 1.90 - 9.00	2.286 0.360 - 2.286	10.50	10.04	9.62	99
15+15+15	1.70	1.70	1.70	-	5.10 2.60 - 8.50	1.106 0.890 - 2.425	5.08	4.86	4.66	99
15+15+18	1.70	1.70	2.20	-	5.60 2.60 - 9.20	1.489 0.770 - 2.775	6.83	6.54	6.27	99
15+15+20	1.70	1.70	2.20	-	5.60 2.60 - 9.00	1.244 0.910 - 2.645	5.71	5.46	5.23	99
15+15+22	1.70	1.70	3.30	-	6.70 2.60 - 9.20	1.489 0.780 - 2.775	6.83	6.54	6.27	99
15+15+25	1.70	1.70	3.60	-	7.00 2.60 - 9.20	1.489 0.790 - 2.775	6.83	6.54	6.27	99
15+15+35	1.70	1.70	4.00	-	7.40 2.60 - 9.20	1.479 0.790 - 2.765	6.79	6.49	6.22	99
15+15+42	1.70	1.70	5.40	-	8.80 2.60 - 9.20	1.479 0.790 - 2.765	6.79	6.49	6.22	99
15+15+60	1.32	1.32	6.15	-	8.80 2.60 - 9.20	1.459 0.790 - 2.745	6.70	6.41	6.14	99
15+18+18	1.70	2.20	2.20	-	6.10 2.60 - 9.90	1.871 0.650 - 3.125	8.59	8.22	7.87	99
15+18+20	1.70	2.20	2.20	-	6.10 2.60 - 9.70	1.626 0.790 - 2.995	7.46	7.14	6.84	99
15+18+22	1.70	2.20	3.30	-	7.20 2.60 - 9.90	1.871 0.660 - 3.125	8.59	8.22	7.87	99
15+18+25	1.70	2.20	3.60	-	7.50 2.60 - 9.90	1.871 0.640 - 3.125	8.59	8.22	7.87	99
15+18+35	1.70	2.20	4.00	-	7.90 2.60 - 9.90	1.861 0.660 - 3.115	8.54	8.17	7.83	99
15+18+42	1.61	2.08	5.11	-	8.80 2.60 - 9.90	1.861 0.660 - 3.115	8.54	8.17	7.83	99
15+18+50	1.54	2.00	5.26	-	8.80 2.60 - 9.90	1.851 0.660 - 3.105	8.50	8.13	7.79	99
15+18+60	1.27	1.64	5.89	-	8.80 2.60 - 9.90	1.841 0.660 - 3.095	8.45	8.09	7.75	99
15+20+20	1.70	2.20	2.20	-	6.10 2.60 - 9.50	1.381 0.920 - 2.865	6.34	6.06	5.81	99
15+20+22	1.70	2.20	3.30	-	7.20 2.60 - 9.70	1.626 0.780 - 2.995	7.46	7.14	6.84	99
15+20+25	1.70	2.20	3.60	-	7.50 2.60 - 9.70	1.626 0.760 - 2.995	7.46	7.14	6.84	99
15+20+35	1.70	2.20	4.00	-	7.90 2.60 - 9.70	1.616 0.790 - 2.985	7.42	7.10	6.80	99
15+20+42	1.61	2.08	5.11	-	8.80 2.60 - 9.70	1.616 0.790 - 2.985	7.42	7.10	6.80	99
15+20+50	1.54	2.00	5.26	-	8.80 2.60 - 9.70	1.606 0.790 - 2.975	7.37	7.05	6.76	99
15+20+60	1.27	1.64	5.89	-	8.80 2.60 - 9.70	1.596 0.790 - 2.965	7.33	7.01	6.72	99
15+22+22	1.70	3.30	3.30	-	8.30 2.60 - 9.90	1.871 0.640 - 3.125	8.59	8.22	7.87	99
15+22+25	1.70	3.30	3.60	-	8.60 2.60 - 9.90	1.871 0.640 - 3.125	8.59	8.22	7.87	99
15+22+35	1.66	3.23	3.91	-	8.80 2.60 - 9.90	1.871 0.640 - 3.125	8.59	8.22	7.87	99
15+22+42	1.44	2.79	4.57	-	8.80 2.60 - 9.90	1.861 0.660 - 3.115	8.54	8.17	7.83	99
15+22+50	1.39	2.69	4.73	-	8.80 2.60 - 9.90	1.851 0.660 - 3.105	8.50	8.13	7.79	99
15+22+60	1.16	2.25	5.39	-	8.80 2.60 - 9.90	1.841 0.660 - 3.095	8.45	8.09	7.75	99
15+25+25	1.68	3.56	3.56	-	8.80 2.60 - 9.90	1.871 0.660 - 3.125	8.59	8.22	7.87	99
15+25+35	1.61	3.41	3.78	-	8.80 2.60 - 9.90	1.861 0.660 - 3.115	8.54	8.17	7.83	99

**MXZ-4F80VF2 MXZ-4F80VF3 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+25+42	1.40	2.96	4.44	-	8.80 2.60 - 9.90	1.861 - 3.115	0.660	8.54	8.17	7.83	99
15+25+50	1.35	2.85	4.60	-	8.80 2.60 - 9.90	1.851 - 3.105	0.660	8.50	8.13	7.79	99
15+25+60	1.13	2.40	5.27	-	8.80 2.60 - 9.90	1.841 - 3.095	0.660	8.45	8.09	7.75	99
15+35+35	1.54	3.63	3.63	-	8.80 2.60 - 9.90	1.851 - 3.105	0.660	8.50	8.13	7.79	99
15+35+42	1.35	3.17	4.28	-	8.80 2.60 - 9.90	1.851 - 3.105	0.660	8.50	8.13	7.79	99
15+35+50	1.30	3.06	4.44	-	8.80 2.60 - 9.90	1.841 - 3.095	0.660	8.45	8.09	7.75	99
15+35+60	1.10	2.59	5.11	-	8.80 2.60 - 9.90	1.832 - 3.085	0.660	8.41	8.04	7.71	99
15+42+42	1.20	3.80	3.80	-	8.80 2.60 - 9.90	1.851 - 3.105	0.660	8.50	8.13	7.79	99
15+42+50	1.16	3.68	3.96	-	8.80 2.60 - 9.90	1.841 - 3.095	0.660	8.45	8.09	7.75	99
15+42+60	1.00	3.17	4.63	-	8.80 2.60 - 9.90	1.832 - 3.085	0.650	8.41	8.04	7.71	99
15+50+50	1.12	3.84	3.84	-	8.80 2.60 - 9.90	1.832 - 3.085	0.650	8.41	8.04	7.71	99
15+50+60	0.97	3.31	4.51	-	8.80 2.60 - 9.90	1.822 - 3.075	0.640	8.36	8.00	7.67	99
18+18+18	2.20	2.20	2.20	-	6.60 2.60 - 10.60	2.253 - 3.475	0.530	10.34	9.89	9.48	99
18+18+20	2.20	2.20	2.20	-	6.60 2.60 - 10.40	2.008 - 3.345	0.650	9.22	8.82	8.45	99
18+18+22	2.20	2.20	3.30	-	7.70 2.60 - 10.60	2.253 - 3.475	0.510	10.34	9.89	9.48	99
18+18+25	2.20	2.20	3.60	-	8.00 2.60 - 10.60	2.253 - 3.475	0.510	10.34	9.89	9.48	99
18+18+35	2.20	2.20	4.00	-	8.40 2.60 - 10.60	2.243 - 3.465	0.530	10.30	9.85	9.44	99
18+18+42	1.98	1.98	4.85	-	8.80 2.60 - 10.60	2.243 - 3.465	0.530	10.30	9.85	9.44	99
18+18+50	1.90	1.90	5.00	-	8.80 2.60 - 10.60	2.233 - 3.455	0.530	10.25	9.81	9.40	99
18+18+60	1.57	1.57	5.65	-	8.80 2.60 - 10.60	2.224 - 3.445	0.530	10.21	9.77	9.36	99
18+20+20	2.20	2.20	2.20	-	6.60 2.60 - 10.20	1.763 - 3.215	0.770	8.09	7.74	7.42	99
18+20+22	2.20	2.20	3.30	-	7.70 2.60 - 10.40	2.008 - 3.345	0.630	9.22	8.82	8.45	99
18+20+25	2.20	2.20	3.60	-	8.00 2.60 - 10.40	2.008 - 3.345	0.650	9.22	8.82	8.45	99
18+20+35	2.20	2.20	4.00	-	8.40 2.60 - 10.40	1.998 - 3.335	0.660	9.17	8.78	8.41	99
18+20+50	1.90	1.90	5.00	-	8.80 2.60 - 10.40	1.988 - 3.325	0.660	9.13	8.73	8.37	99
18+20+60	1.57	1.57	5.65	-	8.80 2.60 - 10.40	1.979 - 3.315	0.660	9.08	8.69	8.33	99
18+22+22	2.20	3.30	3.30	-	8.80 2.60 - 10.60	2.253 - 3.475	0.510	10.34	9.89	9.48	99
18+22+25	2.13	3.19	3.48	-	8.80 2.60 - 10.60	2.253 - 3.475	0.530	10.34	9.89	9.48	99
18+22+35	2.04	3.06	3.71	-	8.80 2.60 - 10.60	2.243 - 3.465	0.530	10.30	9.85	9.44	99
18+22+42	1.78	2.66	4.36	-	8.80 2.60 - 10.60	2.243 - 3.465	0.530	10.30	9.85	9.44	99
18+22+50	1.71	2.57	4.52	-	8.80 2.60 - 10.60	2.233 - 3.455	0.530	10.25	9.81	9.40	99
18+22+60	1.44	2.17	5.19	-	8.80 2.60 - 10.60	2.224 - 3.445	0.530	10.21	9.77	9.36	99
18+25+25	2.06	3.37	3.37	-	8.80 2.60 - 10.60	2.253 - 3.475	0.530	10.34	9.89	9.48	99
18+25+35	1.98	3.23	3.59	-	8.80 2.60 - 10.60	2.243 - 3.465	0.530	10.30	9.85	9.44	99
18+25+42	1.73	2.83	4.24	-	8.80 2.60 - 10.60	2.243 - 3.465	0.530	10.30	9.85	9.44	99
18+25+50	1.67	2.73	4.40	-	8.80 2.60 - 10.60	2.233 - 3.455	0.530	10.25	9.81	9.40	99
18+25+60	1.41	2.31	5.07	-	8.80 2.60 - 10.60	2.224 - 3.445	0.530	10.21	9.77	9.36	99
18+35+35	1.90	3.45	3.45	-	8.80 2.60 - 10.60	2.233 - 3.455	0.530	10.25	9.81	9.40	99
18+35+42	1.67	3.03	4.10	-	8.80 2.60 - 10.60	2.233 - 3.455	0.530	10.25	9.81	9.40	99
18+35+50	1.61	2.93	4.25	-	8.80 2.60 - 10.60	2.224 - 3.445	0.530	10.21	9.77	9.36	99
18+35+60	1.37	2.50	4.93	-	8.80 2.60 - 10.60	2.214 - 3.435	0.520	10.16	9.72	9.32	99
18+42+42	1.49	3.66	3.66	-	8.80 2.60 - 10.60	2.233 - 3.455	0.530	10.25	9.81	9.40	99



**MXZ-4F80VF2 MXZ-4F80VF3 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+42+50	1.44	3.55	3.81	-	8.80 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99
18+42+60	1.25	3.07	4.49	-	8.80 2.60 - 10.60	2.214 0.520 - 3.435	10.16	9.72	9.32	99
18+50+50	1.40	3.70	3.70	-	8.80 2.60 - 10.60	2.214 0.520 - 3.435	10.16	9.72	9.32	99
20+20+20	2.20	2.20	2.20	-	6.60 2.60 - 10.00	1.518 0.890 - 3.085	6.97	6.67	6.39	99
20+20+22	2.20	2.20	3.30	-	7.70 2.60 - 10.20	1.763 0.770 - 3.215	8.09	7.74	7.42	99
20+20+25	2.20	2.20	3.60	-	8.00 2.60 - 10.20	1.763 0.790 - 3.215	8.09	7.74	7.42	99
20+20+35	2.20	2.20	4.00	-	8.40 2.60 - 10.20	1.753 0.790 - 3.205	8.05	7.70	7.38	99
20+20+42	1.98	1.98	4.85	-	8.80 2.60 - 10.20	1.753 0.790 - 3.205	8.05	7.70	7.38	99
20+20+50	1.90	1.90	5.00	-	8.80 2.60 - 10.20	1.743 0.790 - 3.195	8.00	7.66	7.34	99
20+20+60	1.57	1.57	5.65	-	8.80 2.60 - 10.20	1.734 0.790 - 3.185	7.96	7.61	7.30	99
20+22+22	2.20	3.30	3.30	-	8.80 2.60 - 10.40	2.008 0.650 - 3.345	9.22	8.82	8.45	99
20+22+25	2.13	3.19	3.48	-	8.80 2.60 - 10.40	2.008 0.660 - 3.345	9.22	8.82	8.45	99
20+22+35	2.04	3.06	3.71	-	8.80 2.60 - 10.40	1.998 0.660 - 3.335	9.17	8.78	8.41	99
20+22+42	1.78	2.66	4.36	-	8.80 2.60 - 10.40	1.998 0.660 - 3.335	9.17	8.78	8.41	99
20+22+50	1.71	2.57	4.52	-	8.80 2.60 - 10.40	1.988 0.660 - 3.325	9.13	8.73	8.37	99
20+22+60	1.44	2.17	5.19	-	8.80 2.60 - 10.40	1.979 0.660 - 3.315	9.08	8.69	8.33	99
20+25+25	2.06	3.37	3.37	-	8.80 2.60 - 10.40	2.008 0.660 - 3.345	9.22	8.82	8.45	99
20+25+42	1.73	2.83	4.24	-	8.80 2.60 - 10.40	1.998 0.660 - 3.335	9.17	8.78	8.41	99
20+25+50	1.67	2.73	4.40	-	8.80 2.60 - 10.40	1.988 0.660 - 3.325	9.13	8.73	8.37	99
20+25+60	1.41	2.31	5.07	-	8.80 2.60 - 10.40	1.979 0.660 - 3.315	9.08	8.69	8.33	99
20+35+35	1.90	3.45	3.45	-	8.80 2.60 - 10.40	1.988 0.660 - 3.325	9.13	8.73	8.37	99
20+35+42	1.67	3.03	4.10	-	8.80 2.60 - 10.40	1.988 0.660 - 3.325	9.13	8.73	8.37	99
20+35+50	1.61	2.93	4.25	-	8.80 2.60 - 10.40	1.979 0.660 - 3.315	9.08	8.69	8.33	99
20+35+60	1.37	2.50	4.93	-	8.80 2.60 - 10.40	1.969 0.650 - 3.305	9.04	8.65	8.29	99
20+42+42	1.49	3.66	3.66	-	8.80 2.60 - 10.40	1.988 0.660 - 3.325	9.13	8.73	8.37	99
20+42+50	1.44	3.55	3.81	-	8.80 2.60 - 10.40	1.979 0.650 - 3.315	9.08	8.69	8.33	99
20+42+60	1.25	3.07	4.49	-	8.80 2.60 - 10.40	1.969 0.640 - 3.305	9.04	8.65	8.29	99
20+50+50	1.40	3.70	3.70	-	8.80 2.60 - 10.40	1.969 0.650 - 3.305	9.04	8.65	8.29	99
22+22+22	2.93	2.93	2.93	-	8.80 2.60 - 10.60	2.253 0.530 - 3.475	10.34	9.89	9.48	99
22+22+25	2.85	2.85	3.11	-	8.80 2.60 - 10.60	2.253 0.530 - 3.475	10.34	9.89	9.48	99
22+22+35	2.74	2.74	3.32	-	8.80 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99
22+22+42	2.42	2.42	3.96	-	8.80 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99
22+22+50	2.34	2.34	4.12	-	8.80 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99
22+22+60	2.00	2.00	4.79	-	8.80 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99
22+25+25	2.77	3.02	3.02	-	8.80 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99
22+25+35	2.66	2.91	3.23	-	8.80 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99
22+25+42	2.36	2.58	3.86	-	8.80 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99
22+25+50	2.29	2.49	4.02	-	8.80 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99
22+25+60	1.96	2.14	4.70	-	8.80 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99
22+35+35	2.57	3.12	3.12	-	8.80 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99
22+35+42	2.29	2.77	3.74	-	8.80 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99
22+35+50	2.22	2.69	3.90	-	8.80 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99

**MXZ-4F80VF2 MXZ-4F80VF3 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
22+35+60	1.91	2.32	4.57	-	8.80 2.60 - 10.60	2.214 0.520 - 3.435	10.16	9.72	9.32	99
22+42+42	2.06	3.37	3.37	-	8.80 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99
22+42+50	2.00	3.28	3.52	-	8.80 2.60 - 10.60	2.224 0.520 - 3.445	10.21	9.77	9.36	99
22+42+60	1.75	2.86	4.19	-	8.80 2.60 - 10.60	2.214 0.510 - 3.435	10.16	9.72	9.32	99
22+50+50	1.95	3.43	3.43	-	8.80 2.60 - 10.60	2.214 0.510 - 3.435	10.16	9.72	9.32	99
25+25+25	2.93	2.93	2.93	-	8.80 2.60 - 10.60	2.253 0.530 - 3.475	10.34	9.89	9.48	99
25+25+35	2.83	2.83	3.14	-	8.80 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99
25+25+42	2.51	2.51	3.77	-	8.80 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99
25+25+50	2.44	2.44	3.93	-	8.80 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99
25+25+60	2.10	2.10	4.60	-	8.80 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99
25+35+35	2.73	3.03	3.03	-	8.80 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99
25+35+42	2.44	2.71	3.66	-	8.80 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99
25+35+50	2.36	2.63	3.81	-	8.80 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99
25+35+60	2.04	2.27	4.49	-	8.80 2.60 - 10.60	2.214 0.520 - 3.435	10.16	9.72	9.32	99
25+42+42	2.20	3.30	3.30	-	8.80 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99
25+42+50	2.14	3.21	3.45	-	8.80 2.60 - 10.60	2.224 0.520 - 3.445	10.21	9.77	9.36	99
25+50+50	2.08	3.36	3.36	-	8.80 2.60 - 10.60	2.214 0.510 - 3.435	10.16	9.72	9.32	99
35+35+35	2.93	2.93	2.93	-	8.80 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99
35+35+42	2.63	2.63	3.55	-	8.80 2.60 - 10.60	2.224 0.520 - 3.445	10.21	9.77	9.36	99
35+35+50	2.55	2.55	3.70	-	8.80 2.60 - 10.60	2.214 0.520 - 3.435	10.16	9.72	9.32	99
35+42+42	2.38	3.21	3.21	-	8.80 2.60 - 10.60	2.224 0.520 - 3.445	10.21	9.77	9.36	99
15+15+15+15	1.70	1.70	1.70	1.70	6.80 3.40 - 9.50	1.462 0.880 - 2.470	6.71	6.42	6.15	99
15+15+15+18	1.70	1.70	1.70	2.20	7.30 3.40 - 9.80	1.629 0.810 - 2.550	7.48	7.15	6.86	99
15+15+15+20	1.70	1.70	1.70	2.20	7.30 3.40 - 9.80	1.727 0.880 - 2.695	7.93	7.58	7.27	99
15+15+15+22	1.70	1.70	1.70	3.30	8.40 3.40 - 9.80	1.629 0.810 - 2.550	7.48	7.15	6.86	99
15+15+15+25	1.70	1.70	1.70	3.60	8.70 3.40 - 9.80	1.629 0.810 - 2.550	7.48	7.15	6.86	99
15+15+15+42	1.42	1.42	1.42	4.53	8.80 3.40 - 9.80	1.682 0.810 - 2.700	7.72	7.39	7.08	99
15+15+15+50	1.37	1.37	1.37	4.68	8.80 3.40 - 9.80	1.682 0.810 - 2.710	7.72	7.39	7.08	99
15+15+15+60	1.15	1.15	1.15	5.35	8.80 3.40 - 9.80	1.682 0.810 - 2.700	7.72	7.39	7.08	99
15+15+18+18	1.70	1.70	2.20	2.20	7.80 3.40 - 10.10	1.795 0.740 - 2.630	8.24	7.88	7.56	99
15+15+18+20	1.70	1.70	2.20	2.20	7.80 3.40 - 10.10	1.893 0.810 - 2.775	8.69	8.32	7.97	99
15+15+18+22	1.68	1.68	2.18	3.26	8.80 3.40 - 10.10	1.795 0.740 - 2.630	8.24	7.88	7.56	99
15+15+18+25	1.63	1.63	2.10	3.44	8.80 3.40 - 10.10	1.795 0.740 - 2.630	8.24	7.88	7.56	99
15+15+18+35	1.56	1.56	2.02	3.67	8.80 3.40 - 10.10	1.786 0.740 - 2.690	8.20	7.84	7.51	99
15+15+18+42	1.36	1.36	1.76	4.32	8.80 3.40 - 10.10	1.786 0.740 - 2.800	8.20	7.84	7.51	99
15+15+18+50	1.31	1.31	1.70	4.48	8.80 3.40 - 10.10	1.776 0.740 - 2.790	8.15	7.80	7.47	99
15+15+18+60	1.11	1.11	1.43	5.15	8.80 3.40 - 10.10	1.773 0.740 - 2.780	8.14	7.79	7.46	99
15+15+20+20	1.70	1.70	2.20	2.20	7.80 3.40 - 10.10	1.991 0.880 - 2.920	9.14	8.75	8.38	99
15+15+20+22	1.68	1.68	2.18	3.26	8.80 3.40 - 10.10	1.893 0.810 - 2.775	8.69	8.32	7.97	99
15+15+20+25	1.63	1.63	2.10	3.44	8.80 3.40 - 10.10	1.893 0.810 - 2.775	8.69	8.32	7.97	99
15+15+20+35	1.56	1.56	2.02	3.67	8.80 3.40 - 10.10	1.884 0.810 - 2.880	8.65	8.27	7.93	99
15+15+20+42	1.36	1.36	1.76	4.32	8.80 3.40 - 10.10	1.884 0.810 - 2.945	8.65	8.27	7.93	99

**MXZ-4F80VF2 MXZ-4F80VF3 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+15+20+50	1.31	1.31	1.70	4.48	8.80 3.40 - 10.10	1.874 0.810 - 2.935	8.60	8.23	7.89	99
15+15+20+60	1.11	1.11	1.43	5.15	8.80 3.40 - 10.10	1.864 0.810 - 2.925	8.56	8.19	7.84	99
15+15+22+22	1.50	1.50	2.90	2.90	8.80 3.40 - 10.10	1.795 0.740 - 2.630	8.24	7.88	7.56	99
15+15+22+25	1.45	1.45	2.82	3.08	8.80 3.40 - 10.10	1.795 0.740 - 2.630	8.24	7.88	7.56	99
15+15+22+35	1.40	1.40	2.71	3.29	8.80 3.40 - 10.10	1.786 0.740 - 2.780	8.20	7.84	7.51	99
15+15+22+42	1.24	1.24	2.40	3.93	8.80 3.40 - 10.10	1.786 0.740 - 2.800	8.20	7.84	7.51	99
15+15+22+50	1.20	1.20	2.32	4.08	8.80 3.40 - 10.10	1.776 0.740 - 2.790	8.15	7.80	7.47	99
15+15+22+60	1.02	1.02	1.99	4.76	8.80 3.40 - 10.10	1.773 0.740 - 2.780	8.14	7.79	7.46	99
15+15+25+35	1.36	1.36	2.88	3.20	8.80 3.40 - 10.10	1.786 0.740 - 2.800	8.20	7.84	7.51	99
15+15+25+42	1.21	1.21	2.55	3.83	8.80 3.40 - 10.10	1.786 0.740 - 2.800	8.20	7.84	7.51	99
15+15+25+50	1.17	1.17	2.48	3.99	8.80 3.40 - 10.10	1.776 0.740 - 2.790	8.15	7.80	7.47	99
15+15+25+60	1.00	1.00	2.13	4.67	8.80 3.40 - 10.10	1.773 0.740 - 2.780	8.14	7.79	7.46	99
15+15+35+35	1.31	1.31	3.09	3.09	8.80 3.40 - 10.10	1.776 0.740 - 2.790	8.15	7.80	7.47	99
15+15+35+42	1.17	1.17	2.75	3.71	8.80 3.40 - 10.10	1.776 0.740 - 2.790	8.15	7.80	7.47	99
15+15+35+50	1.13	1.13	2.67	3.87	8.80 3.40 - 10.10	1.773 0.740 - 2.780	8.14	7.79	7.46	99
15+15+35+60	0.98	0.98	2.30	4.54	8.80 3.40 - 10.10	1.773 0.740 - 2.770	8.14	7.79	7.46	99
15+15+42+42	1.05	1.05	3.35	3.35	8.80 3.40 - 10.10	1.776 0.740 - 2.790	8.15	7.80	7.47	99
15+15+42+50	1.02	1.02	3.25	3.50	8.80 3.40 - 10.10	1.773 0.740 - 2.780	8.14	7.79	7.46	99
15+18+18+18	1.70	2.20	2.20	2.20	8.30 3.40 - 10.40	1.962 0.670 - 2.710	9.01	8.62	8.26	99
15+18+18+20	1.70	2.20	2.20	2.20	8.30 3.40 - 10.40	2.060 0.740 - 2.855	9.46	9.05	8.67	99
15+18+18+22	1.59	2.06	2.06	3.09	8.80 3.40 - 10.40	1.962 0.670 - 2.710	9.01	8.62	8.26	99
15+18+18+25	1.54	2.00	2.00	3.27	8.80 3.40 - 10.40	1.962 0.670 - 2.710	9.01	8.62	8.26	99
15+18+18+35	1.48	1.92	1.92	3.49	8.80 3.40 - 10.40	1.952 0.670 - 2.835	8.96	8.57	8.22	99
15+18+18+42	1.30	1.68	1.68	4.13	8.80 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99
15+18+18+50	1.26	1.63	1.63	4.29	8.80 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99
15+18+18+60	1.07	1.38	1.38	4.97	8.80 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99
15+18+20+20	1.70	2.20	2.20	2.20	8.30 3.40 - 10.40	2.158 0.810 - 3.000	9.91	9.48	9.08	99
15+18+20+22	1.59	2.06	2.06	3.09	8.80 3.40 - 10.40	2.060 0.740 - 2.855	9.46	9.05	8.67	99
15+18+20+25	1.54	2.00	2.00	3.27	8.80 3.40 - 10.40	2.060 0.740 - 2.855	9.46	9.05	8.67	99
15+18+20+35	1.48	1.92	1.92	3.49	8.80 3.40 - 10.40	2.050 0.740 - 3.025	9.41	9.00	8.63	99
15+18+20+42	1.30	1.68	1.68	4.13	8.80 3.40 - 10.40	2.050 0.740 - 3.025	9.41	9.00	8.63	99
15+18+20+50	1.26	1.63	1.63	4.29	8.80 3.40 - 10.40	2.040 0.740 - 3.015	9.37	8.96	8.59	99
15+18+20+60	1.07	1.38	1.38	4.97	8.80 3.40 - 10.40	2.031 0.740 - 3.005	9.32	8.92	8.55	99
15+18+22+22	1.42	1.84	2.77	2.77	8.80 3.40 - 10.40	1.962 0.670 - 2.710	9.01	8.62	8.26	99
15+18+22+35	1.34	1.73	2.59	3.14	8.80 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99
15+18+22+42	1.19	1.54	2.30	3.77	8.80 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99
15+18+22+50	1.15	1.49	2.23	3.93	8.80 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99
15+18+22+60	0.99	1.28	1.92	4.60	8.80 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99
15+18+25+25	1.35	1.74	2.85	2.85	8.80 3.40 - 10.40	1.962 0.670 - 2.780	9.01	8.62	8.26	99
15+18+25+35	1.30	1.68	2.75	3.06	8.80 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99
15+18+25+42	1.16	1.50	2.46	3.68	8.80 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99
15+18+25+50	1.12	1.46	2.38	3.84	8.80 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99

**MXZ-4F80VF2 MXZ-4F80VF3 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+18+25+60	0.97	1.26	2.06	4.51	8.80 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99
15+18+35+35	1.26	1.63	2.96	2.96	8.80 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99
15+18+35+42	1.12	1.46	2.65	3.57	8.80 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99
15+18+35+50	1.09	1.41	2.57	3.73	8.80 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99
15+18+42+42	1.02	1.32	3.23	3.23	8.80 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99
15+18+42+50	0.99	1.28	3.15	3.38	8.80 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99
15+20+20+20	1.70	2.20	2.20	2.20	8.30 3.40 - 10.40	2.256 0.880 - 3.145	10.36	9.91	9.49	99
15+20+20+22	1.59	2.06	2.06	3.09	8.80 3.40 - 10.40	2.158 0.810 - 3.000	9.91	9.48	9.08	99
15+20+20+35	1.48	1.92	1.92	3.49	8.80 3.40 - 10.40	2.148 0.810 - 3.170	9.86	9.43	9.04	99
15+20+20+42	1.30	1.68	1.68	4.13	8.80 3.40 - 10.40	2.148 0.810 - 3.170	9.86	9.43	9.04	99
15+20+20+50	1.26	1.63	1.63	4.29	8.80 3.40 - 10.40	2.138 0.810 - 3.160	9.82	9.39	9.00	99
15+20+20+60	1.07	1.38	1.38	4.97	8.80 3.40 - 10.40	2.129 0.810 - 3.150	9.77	9.35	8.96	99
15+20+22+22	1.42	1.84	2.77	2.77	8.80 3.40 - 10.40	2.060 0.740 - 2.855	9.46	9.05	8.67	99
15+20+22+25	1.39	1.79	2.69	2.93	8.80 3.40 - 10.40	2.060 0.740 - 2.900	9.46	9.05	8.67	99
15+20+22+35	1.34	1.73	2.59	3.14	8.80 3.40 - 10.40	2.050 0.740 - 3.025	9.41	9.00	8.63	99
15+20+22+42	1.19	1.54	2.30	3.77	8.80 3.40 - 10.40	2.050 0.740 - 3.025	9.41	9.00	8.63	99
15+20+22+50	1.15	1.49	2.23	3.93	8.80 3.40 - 10.40	2.040 0.740 - 3.015	9.37	8.96	8.59	99
15+20+22+60	0.99	1.28	1.92	4.60	8.80 3.40 - 10.40	2.031 0.740 - 3.005	9.32	8.92	8.55	99
15+20+25+25	1.35	1.74	2.85	2.85	8.80 3.40 - 10.40	2.060 0.740 - 2.970	9.46	9.05	8.67	99
15+20+25+35	1.30	1.68	2.75	3.06	8.80 3.40 - 10.40	2.050 0.740 - 3.025	9.41	9.00	8.63	99
15+20+25+42	1.16	1.50	2.46	3.68	8.80 3.40 - 10.40	2.050 0.740 - 3.025	9.41	9.00	8.63	99
15+20+25+50	1.12	1.46	2.38	3.84	8.80 3.40 - 10.40	2.040 0.740 - 3.015	9.37	8.96	8.59	99
15+20+25+60	0.97	1.26	2.06	4.51	8.80 3.40 - 10.40	2.031 0.740 - 3.005	9.32	8.92	8.55	99
15+20+35+35	1.26	1.63	2.96	2.96	8.80 3.40 - 10.40	2.040 0.740 - 3.015	9.37	8.96	8.59	99
15+20+35+42	1.12	1.46	2.65	3.57	8.80 3.40 - 10.40	2.040 0.740 - 3.015	9.37	8.96	8.59	99
15+20+35+50	1.09	1.41	2.57	3.73	8.80 3.40 - 10.40	2.031 0.740 - 3.005	9.32	8.92	8.55	99
15+20+42+42	1.02	1.32	3.23	3.23	8.80 3.40 - 10.40	2.040 0.740 - 3.015	9.37	8.96	8.59	99
15+22+22+22	1.29	2.50	2.50	2.50	8.80 3.40 - 10.40	1.962 0.670 - 2.735	9.01	8.62	8.26	99
15+22+22+25	1.26	2.44	2.44	2.66	8.80 3.40 - 10.40	1.962 0.670 - 2.800	9.01	8.62	8.26	99
15+22+22+35	1.22	2.36	2.36	2.86	8.80 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99
15+22+22+42	1.09	2.12	2.12	3.47	8.80 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99
15+22+22+50	1.06	2.06	2.06	3.62	8.80 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99
15+22+22+60	0.92	1.79	1.79	4.29	8.80 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99
15+22+25+25	1.23	2.38	2.60	2.60	8.80 3.40 - 10.40	1.962 0.670 - 2.870	9.01	8.62	8.26	99
15+22+25+35	1.19	2.30	2.51	2.79	8.80 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99
15+22+25+42	1.07	2.07	2.26	3.39	8.80 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99
15+22+25+50	1.04	2.02	2.20	3.54	8.80 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99
15+22+25+60	0.91	1.76	1.92	4.21	8.80 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99
15+22+35+35	1.15	2.23	2.71	2.71	8.80 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99
15+22+35+42	1.04	2.02	2.44	3.30	8.80 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99
15+22+35+50	1.01	1.96	2.38	3.45	8.80 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99
15+22+42+42	0.95	1.84	3.01	3.01	8.80 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99

**MXZ-4F80VF2 MXZ-4F80VF3 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240		
15+25+25+25	1.20	2.53	2.53	2.53	8.80 3.40 - 10.40	1.962 - 2.890	0.670	9.01	8.62	8.26	99
15+25+25+35	1.16	2.46	2.46	2.73	8.80 3.40 - 10.40	1.952 - 2.880	0.670	8.96	8.57	8.22	99
15+25+25+42	1.05	2.22	2.22	3.32	8.80 3.40 - 10.40	1.952 - 2.880	0.670	8.96	8.57	8.22	99
15+25+25+50	1.02	2.16	2.16	3.47	8.80 3.40 - 10.40	1.942 - 2.870	0.670	8.92	8.53	8.17	99
15+25+25+60	0.89	1.89	1.89	4.14	8.80 3.40 - 10.40	1.933 - 2.860	0.670	8.87	8.49	8.13	99
15+25+35+35	1.12	2.38	2.65	2.65	8.80 3.40 - 10.40	1.942 - 2.870	0.670	8.92	8.53	8.17	99
15+25+35+42	1.02	2.16	2.39	3.23	8.80 3.40 - 10.40	1.942 - 2.870	0.670	8.92	8.53	8.17	99
15+25+35+50	0.99	2.10	2.33	3.38	8.80 3.40 - 10.40	1.933 - 2.860	0.670	8.87	8.49	8.13	99
15+25+42+42	0.93	1.97	2.95	2.95	8.80 3.40 - 10.40	1.942 - 2.870	0.670	8.92	8.53	8.17	99
15+35+35+35	1.09	2.57	2.57	2.57	8.80 3.40 - 10.40	1.933 - 2.860	0.670	8.87	8.49	8.13	99
18+18+18+18	2.20	2.20	2.20	2.20	8.80 3.40 - 11.00	1.754 - 2.790	0.600	8.05	7.70	7.38	99
18+18+18+20	2.20	2.20	2.20	2.20	8.80 3.40 - 10.70	2.227 - 2.935	0.670	10.22	9.78	9.37	99
18+18+18+22	1.96	1.96	1.96	2.93	8.80 3.40 - 11.00	2.129 - 2.790	0.600	9.77	9.35	8.96	99
18+18+18+25	1.90	1.90	1.90	3.11	8.80 3.40 - 11.00	2.000 - 2.790	0.600	9.18	8.78	8.42	99
18+18+18+35	1.83	1.83	1.83	3.32	8.80 3.40 - 11.00	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+18+18+42	1.61	1.61	1.61	3.96	8.80 3.40 - 11.00	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+18+18+50	1.56	1.56	1.56	4.12	8.80 3.40 - 11.00	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+18+18+60	1.34	1.34	1.34	4.79	8.80 3.40 - 11.00	2.099 - 2.940	0.600	9.64	9.22	8.83	99
18+18+20+20	2.20	2.20	2.20	2.20	8.80 3.40 - 10.70	2.325 - 3.080	0.740	10.67	10.21	9.78	99
18+18+20+22	1.96	1.96	1.96	2.93	8.80 3.40 - 10.70	2.227 - 2.935	0.670	10.22	9.78	9.37	99
18+18+20+25	1.90	1.90	1.90	3.11	8.80 3.40 - 10.70	2.227 - 2.960	0.670	10.22	9.78	9.37	99
18+18+20+35	1.83	1.83	1.83	3.32	8.80 3.40 - 10.70	2.217 - 3.105	0.670	10.18	9.74	9.33	99
18+18+20+42	1.61	1.61	1.61	3.96	8.80 3.40 - 10.70	2.217 - 3.105	0.670	10.18	9.74	9.33	99
18+18+20+50	1.56	1.56	1.56	4.12	8.80 3.40 - 10.70	2.207 - 3.095	0.670	10.13	9.69	9.29	99
18+18+20+60	1.34	1.34	1.34	4.79	8.80 3.40 - 10.70	2.197 - 3.085	0.670	10.09	9.65	9.25	99
18+18+22+25	1.71	1.71	2.57	2.80	8.80 3.40 - 11.00	2.129 - 2.860	0.600	9.77	9.35	8.96	99
18+18+22+35	1.65	1.65	2.48	3.01	8.80 3.40 - 11.00	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+18+22+42	1.48	1.48	2.22	3.63	8.80 3.40 - 11.00	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+18+22+50	1.43	1.43	2.15	3.78	8.80 3.40 - 11.00	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+18+22+60	1.24	1.24	1.86	4.46	8.80 3.40 - 11.00	2.099 - 2.940	0.600	9.64	9.22	8.83	99
18+18+25+25	1.67	1.67	2.73	2.73	8.80 3.40 - 11.00	2.129 - 2.925	0.600	9.77	9.35	8.96	99
18+18+25+35	1.61	1.61	2.64	2.93	8.80 3.40 - 11.00	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+18+25+42	1.44	1.44	2.36	3.55	8.80 3.40 - 11.00	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+18+25+50	1.40	1.40	2.30	3.70	8.80 3.40 - 11.00	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+18+25+60	1.22	1.22	1.99	4.37	8.80 3.40 - 11.00	2.099 - 2.940	0.600	9.64	9.22	8.83	99
18+18+35+35	1.56	1.56	2.84	2.84	8.80 3.40 - 11.00	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+18+35+42	1.40	1.40	2.55	3.44	8.80 3.40 - 11.00	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+18+35+50	1.36	1.36	2.48	3.59	8.80 3.40 - 11.00	2.099 - 2.940	0.600	9.64	9.22	8.83	99
18+18+42+42	1.27	1.27	3.13	3.13	8.80 3.40 - 11.00	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+20+20+20	2.20	2.20	2.20	2.20	8.80 3.40 - 10.70	2.423 - 3.225	0.810	11.12	10.64	10.20	99
18+20+20+25	1.90	1.90	1.90	3.11	8.80 3.40 - 10.70	2.325 - 3.150	0.740	10.67	10.21	9.78	99
18+20+20+35	1.83	1.83	1.83	3.32	8.80 3.40 - 10.70	2.315 - 3.250	0.740	10.63	10.17	9.74	99

**MXZ-4F80VF2 MXZ-4F80VF3 HEATING**

Indoor units combination	Heating capacity (kW)				Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	240	
18+20+20+42	1.61	1.61	1.61	3.96	8.80 3.40 - 10.70	2.315 0.740 - 3.250	10.63	10.17	9.74	99
18+20+20+50	1.56	1.56	1.56	4.12	8.80 3.40 - 10.70	2.305 0.740 - 3.240	10.58	10.12	9.70	99
18+20+20+60	1.34	1.34	1.34	4.79	8.80 3.40 - 10.70	2.295 0.740 - 3.230	10.54	10.08	9.66	99
18+20+22+22	1.76	1.76	2.64	2.64	8.80 3.40 - 10.70	2.227 0.670 - 2.980	10.22	9.78	9.37	99
18+20+22+25	1.71	1.71	2.57	2.80	8.80 3.40 - 10.70	2.227 0.670 - 3.050	10.22	9.78	9.37	99
18+20+22+35	1.65	1.65	2.48	3.01	8.80 3.40 - 10.70	2.217 0.670 - 3.105	10.18	9.74	9.33	99
18+20+22+42	1.48	1.48	2.22	3.63	8.80 3.40 - 10.70	2.217 0.670 - 3.105	10.18	9.74	9.33	99
18+20+22+50	1.43	1.43	2.15	3.78	8.80 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99
18+20+22+60	1.24	1.24	1.86	4.46	8.80 3.40 - 10.70	2.197 0.670 - 3.085	10.09	9.65	9.25	99
18+20+25+25	1.67	1.67	2.73	2.73	8.80 3.40 - 10.70	2.227 0.670 - 3.115	10.22	9.78	9.37	99
18+20+25+35	1.61	1.61	2.64	2.93	8.80 3.40 - 10.70	2.217 0.670 - 3.105	10.18	9.74	9.33	99
18+20+25+42	1.44	1.44	2.36	3.55	8.80 3.40 - 10.70	2.217 0.670 - 3.105	10.18	9.74	9.33	99
18+20+25+50	1.40	1.40	2.30	3.70	8.80 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99
18+20+25+60	1.22	1.22	1.99	4.37	8.80 3.40 - 10.70	2.197 0.670 - 3.085	10.09	9.65	9.25	99
18+20+35+35	1.56	1.56	2.84	2.84	8.80 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99
18+20+35+42	1.40	1.40	2.55	3.44	8.80 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99
18+20+35+50	1.36	1.36	2.48	3.59	8.80 3.40 - 10.70	2.197 0.670 - 3.085	10.09	9.65	9.25	99
18+20+42+42	1.27	1.27	3.13	3.13	8.80 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99
18+22+22+22	1.60	2.40	2.40	2.40	8.80 3.40 - 11.00	2.129 0.600 - 2.880	9.77	9.35	8.96	99
18+22+22+25	1.56	2.34	2.34	2.55	8.80 3.40 - 11.00	2.129 0.600 - 2.950	9.77	9.35	8.96	99
18+22+22+35	1.51	2.27	2.27	2.75	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
18+22+22+42	1.36	2.05	2.05	3.35	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
18+22+22+50	1.33	1.99	1.99	3.50	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
18+22+22+60	1.16	1.74	1.74	4.16	8.80 3.40 - 11.00	2.099 0.600 - 2.940	9.64	9.22	8.83	99
18+22+25+25	1.52	2.29	2.49	2.49	8.80 3.40 - 11.00	2.129 0.600 - 2.970	9.77	9.35	8.96	99
18+22+25+35	1.48	2.22	2.42	2.69	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
18+22+25+42	1.34	2.00	2.18	3.28	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
18+22+25+50	1.30	1.95	2.13	3.43	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
18+22+25+60	1.14	1.71	1.86	4.09	8.80 3.40 - 11.00	2.099 0.600 - 2.940	9.64	9.22	8.83	99
18+22+35+35	1.43	2.15	2.61	2.61	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
18+22+35+42	1.30	1.95	2.36	3.19	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
18+22+35+50	1.27	1.90	2.30	3.34	8.80 3.40 - 11.00	2.099 0.600 - 2.940	9.64	9.22	8.83	99
18+22+42+42	1.19	1.78	2.92	2.92	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
18+25+25+25	1.49	2.44	2.44	2.44	8.80 3.40 - 11.00	2.129 0.600 - 2.970	9.77	9.35	8.96	99
18+25+25+35	1.44	2.36	2.36	2.63	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
18+25+25+42	1.31	2.14	2.14	3.21	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
18+25+25+50	1.27	2.08	2.08	3.36	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
18+25+35+35	1.40	2.30	2.55	2.55	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
18+25+35+42	1.27	2.08	2.32	3.13	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
18+35+35+35	1.36	2.48	2.48	2.48	8.80 3.40 - 11.00	2.099 0.600 - 2.940	9.64	9.22	8.83	99
20+20+20+22	1.96	1.96	1.96	2.93	8.80 3.40 - 10.70	2.423 0.810 - 3.270	11.12	10.64	10.20	99
20+20+20+25	1.90	1.90	1.90	3.11	8.80 3.40 - 10.70	2.423 0.810 - 3.340	11.12	10.64	10.20	99

**MXZ-4F80VF2 MXZ-4F80VF3 HEATING**

Indoor units combination	Heating capacity (kW)				Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	240	
20+20+20+35	1.83	1.83	1.83	3.32	8.80 3.40 - 10.70	2.413 0.810 - 3.395	11.08	10.60	10.15	99
20+20+20+42	1.61	1.61	1.61	3.96	8.80 3.40 - 10.70	2.413 0.810 - 3.395	11.08	10.60	10.15	99
20+20+20+50	1.56	1.56	1.56	4.12	8.80 3.40 - 10.70	2.403 0.810 - 3.385	11.03	10.55	10.11	99
20+20+20+60	1.34	1.34	1.34	4.79	8.80 3.40 - 10.70	2.393 0.810 - 3.375	10.99	10.51	10.07	99
20+20+22+22	1.76	1.76	2.64	2.64	8.80 3.40 - 10.70	2.325 0.740 - 3.170	10.67	10.21	9.78	99
20+20+22+25	1.71	1.71	2.57	2.80	8.80 3.40 - 10.70	2.325 0.740 - 3.240	10.67	10.21	9.78	99
20+20+22+35	1.65	1.65	2.48	3.01	8.80 3.40 - 10.70	2.315 0.740 - 3.250	10.63	10.17	9.74	99
20+20+22+42	1.48	1.48	2.22	3.63	8.80 3.40 - 10.70	2.315 0.740 - 3.250	10.63	10.17	9.74	99
20+20+22+50	1.43	1.43	2.15	3.78	8.80 3.40 - 10.70	2.305 0.740 - 3.240	10.58	10.12	9.70	99
20+20+22+60	1.24	1.24	1.86	4.46	8.80 3.40 - 10.70	2.295 0.740 - 3.230	10.54	10.08	9.66	99
20+20+25+25	1.67	1.67	2.73	2.73	8.80 3.40 - 10.70	2.325 0.740 - 3.260	10.67	10.21	9.78	99
20+20+25+35	1.61	1.61	2.64	2.93	8.80 3.40 - 10.70	2.315 0.740 - 3.250	10.63	10.17	9.74	99
20+20+25+42	1.44	1.44	2.36	3.55	8.80 3.40 - 10.70	2.315 0.740 - 3.250	10.63	10.17	9.74	99
20+20+25+50	1.40	1.40	2.30	3.70	8.80 3.40 - 10.70	2.305 0.740 - 3.240	10.58	10.12	9.70	99
20+20+25+60	1.22	1.22	1.99	4.37	8.80 3.40 - 10.70	2.295 0.740 - 3.230	10.54	10.08	9.66	99
20+20+35+35	1.56	1.56	2.84	2.84	8.80 3.40 - 10.70	2.305 0.740 - 3.240	10.58	10.12	9.70	99
20+20+35+42	1.40	1.40	2.55	3.44	8.80 3.40 - 10.70	2.305 0.740 - 3.240	10.58	10.12	9.70	99
20+20+35+50	1.36	1.36	2.48	3.59	8.80 3.40 - 10.70	2.295 0.740 - 3.230	10.54	10.08	9.66	99
20+20+42+42	1.27	1.27	3.13	3.13	8.80 3.40 - 10.70	2.305 0.740 - 3.240	10.58	10.12	9.70	99
20+22+22+22	1.60	2.40	2.40	2.40	8.80 3.40 - 10.70	2.227 0.670 - 3.070	10.22	9.78	9.37	99
20+22+22+25	1.56	2.34	2.34	2.55	8.80 3.40 - 10.70	2.227 0.670 - 3.115	10.22	9.78	9.37	99
20+22+22+35	1.51	2.27	2.27	2.75	8.80 3.40 - 10.70	2.217 0.670 - 3.105	10.18	9.74	9.33	99
20+22+22+42	1.36	2.05	2.05	3.35	8.80 3.40 - 10.70	2.217 0.670 - 3.105	10.18	9.74	9.33	99
20+22+22+50	1.33	1.99	1.99	3.50	8.80 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99
20+22+22+60	1.16	1.74	1.74	4.16	8.80 3.40 - 10.70	2.197 0.670 - 3.085	10.09	9.65	9.25	99
20+22+25+25	1.52	2.29	2.49	2.49	8.80 3.40 - 10.70	2.227 0.670 - 3.115	10.22	9.78	9.37	99
20+22+25+35	1.48	2.22	2.42	2.69	8.80 3.40 - 10.70	2.217 0.670 - 3.105	10.18	9.74	9.33	99
20+22+25+42	1.34	2.00	2.18	3.28	8.80 3.40 - 10.70	2.217 0.670 - 3.105	10.18	9.74	9.33	99
20+22+25+50	1.30	1.95	2.13	3.43	8.80 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99
20+22+35+35	1.43	2.15	2.61	2.61	8.80 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99
20+22+35+42	1.30	1.95	2.36	3.19	8.80 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99
20+25+25+25	1.49	2.44	2.44	2.44	8.80 3.40 - 10.70	2.227 0.670 - 3.115	10.22	9.78	9.37	99
20+25+25+35	1.44	2.36	2.36	2.63	8.80 3.40 - 10.70	2.217 0.670 - 3.105	10.18	9.74	9.33	99
20+25+25+42	1.31	2.14	2.14	3.21	8.80 3.40 - 10.70	2.217 0.670 - 3.105	10.18	9.74	9.33	99
20+25+25+50	1.27	2.08	2.08	3.36	8.80 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99
20+25+35+35	1.40	2.30	2.55	2.55	8.80 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99
20+25+35+42	1.27	2.08	2.32	3.13	8.80 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99
20+35+35+35	1.36	2.48	2.48	2.48	8.80 3.40 - 10.70	2.197 0.670 - 3.085	10.09	9.65	9.25	99
22+22+22+22	2.20	2.20	2.20	2.20	8.80 3.40 - 11.00	2.129 0.600 - 2.970	9.77	9.35	8.96	99
22+22+22+25	2.15	2.15	2.15	2.35	8.80 3.40 - 11.00	2.129 0.600 - 2.970	9.77	9.35	8.96	99
22+22+22+35	2.09	2.09	2.09	2.53	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
22+22+22+42	1.90	1.90	1.90	3.11	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99

**MXZ-4F80VF2 MXZ-4F80VF3 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
22+22+22+50	1.85	1.85	1.85	3.25	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
22+22+25+25	2.10	2.10	2.30	2.30	8.80 3.40 - 11.00	2.129 0.600 - 2.970	9.77	9.35	8.96	99
22+22+25+35	2.05	2.05	2.23	2.48	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
22+22+25+42	1.86	1.86	2.03	3.05	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
22+22+25+50	1.82	1.82	1.98	3.19	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
22+22+35+35	1.99	1.99	2.41	2.41	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
22+22+35+42	1.82	1.82	2.20	2.97	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
22+25+25+25	2.06	2.25	2.25	2.25	8.80 3.40 - 11.00	2.129 0.600 - 2.970	9.77	9.35	8.96	99
22+25+25+35	2.00	2.18	2.18	2.43	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
22+25+25+42	1.83	1.99	1.99	2.99	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
22+25+25+50	1.78	1.94	1.94	3.13	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
22+25+35+35	1.95	2.13	2.36	2.36	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
22+25+35+42	1.78	1.94	2.16	2.92	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
25+25+25+25	2.20	2.20	2.20	2.20	8.80 3.40 - 11.00	2.129 0.600 - 2.970	9.77	9.35	8.96	99
25+25+25+35	2.14	2.14	2.14	2.38	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
25+25+25+42	1.96	1.96	1.96	2.93	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
25+25+25+50	1.91	1.91	1.91	3.07	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
25+25+35+35	2.08	2.08	2.32	2.32	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99



**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15	1.50	-	-	-	1.50 1.50 - 2.20	0.570 - 0.870	2.39	2.50	2.61	99
18	1.80	-	-	-	1.80 1.50 - 4.20	0.580 - 1.060	2.44	2.55	2.66	99
20	2.00	-	-	-	2.00 1.50 - 2.40	0.580 - 0.870	2.44	2.55	2.66	99
22	2.20	-	-	-	2.20 1.50 - 4.20	0.610 - 1.060	2.56	2.68	2.80	99
25	2.50	-	-	-	2.50 1.50 - 4.20	0.630 - 1.060	2.65	2.77	2.89	99
35	3.50	-	-	-	3.50 1.50 - 4.30	0.790 - 1.120	3.32	3.47	3.62	99
42	4.20	-	-	-	4.20 1.50 - 5.00	0.960 - 1.740	4.04	4.22	4.40	99
50	5.00	-	-	-	5.00 1.50 - 5.50	1.270 - 1.780	5.34	5.58	5.82	99
60	6.00	-	-	-	6.00 1.50 - 6.40	1.780 - 1.950	7.48	7.82	8.16	99
71	7.10	-	-	-	7.10 1.50 - 7.40	2.480 - 2.930	10.42	10.89	11.36	99
15+15	1.50	1.50	-	-	3.00 2.00 - 4.40	0.640 - 1.520	2.69	2.81	2.93	99
15+18	1.41	1.69	-	-	3.10 2.00 - 5.00	0.706 - 1.486	2.97	3.10	3.23	99
15+20	1.46	1.94	-	-	3.40 2.00 - 5.40	0.767 - 1.477	3.22	3.37	3.52	99
15+22	1.42	2.08	-	-	3.50 2.00 - 5.60	0.824 - 1.484	3.46	3.62	3.78	99
15+25	1.46	2.44	-	-	3.90 2.00 - 5.60	0.887 - 1.477	3.73	3.90	4.07	99
15+35	1.47	3.43	-	-	4.90 2.00 - 6.20	1.197 - 1.807	5.03	5.26	5.49	99
15+42	1.47	4.13	-	-	5.60 2.00 - 6.70	1.487 - 2.157	6.25	6.53	6.81	99
15+50	1.48	4.92	-	-	6.40 2.00 - 7.30	1.811 - 2.541	7.60	7.95	8.30	99
15+60	1.44	5.76	-	-	7.20 2.00 - 8.10	2.251 - 2.871	9.46	9.89	10.32	99
15+71	1.36	6.44	-	-	7.80 2.00 - 8.80	2.684 - 3.024	11.28	11.79	12.30	99
18+18	1.75	1.75	-	-	3.50 2.00 - 5.60	0.778 - 1.458	3.27	3.42	3.57	99
18+20	1.80	2.00	-	-	3.80 2.00 - 5.60	0.838 - 1.468	3.52	3.68	3.84	99
18+22	1.76	2.15	-	-	3.90 2.00 - 5.60	0.885 - 1.475	3.72	3.89	4.06	99
18+25	1.80	2.50	-	-	4.30 2.00 - 5.60	0.948 - 1.468	3.98	4.16	4.34	99
18+35	1.80	3.50	-	-	5.30 2.00 - 6.40	1.308 - 1.948	5.49	5.74	5.99	99
18+42	1.80	4.20	-	-	6.00 2.00 - 7.00	1.608 - 2.298	6.75	7.06	7.37	99
18+50	1.80	5.00	-	-	6.80 2.00 - 7.60	1.932 - 2.682	8.11	8.48	8.85	99
18+60	1.73	5.77	-	-	7.50 2.00 - 8.30	2.382 - 2.912	10.01	10.46	10.91	99
18+71	1.62	6.38	-	-	8.00 2.00 - 8.90	2.735 - 3.065	11.49	12.01	12.53	99
20+20	2.00	2.00	-	-	4.00 2.00 - 5.60	0.859 - 1.449	3.61	3.77	3.93	99
20+22	1.90	2.10	-	-	4.00 2.00 - 5.60	0.942 - 1.482	3.96	4.14	4.32	99
20+25	1.96	2.44	-	-	4.40 2.00 - 5.70	1.015 - 1.535	4.27	4.46	4.65	99
20+35	1.96	3.44	-	-	5.40 2.00 - 6.60	1.405 - 2.055	5.90	6.17	6.44	99
20+42	1.97	4.13	-	-	6.10 2.00 - 7.10	1.695 - 2.395	7.12	7.44	7.76	99
20+50	1.97	4.93	-	-	6.90 2.00 - 7.70	2.019 - 2.789	8.48	8.87	9.26	99
20+60	1.88	5.63	-	-	7.50 2.00 - 8.50	2.479 - 2.949	10.42	10.89	11.36	99
20+71	1.74	6.16	-	-	7.90 2.00 - 8.90	2.782 - 3.102	11.69	12.22	12.75	99
22+22	2.15	2.15	-	-	4.30 2.00 - 5.60	0.956 - 1.456	4.02	4.20	4.38	99
22+25	2.20	2.50	-	-	4.70 2.00 - 5.90	1.078 - 1.638	4.52	4.73	4.94	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
22+35	2.20	3.50	-	-	5.70 2.00 - 6.70	1.478 0.590 - 2.148	6.21	6.49	6.77	99
22+42	2.20	4.20	-	-	6.40 2.00 - 7.30	1.768 0.580 - 2.488	7.42	7.76	8.10	99
22+50	2.17	4.93	-	-	7.10 2.00 - 7.90	2.102 0.580 - 2.812	8.83	9.23	9.63	99
22+60	2.07	5.63	-	-	7.70 2.00 - 8.60	2.562 0.580 - 2.972	10.76	11.25	11.74	99
22+71	1.92	6.18	-	-	8.10 2.10 - 9.00	2.805 0.580 - 3.125	11.78	12.32	12.86	99
25+25	2.50	2.50	-	-	5.00 2.00 - 6.20	1.169 0.590 - 1.779	4.91	5.13	5.35	99
25+35	2.50	3.50	-	-	6.00 2.00 - 7.00	1.608 0.590 - 2.298	6.75	7.06	7.37	99
25+42	2.50	4.20	-	-	6.70 2.00 - 7.50	1.898 0.580 - 2.638	7.98	8.34	8.70	99
25+50	2.43	4.87	-	-	7.30 2.00 - 8.10	2.242 0.580 - 2.862	9.42	9.85	10.28	99
25+60	2.29	5.51	-	-	7.80 2.00 - 8.80	2.672 0.580 - 3.022	11.22	11.73	12.24	99
25+71	2.14	6.06	-	-	8.20 2.10 - 9.00	2.865 0.580 - 3.175	12.03	12.58	13.13	99
35+35	3.50	3.50	-	-	7.00 2.00 - 7.70	1.999 0.580 - 2.769	8.40	8.78	9.16	99
35+42	3.36	4.04	-	-	7.40 2.00 - 8.30	2.338 0.580 - 2.898	9.82	10.27	10.72	99
35+50	3.21	4.59	-	-	7.80 2.00 - 8.80	2.672 0.580 - 3.022	11.22	11.73	12.24	99
35+60	2.98	5.12	-	-	8.10 2.10 - 9.00	2.862 0.580 - 3.172	12.02	12.57	13.12	99
35+71	2.81	5.69	-	-	8.50 2.10 - 9.10	3.035 0.570 - 3.265	12.75	13.33	13.91	99
42+42	3.90	3.90	-	-	7.80 2.00 - 8.80	2.639 0.580 - 2.989	11.09	11.59	12.09	99
42+50	3.70	4.40	-	-	8.10 2.10 - 9.00	2.806 0.580 - 3.126	11.78	12.32	12.86	99
42+71	3.23	5.47	-	-	8.70 2.10 - 9.20	3.146 0.560 - 3.316	13.22	13.82	14.42	99
50+50	4.15	4.15	-	-	8.30 2.10 - 9.10	2.943 0.580 - 3.233	12.36	12.92	13.48	99
50+60	3.91	4.69	-	-	8.60 2.10 - 9.20	3.106 0.570 - 3.306	13.05	13.64	14.23	99
50+71	3.68	5.22	-	-	8.90 2.10 - 9.20	3.239 0.550 - 3.349	13.60	14.22	14.84	99
60+60	4.45	4.45	-	-	8.90 2.10 - 9.20	3.233 0.550 - 3.343	13.58	14.20	14.82	99
60+71	4.12	4.88	-	-	9.00 2.10 - 9.20	3.342 0.550 - 3.412	14.04	14.68	15.32	99
71+71	4.55	4.55	-	-	9.10 2.10 - 9.20	3.466 0.550 - 3.506	14.56	15.22	15.88	99
15+15+15	1.50	1.50	1.50	-	4.50 2.90 - 6.30	0.970 0.690 - 2.320	4.07	4.26	4.45	99
15+15+18	1.41	1.41	1.69	-	4.50 2.90 - 6.90	1.079 0.690 - 2.359	4.53	4.74	4.95	99
15+15+20	1.44	1.44	1.92	-	4.80 2.90 - 7.30	1.120 0.690 - 2.350	4.71	4.92	5.13	99
15+15+22	1.41	1.41	2.07	-	4.90 2.90 - 7.70	1.167 0.690 - 2.357	4.91	5.13	5.35	99
15+15+25	1.45	1.45	2.41	-	5.30 2.90 - 8.10	1.230 0.690 - 2.350	5.17	5.40	5.63	99
15+15+35	1.45	1.45	3.39	-	6.30 2.90 - 8.10	1.480 0.690 - 2.350	6.22	6.50	6.78	99
15+15+42	1.46	1.46	4.08	*	7.00 2.90 - 8.70	1.660 0.690 - 2.620	6.97	7.29	7.61	99
15+15+50	1.41	1.41	4.69	*	7.50 2.90 - 9.00	1.884 0.690 - 2.774	7.91	8.27	8.63	99
15+15+60	1.32	1.32	5.27	-	7.90 2.90 - 9.10	2.194 0.690 - 2.804	9.22	9.64	10.06	99
15+15+71	1.23	1.23	5.83	-	8.30 2.90 - 9.20	2.517 0.690 - 2.817	10.57	11.05	11.53	99
15+18+18	1.44	1.73	1.73	-	4.90 2.90 - 7.50	1.121 0.690 - 2.331	4.71	4.92	5.13	99
15+18+20	1.47	1.77	1.96	-	5.20 2.90 - 7.90	1.181 0.690 - 2.341	4.96	5.19	5.42	99
15+18+22	1.45	1.73	2.12	-	5.30 2.90 - 8.10	1.228 0.690 - 2.348	5.16	5.39	5.62	99
15+18+25	1.47	1.77	2.46	-	5.70 2.90 - 8.10	1.291 0.690 - 2.341	5.42	5.67	5.92	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+18+35	1.48	1.77	3.45	-	6.70 2.90 - 8.30	1.541 0.690 - 2.431	6.48	6.77	7.06	99
15+18+42	1.48	1.78	4.14 *	-	7.40 2.90 - 9.00	1.731 0.690 - 2.751	7.27	7.60	7.93	99
15+18+60	1.31	1.57	5.23	-	8.10 2.90 - 9.10	2.275 0.690 - 2.795	9.56	9.99	10.42	99
15+18+71	1.23	1.47	5.80	-	8.50 2.90 - 9.20	2.598 0.690 - 2.818	10.91	11.41	11.91	99
15+20+20	1.47	1.96	1.96	-	5.40 2.90 - 8.10	1.202 0.690 - 2.322	5.05	5.28	5.51	99
15+20+22	1.42	1.89	2.08	-	5.40 2.90 - 8.10	1.285 0.690 - 2.355	5.39	5.64	5.89	99
15+20+25	1.45	1.93	2.42	-	5.80 2.90 - 8.10	1.348 0.690 - 2.348	5.66	5.92	6.18	99
15+20+35	1.46	1.94	3.40	-	6.80 2.90 - 8.50	1.608 0.690 - 2.528	6.75	7.06	7.37	99
15+20+42	1.44	1.92	4.04 *	-	7.40 2.90 - 9.00	1.798 0.690 - 2.768	7.56	7.90	8.24	99
15+20+50	1.36	1.81	4.53 *	-	7.70 2.90 - 9.10	2.042 0.690 - 2.782	8.58	8.97	9.36	99
15+20+60	1.26	1.68	5.05	-	8.00 2.90 - 9.10	2.342 0.690 - 2.812	9.84	10.29	10.74	99
15+20+71	1.19	1.58	5.63	-	8.40 2.90 - 9.20	2.645 0.690 - 2.825	11.11	11.62	12.13	99
15+22+22	1.45	2.13	2.13	-	5.70 2.90 - 8.10	1.309 0.690 - 2.329	5.50	5.75	6.00	99
15+22+25	1.48	2.16	2.46	-	6.10 2.90 - 8.10	1.391 0.690 - 2.341	5.84	6.11	6.38	99
15+22+35	1.48	2.17	3.45	-	7.10 2.90 - 8.70	1.651 0.690 - 2.611	6.93	7.25	7.57	99
15+22+42	1.42	2.09	3.99 *	-	7.50 2.90 - 9.00	1.851 0.690 - 2.761	7.78	8.13	8.48	99
15+22+50	1.34	1.97	4.48 *	-	7.80 2.90 - 9.10	2.095 0.690 - 2.785	8.80	9.20	9.60	99
15+22+60	1.27	1.86	5.07	-	8.20 2.90 - 9.10	2.395 0.690 - 2.815	10.06	10.52	10.98	99
15+22+71	1.19	1.75	5.65	-	8.60 2.90 - 9.20	2.648 0.690 - 2.828	11.12	11.63	12.14	99
15+25+25	1.48	2.46	2.46	-	6.40 2.90 - 8.10	1.452 0.690 - 2.322	6.10	6.38	6.66	99
15+25+35	1.48	2.47	3.45	-	7.40 2.90 - 9.00	1.731 0.690 - 2.751	7.27	7.60	7.93	99
15+25+42	1.41	2.35	3.94 *	-	7.70 2.90 - 9.00	1.941 0.690 - 2.771	8.15	8.52	8.89	99
15+25+50	1.33	2.22	4.44 *	-	8.00 2.90 - 9.10	2.185 0.690 - 2.795	9.18	9.60	10.02	99
15+25+60	1.25	2.08	4.98	-	8.30 2.90 - 9.20	2.495 0.690 - 2.825	10.48	10.96	11.44	99
15+25+71	1.16	1.94	5.50	-	8.60 2.90 - 9.20	2.668 0.690 - 2.838	11.21	11.72	12.23	99
15+35+35	1.38	3.21	3.21	-	7.80 2.90 - 9.10	2.022 0.690 - 2.762	8.49	8.88	9.27	99
15+35+42	1.30	3.04	3.65 *	-	8.00 2.90 - 9.10	2.251 0.690 - 2.801	9.46	9.89	10.32	99
15+35+50	1.25	2.91	4.15 *	-	8.30 2.90 - 9.20	2.495 0.690 - 2.825	10.48	10.96	11.44	99
15+35+60	1.17	2.74	4.69	-	8.60 2.90 - 9.20	2.685 0.690 - 2.855	11.28	11.79	12.30	99
15+35+71	1.09	2.55	5.16	-	8.80 2.90 - 9.20	2.738 0.690 - 2.878	11.50	12.02	12.54	99
15+42+42	1.26	3.52	3.52 *	-	8.30 2.90 - 9.20	2.452 0.690 - 2.802	10.30	10.77	11.24	99
15+42+50	1.19	3.34	3.97 *	-	8.50 2.90 - 9.20	2.649 0.690 - 2.839	11.12	11.63	12.14	99
15+42+60	1.12	3.12	4.46	-	8.70 2.90 - 9.20	2.729 0.690 - 2.879	11.47	11.99	12.51	99
15+42+71	1.04	2.92	4.94	-	8.90 2.90 - 9.20	2.792 0.690 - 2.902	11.73	12.26	12.79	99
15+50+50	1.13	3.78	3.78 *	-	8.70 2.90 - 9.20	2.696 0.690 - 2.856	11.33	11.84	12.35	99
15+50+60	1.07	3.56	4.27	-	8.90 2.90 - 9.20	2.779 0.690 - 2.909	11.67	12.20	12.73	99
15+50+71	0.98	3.27	4.65	-	8.90 2.90 - 9.20	2.872 0.690 - 2.962	12.06	12.61	13.16	99
15+60+60	0.99	3.96	3.96	-	8.90 2.90 - 9.20	2.866 0.690 - 2.966	12.04	12.59	13.14	99
18+18+18	1.77	1.77	1.77	-	5.30 2.90 - 8.10	1.155 0.690 - 2.295	4.85	5.07	5.29	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+18+20	1.80	1.80	2.00	-	5.60 2.90 - 8.10	1.242 0.690 - 2.332	5.21	5.45	5.69	99
18+18+22	1.77	1.77	2.16	-	5.70 2.90 - 8.10	1.289 0.690 - 2.339	5.41	5.66	5.91	99
18+18+25	1.80	1.80	2.50	-	6.10 2.90 - 8.10	1.362 0.690 - 2.332	5.72	5.98	6.24	99
18+18+35	1.80	1.80	3.50	-	7.10 2.90 - 8.60	1.612 0.690 - 2.562	6.77	7.08	7.39	99
18+18+42	1.75	1.75	4.09 *	-	7.60 2.90 - 9.00	1.812 0.690 - 2.752	7.61	7.96	8.31	99
18+18+50	1.65	1.65	4.59 *	-	7.90 2.90 - 9.10	2.056 0.690 - 2.766	8.64	9.03	9.42	99
18+18+60	1.56	1.56	5.19	-	8.30 2.90 - 9.10	2.356 0.690 - 2.796	9.90	10.35	10.80	99
18+18+71	1.45	1.45	5.71	-	8.60 2.90 - 9.20	2.629 0.690 - 2.819	11.05	11.55	12.05	99
18+20+20	1.80	2.00	2.00	-	5.80 2.90 - 8.10	1.263 0.690 - 2.313	5.31	5.55	5.79	99
18+20+22	1.74	1.93	2.13	-	5.80 2.90 - 8.10	1.346 0.690 - 2.346	5.65	5.91	6.17	99
18+20+25	1.77	1.97	2.46	-	6.20 2.90 - 8.10	1.419 0.690 - 2.339	5.96	6.23	6.50	99
18+20+35	1.78	1.97	3.45	-	7.20 2.90 - 8.80	1.679 0.690 - 2.659	7.05	7.37	7.69	99
18+20+42	1.71	1.90	3.99 *	-	7.60 2.90 - 9.00	1.879 0.690 - 2.769	7.89	8.25	8.61	99
18+20+50	1.62	1.80	4.49 *	-	7.90 2.90 - 9.10	2.123 0.690 - 2.783	8.91	9.32	9.73	99
18+20+60	1.51	1.67	5.02	-	8.20 2.90 - 9.20	2.433 0.690 - 2.813	10.23	10.69	11.15	99
18+20+71	1.42	1.58	5.60	-	8.60 2.90 - 9.20	2.656 0.690 - 2.836	11.15	11.66	12.17	99
18+22+22	1.77	2.16	2.16	-	6.10 2.90 - 8.10	1.370 0.690 - 2.320	5.76	6.02	6.28	99
18+22+25	1.80	2.20	2.50	-	6.50 2.90 - 8.10	1.462 0.690 - 2.332	6.14	6.42	6.70	99
18+22+35	1.80	2.20	3.50	-	7.50 2.90 - 9.00	1.722 0.690 - 2.742	7.23	7.56	7.89	99
18+22+42	1.71	2.09	4.00 *	-	7.80 2.90 - 9.00	1.932 0.690 - 2.762	8.11	8.48	8.85	99
18+22+50	1.62	1.98	4.50 *	-	8.10 2.90 - 9.10	2.176 0.690 - 2.786	9.14	9.56	9.98	99
18+22+60	1.51	1.85	5.04	-	8.40 2.90 - 9.20	2.486 0.690 - 2.816	10.45	10.92	11.39	99
18+22+71	1.41	1.72	5.56	-	8.70 2.90 - 9.20	2.659 0.690 - 2.829	11.17	11.68	12.19	99
18+25+25	1.80	2.50	2.50	-	6.80 2.90 - 8.30	1.513 0.690 - 2.403	6.35	6.64	6.93	99
18+25+35	1.75	2.44	3.41	-	7.60 2.90 - 9.00	1.812 0.690 - 2.752	7.61	7.96	8.31	99
18+25+42	1.67	2.32	3.90 *	-	7.90 2.90 - 9.10	2.032 0.690 - 2.772	8.53	8.92	9.31	99
18+25+50	1.59	2.20	4.41 *	-	8.20 2.90 - 9.10	2.266 0.690 - 2.786	9.52	9.95	10.38	99
18+25+60	1.49	2.06	4.95	-	8.50 2.90 - 9.20	2.576 0.690 - 2.816	10.82	11.31	11.80	99
18+25+71	1.39	1.93	5.48	-	8.80 2.90 - 9.20	2.679 0.690 - 2.839	11.26	11.77	12.28	99
18+35+35	1.64	3.18	3.18	-	8.00 2.90 - 9.10	2.103 0.690 - 2.763	8.84	9.24	9.64	99
18+35+42	1.55	3.02	3.63 *	-	8.20 2.90 - 9.10	2.332 0.690 - 2.802	9.79	10.24	10.69	99
18+35+50	1.49	2.89	4.13 *	-	8.50 2.90 - 9.20	2.576 0.690 - 2.816	10.82	11.31	11.80	99
18+35+60	1.40	2.73	4.67	-	8.80 2.90 - 9.20	2.696 0.690 - 2.856	11.33	11.84	12.35	99
18+35+71	1.31	2.54	5.15	-	9.00 2.90 - 9.20	2.759 0.690 - 2.879	11.59	12.12	12.65	99
18+42+42	1.50	3.50	3.50 *	-	8.50 2.90 - 9.20	2.533 0.690 - 2.803	10.64	11.12	11.60	99
18+42+50	1.42	3.32	3.95 *	-	8.70 2.90 - 9.20	2.670 0.690 - 2.840	11.22	11.73	12.24	99
18+42+60	1.34	3.12	4.45	-	8.90 2.90 - 9.20	2.740 0.690 - 2.880	11.51	12.03	12.55	99
18+42+71	1.24	2.89	4.88	-	9.00 2.90 - 9.20	2.813 0.690 - 2.923	11.81	12.35	12.89	99
18+50+50	1.34	3.73	3.73 *	-	8.80 2.90 - 9.20	2.707 0.690 - 2.857	11.37	11.89	12.41	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+50+60	1.27	3.52	4.22	-	9.00 2.90 - 9.20	2.800 0.690 - 2.910	11.77	12.30	12.83	99
18+50+71	1.17	3.24	4.60	-	9.00 2.90 - 9.20	2.893 0.690 - 2.983	12.16	12.71	13.26	99
18+60+60	1.17	3.91	3.91	-	9.00 2.90 - 9.20	2.887 0.690 - 2.977	12.13	12.68	13.23	99
20+20+20	2.00	2.00	2.00	-	6.00 2.90 - 8.10	1.286 0.690 - 2.286	5.40	5.65	5.90	99
20+20+22	1.90	1.90	2.09	-	5.90 2.90 - 8.10	1.403 0.690 - 2.353	5.89	6.16	6.43	99
20+20+25	1.94	1.94	2.42	-	6.30 2.90 - 8.10	1.476 0.690 - 2.346	6.20	6.48	6.76	99
20+20+35	1.95	1.95	3.41	-	7.30 2.90 - 9.00	1.736 0.690 - 2.756	7.29	7.62	7.95	99
20+20+42	1.85	1.85	3.89 *	-	7.60 2.90 - 9.00	1.946 0.690 - 2.776	8.18	8.55	8.92	99
20+20+50	1.76	1.76	4.39 *	-	7.90 2.90 - 9.10	2.190 0.690 - 2.800	9.20	9.62	10.04	99
20+20+60	1.64	1.64	4.92	-	8.20 2.90 - 9.20	2.500 0.690 - 2.830	10.50	10.98	11.46	99
20+20+71	1.53	1.53	5.44	-	8.50 2.90 - 9.20	2.673 0.690 - 2.843	11.23	11.74	12.25	99
20+22+22	1.94	2.13	2.13	-	6.20 2.90 - 8.10	1.427 0.690 - 2.327	6.00	6.27	6.54	99
20+22+25	1.97	2.17	2.46	-	6.60 2.90 - 8.20	1.519 0.690 - 2.389	6.38	6.67	6.96	99
20+22+35	1.95	2.14	3.41	-	7.50 2.90 - 9.00	1.789 0.690 - 2.759	7.52	7.86	8.20	99
20+22+42	1.83	2.02	3.85 *	-	7.70 2.90 - 9.10	2.009 0.690 - 2.779	8.44	8.82	9.20	99
20+22+50	1.74	1.91	4.35 *	-	8.00 2.90 - 9.10	2.243 0.690 - 2.793	9.42	9.85	10.28	99
20+22+60	1.65	1.81	4.94	-	8.40 2.90 - 9.20	2.553 0.690 - 2.823	10.72	11.21	11.70	99
20+22+71	1.54	1.69	5.47	-	8.70 2.90 - 9.20	2.686 0.690 - 2.846	11.29	11.80	12.31	99
20+25+25	1.97	2.46	2.46	-	6.90 2.90 - 8.50	1.580 0.690 - 2.500	6.64	6.94	7.24	99
20+25+35	1.90	2.38	3.33	-	7.60 2.90 - 9.00	1.879 0.690 - 2.769	7.89	8.25	8.61	99
20+25+42	1.79	2.24	3.77 *	-	7.80 2.90 - 9.10	2.099 0.690 - 2.789	8.82	9.22	9.62	99
20+25+50	1.71	2.13	4.26 *	-	8.10 2.90 - 9.10	2.333 0.690 - 2.803	9.80	10.25	10.70	99
20+25+60	1.62	2.02	4.86	-	8.50 2.90 - 9.20	2.643 0.690 - 2.833	11.11	11.61	12.11	99
20+25+71	1.50	1.88	5.33	-	8.70 2.90 - 9.20	2.706 0.690 - 2.856	11.36	11.88	12.40	99
20+35+35	1.78	3.11	3.11	-	8.00 2.90 - 9.10	2.170 0.690 - 2.780	9.12	9.53	9.94	99
20+35+42	1.69	2.96	3.55 *	-	8.20 2.90 - 9.10	2.399 0.690 - 2.819	10.08	10.54	11.00	99
20+35+50	1.62	2.83	4.05 *	-	8.50 2.90 - 9.20	2.643 0.690 - 2.833	11.11	11.61	12.11	99
20+35+60	1.51	2.65	4.54	-	8.70 2.90 - 9.20	2.713 0.690 - 2.873	11.39	11.91	12.43	99
20+35+71	1.41	2.47	5.02	-	8.90 2.90 - 9.20	2.776 0.690 - 2.896	11.66	12.19	12.72	99
20+42+42	1.63	3.43	3.43 *	-	8.50 2.90 - 9.20	2.600 0.690 - 2.820	10.92	11.42	11.92	99
20+42+50	1.54	3.23	3.84 *	-	8.60 2.90 - 9.20	2.687 0.690 - 2.857	11.29	11.80	12.31	99
20+42+60	1.44	3.03	4.33	-	8.80 2.90 - 9.20	2.757 0.690 - 2.887	11.58	12.11	12.64	99
20+42+71	1.34	2.81	4.75	-	8.90 2.90 - 9.20	2.840 0.690 - 2.940	11.93	12.47	13.01	99
20+50+50	1.47	3.67	3.67 *	-	8.80 2.90 - 9.20	2.734 0.690 - 2.874	11.49	12.01	12.53	99
20+50+60	1.37	3.42	4.11	-	8.90 2.90 - 9.20	2.827 0.690 - 2.937	11.88	12.42	12.96	99
20+50+71	1.26	3.16	4.48	-	8.90 2.90 - 9.20	2.920 0.690 - 3.000	12.26	12.82	13.38	99
20+60+60	1.27	3.81	3.81	-	8.90 2.90 - 9.20	2.914 0.690 - 2.994	12.24	12.80	13.36	99
22+22+22	2.17	2.17	2.17	-	6.50 2.90 - 8.10	1.443 0.690 - 2.293	6.06	6.34	6.62	99
22+22+25	2.20	2.20	2.50	-	6.90 2.90 - 8.40	1.562 0.690 - 2.472	6.56	6.86	7.16	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
22+22+35	2.12	2.12	3.37	-	7.60 2.90 - 9.00	1.842 0.690 - 2.752	7.74	8.09	8.44	99
22+22+42	2.02	2.02	3.86 *	-	7.90 2.90 - 9.10	2.062 0.690 - 2.772	8.67	9.06	9.45	99
22+22+50	1.92	1.92	4.36 *	-	8.20 2.90 - 9.10	2.296 0.690 - 2.796	9.64	10.08	10.52	99
22+22+60	1.82	1.82	4.96	-	8.60 2.90 - 9.20	2.606 0.690 - 2.826	10.94	11.44	11.94	99
22+22+71	1.68	1.68	5.43	-	8.80 2.90 - 9.20	2.689 0.690 - 2.849	11.30	11.81	12.32	99
22+25+25	2.20	2.50	2.50	-	7.20 2.90 - 8.70	1.623 0.690 - 2.583	6.82	7.13	7.44	99
22+25+35	2.09	2.38	3.33	-	7.80 2.90 - 9.00	1.932 0.690 - 2.762	8.11	8.48	8.85	99
22+25+42	1.98	2.25	3.78 *	-	8.00 2.90 - 9.10	2.152 0.690 - 2.782	9.04	9.45	9.86	99
22+25+50	1.88	2.14	4.28 *	-	8.30 2.90 - 9.10	2.386 0.690 - 2.806	10.02	10.48	10.94	99
22+25+60	1.77	2.01	4.82	-	8.60 2.90 - 9.20	2.646 0.690 - 2.836	11.11	11.62	12.13	99
22+25+71	1.64	1.86	5.29	-	8.80 2.90 - 9.20	2.709 0.690 - 2.859	11.38	11.90	12.42	99
22+35+35	1.94	3.08	3.08	-	8.10 2.90 - 9.10	2.223 0.690 - 2.773	9.34	9.76	10.18	99
22+35+42	1.87	2.97	3.56 *	-	8.40 2.90 - 9.20	2.462 0.690 - 2.812	10.34	10.81	11.28	99
22+35+50	1.77	2.81	4.02 *	-	8.60 2.90 - 9.20	2.646 0.690 - 2.836	11.11	11.62	12.13	99
22+35+60	1.65	2.63	4.51	-	8.80 2.90 - 9.20	2.726 0.690 - 2.876	11.45	11.97	12.49	99
22+35+71	1.55	2.46	4.99	-	9.00 2.90 - 9.20	2.789 0.690 - 2.899	11.72	12.25	12.78	99
22+42+42	1.78	3.41	3.41 *	-	8.60 2.90 - 9.20	2.633 0.690 - 2.813	11.06	11.56	12.06	99
22+42+50	1.70	3.24	3.86 *	-	8.80 2.90 - 9.20	2.690 0.690 - 2.850	11.30	11.81	12.32	99
22+42+60	1.60	3.05	4.35	-	9.00 2.90 - 9.20	2.770 0.690 - 2.890	11.64	12.17	12.70	99
22+42+71	1.47	2.80	4.73	-	9.00 2.90 - 9.20	2.853 0.690 - 2.953	11.99	12.53	13.07	99
22+50+50	1.60	3.65	3.65 *	-	8.90 2.90 - 9.20	2.737 0.690 - 2.867	11.50	12.02	12.54	99
22+50+60	1.50	3.41	4.09	-	9.00 2.90 - 9.20	2.840 0.690 - 2.940	11.93	12.47	13.01	99
22+50+71	1.38	3.15	4.47	-	9.00 2.90 - 9.20	2.933 0.690 - 3.013	12.32	12.88	13.44	99
22+60+60	1.39	3.80	3.80	-	9.00 2.90 - 9.20	2.927 0.690 - 3.007	12.29	12.85	13.41	99
25+25+25	2.50	2.50	2.50	-	7.50 2.90 - 9.00	1.676 0.690 - 2.696	7.04	7.36	7.68	99
25+25+35	2.32	2.32	3.25	-	7.90 2.90 - 9.10	2.032 0.690 - 2.772	8.53	8.92	9.31	99
25+25+42	2.20	2.20	3.70 *	-	8.10 2.90 - 9.10	2.242 0.690 - 2.792	9.42	9.85	10.28	99
25+25+50	2.10	2.10	4.20 *	-	8.40 2.90 - 9.20	2.486 0.690 - 2.816	10.45	10.92	11.39	99
25+25+60	1.98	1.98	4.75	-	8.70 2.90 - 9.20	2.676 0.690 - 2.846	11.24	11.75	12.26	99
25+25+71	1.84	1.84	5.22	-	8.90 2.90 - 9.20	2.729 0.690 - 2.869	11.47	11.99	12.51	99
25+35+35	2.16	3.02	3.02	-	8.20 2.90 - 9.10	2.313 0.690 - 2.783	9.72	10.16	10.60	99
25+35+42	2.08	2.92	3.50 *	-	8.50 2.90 - 9.20	2.552 0.690 - 2.822	10.72	11.21	11.70	99
25+35+50	1.98	2.77	3.95 *	-	8.70 2.90 - 9.20	2.676 0.690 - 2.846	11.24	11.75	12.26	99
25+35+60	1.85	2.60	4.45	-	8.90 2.90 - 9.20	2.746 0.690 - 2.886	11.54	12.06	12.58	99
25+35+71	1.72	2.40	4.88	-	9.00 2.90 - 9.20	2.819 0.690 - 2.929	11.84	12.38	12.92	99
25+42+42	2.00	3.35	3.35 *	-	8.70 2.90 - 9.20	2.653 0.690 - 2.833	11.14	11.65	12.16	99
25+42+50	1.88	3.16	3.76 *	-	8.80 2.90 - 9.20	2.720 0.690 - 2.870	11.43	11.95	12.47	99
25+42+60	1.77	2.98	4.25	-	9.00 2.90 - 9.20	2.790 0.690 - 2.910	11.72	12.25	12.78	99
25+42+71	1.63	2.74	4.63	-	9.00 2.90 - 9.20	2.883 0.690 - 2.973	12.11	12.66	13.21	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
25+50+50	1.80	3.60	3.60 *	-	9.00 2.90 - 9.20	2.757 0.690 - 2.887	11.58	12.11	12.64	99
25+50+60	1.67	3.33	4.00	-	9.00 2.90 - 9.20	2.870 0.690 - 2.970	12.05	12.60	13.15	99
25+60+60	1.55	3.72	3.72	-	9.00 2.90 - 9.20	2.953 0.690 - 3.023	12.41	12.97	13.53	99
35+35+35	2.87	2.87	2.87	-	8.60 2.90 - 9.20	2.596 0.690 - 2.786	10.90	11.40	11.90	99
35+35+42	2.72	2.72	3.26 *	-	8.70 2.90 - 9.20	2.692 0.690 - 2.862	11.31	11.82	12.33	99
35+35+50	2.60	2.60	3.71 *	-	8.90 2.90 - 9.20	2.746 0.690 - 2.886	11.54	12.06	12.58	99
35+35+60	2.42	2.42	4.15	-	9.00 2.90 - 9.20	2.826 0.690 - 2.936	11.87	12.41	12.95	99
35+35+71	2.23	2.23	4.53	-	9.00 2.90 - 9.20	2.919 0.690 - 2.999	12.26	12.82	13.38	99
35+42+42	2.62	3.14	3.14 *	-	8.90 2.90 - 9.20	2.723 0.690 - 2.863	11.44	11.96	12.48	99
35+42+50	2.48	2.98	3.54 *	-	9.00 2.90 - 9.20	2.790 0.690 - 2.910	11.72	12.25	12.78	99
35+42+60	2.30	2.76	3.94	-	9.00 2.90 - 9.20	2.890 0.690 - 2.980	12.14	12.69	13.24	99
35+50+50	2.33	3.33	3.33 *	-	9.00 2.90 - 9.20	2.853 0.690 - 2.953	11.99	12.53	13.07	99
35+50+60	2.17	3.10	3.72	-	9.00 2.90 - 9.20	2.970 0.690 - 3.040	12.47	13.04	13.61	99
42+42+42	3.00	3.00	3.00 *	-	9.00 2.90 - 9.20	2.763 0.690 - 2.883	11.60	12.13	12.66	99
42+42+50	2.82	2.82	3.36 *	-	9.00 2.90 - 9.20	2.854 0.690 - 2.954	11.99	12.53	13.07	99
42+42+60	2.63	2.63	3.75	-	9.00 2.90 - 9.20	2.954 0.690 - 3.024	12.41	12.97	13.53	99
42+50+50	2.66	3.17	3.17 *	-	9.00 2.90 - 9.20	2.917 0.690 - 2.997	12.25	12.81	13.37	99
15+15+15+15	1.50	1.50	1.50	1.50	6.00 3.70 - 7.20	1.324 0.660 - 2.944	5.56	5.81	6.06	99
15+15+15+18	1.40	1.40	1.40	1.69	5.90 3.70 - 7.70	1.422 0.660 - 3.242	5.98	6.25	6.52	99
15+15+15+20	1.43	1.43	1.43	1.91	6.20 3.70 - 8.00	1.463 0.660 - 3.413	6.15	6.43	6.71	99
15+15+15+22	1.41	1.41	1.41	2.07	6.30 3.70 - 8.40	1.520 0.660 - 3.600	6.39	6.68	6.97	99
15+15+15+25	1.44	1.44	1.44	2.39	6.70 3.70 - 8.90	1.583 0.660 - 3.863	6.65	6.95	7.25	99
15+15+15+35	1.44	1.44	1.44	3.37	7.70 3.70 - 9.20	1.823 0.660 - 4.043	7.66	8.01	8.36	99
15+15+15+42	1.45	1.45	1.45	4.06 *	8.40 3.70 - 9.20	1.993 0.660 - 4.043	8.37	8.75	9.13	99
15+15+15+50	1.07	1.07	1.07	3.58 *	6.80 3.70 - 9.20	1.597 0.660 - 4.037	6.71	7.01	7.31	99
15+15+15+60	1.20	1.20	1.20	4.80	8.40 3.70 - 9.20	2.177 0.660 - 4.037	9.14	9.56	9.98	99
15+15+15+71	1.11	1.11	1.11	5.26	8.60 3.70 - 9.20	2.640 0.660 - 4.020	11.09	11.59	12.09	99
15+15+18+18	1.43	1.43	1.72	1.72	6.30 3.70 - 8.20	1.474 0.660 - 3.484	6.19	6.47	6.75	99
15+15+18+20	1.46	1.46	1.75	1.94	6.60 3.70 - 8.50	1.524 0.660 - 3.674	6.40	6.69	6.98	99
15+15+18+22	1.44	1.44	1.72	2.11	6.70 3.70 - 8.90	1.581 0.660 - 3.861	6.64	6.94	7.24	99
15+15+18+25	1.46	1.46	1.75	2.43	7.10 3.70 - 9.20	1.644 0.660 - 4.034	6.91	7.22	7.53	99
15+15+18+42	1.17	1.17	1.40	3.27 *	7.00 3.70 - 9.20	1.614 0.660 - 4.034	6.78	7.09	7.40	99
15+15+18+50	1.04	1.04	1.25	3.47 *	6.80 3.70 - 9.20	1.578 0.660 - 4.028	6.63	6.93	7.23	99
15+15+18+60	1.19	1.19	1.43	4.78	8.60 3.70 - 9.20	2.298 0.660 - 4.028	9.65	10.09	10.53	99
15+15+18+71	1.11	1.11	1.33	5.25	8.80 3.70 - 9.20	2.761 0.660 - 4.011	11.60	12.13	12.66	99
15+15+20+20	1.46	1.46	1.94	1.94	6.80 3.70 - 8.90	1.555 0.660 - 3.835	6.53	6.83	7.13	99
15+15+20+22	1.42	1.42	1.89	2.08	6.80 3.70 - 9.20	1.638 0.660 - 4.048	6.88	7.19	7.50	99
15+15+20+25	1.44	1.44	1.92	2.40	7.20 3.70 - 9.20	1.701 0.660 - 4.041	7.15	7.47	7.79	99
15+15+20+35	1.45	1.45	1.93	3.38	8.20 3.70 - 9.20	1.941 0.660 - 4.041	8.15	8.52	8.89	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240		
15+15+20+42	1.11	1.11	1.48	3.10 *	6.80 3.70 - 9.20	1.611 - 4.041	0.660	6.77	7.08	7.39	99
15+15+20+50	1.25	1.25	1.66	4.15 *	8.30 3.70 - 9.20	1.955 - 4.035	0.660	8.22	8.59	8.96	99
15+15+20+60	1.16	1.16	1.55	4.64	8.50 3.70 - 9.20	2.395 - 4.035	0.660	10.06	10.52	10.98	99
15+15+20+71	1.08	1.08	1.44	5.10	8.70 3.70 - 9.20	2.808 - 4.018	0.660	11.79	12.33	12.87	99
15+15+22+22	1.44	1.44	2.11	2.11	7.10 3.70 - 9.20	1.662 - 4.022	0.660	6.98	7.30	7.62	99
15+15+22+25	1.46	1.46	2.14	2.44	7.50 3.70 - 9.20	1.744 - 4.034	0.660	7.33	7.66	7.99	99
15+15+22+35	1.47	1.47	2.15	3.42	8.50 3.70 - 9.20	1.984 - 4.034	0.660	8.33	8.71	9.09	99
15+15+22+42	1.10	1.10	1.61	3.08 *	6.90 3.70 - 9.20	1.604 - 4.034	0.660	6.73	7.04	7.35	99
15+15+22+50	1.24	1.24	1.81	4.12 *	8.40 3.70 - 9.20	2.038 - 4.028	0.660	8.56	8.95	9.34	99
15+15+22+60	1.15	1.15	1.69	4.61	8.60 3.70 - 9.20	2.468 - 4.028	0.660	10.37	10.84	11.31	99
15+15+22+71	1.07	1.07	1.57	5.08	8.80 3.70 - 9.20	2.801 - 4.011	0.660	11.77	12.30	12.83	99
15+15+25+25	1.46	1.46	2.44	2.44	7.80 3.70 - 9.20	1.795 - 4.015	0.660	7.54	7.88	8.22	99
15+15+25+35	1.17	1.17	1.94	2.72	7.00 3.70 - 9.20	1.614 - 4.034	0.660	6.78	7.09	7.40	99
15+15+25+42	1.07	1.07	1.78	2.99 *	6.90 3.70 - 9.20	1.584 - 4.034	0.660	6.66	6.96	7.26	99
15+15+25+50	1.21	1.21	2.02	4.05 *	8.50 3.70 - 9.20	2.168 - 4.028	0.660	9.11	9.52	9.93	99
15+15+25+60	1.13	1.13	1.89	4.54	8.70 3.70 - 9.20	2.598 - 4.028	0.660	10.91	11.41	11.91	99
15+15+25+71	1.05	1.05	1.75	4.96	8.80 3.70 - 9.20	2.801 - 4.011	0.660	11.77	12.30	12.83	99
15+15+35+35	1.26	1.26	2.94	2.94	8.40 3.70 - 9.20	1.935 - 4.015	0.660	8.13	8.50	8.87	99
15+15+35+42	1.19	1.19	2.78	3.34 *	8.50 3.70 - 9.20	2.254 - 4.034	0.660	9.47	9.90	10.33	99
15+15+35+50	1.13	1.13	2.65	3.78 *	8.70 3.70 - 9.20	2.598 - 4.028	0.660	10.91	11.41	11.91	99
15+15+35+60	1.06	1.06	2.46	4.22	8.80 3.70 - 9.20	2.818 - 4.028	0.660	11.84	12.38	12.92	99
15+15+35+71	0.97	0.97	2.26	4.59	8.80 3.70 - 9.20	2.801 - 4.011	0.660	11.77	12.30	12.83	99
15+15+42+42	1.14	1.14	3.21 *	3.21 *	8.70 3.70 - 9.20	2.545 - 4.015	0.660	10.69	11.18	11.67	99
15+15+42+50	1.08	1.08	3.03 *	3.61 *	8.80 3.70 - 9.20	2.812 - 4.022	0.660	11.81	12.35	12.89	99
15+15+42+60	1.00	1.00	2.80 *	4.00	8.80 3.70 - 9.20	2.812 - 4.022	0.660	11.81	12.35	12.89	99
15+15+42+71	0.92	0.92	2.58 *	4.37	8.80 3.70 - 9.20	2.795 - 4.005	0.660	11.74	12.27	12.80	99
15+15+50+50	1.02	1.02	3.38 *	3.38 *	8.80 3.70 - 9.20	2.799 - 4.009	0.660	11.76	12.29	12.82	99
15+15+50+60	0.94	0.94	3.14 *	3.77	8.80 3.70 - 9.20	2.812 - 4.022	0.660	11.81	12.35	12.89	99
15+18+18+18	1.46	1.75	1.75	1.75	6.70 3.70 - 8.70	1.525 - 3.735	0.660	6.41	6.70	6.99	99
15+18+18+20	1.48	1.77	1.77	1.97	7.00 3.70 - 9.00	1.595 - 3.935	0.660	6.70	7.00	7.30	99
15+18+18+22	1.46	1.75	1.75	2.14	7.10 3.70 - 9.20	1.642 - 4.032	0.660	6.90	7.21	7.52	99
15+18+18+25	1.48	1.78	1.78	2.47	7.50 3.70 - 9.20	1.715 - 4.025	0.660	7.20	7.53	7.86	99
15+18+18+35	1.48	1.78	1.78	3.46	8.50 3.70 - 9.20	1.945 - 4.025	0.660	8.17	8.54	8.91	99
15+18+18+42	1.13	1.35	1.35	3.16 *	7.00 3.70 - 9.20	1.595 - 4.025	0.660	6.70	7.00	7.30	99
15+18+18+50	1.26	1.51	1.51	4.21 *	8.50 3.70 - 9.20	1.979 - 4.019	0.660	8.31	8.69	9.07	99
15+18+18+60	1.18	1.41	1.41	4.70	8.70 3.70 - 9.20	2.419 - 4.019	0.660	10.16	10.62	11.08	99
15+18+18+71	1.09	1.31	1.31	5.18	8.90 3.70 - 9.20	2.792 - 4.002	0.660	11.73	12.26	12.79	99
15+18+20+20	1.48	1.78	1.97	1.97	7.20 3.70 - 9.20	1.616 - 4.006	0.660	6.79	7.10	7.41	99
15+18+20+22	1.44	1.73	1.92	2.11	7.20 3.70 - 9.20	1.699 - 4.039	0.660	7.14	7.46	7.78	99



**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+18+20+25	1.46	1.75	1.95	2.44	7.60 3.70 - 9.20	1.762 0.660 - 4.032	7.40	7.74	8.08	99
15+18+20+35	1.47	1.76	1.95	3.42	8.60 3.70 - 9.20	2.002 0.660 - 4.032	8.41	8.79	9.17	99
15+18+20+42	1.09	1.31	1.45	3.05 *	6.90 3.70 - 9.20	1.592 0.660 - 4.032	6.69	6.99	7.29	99
15+18+20+50	1.24	1.49	1.65	4.13 *	8.50 3.70 - 9.20	2.076 0.660 - 4.026	8.72	9.12	9.52	99
15+18+20+60	1.15	1.39	1.54	4.62	8.70 3.70 - 9.20	2.516 0.660 - 4.026	10.57	11.05	11.53	99
15+18+20+71	1.06	1.28	1.42	5.04	8.80 3.70 - 9.20	2.799 0.660 - 4.009	11.76	12.29	12.82	99
15+18+22+22	1.46	1.75	2.14	2.14	7.50 3.70 - 9.20	1.723 0.660 - 4.013	7.24	7.57	7.90	99
15+18+22+25	1.48	1.78	2.17	2.47	7.90 3.70 - 9.20	1.805 0.660 - 4.025	7.59	7.93	8.27	99
15+18+22+35	1.18	1.42	1.74	2.76	7.10 3.70 - 9.20	1.605 0.660 - 4.025	6.74	7.05	7.36	99
15+18+22+42	1.08	1.30	1.59	3.03 *	7.00 3.70 - 9.20	1.575 0.660 - 4.025	6.62	6.92	7.22	99
15+18+22+50	1.23	1.47	1.80	4.10 *	8.60 3.70 - 9.20	2.159 0.660 - 4.019	9.07	9.48	9.89	99
15+18+22+60	1.15	1.38	1.68	4.59	8.80 3.70 - 9.20	2.589 0.660 - 4.019	10.88	11.37	11.86	99
15+18+22+71	1.06	1.27	1.55	5.02	8.90 3.70 - 9.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+18+25+35	1.13	1.35	1.88	2.63	7.00 3.70 - 9.20	1.576 0.660 - 4.006	6.62	6.92	7.22	99
15+18+25+42	1.28	1.53	2.13	3.57 *	8.50 3.70 - 9.20	1.945 0.660 - 4.025	8.17	8.54	8.91	99
15+18+25+50	1.21	1.45	2.01	4.03 *	8.70 3.70 - 9.20	2.289 0.660 - 4.019	9.61	10.05	10.49	99
15+18+25+60	1.13	1.36	1.89	4.53	8.90 3.70 - 9.20	2.719 0.660 - 4.019	11.42	11.94	12.46	99
15+18+25+71	1.03	1.24	1.72	4.90	8.90 3.70 - 9.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+18+35+35	1.25	1.50	2.92	2.92	8.60 3.70 - 9.20	2.056 0.660 - 4.006	8.64	9.03	9.42	99
15+18+35+42	1.19	1.42	2.77	3.32 *	8.70 3.70 - 9.20	2.385 0.660 - 4.025	10.01	10.47	10.93	99
15+18+35+50	1.13	1.36	2.64	3.77 *	8.90 3.70 - 9.20	2.719 0.660 - 4.019	11.42	11.94	12.46	99
15+18+35+60	1.04	1.25	2.43	4.17	8.90 3.70 - 9.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+18+35+71	0.96	1.15	2.24	4.55	8.90 3.70 - 9.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+18+42+42	1.13	1.35	3.16 *	3.16 *	8.80 3.70 - 9.20	2.666 0.660 - 4.006	11.20	11.71	12.22	99
15+18+42+50	1.07	1.28	2.99 *	3.56 *	8.90 3.70 - 9.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+18+42+60	0.99	1.19	2.77 *	3.96	8.90 3.70 - 9.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+18+50+50	1.00	1.20	3.35 *	3.35 *	8.90 3.70 - 9.20	2.786 0.660 - 3.996	11.71	12.24	12.77	99
15+18+50+60	0.93	1.12	3.11 *	3.73	8.90 3.70 - 9.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+20+20+20	1.48	1.97	1.97	1.97	7.40 3.70 - 9.20	1.656 0.660 - 3.996	6.95	7.27	7.59	99
15+20+20+22	1.42	1.90	1.90	2.09	7.30 3.70 - 9.20	1.756 0.660 - 4.046	7.37	7.71	8.05	99
15+20+20+25	1.44	1.93	1.93	2.41	7.70 3.70 - 9.20	1.819 0.660 - 4.039	7.64	7.99	8.34	99
15+20+20+35	1.15	1.53	1.53	2.68	6.90 3.70 - 9.20	1.619 0.660 - 4.039	6.80	7.11	7.42	99
15+20+20+42	1.05	1.40	1.40	2.94 *	6.80 3.70 - 9.20	1.589 0.660 - 4.039	6.68	6.98	7.28	99
15+20+20+50	1.20	1.60	1.60	4.00 *	8.40 3.70 - 9.20	2.173 0.660 - 4.033	9.13	9.54	9.95	99
15+20+20+60	1.12	1.50	1.50	4.49	8.60 3.70 - 9.20	2.603 0.660 - 4.033	10.93	11.43	11.93	99
15+20+20+71	1.04	1.38	1.38	4.90	8.70 3.70 - 9.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
15+20+22+22	1.44	1.92	2.12	2.12	7.60 3.70 - 9.20	1.780 0.660 - 4.020	7.48	7.82	8.16	99
15+20+22+25	1.46	1.95	2.15	2.44	8.00 3.70 - 9.20	1.862 0.660 - 4.032	7.82	8.18	8.54	99
15+20+22+35	1.13	1.50	1.65	2.63	6.90 3.70 - 9.20	1.602 0.660 - 4.032	6.73	7.04	7.35	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+20+22+42	1.03	1.37	1.51	2.88 *	6.80 3.70 - 9.20	1.572 0.660 - 4.032	6.60	6.90	7.20	99
15+20+22+50	1.19	1.59	1.75	3.97 *	8.50 3.70 - 9.20	2.246 0.660 - 4.026	9.43	9.86	10.29	99
15+20+22+60	1.12	1.49	1.64	4.46	8.70 3.70 - 9.20	2.686 0.660 - 4.026	11.29	11.80	12.31	99
15+20+22+71	1.03	1.38	1.51	4.88	8.80 3.70 - 9.20	2.799 0.660 - 4.009	11.76	12.29	12.82	99
15+20+25+25	1.46	1.95	2.44	2.44	8.30 3.70 - 9.20	1.913 0.660 - 4.013	8.03	8.40	8.77	99
15+20+25+35	1.09	1.45	1.82	2.54	6.90 3.70 - 9.20	1.592 0.660 - 4.032	6.69	6.99	7.29	99
15+20+25+42	1.24	1.65	2.06	3.46 *	8.40 3.70 - 9.20	2.042 0.660 - 4.032	8.58	8.97	9.36	99
15+20+25+50	1.17	1.56	1.95	3.91 *	8.60 3.70 - 9.20	2.386 0.660 - 4.026	10.02	10.48	10.94	99
15+20+25+60	1.10	1.47	1.83	4.40	8.80 3.70 - 9.20	2.816 0.660 - 4.026	11.83	12.37	12.91	99
15+20+25+71	1.01	1.34	1.68	4.77	8.80 3.70 - 9.20	2.799 0.660 - 4.009	11.76	12.29	12.82	99
15+20+35+35	1.21	1.62	2.83	2.83	8.50 3.70 - 9.20	2.153 0.660 - 4.013	9.05	9.46	9.87	99
15+20+35+42	1.15	1.54	2.69	3.23 *	8.60 3.70 - 9.20	2.472 0.660 - 4.032	10.39	10.86	11.33	99
15+20+35+50	1.10	1.47	2.57	3.67 *	8.80 3.70 - 9.20	2.816 0.660 - 4.026	11.83	12.37	12.91	99
15+20+35+60	1.02	1.35	2.37	4.06	8.80 3.70 - 9.20	2.816 0.660 - 4.026	11.83	12.37	12.91	99
15+20+35+71	0.94	1.25	2.18	4.43	8.80 3.70 - 9.20	2.799 0.660 - 4.009	11.76	12.29	12.82	99
15+20+42+42	1.11	1.48	3.11 *	3.11 *	8.80 3.70 - 9.20	2.763 0.660 - 4.013	11.60	12.13	12.66	99
15+20+42+50	1.04	1.39	2.91 *	3.46 *	8.80 3.70 - 9.20	2.810 0.660 - 4.020	11.80	12.34	12.88	99
15+20+42+60	0.96	1.28	2.70 *	3.85	8.80 3.70 - 9.20	2.810 0.660 - 4.020	11.80	12.34	12.88	99
15+20+50+50	0.98	1.30	3.26 *	3.26 *	8.80 3.70 - 9.20	2.793 0.660 - 4.003	11.74	12.27	12.80	99
15+20+50+60	0.91	1.21	3.03 *	3.64	8.80 3.70 - 9.20	2.810 0.660 - 4.020	11.80	12.34	12.88	99
15+22+22+22	1.46	2.15	2.15	2.15	7.90 3.70 - 9.20	1.803 0.660 - 4.003	7.58	7.92	8.26	99
15+22+22+25	1.48	2.17	2.17	2.47	8.30 3.70 - 9.20	1.905 0.660 - 4.025	8.01	8.37	8.73	99
15+22+22+35	1.12	1.64	1.64	2.61	7.00 3.70 - 9.20	1.595 0.660 - 4.025	6.70	7.00	7.30	99
15+22+22+42	1.26	1.85	1.85	3.53 *	8.50 3.70 - 9.20	1.985 0.660 - 4.025	8.34	8.72	9.10	99
15+22+22+50	1.20	1.76	1.76	3.99 *	8.70 3.70 - 9.20	2.329 0.660 - 4.019	9.79	10.23	10.67	99
15+22+22+60	1.12	1.65	1.65	4.49	8.90 3.70 - 9.20	2.769 0.660 - 4.019	11.63	12.16	12.69	99
15+22+22+71	1.03	1.51	1.51	4.86	8.90 3.70 - 9.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+22+25+25	1.48	2.17	2.47	2.47	8.60 3.70 - 9.20	1.956 0.660 - 4.006	8.22	8.59	8.96	99
15+22+25+35	1.08	1.59	1.80	2.53	7.00 3.70 - 9.20	1.575 0.660 - 4.025	6.62	6.92	7.22	99
15+22+25+42	1.24	1.82	2.07	3.47 *	8.60 3.70 - 9.20	2.115 0.660 - 4.025	8.89	9.29	9.69	99
15+22+25+50	1.17	1.71	1.94	3.88 *	8.70 3.70 - 9.20	2.459 0.660 - 4.019	10.33	10.80	11.27	99
15+22+25+60	1.09	1.60	1.82	4.38	8.90 3.70 - 9.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+22+25+71	1.00	1.47	1.67	4.75	8.90 3.70 - 9.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+22+35+35	1.21	1.77	2.81	2.81	8.60 3.70 - 9.20	2.226 0.660 - 4.006	9.35	9.78	10.21	99
15+22+35+42	1.16	1.70	2.70	3.24 *	8.80 3.70 - 9.20	2.555 0.660 - 4.025	10.73	11.22	11.71	99
15+22+35+50	1.09	1.60	2.55	3.65 *	8.90 3.70 - 9.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+22+35+60	1.01	1.48	2.36	4.05	8.90 3.70 - 9.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+22+35+71	0.93	1.37	2.18	4.42	8.90 3.70 - 9.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+22+42+42	1.10	1.62	3.09 *	3.09 *	8.90 3.70 - 9.20	2.796 0.660 - 4.006	11.75	12.28	12.81	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+22+42+50	1.03	1.52	2.90 *	3.45 *	8.90 3.70 - 9.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+22+42+60	0.96	1.41	2.69 *	3.84	8.90 3.70 - 9.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+22+50+50	0.97	1.43	3.25 *	3.25 *	8.90 3.70 - 9.20	2.786 0.660 - 3.996	11.71	12.24	12.77	99
15+25+25+25	1.18	1.97	1.97	1.97	7.10 3.70 - 9.20	1.593 0.660 - 4.013	6.70	7.00	7.30	99
15+25+25+35	1.28	2.13	2.13	2.98	8.50 3.70 - 9.20	1.945 0.660 - 4.025	8.17	8.54	8.91	99
15+25+25+42	1.21	2.01	2.01	3.38 *	8.60 3.70 - 9.20	2.245 0.660 - 4.025	9.43	9.86	10.29	99
15+25+25+50	1.15	1.91	1.91	3.83 *	8.80 3.70 - 9.20	2.589 0.660 - 4.019	10.88	11.37	11.86	99
15+25+25+60	1.07	1.78	1.78	4.27	8.90 3.70 - 9.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+25+25+71	0.98	1.64	1.64	4.65	8.90 3.70 - 9.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+25+35+35	1.19	1.98	2.77	2.77	8.70 3.70 - 9.20	2.366 0.660 - 4.006	9.94	10.39	10.84	99
15+25+35+42	1.13	1.88	2.63	3.16 *	8.80 3.70 - 9.20	2.685 0.660 - 4.025	11.28	11.79	12.30	99
15+25+35+50	1.07	1.78	2.49	3.56 *	8.90 3.70 - 9.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+25+35+60	0.99	1.65	2.31	3.96	8.90 3.70 - 9.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+25+42+42	1.08	1.79	3.01 *	3.01 *	8.90 3.70 - 9.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+25+42+50	1.01	1.69	2.83 *	3.37 *	8.90 3.70 - 9.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+25+42+60	0.94	1.57	2.63 *	3.76	8.90 3.70 - 9.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+25+50+50	0.95	1.59	3.18 *	3.18 *	8.90 3.70 - 9.20	2.786 0.660 - 3.996	11.71	12.24	12.77	99
15+35+35+35	1.11	2.60	2.60	2.60	8.90 3.70 - 9.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+35+35+42	1.05	2.45	2.45	2.94 *	8.90 3.70 - 9.20	2.815 0.660 - 4.025	11.82	12.36	12.90	99
15+35+35+50	0.99	2.31	2.31	3.30 *	8.90 3.70 - 9.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+35+35+60	0.92	2.15	2.15	3.68	8.90 3.70 - 9.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+35+42+42	1.00	2.32	2.79 *	2.79 *	8.90 3.70 - 9.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+35+42+50	0.94	2.19	2.63 *	3.13 *	8.90 3.70 - 9.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+42+42+42	0.95	2.65	2.65 *	2.65 *	8.90 3.70 - 9.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
18+18+18+18	1.78	1.78	1.78	1.78	7.10 3.70 - 9.20	1.597 0.660 - 4.007	6.71	7.01	7.31	99
18+18+18+20	1.80	1.80	1.80	2.00	7.40 3.70 - 9.20	1.656 0.660 - 4.016	6.95	7.27	7.59	99
18+18+18+22	1.78	1.78	1.78	2.17	7.50 3.70 - 9.20	1.713 0.660 - 4.023	7.19	7.52	7.85	99
18+18+18+25	1.80	1.80	1.80	2.50	7.90 3.70 - 9.20	1.776 0.660 - 4.016	7.46	7.80	8.14	99
18+18+18+35	1.46	1.46	1.46	2.83	7.20 3.70 - 9.20	1.606 0.660 - 4.016	6.74	7.05	7.36	99
18+18+18+42	1.33	1.33	1.33	3.11 *	7.10 3.70 - 9.20	1.576 0.660 - 4.016	6.62	6.92	7.22	99
18+18+18+50	1.51	1.51	1.51	4.18 *	8.70 3.70 - 9.20	2.100 0.660 - 4.010	8.82	9.22	9.62	99
18+18+18+60	1.41	1.41	1.41	4.68	8.90 3.70 - 9.20	2.540 0.660 - 4.010	10.67	11.16	11.65	99
18+18+18+71	1.30	1.30	1.30	5.11	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+18+20+20	1.80	1.80	2.00	2.00	7.60 3.70 - 9.20	1.687 0.660 - 3.997	7.09	7.41	7.73	99
18+18+20+22	1.75	1.75	1.95	2.14	7.60 3.70 - 9.20	1.760 0.660 - 4.030	7.39	7.73	8.07	99
18+18+20+25	1.78	1.78	1.98	2.47	8.00 3.70 - 9.20	1.823 0.660 - 4.023	7.66	8.01	8.36	99
18+18+20+35	1.40	1.40	1.56	2.73	7.10 3.70 - 9.20	1.603 0.660 - 4.023	6.73	7.04	7.35	99
18+18+20+42	1.27	1.27	1.41	2.96 *	6.90 3.70 - 9.20	1.573 0.660 - 4.023	6.61	6.91	7.21	99
18+18+20+50	1.46	1.46	1.62	4.06 *	8.60 3.70 - 9.20	2.197 0.660 - 4.017	9.23	9.65	10.07	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240		
18+18+20+60	1.37	1.37	1.52	4.55	8.80 3.70 - 9.20	2.637 - 4.017	0.660	11.08	11.58	12.08	99
18+18+20+71	1.26	1.26	1.40	4.98	8.90 3.70 - 9.20	2.790 - 4.000	0.660	11.72	12.25	12.78	99
18+18+22+22	1.78	1.78	2.17	2.17	7.90 3.70 - 9.20	1.784 - 4.004	0.660	7.49	7.83	8.17	99
18+18+22+35	1.37	1.37	1.68	2.67	7.10 3.70 - 9.20	1.586 - 4.016	0.660	6.67	6.97	7.27	99
18+18+22+42	1.55	1.55	1.89	3.61 *	8.60 3.70 - 9.20	1.936 - 4.016	0.660	8.13	8.50	8.87	99
18+18+22+50	1.47	1.47	1.79	4.07 *	8.80 3.70 - 9.20	2.280 - 4.010	0.660	9.57	10.01	10.45	99
18+18+22+60	1.37	1.37	1.68	4.58	9.00 3.70 - 9.20	2.710 - 4.010	0.660	11.38	11.90	12.42	99
18+18+22+71	1.26	1.26	1.53	4.95	9.00 3.70 - 9.20	2.783 - 3.993	0.660	11.69	12.22	12.75	99
18+18+25+25	1.80	1.80	2.50	2.50	8.60 3.70 - 9.20	1.917 - 3.997	0.660	8.05	8.42	8.79	99
18+18+25+35	1.33	1.33	1.85	2.59	7.10 3.70 - 9.20	1.576 - 4.016	0.660	6.62	6.92	7.22	99
18+18+25+42	1.52	1.52	2.11	3.55 *	8.70 3.70 - 9.20	2.066 - 4.016	0.660	8.68	9.07	9.46	99
18+18+25+50	1.43	1.43	1.98	3.96 *	8.80 3.70 - 9.20	2.410 - 4.010	0.660	10.12	10.58	11.04	99
18+18+25+60	1.34	1.34	1.86	4.46	9.00 3.70 - 9.20	2.800 - 4.010	0.660	11.77	12.30	12.83	99
18+18+25+71	1.23	1.23	1.70	4.84	9.00 3.70 - 9.20	2.783 - 3.993	0.660	11.69	12.22	12.75	99
18+18+35+35	1.48	1.48	2.87	2.87	8.70 3.70 - 9.20	2.177 - 3.997	0.660	9.14	9.56	9.98	99
18+18+35+42	1.42	1.42	2.76	3.31 *	8.90 3.70 - 9.20	2.506 - 4.016	0.660	10.53	11.01	11.49	99
18+18+35+50	1.34	1.34	2.60	3.72 *	9.00 3.70 - 9.20	2.800 - 4.010	0.660	11.77	12.30	12.83	99
18+18+35+60	1.24	1.24	2.40	4.12	9.00 3.70 - 9.20	2.800 - 4.010	0.660	11.77	12.30	12.83	99
18+18+35+71	1.14	1.14	2.22	4.50	9.00 3.70 - 9.20	2.783 - 3.993	0.660	11.69	12.22	12.75	99
18+18+42+42	1.35	1.35	3.15 *	3.15 *	9.00 3.70 - 9.20	2.787 - 3.997	0.660	11.71	12.24	12.77	99
18+18+42+50	1.27	1.27	2.95 *	3.52 *	9.00 3.70 - 9.20	2.794 - 4.004	0.660	11.74	12.27	12.80	99
18+18+42+60	1.17	1.17	2.74 *	3.91	9.00 3.70 - 9.20	2.794 - 4.004	0.660	11.74	12.27	12.80	99
18+18+50+50	1.19	1.19	3.31 *	3.31 *	9.00 3.70 - 9.20	2.777 - 3.987	0.660	11.67	12.20	12.73	99
18+20+20+20	1.80	2.00	2.00	2.00	7.80 3.70 - 9.20	1.734 - 4.004	0.660	7.29	7.62	7.95	99
18+20+20+22	1.73	1.93	1.93	2.12	7.70 3.70 - 9.20	1.817 - 4.037	0.660	7.63	7.98	8.33	99
18+20+20+35	1.34	1.48	1.48	2.60	6.90 3.70 - 9.20	1.600 - 4.030	0.660	6.72	7.03	7.34	99
18+20+20+42	1.51	1.68	1.68	3.53 *	8.40 3.70 - 9.20	1.950 - 4.030	0.660	8.19	8.56	8.93	99
18+20+20+50	1.43	1.59	1.59	3.98 *	8.60 3.70 - 9.20	2.294 - 4.024	0.660	9.63	10.07	10.51	99
18+20+20+60	1.34	1.49	1.49	4.47	8.80 3.70 - 9.20	2.724 - 4.024	0.660	11.44	11.96	12.48	99
18+20+20+71	1.23	1.36	1.36	4.84	8.80 3.70 - 9.20	2.797 - 4.007	0.660	11.75	12.28	12.81	99
18+20+22+22	1.76	1.95	2.15	2.15	8.00 3.70 - 9.20	1.841 - 4.011	0.660	7.74	8.09	8.44	99
18+20+22+25	1.78	1.98	2.17	2.47	8.40 3.70 - 9.20	1.923 - 4.023	0.660	8.08	8.45	8.82	99
18+20+22+35	1.33	1.47	1.62	2.58	7.00 3.70 - 9.20	1.583 - 4.023	0.660	6.65	6.95	7.25	99
18+20+22+42	1.50	1.67	1.83	3.50 *	8.50 3.70 - 9.20	2.033 - 4.023	0.660	8.54	8.93	9.32	99
18+20+22+50	1.42	1.58	1.74	3.95 *	8.70 3.70 - 9.20	2.377 - 4.017	0.660	9.99	10.44	10.89	99
18+20+22+60	1.34	1.48	1.63	4.45	8.90 3.70 - 9.20	2.807 - 4.017	0.660	11.79	12.33	12.87	99
18+20+22+71	1.22	1.36	1.49	4.82	8.90 3.70 - 9.20	2.790 - 4.000	0.660	11.72	12.25	12.78	99
18+20+25+25	1.78	1.98	2.47	2.47	8.70 3.70 - 9.20	1.974 - 4.004	0.660	8.29	8.67	9.05	99
18+20+25+35	1.27	1.41	1.76	2.46	6.90 3.70 - 9.20	1.573 - 4.023	0.660	6.61	6.91	7.21	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+20+25+42	1.47	1.64	2.05	3.44 *	8.60 3.70 - 9.20	2.163 0.660 - 4.023	9.09	9.50	9.91	99
18+20+25+50	1.40	1.56	1.95	3.89 *	8.80 3.70 - 9.20	2.507 0.660 - 4.017	10.53	11.01	11.49	99
18+20+25+60	1.30	1.45	1.81	4.34	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
18+20+25+71	1.20	1.33	1.66	4.72	8.90 3.70 - 9.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
18+20+35+35	1.45	1.61	2.82	2.82	8.70 3.70 - 9.20	2.274 0.660 - 4.004	9.56	9.99	10.42	99
18+20+35+42	1.38	1.53	2.68	3.21 *	8.80 3.70 - 9.20	2.593 0.660 - 4.023	10.89	11.39	11.89	99
18+20+35+50	1.30	1.45	2.53	3.62 *	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
18+20+35+60	1.20	1.34	2.34	4.02	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
18+20+35+71	1.11	1.24	2.16	4.39	8.90 3.70 - 9.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
18+20+42+42	1.31	1.46	3.06 *	3.06 *	8.90 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+20+42+50	1.23	1.37	2.88 *	3.42 *	8.90 3.70 - 9.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
18+20+42+60	1.14	1.27	2.67 *	3.81	8.90 3.70 - 9.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
18+20+50+50	1.16	1.29	3.22 *	3.22 *	8.90 3.70 - 9.20	2.784 0.660 - 3.994	11.70	12.23	12.76	99
18+22+22+22	1.78	2.17	2.17	2.17	8.30 3.70 - 9.20	1.891 0.660 - 4.011	7.94	8.30	8.66	99
18+22+22+25	1.80	2.20	2.20	2.50	8.70 3.70 - 9.20	1.966 0.660 - 4.016	8.25	8.63	9.01	99
18+22+22+35	1.32	1.61	1.61	2.56	7.10 3.70 - 9.20	1.566 0.660 - 4.016	6.58	6.88	7.18	99
18+22+22+42	1.51	1.84	1.84	3.51 *	8.70 3.70 - 9.20	2.106 0.660 - 4.016	8.85	9.25	9.65	99
18+22+22+50	1.41	1.73	1.73	3.93 *	8.80 3.70 - 9.20	2.450 0.660 - 4.010	10.29	10.76	11.23	99
18+22+22+60	1.33	1.62	1.62	4.43	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+22+22+71	1.22	1.49	1.49	4.80	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+22+25+25	1.44	1.76	2.00	2.00	7.20 3.70 - 9.20	1.577 0.660 - 3.997	6.63	6.93	7.23	99
18+22+25+35	1.55	1.89	2.15	3.01	8.60 3.70 - 9.20	1.936 0.660 - 4.016	8.13	8.50	8.87	99
18+22+25+42	1.46	1.79	2.03	3.41 *	8.70 3.70 - 9.20	2.236 0.660 - 4.016	9.39	9.82	10.25	99
18+22+25+50	1.39	1.70	1.93	3.87 *	8.90 3.70 - 9.20	2.580 0.660 - 4.010	10.84	11.33	11.82	99
18+22+25+60	1.30	1.58	1.80	4.32	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+22+25+71	1.19	1.46	1.65	4.70	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+22+35+35	1.44	1.76	2.80	2.80	8.80 3.70 - 9.20	2.357 0.660 - 3.997	9.90	10.35	10.80	99
18+22+35+42	1.37	1.67	2.66	3.19 *	8.90 3.70 - 9.20	2.676 0.660 - 4.016	11.24	11.75	12.26	99
18+22+35+50	1.30	1.58	2.52	3.60 *	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+22+35+60	1.20	1.47	2.33	4.00	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+22+42+42	1.31	1.60	3.05 *	3.05 *	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+22+42+50	1.23	1.50	2.86 *	3.41 *	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+22+42+60	1.14	1.39	2.66 *	3.80	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+22+50+50	1.16	1.41	3.21 *	3.21 *	9.00 3.70 - 9.20	2.777 0.660 - 3.987	11.67	12.20	12.73	99
18+25+25+25	1.37	1.91	1.91	1.91	7.10 3.70 - 9.20	1.574 0.660 - 4.004	6.61	6.91	7.21	99
18+25+25+35	1.52	2.11	2.11	2.96	8.70 3.70 - 9.20	2.066 0.660 - 4.016	8.68	9.07	9.46	99
18+25+25+42	1.44	2.00	2.00	3.36 *	8.80 3.70 - 9.20	2.376 0.660 - 4.016	9.98	10.43	10.88	99
18+25+25+50	1.37	1.91	1.91	3.81 *	9.00 3.70 - 9.20	2.710 0.660 - 4.010	11.38	11.90	12.42	99
18+25+25+60	1.27	1.76	1.76	4.22	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+25+25+71	1.17	1.62	1.62	4.60	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+25+35+35	1.42	1.97	2.76	2.76	8.90 3.70 - 9.20	2.487 0.660 - 3.997	10.45	10.92	11.39	99
18+25+35+42	1.35	1.88	2.63	3.15 *	9.00 3.70 - 9.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
18+25+35+50	1.27	1.76	2.46	3.52 *	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+25+35+60	1.17	1.63	2.28	3.91	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+25+42+42	1.28	1.77	2.98 *	2.98 *	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+25+42+50	1.20	1.67	2.80 *	3.33 *	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+25+42+60	1.12	1.55	2.61 *	3.72	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+25+50+50	1.13	1.57	3.15 *	3.15 *	9.00 3.70 - 9.20	2.777 0.660 - 3.987	11.67	12.20	12.73	99
18+35+35+35	1.32	2.56	2.56	2.56	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+35+35+42	1.25	2.42	2.42	2.91 *	9.00 3.70 - 9.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
18+35+35+50	1.17	2.28	2.28	3.26 *	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+35+42+42	1.18	2.30	2.76 *	2.76 *	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+35+42+50	1.12	2.17	2.61 *	3.10 *	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+42+42+42	1.13	2.63	2.63 *	2.63 *	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
20+20+20+20	2.00	2.00	2.00	2.00	8.00 3.70 - 9.20	1.778 0.660 - 3.998	7.47	7.81	8.15	99
20+20+20+22	1.90	1.90	1.90	2.09	7.80 3.70 - 9.20	1.874 0.660 - 4.044	7.87	8.23	8.59	99
20+20+20+25	1.93	1.93	1.93	2.41	8.20 3.70 - 9.20	1.937 0.660 - 4.037	8.14	8.51	8.88	99
20+20+20+35	1.43	1.43	1.43	2.51	6.80 3.70 - 9.20	1.597 0.660 - 4.037	6.71	7.01	7.31	99
20+20+20+42	1.63	1.63	1.63	3.42 *	8.30 3.70 - 9.20	2.047 0.660 - 4.037	8.60	8.99	9.38	99
20+20+20+50	1.55	1.55	1.55	3.86 *	8.50 3.70 - 9.20	2.391 0.660 - 4.031	10.04	10.50	10.96	99
20+20+20+60	1.45	1.45	1.45	4.35	8.70 3.70 - 9.20	2.821 0.660 - 4.031	11.85	12.39	12.93	99
20+20+20+71	1.33	1.33	1.33	4.72	8.70 3.70 - 9.20	2.804 0.660 - 4.014	11.77	12.31	12.85	99
20+20+22+22	1.93	1.93	2.12	2.12	8.10 3.70 - 9.20	1.898 0.660 - 4.018	7.98	8.34	8.70	99
20+20+22+25	1.95	1.95	2.15	2.44	8.50 3.70 - 9.20	1.980 0.660 - 4.030	8.32	8.70	9.08	99
20+20+22+35	1.42	1.42	1.56	2.49	6.90 3.70 - 9.20	1.580 0.660 - 4.030	6.64	6.94	7.24	99
20+20+22+42	1.63	1.63	1.80	3.43 *	8.50 3.70 - 9.20	2.120 0.660 - 4.030	8.91	9.31	9.71	99
20+20+22+50	1.54	1.54	1.69	3.84 *	8.60 3.70 - 9.20	2.464 0.660 - 4.024	10.35	10.82	11.29	99
20+20+22+60	1.44	1.44	1.59	4.33	8.80 3.70 - 9.20	2.814 0.660 - 4.024	11.82	12.36	12.90	99
20+20+22+71	1.32	1.32	1.46	4.70	8.80 3.70 - 9.20	2.797 0.660 - 4.007	11.75	12.28	12.81	99
20+20+25+25	1.56	1.56	1.94	1.94	7.00 3.70 - 9.20	1.591 0.660 - 4.011	6.69	6.99	7.29	99
20+20+25+35	1.68	1.68	2.10	2.94	8.40 3.70 - 9.20	1.950 0.660 - 4.030	8.19	8.56	8.93	99
20+20+25+42	1.59	1.59	1.99	3.34 *	8.50 3.70 - 9.20	2.250 0.660 - 4.030	9.45	9.88	10.31	99
20+20+25+50	1.51	1.51	1.89	3.78 *	8.70 3.70 - 9.20	2.594 0.660 - 4.024	10.89	11.39	11.89	99
20+20+25+60	1.41	1.41	1.76	4.22	8.80 3.70 - 9.20	2.814 0.660 - 4.024	11.82	12.36	12.90	99
20+20+25+71	1.29	1.29	1.62	4.59	8.80 3.70 - 9.20	2.797 0.660 - 4.007	11.75	12.28	12.81	99
20+20+35+35	1.56	1.56	2.74	2.74	8.60 3.70 - 9.20	2.371 0.660 - 4.011	9.96	10.41	10.86	99
20+20+35+42	1.49	1.49	2.60	3.12 *	8.70 3.70 - 9.20	2.690 0.660 - 4.030	11.30	11.81	12.32	99
20+20+35+50	1.41	1.41	2.46	3.52 *	8.80 3.70 - 9.20	2.814 0.660 - 4.024	11.82	12.36	12.90	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
20+20+35+60	1.30	1.30	2.28	3.91	8.80 3.70 - 9.20	2.814 0.660 - 4.024	11.82	12.36	12.90	99
20+20+42+42	1.42	1.42	2.98 *	2.98 *	8.80 3.70 - 9.20	2.797 0.660 - 4.007	11.75	12.28	12.81	99
20+20+42+50	1.33	1.33	2.80 *	3.33 *	8.80 3.70 - 9.20	2.808 0.660 - 4.018	11.79	12.33	12.87	99
20+20+42+60	1.24	1.24	2.60 *	3.72	8.80 3.70 - 9.20	2.808 0.660 - 4.018	11.79	12.33	12.87	99
20+20+50+50	1.26	1.26	3.14 *	3.14 *	8.80 3.70 - 9.20	2.791 0.660 - 4.001	11.73	12.26	12.79	99
20+22+22+22	1.95	2.15	2.15	2.15	8.40 3.70 - 9.20	1.938 0.660 - 4.018	8.14	8.51	8.88	99
20+22+22+25	1.60	1.76	1.76	1.99	7.10 3.70 - 9.20	1.613 0.660 - 4.023	6.77	7.08	7.39	99
20+22+22+35	1.39	1.53	1.53	2.44	6.90 3.70 - 9.20	1.563 0.660 - 4.023	6.56	6.86	7.16	99
20+22+22+42	1.62	1.78	1.78	3.41 *	8.60 3.70 - 9.20	2.203 0.660 - 4.023	9.26	9.68	10.10	99
20+22+22+50	1.54	1.70	1.70	3.86 *	8.80 3.70 - 9.20	2.547 0.660 - 4.017	10.70	11.19	11.68	99
20+22+22+60	1.44	1.58	1.58	4.31	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+22+22+71	1.32	1.45	1.45	4.68	8.90 3.70 - 9.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
20+22+25+25	1.52	1.67	1.90	1.90	7.00 3.70 - 9.20	1.574 0.660 - 4.004	6.61	6.91	7.21	99
20+22+25+35	1.67	1.83	2.08	2.92	8.50 3.70 - 9.20	2.033 0.660 - 4.023	8.54	8.93	9.32	99
20+22+25+42	1.60	1.76	2.00	3.35 *	8.70 3.70 - 9.20	2.333 0.660 - 4.023	9.80	10.25	10.70	99
20+22+25+50	1.50	1.65	1.88	3.76 *	8.80 3.70 - 9.20	2.677 0.660 - 4.017	11.25	11.76	12.27	99
20+22+25+60	1.40	1.54	1.75	4.20	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+22+25+71	1.29	1.42	1.61	4.58	8.90 3.70 - 9.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
20+22+35+35	1.55	1.71	2.72	2.72	8.70 3.70 - 9.20	2.444 0.660 - 4.004	10.26	10.73	11.20	99
20+22+35+42	1.50	1.65	2.62	3.14 *	8.90 3.70 - 9.20	2.773 0.660 - 4.023	11.65	12.18	12.71	99
20+22+35+50	1.40	1.54	2.45	3.50 *	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+22+35+60	1.30	1.43	2.27	3.90	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+22+42+42	1.41	1.55	2.97 *	2.97 *	8.90 3.70 - 9.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
20+22+42+50	1.33	1.46	2.79 *	3.32 *	8.90 3.70 - 9.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
20+22+42+60	1.24	1.36	2.60 *	3.71	8.90 3.70 - 9.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
20+22+50+50	1.25	1.38	3.13 *	3.13 *	8.90 3.70 - 9.20	2.784 0.660 - 3.994	11.70	12.23	12.76	99
20+25+25+25	1.47	1.84	1.84	1.84	7.00 3.70 - 9.20	1.571 0.660 - 4.011	6.60	6.90	7.20	99
20+25+25+35	1.64	2.05	2.05	2.87	8.60 3.70 - 9.20	2.163 0.660 - 4.023	9.09	9.50	9.91	99
20+25+25+42	1.55	1.94	1.94	3.26 *	8.70 3.70 - 9.20	2.463 0.660 - 4.023	10.35	10.82	11.29	99
20+25+25+50	1.48	1.85	1.85	3.71 *	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+25+25+60	1.37	1.71	1.71	4.11	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+25+25+71	1.26	1.58	1.58	4.48	8.90 3.70 - 9.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
20+25+35+35	1.53	1.91	2.68	2.68	8.80 3.70 - 9.20	2.574 0.660 - 4.004	10.81	11.30	11.79	99
20+25+35+42	1.46	1.82	2.55	3.06 *	8.90 3.70 - 9.20	2.813 0.660 - 4.023	11.81	12.35	12.89	99
20+25+35+50	1.37	1.71	2.40	3.42 *	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+25+35+60	1.27	1.59	2.23	3.81	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+25+42+42	1.38	1.72	2.90 *	2.90 *	8.90 3.70 - 9.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
20+25+42+50	1.30	1.62	2.73 *	3.25 *	8.90 3.70 - 9.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
20+25+50+50	1.23	1.53	3.07 *	3.07 *	8.90 3.70 - 9.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
20+35+35+35	1.42	2.49	2.49	2.49	8.90 3.70 - 9.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
20+35+35+42	1.35	2.36	2.36	2.83 *	8.90 3.70 - 9.20	2.813 0.660 - 4.023	11.81	12.35	12.89	99
20+35+35+50	1.27	2.23	2.23	3.18 *	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+35+42+42	1.28	2.24	2.69 *	2.69 *	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
22+22+22+22	2.18	2.18	2.18	2.18	8.70 3.70 - 9.20	1.981 0.660 - 4.011	8.32	8.70	9.08	99
22+22+22+25	1.74	1.74	1.74	1.98	7.20 3.70 - 9.20	1.596 0.660 - 4.016	6.71	7.01	7.31	99
22+22+22+35	1.87	1.87	1.87	2.98	8.60 3.70 - 9.20	1.976 0.660 - 4.016	8.30	8.68	9.06	99
22+22+22+42	1.79	1.79	1.79	3.42 *	8.80 3.70 - 9.20	2.286 0.660 - 4.016	9.60	10.04	10.48	99
22+22+22+50	1.69	1.69	1.69	3.84 *	8.90 3.70 - 9.20	2.630 0.660 - 4.010	11.05	11.55	12.05	99
22+22+22+60	1.57	1.57	1.57	4.29	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+22+22+71	1.45	1.45	1.45	4.66	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
22+22+25+25	1.66	1.66	1.89	1.89	7.10 3.70 - 9.20	1.567 0.660 - 3.997	6.58	6.88	7.18	99
22+22+25+35	1.84	1.84	2.09	2.93	8.70 3.70 - 9.20	2.106 0.660 - 4.016	8.85	9.25	9.65	99
22+22+25+42	1.74	1.74	1.98	3.33 *	8.80 3.70 - 9.20	2.416 0.660 - 4.016	10.15	10.61	11.07	99
22+22+25+50	1.66	1.66	1.89	3.78 *	9.00 3.70 - 9.20	2.760 0.660 - 4.010	11.59	12.12	12.65	99
22+22+25+60	1.53	1.53	1.74	4.19	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+22+25+71	1.41	1.41	1.61	4.56	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
22+22+35+35	1.72	1.72	2.73	2.73	8.90 3.70 - 9.20	2.527 0.660 - 3.997	10.62	11.10	11.58	99
22+22+35+42	1.64	1.64	2.60	3.12 *	9.00 3.70 - 9.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
22+22+35+50	1.53	1.53	2.44	3.49 *	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+22+35+60	1.42	1.42	2.27	3.88	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+22+42+42	1.55	1.55	2.95 *	2.95 *	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
22+22+42+50	1.46	1.46	2.78 *	3.31 *	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
22+22+50+50	1.38	1.38	3.13 *	3.13 *	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
22+25+25+25	1.61	1.83	1.83	1.83	7.10 3.70 - 9.20	1.554 0.660 - 4.004	6.52	6.82	7.12	99
22+25+25+35	1.79	2.03	2.03	2.85	8.70 3.70 - 9.20	2.236 0.660 - 4.016	9.39	9.82	10.25	99
22+25+25+42	1.72	1.95	1.95	3.28 *	8.90 3.70 - 9.20	2.546 0.660 - 4.016	10.69	11.18	11.67	99
22+25+25+50	1.62	1.84	1.84	3.69 *	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+25+25+60	1.50	1.70	1.70	4.09	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+25+25+71	1.38	1.57	1.57	4.47	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
22+25+35+35	1.67	1.90	2.66	2.66	8.90 3.70 - 9.20	2.657 0.660 - 3.997	11.16	11.67	12.18	99
22+25+35+42	1.60	1.81	2.54	3.05 *	9.00 3.70 - 9.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
22+25+35+50	1.50	1.70	2.39	3.41 *	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+25+35+60	1.39	1.58	2.22	3.80	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+25+42+42	1.51	1.72	2.89 *	2.89 *	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
22+25+42+50	1.42	1.62	2.72 *	3.24 *	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
22+35+35+35	1.56	2.48	2.48	2.48	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
22+35+35+42	1.48	2.35	2.35	2.82 *	9.00 3.70 - 9.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
22+35+35+50	1.39	2.22	2.22	3.17 *	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99



**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
22+35+42+42	1.40	2.23	2.68 *	2.68 *	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
25+25+25+25	2.15	2.15	2.15	2.15	8.60 3.70 - 9.20	1.924 0.660 - 4.004	8.08	8.45	8.82	99
25+25+25+35	2.00	2.00	2.00	2.80	8.80 3.70 - 9.20	2.376 0.660 - 4.016	9.98	10.43	10.88	99
25+25+25+42	1.90	1.90	1.90	3.19 *	8.90 3.70 - 9.20	2.676 0.660 - 4.016	11.24	11.75	12.26	99
25+25+25+50	1.80	1.80	1.80	3.60 *	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
25+25+25+60	1.67	1.67	1.67	4.00	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
25+25+35+35	1.88	1.88	2.63	2.63	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
25+25+35+42	1.77	1.77	2.48	2.98 *	9.00 3.70 - 9.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
25+25+35+50	1.67	1.67	2.33	3.33 *	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
25+25+35+60	1.55	1.55	2.17	3.72	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
25+25+42+42	1.68	1.68	2.82 *	2.82 *	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
25+25+42+50	1.58	1.58	2.66 *	3.17 *	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
25+35+35+35	1.73	2.42	2.42	2.42	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
25+35+35+42	1.64	2.30	2.30	2.76 *	9.00 3.70 - 9.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
25+35+35+50	1.55	2.17	2.17	3.10 *	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
25+35+42+42	1.56	2.19	2.63 *	2.63 *	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
35+35+35+35	2.25	2.25	2.25	2.25	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99

\* In case of MSZ-AP42/50VG or SLZ-M50FA, Rated capacity is lower than another model.

Total connect indoor unit	
3 or more units	
MSZ-AP42VG	90%
MSZ-AP50VG	80%
SLZ-M50FA	70%

ex.) MSZ-LN18VG2 + MSZ-LN25VG2 + MSZ-AP42VG

- MSZ-LN18VG2 : Rated capacity is 1.67kW
- MSZ-LN25VG2 : Rated capacity is 2.32kW
- MSZ-AP42VG : Rated capacity is 3.51kW (=3.92\*0.9)

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15	1.70	-	-	-	1.70 1.50 - 3.20	0.590 - 1.300	2.48	2.59	2.70	99
18	3.30	-	-	-	3.30 1.50 - 4.60	0.750 - 1.610	3.15	3.29	3.43	99
20	2.20	-	-	-	2.20 1.50 - 3.40	0.620 - 1.380	2.60	2.72	2.84	99
22	3.30	-	-	-	3.30 1.50 - 4.80	0.750 - 1.670	3.15	3.29	3.43	99
25	3.60	-	-	-	3.60 1.50 - 5.10	0.800 - 1.720	3.36	3.51	3.66	99
35	4.00	-	-	-	4.00 1.50 - 5.60	0.890 - 1.890	3.74	3.91	4.08	99
42	5.40	-	-	-	5.40 1.50 - 6.50	1.250 - 2.180	5.25	5.49	5.73	99
50	7.20	-	-	-	7.20 1.50 - 7.50	1.930 - 2.520	8.11	8.48	8.85	99
60	7.90	-	-	-	7.90 1.50 - 8.60	2.200 - 2.970	9.24	9.66	10.08	99
71	8.60	-	-	-	8.60 1.50 - 9.20	2.560 - 3.400	10.75	11.24	11.73	99
15+15	3.30	3.30	-	-	6.60 3.00 - 7.20	1.420 - 2.500	5.97	6.24	6.51	99
15+18	2.91	3.49	-	-	6.40 3.00 - 7.20	1.386 - 2.556	5.83	6.09	6.35	99
15+20	2.79	3.71	-	-	6.50 3.00 - 7.20	1.377 - 2.607	5.79	6.05	6.31	99
15+22	2.59	3.81	-	-	6.40 3.00 - 7.20	1.384 - 2.644	5.82	6.08	6.34	99
15+25	2.44	4.06	-	-	6.50 3.00 - 7.20	1.377 - 2.637	5.79	6.05	6.31	99
15+35	2.13	4.97	-	-	7.10 3.00 - 8.80	1.547 - 2.787	6.49	6.79	7.09	99
15+42	1.95	5.45	-	-	7.40 3.00 - 9.20	1.657 - 2.847	6.96	7.28	7.60	99
15+50	1.78	5.92	-	-	7.70 3.00 - 9.60	1.771 - 2.921	7.44	7.78	8.12	99
15+60	1.66	6.64	-	-	8.30 3.00 - 10.20	2.021 - 3.041	8.49	8.88	9.27	99
15+71	1.57	7.43	-	-	9.00 3.00 - 11.00	2.334 - 3.154	9.80	10.25	10.70	99
18+18	3.25	3.25	-	-	6.50 3.00 - 7.20	1.358 - 2.618	5.70	5.96	6.22	99
18+20	3.13	3.47	-	-	6.60 3.00 - 7.20	1.368 - 2.628	5.75	6.01	6.27	99
18+22	2.93	3.58	-	-	6.50 3.00 - 7.20	1.375 - 2.635	5.78	6.04	6.30	99
18+25	2.76	3.84	-	-	6.60 3.00 - 7.20	1.368 - 2.628	5.75	6.01	6.27	99
18+35	2.48	4.82	-	-	7.30 3.00 - 9.00	1.588 - 2.808	6.67	6.97	7.27	99
18+42	2.28	5.32	-	-	7.60 3.00 - 9.30	1.698 - 2.868	7.14	7.46	7.78	99
18+50	2.09	5.81	-	-	7.90 3.00 - 9.70	1.812 - 2.932	7.61	7.96	8.31	99
18+60	1.98	6.62	-	-	8.60 3.00 - 10.50	2.112 - 3.072	8.88	9.28	9.68	99
18+71	1.88	7.42	-	-	9.30 3.00 - 11.00	2.375 - 3.145	9.98	10.43	10.88	99
20+20	3.30	3.30	-	-	6.60 3.00 - 7.20	1.349 - 2.609	5.66	5.92	6.18	99
20+22	3.05	3.35	-	-	6.40 3.00 - 7.20	1.382 - 2.642	5.81	6.07	6.33	99
20+25	2.93	3.67	-	-	6.60 3.00 - 7.50	1.405 - 2.665	5.90	6.17	6.44	99
20+35	2.65	4.65	-	-	7.30 3.00 - 9.10	1.625 - 2.835	6.83	7.14	7.45	99
20+42	2.45	5.15	-	-	7.60 3.00 - 9.40	1.735 - 2.895	7.29	7.62	7.95	99
20+50	2.26	5.64	-	-	7.90 3.00 - 9.80	1.849 - 2.959	7.77	8.12	8.47	99
20+60	2.15	6.45	-	-	8.60 3.00 - 10.70	2.189 - 3.109	9.19	9.61	10.03	99
20+71	2.04	7.26	-	-	9.30 3.00 - 11.00	2.422 - 3.152	10.18	10.64	11.10	99
22+22	3.25	3.25	-	-	6.50 3.00 - 7.20	1.356 - 2.616	5.70	5.96	6.22	99
22+25	3.23	3.67	-	-	6.90 3.00 - 8.00	1.458 - 2.708	6.12	6.40	6.68	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
22+35	2.89	4.61	-	-	7.50 3.00 - 9.20	1.648 0.720 - 2.838	6.93	7.24	7.55	99
22+42	2.68	5.12	-	-	7.80 3.00 - 9.50	1.758 0.720 - 2.908	7.38	7.72	8.06	99
22+50	2.48	5.63	-	-	8.10 3.00 - 10.00	1.912 0.720 - 2.982	8.03	8.40	8.77	99
22+60	2.39	6.51	-	-	8.90 3.00 - 10.80	2.242 0.690 - 3.132	9.42	9.85	10.28	99
22+71	2.27	7.33	-	-	9.60 3.00 - 11.00	2.445 0.690 - 3.145	10.27	10.74	11.21	99
25+25	3.60	3.60	-	-	7.20 3.00 - 8.80	1.519 0.720 - 2.759	6.38	6.67	6.96	99
25+35	3.17	4.43	-	-	7.60 3.00 - 9.30	1.698 0.720 - 2.868	7.14	7.46	7.78	99
25+42	2.95	4.95	-	-	7.90 3.00 - 9.70	1.798 0.720 - 2.928	7.56	7.90	8.24	99
25+50	2.80	5.60	-	-	8.40 3.00 - 10.20	2.012 0.710 - 3.032	8.46	8.84	9.22	99
25+60	2.68	6.42	-	-	9.10 3.00 - 11.00	2.332 0.690 - 3.162	9.79	10.24	10.69	99
25+71	2.55	7.25	-	-	9.80 3.00 - 11.00	2.495 0.690 - 3.145	10.48	10.96	11.44	99
35+35	4.00	4.00	-	-	8.00 3.00 - 9.80	1.829 0.720 - 2.939	7.68	8.03	8.38	99
35+42	3.86	4.64	-	-	8.50 3.00 - 10.40	2.088 0.710 - 3.068	8.77	9.17	9.57	99
35+50	3.75	5.35	-	-	9.10 3.00 - 11.00	2.332 0.690 - 3.162	9.79	10.24	10.69	99
35+60	3.57	6.13	-	-	9.70 3.00 - 11.00	2.502 0.690 - 3.162	10.51	10.99	11.47	99
35+71	3.37	6.83	-	-	10.20 3.00 - 11.00	2.605 0.690 - 3.145	10.94	11.44	11.94	99
42+42	4.50	4.50	-	-	9.00 3.00 - 11.00	2.299 0.690 - 3.149	9.66	10.10	10.54	99
42+50	4.34	5.16	-	-	9.50 3.00 - 11.00	2.446 0.690 - 3.156	10.27	10.74	11.21	99
42+71	3.83	6.47	-	-	10.30 3.00 - 11.00	2.656 0.690 - 3.156	11.15	11.66	12.17	99
50+50	5.00	5.00	-	-	10.00 3.00 - 11.00	2.563 0.690 - 3.143	10.77	11.26	11.75	99
50+60	4.68	5.62	-	-	10.30 3.00 - 11.00	2.646 0.690 - 3.156	11.11	11.62	12.13	99
50+71	4.34	6.16	-	-	10.50 3.00 - 11.00	2.689 0.690 - 3.139	11.30	11.81	12.32	99
60+60	5.25	5.25	-	-	10.50 3.00 - 11.00	2.693 0.690 - 3.143	11.32	11.83	12.34	99
60+71	4.81	5.69	-	-	10.50 3.00 - 11.00	2.672 0.690 - 3.122	11.22	11.73	12.24	99
71+71	5.25	5.25	-	-	10.50 3.00 - 11.00	2.676 0.690 - 3.126	11.24	11.75	12.26	99
15+15+15	2.90	2.90	2.90	-	8.70 3.20 - 10.60	1.680 0.530 - 3.840	7.06	7.38	7.70	99
15+15+18	2.63	2.63	3.15	-	8.40 3.20 - 10.60	1.719 0.530 - 3.879	7.22	7.55	7.88	99
15+15+20	2.55	2.55	3.40	-	8.50 3.20 - 10.60	1.710 0.530 - 3.870	7.18	7.51	7.84	99
15+15+22	2.42	2.42	3.55	-	8.40 3.20 - 10.60	1.717 0.530 - 3.877	7.21	7.54	7.87	99
15+15+25	2.32	2.32	3.86	-	8.50 3.20 - 10.60	1.710 0.530 - 3.870	7.18	7.51	7.84	99
15+15+35	1.96	1.96	4.58	-	8.50 3.20 - 10.60	1.710 0.530 - 3.870	7.18	7.51	7.84	99
15+15+42	1.81	1.81	5.08	-	8.70 3.20 - 11.30	1.820 0.530 - 3.870	7.64	7.99	8.34	99
15+15+50	1.67	1.67	5.56	-	8.90 3.20 - 11.60	1.994 0.560 - 3.864	8.38	8.76	9.14	99
15+15+60	1.50	1.50	6.00	-	9.00 3.20 - 11.60	2.244 0.610 - 3.864	9.43	9.86	10.29	99
15+15+71	1.35	1.35	6.40	-	9.10 3.20 - 11.60	2.497 0.660 - 3.847	10.49	10.97	11.45	99
15+18+18	2.50	3.00	3.00	-	8.50 3.20 - 10.60	1.691 0.530 - 3.851	7.11	7.43	7.75	99
15+18+20	2.43	2.92	3.25	-	8.60 3.20 - 10.60	1.701 0.530 - 3.861	7.15	7.47	7.79	99
15+18+22	2.32	2.78	3.40	-	8.50 3.20 - 10.60	1.708 0.530 - 3.868	7.17	7.50	7.83	99
15+18+25	2.22	2.67	3.71	-	8.60 3.20 - 10.60	1.701 0.530 - 3.861	7.15	7.47	7.79	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+18+35	1.92	2.30	4.48	-	8.70 3.20 - 10.80	1.741 0.530 - 3.861	7.32	7.65	7.98	99
15+18+42	1.78	2.14	4.98	-	8.90 3.20 - 11.60	1.871 0.530 - 3.861	7.86	8.22	8.58	99
15+18+60	1.47	1.76	5.87	-	9.10 3.20 - 11.60	2.305 0.620 - 3.855	9.68	10.12	10.56	99
15+18+71	1.33	1.59	6.28	-	9.20 3.20 - 11.60	2.568 0.680 - 3.838	10.79	11.28	11.77	99
15+20+20	2.35	3.13	3.13	-	8.60 3.20 - 10.60	1.682 0.530 - 3.842	7.07	7.39	7.71	99
15+20+22	2.21	2.95	3.24	-	8.40 3.20 - 10.60	1.715 0.530 - 3.875	7.20	7.53	7.86	99
15+20+25	2.13	2.83	3.54	-	8.50 3.20 - 10.60	1.708 0.530 - 3.868	7.17	7.50	7.83	99
15+20+35	1.84	2.46	4.30	-	8.60 3.20 - 11.00	1.788 0.530 - 3.868	7.51	7.85	8.19	99
15+20+42	1.71	2.29	4.80	-	8.80 3.20 - 11.60	1.928 0.540 - 3.868	8.10	8.47	8.84	99
15+20+50	1.57	2.09	5.24	-	8.90 3.20 - 11.60	2.122 0.580 - 3.862	8.91	9.32	9.73	99
15+20+60	1.42	1.89	5.68	-	9.00 3.20 - 11.60	2.362 0.630 - 3.862	9.92	10.37	10.82	99
15+20+71	1.29	1.72	6.10	-	9.10 3.20 - 11.60	2.595 0.680 - 3.845	10.90	11.40	11.90	99
15+22+22	2.16	3.17	3.17	-	8.50 3.20 - 10.60	1.689 0.530 - 3.849	7.10	7.42	7.74	99
15+22+25	2.08	3.05	3.47	-	8.60 3.20 - 10.60	1.701 0.530 - 3.861	7.15	7.47	7.79	99
15+22+35	1.83	2.69	4.28	-	8.80 3.20 - 11.30	1.811 0.530 - 3.861	7.60	7.95	8.30	99
15+22+42	1.69	2.48	4.73	-	8.90 3.20 - 11.60	1.971 0.550 - 3.861	8.28	8.66	9.04	99
15+22+50	1.55	2.28	5.17	-	9.00 3.20 - 11.60	2.165 0.590 - 3.855	9.10	9.51	9.92	99
15+22+60	1.41	2.06	5.63	-	9.10 3.20 - 11.60	2.405 0.640 - 3.855	10.10	10.56	11.02	99
15+22+71	1.28	1.87	6.05	-	9.20 3.20 - 11.60	2.588 0.680 - 3.838	10.88	11.37	11.86	99
15+25+25	1.98	3.31	3.31	-	8.60 3.20 - 10.60	1.682 0.530 - 3.842	7.07	7.39	7.71	99
15+25+35	1.78	2.97	4.15	-	8.90 3.20 - 11.60	1.871 0.530 - 3.861	7.86	8.22	8.58	99
15+25+42	1.65	2.74	4.61	-	9.00 3.20 - 11.60	2.041 0.570 - 3.861	8.57	8.96	9.35	99
15+25+50	1.52	2.53	5.06	-	9.10 3.20 - 11.60	2.235 0.610 - 3.855	9.39	9.82	10.25	99
15+25+60	1.38	2.30	5.52	-	9.20 3.20 - 11.60	2.485 0.660 - 3.855	10.44	10.91	11.38	99
15+25+71	1.24	2.07	5.88	-	9.20 3.20 - 11.60	2.588 0.680 - 3.838	10.88	11.37	11.86	99
15+35+35	1.59	3.71	3.71	-	9.00 3.20 - 11.60	2.102 0.580 - 3.842	8.83	9.23	9.63	99
15+35+42	1.48	3.46	4.15	-	9.10 3.20 - 11.60	2.291 0.620 - 3.861	9.62	10.06	10.50	99
15+35+50	1.38	3.22	4.60	-	9.20 3.20 - 11.60	2.485 0.660 - 3.855	10.44	10.91	11.38	99
15+35+60	1.25	2.93	5.02	-	9.20 3.20 - 11.60	2.605 0.680 - 3.855	10.94	11.44	11.94	99
15+35+71	1.14	2.66	5.40	-	9.20 3.20 - 11.60	2.588 0.680 - 3.838	10.88	11.37	11.86	99
15+42+42	1.38	3.86	3.86	-	9.10 3.20 - 11.60	2.442 0.650 - 3.842	10.25	10.72	11.19	99
15+42+50	1.29	3.61	4.30	-	9.20 3.20 - 11.60	2.599 0.680 - 3.849	10.91	11.41	11.91	99
15+42+60	1.18	3.30	4.72	-	9.20 3.20 - 11.60	2.599 0.680 - 3.849	10.91	11.41	11.91	99
15+42+71	1.08	3.02	5.10	-	9.20 3.20 - 11.60	2.582 0.680 - 3.832	10.85	11.34	11.83	99
15+50+50	1.20	4.00	4.00	-	9.20 3.20 - 11.60	2.586 0.680 - 3.836	10.87	11.36	11.85	99
15+50+60	1.10	3.68	4.42	-	9.20 3.20 - 11.60	2.599 0.680 - 3.849	10.91	11.41	11.91	99
15+50+71	1.01	3.38	4.80	-	9.20 3.20 - 11.60	2.582 0.680 - 3.832	10.85	11.34	11.83	99
15+60+60	1.02	4.09	4.09	-	9.20 3.20 - 11.60	2.586 0.680 - 3.836	10.87	11.36	11.85	99
18+18+18	2.87	2.87	2.87	-	8.60 3.20 - 10.60	1.655 0.530 - 3.815	6.95	7.27	7.59	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+18+20	2.80	2.80	3.11	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.11	7.43	7.75	99
18+18+22	2.67	2.67	3.26	-	8.60 3.20 - 10.60	1.699 0.530 - 3.859	7.14	7.46	7.78	99
18+18+25	2.57	2.57	3.57	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.11	7.43	7.75	99
18+18+35	2.26	2.26	4.39	-	8.90 3.20 - 11.20	1.782 0.530 - 3.852	7.49	7.83	8.17	99
18+18+42	2.08	2.08	4.85	-	9.00 3.20 - 11.60	1.932 0.550 - 3.852	8.11	8.48	8.85	99
18+18+50	1.90	1.90	5.29	-	9.10 3.20 - 11.60	2.126 0.590 - 3.846	8.93	9.34	9.75	99
18+18+60	1.73	1.73	5.75	-	9.20 3.20 - 11.60	2.376 0.640 - 3.846	9.98	10.43	10.88	99
18+18+71	1.56	1.56	6.17	-	9.30 3.20 - 11.60	2.579 0.680 - 3.829	10.84	11.33	11.82	99
18+20+20	2.70	3.00	3.00	-	8.70 3.20 - 10.60	1.673 0.530 - 3.833	7.03	7.35	7.67	99
18+20+22	2.55	2.83	3.12	-	8.50 3.20 - 10.60	1.706 0.530 - 3.866	7.16	7.49	7.82	99
18+20+25	2.46	2.73	3.41	-	8.60 3.20 - 10.60	1.699 0.530 - 3.859	7.14	7.46	7.78	99
18+20+35	2.17	2.41	4.22	-	8.80 3.20 - 11.40	1.829 0.530 - 3.859	7.68	8.03	8.38	99
18+20+42	2.03	2.25	4.73	-	9.00 3.20 - 11.60	1.989 0.560 - 3.859	8.36	8.74	9.12	99
18+20+50	1.84	2.05	5.11	-	9.00 3.20 - 11.60	2.183 0.600 - 3.853	9.17	9.59	10.01	99
18+20+60	1.67	1.86	5.57	-	9.10 3.20 - 11.60	2.433 0.650 - 3.853	10.23	10.69	11.15	99
18+20+71	1.52	1.69	5.99	-	9.20 3.20 - 11.60	2.586 0.680 - 3.836	10.87	11.36	11.85	99
18+22+22	2.50	3.05	3.05	-	8.60 3.20 - 10.60	1.680 0.530 - 3.840	7.06	7.38	7.70	99
18+22+25	2.41	2.94	3.35	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.11	7.43	7.75	99
18+22+35	2.16	2.64	4.20	-	9.00 3.20 - 11.60	1.862 0.530 - 3.852	7.82	8.18	8.54	99
18+22+42	2.00	2.44	4.66	-	9.10 3.20 - 11.60	2.032 0.570 - 3.852	8.53	8.92	9.31	99
18+22+50	1.84	2.25	5.11	-	9.20 3.20 - 11.60	2.226 0.610 - 3.846	9.35	9.78	10.21	99
18+22+60	1.67	2.05	5.58	-	9.30 3.20 - 11.60	2.476 0.660 - 3.846	10.40	10.87	11.34	99
18+22+71	1.51	1.84	5.95	-	9.30 3.20 - 11.60	2.579 0.680 - 3.829	10.84	11.33	11.82	99
18+25+25	2.33	3.24	3.24	-	8.80 3.20 - 10.80	1.713 0.530 - 3.833	7.19	7.52	7.85	99
18+25+35	2.08	2.88	4.04	-	9.00 3.20 - 11.60	1.932 0.550 - 3.852	8.11	8.48	8.85	99
18+25+42	1.93	2.68	4.50	-	9.10 3.20 - 11.60	2.112 0.580 - 3.852	8.88	9.28	9.68	99
18+25+50	1.78	2.47	4.95	-	9.20 3.20 - 11.60	2.296 0.620 - 3.846	9.64	10.08	10.52	99
18+25+60	1.63	2.26	5.42	-	9.30 3.20 - 11.60	2.546 0.670 - 3.846	10.69	11.18	11.67	99
18+25+71	1.47	2.04	5.79	-	9.30 3.20 - 11.60	2.579 0.680 - 3.829	10.84	11.33	11.82	99
18+35+35	1.86	3.62	3.62	-	9.10 3.20 - 11.60	2.163 0.600 - 3.833	9.09	9.50	9.91	99
18+35+42	1.74	3.39	4.07	-	9.20 3.20 - 11.60	2.352 0.630 - 3.852	9.88	10.33	10.78	99
18+35+50	1.63	3.16	4.51	-	9.30 3.20 - 11.60	2.546 0.670 - 3.846	10.69	11.18	11.67	99
18+35+60	1.48	2.88	4.94	-	9.30 3.20 - 11.60	2.596 0.680 - 3.846	10.90	11.40	11.90	99
18+35+71	1.35	2.63	5.33	-	9.30 3.20 - 11.60	2.579 0.680 - 3.829	10.84	11.33	11.82	99
18+42+42	1.64	3.83	3.83	-	9.30 3.20 - 11.60	2.513 0.670 - 3.833	10.56	11.04	11.52	99
18+42+50	1.52	3.55	4.23	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	10.88	11.37	11.86	99
18+42+60	1.40	3.26	4.65	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	10.88	11.37	11.86	99
18+42+71	1.28	2.98	5.04	-	9.30 3.20 - 11.60	2.573 0.680 - 3.823	10.81	11.30	11.79	99
18+50+50	1.42	3.94	3.94	-	9.30 3.20 - 11.60	2.577 0.680 - 3.827	10.83	11.32	11.81	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+50+60	1.31	3.63	4.36	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	10.88	11.37	11.86	99
18+50+71	1.20	3.35	4.75	-	9.30 3.20 - 11.60	2.573 0.680 - 3.823	10.81	11.30	11.79	99
18+60+60	1.21	4.04	4.04	-	9.30 3.20 - 11.60	2.577 0.680 - 3.827	10.83	11.32	11.81	99
20+20+20	2.90	2.90	2.90	-	8.70 3.20 - 10.60	1.646 0.530 - 3.806	6.92	7.23	7.54	99
20+20+22	2.71	2.71	2.98	-	8.40 3.20 - 10.60	1.713 0.530 - 3.873	7.19	7.52	7.85	99
20+20+25	2.62	2.62	3.27	-	8.50 3.20 - 10.60	1.706 0.530 - 3.866	7.16	7.49	7.82	99
20+20+35	2.35	2.35	4.11	-	8.80 3.20 - 11.60	1.876 0.530 - 3.866	7.88	8.24	8.60	99
20+20+42	2.17	2.17	4.56	-	8.90 3.20 - 11.60	2.046 0.570 - 3.866	8.60	8.99	9.38	99
20+20+50	2.00	2.00	5.00	-	9.00 3.20 - 11.60	2.240 0.610 - 3.860	9.41	9.84	10.27	99
20+20+60	1.82	1.82	5.46	-	9.10 3.20 - 11.60	2.490 0.660 - 3.860	10.46	10.94	11.42	99
20+20+71	1.64	1.64	5.82	-	9.10 3.20 - 11.60	2.593 0.680 - 3.843	10.89	11.39	11.89	99
20+22+22	2.66	2.92	2.92	-	8.50 3.20 - 10.60	1.687 0.530 - 3.847	7.09	7.41	7.73	99
20+22+25	2.57	2.82	3.21	-	8.60 3.20 - 10.70	1.719 0.530 - 3.859	7.22	7.55	7.88	99
20+22+35	2.31	2.54	4.05	-	8.90 3.20 - 11.60	1.919 0.540 - 3.859	8.06	8.43	8.80	99
20+22+42	2.14	2.36	4.50	-	9.00 3.20 - 11.60	2.089 0.580 - 3.859	8.77	9.17	9.57	99
20+22+50	1.98	2.18	4.95	-	9.10 3.20 - 11.60	2.283 0.620 - 3.853	9.59	10.03	10.47	99
20+22+60	1.80	1.98	5.41	-	9.20 3.20 - 11.60	2.533 0.670 - 3.853	10.64	11.12	11.60	99
20+22+71	1.63	1.79	5.78	-	9.20 3.20 - 11.60	2.586 0.680 - 3.836	10.87	11.36	11.85	99
20+25+25	2.49	3.11	3.11	-	8.70 3.20 - 11.00	1.760 0.530 - 3.840	7.39	7.73	8.07	99
20+25+35	2.25	2.81	3.94	-	9.00 3.20 - 11.60	1.989 0.560 - 3.859	8.36	8.74	9.12	99
20+25+42	2.07	2.59	4.34	-	9.00 3.20 - 11.60	2.169 0.590 - 3.859	9.12	9.53	9.94	99
20+25+50	1.92	2.39	4.79	-	9.10 3.20 - 11.60	2.353 0.630 - 3.853	9.88	10.33	10.78	99
20+25+60	1.75	2.19	5.26	-	9.20 3.20 - 11.60	2.603 0.680 - 3.853	10.93	11.43	11.93	99
20+25+71	1.59	1.98	5.63	-	9.20 3.20 - 11.60	2.586 0.680 - 3.836	10.87	11.36	11.85	99
20+35+35	2.02	3.54	3.54	-	9.10 3.20 - 11.60	2.220 0.610 - 3.840	9.33	9.75	10.17	99
20+35+42	1.88	3.28	3.94	-	9.10 3.20 - 11.60	2.409 0.640 - 3.859	10.12	10.58	11.04	99
20+35+50	1.75	3.07	4.38	-	9.20 3.20 - 11.60	2.603 0.680 - 3.853	10.93	11.43	11.93	99
20+35+60	1.60	2.80	4.80	-	9.20 3.20 - 11.60	2.603 0.680 - 3.853	10.93	11.43	11.93	99
20+35+71	1.46	2.56	5.18	-	9.20 3.20 - 11.60	2.586 0.680 - 3.836	10.87	11.36	11.85	99
20+42+42	1.77	3.72	3.72	-	9.20 3.20 - 11.60	2.570 0.680 - 3.840	10.80	11.29	11.78	99
20+42+50	1.64	3.45	4.11	-	9.20 3.20 - 11.60	2.597 0.680 - 3.847	10.91	11.41	11.91	99
20+42+60	1.51	3.17	4.52	-	9.20 3.20 - 11.60	2.597 0.680 - 3.847	10.91	11.41	11.91	99
20+42+71	1.38	2.91	4.91	-	9.20 3.20 - 11.60	2.580 0.680 - 3.830	10.84	11.33	11.82	99
20+50+50	1.53	3.83	3.83	-	9.20 3.20 - 11.60	2.584 0.680 - 3.834	10.86	11.35	11.84	99
20+50+60	1.42	3.54	4.25	-	9.20 3.20 - 11.60	2.597 0.680 - 3.847	10.91	11.41	11.91	99
20+50+71	1.30	3.26	4.63	-	9.20 3.20 - 11.60	2.580 0.680 - 3.830	10.84	11.33	11.82	99
20+60+60	1.31	3.94	3.94	-	9.20 3.20 - 11.60	2.584 0.680 - 3.834	10.86	11.35	11.84	99
22+22+22	2.87	2.87	2.87	-	8.60 3.20 - 10.60	1.653 0.530 - 3.813	6.94	7.26	7.58	99
22+22+25	2.81	2.81	3.19	-	8.80 3.20 - 10.90	1.752 0.530 - 3.852	7.36	7.69	8.02	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
22+22+35	2.51	2.51	3.99	-	9.00 3.20 - 11.60	1.962 - 3.852	8.25	8.62	8.99	99
22+22+42	2.33	2.33	4.44	-	9.10 3.20 - 11.60	2.132 - 3.852	8.95	9.36	9.77	99
22+22+50	2.15	2.15	4.89	-	9.20 3.20 - 11.60	2.326 - 3.846	9.78	10.22	10.66	99
22+22+60	1.97	1.97	5.37	-	9.30 3.20 - 11.60	2.576 - 3.846	10.82	11.31	11.80	99
22+22+71	1.78	1.78	5.74	-	9.30 3.20 - 11.60	2.579 - 3.829	10.84	11.33	11.82	99
22+25+25	2.72	3.09	3.09	-	8.90 3.20 - 11.30	1.783 - 3.833	7.49	7.83	8.17	99
22+25+35	2.44	2.77	3.88	-	9.10 3.20 - 11.60	2.032 - 3.852	8.53	8.92	9.31	99
22+25+42	2.25	2.56	4.29	-	9.10 3.20 - 11.60	2.212 - 3.852	9.29	9.71	10.13	99
22+25+50	2.09	2.37	4.74	-	9.20 3.20 - 11.60	2.396 - 3.846	10.06	10.52	10.98	99
22+25+60	1.91	2.17	5.21	-	9.30 3.20 - 11.60	2.596 - 3.846	10.90	11.40	11.90	99
22+25+71	1.73	1.97	5.60	-	9.30 3.20 - 11.60	2.579 - 3.829	10.84	11.33	11.82	99
22+35+35	2.20	3.50	3.50	-	9.20 3.20 - 11.60	2.263 - 3.833	9.51	9.94	10.37	99
22+35+42	2.04	3.25	3.90	-	9.20 3.20 - 11.60	2.452 - 3.852	10.30	10.77	11.24	99
22+35+50	1.91	3.04	4.35	-	9.30 3.20 - 11.60	2.596 - 3.846	10.90	11.40	11.90	99
22+35+60	1.75	2.78	4.77	-	9.30 3.20 - 11.60	2.596 - 3.846	10.90	11.40	11.90	99
22+35+71	1.60	2.54	5.16	-	9.30 3.20 - 11.60	2.579 - 3.829	10.84	11.33	11.82	99
22+42+42	1.93	3.68	3.68	-	9.30 3.20 - 11.60	2.583 - 3.833	10.85	11.34	11.83	99
22+42+50	1.79	3.43	4.08	-	9.30 3.20 - 11.60	2.590 - 3.840	10.88	11.37	11.86	99
22+42+60	1.65	3.15	4.50	-	9.30 3.20 - 11.60	2.590 - 3.840	10.88	11.37	11.86	99
22+42+71	1.52	2.89	4.89	-	9.30 3.20 - 11.60	2.573 - 3.823	10.81	11.30	11.79	99
22+50+50	1.68	3.81	3.81	-	9.30 3.20 - 11.60	2.577 - 3.827	10.83	11.32	11.81	99
22+50+60	1.55	3.52	4.23	-	9.30 3.20 - 11.60	2.590 - 3.840	10.88	11.37	11.86	99
22+50+71	1.43	3.25	4.62	-	9.30 3.20 - 11.60	2.573 - 3.823	10.81	11.30	11.79	99
22+60+60	1.44	3.93	3.93	-	9.30 3.20 - 11.60	2.577 - 3.827	10.83	11.32	11.81	99
25+25+25	3.00	3.00	3.00	-	9.00 3.20 - 11.60	1.816 - 3.806	7.63	7.98	8.33	99
25+25+35	2.68	2.68	3.75	-	9.10 3.20 - 11.60	2.112 - 3.852	8.88	9.28	9.68	99
25+25+42	2.50	2.50	4.20	-	9.20 3.20 - 11.60	2.282 - 3.852	9.58	10.02	10.46	99
25+25+50	2.33	2.33	4.65	-	9.30 3.20 - 11.60	2.476 - 3.846	10.40	10.87	11.34	99
25+25+60	2.11	2.11	5.07	-	9.30 3.20 - 11.60	2.596 - 3.846	10.90	11.40	11.90	99
25+25+71	1.92	1.92	5.46	-	9.30 3.20 - 11.60	2.579 - 3.829	10.84	11.33	11.82	99
25+35+35	2.42	3.39	3.39	-	9.20 3.20 - 11.60	2.333 - 3.833	9.80	10.25	10.70	99
25+35+42	2.28	3.19	3.83	-	9.30 3.20 - 11.60	2.532 - 3.852	10.64	11.12	11.60	99
25+35+50	2.11	2.96	4.23	-	9.30 3.20 - 11.60	2.596 - 3.846	10.90	11.40	11.90	99
25+35+60	1.94	2.71	4.65	-	9.30 3.20 - 11.60	2.596 - 3.846	10.90	11.40	11.90	99
25+35+71	1.77	2.48	5.04	-	9.30 3.20 - 11.60	2.579 - 3.829	10.84	11.33	11.82	99
25+42+42	2.13	3.58	3.58	-	9.30 3.20 - 11.60	2.583 - 3.833	10.85	11.34	11.83	99
25+42+50	1.99	3.34	3.97	-	9.30 3.20 - 11.60	2.590 - 3.840	10.88	11.37	11.86	99
25+42+60	1.83	3.08	4.39	-	9.30 3.20 - 11.60	2.590 - 3.840	10.88	11.37	11.86	99
25+42+71	1.68	2.83	4.78	-	9.30 3.20 - 11.60	2.573 - 3.823	10.81	11.30	11.79	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
25+50+50	1.86	3.72	3.72	-	9.30 3.20 - 11.60	2.577 0.680 - 3.827	10.83	11.32	11.81	99
25+50+60	1.72	3.44	4.13	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	10.88	11.37	11.86	99
25+60+60	1.60	3.85	3.85	-	9.30 3.20 - 11.60	2.573 0.680 - 3.823	10.81	11.30	11.79	99
35+35+35	3.10	3.10	3.10	-	9.30 3.20 - 11.60	2.556 0.680 - 3.806	10.74	11.23	11.72	99
35+35+42	2.91	2.91	3.49	-	9.30 3.20 - 11.60	2.602 0.680 - 3.852	10.93	11.43	11.93	99
35+35+50	2.71	2.71	3.88	-	9.30 3.20 - 11.60	2.596 0.680 - 3.846	10.90	11.40	11.90	99
35+35+60	2.50	2.50	4.29	-	9.30 3.20 - 11.60	2.596 0.680 - 3.846	10.90	11.40	11.90	99
35+35+71	2.31	2.31	4.68	-	9.30 3.20 - 11.60	2.579 0.680 - 3.829	10.84	11.33	11.82	99
35+42+42	2.74	3.28	3.28	-	9.30 3.20 - 11.60	2.583 0.680 - 3.833	10.85	11.34	11.83	99
35+42+50	2.56	3.08	3.66	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	10.88	11.37	11.86	99
35+42+60	2.38	2.85	4.07	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	10.88	11.37	11.86	99
35+50+50	2.41	3.44	3.44	-	9.30 3.20 - 11.60	2.573 0.680 - 3.823	10.81	11.30	11.79	99
35+50+60	2.24	3.21	3.85	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	10.88	11.37	11.86	99
42+42+42	3.10	3.10	3.10	-	9.30 3.20 - 11.60	2.573 0.680 - 3.823	10.81	11.30	11.79	99
42+42+50	2.91	2.91	3.47	-	9.30 3.20 - 11.60	2.584 0.680 - 3.834	10.86	11.35	11.84	99
42+42+60	2.71	2.71	3.88	-	9.30 3.20 - 11.60	2.584 0.680 - 3.834	10.86	11.35	11.84	99
42+50+50	2.75	3.27	3.27	-	9.30 3.20 - 11.60	2.567 0.680 - 3.817	10.78	11.27	11.76	99
15+15+15+15	2.25	2.25	2.25	2.25	9.00 3.40 - 11.60	1.844 0.590 - 3.834	7.75	8.10	8.45	99
15+15+15+18	2.05	2.05	2.05	2.46	8.60 3.40 - 11.60	1.872 0.590 - 3.862	7.86	8.22	8.58	99
15+15+15+20	2.01	2.01	2.01	2.68	8.70 3.40 - 11.60	1.863 0.590 - 3.853	7.82	8.18	8.54	99
15+15+15+22	1.93	1.93	1.93	2.82	8.60 3.40 - 11.60	1.870 0.590 - 3.860	7.85	8.21	8.57	99
15+15+15+25	1.86	1.86	1.86	3.11	8.70 3.40 - 11.60	1.863 0.590 - 3.853	7.82	8.18	8.54	99
15+15+15+35	1.67	1.67	1.67	3.89	8.90 3.40 - 11.60	1.893 0.590 - 3.853	7.95	8.31	8.67	99
15+15+15+42	1.55	1.55	1.55	4.34	9.00 3.40 - 11.60	1.923 0.590 - 3.853	8.08	8.45	8.82	99
15+15+15+50	1.37	1.37	1.37	4.58	8.70 3.40 - 11.60	1.857 0.590 - 3.847	7.81	8.16	8.51	99
15+15+15+60	1.29	1.29	1.29	5.14	9.00 3.40 - 11.60	1.917 0.590 - 3.847	8.05	8.42	8.79	99
15+15+15+71	1.16	1.16	1.16	5.51	9.00 3.40 - 11.60	1.900 0.590 - 3.830	7.98	8.34	8.70	99
15+15+18+18	1.98	1.98	2.37	2.37	8.70 3.40 - 11.60	1.844 0.590 - 3.834	7.75	8.10	8.45	99
15+15+18+20	1.94	1.94	2.33	2.59	8.80 3.40 - 11.60	1.854 0.590 - 3.844	7.79	8.14	8.49	99
15+15+18+22	1.86	1.86	2.24	2.73	8.70 3.40 - 11.60	1.861 0.590 - 3.851	7.81	8.17	8.53	99
15+15+18+25	1.81	1.81	2.17	3.01	8.80 3.40 - 11.60	1.854 0.590 - 3.844	7.79	8.14	8.49	99
15+15+18+42	1.47	1.47	1.76	4.11	8.80 3.40 - 11.60	1.854 0.590 - 3.844	7.79	8.14	8.49	99
15+15+18+50	1.35	1.35	1.62	4.49	8.80 3.40 - 11.60	1.848 0.590 - 3.838	7.77	8.12	8.47	99
15+15+18+60	1.26	1.26	1.52	5.06	9.10 3.40 - 11.60	1.908 0.590 - 3.838	8.02	8.38	8.74	99
15+15+18+71	1.15	1.15	1.38	5.43	9.10 3.40 - 11.60	1.891 0.590 - 3.821	7.94	8.30	8.66	99
15+15+20+20	1.89	1.89	2.51	2.51	8.80 3.40 - 11.60	1.835 0.590 - 3.825	7.71	8.06	8.41	99
15+15+20+22	1.79	1.79	2.39	2.63	8.60 3.40 - 11.60	1.868 0.590 - 3.858	7.84	8.20	8.56	99
15+15+20+25	1.76	1.76	2.35	2.93	8.80 3.40 - 11.60	1.871 0.590 - 3.851	7.86	8.22	8.58	99
15+15+20+35	1.57	1.57	2.09	3.66	8.90 3.40 - 11.60	1.911 0.590 - 3.851	8.03	8.39	8.75	99



**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+15+20+42	1.42	1.42	1.89	3.97	8.70 3.40 - 11.60	1.861 0.590 - 3.851	7.81	8.17	8.53	99
15+15+20+50	1.35	1.35	1.80	4.50	9.00 3.40 - 11.60	1.915 0.590 - 3.845	8.04	8.41	8.78	99
15+15+20+60	1.23	1.23	1.64	4.91	9.00 3.40 - 11.60	1.915 0.590 - 3.845	8.04	8.41	8.78	99
15+15+20+71	1.12	1.12	1.49	5.28	9.00 3.40 - 11.60	1.898 0.590 - 3.828	7.98	8.34	8.70	99
15+15+22+22	1.76	1.76	2.59	2.59	8.70 3.40 - 11.60	1.852 0.590 - 3.832	7.78	8.13	8.48	99
15+15+22+25	1.73	1.73	2.54	2.89	8.90 3.40 - 11.60	1.874 0.590 - 3.844	7.87	8.23	8.59	99
15+15+22+35	1.57	1.57	2.30	3.66	9.10 3.40 - 11.60	1.914 0.590 - 3.844	8.04	8.41	8.78	99
15+15+22+42	1.40	1.40	2.06	3.93	8.80 3.40 - 11.60	1.854 0.590 - 3.844	7.79	8.14	8.49	99
15+15+22+50	1.34	1.34	1.96	4.46	9.10 3.40 - 11.60	1.908 0.590 - 3.838	8.02	8.38	8.74	99
15+15+22+60	1.22	1.22	1.79	4.88	9.10 3.40 - 11.60	1.908 0.590 - 3.838	8.02	8.38	8.74	99
15+15+22+71	1.11	1.11	1.63	5.25	9.10 3.40 - 11.60	1.891 0.590 - 3.821	7.94	8.30	8.66	99
15+15+25+25	1.69	1.69	2.81	2.81	9.00 3.40 - 11.60	1.865 0.590 - 3.825	7.83	8.19	8.55	99
15+15+25+35	1.47	1.47	2.44	3.42	8.80 3.40 - 11.60	1.854 0.590 - 3.844	7.79	8.14	8.49	99
15+15+25+42	1.36	1.36	2.27	3.81	8.80 3.40 - 11.60	1.854 0.590 - 3.844	7.79	8.14	8.49	99
15+15+25+50	1.30	1.30	2.17	4.33	9.10 3.40 - 11.60	1.908 0.590 - 3.838	8.02	8.38	8.74	99
15+15+25+60	1.19	1.19	1.98	4.75	9.10 3.40 - 11.60	1.908 0.590 - 3.838	8.02	8.38	8.74	99
15+15+25+71	1.08	1.08	1.81	5.13	9.10 3.40 - 11.60	1.891 0.590 - 3.821	7.94	8.30	8.66	99
15+15+35+35	1.37	1.37	3.19	3.19	9.10 3.40 - 11.60	1.895 0.590 - 3.825	7.96	8.32	8.68	99
15+15+35+42	1.28	1.28	2.98	3.57	9.10 3.40 - 11.60	1.914 0.590 - 3.844	8.04	8.41	8.78	99
15+15+35+50	1.19	1.19	2.77	3.96	9.10 3.40 - 11.60	1.908 0.590 - 3.838	8.02	8.38	8.74	99
15+15+35+60	1.09	1.09	2.55	4.37	9.10 3.40 - 11.60	1.908 0.590 - 3.838	8.02	8.38	8.74	99
15+15+35+71	1.00	1.00	2.34	4.75	9.10 3.40 - 11.60	1.891 0.590 - 3.821	7.94	8.30	8.66	99
15+15+42+42	1.20	1.20	3.35	3.35	9.10 3.40 - 11.60	1.895 0.590 - 3.825	7.96	8.32	8.68	99
15+15+42+50	1.12	1.12	3.13	3.73	9.10 3.40 - 11.60	1.902 0.590 - 3.832	7.99	8.35	8.71	99
15+15+42+60	1.03	1.03	2.90	4.14	9.10 3.40 - 11.60	1.902 0.590 - 3.832	7.99	8.35	8.71	99
15+15+42+71	0.95	0.95	2.67	4.52	9.10 3.40 - 11.60	1.885 0.590 - 3.815	7.92	8.28	8.64	99
15+15+50+50	1.05	1.05	3.50	3.50	9.10 3.40 - 11.60	1.889 0.590 - 3.819	7.94	8.30	8.66	99
15+15+50+60	0.98	0.98	3.25	3.90	9.10 3.40 - 11.60	1.902 0.590 - 3.832	7.99	8.35	8.71	99
15+18+18+18	1.91	2.30	2.30	2.30	8.80 3.40 - 11.60	1.825 0.590 - 3.815	7.66	8.01	8.36	99
15+18+18+20	1.88	2.26	2.26	2.51	8.90 3.40 - 11.60	1.845 0.590 - 3.835	7.75	8.10	8.45	99
15+18+18+22	1.81	2.17	2.17	2.65	8.80 3.40 - 11.60	1.852 0.590 - 3.842	7.78	8.13	8.48	99
15+18+18+25	1.78	2.13	2.13	2.96	9.00 3.40 - 11.60	1.865 0.590 - 3.835	7.83	8.19	8.55	99
15+18+18+35	1.60	1.93	1.93	3.74	9.20 3.40 - 11.60	1.895 0.590 - 3.835	7.96	8.32	8.68	99
15+18+18+42	1.44	1.72	1.72	4.02	8.90 3.40 - 11.60	1.845 0.590 - 3.835	7.75	8.10	8.45	99
15+18+18+50	1.37	1.64	1.64	4.55	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+18+18+60	1.24	1.49	1.49	4.97	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+18+18+71	1.13	1.36	1.36	5.35	9.20 3.40 - 11.60	1.882 0.590 - 3.812	7.91	8.27	8.63	99
15+18+20+20	1.83	2.19	2.44	2.44	8.90 3.40 - 11.60	1.826 0.590 - 3.816	7.67	8.02	8.37	99
15+18+20+22	1.76	2.11	2.35	2.58	8.80 3.40 - 11.60	1.869 0.590 - 3.849	7.85	8.21	8.57	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+18+20+25	1.71	2.05	2.28	2.85	8.90 3.40 - 11.60	1.872 0.590 - 3.842	7.86	8.22	8.58	99
15+18+20+35	1.55	1.86	2.07	3.62	9.10 3.40 - 11.60	1.912 0.590 - 3.842	8.03	8.40	8.77	99
15+18+20+42	1.39	1.67	1.85	3.89	8.80 3.40 - 11.60	1.852 0.590 - 3.842	7.78	8.13	8.48	99
15+18+20+50	1.33	1.59	1.77	4.42	9.10 3.40 - 11.60	1.906 0.590 - 3.836	8.01	8.37	8.73	99
15+18+20+60	1.21	1.45	1.61	4.83	9.10 3.40 - 11.60	1.906 0.590 - 3.836	8.01	8.37	8.73	99
15+18+20+71	1.10	1.32	1.47	5.21	9.10 3.40 - 11.60	1.889 0.590 - 3.819	7.94	8.30	8.66	99
15+18+22+22	1.73	2.08	2.54	2.54	8.90 3.40 - 11.60	1.853 0.590 - 3.823	7.79	8.14	8.49	99
15+18+22+25	1.71	2.05	2.50	2.84	9.10 3.40 - 11.60	1.875 0.590 - 3.835	7.87	8.23	8.59	99
15+18+22+35	1.48	1.78	2.18	3.46	8.90 3.40 - 11.60	1.845 0.590 - 3.835	7.75	8.10	8.45	99
15+18+22+42	1.38	1.65	2.02	3.85	8.90 3.40 - 11.60	1.845 0.590 - 3.835	7.75	8.10	8.45	99
15+18+22+50	1.31	1.58	1.93	4.38	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+18+22+60	1.20	1.44	1.76	4.80	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+18+22+71	1.10	1.31	1.61	5.18	9.20 3.40 - 11.60	1.882 0.590 - 3.812	7.91	8.27	8.63	99
15+18+25+35	1.44	1.72	2.39	3.35	8.90 3.40 - 11.60	1.826 0.590 - 3.816	7.67	8.02	8.37	99
15+18+25+42	1.38	1.66	2.30	3.86	9.20 3.40 - 11.60	1.905 0.590 - 3.835	8.01	8.37	8.73	99
15+18+25+50	1.28	1.53	2.13	4.26	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+18+25+60	1.17	1.40	1.95	4.68	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+18+25+71	1.07	1.28	1.78	5.06	9.20 3.40 - 11.60	1.882 0.590 - 3.812	7.91	8.27	8.63	99
15+18+35+35	1.34	1.61	3.13	3.13	9.20 3.40 - 11.60	1.886 0.590 - 3.816	7.92	8.28	8.64	99
15+18+35+42	1.25	1.51	2.93	3.51	9.20 3.40 - 11.60	1.905 0.590 - 3.835	8.01	8.37	8.73	99
15+18+35+50	1.17	1.40	2.73	3.90	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+18+35+60	1.08	1.29	2.52	4.31	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+18+35+71	0.99	1.19	2.32	4.70	9.20 3.40 - 11.60	1.882 0.590 - 3.812	7.91	8.27	8.63	99
15+18+42+42	1.18	1.42	3.30	3.30	9.20 3.40 - 11.60	1.886 0.590 - 3.816	7.92	8.28	8.64	99
15+18+42+50	1.10	1.32	3.09	3.68	9.20 3.40 - 11.60	1.893 0.590 - 3.823	7.95	8.31	8.67	99
15+18+42+60	1.02	1.23	2.86	4.09	9.20 3.40 - 11.60	1.893 0.590 - 3.823	7.95	8.31	8.67	99
15+18+50+50	1.04	1.25	3.46	3.46	9.20 3.40 - 11.60	1.876 0.590 - 3.806	7.88	8.24	8.60	99
15+18+50+60	0.97	1.16	3.22	3.86	9.20 3.40 - 11.60	1.893 0.590 - 3.823	7.95	8.31	8.67	99
15+20+20+20	1.80	2.40	2.40	2.40	9.00 3.40 - 11.60	1.826 0.590 - 3.806	7.67	8.02	8.37	99
15+20+20+22	1.69	2.26	2.26	2.49	8.70 3.40 - 11.60	1.886 0.590 - 3.856	7.92	8.28	8.64	99
15+20+20+25	1.67	2.23	2.23	2.78	8.90 3.40 - 11.60	1.889 0.590 - 3.849	7.94	8.30	8.66	99
15+20+20+35	1.45	1.93	1.93	3.38	8.70 3.40 - 11.60	1.859 0.590 - 3.849	7.81	8.16	8.51	99
15+20+20+42	1.35	1.79	1.79	3.77	8.70 3.40 - 11.60	1.859 0.590 - 3.849	7.81	8.16	8.51	99
15+20+20+50	1.29	1.71	1.71	4.29	9.00 3.40 - 11.60	1.913 0.590 - 3.843	8.03	8.40	8.77	99
15+20+20+60	1.17	1.57	1.57	4.70	9.00 3.40 - 11.60	1.913 0.590 - 3.843	8.03	8.40	8.77	99
15+20+20+71	1.07	1.43	1.43	5.07	9.00 3.40 - 11.60	1.896 0.590 - 3.826	7.97	8.33	8.69	99
15+20+22+22	1.67	2.23	2.45	2.45	8.80 3.40 - 11.60	1.870 0.590 - 3.830	7.85	8.21	8.57	99
15+20+22+25	1.65	2.20	2.41	2.74	9.00 3.40 - 11.60	1.892 0.590 - 3.842	7.95	8.31	8.67	99
15+20+22+35	1.43	1.91	2.10	3.35	8.80 3.40 - 11.60	1.852 0.590 - 3.842	7.78	8.13	8.48	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+20+22+42	1.33	1.78	1.96	3.73	8.80 3.40 - 11.60	1.852 0.590 - 3.842	7.78	8.13	8.48	99
15+20+22+50	1.28	1.70	1.87	4.25	9.10 3.40 - 11.60	1.906 0.590 - 3.836	8.01	8.37	8.73	99
15+20+22+60	1.17	1.56	1.71	4.67	9.10 3.40 - 11.60	1.906 0.590 - 3.836	8.01	8.37	8.73	99
15+20+22+71	1.07	1.42	1.56	5.05	9.10 3.40 - 11.60	1.889 0.590 - 3.819	7.94	8.30	8.66	99
15+20+25+25	1.59	2.12	2.65	2.65	9.00 3.40 - 11.60	1.883 0.590 - 3.823	7.91	8.27	8.63	99
15+20+25+35	1.39	1.85	2.32	3.24	8.80 3.40 - 11.60	1.852 0.590 - 3.842	7.78	8.13	8.48	99
15+20+25+42	1.34	1.78	2.23	3.75	9.10 3.40 - 11.60	1.912 0.590 - 3.842	8.03	8.40	8.77	99
15+20+25+50	1.24	1.65	2.07	4.14	9.10 3.40 - 11.60	1.906 0.590 - 3.836	8.01	8.37	8.73	99
15+20+25+60	1.14	1.52	1.90	4.55	9.10 3.40 - 11.60	1.906 0.590 - 3.836	8.01	8.37	8.73	99
15+20+25+71	1.04	1.39	1.74	4.93	9.10 3.40 - 11.60	1.889 0.590 - 3.819	7.94	8.30	8.66	99
15+20+35+35	1.30	1.73	3.03	3.03	9.10 3.40 - 11.60	1.893 0.590 - 3.823	7.95	8.31	8.67	99
15+20+35+42	1.22	1.63	2.84	3.41	9.10 3.40 - 11.60	1.912 0.590 - 3.842	8.03	8.40	8.77	99
15+20+35+50	1.14	1.52	2.65	3.79	9.10 3.40 - 11.60	1.906 0.590 - 3.836	8.01	8.37	8.73	99
15+20+35+60	1.05	1.40	2.45	4.20	9.10 3.40 - 11.60	1.906 0.590 - 3.836	8.01	8.37	8.73	99
15+20+35+71	0.97	1.29	2.26	4.58	9.10 3.40 - 11.60	1.889 0.590 - 3.819	7.94	8.30	8.66	99
15+20+42+42	1.15	1.53	3.21	3.21	9.10 3.40 - 11.60	1.893 0.590 - 3.823	7.95	8.31	8.67	99
15+20+42+50	1.07	1.43	3.01	3.58	9.10 3.40 - 11.60	1.900 0.590 - 3.830	7.98	8.34	8.70	99
15+20+42+60	1.00	1.33	2.79	3.99	9.10 3.40 - 11.60	1.900 0.590 - 3.830	7.98	8.34	8.70	99
15+20+50+50	1.01	1.35	3.37	3.37	9.10 3.40 - 11.60	1.883 0.590 - 3.813	7.91	8.27	8.63	99
15+20+50+60	0.94	1.26	3.14	3.77	9.10 3.40 - 11.60	1.900 0.590 - 3.830	7.98	8.34	8.70	99
15+22+22+22	1.67	2.44	2.44	2.44	9.00 3.40 - 11.60	1.853 0.590 - 3.813	7.79	8.14	8.49	99
15+22+22+25	1.63	2.38	2.38	2.71	9.10 3.40 - 11.60	1.895 0.590 - 3.835	7.96	8.32	8.68	99
15+22+22+35	1.42	2.08	2.08	3.31	8.90 3.40 - 11.60	1.845 0.590 - 3.835	7.75	8.10	8.45	99
15+22+22+42	1.37	2.00	2.00	3.83	9.20 3.40 - 11.60	1.905 0.590 - 3.835	8.01	8.37	8.73	99
15+22+22+50	1.27	1.86	1.86	4.22	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+22+22+60	1.16	1.70	1.70	4.64	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+22+22+71	1.06	1.56	1.56	5.02	9.20 3.40 - 11.60	1.882 0.590 - 3.812	7.91	8.27	8.63	99
15+22+25+25	1.59	2.33	2.64	2.64	9.20 3.40 - 11.60	1.886 0.590 - 3.816	7.92	8.28	8.64	99
15+22+25+35	1.38	2.02	2.29	3.21	8.90 3.40 - 11.60	1.845 0.590 - 3.835	7.75	8.10	8.45	99
15+22+25+42	1.33	1.95	2.21	3.72	9.20 3.40 - 11.60	1.905 0.590 - 3.835	8.01	8.37	8.73	99
15+22+25+50	1.23	1.81	2.05	4.11	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+22+25+60	1.13	1.66	1.89	4.52	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+22+25+71	1.04	1.52	1.73	4.91	9.20 3.40 - 11.60	1.882 0.590 - 3.812	7.91	8.27	8.63	99
15+22+35+35	1.29	1.89	3.01	3.01	9.20 3.40 - 11.60	1.886 0.590 - 3.816	7.92	8.28	8.64	99
15+22+35+42	1.21	1.78	2.82	3.39	9.20 3.40 - 11.60	1.905 0.590 - 3.835	8.01	8.37	8.73	99
15+22+35+50	1.13	1.66	2.64	3.77	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+22+35+60	1.05	1.53	2.44	4.18	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+22+35+71	0.97	1.42	2.25	4.57	9.20 3.40 - 11.60	1.882 0.590 - 3.812	7.91	8.27	8.63	99
15+22+42+42	1.14	1.67	3.19	3.19	9.20 3.40 - 11.60	1.886 0.590 - 3.816	7.92	8.28	8.64	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240		
15+22+42+50	1.07	1.57	3.00	3.57	9.20 3.40 - 11.60	1.893 - 3.823	0.590	7.95	8.31	8.67	99
15+22+42+60	0.99	1.46	2.78	3.97	9.20 3.40 - 11.60	1.893 - 3.823	0.590	7.95	8.31	8.67	99
15+22+50+50	1.01	1.48	3.36	3.36	9.20 3.40 - 11.60	1.876 - 3.806	0.590	7.88	8.24	8.60	99
15+25+25+25	1.48	2.47	2.47	2.47	8.90 3.40 - 11.60	1.833 - 3.823	0.590	7.70	8.05	8.40	99
15+25+25+35	1.38	2.30	2.30	3.22	9.20 3.40 - 11.60	1.905 - 3.835	0.590	8.01	8.37	8.73	99
15+25+25+42	1.29	2.15	2.15	3.61	9.20 3.40 - 11.60	1.905 - 3.835	0.590	8.01	8.37	8.73	99
15+25+25+50	1.20	2.00	2.00	4.00	9.20 3.40 - 11.60	1.899 - 3.829	0.590	7.98	8.34	8.70	99
15+25+25+60	1.10	1.84	1.84	4.42	9.20 3.40 - 11.60	1.899 - 3.829	0.590	7.98	8.34	8.70	99
15+25+25+71	1.01	1.69	1.69	4.80	9.20 3.40 - 11.60	1.882 - 3.812	0.590	7.91	8.27	8.63	99
15+25+35+35	1.25	2.09	2.93	2.93	9.20 3.40 - 11.60	1.886 - 3.816	0.590	7.92	8.28	8.64	99
15+25+35+42	1.18	1.97	2.75	3.30	9.20 3.40 - 11.60	1.905 - 3.835	0.590	8.01	8.37	8.73	99
15+25+35+50	1.10	1.84	2.58	3.68	9.20 3.40 - 11.60	1.899 - 3.829	0.590	7.98	8.34	8.70	99
15+25+35+60	1.02	1.70	2.39	4.09	9.20 3.40 - 11.60	1.899 - 3.829	0.590	7.98	8.34	8.70	99
15+25+42+42	1.11	1.85	3.12	3.12	9.20 3.40 - 11.60	1.882 - 3.812	0.590	7.91	8.27	8.63	99
15+25+42+50	1.05	1.74	2.93	3.48	9.20 3.40 - 11.60	1.893 - 3.823	0.590	7.95	8.31	8.67	99
15+25+42+60	0.97	1.62	2.72	3.89	9.20 3.40 - 11.60	1.893 - 3.823	0.590	7.95	8.31	8.67	99
15+25+50+50	0.99	1.64	3.29	3.29	9.20 3.40 - 11.60	1.876 - 3.806	0.590	7.88	8.24	8.60	99
15+35+35+35	1.15	2.68	2.68	2.68	9.20 3.40 - 11.60	1.893 - 3.823	0.590	7.95	8.31	8.67	99
15+35+35+42	1.09	2.54	2.54	3.04	9.20 3.40 - 11.60	1.905 - 3.835	0.590	8.01	8.37	8.73	99
15+35+35+50	1.02	2.39	2.39	3.41	9.20 3.40 - 11.60	1.899 - 3.829	0.590	7.98	8.34	8.70	99
15+35+35+60	0.95	2.22	2.22	3.81	9.20 3.40 - 11.60	1.899 - 3.829	0.590	7.98	8.34	8.70	99
15+35+42+42	1.03	2.40	2.88	2.88	9.20 3.40 - 11.60	1.882 - 3.812	0.590	7.91	8.27	8.63	99
15+35+42+50	0.97	2.27	2.72	3.24	9.20 3.40 - 11.60	1.893 - 3.823	0.590	7.95	8.31	8.67	99
15+42+42+42	0.98	2.74	2.74	2.74	9.20 3.40 - 11.60	1.893 - 3.823	0.590	7.95	8.31	8.67	99
18+18+18+18	2.23	2.23	2.23	2.23	8.90 3.40 - 11.60	1.827 - 3.817	0.590	7.67	8.02	8.37	99
18+18+18+20	2.19	2.19	2.19	2.43	9.00 3.40 - 11.60	1.846 - 3.826	0.590	7.76	8.11	8.46	99
18+18+18+22	2.13	2.13	2.13	2.61	9.00 3.40 - 11.60	1.863 - 3.833	0.590	7.82	8.18	8.54	99
18+18+18+25	2.07	2.07	2.07	2.88	9.10 3.40 - 11.60	1.866 - 3.826	0.590	7.83	8.19	8.55	99
18+18+18+35	1.82	1.82	1.82	3.54	9.00 3.40 - 11.60	1.836 - 3.826	0.590	7.71	8.06	8.41	99
18+18+18+42	1.69	1.69	1.69	3.94	9.00 3.40 - 11.60	1.836 - 3.826	0.590	7.71	8.06	8.41	99
18+18+18+50	1.61	1.61	1.61	4.47	9.30 3.40 - 11.60	1.890 - 3.820	0.590	7.94	8.30	8.66	99
18+18+18+60	1.47	1.47	1.47	4.89	9.30 3.40 - 11.60	1.890 - 3.820	0.590	7.94	8.30	8.66	99
18+18+18+71	1.34	1.34	1.34	5.28	9.30 3.40 - 11.60	1.873 - 3.803	0.590	7.87	8.23	8.59	99
18+18+20+20	2.16	2.16	2.39	2.39	9.10 3.40 - 11.60	1.837 - 3.807	0.590	7.72	8.07	8.42	99
18+18+20+22	2.05	2.05	2.28	2.51	8.90 3.40 - 11.60	1.870 - 3.840	0.590	7.85	8.21	8.57	99
18+18+20+25	2.02	2.02	2.25	2.81	9.10 3.40 - 11.60	1.873 - 3.833	0.590	7.87	8.23	8.59	99
18+18+20+35	1.76	1.76	1.96	3.42	8.90 3.40 - 11.60	1.843 - 3.833	0.590	7.74	8.09	8.44	99
18+18+20+42	1.63	1.63	1.82	3.81	8.90 3.40 - 11.60	1.843 - 3.833	0.590	7.74	8.09	8.44	99
18+18+20+50	1.56	1.56	1.74	4.34	9.20 3.40 - 11.60	1.897 - 3.827	0.590	7.97	8.33	8.69	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240		
18+18+20+60	1.43	1.43	1.59	4.76	9.20 3.40 - 11.60	1.897 - 3.827	0.590	7.97	8.33	8.69	99
18+18+20+71	1.30	1.30	1.45	5.14	9.20 3.40 - 11.60	1.880 - 3.810	0.590	7.90	8.26	8.62	99
18+18+22+22	2.05	2.05	2.50	2.50	9.10 3.40 - 11.60	1.854 - 3.814	0.590	7.79	8.14	8.49	99
18+18+22+35	1.74	1.74	2.13	3.39	9.00 3.40 - 11.60	1.836 - 3.826	0.590	7.71	8.06	8.41	99
18+18+22+42	1.67	1.67	2.05	3.91	9.30 3.40 - 11.60	1.896 - 3.826	0.590	7.97	8.33	8.69	99
18+18+22+50	1.55	1.55	1.89	4.31	9.30 3.40 - 11.60	1.890 - 3.820	0.590	7.94	8.30	8.66	99
18+18+22+60	1.42	1.42	1.73	4.73	9.30 3.40 - 11.60	1.890 - 3.820	0.590	7.94	8.30	8.66	99
18+18+22+71	1.30	1.30	1.59	5.12	9.30 3.40 - 11.60	1.873 - 3.803	0.590	7.87	8.23	8.59	99
18+18+25+25	1.95	1.95	2.70	2.70	9.30 3.40 - 11.60	1.867 - 3.807	0.590	7.84	8.20	8.56	99
18+18+25+35	1.69	1.69	2.34	3.28	9.00 3.40 - 11.60	1.836 - 3.826	0.590	7.71	8.06	8.41	99
18+18+25+42	1.63	1.63	2.26	3.79	9.30 3.40 - 11.60	1.896 - 3.826	0.590	7.97	8.33	8.69	99
18+18+25+50	1.51	1.51	2.09	4.19	9.30 3.40 - 11.60	1.890 - 3.820	0.590	7.94	8.30	8.66	99
18+18+25+60	1.38	1.38	1.92	4.61	9.30 3.40 - 11.60	1.890 - 3.820	0.590	7.94	8.30	8.66	99
18+18+25+71	1.27	1.27	1.76	5.00	9.30 3.40 - 11.60	1.873 - 3.803	0.590	7.87	8.23	8.59	99
18+18+35+35	1.58	1.58	3.07	3.07	9.30 3.40 - 11.60	1.877 - 3.807	0.590	7.88	8.24	8.60	99
18+18+35+42	1.48	1.48	2.88	3.46	9.30 3.40 - 11.60	1.896 - 3.826	0.590	7.97	8.33	8.69	99
18+18+35+50	1.38	1.38	2.69	3.84	9.30 3.40 - 11.60	1.890 - 3.820	0.590	7.94	8.30	8.66	99
18+18+35+60	1.28	1.28	2.48	4.26	9.30 3.40 - 11.60	1.890 - 3.820	0.590	7.94	8.30	8.66	99
18+18+35+71	1.18	1.18	2.29	4.65	9.30 3.40 - 11.60	1.873 - 3.803	0.590	7.87	8.23	8.59	99
18+18+42+42	1.40	1.40	3.26	3.26	9.30 3.40 - 11.60	1.877 - 3.807	0.590	7.88	8.24	8.60	99
18+18+42+50	1.31	1.31	3.05	3.63	9.30 3.40 - 11.60	1.884 - 3.814	0.590	7.91	8.27	8.63	99
18+18+42+60	1.21	1.21	2.83	4.04	9.30 3.40 - 11.60	1.884 - 3.814	0.590	7.91	8.27	8.63	99
18+18+50+50	1.23	1.23	3.42	3.42	9.30 3.40 - 11.60	1.867 - 3.797	0.590	7.84	8.20	8.56	99
18+20+20+20	2.10	2.33	2.33	2.33	9.10 3.40 - 11.60	1.844 - 3.814	0.590	7.75	8.10	8.45	99
18+20+20+22	2.00	2.23	2.23	2.45	8.90 3.40 - 11.60	1.887 - 3.847	0.590	7.93	8.29	8.65	99
18+20+20+35	1.70	1.89	1.89	3.31	8.80 3.40 - 11.60	1.850 - 3.840	0.590	7.77	8.12	8.47	99
18+20+20+42	1.64	1.82	1.82	3.82	9.10 3.40 - 11.60	1.910 - 3.840	0.590	8.03	8.39	8.75	99
18+20+20+50	1.52	1.69	1.69	4.21	9.10 3.40 - 11.60	1.904 - 3.834	0.590	8.00	8.36	8.72	99
18+20+20+60	1.39	1.54	1.54	4.63	9.10 3.40 - 11.60	1.904 - 3.834	0.590	8.00	8.36	8.72	99
18+20+20+71	1.27	1.41	1.41	5.01	9.10 3.40 - 11.60	1.887 - 3.817	0.590	7.93	8.29	8.65	99
18+20+22+22	1.98	2.20	2.41	2.41	9.00 3.40 - 11.60	1.871 - 3.821	0.590	7.86	8.22	8.58	99
18+20+22+25	1.93	2.14	2.36	2.68	9.10 3.40 - 11.60	1.893 - 3.833	0.590	7.95	8.31	8.67	99
18+20+22+35	1.69	1.87	2.06	3.28	8.90 3.40 - 11.60	1.843 - 3.833	0.590	7.74	8.09	8.44	99
18+20+22+42	1.62	1.80	1.98	3.79	9.20 3.40 - 11.60	1.903 - 3.833	0.590	8.00	8.36	8.72	99
18+20+22+50	1.51	1.67	1.84	4.18	9.20 3.40 - 11.60	1.897 - 3.827	0.590	7.97	8.33	8.69	99
18+20+22+60	1.38	1.53	1.69	4.60	9.20 3.40 - 11.60	1.897 - 3.827	0.590	7.97	8.33	8.69	99
18+20+22+71	1.26	1.40	1.55	4.99	9.20 3.40 - 11.60	1.880 - 3.810	0.590	7.90	8.26	8.62	99
18+20+25+25	1.88	2.09	2.61	2.61	9.20 3.40 - 11.60	1.884 - 3.814	0.590	7.91	8.27	8.63	99
18+20+25+35	1.63	1.82	2.27	3.18	8.90 3.40 - 11.60	1.843 - 3.833	0.590	7.74	8.09	8.44	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+20+25+42	1.58	1.75	2.19	3.68	9.20 3.40 - 11.60	1.903 - 3.833	8.00	8.36	8.72	99
18+20+25+50	1.47	1.63	2.04	4.07	9.20 3.40 - 11.60	1.897 - 3.827	7.97	8.33	8.69	99
18+20+25+60	1.35	1.50	1.87	4.49	9.20 3.40 - 11.60	1.897 - 3.827	7.97	8.33	8.69	99
18+20+25+71	1.24	1.37	1.72	4.87	9.20 3.40 - 11.60	1.880 - 3.810	7.90	8.26	8.62	99
18+20+35+35	1.53	1.70	2.98	2.98	9.20 3.40 - 11.60	1.884 - 3.814	7.91	8.27	8.63	99
18+20+35+42	1.44	1.60	2.80	3.36	9.20 3.40 - 11.60	1.903 - 3.833	8.00	8.36	8.72	99
18+20+35+50	1.35	1.50	2.62	3.74	9.20 3.40 - 11.60	1.897 - 3.827	7.97	8.33	8.69	99
18+20+35+60	1.25	1.38	2.42	4.15	9.20 3.40 - 11.60	1.897 - 3.827	7.97	8.33	8.69	99
18+20+35+71	1.15	1.28	2.24	4.54	9.20 3.40 - 11.60	1.880 - 3.810	7.90	8.26	8.62	99
18+20+42+42	1.36	1.51	3.17	3.17	9.20 3.40 - 11.60	1.884 - 3.814	7.91	8.27	8.63	99
18+20+42+50	1.27	1.42	2.97	3.54	9.20 3.40 - 11.60	1.891 - 3.821	7.94	8.30	8.66	99
18+20+42+60	1.18	1.31	2.76	3.94	9.20 3.40 - 11.60	1.891 - 3.821	7.94	8.30	8.66	99
18+20+50+50	1.20	1.33	3.33	3.33	9.20 3.40 - 11.60	1.874 - 3.804	7.87	8.23	8.59	99
18+22+22+22	1.95	2.38	2.38	2.38	9.10 3.40 - 11.60	1.881 - 3.821	7.90	8.26	8.62	99
18+22+22+25	1.92	2.35	2.35	2.67	9.30 3.40 - 11.60	1.896 - 3.826	7.97	8.33	8.69	99
18+22+22+35	1.67	2.04	2.04	3.25	9.00 3.40 - 11.60	1.836 - 3.826	7.71	8.06	8.41	99
18+22+22+42	1.61	1.97	1.97	3.76	9.30 3.40 - 11.60	1.896 - 3.826	7.97	8.33	8.69	99
18+22+22+50	1.49	1.83	1.83	4.15	9.30 3.40 - 11.60	1.890 - 3.820	7.94	8.30	8.66	99
18+22+22+60	1.37	1.68	1.68	4.57	9.30 3.40 - 11.60	1.890 - 3.820	7.94	8.30	8.66	99
18+22+22+71	1.26	1.54	1.54	4.96	9.30 3.40 - 11.60	1.873 - 3.803	7.87	8.23	8.59	99
18+22+25+25	1.80	2.20	2.50	2.50	9.00 3.40 - 11.60	1.817 - 3.807	7.63	7.98	8.33	99
18+22+25+35	1.67	2.05	2.33	3.26	9.30 3.40 - 11.60	1.896 - 3.826	7.97	8.33	8.69	99
18+22+25+42	1.56	1.91	2.17	3.65	9.30 3.40 - 11.60	1.896 - 3.826	7.97	8.33	8.69	99
18+22+25+50	1.46	1.78	2.02	4.04	9.30 3.40 - 11.60	1.890 - 3.820	7.94	8.30	8.66	99
18+22+25+60	1.34	1.64	1.86	4.46	9.30 3.40 - 11.60	1.890 - 3.820	7.94	8.30	8.66	99
18+22+25+71	1.23	1.50	1.71	4.86	9.30 3.40 - 11.60	1.873 - 3.803	7.87	8.23	8.59	99
18+22+35+35	1.52	1.86	2.96	2.96	9.30 3.40 - 11.60	1.877 - 3.807	7.88	8.24	8.60	99
18+22+35+42	1.43	1.75	2.78	3.34	9.30 3.40 - 11.60	1.896 - 3.826	7.97	8.33	8.69	99
18+22+35+50	1.34	1.64	2.60	3.72	9.30 3.40 - 11.60	1.890 - 3.820	7.94	8.30	8.66	99
18+22+35+60	1.24	1.52	2.41	4.13	9.30 3.40 - 11.60	1.890 - 3.820	7.94	8.30	8.66	99
18+22+42+42	1.35	1.65	3.15	3.15	9.30 3.40 - 11.60	1.873 - 3.803	7.87	8.23	8.59	99
18+22+42+50	1.27	1.55	2.96	3.52	9.30 3.40 - 11.60	1.884 - 3.814	7.91	8.27	8.63	99
18+22+42+60	1.18	1.44	2.75	3.93	9.30 3.40 - 11.60	1.884 - 3.814	7.91	8.27	8.63	99
18+22+50+50	1.20	1.46	3.32	3.32	9.30 3.40 - 11.60	1.867 - 3.797	7.84	8.20	8.56	99
18+25+25+25	1.74	2.42	2.42	2.42	9.00 3.40 - 11.60	1.824 - 3.814	7.66	8.01	8.36	99
18+25+25+35	1.63	2.26	2.26	3.16	9.30 3.40 - 11.60	1.896 - 3.826	7.97	8.33	8.69	99
18+25+25+42	1.52	2.11	2.11	3.55	9.30 3.40 - 11.60	1.896 - 3.826	7.97	8.33	8.69	99
18+25+25+50	1.42	1.97	1.97	3.94	9.30 3.40 - 11.60	1.890 - 3.820	7.94	8.30	8.66	99
18+25+25+60	1.31	1.82	1.82	4.36	9.30 3.40 - 11.60	1.890 - 3.820	7.94	8.30	8.66	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+25+25+71	1.20	1.67	1.67	4.75	9.30 3.40 - 11.60	1.873 0.590 - 3.803	7.87	8.23	8.59	99
18+25+35+35	1.48	2.06	2.88	2.88	9.30 3.40 - 11.60	1.877 0.590 - 3.807	7.88	8.24	8.60	99
18+25+35+42	1.40	1.94	2.71	3.26	9.30 3.40 - 11.60	1.896 0.590 - 3.826	7.97	8.33	8.69	99
18+25+35+50	1.31	1.82	2.54	3.63	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
18+25+35+60	1.21	1.68	2.36	4.04	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
18+25+42+42	1.32	1.83	3.08	3.08	9.30 3.40 - 11.60	1.873 0.590 - 3.803	7.87	8.23	8.59	99
18+25+42+50	1.24	1.72	2.89	3.44	9.30 3.40 - 11.60	1.884 0.590 - 3.814	7.91	8.27	8.63	99
18+25+42+60	1.15	1.60	2.69	3.85	9.30 3.40 - 11.60	1.884 0.590 - 3.814	7.91	8.27	8.63	99
18+25+50+50	1.17	1.63	3.25	3.25	9.30 3.40 - 11.60	1.867 0.590 - 3.797	7.84	8.20	8.56	99
18+35+35+35	1.36	2.65	2.65	2.65	9.30 3.40 - 11.60	1.884 0.590 - 3.814	7.91	8.27	8.63	99
18+35+35+42	1.29	2.50	2.50	3.00	9.30 3.40 - 11.60	1.896 0.590 - 3.826	7.97	8.33	8.69	99
18+35+35+50	1.21	2.36	2.36	3.37	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
18+35+42+42	1.22	2.38	2.85	2.85	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
18+35+42+50	1.15	2.24	2.69	3.21	9.30 3.40 - 11.60	1.884 0.590 - 3.814	7.91	8.27	8.63	99
18+42+42+42	1.16	2.71	2.71	2.71	9.30 3.40 - 11.60	1.884 0.590 - 3.814	7.91	8.27	8.63	99
20+20+20+20	2.30	2.30	2.30	2.30	9.20 3.40 - 11.60	1.848 0.590 - 3.808	7.77	8.12	8.47	99
20+20+20+22	2.15	2.15	2.15	2.36	8.80 3.40 - 11.60	1.904 0.590 - 3.854	8.00	8.36	8.72	99
20+20+20+25	2.09	2.09	2.09	2.62	8.90 3.40 - 11.60	1.907 0.590 - 3.847	8.02	8.38	8.74	99
20+20+20+35	1.83	1.83	1.83	3.21	8.70 3.40 - 11.60	1.857 0.590 - 3.847	7.81	8.16	8.51	99
20+20+20+42	1.76	1.76	1.76	3.71	9.00 3.40 - 11.60	1.917 0.590 - 3.847	8.05	8.42	8.79	99
20+20+20+50	1.64	1.64	1.64	4.09	9.00 3.40 - 11.60	1.911 0.590 - 3.841	8.03	8.39	8.75	99
20+20+20+60	1.50	1.50	1.50	4.50	9.00 3.40 - 11.60	1.911 0.590 - 3.841	8.03	8.39	8.75	99
20+20+20+71	1.37	1.37	1.37	4.88	9.00 3.40 - 11.60	1.894 0.590 - 3.824	7.96	8.32	8.68	99
20+20+22+22	2.12	2.12	2.33	2.33	8.90 3.40 - 11.60	1.888 0.590 - 3.828	7.93	8.29	8.65	99
20+20+22+25	2.09	2.09	2.30	2.61	9.10 3.40 - 11.60	1.910 0.590 - 3.840	8.03	8.39	8.75	99
20+20+22+35	1.81	1.81	2.00	3.18	8.80 3.40 - 11.60	1.850 0.590 - 3.840	7.77	8.12	8.47	99
20+20+22+42	1.75	1.75	1.93	3.68	9.10 3.40 - 11.60	1.910 0.590 - 3.840	8.03	8.39	8.75	99
20+20+22+50	1.63	1.63	1.79	4.06	9.10 3.40 - 11.60	1.904 0.590 - 3.834	8.00	8.36	8.72	99
20+20+22+60	1.49	1.49	1.64	4.48	9.10 3.40 - 11.60	1.904 0.590 - 3.834	8.00	8.36	8.72	99
20+20+22+71	1.37	1.37	1.51	4.86	9.10 3.40 - 11.60	1.887 0.590 - 3.817	7.93	8.29	8.65	99
20+20+25+25	1.96	1.96	2.44	2.44	8.80 3.40 - 11.60	1.831 0.590 - 3.821	7.69	8.04	8.39	99
20+20+25+35	1.82	1.82	2.28	3.19	9.10 3.40 - 11.60	1.910 0.590 - 3.840	8.03	8.39	8.75	99
20+20+25+42	1.70	1.70	2.13	3.57	9.10 3.40 - 11.60	1.910 0.590 - 3.840	8.03	8.39	8.75	99
20+20+25+50	1.58	1.58	1.98	3.96	9.10 3.40 - 11.60	1.904 0.590 - 3.834	8.00	8.36	8.72	99
20+20+25+60	1.46	1.46	1.82	4.37	9.10 3.40 - 11.60	1.904 0.590 - 3.834	8.00	8.36	8.72	99
20+20+25+71	1.34	1.34	1.67	4.75	9.10 3.40 - 11.60	1.887 0.590 - 3.817	7.93	8.29	8.65	99
20+20+35+35	1.65	1.65	2.90	2.90	9.10 3.40 - 11.60	1.891 0.590 - 3.821	7.94	8.30	8.66	99
20+20+35+42	1.56	1.56	2.72	3.27	9.10 3.40 - 11.60	1.910 0.590 - 3.840	8.03	8.39	8.75	99
20+20+35+50	1.46	1.46	2.55	3.64	9.10 3.40 - 11.60	1.904 0.590 - 3.834	8.00	8.36	8.72	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
20+20+35+60	1.35	1.35	2.36	4.04	9.10 3.40 - 11.60	1.904 0.590 - 3.834	8.00	8.36	8.72	99
20+20+42+42	1.47	1.47	3.08	3.08	9.10 3.40 - 11.60	1.887 0.590 - 3.817	7.93	8.29	8.65	99
20+20+42+50	1.38	1.38	2.90	3.45	9.10 3.40 - 11.60	1.898 0.590 - 3.828	7.98	8.34	8.70	99
20+20+42+60	1.28	1.28	2.69	3.85	9.10 3.40 - 11.60	1.898 0.590 - 3.828	7.98	8.34	8.70	99
20+20+50+50	1.30	1.30	3.25	3.25	9.10 3.40 - 11.60	1.881 0.590 - 3.811	7.90	8.26	8.62	99
20+22+22+22	2.12	2.33	2.33	2.33	9.10 3.40 - 11.60	1.888 0.590 - 3.828	7.93	8.29	8.65	99
20+22+22+25	2.00	2.20	2.20	2.50	8.90 3.40 - 11.60	1.843 0.590 - 3.833	7.74	8.09	8.44	99
20+22+22+35	1.80	1.98	1.98	3.15	8.90 3.40 - 11.60	1.843 0.590 - 3.833	7.74	8.09	8.44	99
20+22+22+42	1.74	1.91	1.91	3.65	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.00	8.36	8.72	99
20+22+22+50	1.61	1.78	1.78	4.04	9.20 3.40 - 11.60	1.897 0.590 - 3.827	7.97	8.33	8.69	99
20+22+22+60	1.48	1.63	1.63	4.45	9.20 3.40 - 11.60	1.897 0.590 - 3.827	7.97	8.33	8.69	99
20+22+22+71	1.36	1.50	1.50	4.84	9.20 3.40 - 11.60	1.880 0.590 - 3.810	7.90	8.26	8.62	99
20+22+25+25	1.93	2.13	2.42	2.42	8.90 3.40 - 11.60	1.824 0.590 - 3.814	7.66	8.01	8.36	99
20+22+25+35	1.80	1.98	2.25	3.16	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.00	8.36	8.72	99
20+22+25+42	1.69	1.86	2.11	3.54	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.00	8.36	8.72	99
20+22+25+50	1.57	1.73	1.97	3.93	9.20 3.40 - 11.60	1.897 0.590 - 3.827	7.97	8.33	8.69	99
20+22+25+60	1.45	1.59	1.81	4.35	9.20 3.40 - 11.60	1.897 0.590 - 3.827	7.97	8.33	8.69	99
20+22+25+71	1.33	1.47	1.67	4.73	9.20 3.40 - 11.60	1.880 0.590 - 3.810	7.90	8.26	8.62	99
20+22+35+35	1.64	1.81	2.88	2.88	9.20 3.40 - 11.60	1.884 0.590 - 3.814	7.91	8.27	8.63	99
20+22+35+42	1.55	1.70	2.71	3.25	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.00	8.36	8.72	99
20+22+35+50	1.45	1.59	2.54	3.62	9.20 3.40 - 11.60	1.897 0.590 - 3.827	7.97	8.33	8.69	99
20+22+35+60	1.34	1.48	2.35	4.03	9.20 3.40 - 11.60	1.897 0.590 - 3.827	7.97	8.33	8.69	99
20+22+42+42	1.46	1.61	3.07	3.07	9.20 3.40 - 11.60	1.880 0.590 - 3.810	7.90	8.26	8.62	99
20+22+42+50	1.37	1.51	2.88	3.43	9.20 3.40 - 11.60	1.891 0.590 - 3.821	7.94	8.30	8.66	99
20+22+42+60	1.28	1.41	2.68	3.83	9.20 3.40 - 11.60	1.891 0.590 - 3.821	7.94	8.30	8.66	99
20+22+50+50	1.30	1.43	3.24	3.24	9.20 3.40 - 11.60	1.874 0.590 - 3.804	7.87	8.23	8.59	99
20+25+25+25	1.87	2.34	2.34	2.34	8.90 3.40 - 11.60	1.831 0.590 - 3.821	7.69	8.04	8.39	99
20+25+25+35	1.75	2.19	2.19	3.07	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.00	8.36	8.72	99
20+25+25+42	1.64	2.05	2.05	3.45	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.00	8.36	8.72	99
20+25+25+50	1.53	1.92	1.92	3.83	9.20 3.40 - 11.60	1.897 0.590 - 3.827	7.97	8.33	8.69	99
20+25+25+60	1.42	1.77	1.77	4.25	9.20 3.40 - 11.60	1.897 0.590 - 3.827	7.97	8.33	8.69	99
20+25+25+71	1.30	1.63	1.63	4.63	9.20 3.40 - 11.60	1.880 0.590 - 3.810	7.90	8.26	8.62	99
20+25+35+35	1.60	2.00	2.80	2.80	9.20 3.40 - 11.60	1.884 0.590 - 3.814	7.91	8.27	8.63	99
20+25+35+42	1.51	1.89	2.64	3.17	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.00	8.36	8.72	99
20+25+35+50	1.42	1.77	2.48	3.54	9.20 3.40 - 11.60	1.897 0.590 - 3.827	7.97	8.33	8.69	99
20+25+35+60	1.31	1.64	2.30	3.94	9.20 3.40 - 11.60	1.897 0.590 - 3.827	7.97	8.33	8.69	99
20+25+42+42	1.43	1.78	3.00	3.00	9.20 3.40 - 11.60	1.880 0.590 - 3.810	7.90	8.26	8.62	99
20+25+42+50	1.34	1.68	2.82	3.36	9.20 3.40 - 11.60	1.891 0.590 - 3.821	7.94	8.30	8.66	99
20+25+50+50	1.27	1.59	3.17	3.17	9.20 3.40 - 11.60	1.891 0.590 - 3.821	7.94	8.30	8.66	99



**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240		
20+35+35+35	1.47	2.58	2.58	2.58	9.20 3.40 - 11.60	1.891 - 3.821	0.590	7.94	8.30	8.66	99
20+35+35+42	1.39	2.44	2.44	2.93	9.20 3.40 - 11.60	1.903 - 3.833	0.590	8.00	8.36	8.72	99
20+35+35+50	1.31	2.30	2.30	3.29	9.20 3.40 - 11.60	1.897 - 3.827	0.590	7.97	8.33	8.69	99
20+35+42+42	1.32	2.32	2.78	2.78	9.20 3.40 - 11.60	1.897 - 3.827	0.590	7.97	8.33	8.69	99
22+22+22+22	2.30	2.30	2.30	2.30	9.20 3.40 - 11.60	1.891 - 3.821	0.590	7.94	8.30	8.66	99
22+22+22+25	2.18	2.18	2.18	2.47	9.00 3.40 - 11.60	1.836 - 3.826	0.590	7.71	8.06	8.41	99
22+22+22+35	2.03	2.03	2.03	3.22	9.30 3.40 - 11.60	1.896 - 3.826	0.590	7.97	8.33	8.69	99
22+22+22+42	1.89	1.89	1.89	3.62	9.30 3.40 - 11.60	1.896 - 3.826	0.590	7.97	8.33	8.69	99
22+22+22+50	1.76	1.76	1.76	4.01	9.30 3.40 - 11.60	1.890 - 3.820	0.590	7.94	8.30	8.66	99
22+22+22+60	1.62	1.62	1.62	4.43	9.30 3.40 - 11.60	1.890 - 3.820	0.590	7.94	8.30	8.66	99
22+22+22+71	1.49	1.49	1.49	4.82	9.30 3.40 - 11.60	1.873 - 3.803	0.590	7.87	8.23	8.59	99
22+22+25+25	2.11	2.11	2.39	2.39	9.00 3.40 - 11.60	1.817 - 3.807	0.590	7.63	7.98	8.33	99
22+22+25+35	1.97	1.97	2.24	3.13	9.30 3.40 - 11.60	1.896 - 3.826	0.590	7.97	8.33	8.69	99
22+22+25+42	1.84	1.84	2.09	3.52	9.30 3.40 - 11.60	1.896 - 3.826	0.590	7.97	8.33	8.69	99
22+22+25+50	1.72	1.72	1.95	3.91	9.30 3.40 - 11.60	1.890 - 3.820	0.590	7.94	8.30	8.66	99
22+22+25+60	1.59	1.59	1.80	4.33	9.30 3.40 - 11.60	1.890 - 3.820	0.590	7.94	8.30	8.66	99
22+22+25+71	1.46	1.46	1.66	4.72	9.30 3.40 - 11.60	1.873 - 3.803	0.590	7.87	8.23	8.59	99
22+22+35+35	1.79	1.79	2.86	2.86	9.30 3.40 - 11.60	1.877 - 3.807	0.590	7.88	8.24	8.60	99
22+22+35+42	1.69	1.69	2.69	3.23	9.30 3.40 - 11.60	1.896 - 3.826	0.590	7.97	8.33	8.69	99
22+22+35+50	1.59	1.59	2.52	3.60	9.30 3.40 - 11.60	1.890 - 3.820	0.590	7.94	8.30	8.66	99
22+22+35+60	1.47	1.47	2.34	4.01	9.30 3.40 - 11.60	1.890 - 3.820	0.590	7.94	8.30	8.66	99
22+22+42+42	1.60	1.60	3.05	3.05	9.30 3.40 - 11.60	1.873 - 3.803	0.590	7.87	8.23	8.59	99
22+22+42+50	1.50	1.50	2.87	3.42	9.30 3.40 - 11.60	1.884 - 3.814	0.590	7.91	8.27	8.63	99
22+22+50+50	1.42	1.42	3.23	3.23	9.30 3.40 - 11.60	1.884 - 3.814	0.590	7.91	8.27	8.63	99
22+25+25+25	2.04	2.32	2.32	2.32	9.00 3.40 - 11.60	1.824 - 3.814	0.590	7.66	8.01	8.36	99
22+25+25+35	1.91	2.17	2.17	3.04	9.30 3.40 - 11.60	1.896 - 3.826	0.590	7.97	8.33	8.69	99
22+25+25+42	1.79	2.04	2.04	3.43	9.30 3.40 - 11.60	1.896 - 3.826	0.590	7.97	8.33	8.69	99
22+25+25+50	1.68	1.91	1.91	3.81	9.30 3.40 - 11.60	1.890 - 3.820	0.590	7.94	8.30	8.66	99
22+25+25+60	1.55	1.76	1.76	4.23	9.30 3.40 - 11.60	1.890 - 3.820	0.590	7.94	8.30	8.66	99
22+25+25+71	1.43	1.63	1.63	4.62	9.30 3.40 - 11.60	1.873 - 3.803	0.590	7.87	8.23	8.59	99
22+25+35+35	1.75	1.99	2.78	2.78	9.30 3.40 - 11.60	1.877 - 3.807	0.590	7.88	8.24	8.60	99
22+25+35+42	1.65	1.88	2.63	3.15	9.30 3.40 - 11.60	1.896 - 3.826	0.590	7.97	8.33	8.69	99
22+25+35+50	1.55	1.76	2.47	3.52	9.30 3.40 - 11.60	1.890 - 3.820	0.590	7.94	8.30	8.66	99
22+25+35+60	1.44	1.64	2.29	3.93	9.30 3.40 - 11.60	1.890 - 3.820	0.590	7.94	8.30	8.66	99
22+25+42+42	1.56	1.77	2.98	2.98	9.30 3.40 - 11.60	1.873 - 3.803	0.590	7.87	8.23	8.59	99
22+25+42+50	1.47	1.67	2.81	3.35	9.30 3.40 - 11.60	1.884 - 3.814	0.590	7.91	8.27	8.63	99
22+35+35+35	1.61	2.56	2.56	2.56	9.30 3.40 - 11.60	1.884 - 3.814	0.590	7.91	8.27	8.63	99
22+35+35+42	1.53	2.43	2.43	2.91	9.30 3.40 - 11.60	1.896 - 3.826	0.590	7.97	8.33	8.69	99
22+35+35+50	1.44	2.29	2.29	3.27	9.30 3.40 - 11.60	1.890 - 3.820	0.590	7.94	8.30	8.66	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
22+35+42+42	1.45	2.31	2.77	2.77	9.30 3.40 - 11.60	1.890 - 3.820	7.94	8.30	8.66	99
25+25+25+25	2.33	2.33	2.33	2.33	9.30 3.40 - 11.60	1.884 - 3.814	7.91	8.27	8.63	99
25+25+25+35	2.11	2.11	2.11	2.96	9.30 3.40 - 11.60	1.896 - 3.826	7.97	8.33	8.69	99
25+25+25+42	1.99	1.99	1.99	3.34	9.30 3.40 - 11.60	1.896 - 3.826	7.97	8.33	8.69	99
25+25+25+50	1.86	1.86	1.86	3.72	9.30 3.40 - 11.60	1.890 - 3.820	7.94	8.30	8.66	99
25+25+25+60	1.72	1.72	1.72	4.13	9.30 3.40 - 11.60	1.890 - 3.820	7.94	8.30	8.66	99
25+25+35+35	1.94	1.94	2.71	2.71	9.30 3.40 - 11.60	1.873 - 3.803	7.87	8.23	8.59	99
25+25+35+42	1.83	1.83	2.56	3.08	9.30 3.40 - 11.60	1.896 - 3.826	7.97	8.33	8.69	99
25+25+35+50	1.72	1.72	2.41	3.44	9.30 3.40 - 11.60	1.890 - 3.820	7.94	8.30	8.66	99
25+25+35+60	1.60	1.60	2.24	3.85	9.30 3.40 - 11.60	1.890 - 3.820	7.94	8.30	8.66	99
25+25+42+42	1.74	1.74	2.91	2.91	9.30 3.40 - 11.60	1.873 - 3.803	7.87	8.23	8.59	99
25+25+42+50	1.64	1.64	2.75	3.27	9.30 3.40 - 11.60	1.884 - 3.814	7.91	8.27	8.63	99
25+35+35+35	1.79	2.50	2.50	2.50	9.30 3.40 - 11.60	1.884 - 3.814	7.91	8.27	8.63	99
25+35+35+42	1.70	2.38	2.38	2.85	9.30 3.40 - 11.60	1.896 - 3.826	7.97	8.33	8.69	99
25+35+35+50	1.60	2.24	2.24	3.21	9.30 3.40 - 11.60	1.890 - 3.820	7.94	8.30	8.66	99
25+35+42+42	1.61	2.26	2.71	2.71	9.30 3.40 - 11.60	1.890 - 3.820	7.94	8.30	8.66	99
35+35+35+35	2.33	2.33	2.33	2.33	9.30 3.40 - 11.60	1.884 - 3.814	7.91	8.27	8.63	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15	1.50	-	-	-	-	1.50 - 2.20	0.570 - 0.870	2.39	2.50	2.61	99
18	1.80	-	-	-	-	1.80 - 4.20	0.580 - 1.060	2.44	2.55	2.66	99
20	2.00	-	-	-	-	2.00 - 2.40	0.580 - 0.870	2.44	2.55	2.66	99
22	2.20	-	-	-	-	2.20 - 4.20	0.610 - 1.060	2.56	2.68	2.80	99
25	2.50	-	-	-	-	2.50 - 4.20	0.630 - 1.060	2.65	2.77	2.89	99
35	3.50	-	-	-	-	3.50 - 4.30	0.790 - 1.120	3.32	3.47	3.62	99
42	4.20	-	-	-	-	4.20 - 5.00	0.960 - 1.740	4.04	4.22	4.40	99
50	5.00	-	-	-	-	5.00 - 5.50	1.270 - 1.780	5.34	5.58	5.82	99
60	6.00	-	-	-	-	6.00 - 6.40	1.780 - 1.950	7.48	7.82	8.16	99
71	7.10	-	-	-	-	7.10 - 7.40	2.480 - 2.930	10.42	10.89	11.36	99
15+15	1.50	1.50	-	-	-	3.00 - 4.40	0.640 - 1.520	2.69	2.81	2.93	99
15+18	1.41	1.69	-	-	-	3.10 - 5.00	0.706 - 1.486	2.97	3.10	3.23	99
15+20	1.46	1.94	-	-	-	3.40 - 5.40	0.767 - 1.477	3.22	3.37	3.52	99
15+22	1.42	2.08	-	-	-	3.50 - 5.60	0.824 - 1.484	3.46	3.62	3.78	99
15+25	1.46	2.44	-	-	-	3.90 - 5.60	0.887 - 1.477	3.73	3.90	4.07	99
15+35	1.47	3.43	-	-	-	4.90 - 6.20	1.197 - 1.807	5.03	5.26	5.49	99
15+42	1.47	4.13	-	-	-	5.60 - 6.70	1.487 - 2.157	6.25	6.53	6.81	99
15+50	1.48	4.92	-	-	-	6.40 - 7.30	1.811 - 2.541	7.60	7.95	8.30	99
15+60	1.44	5.76	-	-	-	7.20 - 8.10	2.251 - 2.871	9.46	9.89	10.32	99
15+71	1.36	6.44	-	-	-	7.80 - 8.80	2.684 - 3.024	11.28	11.79	12.30	99
18+18	1.75	1.75	-	-	-	3.50 - 5.60	0.778 - 1.458	3.27	3.42	3.57	99
18+20	1.80	2.00	-	-	-	3.80 - 5.60	0.838 - 1.468	3.52	3.68	3.84	99
18+22	1.76	2.15	-	-	-	3.90 - 5.60	0.885 - 1.475	3.72	3.89	4.06	99
18+25	1.80	2.50	-	-	-	4.30 - 5.60	0.948 - 1.468	3.98	4.16	4.34	99
18+35	1.80	3.50	-	-	-	5.30 - 6.40	1.308 - 1.948	5.49	5.74	5.99	99
18+42	1.80	4.20	-	-	-	6.00 - 7.00	1.608 - 2.298	6.75	7.06	7.37	99
18+50	1.80	5.00	-	-	-	6.80 - 7.60	1.932 - 2.682	8.11	8.48	8.85	99
18+60	1.73	5.77	-	-	-	7.50 - 8.30	2.382 - 2.912	10.01	10.46	10.91	99
18+71	1.62	6.38	-	-	-	8.00 - 8.90	2.735 - 3.065	11.49	12.01	12.53	99
20+20	2.00	2.00	-	-	-	4.00 - 5.60	0.859 - 1.449	3.61	3.77	3.93	99
20+22	1.90	2.10	-	-	-	4.00 - 5.60	0.942 - 1.482	3.96	4.14	4.32	99
20+25	1.96	2.44	-	-	-	4.40 - 5.70	1.015 - 1.535	4.27	4.46	4.65	99
20+35	1.96	3.44	-	-	-	5.40 - 6.60	1.405 - 2.055	5.90	6.17	6.44	99
20+42	1.97	4.13	-	-	-	6.10 - 7.10	1.695 - 2.395	7.12	7.44	7.76	99
20+50	1.97	4.93	-	-	-	6.90 - 7.70	2.019 - 2.789	8.48	8.87	9.26	99
20+60	1.88	5.63	-	-	-	7.50 - 8.50	2.479 - 2.949	10.42	10.89	11.36	99
20+71	1.74	6.16	-	-	-	7.90 - 8.90	2.782 - 3.102	11.69	12.22	12.75	99
22+22	2.15	2.15	-	-	-	4.30 - 5.60	0.956 - 1.456	4.02	4.20	4.38	99
22+25	2.20	2.50	-	-	-	4.70 - 5.90	1.078 - 1.638	4.52	4.73	4.94	99
22+35	2.20	3.50	-	-	-	5.70 - 6.70	1.478 - 2.148	6.21	6.49	6.77	99
22+42	2.20	4.20	-	-	-	6.40 - 7.30	1.768 - 2.488	7.42	7.76	8.10	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
22+50	2.17	4.93	-	-	-	7.10 2.00 - 7.90	2.102 0.580 - 2.812	8.83	9.23	9.63	99
22+60	2.07	5.63	-	-	-	7.70 2.00 - 8.60	2.562 0.580 - 2.972	10.76	11.25	11.74	99
22+71	1.92	6.18	-	-	-	8.10 2.10 - 9.00	2.805 0.580 - 3.125	11.78	12.32	12.86	99
25+25	2.50	2.50	-	-	-	5.00 2.00 - 6.20	1.169 0.590 - 1.779	4.91	5.13	5.35	99
25+35	2.50	3.50	-	-	-	6.00 2.00 - 7.00	1.608 0.590 - 2.298	6.75	7.06	7.37	99
25+42	2.50	4.20	-	-	-	6.70 2.00 - 7.50	1.898 0.580 - 2.638	7.98	8.34	8.70	99
25+50	2.43	4.87	-	-	-	7.30 2.00 - 8.10	2.242 0.580 - 2.862	9.42	9.85	10.28	99
25+60	2.29	5.51	-	-	-	7.80 2.00 - 8.80	2.672 0.580 - 3.022	11.22	11.73	12.24	99
25+71	2.14	6.06	-	-	-	8.20 2.10 - 9.00	2.865 0.580 - 3.175	12.03	12.58	13.13	99
35+35	3.50	3.50	-	-	-	7.00 2.00 - 7.70	1.999 0.580 - 2.769	8.40	8.78	9.16	99
35+42	3.36	4.04	-	-	-	7.40 2.00 - 8.30	2.338 0.580 - 2.898	9.82	10.27	10.72	99
35+50	3.21	4.59	-	-	-	7.80 2.00 - 8.80	2.672 0.580 - 3.022	11.22	11.73	12.24	99
35+60	2.98	5.12	-	-	-	8.10 2.10 - 9.00	2.862 0.580 - 3.172	12.02	12.57	13.12	99
35+71	2.81	5.69	-	-	-	8.50 2.10 - 9.10	3.035 0.570 - 3.265	12.75	13.33	13.91	99
42+42	3.90	3.90	-	-	-	7.80 2.00 - 8.80	2.639 0.580 - 2.989	11.09	11.59	12.09	99
42+50	3.70	4.40	-	-	-	8.10 2.10 - 9.00	2.806 0.580 - 3.126	11.78	12.32	12.86	99
42+71	3.23	5.47	-	-	-	8.70 2.10 - 9.20	3.146 0.560 - 3.316	13.22	13.82	14.42	99
50+50	4.15	4.15	-	-	-	8.30 2.10 - 9.10	2.943 0.580 - 3.233	12.36	12.92	13.48	99
50+60	3.91	4.69	-	-	-	8.60 2.10 - 9.20	3.106 0.570 - 3.306	13.05	13.64	14.23	99
50+71	3.68	5.22	-	-	-	8.90 2.10 - 9.20	3.239 0.550 - 3.349	13.60	14.22	14.84	99
60+60	4.45	4.45	-	-	-	8.90 2.10 - 9.20	3.233 0.550 - 3.343	13.58	14.20	14.82	99
60+71	4.12	4.88	-	-	-	9.00 2.10 - 9.20	3.342 0.550 - 3.412	14.04	14.68	15.32	99
71+71	4.55	4.55	-	-	-	9.10 2.10 - 9.20	3.466 0.550 - 3.506	14.56	15.22	15.88	99
15+15+15	1.50	1.50	1.50	-	-	4.50 2.90 - 6.30	0.970 0.690 - 2.320	4.07	4.26	4.45	99
15+15+18	1.41	1.41	1.69	-	-	4.50 2.90 - 6.90	1.079 0.690 - 2.359	4.53	4.74	4.95	99
15+15+20	1.44	1.44	1.92	-	-	4.80 2.90 - 7.30	1.120 0.690 - 2.350	4.71	4.92	5.13	99
15+15+22	1.41	1.41	2.07	-	-	4.90 2.90 - 7.70	1.167 0.690 - 2.357	4.91	5.13	5.35	99
15+15+25	1.45	1.45	2.41	-	-	5.30 2.90 - 8.10	1.230 0.690 - 2.350	5.17	5.40	5.63	99
15+15+35	1.45	1.45	3.39	-	-	6.30 2.90 - 8.10	1.480 0.690 - 2.350	6.22	6.50	6.78	99
15+15+42	1.46	1.46	4.08 *	-	-	7.00 2.90 - 8.70	1.660 0.690 - 2.620	6.97	7.29	7.61	99
15+15+50	1.41	1.41	4.69 *	-	-	7.50 2.90 - 9.00	1.884 0.690 - 2.774	7.91	8.27	8.63	99
15+15+60	1.32	1.32	5.27	-	-	7.90 2.90 - 9.10	2.194 0.690 - 2.804	9.22	9.64	10.06	99
15+15+71	1.23	1.23	5.83	-	-	8.30 2.90 - 9.20	2.517 0.690 - 2.817	10.57	11.05	11.53	99
15+18+18	1.44	1.73	1.73	-	-	4.90 2.90 - 7.50	1.121 0.690 - 2.331	4.71	4.92	5.13	99
15+18+20	1.47	1.77	1.96	-	-	5.20 2.90 - 7.90	1.181 0.690 - 2.341	4.96	5.19	5.42	99
15+18+22	1.45	1.73	2.12	-	-	5.30 2.90 - 8.10	1.228 0.690 - 2.348	5.16	5.39	5.62	99
15+18+25	1.47	1.77	2.46	-	-	5.70 2.90 - 8.10	1.291 0.690 - 2.341	5.42	5.67	5.92	99
15+18+35	1.48	1.77	3.45	-	-	6.70 2.90 - 8.30	1.541 0.690 - 2.431	6.48	6.77	7.06	99
15+18+42	1.48	1.78	4.14 *	-	-	7.40 2.90 - 9.00	1.731 0.690 - 2.751	7.27	7.60	7.93	99
15+18+50	1.39	1.67	4.64 *	-	-	7.70 2.90 - 9.10	1.975 0.690 - 2.765	8.29	8.67	9.05	99
15+18+60	1.31	1.57	5.23	-	-	8.10 2.90 - 9.10	2.275 0.690 - 2.795	9.56	9.99	10.42	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+71	1.23	1.47	5.80	-	-	8.50 2.90 - 9.20	2.598 0.690 - 2.818	10.91	11.41	11.91	99
15+20+20	1.47	1.96	1.96	-	-	5.40 2.90 - 8.10	1.202 0.690 - 2.322	5.05	5.28	5.51	99
15+20+22	1.42	1.89	2.08	-	-	5.40 2.90 - 8.10	1.285 0.690 - 2.355	5.39	5.64	5.89	99
15+20+25	1.45	1.93	2.42	-	-	5.80 2.90 - 8.10	1.348 0.690 - 2.348	5.66	5.92	6.18	99
15+20+35	1.46	1.94	3.40	-	-	6.80 2.90 - 8.50	1.608 0.690 - 2.528	6.75	7.06	7.37	99
15+20+42	1.44	1.92	4.04 *	-	-	7.40 2.90 - 9.00	1.798 0.690 - 2.768	7.56	7.90	8.24	99
15+20+50	1.36	1.81	4.53 *	-	-	7.70 2.90 - 9.10	2.042 0.690 - 2.782	8.58	8.97	9.36	99
15+20+60	1.26	1.68	5.05	-	-	8.00 2.90 - 9.10	2.342 0.690 - 2.812	9.84	10.29	10.74	99
15+20+71	1.19	1.58	5.63	-	-	8.40 2.90 - 9.20	2.645 0.690 - 2.825	11.11	11.62	12.13	99
15+22+22	1.45	2.13	2.13	-	-	5.70 2.90 - 8.10	1.309 0.690 - 2.329	5.50	5.75	6.00	99
15+22+25	1.48	2.16	2.46	-	-	6.10 2.90 - 8.10	1.391 0.690 - 2.341	5.84	6.11	6.38	99
15+22+35	1.48	2.17	3.45	-	-	7.10 2.90 - 8.70	1.651 0.690 - 2.611	6.93	7.25	7.57	99
15+22+42	1.42	2.09	3.99 *	-	-	7.50 2.90 - 9.00	1.851 0.690 - 2.761	7.78	8.13	8.48	99
15+22+50	1.34	1.97	4.48 *	-	-	7.80 2.90 - 9.10	2.095 0.690 - 2.785	8.80	9.20	9.60	99
15+22+60	1.27	1.86	5.07	-	-	8.20 2.90 - 9.10	2.395 0.690 - 2.815	10.06	10.52	10.98	99
15+22+71	1.19	1.75	5.65	-	-	8.60 2.90 - 9.20	2.648 0.690 - 2.828	11.12	11.63	12.14	99
15+25+25	1.48	2.46	2.46	-	-	6.40 2.90 - 8.10	1.452 0.690 - 2.322	6.10	6.38	6.66	99
15+25+35	1.48	2.47	3.45	-	-	7.40 2.90 - 9.00	1.731 0.690 - 2.751	7.27	7.60	7.93	99
15+25+42	1.41	2.35	3.94 *	-	-	7.70 2.90 - 9.00	1.941 0.690 - 2.771	8.15	8.52	8.89	99
15+25+50	1.33	2.22	4.44 *	-	-	8.00 2.90 - 9.10	2.185 0.690 - 2.795	9.18	9.60	10.02	99
15+25+60	1.25	2.08	4.98	-	-	8.30 2.90 - 9.20	2.495 0.690 - 2.825	10.48	10.96	11.44	99
15+25+71	1.16	1.94	5.50	-	-	8.60 2.90 - 9.20	2.668 0.690 - 2.838	11.21	11.72	12.23	99
15+35+35	1.38	3.21	3.21	-	-	7.80 2.90 - 9.10	2.022 0.690 - 2.762	8.49	8.88	9.27	99
15+35+42	1.30	3.04	3.65 *	-	-	8.00 2.90 - 9.10	2.251 0.690 - 2.801	9.46	9.89	10.32	99
15+35+50	1.25	2.91	4.15 *	-	-	8.30 2.90 - 9.20	2.495 0.690 - 2.825	10.48	10.96	11.44	99
15+35+60	1.17	2.74	4.69	-	-	8.60 2.90 - 9.20	2.685 0.690 - 2.855	11.28	11.79	12.30	99
15+35+71	1.09	2.55	5.16	-	-	8.80 2.90 - 9.20	2.738 0.690 - 2.878	11.50	12.02	12.54	99
15+42+42	1.26	3.52	3.52 *	-	-	8.30 2.90 - 9.20	2.452 0.690 - 2.802	10.30	10.77	11.24	99
15+42+50	1.19	3.34	3.97 *	-	-	8.50 2.90 - 9.20	2.649 0.690 - 2.839	11.12	11.63	12.14	99
15+42+60	1.12	3.12	4.46	-	-	8.70 2.90 - 9.20	2.729 0.690 - 2.879	11.47	11.99	12.51	99
15+42+71	1.04	2.92	4.94	-	-	8.90 2.90 - 9.20	2.792 0.690 - 2.902	11.73	12.26	12.79	99
15+50+50	1.13	3.78	3.78 *	-	-	8.70 2.90 - 9.20	2.696 0.690 - 2.856	11.33	11.84	12.35	99
15+50+60	1.07	3.56	4.27	-	-	8.90 2.90 - 9.20	2.779 0.690 - 2.909	11.67	12.20	12.73	99
15+50+71	0.98	3.27	4.65	-	-	8.90 2.90 - 9.20	2.872 0.690 - 2.962	12.06	12.61	13.16	99
15+60+60	0.99	3.96	3.96	-	-	8.90 2.90 - 9.20	2.866 0.690 - 2.966	12.04	12.59	13.14	99
15+60+71	0.92	3.70	4.38	-	-	9.00 2.90 - 9.30	2.975 0.690 - 3.045	12.50	13.07	13.64	99
15+71+71	0.89	4.21	4.21	-	-	9.30 2.90 - 9.60	3.089 0.690 - 3.159	12.98	13.57	14.16	99
18+18+18	1.77	1.77	1.77	-	-	5.30 2.90 - 8.10	1.163 0.690 - 2.303	4.89	5.11	5.33	99
18+18+20	1.80	1.80	2.00	-	-	5.60 2.90 - 8.10	1.242 0.690 - 2.332	5.21	5.45	5.69	99
18+18+22	1.77	1.77	2.16	-	-	5.70 2.90 - 8.10	1.289 0.690 - 2.339	5.41	5.66	5.91	99
18+18+25	1.80	1.80	2.50	-	-	6.10 2.90 - 8.10	1.362 0.690 - 2.332	5.72	5.98	6.24	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+18+35	1.80	1.80	3.50	-	-	7.10 2.90 - 8.60	1.612 0.690 - 2.562	6.77	7.08	7.39	99
18+18+42	1.75	1.75	4.09 *	-	-	7.60 2.90 - 9.00	1.812 0.690 - 2.752	7.61	7.96	8.31	99
18+18+50	1.65	1.65	4.59 *	-	-	7.90 2.90 - 9.10	2.056 0.690 - 2.766	8.64	9.03	9.42	99
18+18+60	1.56	1.56	5.19	-	-	8.30 2.90 - 9.10	2.356 0.690 - 2.796	9.90	10.35	10.80	99
18+18+71	1.45	1.45	5.71	-	-	8.60 2.90 - 9.20	2.629 0.690 - 2.819	11.05	11.55	12.05	99
18+20+20	1.80	2.00	2.00	-	-	5.80 2.90 - 8.10	1.263 0.690 - 2.313	5.31	5.55	5.79	99
18+20+22	1.74	1.93	2.13	-	-	5.80 2.90 - 8.10	1.346 0.690 - 2.346	5.65	5.91	6.17	99
18+20+25	1.77	1.97	2.46	-	-	6.20 2.90 - 8.10	1.419 0.690 - 2.339	5.96	6.23	6.50	99
18+20+35	1.78	1.97	3.45	-	-	7.20 2.90 - 8.80	1.679 0.690 - 2.659	7.05	7.37	7.69	99
18+20+42	1.71	1.90	3.99 *	-	-	7.60 2.90 - 9.00	1.879 0.690 - 2.769	7.89	8.25	8.61	99
18+20+50	1.62	1.80	4.49 *	-	-	7.90 2.90 - 9.10	2.123 0.690 - 2.783	8.91	9.32	9.73	99
18+20+60	1.51	1.67	5.02	-	-	8.20 2.90 - 9.20	2.433 0.690 - 2.813	10.23	10.69	11.15	99
18+20+71	1.42	1.58	5.60	-	-	8.60 2.90 - 9.20	2.656 0.690 - 2.836	11.15	11.66	12.17	99
18+22+22	1.77	2.16	2.16	-	-	6.10 2.90 - 8.10	1.370 0.690 - 2.320	5.76	6.02	6.28	99
18+22+25	1.80	2.20	2.50	-	-	6.50 2.90 - 8.10	1.462 0.690 - 2.332	6.14	6.42	6.70	99
18+22+35	1.80	2.20	3.50	-	-	7.50 2.90 - 9.00	1.722 0.690 - 2.742	7.23	7.56	7.89	99
18+22+42	1.71	2.09	4.00 *	-	-	7.80 2.90 - 9.00	1.932 0.690 - 2.762	8.11	8.48	8.85	99
18+22+50	1.62	1.98	4.50 *	-	-	8.10 2.90 - 9.10	2.176 0.690 - 2.786	9.14	9.56	9.98	99
18+22+60	1.51	1.85	5.04	-	-	8.40 2.90 - 9.20	2.486 0.690 - 2.816	10.45	10.92	11.39	99
18+22+71	1.41	1.72	5.56	-	-	8.70 2.90 - 9.20	2.659 0.690 - 2.829	11.17	11.68	12.19	99
18+25+25	1.80	2.50	2.50	-	-	6.80 2.90 - 8.30	1.513 0.690 - 2.403	6.35	6.64	6.93	99
18+25+35	1.75	2.44	3.41	-	-	7.60 2.90 - 9.00	1.812 0.690 - 2.752	7.61	7.96	8.31	99
18+25+42	1.67	2.32	3.90 *	-	-	7.90 2.90 - 9.10	2.032 0.690 - 2.772	8.53	8.92	9.31	99
18+25+50	1.59	2.20	4.41 *	-	-	8.20 2.90 - 9.10	2.266 0.690 - 2.786	9.52	9.95	10.38	99
18+25+60	1.49	2.06	4.95	-	-	8.50 2.90 - 9.20	2.576 0.690 - 2.816	10.82	11.31	11.80	99
18+25+71	1.39	1.93	5.48	-	-	8.80 2.90 - 9.20	2.679 0.690 - 2.839	11.26	11.77	12.28	99
18+35+35	1.64	3.18	3.18	-	-	8.00 2.90 - 9.10	2.103 0.690 - 2.763	8.84	9.24	9.64	99
18+35+42	1.55	3.02	3.63 *	-	-	8.20 2.90 - 9.10	2.332 0.690 - 2.802	9.79	10.24	10.69	99
18+35+50	1.49	2.89	4.13 *	-	-	8.50 2.90 - 9.20	2.576 0.690 - 2.816	10.82	11.31	11.80	99
18+35+60	1.40	2.73	4.67	-	-	8.80 2.90 - 9.20	2.696 0.690 - 2.856	11.33	11.84	12.35	99
18+35+71	1.31	2.54	5.15	-	-	9.00 2.90 - 9.20	2.759 0.690 - 2.879	11.59	12.12	12.65	99
18+42+50	1.42	3.32	3.95 *	-	-	8.70 2.90 - 9.20	2.663 0.690 - 2.833	11.19	11.70	12.21	99
18+42+60	1.34	3.12	4.45	-	-	8.90 2.90 - 9.20	2.740 0.690 - 2.880	11.51	12.03	12.55	99
18+42+71	1.24	2.89	4.88	-	-	9.00 2.90 - 9.20	2.813 0.690 - 2.923	11.81	12.35	12.89	99
18+50+50	1.34	3.73	3.73 *	-	-	8.80 2.90 - 9.20	2.707 0.690 - 2.857	11.37	11.89	12.41	99
18+50+60	1.27	3.52	4.22	-	-	9.00 2.90 - 9.20	2.800 0.690 - 2.910	11.77	12.30	12.83	99
18+50+71	1.17	3.24	4.60	-	-	9.00 2.90 - 9.20	2.893 0.690 - 2.983	12.16	12.71	13.26	99
18+60+60	1.17	3.91	3.91	-	-	9.00 2.90 - 9.20	2.887 0.690 - 2.977	12.13	12.68	13.23	99
18+60+71	1.12	3.74	4.43	-	-	9.30 2.90 - 9.50	3.046 0.690 - 3.116	12.80	13.38	13.96	99
18+71+71	1.06	4.17	4.17	-	-	9.40 2.90 - 9.60	3.080 0.690 - 3.150	12.94	13.53	14.12	99
20+20+20	2.00	2.00	2.00	-	-	6.00 2.90 - 8.10	1.294 0.690 - 2.294	5.43	5.68	5.93	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+20+22	1.90	1.90	2.09	-	-	5.90 2.90 - 8.10	1.403 0.690 - 2.353	5.89	6.16	6.43	99
20+20+25	1.94	1.94	2.42	-	-	6.30 2.90 - 8.10	1.476 0.690 - 2.346	6.20	6.48	6.76	99
20+20+35	1.95	1.95	3.41	-	-	7.30 2.90 - 9.00	1.736 0.690 - 2.756	7.29	7.62	7.95	99
20+20+42	1.85	1.85	3.89 *	-	-	7.60 2.90 - 9.00	1.946 0.690 - 2.776	8.18	8.55	8.92	99
20+20+50	1.76	1.76	4.39 *	-	-	7.90 2.90 - 9.10	2.190 0.690 - 2.800	9.20	9.62	10.04	99
20+20+60	1.64	1.64	4.92	-	-	8.20 2.90 - 9.20	2.500 0.690 - 2.830	10.50	10.98	11.46	99
20+20+71	1.53	1.53	5.44	-	-	8.50 2.90 - 9.20	2.673 0.690 - 2.843	11.23	11.74	12.25	99
20+22+22	1.94	2.13	2.13	-	-	6.20 2.90 - 8.10	1.427 0.690 - 2.327	6.00	6.27	6.54	99
20+22+25	1.97	2.17	2.46	-	-	6.60 2.90 - 8.20	1.519 0.690 - 2.389	6.38	6.67	6.96	99
20+22+35	1.95	2.14	3.41	-	-	7.50 2.90 - 9.00	1.789 0.690 - 2.759	7.52	7.86	8.20	99
20+22+42	1.83	2.02	3.85 *	-	-	7.70 2.90 - 9.10	2.009 0.690 - 2.779	8.44	8.82	9.20	99
20+22+50	1.74	1.91	4.35 *	-	-	8.00 2.90 - 9.10	2.243 0.690 - 2.793	9.42	9.85	10.28	99
20+22+71	1.54	1.69	5.47	-	-	8.70 2.90 - 9.20	2.703 0.690 - 2.863	11.35	11.87	12.39	99
20+25+25	1.97	2.46	2.46	-	-	6.90 2.90 - 8.50	1.580 0.690 - 2.500	6.64	6.94	7.24	99
20+25+35	1.90	2.38	3.33	-	-	7.60 2.90 - 9.00	1.879 0.690 - 2.769	7.89	8.25	8.61	99
20+25+42	1.79	2.24	3.77 *	-	-	7.80 2.90 - 9.10	2.099 0.690 - 2.789	8.82	9.22	9.62	99
20+25+50	1.71	2.13	4.26 *	-	-	8.10 2.90 - 9.10	2.333 0.690 - 2.803	9.80	10.25	10.70	99
20+25+60	1.62	2.02	4.86	-	-	8.50 2.90 - 9.20	2.643 0.690 - 2.833	11.11	11.61	12.11	99
20+25+71	1.50	1.88	5.33	-	-	8.70 2.90 - 9.20	2.706 0.690 - 2.856	11.36	11.88	12.40	99
20+35+35	1.78	3.11	3.11	-	-	8.00 2.90 - 9.10	2.170 0.690 - 2.780	9.12	9.53	9.94	99
20+35+42	1.69	2.96	3.55 *	-	-	8.20 2.90 - 9.10	2.399 0.690 - 2.819	10.08	10.54	11.00	99
20+35+50	1.62	2.83	4.05 *	-	-	8.50 2.90 - 9.20	2.643 0.690 - 2.833	11.11	11.61	12.11	99
20+35+60	1.51	2.65	4.54	-	-	8.70 2.90 - 9.20	2.713 0.690 - 2.873	11.39	11.91	12.43	99
20+35+71	1.41	2.47	5.02	-	-	8.90 2.90 - 9.20	2.776 0.690 - 2.896	11.66	12.19	12.72	99
20+42+42	1.63	3.43	3.43 *	-	-	8.50 2.90 - 9.20	2.600 0.690 - 2.820	10.92	11.42	11.92	99
20+42+50	1.54	3.23	3.84 *	-	-	8.60 2.90 - 9.20	2.687 0.690 - 2.857	11.29	11.80	12.31	99
20+42+60	1.44	3.03	4.33	-	-	8.80 2.90 - 9.20	2.757 0.690 - 2.887	11.58	12.11	12.64	99
20+42+71	1.34	2.81	4.75	-	-	8.90 2.90 - 9.20	2.840 0.690 - 2.940	11.93	12.47	13.01	99
20+50+50	1.47	3.67	3.67 *	-	-	8.80 2.90 - 9.20	2.734 0.690 - 2.874	11.49	12.01	12.53	99
20+50+60	1.37	3.42	4.11	-	-	8.90 2.90 - 9.20	2.827 0.690 - 2.937	11.88	12.42	12.96	99
20+50+71	1.26	3.16	4.48	-	-	8.90 2.90 - 9.20	2.920 0.690 - 3.000	12.26	12.82	13.38	99
20+60+60	1.27	3.81	3.81	-	-	8.90 2.90 - 9.20	2.914 0.690 - 2.994	12.24	12.80	13.36	99
20+60+71	1.23	3.70	4.37	-	-	9.30 2.90 - 9.60	3.083 0.690 - 3.153	12.95	13.54	14.13	99
20+71+71	1.15	4.08	4.08	-	-	9.30 2.90 - 9.60	3.087 0.690 - 3.157	12.97	13.56	14.15	99
22+22+22	2.17	2.17	2.17	-	-	6.50 2.90 - 8.10	1.451 0.690 - 2.301	6.09	6.37	6.65	99
22+22+25	2.20	2.20	2.50	-	-	6.90 2.90 - 8.40	1.562 0.690 - 2.472	6.56	6.86	7.16	99
22+22+35	2.12	2.12	3.37	-	-	7.60 2.90 - 9.00	1.842 0.690 - 2.752	7.74	8.09	8.44	99
22+22+42	2.02	2.02	3.86 *	-	-	7.90 2.90 - 9.10	2.062 0.690 - 2.772	8.67	9.06	9.45	99
22+22+50	1.92	1.92	4.36 *	-	-	8.20 2.90 - 9.10	2.296 0.690 - 2.796	9.64	10.08	10.52	99
22+22+60	1.82	1.82	4.96	-	-	8.60 2.90 - 9.20	2.606 0.690 - 2.826	10.94	11.44	11.94	99
22+22+71	1.68	1.68	5.43	-	-	8.80 2.90 - 9.20	2.689 0.690 - 2.849	11.30	11.81	12.32	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
22+25+25	2.20	2.50	2.50	-	-	7.20 2.90 - 8.70	1.623 0.690 - 2.583	6.82	7.13	7.44	99
22+25+35	2.09	2.38	3.33	-	-	7.80 2.90 - 9.00	1.932 0.690 - 2.762	8.11	8.48	8.85	99
22+25+42	1.98	2.25	3.78 *	-	-	8.00 2.90 - 9.10	2.152 0.690 - 2.782	9.04	9.45	9.86	99
22+25+50	1.88	2.14	4.28 *	-	-	8.30 2.90 - 9.10	2.386 0.690 - 2.806	10.02	10.48	10.94	99
22+25+60	1.77	2.01	4.82	-	-	8.60 2.90 - 9.20	2.646 0.690 - 2.836	11.11	11.62	12.13	99
22+25+71	1.64	1.86	5.29	-	-	8.80 2.90 - 9.20	2.709 0.690 - 2.859	11.38	11.90	12.42	99
22+35+35	1.94	3.08	3.08	-	-	8.10 2.90 - 9.10	2.223 0.690 - 2.773	9.34	9.76	10.18	99
22+35+42	1.87	2.97	3.56 *	-	-	8.40 2.90 - 9.20	2.462 0.690 - 2.812	10.34	10.81	11.28	99
22+35+50	1.77	2.81	4.02 *	-	-	8.60 2.90 - 9.20	2.646 0.690 - 2.836	11.11	11.62	12.13	99
22+35+60	1.65	2.63	4.51	-	-	8.80 2.90 - 9.20	2.726 0.690 - 2.876	11.45	11.97	12.49	99
22+35+71	1.55	2.46	4.99	-	-	9.00 2.90 - 9.20	2.789 0.690 - 2.899	11.72	12.25	12.78	99
22+42+42	1.78	3.41	3.41 *	-	-	8.60 2.90 - 9.20	2.633 0.690 - 2.813	11.06	11.56	12.06	99
22+42+50	1.70	3.24	3.86 *	-	-	8.80 2.90 - 9.20	2.690 0.690 - 2.850	11.30	11.81	12.32	99
22+42+60	1.60	3.05	4.35	-	-	9.00 2.90 - 9.20	2.770 0.690 - 2.890	11.64	12.17	12.70	99
22+42+71	1.47	2.80	4.73	-	-	9.00 2.90 - 9.20	2.853 0.690 - 2.953	11.99	12.53	13.07	99
22+50+50	1.60	3.65	3.65 *	-	-	8.90 2.90 - 9.20	2.737 0.690 - 2.867	11.50	12.02	12.54	99
22+50+60	1.50	3.41	4.09	-	-	9.00 2.90 - 9.20	2.840 0.690 - 2.940	11.93	12.47	13.01	99
22+50+71	1.38	3.15	4.47	-	-	9.00 2.90 - 9.20	2.933 0.690 - 3.013	12.32	12.88	13.44	99
22+60+60	1.39	3.80	3.80	-	-	9.00 2.90 - 9.20	2.927 0.690 - 3.007	12.29	12.85	13.41	99
22+60+71	1.35	3.69	4.36	-	-	9.40 2.90 - 9.60	3.076 0.690 - 3.146	12.92	13.51	14.10	99
22+71+71	1.26	4.07	4.07	-	-	9.40 2.90 - 9.60	3.080 0.690 - 3.150	12.94	13.53	14.12	99
25+25+25	2.50	2.50	2.50	-	-	7.50 2.90 - 9.00	1.684 0.690 - 2.704	7.08	7.40	7.72	99
25+25+35	2.32	2.32	3.25	-	-	7.90 2.90 - 9.10	2.032 0.690 - 2.772	8.53	8.92	9.31	99
25+25+42	2.20	2.20	3.70 *	-	-	8.10 2.90 - 9.10	2.242 0.690 - 2.792	9.42	9.85	10.28	99
25+25+50	2.10	2.10	4.20 *	-	-	8.40 2.90 - 9.20	2.486 0.690 - 2.816	10.45	10.92	11.39	99
25+25+60	1.98	1.98	4.75	-	-	8.70 2.90 - 9.20	2.676 0.690 - 2.846	11.24	11.75	12.26	99
25+25+71	1.84	1.84	5.22	-	-	8.90 2.90 - 9.20	2.729 0.690 - 2.869	11.47	11.99	12.51	99
25+35+35	2.16	3.02	3.02	-	-	8.20 2.90 - 9.10	2.313 0.690 - 2.783	9.72	10.16	10.60	99
25+35+50	1.98	2.77	3.95 *	-	-	8.70 2.90 - 9.20	2.682 0.690 - 2.852	11.27	11.78	12.29	99
25+35+60	1.85	2.60	4.45	-	-	8.90 2.90 - 9.20	2.746 0.690 - 2.886	11.54	12.06	12.58	99
25+35+71	1.72	2.40	4.88	-	-	9.00 2.90 - 9.20	2.819 0.690 - 2.929	11.84	12.38	12.92	99
25+42+42	2.00	3.35	3.35 *	-	-	8.70 2.90 - 9.20	2.653 0.690 - 2.833	11.14	11.65	12.16	99
25+42+50	1.88	3.16	3.76 *	-	-	8.80 2.90 - 9.20	2.720 0.690 - 2.870	11.43	11.95	12.47	99
25+42+60	1.77	2.98	4.25	-	-	9.00 2.90 - 9.20	2.790 0.690 - 2.910	11.72	12.25	12.78	99
25+42+71	1.63	2.74	4.63	-	-	9.00 2.90 - 9.20	2.883 0.690 - 2.973	12.11	12.66	13.21	99
25+50+50	1.80	3.60	3.60 *	-	-	9.00 2.90 - 9.20	2.757 0.690 - 2.887	11.58	12.11	12.64	99
25+50+60	1.67	3.33	4.00	-	-	9.00 2.90 - 9.20	2.870 0.690 - 2.970	12.05	12.60	13.15	99
25+50+71	1.56	3.12	4.43	-	-	9.10 2.90 - 9.30	2.983 0.690 - 3.053	12.53	13.10	13.67	99
25+60+60	1.55	3.72	3.72	-	-	9.00 2.90 - 9.20	2.957 0.690 - 3.027	12.43	12.99	13.55	99
25+60+71	1.51	3.62	4.28	-	-	9.40 2.90 - 9.60	3.076 0.690 - 3.146	12.92	13.51	14.10	99
25+71+71	1.41	4.00	4.00	-	-	9.40 2.90 - 9.60	3.080 0.690 - 3.150	12.94	13.53	14.12	99



**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
35+35+35	2.87	2.87	2.87	-	-	8.60 2.90 - 9.20	2.604 0.690 - 2.794	10.94	11.44	11.94	99
35+35+42	2.72	2.72	3.26 *	-	-	8.70 2.90 - 9.20	2.692 0.690 - 2.862	11.31	11.82	12.33	99
35+35+50	2.60	2.60	3.71 *	-	-	8.90 2.90 - 9.20	2.746 0.690 - 2.886	11.54	12.06	12.58	99
35+35+60	2.42	2.42	4.15	-	-	9.00 2.90 - 9.20	2.826 0.690 - 2.936	11.87	12.41	12.95	99
35+35+71	2.23	2.23	4.53	-	-	9.00 2.90 - 9.20	2.919 0.690 - 2.999	12.26	12.82	13.38	99
35+42+42	2.62	3.14	3.14 *	-	-	8.90 2.90 - 9.20	2.723 0.690 - 2.863	11.44	11.96	12.48	99
35+42+50	2.48	2.98	3.54 *	-	-	9.00 2.90 - 9.20	2.790 0.690 - 2.910	11.72	12.25	12.78	99
35+42+60	2.30	2.76	3.94	-	-	9.00 2.90 - 9.20	2.890 0.690 - 2.980	12.14	12.69	13.24	99
35+42+71	2.18	2.61	4.41	-	-	9.20 2.90 - 9.40	3.033 0.690 - 3.103	12.74	13.32	13.90	99
35+50+50	2.33	3.33	3.33 *	-	-	9.00 2.90 - 9.20	2.857 0.690 - 2.957	12.00	12.55	13.10	99
35+50+60	2.17	3.10	3.72	-	-	9.00 2.90 - 9.20	2.970 0.690 - 3.040	12.47	13.04	13.61	99
35+50+71	2.11	3.01	4.28	-	-	9.40 2.90 - 9.60	3.093 0.690 - 3.163	12.99	13.58	14.17	99
35+60+60	2.12	3.64	3.64	-	-	9.40 2.90 - 9.60	3.097 0.690 - 3.167	13.01	13.60	14.19	99
35+60+71	1.98	3.40	4.02	-	-	9.40 2.90 - 9.60	3.076 0.690 - 3.146	12.92	13.51	14.10	99
42+42+42	3.00	3.00	3.00 *	-	-	9.00 2.90 - 9.20	2.750 0.690 - 2.870	11.55	12.08	12.61	99
42+42+50	2.82	2.82	3.36 *	-	-	9.00 2.90 - 9.20	2.854 0.690 - 2.954	11.99	12.53	13.07	99
42+42+60	2.63	2.63	3.75	-	-	9.00 2.90 - 9.20	2.954 0.690 - 3.024	12.41	12.97	13.53	99
42+42+71	2.55	2.55	4.31	-	-	9.40 2.90 - 9.60	3.087 0.690 - 3.157	12.97	13.56	14.15	99
42+50+50	2.66	3.17	3.17 *	-	-	9.00 2.90 - 9.20	2.921 0.690 - 3.001	12.27	12.83	13.39	99
42+50+60	2.60	3.09	3.71	-	-	9.40 2.90 - 9.60	3.104 0.690 - 3.174	13.04	13.63	14.22	99
42+50+71	2.42	2.88	4.09	-	-	9.40 2.90 - 9.60	3.087 0.690 - 3.157	12.97	13.56	14.15	99
42+60+60	2.44	3.48	3.48	-	-	9.40 2.90 - 9.60	3.091 0.690 - 3.161	12.98	13.57	14.16	99
50+50+50	3.13	3.13	3.13 *	-	-	9.40 2.90 - 9.60	3.070 0.690 - 3.140	12.89	13.48	14.07	99
50+50+60	2.94	2.94	3.53	-	-	9.40 2.90 - 9.60	3.104 0.690 - 3.174	13.04	13.63	14.22	99
50+50+71	2.75	2.75	3.90	-	-	9.40 2.90 - 9.60	3.087 0.690 - 3.157	12.97	13.56	14.15	99
50+60+60	2.76	3.32	3.32	-	-	9.40 2.90 - 9.60	3.091 0.690 - 3.161	12.98	13.57	14.16	99
15+15+15+15	1.50	1.50	1.50	1.50	-	6.00 3.70 - 7.20	1.290 0.660 - 2.910	5.42	5.67	5.92	99
15+15+15+18	1.40	1.40	1.40	1.69	-	5.90 3.70 - 7.70	1.422 0.660 - 3.242	5.98	6.25	6.52	99
15+15+15+20	1.43	1.43	1.43	1.91	-	6.20 3.70 - 8.00	1.463 0.660 - 3.413	6.15	6.43	6.71	99
15+15+15+22	1.41	1.41	1.41	2.07	-	6.30 3.70 - 8.40	1.520 0.660 - 3.600	6.39	6.68	6.97	99
15+15+15+25	1.44	1.44	1.44	2.39	-	6.70 3.70 - 8.90	1.583 0.660 - 3.863	6.65	6.95	7.25	99
15+15+15+35	1.44	1.44	1.44	3.37	-	7.70 3.70 - 9.20	1.823 0.660 - 4.043	7.66	8.01	8.36	99
15+15+15+42	1.45	1.45	1.45	4.06 *	-	8.40 3.70 - 9.20	1.993 0.660 - 4.043	8.37	8.75	9.13	99
15+15+15+50	1.07	1.07	1.07	3.58 *	-	6.80 3.70 - 9.60	1.597 0.660 - 4.037	6.71	7.01	7.31	99
15+15+15+60	1.20	1.20	1.20	4.80	-	8.40 3.70 - 10.00	2.177 0.660 - 4.037	9.14	9.56	9.98	99
15+15+15+71	1.11	1.11	1.11	5.26	-	8.60 3.70 - 10.10	2.640 0.660 - 4.020	11.09	11.59	12.09	99
15+15+18+18	1.43	1.43	1.72	1.72	-	6.30 3.70 - 8.20	1.474 0.660 - 3.484	6.19	6.47	6.75	99
15+15+18+20	1.46	1.46	1.75	1.94	-	6.60 3.70 - 8.50	1.524 0.660 - 3.674	6.40	6.69	6.98	99
15+15+18+22	1.44	1.44	1.72	2.11	-	6.70 3.70 - 8.90	1.581 0.660 - 3.861	6.64	6.94	7.24	99
15+15+18+25	1.46	1.46	1.75	2.43	-	7.10 3.70 - 9.20	1.644 0.660 - 4.034	6.91	7.22	7.53	99
15+15+18+35	1.46	1.46	1.76	3.42	-	8.10 3.70 - 9.20	1.884 0.660 - 4.034	7.91	8.27	8.63	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+18+42	1.17	1.17	1.40	3.27 *	-	7.00 3.70 - 9.30	1.614 0.660 - 4.034	6.78	7.09	7.40	99
15+15+18+50	1.04	1.04	1.25	3.47 *	-	6.80 3.70 - 9.80	1.578 0.660 - 4.028	6.63	6.93	7.23	99
15+15+18+60	1.19	1.19	1.43	4.78	-	8.60 3.70 - 10.00	2.298 0.660 - 4.028	9.65	10.09	10.53	99
15+15+18+71	1.11	1.11	1.33	5.25	-	8.80 3.70 - 10.20	2.761 0.660 - 4.011	11.60	12.13	12.66	99
15+15+20+20	1.46	1.46	1.94	1.94	-	6.80 3.70 - 8.90	1.555 0.660 - 3.835	6.53	6.83	7.13	99
15+15+20+22	1.42	1.42	1.89	2.08	-	6.80 3.70 - 9.20	1.638 0.660 - 4.048	6.88	7.19	7.50	99
15+15+20+25	1.44	1.44	1.92	2.40	-	7.20 3.70 - 9.20	1.701 0.660 - 4.041	7.15	7.47	7.79	99
15+15+20+35	1.45	1.45	1.93	3.38	-	8.20 3.70 - 9.20	1.941 0.660 - 4.041	8.15	8.52	8.89	99
15+15+20+42	1.11	1.11	1.48	3.10 *	-	6.80 3.70 - 9.40	1.611 0.660 - 4.041	6.77	7.08	7.39	99
15+15+20+50	1.25	1.25	1.66	4.15 *	-	8.30 3.70 - 9.90	1.955 0.660 - 4.035	8.22	8.59	8.96	99
15+15+20+60	1.16	1.16	1.55	4.64	-	8.50 3.70 - 10.10	2.395 0.660 - 4.035	10.06	10.52	10.98	99
15+15+20+71	1.08	1.08	1.44	5.10	-	8.70 3.70 - 10.20	2.808 0.660 - 4.018	11.79	12.33	12.87	99
15+15+22+22	1.44	1.44	2.11	2.11	-	7.10 3.70 - 9.20	1.662 0.660 - 4.022	6.98	7.30	7.62	99
15+15+22+25	1.46	1.46	2.14	2.44	-	7.50 3.70 - 9.20	1.744 0.660 - 4.034	7.33	7.66	7.99	99
15+15+22+35	1.47	1.47	2.15	3.42	-	8.50 3.70 - 9.20	1.984 0.660 - 4.034	8.33	8.71	9.09	99
15+15+22+42	1.10	1.10	1.61	3.08 *	-	6.90 3.70 - 9.60	1.604 0.660 - 4.034	6.73	7.04	7.35	99
15+15+22+60	1.15	1.15	1.69	4.61	-	8.60 3.70 - 10.10	2.468 0.660 - 4.028	10.37	10.84	11.31	99
15+15+22+71	1.07	1.07	1.57	5.08	-	8.80 3.70 - 10.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
15+15+25+25	1.46	1.46	2.44	2.44	-	7.80 3.70 - 9.20	1.795 0.660 - 4.015	7.54	7.88	8.22	99
15+15+25+35	1.17	1.17	1.94	2.72	-	7.00 3.70 - 9.30	1.614 0.660 - 4.034	6.78	7.09	7.40	99
15+15+25+42	1.07	1.07	1.78	2.99 *	-	6.90 3.70 - 9.70	1.584 0.660 - 4.034	6.66	6.96	7.26	99
15+15+25+50	1.21	1.21	2.02	4.05 *	-	8.50 3.70 - 10.00	2.168 0.660 - 4.028	9.11	9.52	9.93	99
15+15+25+60	1.13	1.13	1.89	4.54	-	8.70 3.70 - 10.10	2.598 0.660 - 4.028	10.91	11.41	11.91	99
15+15+25+71	1.05	1.05	1.75	4.96	-	8.80 3.70 - 10.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
15+15+35+35	1.26	1.26	2.94	2.94	-	8.40 3.70 - 9.90	1.935 0.660 - 4.015	8.13	8.50	8.87	99
15+15+35+42	1.19	1.19	2.78	3.34 *	-	8.50 3.70 - 10.00	2.254 0.660 - 4.034	9.47	9.90	10.33	99
15+15+35+50	1.13	1.13	2.65	3.78 *	-	8.70 3.70 - 10.10	2.598 0.660 - 4.028	10.91	11.41	11.91	99
15+15+35+60	1.06	1.06	2.46	4.22	-	8.80 3.70 - 10.20	2.818 0.660 - 4.028	11.84	12.38	12.92	99
15+15+35+71	0.97	0.97	2.26	4.59	-	8.80 3.70 - 10.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
15+15+42+42	1.14	1.14	3.21 *	3.21 *	-	8.70 3.70 - 10.10	2.545 0.660 - 4.015	10.69	11.18	11.67	99
15+15+42+50	1.08	1.08	3.03 *	3.61 *	-	8.80 3.70 - 10.20	2.812 0.660 - 4.022	11.81	12.35	12.89	99
15+15+42+60	1.00	1.00	2.80 *	4.00	-	8.80 3.70 - 10.20	2.812 0.660 - 4.022	11.81	12.35	12.89	99
15+15+42+71	0.92	0.92	2.58 *	4.37	-	8.80 3.70 - 10.20	2.795 0.660 - 4.005	11.74	12.27	12.80	99
15+15+50+50	1.02	1.02	3.38 *	3.38 *	-	8.80 3.70 - 10.20	2.799 0.660 - 4.009	11.76	12.29	12.82	99
15+15+50+60	0.94	0.94	3.14 *	3.77	-	8.80 3.70 - 10.20	2.812 0.660 - 4.022	11.81	12.35	12.89	99
15+15+50+71	0.88	0.88	2.95 *	4.18	-	8.90 3.70 - 10.20	2.875 0.660 - 4.005	12.08	12.63	13.18	99
15+15+60+60	0.89	0.89	3.56	3.56	-	8.90 3.70 - 10.20	2.859 0.660 - 4.009	12.01	12.56	13.11	99
15+15+60+71	0.85	0.85	3.39	4.01	-	9.10 3.70 - 10.20	2.978 0.660 - 3.988	12.51	13.08	13.65	99
15+15+71+71	0.80	0.80	3.80	3.80	-	9.20 3.70 - 10.20	3.072 0.660 - 3.992	12.90	13.49	14.08	99
15+18+18+18	1.46	1.75	1.75	1.75	-	6.70 3.70 - 8.70	1.516 0.660 - 3.726	6.37	6.66	6.95	99
15+18+18+20	1.48	1.77	1.77	1.97	-	7.00 3.70 - 9.00	1.595 0.660 - 3.935	6.70	7.00	7.30	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+18+22	1.46	1.75	1.75	2.14	-	7.10 3.70 - 9.20	1.642 0.660 - 4.032	6.90	7.21	7.52	99
15+18+18+25	1.48	1.78	1.78	2.47	-	7.50 3.70 - 9.20	1.715 0.660 - 4.025	7.20	7.53	7.86	99
15+18+18+35	1.48	1.78	1.78	3.46	-	8.50 3.70 - 9.20	1.945 0.660 - 4.025	8.17	8.54	8.91	99
15+18+18+42	1.13	1.35	1.35	3.16 *	-	7.00 3.70 - 9.50	1.595 0.660 - 4.025	6.70	7.00	7.30	99
15+18+18+50	1.26	1.51	1.51	4.21 *	-	8.50 3.70 - 9.90	1.979 0.660 - 4.019	8.31	8.69	9.07	99
15+18+18+60	1.18	1.41	1.41	4.70	-	8.70 3.70 - 10.10	2.419 0.660 - 4.019	10.16	10.62	11.08	99
15+18+18+71	1.09	1.31	1.31	5.18	-	8.90 3.70 - 10.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+18+20+20	1.48	1.78	1.97	1.97	-	7.20 3.70 - 9.20	1.616 0.660 - 4.006	6.79	7.10	7.41	99
15+18+20+22	1.44	1.73	1.92	2.11	-	7.20 3.70 - 9.20	1.699 0.660 - 4.039	7.14	7.46	7.78	99
15+18+20+25	1.46	1.75	1.95	2.44	-	7.60 3.70 - 9.20	1.762 0.660 - 4.032	7.40	7.74	8.08	99
15+18+20+35	1.47	1.76	1.95	3.42	-	8.60 3.70 - 9.20	2.002 0.660 - 4.032	8.41	8.79	9.17	99
15+18+20+42	1.09	1.31	1.45	3.05 *	-	6.90 3.70 - 9.60	1.592 0.660 - 4.032	6.69	6.99	7.29	99
15+18+20+50	1.24	1.49	1.65	4.13 *	-	8.50 3.70 - 9.90	2.076 0.660 - 4.026	8.72	9.12	9.52	99
15+18+20+60	1.15	1.39	1.54	4.62	-	8.70 3.70 - 10.10	2.516 0.660 - 4.026	10.57	11.05	11.53	99
15+18+20+71	1.06	1.28	1.42	5.04	-	8.80 3.70 - 10.20	2.799 0.660 - 4.009	11.76	12.29	12.82	99
15+18+22+22	1.46	1.75	2.14	2.14	-	7.50 3.70 - 9.20	1.723 0.660 - 4.013	7.24	7.57	7.90	99
15+18+22+25	1.48	1.78	2.17	2.47	-	7.90 3.70 - 9.20	1.805 0.660 - 4.025	7.59	7.93	8.27	99
15+18+22+35	1.18	1.42	1.74	2.76	-	7.10 3.70 - 9.30	1.605 0.660 - 4.025	6.74	7.05	7.36	99
15+18+22+42	1.08	1.30	1.59	3.03 *	-	7.00 3.70 - 9.70	1.575 0.660 - 4.025	6.62	6.92	7.22	99
15+18+22+50	1.23	1.47	1.80	4.10 *	-	8.60 3.70 - 10.00	2.159 0.660 - 4.019	9.07	9.48	9.89	99
15+18+22+60	1.15	1.38	1.68	4.59	-	8.80 3.70 - 10.10	2.589 0.660 - 4.019	10.88	11.37	11.86	99
15+18+22+71	1.06	1.27	1.55	5.02	-	8.90 3.70 - 10.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+18+25+25	1.48	1.78	2.47	2.47	-	8.20 3.70 - 9.20	1.856 0.660 - 4.006	7.80	8.15	8.50	99
15+18+25+35	1.13	1.35	1.88	2.63	-	7.00 3.70 - 9.50	1.595 0.660 - 4.025	6.70	7.00	7.30	99
15+18+25+42	1.28	1.53	2.13	3.57 *	-	8.50 3.70 - 9.90	1.945 0.660 - 4.025	8.17	8.54	8.91	99
15+18+25+50	1.21	1.45	2.01	4.03 *	-	8.70 3.70 - 10.00	2.289 0.660 - 4.019	9.61	10.05	10.49	99
15+18+25+60	1.13	1.36	1.89	4.53	-	8.90 3.70 - 10.20	2.719 0.660 - 4.019	11.42	11.94	12.46	99
15+18+25+71	1.03	1.24	1.72	4.90	-	8.90 3.70 - 10.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+18+35+35	1.25	1.50	2.92	2.92	-	8.60 3.70 - 9.90	2.056 0.660 - 4.006	8.64	9.03	9.42	99
15+18+35+42	1.19	1.42	2.77	3.32 *	-	8.70 3.70 - 10.10	2.385 0.660 - 4.025	10.01	10.47	10.93	99
15+18+35+50	1.13	1.36	2.64	3.77 *	-	8.90 3.70 - 10.20	2.719 0.660 - 4.019	11.42	11.94	12.46	99
15+18+35+60	1.04	1.25	2.43	4.17	-	8.90 3.70 - 10.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+18+35+71	0.96	1.15	2.24	4.55	-	8.90 3.70 - 10.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+18+42+42	1.13	1.35	3.16 *	3.16 *	-	8.80 3.70 - 10.20	2.666 0.660 - 4.006	11.20	11.71	12.22	99
15+18+42+50	1.07	1.28	2.99 *	3.56 *	-	8.90 3.70 - 10.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+18+42+60	0.99	1.19	2.77 *	3.96	-	8.90 3.70 - 10.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+18+42+71	0.91	1.10	2.56 *	4.33	-	8.90 3.70 - 10.20	2.796 0.660 - 3.996	11.75	12.28	12.81	99
15+18+50+50	1.00	1.20	3.35 *	3.35 *	-	8.90 3.70 - 10.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
15+18+50+60	0.93	1.12	3.11 *	3.73	-	8.90 3.70 - 10.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+18+50+71	0.89	1.06	2.95 *	4.20	-	9.10 3.70 - 10.20	2.896 0.660 - 3.996	12.17	12.72	13.27	99
15+18+60+60	0.88	1.06	3.53	3.53	-	9.00 3.70 - 10.20	2.890 0.660 - 4.000	12.14	12.69	13.24	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+60+71	0.84	1.01	3.37	3.98	-	9.20 3.70 - 10.20	3.009 0.660 - 3.979	12.64	13.21	13.78	99
15+20+20+20	1.48	1.97	1.97	1.97	-	7.40 3.70 - 9.20	1.643 0.660 - 3.983	6.91	7.22	7.53	99
15+20+20+22	1.42	1.90	1.90	2.09	-	7.30 3.70 - 9.20	1.756 0.660 - 4.046	7.37	7.71	8.05	99
15+20+20+25	1.44	1.93	1.93	2.41	-	7.70 3.70 - 9.20	1.819 0.660 - 4.039	7.64	7.99	8.34	99
15+20+20+35	1.15	1.53	1.53	2.68	-	6.90 3.70 - 9.30	1.619 0.660 - 4.039	6.80	7.11	7.42	99
15+20+20+42	1.05	1.40	1.40	2.94 *	-	6.80 3.70 - 9.70	1.589 0.660 - 4.039	6.68	6.98	7.28	99
15+20+20+50	1.20	1.60	1.60	4.00 *	-	8.40 3.70 - 10.00	2.173 0.660 - 4.033	9.13	9.54	9.95	99
15+20+20+60	1.12	1.50	1.50	4.49	-	8.60 3.70 - 10.10	2.603 0.660 - 4.033	10.93	11.43	11.93	99
15+20+20+71	1.04	1.38	1.38	4.90	-	8.70 3.70 - 10.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
15+20+22+22	1.44	1.92	2.12	2.12	-	7.60 3.70 - 9.20	1.780 0.660 - 4.020	7.48	7.82	8.16	99
15+20+22+25	1.46	1.95	2.15	2.44	-	8.00 3.70 - 9.20	1.862 0.660 - 4.032	7.82	8.18	8.54	99
15+20+22+35	1.13	1.50	1.65	2.63	-	6.90 3.70 - 9.40	1.602 0.660 - 4.032	6.73	7.04	7.35	99
15+20+22+42	1.03	1.37	1.51	2.88 *	-	6.80 3.70 - 9.80	1.572 0.660 - 4.032	6.60	6.90	7.20	99
15+20+22+50	1.19	1.59	1.75	3.97 *	-	8.50 3.70 - 10.00	2.246 0.660 - 4.026	9.43	9.86	10.29	99
15+20+22+60	1.12	1.49	1.64	4.46	-	8.70 3.70 - 10.20	2.686 0.660 - 4.026	11.29	11.80	12.31	99
15+20+22+71	1.03	1.38	1.51	4.88	-	8.80 3.70 - 10.20	2.799 0.660 - 4.009	11.76	12.29	12.82	99
15+20+25+25	1.46	1.95	2.44	2.44	-	8.30 3.70 - 9.20	1.913 0.660 - 4.013	8.03	8.40	8.77	99
15+20+25+35	1.09	1.45	1.82	2.54	-	6.90 3.70 - 9.60	1.592 0.660 - 4.032	6.69	6.99	7.29	99
15+20+25+50	1.17	1.56	1.95	3.91 *	-	8.60 3.70 - 10.10	2.392 0.660 - 4.032	10.05	10.51	10.97	99
15+20+25+60	1.10	1.47	1.83	4.40	-	8.80 3.70 - 10.20	2.816 0.660 - 4.026	11.83	12.37	12.91	99
15+20+25+71	1.01	1.34	1.68	4.77	-	8.80 3.70 - 10.20	2.799 0.660 - 4.009	11.76	12.29	12.82	99
15+20+35+35	1.21	1.62	2.83	2.83	-	8.50 3.70 - 10.00	2.153 0.660 - 4.013	9.05	9.46	9.87	99
15+20+35+42	1.15	1.54	2.69	3.23 *	-	8.60 3.70 - 10.10	2.472 0.660 - 4.032	10.39	10.86	11.33	99
15+20+35+50	1.10	1.47	2.57	3.67 *	-	8.80 3.70 - 10.20	2.816 0.660 - 4.026	11.83	12.37	12.91	99
15+20+35+60	1.02	1.35	2.37	4.06	-	8.80 3.70 - 10.20	2.816 0.660 - 4.026	11.83	12.37	12.91	99
15+20+35+71	0.94	1.25	2.18	4.43	-	8.80 3.70 - 10.20	2.799 0.660 - 4.009	11.76	12.29	12.82	99
15+20+42+42	1.11	1.48	3.11 *	3.11 *	-	8.80 3.70 - 10.20	2.763 0.660 - 4.013	11.60	12.13	12.66	99
15+20+42+50	1.04	1.39	2.91 *	3.46 *	-	8.80 3.70 - 10.20	2.810 0.660 - 4.020	11.80	12.34	12.88	99
15+20+42+60	0.96	1.28	2.70 *	3.85	-	8.80 3.70 - 10.20	2.810 0.660 - 4.020	11.80	12.34	12.88	99
15+20+42+71	0.90	1.20	2.53 *	4.27	-	8.90 3.70 - 10.20	2.833 0.660 - 4.003	11.90	12.44	12.98	99
15+20+50+50	0.98	1.30	3.26 *	3.26 *	-	8.80 3.70 - 10.20	2.797 0.660 - 4.007	11.75	12.28	12.81	99
15+20+50+60	0.91	1.21	3.03 *	3.64	-	8.80 3.70 - 10.20	2.810 0.660 - 4.020	11.80	12.34	12.88	99
15+20+50+71	0.87	1.15	2.88 *	4.10	-	9.00 3.70 - 10.20	2.933 0.660 - 4.003	12.32	12.88	13.44	99
15+20+60+60	0.87	1.16	3.48	3.48	-	9.00 3.70 - 10.20	2.927 0.660 - 4.007	12.29	12.85	13.41	99
15+20+60+71	0.83	1.11	3.33	3.93	-	9.20 3.70 - 10.20	3.036 0.660 - 3.986	12.75	13.33	13.91	99
15+22+22+22	1.46	2.15	2.15	2.15	-	7.90 3.70 - 9.20	1.790 0.660 - 3.990	7.52	7.86	8.20	99
15+22+22+25	1.48	2.17	2.17	2.47	-	8.30 3.70 - 9.20	1.905 0.660 - 4.025	8.01	8.37	8.73	99
15+22+22+35	1.12	1.64	1.64	2.61	-	7.00 3.70 - 9.60	1.595 0.660 - 4.025	6.70	7.00	7.30	99
15+22+22+42	1.26	1.85	1.85	3.53 *	-	8.50 3.70 - 9.90	1.985 0.660 - 4.025	8.34	8.72	9.10	99
15+22+22+50	1.20	1.76	1.76	3.99 *	-	8.70 3.70 - 10.00	2.329 0.660 - 4.019	9.79	10.23	10.67	99
15+22+22+60	1.12	1.65	1.65	4.49	-	8.90 3.70 - 10.20	2.769 0.660 - 4.019	11.63	12.16	12.69	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+22+22+71	1.03	1.51	1.51	4.86	-	8.90 3.70 - 10.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+22+25+25	1.48	2.17	2.47	2.47	-	8.60 3.70 - 9.20	1.956 0.660 - 4.006	8.22	8.59	8.96	99
15+22+25+35	1.08	1.59	1.80	2.53	-	7.00 3.70 - 9.70	1.575 0.660 - 4.025	6.62	6.92	7.22	99
15+22+25+42	1.24	1.82	2.07	3.47 *	-	8.60 3.70 - 10.00	2.115 0.660 - 4.025	8.89	9.29	9.69	99
15+22+25+50	1.17	1.71	1.94	3.88 *	-	8.70 3.70 - 10.10	2.459 0.660 - 4.019	10.33	10.80	11.27	99
15+22+25+60	1.09	1.60	1.82	4.38	-	8.90 3.70 - 10.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+22+25+71	1.00	1.47	1.67	4.75	-	8.90 3.70 - 10.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+22+35+35	1.21	1.77	2.81	2.81	-	8.60 3.70 - 10.00	2.226 0.660 - 4.006	9.35	9.78	10.21	99
15+22+35+42	1.16	1.70	2.70	3.24 *	-	8.80 3.70 - 10.10	2.555 0.660 - 4.025	10.73	11.22	11.71	99
15+22+35+50	1.09	1.60	2.55	3.65 *	-	8.90 3.70 - 10.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+22+35+60	1.01	1.48	2.36	4.05	-	8.90 3.70 - 10.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+22+35+71	0.93	1.37	2.18	4.42	-	8.90 3.70 - 10.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+22+42+42	1.10	1.62	3.09 *	3.09 *	-	8.90 3.70 - 10.20	2.796 0.660 - 4.006	11.75	12.28	12.81	99
15+22+42+50	1.03	1.52	2.90 *	3.45 *	-	8.90 3.70 - 10.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+22+42+60	0.96	1.41	2.69 *	3.84	-	8.90 3.70 - 10.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+22+42+71	0.90	1.32	2.52 *	4.26	-	9.00 3.70 - 10.20	2.846 0.660 - 3.996	11.96	12.50	13.04	99
15+22+50+50	0.97	1.43	3.25 *	3.25 *	-	8.90 3.70 - 10.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
15+22+50+60	0.91	1.33	3.03 *	3.63	-	8.90 3.70 - 10.20	2.833 0.660 - 4.013	11.90	12.44	12.98	99
15+22+50+71	0.86	1.27	2.88 *	4.09	-	9.10 3.70 - 10.20	2.946 0.660 - 3.996	12.38	12.94	13.50	99
15+22+60+60	0.87	1.28	3.48	3.48	-	9.10 3.70 - 10.20	2.940 0.660 - 4.000	12.35	12.91	13.47	99
15+22+60+71	0.83	1.22	3.32	3.93	-	9.30 3.70 - 10.20	3.059 0.660 - 3.979	12.85	13.43	14.01	99
15+25+25+25	1.18	1.97	1.97	1.97	-	7.10 3.70 - 9.30	1.563 0.660 - 3.983	6.56	6.86	7.16	99
15+25+25+35	1.28	2.13	2.13	2.98	-	8.50 3.70 - 9.90	1.945 0.660 - 4.025	8.17	8.54	8.91	99
15+25+25+42	1.21	2.01	2.01	3.38 *	-	8.60 3.70 - 10.00	2.245 0.660 - 4.025	9.43	9.86	10.29	99
15+25+25+50	1.15	1.91	1.91	3.83 *	-	8.80 3.70 - 10.10	2.589 0.660 - 4.019	10.88	11.37	11.86	99
15+25+25+60	1.07	1.78	1.78	4.27	-	8.90 3.70 - 10.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+25+25+71	0.98	1.64	1.64	4.65	-	8.90 3.70 - 10.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+25+35+35	1.19	1.98	2.77	2.77	-	8.70 3.70 - 10.10	2.366 0.660 - 4.006	9.94	10.39	10.84	99
15+25+35+42	1.13	1.88	2.63	3.16 *	-	8.80 3.70 - 10.20	2.685 0.660 - 4.025	11.28	11.79	12.30	99
15+25+35+50	1.07	1.78	2.49	3.56 *	-	8.90 3.70 - 10.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+25+35+60	0.99	1.65	2.31	3.96	-	8.90 3.70 - 10.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+25+35+71	0.91	1.52	2.13	4.33	-	8.90 3.70 - 10.20	2.802 0.660 - 4.002	11.77	12.31	12.85	99
15+25+42+42	1.08	1.79	3.01 *	3.01 *	-	8.90 3.70 - 10.20	2.796 0.660 - 4.006	11.75	12.28	12.81	99
15+25+42+50	1.01	1.69	2.83 *	3.37 *	-	8.90 3.70 - 10.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+25+42+60	0.94	1.57	2.63 *	3.76	-	8.90 3.70 - 10.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+25+42+71	0.88	1.47	2.47 *	4.18	-	9.00 3.70 - 10.20	2.886 0.660 - 3.996	12.12	12.67	13.22	99
15+25+50+50	0.95	1.59	3.18 *	3.18 *	-	8.90 3.70 - 10.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
15+25+50+60	0.90	1.50	3.00 *	3.60	-	9.00 3.70 - 10.20	2.863 0.660 - 4.013	12.02	12.57	13.12	99
15+25+50+71	0.86	1.43	2.86 *	4.06	-	9.20 3.70 - 10.20	2.986 0.660 - 3.996	12.54	13.11	13.68	99
15+25+60+60	0.86	1.44	3.45	3.45	-	9.20 3.70 - 10.20	2.980 0.660 - 4.000	12.52	13.09	13.66	99
15+25+60+71	0.82	1.36	3.26	3.86	-	9.30 3.70 - 10.20	3.059 0.660 - 3.979	12.85	13.43	14.01	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+35+35+35	1.11	2.60	2.60	2.60	-	8.90 3.70 - 10.20	2.773 0.660 - 3.983	11.65	12.18	12.71	99
15+35+35+42	1.05	2.45	2.45	2.94 *	-	8.90 3.70 - 10.20	2.815 0.660 - 4.025	11.82	12.36	12.90	99
15+35+35+50	0.99	2.31	2.31	3.30 *	-	8.90 3.70 - 10.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+35+35+60	0.92	2.15	2.15	3.68	-	8.90 3.70 - 10.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+35+35+71	0.88	2.04	2.04	4.14	-	9.10 3.70 - 10.20	2.932 0.660 - 4.002	12.32	12.88	13.44	99
15+35+42+42	1.00	2.32	2.79 *	2.79 *	-	8.90 3.70 - 10.20	2.796 0.660 - 4.006	11.75	12.28	12.81	99
15+35+42+50	0.94	2.19	2.63 *	3.13 *	-	8.90 3.70 - 10.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+35+42+60	0.89	2.07	2.49 *	3.55	-	9.00 3.70 - 10.20	2.893 0.660 - 4.013	12.16	12.71	13.26	99
15+35+42+71	0.85	1.98	2.37 *	4.01	-	9.20 3.70 - 10.20	3.016 0.660 - 3.996	12.67	13.25	13.83	99
15+35+50+50	0.90	2.10	3.00 *	3.00 *	-	9.00 3.70 - 10.20	2.850 0.660 - 4.000	11.98	12.52	13.06	99
15+35+50+60	0.86	2.01	2.88 *	3.45	-	9.20 3.70 - 10.20	2.993 0.660 - 4.013	12.57	13.14	13.71	99
15+35+50+71	0.82	1.90	2.72 *	3.86	-	9.30 3.70 - 10.20	3.076 0.660 - 3.996	12.92	13.51	14.10	99
15+35+60+60	0.82	1.91	3.28	3.28	-	9.30 3.70 - 10.20	3.080 0.660 - 4.000	12.94	13.53	14.12	99
15+42+42+42	0.95	2.65	2.65 *	2.65 *	-	8.90 3.70 - 10.20	2.769 0.660 - 3.979	11.63	12.16	12.69	99
15+42+42+50	0.91	2.54	2.54 *	3.02 *	-	9.00 3.70 - 10.20	2.847 0.660 - 4.007	11.96	12.50	13.04	99
15+42+42+60	0.86	2.40	2.40 *	3.43	-	9.10 3.70 - 10.20	2.977 0.660 - 4.007	12.50	13.07	13.64	99
15+42+42+71	0.82	2.30	2.30 *	3.88	-	9.30 3.70 - 10.20	3.070 0.660 - 3.990	12.89	13.48	14.07	99
15+42+50+50	0.87	2.43	2.90 *	2.90 *	-	9.10 3.70 - 10.20	2.934 0.660 - 3.994	12.33	12.89	13.45	99
15+42+50+60	0.84	2.34	2.78 *	3.34	-	9.30 3.70 - 10.20	3.077 0.660 - 4.007	12.92	13.51	14.10	99
15+50+50+50	0.84	2.79	2.79 *	2.79 *	-	9.20 3.70 - 10.20	3.030 0.660 - 3.990	12.73	13.31	13.89	99
18+18+18+18	1.78	1.78	1.78	1.78	-	7.10 3.70 - 9.20	1.597 0.660 - 4.007	6.71	7.01	7.31	99
18+18+18+20	1.80	1.80	1.80	2.00	-	7.40 3.70 - 9.20	1.656 0.660 - 4.016	6.95	7.27	7.59	99
18+18+18+22	1.78	1.78	1.78	2.17	-	7.50 3.70 - 9.20	1.713 0.660 - 4.023	7.19	7.52	7.85	99
18+18+18+25	1.80	1.80	1.80	2.50	-	7.90 3.70 - 9.20	1.776 0.660 - 4.016	7.46	7.80	8.14	99
18+18+18+35	1.46	1.46	1.46	2.83	-	7.20 3.70 - 9.30	1.606 0.660 - 4.016	6.74	7.05	7.36	99
18+18+18+42	1.33	1.33	1.33	3.11 *	-	7.10 3.70 - 9.70	1.576 0.660 - 4.016	6.62	6.92	7.22	99
18+18+18+50	1.51	1.51	1.51	4.18 *	-	8.70 3.70 - 10.00	2.100 0.660 - 4.010	8.82	9.22	9.62	99
18+18+18+60	1.41	1.41	1.41	4.68	-	8.90 3.70 - 10.10	2.540 0.660 - 4.010	10.67	11.16	11.65	99
18+18+18+71	1.30	1.30	1.30	5.11	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+18+20+20	1.80	1.80	2.00	2.00	-	7.60 3.70 - 9.20	1.687 0.660 - 3.997	7.09	7.41	7.73	99
18+18+20+22	1.75	1.75	1.95	2.14	-	7.60 3.70 - 9.20	1.760 0.660 - 4.030	7.39	7.73	8.07	99
18+18+20+25	1.78	1.78	1.98	2.47	-	8.00 3.70 - 9.20	1.823 0.660 - 4.023	7.66	8.01	8.36	99
18+18+20+35	1.40	1.40	1.56	2.73	-	7.10 3.70 - 9.40	1.603 0.660 - 4.023	6.73	7.04	7.35	99
18+18+20+42	1.27	1.27	1.41	2.96 *	-	6.90 3.70 - 9.80	1.573 0.660 - 4.023	6.61	6.91	7.21	99
18+18+20+50	1.46	1.46	1.62	4.06 *	-	8.60 3.70 - 10.00	2.197 0.660 - 4.017	9.23	9.65	10.07	99
18+18+20+60	1.37	1.37	1.52	4.55	-	8.80 3.70 - 10.10	2.637 0.660 - 4.017	11.08	11.58	12.08	99
18+18+20+71	1.26	1.26	1.40	4.98	-	8.90 3.70 - 10.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
18+18+22+22	1.78	1.78	2.17	2.17	-	7.90 3.70 - 9.20	1.784 0.660 - 4.004	7.49	7.83	8.17	99
18+18+22+25	1.80	1.80	2.20	2.50	-	8.30 3.70 - 9.20	1.866 0.660 - 4.016	7.83	8.19	8.55	99
18+18+22+35	1.37	1.37	1.68	2.67	-	7.10 3.70 - 9.50	1.586 0.660 - 4.016	6.67	6.97	7.27	99
18+18+22+42	1.55	1.55	1.89	3.61 *	-	8.60 3.70 - 9.90	1.936 0.660 - 4.016	8.13	8.50	8.87	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+18+22+50	1.47	1.47	1.79	4.07 *	-	8.80 3.70 - 10.00	2.280 0.660 - 4.010	9.57	10.01	10.45	99
18+18+22+60	1.37	1.37	1.68	4.58	-	9.00 3.70 - 10.20	2.710 0.660 - 4.010	11.38	11.90	12.42	99
18+18+22+71	1.26	1.26	1.53	4.95	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+18+25+25	1.80	1.80	2.50	2.50	-	8.60 3.70 - 9.20	1.917 0.660 - 3.997	8.05	8.42	8.79	99
18+18+25+35	1.33	1.33	1.85	2.59	-	7.10 3.70 - 9.70	1.576 0.660 - 4.016	6.62	6.92	7.22	99
18+18+25+42	1.52	1.52	2.11	3.55 *	-	8.70 3.70 - 9.90	2.066 0.660 - 4.016	8.68	9.07	9.46	99
18+18+25+50	1.43	1.43	1.98	3.96 *	-	8.80 3.70 - 10.10	2.410 0.660 - 4.010	10.12	10.58	11.04	99
18+18+25+60	1.34	1.34	1.86	4.46	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+18+25+71	1.23	1.23	1.70	4.84	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+18+35+35	1.48	1.48	2.87	2.87	-	8.70 3.70 - 10.00	2.177 0.660 - 3.997	9.14	9.56	9.98	99
18+18+35+42	1.42	1.42	2.76	3.31 *	-	8.90 3.70 - 10.10	2.506 0.660 - 4.016	10.53	11.01	11.49	99
18+18+35+50	1.34	1.34	2.60	3.72 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+18+35+60	1.24	1.24	2.40	4.12	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+18+35+71	1.14	1.14	2.22	4.50	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+18+42+42	1.35	1.35	3.15 *	3.15 *	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	11.71	12.24	12.77	99
18+18+42+50	1.27	1.27	2.95 *	3.52 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+18+42+60	1.17	1.17	2.74 *	3.91	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+18+42+71	1.10	1.10	2.57 *	4.34	-	9.10 3.70 - 10.20	2.827 0.660 - 3.987	11.88	12.42	12.96	99
18+18+50+50	1.19	1.19	3.31 *	3.31 *	-	9.00 3.70 - 10.20	2.781 0.660 - 3.991	11.68	12.21	12.74	99
18+18+50+60	1.11	1.11	3.08 *	3.70	-	9.00 3.70 - 10.20	2.804 0.660 - 4.004	11.77	12.31	12.85	99
18+18+50+71	1.05	1.05	2.93 *	4.16	-	9.20 3.70 - 10.20	2.927 0.660 - 3.987	12.29	12.85	13.41	99
18+18+60+60	1.06	1.06	3.54	3.54	-	9.20 3.70 - 10.20	2.921 0.660 - 3.991	12.27	12.83	13.39	99
18+18+60+71	1.01	1.01	3.38	4.00	-	9.40 3.70 - 10.20	3.040 0.660 - 3.970	12.77	13.35	13.93	99
18+20+20+20	1.80	2.00	2.00	2.00	-	7.80 3.70 - 9.20	1.704 0.660 - 3.974	7.15	7.48	7.81	99
18+20+20+22	1.73	1.93	1.93	2.12	-	7.70 3.70 - 9.20	1.817 0.660 - 4.037	7.63	7.98	8.33	99
18+20+20+25	1.76	1.95	1.95	2.44	-	8.10 3.70 - 9.20	1.880 0.660 - 4.030	7.90	8.26	8.62	99
18+20+20+35	1.34	1.48	1.48	2.60	-	6.90 3.70 - 9.50	1.600 0.660 - 4.030	6.72	7.03	7.34	99
18+20+20+42	1.51	1.68	1.68	3.53 *	-	8.40 3.70 - 9.90	1.950 0.660 - 4.030	8.19	8.56	8.93	99
18+20+20+50	1.43	1.59	1.59	3.98 *	-	8.60 3.70 - 10.00	2.294 0.660 - 4.024	9.63	10.07	10.51	99
18+20+20+60	1.34	1.49	1.49	4.47	-	8.80 3.70 - 10.20	2.724 0.660 - 4.024	11.44	11.96	12.48	99
18+20+20+71	1.23	1.36	1.36	4.84	-	8.80 3.70 - 10.20	2.797 0.660 - 4.007	11.75	12.28	12.81	99
18+20+22+22	1.76	1.95	2.15	2.15	-	8.00 3.70 - 9.20	1.841 0.660 - 4.011	7.74	8.09	8.44	99
18+20+22+25	1.78	1.98	2.17	2.47	-	8.40 3.70 - 9.20	1.923 0.660 - 4.023	8.08	8.45	8.82	99
18+20+22+35	1.33	1.47	1.62	2.58	-	7.00 3.70 - 9.60	1.583 0.660 - 4.023	6.65	6.95	7.25	99
18+20+22+50	1.42	1.58	1.74	3.95 *	-	8.70 3.70 - 10.10	2.383 0.660 - 4.023	10.01	10.47	10.93	99
18+20+22+60	1.34	1.48	1.63	4.45	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
18+20+22+71	1.22	1.36	1.49	4.82	-	8.90 3.70 - 10.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
18+20+25+25	1.78	1.98	2.47	2.47	-	8.70 3.70 - 9.20	1.974 0.660 - 4.004	8.29	8.67	9.05	99
18+20+25+35	1.27	1.41	1.76	2.46	-	6.90 3.70 - 9.80	1.573 0.660 - 4.023	6.61	6.91	7.21	99
18+20+25+42	1.47	1.64	2.05	3.44 *	-	8.60 3.70 - 10.00	2.163 0.660 - 4.023	9.09	9.50	9.91	99
18+20+25+50	1.40	1.56	1.95	3.89 *	-	8.80 3.70 - 10.10	2.507 0.660 - 4.017	10.53	11.01	11.49	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+20+25+60	1.30	1.45	1.81	4.34	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
18+20+25+71	1.20	1.33	1.66	4.72	-	8.90 3.70 - 10.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
18+20+35+35	1.45	1.61	2.82	2.82	-	8.70 3.70 - 10.00	2.274 0.660 - 4.004	9.56	9.99	10.42	99
18+20+35+42	1.38	1.53	2.68	3.21 *	-	8.80 3.70 - 10.10	2.593 0.660 - 4.023	10.89	11.39	11.89	99
18+20+35+50	1.30	1.45	2.53	3.62 *	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
18+20+35+60	1.20	1.34	2.34	4.02	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
18+20+35+71	1.11	1.24	2.16	4.39	-	8.90 3.70 - 10.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
18+20+42+42	1.31	1.46	3.06 *	3.06 *	-	8.90 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+20+42+50	1.23	1.37	2.88 *	3.42 *	-	8.90 3.70 - 10.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
18+20+42+60	1.14	1.27	2.67 *	3.81	-	8.90 3.70 - 10.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
18+20+42+71	1.07	1.19	2.50 *	4.23	-	9.00 3.70 - 10.20	2.864 0.660 - 3.994	12.03	12.58	13.13	99
18+20+50+50	1.16	1.29	3.22 *	3.22 *	-	8.90 3.70 - 10.20	2.788 0.660 - 3.998	11.71	12.24	12.77	99
18+20+50+60	1.09	1.22	3.04 *	3.65	-	9.00 3.70 - 10.20	2.841 0.660 - 4.011	11.94	12.48	13.02	99
18+20+50+71	1.03	1.14	2.86 *	4.06	-	9.10 3.70 - 10.20	2.964 0.660 - 3.994	12.45	13.02	13.59	99
18+20+60+60	1.04	1.15	3.46	3.46	-	9.10 3.70 - 10.20	2.948 0.660 - 3.998	12.39	12.95	13.51	99
18+20+60+71	0.99	1.10	3.30	3.91	-	9.30 3.70 - 10.20	3.057 0.660 - 3.977	12.85	13.43	14.01	99
18+22+22+22	1.78	2.17	2.17	2.17	-	8.30 3.70 - 9.20	1.861 0.660 - 3.981	7.81	8.17	8.53	99
18+22+22+25	1.80	2.20	2.20	2.50	-	8.70 3.70 - 9.20	1.966 0.660 - 4.016	8.25	8.63	9.01	99
18+22+22+35	1.32	1.61	1.61	2.56	-	7.10 3.70 - 9.70	1.566 0.660 - 4.016	6.58	6.88	7.18	99
18+22+22+42	1.51	1.84	1.84	3.51 *	-	8.70 3.70 - 10.00	2.106 0.660 - 4.016	8.85	9.25	9.65	99
18+22+22+50	1.41	1.73	1.73	3.93 *	-	8.80 3.70 - 10.10	2.450 0.660 - 4.010	10.29	10.76	11.23	99
18+22+22+60	1.33	1.62	1.62	4.43	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+22+22+71	1.22	1.49	1.49	4.80	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+22+25+25	1.44	1.76	2.00	2.00	-	7.20 3.70 - 9.30	1.577 0.660 - 3.997	6.63	6.93	7.23	99
18+22+25+35	1.55	1.89	2.15	3.01	-	8.60 3.70 - 9.90	1.936 0.660 - 4.016	8.13	8.50	8.87	99
18+22+25+42	1.46	1.79	2.03	3.41 *	-	8.70 3.70 - 10.00	2.236 0.660 - 4.016	9.39	9.82	10.25	99
18+22+25+50	1.39	1.70	1.93	3.87 *	-	8.90 3.70 - 10.10	2.580 0.660 - 4.010	10.84	11.33	11.82	99
18+22+25+60	1.30	1.58	1.80	4.32	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+22+25+71	1.19	1.46	1.65	4.70	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+22+35+35	1.44	1.76	2.80	2.80	-	8.80 3.70 - 10.10	2.357 0.660 - 3.997	9.90	10.35	10.80	99
18+22+35+42	1.37	1.67	2.66	3.19 *	-	8.90 3.70 - 10.20	2.676 0.660 - 4.016	11.24	11.75	12.26	99
18+22+35+50	1.30	1.58	2.52	3.60 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+22+35+60	1.20	1.47	2.33	4.00	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+22+35+71	1.11	1.36	2.16	4.38	-	9.00 3.70 - 10.20	2.793 0.660 - 3.993	11.74	12.27	12.80	99
18+22+42+42	1.31	1.60	3.05 *	3.05 *	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	11.71	12.24	12.77	99
18+22+42+50	1.23	1.50	2.86 *	3.41 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+22+42+60	1.14	1.39	2.66 *	3.80	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+22+42+71	1.07	1.31	2.50 *	4.22	-	9.10 3.70 - 10.20	2.877 0.660 - 3.987	12.09	12.64	13.19	99
18+22+50+50	1.16	1.41	3.21 *	3.21 *	-	9.00 3.70 - 10.20	2.781 0.660 - 3.991	11.68	12.21	12.74	99
18+22+50+60	1.09	1.33	3.03 *	3.64	-	9.10 3.70 - 10.20	2.854 0.660 - 4.004	11.99	12.53	13.07	99
18+22+50+71	1.04	1.27	2.89 *	4.10	-	9.30 3.70 - 10.20	2.977 0.660 - 3.987	12.50	13.07	13.64	99



**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+22+60+60	1.05	1.28	3.49	3.49	-	9.30 3.70 - 10.20	2.971 0.660 - 3.991	12.48	13.05	13.62	99
18+22+60+71	0.99	1.21	3.30	3.90	-	9.40 3.70 - 10.20	3.050 0.660 - 3.970	12.81	13.39	13.97	99
18+25+25+25	1.37	1.91	1.91	1.91	-	7.10 3.70 - 9.50	1.544 0.660 - 3.974	6.49	6.78	7.07	99
18+25+25+35	1.52	2.11	2.11	2.96	-	8.70 3.70 - 9.90	2.066 0.660 - 4.016	8.68	9.07	9.46	99
18+25+25+42	1.44	2.00	2.00	3.36 *	-	8.80 3.70 - 10.10	2.376 0.660 - 4.016	9.98	10.43	10.88	99
18+25+25+50	1.37	1.91	1.91	3.81 *	-	9.00 3.70 - 10.20	2.710 0.660 - 4.010	11.38	11.90	12.42	99
18+25+25+60	1.27	1.76	1.76	4.22	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+25+25+71	1.17	1.62	1.62	4.60	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+25+35+35	1.42	1.97	2.76	2.76	-	8.90 3.70 - 10.10	2.487 0.660 - 3.997	10.45	10.92	11.39	99
18+25+35+42	1.35	1.88	2.63	3.15 *	-	9.00 3.70 - 10.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
18+25+35+50	1.27	1.76	2.46	3.52 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+25+35+60	1.17	1.63	2.28	3.91	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+25+35+71	1.10	1.53	2.14	4.34	-	9.10 3.70 - 10.20	2.833 0.660 - 3.993	11.90	12.44	12.98	99
18+25+42+42	1.28	1.77	2.98 *	2.98 *	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	11.71	12.24	12.77	99
18+25+42+50	1.20	1.67	2.80 *	3.33 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+25+42+60	1.12	1.55	2.61 *	3.72	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+25+42+71	1.06	1.47	2.48 *	4.19	-	9.20 3.70 - 10.20	2.917 0.660 - 3.987	12.25	12.81	13.37	99
18+25+50+50	1.13	1.57	3.15 *	3.15 *	-	9.00 3.70 - 10.20	2.781 0.660 - 3.991	11.68	12.21	12.74	99
18+25+50+60	1.07	1.49	2.97 *	3.57	-	9.10 3.70 - 10.20	2.894 0.660 - 4.004	12.16	12.71	13.26	99
18+25+50+71	1.02	1.42	2.84 *	4.03	-	9.30 3.70 - 10.20	3.017 0.660 - 3.987	12.67	13.25	13.83	99
18+25+60+60	1.03	1.43	3.42	3.42	-	9.30 3.70 - 10.20	3.011 0.660 - 3.991	12.65	13.22	13.79	99
18+35+35+35	1.32	2.56	2.56	2.56	-	9.00 3.70 - 10.20	2.760 0.660 - 3.970	11.59	12.12	12.65	99
18+35+35+42	1.25	2.42	2.42	2.91 *	-	9.00 3.70 - 10.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
18+35+35+50	1.17	2.28	2.28	3.26 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+35+35+60	1.11	2.15	2.15	3.69	-	9.10 3.70 - 10.20	2.840 0.660 - 4.010	11.93	12.47	13.01	99
18+35+35+71	1.04	2.03	2.03	4.11	-	9.20 3.70 - 10.20	2.963 0.660 - 3.993	12.44	13.01	13.58	99
18+35+42+42	1.18	2.30	2.76 *	2.76 *	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	11.71	12.24	12.77	99
18+35+42+50	1.12	2.17	2.61 *	3.10 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+35+42+60	1.07	2.08	2.49 *	3.56	-	9.20 3.70 - 10.20	2.924 0.660 - 4.004	12.28	12.84	13.40	99
18+35+42+71	1.02	1.98	2.38 *	4.02	-	9.40 3.70 - 10.20	3.037 0.660 - 3.987	12.76	13.34	13.92	99
18+35+50+50	1.07	2.08	2.97 *	2.97 *	-	9.10 3.70 - 10.20	2.881 0.660 - 3.991	12.10	12.65	13.20	99
18+35+50+60	1.03	2.00	2.85 *	3.42	-	9.30 3.70 - 10.20	3.024 0.660 - 4.004	12.70	13.28	13.86	99
18+42+42+42	1.13	2.63	2.63 *	2.63 *	-	9.00 3.70 - 10.20	2.777 0.660 - 3.987	11.67	12.20	12.73	99
18+42+42+50	1.08	2.51	2.51 *	2.99 *	-	9.10 3.70 - 10.20	2.878 0.660 - 3.998	12.09	12.64	13.19	99
18+42+42+60	1.03	2.41	2.41 *	3.44	-	9.30 3.70 - 10.20	2.998 0.660 - 3.998	12.60	13.17	13.74	99
18+42+50+50	1.05	2.44	2.91 *	2.91 *	-	9.30 3.70 - 10.20	2.961 0.660 - 3.981	12.43	13.00	13.57	99
18+42+50+60	1.00	2.32	2.76 *	3.32	-	9.40 3.70 - 10.20	3.078 0.660 - 3.998	12.93	13.52	14.11	99
18+50+50+50	1.01	2.80	2.80 *	2.80 *	-	9.40 3.70 - 10.20	3.061 0.660 - 3.981	12.86	13.44	14.02	99
20+20+20+20	2.00	2.00	2.00	2.00	-	8.00 3.70 - 9.20	1.778 0.660 - 3.998	7.47	7.81	8.15	99
20+20+20+22	1.90	1.90	1.90	2.09	-	7.80 3.70 - 9.20	1.874 0.660 - 4.044	7.87	8.23	8.59	99
20+20+20+25	1.93	1.93	1.93	2.41	-	8.20 3.70 - 9.20	1.937 0.660 - 4.037	8.14	8.51	8.88	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+20+20+35	1.43	1.43	1.43	2.51	-	6.80 3.70 - 9.60	1.597 0.660 - 4.037	6.71	7.01	7.31	99
20+20+20+50	1.55	1.55	1.55	3.86 *	-	8.50 3.70 - 10.10	2.397 0.660 - 4.037	10.07	10.53	10.99	99
20+20+20+60	1.45	1.45	1.45	4.35	-	8.70 3.70 - 10.20	2.821 0.660 - 4.031	11.85	12.39	12.93	99
20+20+20+71	1.33	1.33	1.33	4.72	-	8.70 3.70 - 10.20	2.804 0.660 - 4.014	11.77	12.31	12.85	99
20+20+22+22	1.93	1.93	2.12	2.12	-	8.10 3.70 - 9.20	1.898 0.660 - 4.018	7.98	8.34	8.70	99
20+20+22+25	1.95	1.95	2.15	2.44	-	8.50 3.70 - 9.20	1.980 0.660 - 4.030	8.32	8.70	9.08	99
20+20+22+35	1.42	1.42	1.56	2.49	-	6.90 3.70 - 9.70	1.580 0.660 - 4.030	6.64	6.94	7.24	99
20+20+22+42	1.63	1.63	1.80	3.43 *	-	8.50 3.70 - 10.00	2.120 0.660 - 4.030	8.91	9.31	9.71	99
20+20+22+50	1.54	1.54	1.69	3.84 *	-	8.60 3.70 - 10.10	2.464 0.660 - 4.024	10.35	10.82	11.29	99
20+20+22+60	1.44	1.44	1.59	4.33	-	8.80 3.70 - 10.20	2.814 0.660 - 4.024	11.82	12.36	12.90	99
20+20+22+71	1.32	1.32	1.46	4.70	-	8.80 3.70 - 10.20	2.797 0.660 - 4.007	11.75	12.28	12.81	99
20+20+25+25	1.56	1.56	1.94	1.94	-	7.00 3.70 - 9.30	1.591 0.660 - 4.011	6.69	6.99	7.29	99
20+20+25+35	1.68	1.68	2.10	2.94	-	8.40 3.70 - 9.90	1.950 0.660 - 4.030	8.19	8.56	8.93	99
20+20+25+42	1.59	1.59	1.99	3.34 *	-	8.50 3.70 - 10.00	2.250 0.660 - 4.030	9.45	9.88	10.31	99
20+20+25+50	1.51	1.51	1.89	3.78 *	-	8.70 3.70 - 10.10	2.594 0.660 - 4.024	10.89	11.39	11.89	99
20+20+25+60	1.41	1.41	1.76	4.22	-	8.80 3.70 - 10.20	2.814 0.660 - 4.024	11.82	12.36	12.90	99
20+20+25+71	1.29	1.29	1.62	4.59	-	8.80 3.70 - 10.20	2.797 0.660 - 4.007	11.75	12.28	12.81	99
20+20+35+35	1.56	1.56	2.74	2.74	-	8.60 3.70 - 10.10	2.371 0.660 - 4.011	9.96	10.41	10.86	99
20+20+35+42	1.49	1.49	2.60	3.12 *	-	8.70 3.70 - 10.20	2.690 0.660 - 4.030	11.30	11.81	12.32	99
20+20+35+50	1.41	1.41	2.46	3.52 *	-	8.80 3.70 - 10.20	2.814 0.660 - 4.024	11.82	12.36	12.90	99
20+20+35+60	1.30	1.30	2.28	3.91	-	8.80 3.70 - 10.20	2.814 0.660 - 4.024	11.82	12.36	12.90	99
20+20+35+71	1.21	1.21	2.11	4.28	-	8.80 3.70 - 10.20	2.807 0.660 - 4.007	11.79	12.33	12.87	99
20+20+42+42	1.42	1.42	2.98 *	2.98 *	-	8.80 3.70 - 10.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
20+20+42+50	1.33	1.33	2.80 *	3.33 *	-	8.80 3.70 - 10.20	2.808 0.660 - 4.018	11.79	12.33	12.87	99
20+20+42+60	1.24	1.24	2.60 *	3.72	-	8.80 3.70 - 10.20	2.808 0.660 - 4.018	11.79	12.33	12.87	99
20+20+42+71	1.16	1.16	2.44 *	4.13	-	8.90 3.70 - 10.20	2.891 0.660 - 4.001	12.15	12.70	13.25	99
20+20+50+50	1.26	1.26	3.14 *	3.14 *	-	8.80 3.70 - 10.20	2.795 0.660 - 4.005	11.74	12.27	12.80	99
20+20+50+60	1.19	1.19	2.97 *	3.56	-	8.90 3.70 - 10.20	2.868 0.660 - 4.018	12.05	12.60	13.15	99
20+20+50+71	1.13	1.13	2.83 *	4.01	-	9.10 3.70 - 10.20	2.991 0.660 - 4.001	12.57	13.14	13.71	99
20+20+60+60	1.14	1.14	3.41	3.41	-	9.10 3.70 - 10.20	2.985 0.660 - 4.005	12.54	13.11	13.68	99
20+20+60+71	1.08	1.08	3.23	3.82	-	9.20 3.70 - 10.20	3.064 0.660 - 3.984	12.87	13.46	14.05	99
20+22+22+22	1.95	2.15	2.15	2.15	-	8.40 3.70 - 9.20	1.908 0.660 - 3.988	8.02	8.38	8.74	99
20+22+22+25	1.60	1.76	1.76	1.99	-	7.10 3.70 - 9.30	1.613 0.660 - 4.023	6.77	7.08	7.39	99
20+22+22+35	1.39	1.53	1.53	2.44	-	6.90 3.70 - 9.80	1.563 0.660 - 4.023	6.56	6.86	7.16	99
20+22+22+42	1.62	1.78	1.78	3.41 *	-	8.60 3.70 - 10.00	2.203 0.660 - 4.023	9.26	9.68	10.10	99
20+22+22+50	1.54	1.70	1.70	3.86 *	-	8.80 3.70 - 10.10	2.547 0.660 - 4.017	10.70	11.19	11.68	99
20+22+22+60	1.44	1.58	1.58	4.31	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+22+22+71	1.32	1.45	1.45	4.68	-	8.90 3.70 - 10.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
20+22+25+25	1.52	1.67	1.90	1.90	-	7.00 3.70 - 9.40	1.574 0.660 - 4.004	6.61	6.91	7.21	99
20+22+25+42	1.60	1.76	2.00	3.35 *	-	8.70 3.70 - 10.00	2.333 0.660 - 4.023	9.80	10.25	10.70	99
20+22+25+50	1.50	1.65	1.88	3.76 *	-	8.80 3.70 - 10.20	2.677 0.660 - 4.017	11.25	11.76	12.27	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+22+25+60	1.40	1.54	1.75	4.20	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+22+25+71	1.29	1.42	1.61	4.58	-	8.90 3.70 - 10.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
20+22+35+35	1.55	1.71	2.72	2.72	-	8.70 3.70 - 10.10	2.444 0.660 - 4.004	10.26	10.73	11.20	99
20+22+35+42	1.50	1.65	2.62	3.14 *	-	8.90 3.70 - 10.20	2.773 0.660 - 4.023	11.65	12.18	12.71	99
20+22+35+50	1.40	1.54	2.45	3.50 *	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+22+35+60	1.30	1.43	2.27	3.90	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+22+35+71	1.22	1.34	2.13	4.32	-	9.00 3.70 - 10.20	2.830 0.660 - 4.000	11.89	12.43	12.97	99
20+22+42+42	1.41	1.55	2.97 *	2.97 *	-	8.90 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
20+22+42+50	1.33	1.46	2.79 *	3.32 *	-	8.90 3.70 - 10.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
20+22+42+60	1.24	1.36	2.60 *	3.71	-	8.90 3.70 - 10.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
20+22+42+71	1.17	1.29	2.47 *	4.17	-	9.10 3.70 - 10.20	2.914 0.660 - 3.994	12.24	12.80	13.36	99
20+22+50+50	1.25	1.38	3.13 *	3.13 *	-	8.90 3.70 - 10.20	2.788 0.660 - 3.998	11.71	12.24	12.77	99
20+22+50+60	1.18	1.30	2.96 *	3.55	-	9.00 3.70 - 10.20	2.891 0.660 - 4.011	12.15	12.70	13.25	99
20+22+50+71	1.13	1.24	2.82 *	4.01	-	9.20 3.70 - 10.20	3.014 0.660 - 3.994	12.66	13.24	13.82	99
20+22+60+60	1.14	1.25	3.41	3.41	-	9.20 3.70 - 10.20	2.998 0.660 - 3.998	12.60	13.17	13.74	99
20+25+25+25	1.47	1.84	1.84	1.84	-	7.00 3.70 - 9.60	1.537 0.660 - 3.977	6.46	6.75	7.04	99
20+25+25+35	1.64	2.05	2.05	2.87	-	8.60 3.70 - 10.00	2.163 0.660 - 4.023	9.09	9.50	9.91	99
20+25+25+42	1.55	1.94	1.94	3.26 *	-	8.70 3.70 - 10.10	2.463 0.660 - 4.023	10.35	10.82	11.29	99
20+25+25+50	1.48	1.85	1.85	3.71 *	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+25+25+60	1.37	1.71	1.71	4.11	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+25+25+71	1.26	1.58	1.58	4.48	-	8.90 3.70 - 10.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
20+25+35+35	1.53	1.91	2.68	2.68	-	8.80 3.70 - 10.10	2.574 0.660 - 4.004	10.81	11.30	11.79	99
20+25+35+42	1.46	1.82	2.55	3.06 *	-	8.90 3.70 - 10.20	2.813 0.660 - 4.023	11.81	12.35	12.89	99
20+25+35+50	1.37	1.71	2.40	3.42 *	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+25+35+60	1.27	1.59	2.23	3.81	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+25+35+71	1.19	1.49	2.09	4.23	-	9.00 3.70 - 10.20	2.870 0.660 - 4.000	12.05	12.60	13.15	99
20+25+42+42	1.38	1.72	2.90 *	2.90 *	-	8.90 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
20+25+42+50	1.30	1.62	2.73 *	3.25 *	-	8.90 3.70 - 10.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
20+25+42+60	1.21	1.51	2.54 *	3.63	-	8.90 3.70 - 10.20	2.831 0.660 - 4.011	11.89	12.43	12.97	99
20+25+42+71	1.15	1.44	2.42 *	4.09	-	9.10 3.70 - 10.20	2.944 0.660 - 3.994	12.37	12.93	13.49	99
20+25+50+50	1.23	1.53	3.07 *	3.07 *	-	8.90 3.70 - 10.20	2.788 0.660 - 3.998	11.71	12.24	12.77	99
20+25+50+60	1.17	1.47	2.94 *	3.52	-	9.10 3.70 - 10.20	2.931 0.660 - 4.011	12.31	12.87	13.43	99
20+25+50+71	1.12	1.40	2.80 *	3.98	-	9.30 3.70 - 10.20	3.044 0.660 - 3.994	12.79	13.37	13.95	99
20+25+60+60	1.12	1.39	3.35	3.35	-	9.20 3.70 - 10.20	3.038 0.660 - 3.998	12.76	13.34	13.92	99
20+35+35+35	1.42	2.49	2.49	2.49	-	8.90 3.70 - 10.20	2.767 0.660 - 3.977	11.62	12.15	12.68	99
20+35+35+42	1.35	2.36	2.36	2.83 *	-	8.90 3.70 - 10.20	2.813 0.660 - 4.023	11.81	12.35	12.89	99
20+35+35+50	1.27	2.23	2.23	3.18 *	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+35+35+60	1.20	2.10	2.10	3.60	-	9.00 3.70 - 10.20	2.867 0.660 - 4.017	12.04	12.59	13.14	99
20+35+35+71	1.14	2.00	2.00	4.06	-	9.20 3.70 - 10.20	2.990 0.660 - 4.000	12.56	13.13	13.70	99
20+35+42+42	1.28	2.24	2.69 *	2.69 *	-	8.90 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
20+35+42+50	1.21	2.12	2.54 *	3.03 *	-	8.90 3.70 - 10.20	2.831 0.660 - 4.011	11.89	12.43	12.97	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+35+42+60	1.16	2.03	2.43 *	3.48	-	9.10 3.70 - 10.20	2.951 0.660 - 4.011	12.40	12.96	13.52	99
20+35+42+71	1.11	1.94	2.33 *	3.93	-	9.30 3.70 - 10.20	3.074 0.660 - 3.994	12.91	13.50	14.09	99
20+35+50+50	1.17	2.05	2.94 *	2.94 *	-	9.10 3.70 - 10.20	2.918 0.660 - 3.998	12.26	12.82	13.38	99
20+35+50+60	1.12	1.95	2.79 *	3.35	-	9.20 3.70 - 10.20	3.051 0.660 - 4.011	12.82	13.40	13.98	99
20+42+42+42	1.22	2.56	2.56 *	2.56 *	-	8.90 3.70 - 10.20	2.794 0.660 - 3.994	11.74	12.27	12.80	99
20+42+42+50	1.18	2.48	2.48 *	2.95 *	-	9.10 3.70 - 10.20	2.905 0.660 - 4.005	12.21	12.76	13.31	99
20+42+42+60	1.12	2.36	2.36 *	3.37	-	9.20 3.70 - 10.20	3.035 0.660 - 4.005	12.75	13.33	13.91	99
20+42+50+50	1.14	2.39	2.84 *	2.84 *	-	9.20 3.70 - 10.20	2.988 0.660 - 3.988	12.55	13.12	13.69	99
20+42+50+60	1.08	2.27	2.70 *	3.24	-	9.30 3.70 - 10.20	3.085 0.660 - 4.005	12.96	13.55	14.14	99
20+50+50+50	1.09	2.74	2.74 *	2.74 *	-	9.30 3.70 - 10.20	3.068 0.660 - 3.988	12.88	13.47	14.06	99
22+22+22+22	2.18	2.18	2.18	2.18	-	8.70 3.70 - 9.20	1.975 0.660 - 4.005	8.29	8.67	9.05	99
22+22+22+25	1.74	1.74	1.74	1.98	-	7.20 3.70 - 9.40	1.596 0.660 - 4.016	6.71	7.01	7.31	99
22+22+22+35	1.87	1.87	1.87	2.98	-	8.60 3.70 - 9.90	1.976 0.660 - 4.016	8.30	8.68	9.06	99
22+22+22+42	1.79	1.79	1.79	3.42 *	-	8.80 3.70 - 10.00	2.286 0.660 - 4.016	9.60	10.04	10.48	99
22+22+22+50	1.69	1.69	1.69	3.84 *	-	8.90 3.70 - 10.10	2.630 0.660 - 4.010	11.05	11.55	12.05	99
22+22+22+60	1.57	1.57	1.57	4.29	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+22+22+71	1.45	1.45	1.45	4.66	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
22+22+25+25	1.66	1.66	1.89	1.89	-	7.10 3.70 - 9.60	1.567 0.660 - 3.997	6.58	6.88	7.18	99
22+22+25+35	1.84	1.84	2.09	2.93	-	8.70 3.70 - 10.00	2.106 0.660 - 4.016	8.85	9.25	9.65	99
22+22+25+42	1.74	1.74	1.98	3.33 *	-	8.80 3.70 - 10.10	2.416 0.660 - 4.016	10.15	10.61	11.07	99
22+22+25+50	1.66	1.66	1.89	3.78 *	-	9.00 3.70 - 10.20	2.760 0.660 - 4.010	11.59	12.12	12.65	99
22+22+25+60	1.53	1.53	1.74	4.19	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+22+25+71	1.41	1.41	1.61	4.56	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
22+22+35+35	1.72	1.72	2.73	2.73	-	8.90 3.70 - 10.10	2.527 0.660 - 3.997	10.62	11.10	11.58	99
22+22+35+42	1.64	1.64	2.60	3.12 *	-	9.00 3.70 - 10.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
22+22+35+50	1.53	1.53	2.44	3.49 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+22+35+60	1.42	1.42	2.27	3.88	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+22+35+71	1.33	1.33	2.12	4.31	-	9.10 3.70 - 10.20	2.843 0.660 - 3.993	11.95	12.49	13.03	99
22+22+42+42	1.55	1.55	2.95 *	2.95 *	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	11.71	12.24	12.77	99
22+22+42+50	1.46	1.46	2.78 *	3.31 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
22+22+42+60	1.36	1.36	2.59 *	3.70	-	9.00 3.70 - 10.20	2.804 0.660 - 4.004	11.77	12.31	12.85	99
22+22+42+71	1.29	1.29	2.46 *	4.16	-	9.20 3.70 - 10.20	2.927 0.660 - 3.987	12.29	12.85	13.41	99
22+22+50+50	1.38	1.38	3.13 *	3.13 *	-	9.00 3.70 - 10.20	2.781 0.660 - 3.991	11.68	12.21	12.74	99
22+22+50+60	1.31	1.31	2.99 *	3.58	-	9.20 3.70 - 10.20	2.904 0.660 - 4.004	12.20	12.75	13.30	99
22+22+50+71	1.24	1.24	2.82 *	4.00	-	9.30 3.70 - 10.20	3.027 0.660 - 3.987	12.71	13.29	13.87	99
22+22+60+60	1.25	1.25	3.40	3.40	-	9.30 3.70 - 10.20	3.021 0.660 - 3.991	12.69	13.27	13.85	99
22+25+25+25	1.61	1.83	1.83	1.83	-	7.10 3.70 - 9.70	1.520 0.660 - 3.970	6.39	6.68	6.97	99
22+25+25+35	1.79	2.03	2.03	2.85	-	8.70 3.70 - 10.00	2.236 0.660 - 4.016	9.39	9.82	10.25	99
22+25+25+42	1.72	1.95	1.95	3.28 *	-	8.90 3.70 - 10.10	2.546 0.660 - 4.016	10.69	11.18	11.67	99
22+25+25+50	1.62	1.84	1.84	3.69 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+25+25+60	1.50	1.70	1.70	4.09	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
22+25+25+71	1.38	1.57	1.57	4.47	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
22+25+35+35	1.67	1.90	2.66	2.66	-	8.90 3.70 - 10.20	2.657 0.660 - 3.997	11.16	11.67	12.18	99
22+25+35+42	1.60	1.81	2.54	3.05 *	-	9.00 3.70 - 10.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
22+25+35+50	1.50	1.70	2.39	3.41 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+25+35+60	1.39	1.58	2.22	3.80	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+25+35+71	1.31	1.49	2.08	4.22	-	9.10 3.70 - 10.20	2.883 0.660 - 3.993	12.11	12.66	13.21	99
22+25+42+42	1.51	1.72	2.89 *	2.89 *	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	11.71	12.24	12.77	99
22+25+42+50	1.42	1.62	2.72 *	3.24 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
22+25+42+60	1.34	1.53	2.57 *	3.66	-	9.10 3.70 - 10.20	2.844 0.660 - 4.004	11.95	12.49	13.03	99
22+25+42+71	1.28	1.45	2.44 *	4.13	-	9.30 3.70 - 10.20	2.967 0.660 - 3.987	12.46	13.03	13.60	99
22+25+50+50	1.35	1.53	3.06 *	3.06 *	-	9.00 3.70 - 10.20	2.811 0.660 - 3.991	11.81	12.35	12.89	99
22+25+50+60	1.29	1.46	2.93 *	3.52	-	9.20 3.70 - 10.20	2.944 0.660 - 4.004	12.37	12.93	13.49	99
22+25+50+71	1.23	1.40	2.80 *	3.97	-	9.40 3.70 - 10.20	3.067 0.660 - 3.987	12.88	13.47	14.06	99
22+25+60+60	1.24	1.41	3.38	3.38	-	9.40 3.70 - 10.20	3.061 0.660 - 3.991	12.86	13.44	14.02	99
22+35+35+35	1.56	2.48	2.48	2.48	-	9.00 3.70 - 10.20	2.760 0.660 - 3.970	11.59	12.12	12.65	99
22+35+35+42	1.48	2.35	2.35	2.82 *	-	9.00 3.70 - 10.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
22+35+35+50	1.39	2.22	2.22	3.17 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+35+35+60	1.32	2.10	2.10	3.59	-	9.10 3.70 - 10.20	2.890 0.660 - 4.010	12.14	12.69	13.24	99
22+35+35+71	1.26	2.00	2.00	4.05	-	9.30 3.70 - 10.20	3.013 0.660 - 3.993	12.65	13.23	13.81	99
22+35+42+42	1.40	2.23	2.68 *	2.68 *	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	11.71	12.24	12.77	99
22+35+42+50	1.34	2.14	2.57 *	3.05 *	-	9.10 3.70 - 10.20	2.844 0.660 - 4.004	11.95	12.49	13.03	99
22+35+42+60	1.27	2.03	2.43 *	3.47	-	9.20 3.70 - 10.20	2.974 0.660 - 4.004	12.49	13.06	13.63	99
22+35+42+71	1.22	1.94	2.32 *	3.93	-	9.40 3.70 - 10.20	3.067 0.660 - 3.987	12.88	13.47	14.06	99
22+35+50+50	1.29	2.05	2.93 *	2.93 *	-	9.20 3.70 - 10.20	2.931 0.660 - 3.991	12.31	12.87	13.43	99
22+35+50+60	1.24	1.97	2.81 *	3.38	-	9.40 3.70 - 10.20	3.074 0.660 - 4.004	12.91	13.50	14.09	99
22+42+42+42	1.35	2.58	2.58 *	2.58 *	-	9.10 3.70 - 10.20	2.817 0.660 - 3.987	11.83	12.37	12.91	99
22+42+42+50	1.30	2.48	2.48 *	2.95 *	-	9.20 3.70 - 10.20	2.928 0.660 - 3.998	12.30	12.86	13.42	99
22+42+42+60	1.25	2.38	2.38 *	3.40	-	9.40 3.70 - 10.20	3.048 0.660 - 3.998	12.81	13.39	13.97	99
22+42+50+50	1.25	2.38	2.84 *	2.84 *	-	9.30 3.70 - 10.20	3.011 0.660 - 3.981	12.65	13.22	13.79	99
22+50+50+50	1.20	2.73	2.73 *	2.73 *	-	9.40 3.70 - 10.20	3.078 0.660 - 3.998	12.93	13.52	14.11	99
25+25+25+25	2.15	2.15	2.15	2.15	-	8.60 3.70 - 9.90	1.918 0.660 - 3.998	8.05	8.42	8.79	99
25+25+25+35	2.00	2.00	2.00	2.80	-	8.80 3.70 - 10.10	2.376 0.660 - 4.016	9.98	10.43	10.88	99
25+25+25+42	1.90	1.90	1.90	3.19 *	-	8.90 3.70 - 10.20	2.676 0.660 - 4.016	11.24	11.75	12.26	99
25+25+25+50	1.80	1.80	1.80	3.60 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
25+25+25+60	1.67	1.67	1.67	4.00	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
25+25+25+71	1.54	1.54	1.54	4.38	-	9.00 3.70 - 10.20	2.793 0.660 - 3.993	11.74	12.27	12.80	99
25+25+35+35	1.88	1.88	2.63	2.63	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	11.71	12.24	12.77	99
25+25+35+42	1.77	1.77	2.48	2.98 *	-	9.00 3.70 - 10.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
25+25+35+50	1.67	1.67	2.33	3.33 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
25+25+35+60	1.55	1.55	2.17	3.72	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
25+25+35+71	1.47	1.47	2.06	4.19	-	9.20 3.70 - 10.20	2.923 0.660 - 3.993	12.28	12.84	13.40	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
25+25+42+42	1.68	1.68	2.82 *	2.82 *	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	11.71	12.24	12.77	99
25+25+42+50	1.58	1.58	2.66 *	3.17 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
25+25+42+60	1.50	1.50	2.51 *	3.59	-	9.10 3.70 - 10.20	2.884 0.660 - 4.004	12.12	12.67	13.22	99
25+25+42+71	1.43	1.43	2.40 *	4.05	-	9.30 3.70 - 10.20	3.007 0.660 - 3.987	12.64	13.21	13.78	99
25+25+50+50	1.52	1.52	3.03 *	3.03 *	-	9.10 3.70 - 10.20	2.841 0.660 - 3.991	11.94	12.48	13.02	99
25+25+50+60	1.45	1.45	2.91 *	3.49	-	9.30 3.70 - 10.20	2.984 0.660 - 4.004	12.53	13.10	13.67	99
25+25+50+71	1.37	1.37	2.75 *	3.90	-	9.40 3.70 - 10.20	3.067 0.660 - 3.987	12.88	13.47	14.06	99
25+25+60+60	1.38	1.38	3.32	3.32	-	9.40 3.70 - 10.20	3.071 0.660 - 3.991	12.90	13.49	14.08	99
25+35+35+35	1.73	2.42	2.42	2.42	-	9.00 3.70 - 10.20	2.760 0.660 - 3.970	11.59	12.12	12.65	99
25+35+35+42	1.64	2.30	2.30	2.76 *	-	9.00 3.70 - 10.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
25+35+35+50	1.55	2.17	2.17	3.10 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
25+35+35+60	1.48	2.08	2.08	3.56	-	9.20 3.70 - 10.20	2.930 0.660 - 4.010	12.31	12.87	13.43	99
25+35+35+71	1.42	1.98	1.98	4.02	-	9.40 3.70 - 10.20	3.043 0.660 - 3.993	12.78	13.36	13.94	99
25+35+42+42	1.56	2.19	2.63 *	2.63 *	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	11.71	12.24	12.77	99
25+35+42+50	1.50	2.10	2.51 *	2.99 *	-	9.10 3.70 - 10.20	2.884 0.660 - 4.004	12.12	12.67	13.22	99
25+35+42+60	1.44	2.01	2.41 *	3.44	-	9.30 3.70 - 10.20	3.004 0.660 - 4.004	12.62	13.19	13.76	99
25+35+50+50	1.45	2.03	2.91 *	2.91 *	-	9.30 3.70 - 10.20	2.967 0.660 - 3.987	12.46	13.03	13.60	99
25+35+50+60	1.38	1.94	2.76 *	3.32	-	9.40 3.70 - 10.20	3.084 0.660 - 4.004	12.95	13.54	14.13	99
25+42+42+42	1.51	2.53	2.53 *	2.53 *	-	9.10 3.70 - 10.20	2.857 0.660 - 3.987	12.00	12.55	13.10	99
25+42+42+50	1.45	2.43	2.43 *	2.89 *	-	9.20 3.70 - 10.20	2.968 0.660 - 3.998	12.46	13.03	13.60	99
25+42+42+60	1.39	2.34	2.34 *	3.34	-	9.40 3.70 - 10.20	3.078 0.660 - 3.998	12.93	13.52	14.11	99
25+42+50+50	1.41	2.36	2.81 *	2.81 *	-	9.40 3.70 - 10.20	3.051 0.660 - 3.981	12.82	13.40	13.98	99
35+35+35+35	2.25	2.25	2.25	2.25	-	9.00 3.70 - 10.20	2.788 0.660 - 3.998	11.71	12.24	12.77	99
35+35+35+42	2.14	2.14	2.14	2.57 *	-	9.00 3.70 - 10.20	2.836 0.660 - 4.016	11.91	12.45	12.99	99
35+35+35+50	2.08	2.08	2.08	2.97 *	-	9.20 3.70 - 10.20	2.930 0.660 - 4.010	12.31	12.87	13.43	99
35+35+35+60	1.97	1.97	1.97	3.38	-	9.30 3.70 - 10.20	3.050 0.660 - 4.010	12.81	13.39	13.97	99
35+35+42+42	2.09	2.09	2.51 *	2.51 *	-	9.20 3.70 - 10.20	2.893 0.660 - 3.993	12.16	12.71	13.26	99
35+35+42+50	2.01	2.01	2.41 *	2.87 *	-	9.30 3.70 - 10.20	3.004 0.660 - 4.004	12.62	13.19	13.76	99
35+35+42+60	1.91	1.91	2.30 *	3.28	-	9.40 3.70 - 10.20	3.084 0.660 - 4.004	12.95	13.54	14.13	99
35+35+50+50	1.94	1.94	2.76 *	2.76 *	-	9.40 3.70 - 10.20	3.067 0.660 - 3.987	12.88	13.47	14.06	99
35+42+42+42	2.02	2.43	2.43 *	2.43 *	-	9.30 3.70 - 10.20	2.994 0.660 - 4.004	12.58	13.15	13.72	99
35+42+42+50	1.95	2.34	2.34 *	2.78 *	-	9.40 3.70 - 10.20	3.078 0.660 - 3.998	12.93	13.52	14.11	99
42+42+42+42	2.35	2.35	2.35 *	2.35 *	-	9.40 3.70 - 10.20	3.078 0.660 - 3.998	12.93	13.52	14.11	99
15+15+15+15+15	1.50	1.50	1.50	1.50	1.50	7.50 3.90 - 8.90	1.932 0.640 - 3.992	8.11	8.48	8.85	99
15+15+15+15+18	1.40	1.40	1.40	1.40	1.68	7.30 3.90 - 9.32	2.055 0.640 - 4.065	8.64	9.03	9.42	99
15+15+15+15+20	1.43	1.43	1.43	1.43	1.90	7.60 3.90 - 9.60	2.106 0.640 - 4.076	8.85	9.25	9.65	99
15+15+15+15+22	1.41	1.41	1.41	1.41	2.07	7.70 3.90 - 9.88	2.163 0.640 - 4.103	9.09	9.50	9.91	99
15+15+15+15+25	1.43	1.43	1.43	1.43	2.38	8.10 3.90 - 10.30	2.236 0.640 - 4.126	9.39	9.82	10.25	99
15+15+15+15+35	1.43	1.43	1.43	1.43	3.33	9.03 3.90 - 11.00	2.496 0.640 - 4.176	10.48	10.96	11.44	99
15+15+15+15+42	1.42	1.42	1.42	1.42	3.97 *	9.63 3.90 - 11.00	2.656 0.640 - 4.176	11.15	11.66	12.17	99
15+15+15+15+50	1.34	1.34	1.34	1.34	4.45 *	9.80 3.90 - 11.00	2.700 0.640 - 4.170	11.34	11.86	12.38	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+15+15+60	1.23	1.23	1.23	1.23	4.90	9.80 3.90 - 11.00	2.700 0.640 - 4.170	11.34	11.86	12.38	99
15+15+15+15+71	1.12	1.12	1.12	1.12	5.31	9.80 3.90 - 11.00	2.683 0.640 - 4.153	11.27	11.78	12.29	99
15+15+15+18+18	1.43	1.43	1.43	1.71	1.71	7.70 3.90 - 9.74	2.107 0.640 - 4.067	8.85	9.25	9.65	99
15+15+15+18+20	1.45	1.45	1.45	1.73	1.93	8.00 3.90 - 10.02	2.177 0.640 - 4.097	9.14	9.56	9.98	99
15+15+15+18+22	1.43	1.43	1.43	1.72	2.10	8.10 3.90 - 10.30	2.234 0.640 - 4.124	9.38	9.81	10.24	99
15+15+15+18+25	1.45	1.45	1.45	1.74	2.41	8.50 3.90 - 10.72	2.317 0.640 - 4.147	9.74	10.18	10.62	99
15+15+15+18+35	1.44	1.44	1.44	1.72	3.35	9.39 3.90 - 11.00	2.557 0.640 - 4.167	10.74	11.23	11.72	99
15+15+15+18+42	1.41	1.41	1.41	1.70	3.96 *	9.90 3.90 - 11.00	2.697 0.640 - 4.167	11.33	11.84	12.35	99
15+15+15+18+50	1.31	1.31	1.31	1.58	4.38 *	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
15+15+15+18+60	1.21	1.21	1.21	1.45	4.83	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
15+15+15+18+71	1.11	1.11	1.11	1.33	5.25	9.90 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+15+15+20+20	1.45	1.45	1.45	1.93	1.93	8.20 3.90 - 10.30	2.208 0.640 - 4.098	9.28	9.70	10.12	99
15+15+15+20+22	1.41	1.41	1.41	1.89	2.07	8.20 3.90 - 10.58	2.301 0.640 - 4.151	9.67	10.11	10.55	99
15+15+15+20+25	1.43	1.43	1.43	1.91	2.39	8.60 3.90 - 11.00	2.374 0.640 - 4.174	9.98	10.43	10.88	99
15+15+15+20+35	1.42	1.42	1.42	1.89	3.31	9.46 3.90 - 11.00	2.614 0.640 - 4.174	10.98	11.48	11.98	99
15+15+15+20+42	1.37	1.37	1.37	1.83	3.85 *	9.80 3.90 - 11.00	2.704 0.640 - 4.174	11.36	11.88	12.40	99
15+15+15+20+50	1.28	1.28	1.28	1.70	4.26 *	9.80 3.90 - 11.00	2.698 0.640 - 4.168	11.33	11.85	12.37	99
15+15+15+20+60	1.18	1.18	1.18	1.57	4.70	9.80 3.90 - 11.00	2.698 0.640 - 4.168	11.33	11.85	12.37	99
15+15+15+20+71	1.08	1.08	1.08	1.44	5.12	9.80 3.90 - 11.00	2.681 0.640 - 4.151	11.26	11.77	12.28	99
15+15+15+22+22	1.43	1.43	1.43	2.10	2.10	8.50 3.90 - 10.86	2.325 0.640 - 4.145	9.77	10.21	10.65	99
15+15+15+22+25	1.45	1.45	1.45	2.12	2.41	8.87 3.90 - 11.00	2.417 0.640 - 4.167	10.15	10.61	11.07	99
15+15+15+22+35	1.43	1.43	1.43	2.10	3.34	9.73 3.90 - 11.00	2.647 0.640 - 4.167	11.11	11.62	12.13	99
15+15+15+22+42	1.36	1.36	1.36	2.00	3.81 *	9.90 3.90 - 11.00	2.697 0.640 - 4.167	11.33	11.84	12.35	99
15+15+15+22+50	1.27	1.27	1.27	1.86	4.23 *	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
15+15+15+22+60	1.17	1.17	1.17	1.71	4.68	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
15+15+15+22+71	1.08	1.08	1.08	1.58	5.09	9.90 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+15+15+25+25	1.44	1.44	1.44	2.40	2.40	9.13 3.90 - 11.00	2.468 0.640 - 4.148	10.37	10.84	11.31	99
15+15+15+25+35	1.41	1.41	1.41	2.36	3.30	9.90 3.90 - 11.00	2.697 0.640 - 4.167	11.33	11.84	12.35	99
15+15+15+25+42	1.33	1.33	1.33	2.21	3.71 *	9.90 3.90 - 11.00	2.697 0.640 - 4.167	11.33	11.84	12.35	99
15+15+15+25+50	1.24	1.24	1.24	2.06	4.13 *	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
15+15+15+25+60	1.14	1.14	1.14	1.90	4.57	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
15+15+15+25+71	1.05	1.05	1.05	1.76	4.99	9.90 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+15+15+35+35	1.29	1.29	1.29	3.01	3.01	9.90 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
15+15+15+35+42	1.22	1.22	1.22	2.84	3.41 *	9.90 3.90 - 11.00	2.697 0.640 - 4.167	11.33	11.84	12.35	99
15+15+15+35+50	1.14	1.14	1.14	2.67	3.81 *	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
15+15+15+35+60	1.06	1.06	1.06	2.48	4.24	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
15+15+15+35+71	0.98	0.98	0.98	2.29	4.65	9.90 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+15+15+42+42	1.15	1.15	1.15	3.22 *	3.22 *	9.90 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
15+15+15+42+50	1.08	1.08	1.08	3.04 *	3.61 *	9.90 3.90 - 11.00	2.685 0.640 - 4.155	11.28	11.79	12.30	99
15+15+15+42+60	1.01	1.01	1.01	2.83 *	4.04	9.90 3.90 - 11.00	2.685 0.640 - 4.155	11.28	11.79	12.30	99
15+15+15+42+71	0.94	0.94	0.94	2.63 *	4.45	9.90 3.90 - 11.00	2.668 0.640 - 4.138	11.21	11.72	12.23	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+15+50+50	1.02	1.02	1.02	3.41 *	3.41 *	9.90 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
15+15+15+50+60	0.96	0.96	0.96	3.19 *	3.83	9.90 3.90 - 11.00	2.685 0.640 - 4.155	11.28	11.79	12.30	99
15+15+15+50+71	0.89	0.89	0.89	2.98 *	4.23	9.90 3.90 - 11.00	2.668 0.640 - 4.138	11.21	11.72	12.23	99
15+15+15+60+60	0.90	0.90	0.90	3.60	3.60	9.90 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
15+15+18+18+18	1.45	1.45	1.74	1.74	1.74	8.10 3.90 - 10.16	2.161 0.640 - 4.061	9.08	9.49	9.90	99
15+15+18+18+20	1.47	1.47	1.76	1.76	1.95	8.40 3.90 - 10.44	2.248 0.640 - 4.118	9.44	9.87	10.30	99
15+15+18+18+22	1.45	1.45	1.74	1.74	2.13	8.50 3.90 - 10.72	2.315 0.640 - 4.145	9.73	10.17	10.61	99
15+15+18+18+25	1.47	1.47	1.76	1.76	2.44	8.89 3.90 - 11.00	2.378 0.640 - 4.158	9.99	10.44	10.89	99
15+15+18+18+35	1.45	1.45	1.74	1.74	3.38	9.74 3.90 - 11.00	2.618 0.640 - 4.158	11.00	11.50	12.00	99
15+15+18+18+42	1.39	1.39	1.67	1.67	3.89 *	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+18+18+50	1.29	1.29	1.55	1.55	4.31 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+18+18+60	1.19	1.19	1.43	1.43	4.76	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+18+18+71	1.09	1.09	1.31	1.31	5.18	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
15+15+18+20+20	1.47	1.47	1.76	1.95	1.95	8.60 3.90 - 10.72	2.289 0.640 - 4.119	9.61	10.05	10.49	99
15+15+18+20+22	1.43	1.43	1.72	1.91	2.10	8.60 3.90 - 11.00	2.372 0.640 - 4.172	9.97	10.42	10.87	99
15+15+18+20+25	1.45	1.45	1.73	1.93	2.41	8.96 3.90 - 11.00	2.435 0.640 - 4.165	10.23	10.69	11.15	99
15+15+18+20+35	1.43	1.43	1.71	1.90	3.33	9.81 3.90 - 11.00	2.675 0.640 - 4.165	11.24	11.75	12.26	99
15+15+18+20+42	1.35	1.35	1.62	1.80	3.78 *	9.90 3.90 - 11.00	2.695 0.640 - 4.165	11.33	11.84	12.35	99
15+15+18+20+50	1.26	1.26	1.51	1.68	4.19 *	9.90 3.90 - 11.00	2.689 0.640 - 4.159	11.30	11.81	12.32	99
15+15+18+20+60	1.16	1.16	1.39	1.55	4.64	9.90 3.90 - 11.00	2.689 0.640 - 4.159	11.30	11.81	12.32	99
15+15+18+20+71	1.07	1.07	1.28	1.42	5.06	9.90 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
15+15+18+22+22	1.45	1.45	1.74	2.12	2.12	8.87 3.90 - 11.00	2.396 0.640 - 4.146	10.06	10.52	10.98	99
15+15+18+22+25	1.46	1.46	1.75	2.14	2.43	9.23 3.90 - 11.00	2.478 0.640 - 4.158	10.41	10.88	11.35	99
15+15+18+22+35	1.43	1.43	1.71	2.10	3.33	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+18+22+42	1.34	1.34	1.61	1.96	3.75 *	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+18+22+50	1.25	1.25	1.50	1.83	4.17 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+18+22+60	1.15	1.15	1.38	1.69	4.62	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+18+22+71	1.06	1.06	1.28	1.56	5.04	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
15+15+18+25+25	1.45	1.45	1.74	2.42	2.42	9.49 3.90 - 11.00	2.529 0.640 - 4.139	10.63	11.11	11.59	99
15+15+18+25+35	1.39	1.39	1.67	2.31	3.24	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+18+25+42	1.30	1.30	1.57	2.17	3.65 *	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+18+25+50	1.22	1.22	1.46	2.03	4.07 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+18+25+60	1.13	1.13	1.35	1.88	4.51	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+18+25+71	1.04	1.04	1.25	1.74	4.93	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
15+15+18+35+35	1.27	1.27	1.53	2.97	2.97	10.00 3.90 - 11.00	2.669 0.640 - 4.139	11.21	11.72	12.23	99
15+15+18+35+42	1.20	1.20	1.44	2.80	3.36 *	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+18+35+50	1.13	1.13	1.35	2.63	3.76 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+18+35+60	1.05	1.05	1.26	2.45	4.20	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+18+35+71	0.97	0.97	1.17	2.27	4.61	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
15+15+18+42+42	1.14	1.14	1.36	3.18 *	3.18 *	10.00 3.90 - 11.00	2.669 0.640 - 4.139	11.21	11.72	12.23	99
15+15+18+42+50	1.07	1.07	1.29	3.00 *	3.57 *	10.00 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99



**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+18+42+60	1.00	1.00	1.20	2.80 *	4.00	10.00 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99
15+15+18+42+71	0.93	0.93	1.12	2.61 *	4.41	10.00 3.90 - 11.00	2.659 0.640 - 4.129	11.17	11.68	12.19	99
15+15+18+50+50	1.01	1.01	1.22	3.38 *	3.38 *	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+15+18+50+60	0.95	0.95	1.14	3.16 *	3.80	10.00 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99
15+15+18+50+71	0.89	0.89	1.07	2.96 *	4.20	10.00 3.90 - 11.00	2.659 0.640 - 4.129	11.17	11.68	12.19	99
15+15+18+60+60	0.89	0.89	1.07	3.57	3.57	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+15+20+20+20	1.47	1.47	1.96	1.96	1.96	8.80 3.90 - 11.00	2.312 0.640 - 4.112	9.71	10.15	10.59	99
15+15+20+20+22	1.41	1.41	1.88	1.88	2.07	8.67 3.90 - 11.00	2.429 0.640 - 4.179	10.21	10.67	11.13	99
15+15+20+20+25	1.43	1.43	1.90	1.90	2.38	9.03 3.90 - 11.00	2.492 0.640 - 4.172	10.46	10.94	11.42	99
15+15+20+20+35	1.40	1.40	1.87	1.87	3.27	9.80 3.90 - 11.00	2.702 0.640 - 4.172	11.35	11.87	12.39	99
15+15+20+20+42	1.31	1.31	1.75	1.75	3.68 *	9.80 3.90 - 11.00	2.702 0.640 - 4.172	11.35	11.87	12.39	99
15+15+20+20+50	1.23	1.23	1.63	1.63	4.08 *	9.80 3.90 - 11.00	2.696 0.640 - 4.166	11.33	11.84	12.35	99
15+15+20+20+60	1.13	1.13	1.51	1.51	4.52	9.80 3.90 - 11.00	2.696 0.640 - 4.166	11.33	11.84	12.35	99
15+15+20+20+71	1.04	1.04	1.39	1.39	4.93	9.80 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+15+20+22+22	1.43	1.43	1.90	2.09	2.09	8.94 3.90 - 11.00	2.443 0.640 - 4.153	10.26	10.73	11.20	99
15+15+20+22+25	1.44	1.44	1.92	2.11	2.40	9.30 3.90 - 11.00	2.535 0.640 - 4.165	10.65	11.13	11.61	99
15+15+20+22+35	1.39	1.39	1.85	2.04	3.24	9.90 3.90 - 11.00	2.695 0.640 - 4.165	11.33	11.84	12.35	99
15+15+20+22+42	1.30	1.30	1.74	1.91	3.65 *	9.90 3.90 - 11.00	2.695 0.640 - 4.165	11.33	11.84	12.35	99
15+15+20+22+50	1.22	1.22	1.62	1.79	4.06 *	9.90 3.90 - 11.00	2.689 0.640 - 4.159	11.30	11.81	12.32	99
15+15+20+22+60	1.13	1.13	1.50	1.65	4.50	9.90 3.90 - 11.00	2.689 0.640 - 4.159	11.30	11.81	12.32	99
15+15+20+22+71	1.04	1.04	1.38	1.52	4.92	9.90 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
15+15+20+25+25	1.43	1.43	1.91	2.39	2.39	9.56 3.90 - 11.00	2.586 0.640 - 4.146	10.87	11.36	11.85	99
15+15+20+25+35	1.35	1.35	1.80	2.25	3.15	9.90 3.90 - 11.00	2.695 0.640 - 4.165	11.33	11.84	12.35	99
15+15+20+25+42	1.27	1.27	1.69	2.12	3.55 *	9.90 3.90 - 11.00	2.695 0.640 - 4.165	11.33	11.84	12.35	99
15+15+20+25+50	1.19	1.19	1.58	1.98	3.96 *	9.90 3.90 - 11.00	2.689 0.640 - 4.159	11.30	11.81	12.32	99
15+15+20+25+60	1.10	1.10	1.47	1.83	4.40	9.90 3.90 - 11.00	2.689 0.640 - 4.159	11.30	11.81	12.32	99
15+15+20+25+71	1.02	1.02	1.36	1.70	4.81	9.90 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
15+15+20+35+35	1.24	1.24	1.65	2.89	2.89	9.90 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99
15+15+20+35+42	1.17	1.17	1.56	2.73	3.27 *	9.90 3.90 - 11.00	2.695 0.640 - 4.165	11.33	11.84	12.35	99
15+15+20+35+50	1.10	1.10	1.47	2.57	3.67 *	9.90 3.90 - 11.00	2.689 0.640 - 4.159	11.30	11.81	12.32	99
15+15+20+35+60	1.02	1.02	1.37	2.39	4.10	9.90 3.90 - 11.00	2.689 0.640 - 4.159	11.30	11.81	12.32	99
15+15+20+35+71	0.95	0.95	1.27	2.22	4.51	9.90 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
15+15+20+42+42	1.11	1.11	1.48	3.10 *	3.10 *	9.90 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99
15+15+20+42+50	1.05	1.05	1.39	2.93 *	3.49 *	9.90 3.90 - 11.00	2.683 0.640 - 4.153	11.27	11.78	12.29	99
15+15+20+42+60	0.98	0.98	1.30	2.74 *	3.91	9.90 3.90 - 11.00	2.683 0.640 - 4.153	11.27	11.78	12.29	99
15+15+20+42+71	0.91	0.91	1.21	2.55 *	4.31	9.90 3.90 - 11.00	2.666 0.640 - 4.136	11.20	11.71	12.22	99
15+15+20+50+50	0.99	0.99	1.32	3.30 *	3.30 *	9.90 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
15+15+20+50+60	0.93	0.93	1.24	3.09 *	3.71	9.90 3.90 - 11.00	2.683 0.640 - 4.153	11.27	11.78	12.29	99
15+15+20+50+71	0.87	0.87	1.16	2.89 *	4.11	9.90 3.90 - 11.00	2.666 0.640 - 4.136	11.20	11.71	12.22	99
15+15+20+60+60	0.87	0.87	1.16	3.49	3.49	9.90 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
15+15+22+22+22	1.44	1.44	2.11	2.11	2.11	9.21 3.90 - 11.00	2.459 0.640 - 4.119	10.33	10.80	11.27	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+22+22+25	1.45	1.45	2.13	2.13	2.42	9.57 3.90 - 11.00	2.568 0.640 - 4.158	10.79	11.28	11.77	99
15+15+22+22+35	1.38	1.38	2.02	2.02	3.21	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+22+22+42	1.29	1.29	1.90	1.90	3.62 *	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+22+22+50	1.21	1.21	1.77	1.77	4.03 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+22+22+60	1.12	1.12	1.64	1.64	4.48	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+22+22+71	1.03	1.03	1.52	1.52	4.90	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
15+15+22+25+25	1.45	1.45	2.12	2.41	2.41	9.83 3.90 - 11.00	2.619 0.640 - 4.139	11.00	11.50	12.00	99
15+15+22+25+35	1.34	1.34	1.96	2.23	3.13	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+22+25+42	1.26	1.26	1.85	2.10	3.53 *	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+22+25+50	1.18	1.18	1.73	1.97	3.94 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+22+25+60	1.09	1.09	1.61	1.82	4.38	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+22+25+71	1.01	1.01	1.49	1.69	4.80	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
15+15+22+35+35	1.23	1.23	1.80	2.87	2.87	10.00 3.90 - 11.00	2.669 0.640 - 4.139	11.21	11.72	12.23	99
15+15+22+35+42	1.16	1.16	1.71	2.71	3.26 *	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+22+35+50	1.09	1.09	1.61	2.55	3.65 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+22+35+60	1.02	1.02	1.50	2.38	4.08	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+22+35+71	0.95	0.95	1.39	2.22	4.49	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
15+15+22+42+42	1.10	1.10	1.62	3.09 *	3.09 *	10.00 3.90 - 11.00	2.669 0.640 - 4.139	11.21	11.72	12.23	99
15+15+22+42+50	1.04	1.04	1.53	2.92 *	3.47 *	10.00 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99
15+15+22+42+60	0.97	0.97	1.43	2.73 *	3.90	10.00 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99
15+15+22+42+71	0.91	0.91	1.33	2.55 *	4.30	10.00 3.90 - 11.00	2.659 0.640 - 4.129	11.17	11.68	12.19	99
15+15+22+50+50	0.99	0.99	1.45	3.29 *	3.29 *	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+15+22+50+60	0.93	0.93	1.36	3.09 *	3.70	10.00 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99
15+15+22+60+60	0.87	0.87	1.28	3.49	3.49	10.00 3.90 - 11.00	2.659 0.640 - 4.129	11.17	11.68	12.19	99
15+15+25+25+25	1.43	1.43	2.38	2.38	2.38	10.00 3.90 - 11.00	2.642 0.640 - 4.112	11.10	11.60	12.10	99
15+15+25+25+35	1.30	1.30	2.17	2.17	3.04	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+25+25+42	1.23	1.23	2.05	2.05	3.44 *	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+25+25+50	1.15	1.15	1.92	1.92	3.85 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+25+25+60	1.07	1.07	1.79	1.79	4.29	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+25+25+71	0.99	0.99	1.66	1.66	4.70	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
15+15+25+35+35	1.20	1.20	2.00	2.80	2.80	10.00 3.90 - 11.00	2.669 0.640 - 4.139	11.21	11.72	12.23	99
15+15+25+35+42	1.14	1.14	1.89	2.65	3.18 *	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+25+35+50	1.07	1.07	1.79	2.50	3.57 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+25+35+60	1.00	1.00	1.67	2.33	4.00	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+25+35+71	0.93	0.93	1.55	2.17	4.41	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
15+15+25+42+42	1.08	1.08	1.80	3.02 *	3.02 *	10.00 3.90 - 11.00	2.669 0.640 - 4.139	11.21	11.72	12.23	99
15+15+25+42+50	1.02	1.02	1.70	2.86 *	3.40 *	10.00 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99
15+15+25+42+60	0.96	0.96	1.59	2.68 *	3.82	10.00 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99
15+15+25+42+71	0.89	0.89	1.49	2.50 *	4.23	10.00 3.90 - 11.00	2.659 0.640 - 4.129	11.17	11.68	12.19	99
15+15+25+50+50	0.97	0.97	1.61	3.23 *	3.23 *	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+15+25+50+60	0.91	0.91	1.52	3.03 *	3.64	10.00 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+35+35+35	1.11	1.11	2.59	2.59	2.59	10.00 3.90 - 11.00	2.659 0.640 - 4.129	11.17	11.68	12.19	99
15+15+35+35+42	1.06	1.06	2.46	2.46	2.96 *	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+35+35+50	1.00	1.00	2.33	2.33	3.33 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+35+35+60	0.94	0.94	2.19	2.19	3.75	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+35+35+71	0.88	0.88	2.05	2.05	4.15	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
15+15+35+42+42	1.01	1.01	2.35	2.82 *	2.82 *	10.00 3.90 - 11.00	2.669 0.640 - 4.139	11.21	11.72	12.23	99
15+15+35+42+50	0.96	0.96	2.23	2.68 *	3.18 *	10.00 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99
15+15+35+42+60	0.90	0.90	2.10	2.51 *	3.59	10.00 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99
15+15+35+50+50	0.91	0.91	2.12	3.03 *	3.03 *	10.00 3.90 - 11.00	2.659 0.640 - 4.129	11.17	11.68	12.19	99
15+15+42+42+42	0.96	0.96	2.69 *	2.69 *	2.69 *	10.00 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99
15+15+42+42+50	0.91	0.91	2.56 *	2.56 *	3.05 *	10.00 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
15+15+42+50+50	0.87	0.87	2.44 *	2.91 *	2.91 *	10.00 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
15+18+18+18+18	1.47	1.76	1.76	1.76	1.76	8.50 3.90 - 10.58	2.260 0.640 - 4.110	9.50	9.93	10.36	99
15+18+18+18+20	1.48	1.78	1.78	1.78	1.98	8.80 3.90 - 10.86	2.319 0.640 - 4.139	9.74	10.18	10.62	99
15+18+18+18+22	1.47	1.76	1.76	1.76	2.15	8.89 3.90 - 11.00	2.376 0.640 - 4.156	9.98	10.43	10.88	99
15+18+18+18+25	1.47	1.77	1.77	1.77	2.46	9.24 3.90 - 11.00	2.439 0.640 - 4.149	10.24	10.71	11.18	99
15+18+18+18+42	1.36	1.64	1.64	1.64	3.82 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+18+18+18+50	1.27	1.53	1.53	1.53	4.24 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+18+18+60	1.17	1.41	1.41	1.41	4.70	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+18+18+71	1.08	1.30	1.30	1.30	5.12	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+18+18+20+20	1.48	1.78	1.78	1.98	1.98	8.99 3.90 - 11.00	2.350 0.640 - 4.130	9.87	10.32	10.77	99
15+18+18+20+22	1.45	1.73	1.73	1.93	2.12	8.96 3.90 - 11.00	2.433 0.640 - 4.163	10.23	10.69	11.15	99
15+18+18+20+25	1.45	1.75	1.75	1.94	2.42	9.31 3.90 - 11.00	2.496 0.640 - 4.156	10.48	10.96	11.44	99
15+18+18+20+35	1.42	1.70	1.70	1.89	3.30	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+18+18+20+42	1.33	1.59	1.59	1.77	3.72 *	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+18+18+20+50	1.24	1.49	1.49	1.65	4.13 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+18+18+20+60	1.15	1.37	1.37	1.53	4.58	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+18+18+20+71	1.06	1.27	1.27	1.41	5.00	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+18+18+22+22	1.46	1.75	1.75	2.14	2.14	9.23 3.90 - 11.00	2.457 0.640 - 4.137	10.32	10.79	11.26	99
15+18+18+22+25	1.47	1.76	1.76	2.15	2.45	9.59 3.90 - 11.00	2.539 0.640 - 4.149	10.67	11.15	11.63	99
15+18+18+22+35	1.40	1.68	1.68	2.06	3.27	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+18+18+22+42	1.32	1.58	1.58	1.93	3.69 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+18+18+22+50	1.23	1.48	1.48	1.81	4.11 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+18+22+60	1.14	1.37	1.37	1.67	4.56	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+18+22+71	1.05	1.26	1.26	1.54	4.98	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+18+18+25+25	1.46	1.75	1.75	2.44	2.44	9.84 3.90 - 11.00	2.590 0.640 - 4.130	10.88	11.37	11.86	99
15+18+18+25+35	1.36	1.64	1.64	2.27	3.18	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+18+18+25+42	1.28	1.54	1.54	2.14	3.59 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+18+18+25+50	1.20	1.44	1.44	2.00	4.01 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+18+25+60	1.11	1.34	1.34	1.86	4.46	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+18+25+71	1.03	1.24	1.24	1.72	4.88	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+18+35+35	1.25	1.50	1.50	2.92	2.92	10.10 3.90 - 11.00	2.660 0.640 - 4.130	11.17	11.68	12.19	99
15+18+18+35+42	1.18	1.42	1.42	2.76	3.31 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+18+18+35+50	1.11	1.34	1.34	2.60	3.71 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+18+35+60	1.04	1.25	1.25	2.42	4.15	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+18+35+71	0.96	1.16	1.16	2.25	4.57	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+18+18+42+42	1.12	1.35	1.35	3.14 *	3.14 *	10.10 3.90 - 11.00	2.660 0.640 - 4.130	11.17	11.68	12.19	99
15+18+18+42+50	1.06	1.27	1.27	2.97 *	3.53 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+18+18+42+60	0.99	1.19	1.19	2.77 *	3.96	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+18+18+42+71	0.92	1.11	1.11	2.59 *	4.37	10.10 3.90 - 11.00	2.650 0.640 - 4.120	11.13	11.64	12.15	99
15+18+18+50+50	1.00	1.20	1.20	3.34 *	3.34 *	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
15+18+18+50+60	0.94	1.13	1.13	3.14 *	3.76	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+18+18+50+71	0.88	1.06	1.06	2.94 *	4.17	10.10 3.90 - 11.00	2.650 0.640 - 4.120	11.13	11.64	12.15	99
15+18+18+60+60	0.89	1.06	1.06	3.54	3.54	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
15+18+20+20+20	1.48	1.77	1.97	1.97	1.97	9.16 3.90 - 11.00	2.373 0.640 - 4.103	9.97	10.42	10.87	99
15+18+20+20+22	1.43	1.71	1.90	1.90	2.09	9.03 3.90 - 11.00	2.490 0.640 - 4.170	10.46	10.94	11.42	99
15+18+20+20+25	1.44	1.72	1.92	1.92	2.40	9.39 3.90 - 11.00	2.553 0.640 - 4.163	10.72	11.21	11.70	99
15+18+20+20+35	1.38	1.65	1.83	1.83	3.21	9.90 3.90 - 11.00	2.693 0.640 - 4.163	11.32	11.83	12.34	99
15+18+20+20+42	1.29	1.55	1.72	1.72	3.62 *	9.90 3.90 - 11.00	2.693 0.640 - 4.163	11.32	11.83	12.34	99
15+18+20+20+50	1.21	1.45	1.61	1.61	4.02 *	9.90 3.90 - 11.00	2.687 0.640 - 4.157	11.29	11.80	12.31	99
15+18+20+20+60	1.12	1.34	1.49	1.49	4.47	9.90 3.90 - 11.00	2.687 0.640 - 4.157	11.29	11.80	12.31	99
15+18+20+20+71	1.03	1.24	1.38	1.38	4.88	9.90 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
15+18+20+22+22	1.44	1.73	1.92	2.11	2.11	9.30 3.90 - 11.00	2.514 0.640 - 4.144	10.56	11.04	11.52	99
15+18+20+22+25	1.45	1.74	1.93	2.13	2.42	9.66 3.90 - 11.00	2.596 0.640 - 4.156	10.90	11.40	11.90	99
15+18+20+22+35	1.36	1.64	1.82	2.00	3.18	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+18+20+22+42	1.28	1.54	1.71	1.88	3.59 *	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+18+20+22+50	1.20	1.44	1.60	1.76	4.00 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+18+20+22+60	1.11	1.33	1.48	1.63	4.44	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+18+20+22+71	1.03	1.23	1.37	1.51	4.86	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+18+20+25+25	1.44	1.73	1.92	2.41	2.41	9.91 3.90 - 11.00	2.647 0.640 - 4.137	11.11	11.62	12.13	99
15+18+20+25+35	1.33	1.59	1.77	2.21	3.10	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+18+20+25+42	1.25	1.50	1.67	2.08	3.50 *	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+18+20+25+50	1.17	1.41	1.56	1.95	3.91 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+18+20+25+60	1.09	1.30	1.45	1.81	4.35	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+18+20+25+71	1.01	1.21	1.34	1.68	4.77	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+18+20+35+35	1.22	1.46	1.63	2.85	2.85	10.00 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+18+20+35+42	1.15	1.38	1.54	2.69	3.23 *	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+18+20+35+50	1.09	1.30	1.45	2.54	3.62 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+18+20+35+60	1.01	1.22	1.35	2.36	4.05	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+18+20+35+71	0.94	1.13	1.26	2.20	4.47	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+18+20+42+42	1.09	1.31	1.46	3.07 *	3.07 *	10.00 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+18+20+42+50	1.03	1.24	1.38	2.90 *	3.45 *	10.00 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+20+42+60	0.97	1.16	1.29	2.71 *	3.87	10.00 3.90 - 11.00	2.674 - 4.144	11.23	11.74	12.25	99
15+18+20+42+71	0.90	1.08	1.20	2.53 *	4.28	10.00 3.90 - 11.00	2.657 - 4.127	11.16	11.67	12.18	99
15+18+20+50+50	0.98	1.18	1.31	3.27 *	3.27 *	10.00 3.90 - 11.00	2.661 - 4.131	11.18	11.69	12.20	99
15+18+20+50+60	0.92	1.10	1.23	3.07 *	3.68	10.00 3.90 - 11.00	2.674 - 4.144	11.23	11.74	12.25	99
15+18+22+22+22	1.45	1.74	2.13	2.13	2.13	9.57 3.90 - 11.00	2.537 - 4.127	10.66	11.14	11.62	99
15+18+22+22+25	1.46	1.75	2.14	2.14	2.43	9.93 3.90 - 11.00	2.629 - 4.149	11.05	11.55	12.05	99
15+18+22+22+35	1.35	1.62	1.98	1.98	3.16	10.10 3.90 - 11.00	2.679 - 4.149	11.26	11.77	12.28	99
15+18+22+22+42	1.27	1.53	1.87	1.87	3.56 *	10.10 3.90 - 11.00	2.679 - 4.149	11.26	11.77	12.28	99
15+18+22+22+50	1.19	1.43	1.75	1.75	3.98 *	10.10 3.90 - 11.00	2.673 - 4.143	11.23	11.74	12.25	99
15+18+22+22+60	1.11	1.33	1.62	1.62	4.42	10.10 3.90 - 11.00	2.673 - 4.143	11.23	11.74	12.25	99
15+18+22+22+71	1.02	1.23	1.50	1.50	4.85	10.10 3.90 - 11.00	2.656 - 4.126	11.15	11.66	12.17	99
15+18+22+25+25	1.44	1.73	2.12	2.40	2.40	10.10 3.90 - 11.00	2.660 - 4.130	11.17	11.68	12.19	99
15+18+22+25+35	1.32	1.58	1.93	2.20	3.07	10.10 3.90 - 11.00	2.679 - 4.149	11.26	11.77	12.28	99
15+18+22+25+42	1.24	1.49	1.82	2.07	3.48 *	10.10 3.90 - 11.00	2.679 - 4.149	11.26	11.77	12.28	99
15+18+22+25+50	1.17	1.40	1.71	1.94	3.88 *	10.10 3.90 - 11.00	2.673 - 4.143	11.23	11.74	12.25	99
15+18+22+25+60	1.08	1.30	1.59	1.80	4.33	10.10 3.90 - 11.00	2.673 - 4.143	11.23	11.74	12.25	99
15+18+22+25+71	1.00	1.20	1.47	1.67	4.75	10.10 3.90 - 11.00	2.656 - 4.126	11.15	11.66	12.17	99
15+18+22+35+35	1.21	1.45	1.78	2.83	2.83	10.10 3.90 - 11.00	2.660 - 4.130	11.17	11.68	12.19	99
15+18+22+35+42	1.15	1.38	1.68	2.68	3.21 *	10.10 3.90 - 11.00	2.679 - 4.149	11.26	11.77	12.28	99
15+18+22+35+50	1.08	1.30	1.59	2.53	3.61 *	10.10 3.90 - 11.00	2.673 - 4.143	11.23	11.74	12.25	99
15+18+22+35+60	1.01	1.21	1.48	2.36	4.04	10.10 3.90 - 11.00	2.673 - 4.143	11.23	11.74	12.25	99
15+18+22+35+71	0.94	1.13	1.38	2.20	4.45	10.10 3.90 - 11.00	2.656 - 4.126	11.15	11.66	12.17	99
15+18+22+42+42	1.09	1.31	1.60	3.05 *	3.05 *	10.10 3.90 - 11.00	2.660 - 4.130	11.17	11.68	12.19	99
15+18+22+42+50	1.03	1.24	1.51	2.89 *	3.44 *	10.10 3.90 - 11.00	2.667 - 4.137	11.20	11.71	12.22	99
15+18+22+42+60	0.96	1.16	1.42	2.70 *	3.86	10.10 3.90 - 11.00	2.667 - 4.137	11.20	11.71	12.22	99
15+18+22+42+71	0.90	1.08	1.32	2.53 *	4.27	10.10 3.90 - 11.00	2.650 - 4.120	11.13	11.64	12.15	99
15+18+22+50+50	0.98	1.17	1.43	3.26 *	3.26 *	10.10 3.90 - 11.00	2.654 - 4.124	11.15	11.66	12.17	99
15+18+22+50+60	0.92	1.10	1.35	3.06 *	3.67	10.10 3.90 - 11.00	2.667 - 4.137	11.20	11.71	12.22	99
15+18+25+25+25	1.40	1.68	2.34	2.34	2.34	10.10 3.90 - 11.00	2.650 - 4.120	11.13	11.64	12.15	99
15+18+25+25+35	1.28	1.54	2.14	2.14	3.00	10.10 3.90 - 11.00	2.679 - 4.149	11.26	11.77	12.28	99
15+18+25+25+42	1.21	1.45	2.02	2.02	3.39 *	10.10 3.90 - 11.00	2.679 - 4.149	11.26	11.77	12.28	99
15+18+25+25+50	1.14	1.37	1.90	1.90	3.80 *	10.10 3.90 - 11.00	2.673 - 4.143	11.23	11.74	12.25	99
15+18+25+25+60	1.06	1.27	1.77	1.77	4.24	10.10 3.90 - 11.00	2.673 - 4.143	11.23	11.74	12.25	99
15+18+25+25+71	0.98	1.18	1.64	1.64	4.66	10.10 3.90 - 11.00	2.656 - 4.126	11.15	11.66	12.17	99
15+18+25+35+35	1.18	1.42	1.97	2.76	2.76	10.10 3.90 - 11.00	2.660 - 4.130	11.17	11.68	12.19	99
15+18+25+35+42	1.12	1.35	1.87	2.62	3.14 *	10.10 3.90 - 11.00	2.679 - 4.149	11.26	11.77	12.28	99
15+18+25+35+50	1.06	1.27	1.77	2.47	3.53 *	10.10 3.90 - 11.00	2.673 - 4.143	11.23	11.74	12.25	99
15+18+25+35+60	0.99	1.19	1.65	2.31	3.96	10.10 3.90 - 11.00	2.673 - 4.143	11.23	11.74	12.25	99
15+18+25+35+71	0.92	1.11	1.54	2.16	4.37	10.10 3.90 - 11.00	2.656 - 4.126	11.15	11.66	12.17	99
15+18+25+42+42	1.07	1.28	1.78	2.99 *	2.99 *	10.10 3.90 - 11.00	2.660 - 4.130	11.17	11.68	12.19	99
15+18+25+42+50	1.01	1.21	1.68	2.83 *	3.37 *	10.10 3.90 - 11.00	2.667 - 4.137	11.20	11.71	12.22	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+25+42+60	0.95	1.14	1.58	2.65 *	3.79	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+18+25+42+71	0.89	1.06	1.48	2.48 *	4.19	10.10 3.90 - 11.00	2.650 0.640 - 4.120	11.13	11.64	12.15	99
15+18+25+50+50	0.96	1.15	1.60	3.20 *	3.20 *	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
15+18+25+50+60	0.90	1.08	1.50	3.01 *	3.61	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+18+35+35+35	1.10	1.32	2.56	2.56	2.56	10.10 3.90 - 11.00	2.650 0.640 - 4.120	11.13	11.64	12.15	99
15+18+35+35+42	1.04	1.25	2.44	2.44	2.93 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+18+35+35+50	0.99	1.19	2.31	2.31	3.30 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+35+35+60	0.93	1.12	2.17	2.17	3.72	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+35+42+42	1.00	1.20	2.33	2.79 *	2.79 *	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+18+35+42+50	0.95	1.14	2.21	2.65 *	3.16 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+18+35+42+60	0.89	1.07	2.08	2.50 *	3.56	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+18+35+50+50	0.90	1.08	2.10	3.01 *	3.01 *	10.10 3.90 - 11.00	2.650 0.640 - 4.120	11.13	11.64	12.15	99
15+18+42+42+42	0.95	1.14	2.67 *	2.67 *	2.67 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+18+42+42+50	0.91	1.09	2.54 *	2.54 *	3.02 *	10.10 3.90 - 11.00	2.661 0.640 - 4.131	11.18	11.69	12.20	99
15+20+20+20+20	1.47	1.96	1.96	1.96	1.96	9.33 3.90 - 11.00	2.451 0.640 - 4.131	10.29	10.76	11.23	99
15+20+20+20+22	1.41	1.88	1.88	1.88	2.06	9.10 3.90 - 11.00	2.547 0.640 - 4.177	10.70	11.19	11.68	99
15+20+20+20+25	1.42	1.89	1.89	1.89	2.37	9.46 3.90 - 11.00	2.610 0.640 - 4.170	10.96	11.46	11.96	99
15+20+20+20+35	1.34	1.78	1.78	1.78	3.12	9.80 3.90 - 11.00	2.700 0.640 - 4.170	11.34	11.86	12.38	99
15+20+20+20+42	1.26	1.68	1.68	1.68	3.52 *	9.80 3.90 - 11.00	2.700 0.640 - 4.170	11.34	11.86	12.38	99
15+20+20+20+50	1.18	1.57	1.57	1.57	3.92 *	9.80 3.90 - 11.00	2.694 0.640 - 4.164	11.32	11.83	12.34	99
15+20+20+20+60	1.09	1.45	1.45	1.45	4.36	9.80 3.90 - 11.00	2.694 0.640 - 4.164	11.32	11.83	12.34	99
15+20+20+20+71	1.01	1.34	1.34	1.34	4.77	9.80 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
15+20+20+22+22	1.42	1.89	1.89	2.08	2.08	9.37 3.90 - 11.00	2.561 0.640 - 4.151	10.76	11.25	11.74	99
15+20+20+22+25	1.43	1.91	1.91	2.10	2.38	9.73 3.90 - 11.00	2.643 0.640 - 4.163	11.11	11.61	12.11	99
15+20+20+22+35	1.33	1.77	1.77	1.94	3.09	9.90 3.90 - 11.00	2.693 0.640 - 4.163	11.32	11.83	12.34	99
15+20+20+22+42	1.25	1.66	1.66	1.83	3.49 *	9.90 3.90 - 11.00	2.693 0.640 - 4.163	11.32	11.83	12.34	99
15+20+20+22+50	1.17	1.56	1.56	1.71	3.90 *	9.90 3.90 - 11.00	2.687 0.640 - 4.157	11.29	11.80	12.31	99
15+20+20+22+60	1.08	1.45	1.45	1.59	4.34	9.90 3.90 - 11.00	2.687 0.640 - 4.157	11.29	11.80	12.31	99
15+20+20+22+71	1.00	1.34	1.34	1.47	4.75	9.90 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
15+20+20+25+25	1.41	1.89	1.89	2.36	2.36	9.90 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+20+20+25+35	1.29	1.72	1.72	2.15	3.01	9.90 3.90 - 11.00	2.693 0.640 - 4.163	11.32	11.83	12.34	99
15+20+20+25+42	1.22	1.62	1.62	2.03	3.41 *	9.90 3.90 - 11.00	2.693 0.640 - 4.163	11.32	11.83	12.34	99
15+20+20+25+50	1.14	1.52	1.52	1.90	3.81 *	9.90 3.90 - 11.00	2.687 0.640 - 4.157	11.29	11.80	12.31	99
15+20+20+25+60	1.06	1.41	1.41	1.77	4.24	9.90 3.90 - 11.00	2.687 0.640 - 4.157	11.29	11.80	12.31	99
15+20+20+25+71	0.98	1.31	1.31	1.64	4.65	9.90 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
15+20+20+35+35	1.19	1.58	1.58	2.77	2.77	9.90 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+20+20+35+42	1.13	1.50	1.50	2.63	3.15 *	9.90 3.90 - 11.00	2.693 0.640 - 4.163	11.32	11.83	12.34	99
15+20+20+35+50	1.06	1.41	1.41	2.48	3.54 *	9.90 3.90 - 11.00	2.687 0.640 - 4.157	11.29	11.80	12.31	99
15+20+20+35+60	0.99	1.32	1.32	2.31	3.96	9.90 3.90 - 11.00	2.687 0.640 - 4.157	11.29	11.80	12.31	99
15+20+20+35+71	0.92	1.23	1.23	2.15	4.37	9.90 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
15+20+20+42+42	1.07	1.42	1.42	2.99 *	2.99 *	9.90 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+20+20+42+50	1.01	1.35	1.35	2.83 *	3.37 *	9.90 3.90 - 11.00	2.681 0.640 - 4.151	11.26	11.77	12.28	99
15+20+20+42+60	0.95	1.26	1.26	2.65 *	3.78	9.90 3.90 - 11.00	2.681 0.640 - 4.151	11.26	11.77	12.28	99
15+20+20+42+71	0.88	1.18	1.18	2.48 *	4.18	9.90 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
15+20+20+50+50	0.96	1.28	1.28	3.19 *	3.19 *	9.90 3.90 - 11.00	2.668 0.640 - 4.138	11.21	11.72	12.23	99
15+20+20+50+60	0.90	1.20	1.20	3.00 *	3.60	9.90 3.90 - 11.00	2.681 0.640 - 4.151	11.26	11.77	12.28	99
15+20+22+22+22	1.43	1.91	2.10	2.10	2.10	9.64 3.90 - 11.00	2.594 0.640 - 4.134	10.89	11.39	11.89	99
15+20+22+22+35	1.32	1.75	1.93	1.93	3.07	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+20+22+22+42	1.24	1.65	1.82	1.82	3.47 *	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+20+22+22+50	1.16	1.55	1.71	1.71	3.88 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+20+22+22+60	1.08	1.44	1.58	1.58	4.32	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+20+22+22+71	1.00	1.33	1.47	1.47	4.73	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+20+22+25+25	1.40	1.87	2.06	2.34	2.34	10.00 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+20+22+25+35	1.28	1.71	1.88	2.14	2.99	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+20+22+25+42	1.21	1.61	1.77	2.02	3.39 *	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+20+22+25+50	1.14	1.52	1.67	1.89	3.79 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+20+22+25+60	1.06	1.41	1.55	1.76	4.23	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+20+22+25+71	0.98	1.31	1.44	1.63	4.64	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+20+22+35+35	1.18	1.57	1.73	2.76	2.76	10.00 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+20+22+35+42	1.12	1.49	1.64	2.61	3.13 *	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+20+22+35+50	1.06	1.41	1.55	2.46	3.52 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+20+22+35+60	0.99	1.32	1.45	2.30	3.95	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+20+22+35+71	0.92	1.23	1.35	2.15	4.36	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+20+22+42+42	1.06	1.42	1.56	2.98 *	2.98 *	10.00 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+20+22+42+50	1.01	1.34	1.48	2.82 *	3.36 *	10.00 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+20+22+42+60	0.94	1.26	1.38	2.64 *	3.77	10.00 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+20+22+42+71	0.88	1.18	1.29	2.47 *	4.18	10.00 3.90 - 11.00	2.657 0.640 - 4.127	11.16	11.67	12.18	99
15+20+22+50+50	0.96	1.27	1.40	3.18 *	3.18 *	10.00 3.90 - 11.00	2.661 0.640 - 4.131	11.18	11.69	12.20	99
15+20+22+50+60	0.90	1.20	1.32	2.99 *	3.59	10.00 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+20+25+25+25	1.36	1.82	2.27	2.27	2.27	10.00 3.90 - 11.00	2.657 0.640 - 4.127	11.16	11.67	12.18	99
15+20+25+25+35	1.25	1.67	2.08	2.08	2.92	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+20+25+25+42	1.18	1.57	1.97	1.97	3.31 *	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+20+25+25+50	1.11	1.48	1.85	1.85	3.70 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+20+25+25+60	1.03	1.38	1.72	1.72	4.14	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+20+25+25+71	0.96	1.28	1.60	1.60	4.55	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+20+25+35+35	1.15	1.54	1.92	2.69	2.69	10.00 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+20+25+35+42	1.09	1.46	1.82	2.55	3.07 *	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+20+25+35+50	1.03	1.38	1.72	2.41	3.45 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+20+25+35+60	0.97	1.29	1.61	2.26	3.87	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+20+25+35+71	0.90	1.20	1.51	2.11	4.28	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+20+25+42+42	1.04	1.39	1.74	2.92 *	2.92 *	10.00 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+20+25+42+50	0.99	1.32	1.64	2.76 *	3.29 *	10.00 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+20+25+42+60	0.93	1.23	1.54	2.59 *	3.70	10.00 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+20+25+50+50	0.94	1.25	1.56	3.13 *	3.13 *	10.00 3.90 - 11.00	2.657 0.640 - 4.127	11.16	11.67	12.18	99
15+20+25+50+60	0.88	1.18	1.47	2.94 *	3.53	10.00 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+20+35+35+35	1.07	1.43	2.50	2.50	2.50	10.00 3.90 - 11.00	2.657 0.640 - 4.127	11.16	11.67	12.18	99
15+20+35+35+42	1.02	1.36	2.38	2.38	2.86 *	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+20+35+35+50	0.97	1.29	2.26	2.26	3.23 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+20+35+35+60	0.91	1.21	2.12	2.12	3.64	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+20+35+42+42	0.97	1.30	2.27	2.73 *	2.73 *	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+20+35+42+50	0.93	1.23	2.16	2.59 *	3.09 *	10.00 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+20+35+42+60	0.87	1.16	2.03	2.44 *	3.49	10.00 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+20+35+50+50	0.88	1.18	2.06	2.94 *	2.94 *	10.00 3.90 - 11.00	2.657 0.640 - 4.127	11.16	11.67	12.18	99
15+20+42+42+42	0.93	1.24	2.61 *	2.61 *	2.61 *	10.00 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+20+42+42+50	0.89	1.18	2.49 *	2.49 *	2.96 *	10.00 3.90 - 11.00	2.668 0.640 - 4.138	11.21	11.72	12.23	99
15+22+22+22+22	1.44	2.12	2.12	2.12	2.12	9.91 3.90 - 11.00	2.648 0.640 - 4.138	11.12	11.63	12.14	99
15+22+22+22+25	1.43	2.10	2.10	2.10	2.38	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+22+22+22+35	1.31	1.92	1.92	1.92	3.05	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+22+22+22+42	1.23	1.81	1.81	1.81	3.45 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+22+22+22+50	1.16	1.70	1.70	1.70	3.85 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+22+22+22+60	1.07	1.58	1.58	1.58	4.30	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+22+22+22+71	1.00	1.46	1.46	1.46	4.72	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+22+22+25+25	1.39	2.04	2.04	2.32	2.32	10.10 3.90 - 11.00	2.660 0.640 - 4.130	11.17	11.68	12.19	99
15+22+22+25+35	1.27	1.87	1.87	2.12	2.97	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+22+22+25+42	1.20	1.76	1.76	2.00	3.37 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+22+22+25+50	1.13	1.66	1.66	1.88	3.77 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+22+22+25+60	1.05	1.54	1.54	1.75	4.21	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+22+22+25+71	0.98	1.43	1.43	1.63	4.63	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+22+22+35+35	1.17	1.72	1.72	2.74	2.74	10.10 3.90 - 11.00	2.660 0.640 - 4.130	11.17	11.68	12.19	99
15+22+22+35+42	1.11	1.63	1.63	2.60	3.12 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+22+22+35+50	1.05	1.54	1.54	2.45	3.51 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+22+22+35+60	0.98	1.44	1.44	2.30	3.94	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+22+22+35+71	0.92	1.35	1.35	2.14	4.35	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+22+22+42+42	1.06	1.55	1.55	2.97 *	2.97 *	10.10 3.90 - 11.00	2.660 0.640 - 4.130	11.17	11.68	12.19	99
15+22+22+42+50	1.00	1.47	1.47	2.81 *	3.34 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+22+22+42+60	0.94	1.38	1.38	2.63 *	3.76	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+22+22+42+71	0.88	1.29	1.29	2.47 *	4.17	10.10 3.90 - 11.00	2.650 0.640 - 4.120	11.13	11.64	12.15	99
15+22+22+50+50	0.95	1.40	1.40	3.18 *	3.18 *	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
15+22+22+50+60	0.90	1.31	1.31	2.99 *	3.59	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+22+25+25+25	1.35	1.98	2.25	2.25	2.25	10.10 3.90 - 11.00	2.650 0.640 - 4.120	11.13	11.64	12.15	99
15+22+25+25+35	1.24	1.82	2.07	2.07	2.90	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+22+25+25+42	1.17	1.72	1.96	1.96	3.29 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+22+25+25+50	1.11	1.62	1.84	1.84	3.69 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99



**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+22+25+25+60	1.03	1.51	1.72	1.72	4.12	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+22+25+25+71	0.96	1.41	1.60	1.60	4.54	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+22+25+35+35	1.15	1.68	1.91	2.68	2.68	10.10 3.90 - 11.00	2.660 0.640 - 4.130	11.17	11.68	12.19	99
15+22+25+35+42	1.09	1.60	1.82	2.54	3.05 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+22+25+35+50	1.03	1.51	1.72	2.40	3.44 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+22+25+35+60	0.96	1.42	1.61	2.25	3.86	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+22+25+35+71	0.90	1.32	1.50	2.10	4.27	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+22+25+42+42	1.04	1.52	1.73	2.91 *	2.91 *	10.10 3.90 - 11.00	2.660 0.640 - 4.130	11.17	11.68	12.19	99
15+22+25+42+50	0.98	1.44	1.64	2.75 *	3.28 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+22+25+42+60	0.92	1.35	1.54	2.59 *	3.70	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+22+25+50+50	0.94	1.37	1.56	3.12 *	3.12 *	10.10 3.90 - 11.00	2.650 0.640 - 4.120	11.13	11.64	12.15	99
15+22+25+50+60	0.88	1.29	1.47	2.94 *	3.52	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+22+35+35+35	1.07	1.56	2.49	2.49	2.49	10.10 3.90 - 11.00	2.650 0.640 - 4.120	11.13	11.64	12.15	99
15+22+35+35+42	1.02	1.49	2.37	2.37	2.85 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+22+35+35+50	0.96	1.42	2.25	2.25	3.22 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+22+35+35+60	0.91	1.33	2.12	2.12	3.63	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+22+35+42+42	0.97	1.42	2.27	2.72 *	2.72 *	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+22+35+42+50	0.92	1.35	2.16	2.59 *	3.08 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+22+35+50+50	0.88	1.29	2.06	2.94 *	2.94 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+22+42+42+42	0.93	1.36	2.60 *	2.60 *	2.60 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+22+42+42+50	0.89	1.30	2.48 *	2.48 *	2.95 *	10.10 3.90 - 11.00	2.661 0.640 - 4.131	11.18	11.69	12.20	99
15+25+25+25+25	1.32	2.20	2.20	2.20	2.20	10.10 3.90 - 11.00	2.661 0.640 - 4.131	11.18	11.69	12.20	99
15+25+25+25+35	1.21	2.02	2.02	2.02	2.83	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+25+25+25+42	1.15	1.91	1.91	1.91	3.21 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+25+25+25+50	1.08	1.80	1.80	1.80	3.61 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+25+25+25+60	1.01	1.68	1.68	1.68	4.04	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+25+25+25+71	0.94	1.57	1.57	1.57	4.45	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+25+25+35+35	1.12	1.87	1.87	2.62	2.62	10.10 3.90 - 11.00	2.660 0.640 - 4.130	11.17	11.68	12.19	99
15+25+25+35+42	1.07	1.78	1.78	2.49	2.99 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+25+25+35+50	1.01	1.68	1.68	2.36	3.37 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+25+25+35+60	0.95	1.58	1.58	2.21	3.79	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+25+25+35+71	0.89	1.48	1.48	2.07	4.19	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+25+25+42+42	1.02	1.69	1.69	2.85 *	2.85 *	10.10 3.90 - 11.00	2.660 0.640 - 4.130	11.17	11.68	12.19	99
15+25+25+42+50	0.96	1.61	1.61	2.70 *	3.22 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+25+25+42+60	0.91	1.51	1.51	2.54 *	3.63	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+25+25+50+50	0.92	1.53	1.53	3.06 *	3.06 *	10.10 3.90 - 11.00	2.650 0.640 - 4.120	11.13	11.64	12.15	99
15+25+35+35+35	1.04	1.74	2.44	2.44	2.44	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+25+35+35+42	1.00	1.66	2.33	2.33	2.79 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+25+35+35+50	0.95	1.58	2.21	2.21	3.16 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+25+35+35+60	0.89	1.49	2.08	2.08	3.56	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+25+35+42+42	0.95	1.59	2.22	2.67 *	2.67 *	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+25+35+42+50	0.91	1.51	2.12	2.54 *	3.02 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+25+42+42+42	0.91	1.52	2.56 *	2.56 *	2.56 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+35+35+35+35	0.98	2.28	2.28	2.28	2.28	10.10 3.90 - 11.00	2.661 0.640 - 4.131	11.18	11.69	12.20	99
15+35+35+35+42	0.94	2.18	2.18	2.18	2.62 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+35+35+35+50	0.89	2.08	2.08	2.08	2.97 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+35+35+42+42	0.90	2.09	2.09	2.51 *	2.51 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
18+18+18+18+18	1.78	1.78	1.78	1.78	1.78	8.90 3.90 - 11.00	2.337 0.640 - 4.137	9.81	10.26	10.71	99
18+18+18+18+20	1.79	1.79	1.79	1.79	1.99	9.17 3.90 - 11.00	2.390 0.640 - 4.140	10.04	10.50	10.96	99
18+18+18+18+22	1.77	1.77	1.77	1.77	2.16	9.24 3.90 - 11.00	2.437 0.640 - 4.147	10.23	10.70	11.17	99
18+18+18+18+25	1.78	1.78	1.78	1.78	2.47	9.60 3.90 - 11.00	2.510 0.640 - 4.140	10.54	11.02	11.50	99
18+18+18+18+35	1.72	1.72	1.72	1.72	3.34	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+18+18+42	1.61	1.61	1.61	1.61	3.76 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+18+18+50	1.50	1.50	1.50	1.50	4.18 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+18+18+60	1.39	1.39	1.39	1.39	4.64	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+18+18+71	1.28	1.28	1.28	1.28	5.06	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+18+18+20+20	1.79	1.79	1.79	1.99	1.99	9.34 3.90 - 11.00	2.411 0.640 - 4.121	10.13	10.59	11.05	99
18+18+18+20+22	1.75	1.75	1.75	1.94	2.13	9.31 3.90 - 11.00	2.494 0.640 - 4.154	10.47	10.95	11.43	99
18+18+18+20+25	1.76	1.76	1.76	1.95	2.44	9.67 3.90 - 11.00	2.557 0.640 - 4.147	10.74	11.23	11.72	99
18+18+18+20+35	1.67	1.67	1.67	1.85	3.24	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+18+18+20+42	1.57	1.57	1.57	1.74	3.66 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+18+18+20+50	1.47	1.47	1.47	1.63	4.07 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+18+18+20+60	1.36	1.36	1.36	1.51	4.52	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+18+18+20+71	1.25	1.25	1.25	1.39	4.95	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
18+18+18+22+22	1.76	1.76	1.76	2.15	2.15	9.59 3.90 - 11.00	2.518 0.640 - 4.128	10.58	11.06	11.54	99
18+18+18+22+25	1.77	1.77	1.77	2.17	2.46	9.94 3.90 - 11.00	2.600 0.640 - 4.140	10.92	11.42	11.92	99
18+18+18+22+35	1.65	1.65	1.65	2.02	3.22	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+18+22+42	1.56	1.56	1.56	1.90	3.63 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+18+22+50	1.46	1.46	1.46	1.78	4.05 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+18+22+60	1.35	1.35	1.35	1.65	4.50	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+18+22+71	1.25	1.25	1.25	1.53	4.93	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+18+18+25+25	1.77	1.77	1.77	2.45	2.45	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+18+18+25+35	1.61	1.61	1.61	2.24	3.13	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+18+25+42	1.52	1.52	1.52	2.11	3.54 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+18+25+50	1.42	1.42	1.42	1.98	3.95 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+18+25+60	1.32	1.32	1.32	1.83	4.40	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+18+25+71	1.22	1.22	1.22	1.70	4.83	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+18+18+35+35	1.48	1.48	1.48	2.88	2.88	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+18+18+35+42	1.40	1.40	1.40	2.73	3.27 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+18+35+50	1.32	1.32	1.32	2.57	3.67 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+18+35+60	1.23	1.23	1.23	2.40	4.11	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+18+35+71	1.15	1.15	1.15	2.23	4.53	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+18+18+42+42	1.33	1.33	1.33	3.10 *	3.10 *	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+18+18+42+50	1.26	1.26	1.26	2.93 *	3.49 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+18+42+60	1.18	1.18	1.18	2.75 *	3.92	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+18+42+71	1.10	1.10	1.10	2.57 *	4.34	10.20 3.90 - 11.00	2.641 0.640 - 4.111	11.10	11.60	12.10	99
18+18+18+50+50	1.19	1.19	1.19	3.31 *	3.31 *	10.20 3.90 - 11.00	2.645 0.640 - 4.115	11.11	11.62	12.13	99
18+18+18+50+60	1.12	1.12	1.12	3.11 *	3.73	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+20+20+20	1.78	1.78	1.98	1.98	1.98	9.51 3.90 - 11.00	2.451 0.640 - 4.111	10.29	10.76	11.23	99
18+18+20+20+22	1.72	1.72	1.92	1.92	2.11	9.39 3.90 - 11.00	2.551 0.640 - 4.161	10.71	11.20	11.69	99
18+18+20+20+25	1.74	1.74	1.93	1.93	2.41	9.74 3.90 - 11.00	2.614 0.640 - 4.154	10.98	11.48	11.98	99
18+18+20+20+35	1.62	1.62	1.80	1.80	3.15	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
18+18+20+20+42	1.53	1.53	1.69	1.69	3.56 *	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
18+18+20+20+50	1.43	1.43	1.59	1.59	3.97 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
18+18+20+20+60	1.32	1.32	1.47	1.47	4.41	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
18+18+20+20+71	1.22	1.22	1.36	1.36	4.83	10.00 3.90 - 11.00	2.661 0.640 - 4.131	11.18	11.69	12.20	99
18+18+20+22+22	1.74	1.74	1.93	2.13	2.13	9.66 3.90 - 11.00	2.575 0.640 - 4.135	10.82	11.31	11.80	99
18+18+20+22+25	1.75	1.75	1.94	2.14	2.43	10.01 3.90 - 11.00	2.657 0.640 - 4.147	11.16	11.67	12.18	99
18+18+20+22+35	1.61	1.61	1.79	1.97	3.13	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+18+20+22+42	1.52	1.52	1.68	1.85	3.54 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+18+20+22+50	1.42	1.42	1.58	1.74	3.95 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+18+20+22+60	1.32	1.32	1.46	1.61	4.39	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+18+20+22+71	1.22	1.22	1.36	1.49	4.81	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
18+18+20+25+25	1.72	1.72	1.91	2.38	2.38	10.10 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+20+25+35	1.57	1.57	1.74	2.18	3.05	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+18+20+25+42	1.48	1.48	1.64	2.05	3.45 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+18+20+25+50	1.39	1.39	1.54	1.93	3.85 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+18+20+25+60	1.29	1.29	1.43	1.79	4.30	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+18+20+25+71	1.20	1.20	1.33	1.66	4.72	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
18+18+20+35+35	1.44	1.44	1.60	2.81	2.81	10.10 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+20+35+42	1.37	1.37	1.52	2.66	3.19 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+18+20+35+50	1.29	1.29	1.43	2.51	3.58 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+18+20+35+60	1.20	1.20	1.34	2.34	4.01	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+18+20+35+71	1.12	1.12	1.25	2.18	4.43	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
18+18+20+42+42	1.30	1.30	1.44	3.03 *	3.03 *	10.10 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+20+42+50	1.23	1.23	1.36	2.87 *	3.41 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+18+20+42+60	1.15	1.15	1.28	2.68 *	3.84	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+18+20+42+71	1.08	1.08	1.20	2.51 *	4.24	10.10 3.90 - 11.00	2.648 0.640 - 4.118	11.12	11.63	12.14	99
18+18+20+50+50	1.17	1.17	1.29	3.24 *	3.24 *	10.10 3.90 - 11.00	2.652 0.640 - 4.122	11.14	11.65	12.16	99
18+18+20+50+60	1.10	1.10	1.22	3.04 *	3.65	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+18+22+22+22	1.75	1.75	2.14	2.14	2.14	9.93 3.90 - 11.00	2.598 0.640 - 4.118	10.91	11.41	11.91	99
18+18+22+22+25	1.75	1.75	2.14	2.14	2.43	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+22+22+35	1.60	1.60	1.95	1.95	3.10	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+18+22+22+42	1.50	1.50	1.84	1.84	3.51 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+22+22+50	1.41	1.41	1.73	1.73	3.92 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+22+22+60	1.31	1.31	1.60	1.60	4.37	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+22+22+71	1.22	1.22	1.49	1.49	4.80	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+18+22+25+25	1.70	1.70	2.08	2.36	2.36	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+18+22+25+35	1.56	1.56	1.90	2.16	3.03	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+22+25+42	1.47	1.47	1.80	2.04	3.43 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+22+25+50	1.38	1.38	1.69	1.92	3.83 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+22+25+60	1.28	1.28	1.57	1.78	4.28	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+22+25+71	1.19	1.19	1.46	1.66	4.70	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+18+22+35+35	1.43	1.43	1.75	2.79	2.79	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+18+22+35+42	1.36	1.36	1.66	2.64	3.17 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+22+35+50	1.28	1.28	1.57	2.50	3.57 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+22+35+60	1.20	1.20	1.47	2.33	4.00	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+22+35+71	1.12	1.12	1.37	2.18	4.42	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+18+22+42+42	1.29	1.29	1.58	3.02 *	3.02 *	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+18+22+42+50	1.22	1.22	1.50	2.86 *	3.40 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+22+42+60	1.15	1.15	1.40	2.68 *	3.83	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+22+42+71	1.07	1.07	1.31	2.51 *	4.24	10.20 3.90 - 11.00	2.641 0.640 - 4.111	11.10	11.60	12.10	99
18+18+22+50+50	1.16	1.16	1.42	3.23 *	3.23 *	10.20 3.90 - 11.00	2.645 0.640 - 4.115	11.11	11.62	12.13	99
18+18+22+50+60	1.09	1.09	1.34	3.04 *	3.64	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+25+25+25	1.65	1.65	2.30	2.30	2.30	10.20 3.90 - 11.00	2.641 0.640 - 4.111	11.10	11.60	12.10	99
18+18+25+25+35	1.52	1.52	2.11	2.11	2.95	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+25+25+42	1.43	1.43	1.99	1.99	3.35 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+25+25+50	1.35	1.35	1.88	1.88	3.75 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+25+25+60	1.26	1.26	1.75	1.75	4.19	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+25+25+71	1.17	1.17	1.62	1.62	4.61	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+18+25+35+35	1.40	1.40	1.95	2.73	2.73	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+18+25+35+42	1.33	1.33	1.85	2.59	3.10 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+25+35+50	1.26	1.26	1.75	2.45	3.49 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+25+35+60	1.18	1.18	1.63	2.29	3.92	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+25+35+71	1.10	1.10	1.53	2.14	4.34	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+18+25+42+42	1.27	1.27	1.76	2.95 *	2.95 *	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+18+25+42+50	1.20	1.20	1.67	2.80 *	3.33 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+25+42+60	1.13	1.13	1.56	2.63 *	3.75	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+25+50+50	1.14	1.14	1.58	3.17 *	3.17 *	10.20 3.90 - 11.00	2.641 0.640 - 4.111	11.10	11.60	12.10	99
18+18+25+50+60	1.07	1.07	1.49	2.98 *	3.58	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+35+35+35	1.30	1.30	2.53	2.53	2.53	10.20 3.90 - 11.00	2.641 0.640 - 4.111	11.10	11.60	12.10	99
18+18+35+35+42	1.24	1.24	2.41	2.41	2.89 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+35+35+50	1.18	1.18	2.29	2.29	3.27 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+35+35+60	1.11	1.11	2.15	2.15	3.69	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+18+35+42+42	1.18	1.18	2.30	2.76 *	2.76 *	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+18+35+42+50	1.13	1.13	2.19	2.63 *	3.13 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+35+50+50	1.07	1.07	2.09	2.98 *	2.98 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+42+42+42	1.13	1.13	2.64 *	2.64 *	2.64 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+42+42+50	1.08	1.08	2.52 *	2.52 *	3.00 *	10.20 3.90 - 11.00	2.652 0.640 - 4.122	11.14	11.65	12.16	99
18+20+20+20+20	1.78	1.98	1.98	1.98	1.98	9.69 3.90 - 11.00	2.512 0.640 - 4.122	10.55	11.03	11.51	99
18+20+20+20+22	1.70	1.89	1.89	1.89	2.08	9.46 3.90 - 11.00	2.608 0.640 - 4.168	10.95	11.45	11.95	99
18+20+20+20+25	1.71	1.90	1.90	1.90	2.38	9.81 3.90 - 11.00	2.671 0.640 - 4.161	11.22	11.73	12.24	99
18+20+20+20+35	1.58	1.75	1.75	1.75	3.07	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
18+20+20+20+42	1.49	1.65	1.65	1.65	3.47 *	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
18+20+20+20+50	1.39	1.55	1.55	1.55	3.87 *	9.90 3.90 - 11.00	2.685 0.640 - 4.155	11.28	11.79	12.30	99
18+20+20+20+60	1.29	1.43	1.43	1.43	4.30	9.90 3.90 - 11.00	2.685 0.640 - 4.155	11.28	11.79	12.30	99
18+20+20+20+71	1.20	1.33	1.33	1.33	4.72	9.90 3.90 - 11.00	2.668 0.640 - 4.138	11.21	11.72	12.23	99
18+20+20+22+22	1.72	1.91	1.91	2.10	2.10	9.73 3.90 - 11.00	2.622 0.640 - 4.142	11.02	11.52	12.02	99
18+20+20+22+25	1.71	1.90	1.90	2.10	2.38	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
18+20+20+22+35	1.57	1.74	1.74	1.91	3.04	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
18+20+20+22+42	1.48	1.64	1.64	1.80	3.44 *	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
18+20+20+22+50	1.38	1.54	1.54	1.69	3.85 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
18+20+20+22+60	1.29	1.43	1.43	1.57	4.29	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
18+20+20+22+71	1.19	1.32	1.32	1.46	4.70	10.00 3.90 - 11.00	2.661 0.640 - 4.131	11.18	11.69	12.20	99
18+20+20+25+25	1.67	1.85	1.85	2.31	2.31	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+20+20+25+35	1.53	1.69	1.69	2.12	2.97	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
18+20+20+25+42	1.44	1.60	1.60	2.00	3.36 *	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
18+20+20+25+50	1.35	1.50	1.50	1.88	3.76 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
18+20+20+25+60	1.26	1.40	1.40	1.75	4.20	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
18+20+20+25+71	1.17	1.30	1.30	1.62	4.61	10.00 3.90 - 11.00	2.661 0.640 - 4.131	11.18	11.69	12.20	99
18+20+20+35+35	1.41	1.56	1.56	2.73	2.73	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+20+20+35+42	1.33	1.48	1.48	2.59	3.11 *	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
18+20+20+35+50	1.26	1.40	1.40	2.45	3.50 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
18+20+20+35+60	1.18	1.31	1.31	2.29	3.92	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
18+20+20+35+71	1.10	1.22	1.22	2.13	4.33	10.00 3.90 - 11.00	2.661 0.640 - 4.131	11.18	11.69	12.20	99
18+20+20+42+42	1.27	1.41	1.41	2.96 *	2.96 *	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+20+20+42+50	1.20	1.33	1.33	2.80 *	3.33 *	10.00 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
18+20+20+42+60	1.13	1.25	1.25	2.63 *	3.75	10.00 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
18+20+20+42+71	1.05	1.17	1.17	2.46 *	4.15	10.00 3.90 - 11.00	2.655 0.640 - 4.125	11.15	11.66	12.17	99
18+20+20+50+50	1.14	1.27	1.27	3.16 *	3.16 *	10.00 3.90 - 11.00	2.659 0.640 - 4.129	11.17	11.68	12.19	99
18+20+20+50+60	1.07	1.19	1.19	2.98 *	3.57	10.00 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
18+20+22+22+25	1.68	1.87	2.06	2.06	2.34	10.00 3.90 - 11.00	2.655 0.640 - 4.125	11.15	11.66	12.17	99
18+20+22+22+35	1.55	1.73	1.90	1.90	3.02	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+20+22+22+42	1.47	1.63	1.79	1.79	3.42 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+20+22+22+50	1.38	1.53	1.68	1.68	3.83 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+20+22+22+60	1.28	1.42	1.56	1.56	4.27	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+20+22+22+71	1.19	1.32	1.45	1.45	4.69	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
18+20+22+25+25	1.65	1.84	2.02	2.30	2.30	10.10 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+20+22+25+35	1.52	1.68	1.85	2.10	2.95	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+20+22+25+42	1.43	1.59	1.75	1.99	3.34 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+20+22+25+50	1.35	1.50	1.65	1.87	3.74 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+20+22+25+60	1.25	1.39	1.53	1.74	4.18	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+20+22+25+71	1.17	1.29	1.42	1.62	4.60	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
18+20+22+35+35	1.40	1.55	1.71	2.72	2.72	10.10 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+20+22+35+42	1.33	1.47	1.62	2.58	3.10 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+20+22+35+50	1.25	1.39	1.53	2.44	3.48 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+20+22+35+60	1.17	1.30	1.43	2.28	3.91	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+20+22+35+71	1.10	1.22	1.34	2.13	4.32	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
18+20+22+42+42	1.26	1.40	1.54	2.95 *	2.95 *	10.10 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+20+22+42+50	1.20	1.33	1.46	2.79 *	3.32 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+20+22+42+60	1.12	1.25	1.37	2.62 *	3.74	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+20+22+50+50	1.14	1.26	1.39	3.16 *	3.16 *	10.10 3.90 - 11.00	2.648 0.640 - 4.118	11.12	11.63	12.14	99
18+20+22+50+60	1.07	1.19	1.31	2.97 *	3.56	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+20+25+25+25	1.61	1.79	2.23	2.23	2.23	10.10 3.90 - 11.00	2.648 0.640 - 4.118	11.12	11.63	12.14	99
18+20+25+25+35	1.48	1.64	2.05	2.05	2.87	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+20+25+25+42	1.40	1.55	1.94	1.94	3.26 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+20+25+25+50	1.32	1.46	1.83	1.83	3.66 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+20+25+25+60	1.23	1.36	1.71	1.71	4.09	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+20+25+25+71	1.14	1.27	1.59	1.59	4.51	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
18+20+25+35+35	1.37	1.52	1.90	2.66	2.66	10.10 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+20+25+35+42	1.30	1.44	1.80	2.53	3.03 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+20+25+35+50	1.23	1.36	1.71	2.39	3.41 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+20+25+35+60	1.15	1.28	1.60	2.24	3.84	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+20+25+35+71	1.08	1.20	1.49	2.09	4.24	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
18+20+25+42+42	1.24	1.37	1.72	2.89 *	2.89 *	10.10 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+20+25+42+50	1.17	1.30	1.63	2.74 *	3.26 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+20+25+42+60	1.10	1.22	1.53	2.57 *	3.67	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+20+25+50+50	1.12	1.24	1.55	3.10 *	3.10 *	10.10 3.90 - 11.00	2.648 0.640 - 4.118	11.12	11.63	12.14	99
18+20+35+35+35	1.27	1.41	2.47	2.47	2.47	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+20+35+35+42	1.21	1.35	2.36	2.36	2.83 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+20+35+35+50	1.15	1.28	2.24	2.24	3.20 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+20+35+35+60	1.08	1.20	2.10	2.10	3.61	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+20+35+42+42	1.16	1.29	2.25	2.70 *	2.70 *	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
18+20+35+42+50	1.10	1.22	2.14	2.57 *	3.06 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+20+42+42+42	1.11	1.23	2.59 *	2.59 *	2.59 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+20+42+42+50	1.06	1.17	2.47 *	2.47 *	2.94 *	10.10 3.90 - 11.00	2.659 0.640 - 4.129	11.17	11.68	12.19	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+22+22+22+22	1.72	2.10	2.10	2.10	2.10	10.10 3.90 - 11.00	2.659 0.640 - 4.129	11.17	11.68	12.19	99
18+22+22+22+25	1.68	2.06	2.06	2.06	2.34	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+22+22+22+35	1.54	1.89	1.89	1.89	3.00	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+22+22+22+42	1.46	1.78	1.78	1.78	3.40 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+22+22+22+50	1.37	1.67	1.67	1.67	3.81 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+22+22+22+60	1.28	1.56	1.56	1.56	4.25	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+22+22+22+71	1.18	1.45	1.45	1.45	4.67	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+22+22+25+25	1.64	2.00	2.00	2.28	2.28	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+22+22+25+35	1.50	1.84	1.84	2.09	2.93	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+22+22+25+42	1.42	1.74	1.74	1.98	3.32 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+22+22+25+50	1.34	1.64	1.64	1.86	3.72 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+22+22+25+60	1.25	1.53	1.53	1.73	4.16	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+22+22+25+71	1.16	1.42	1.42	1.61	4.58	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+22+22+35+35	1.39	1.70	1.70	2.70	2.70	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+22+22+35+42	1.32	1.61	1.61	2.57	3.08 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+22+22+35+50	1.25	1.53	1.53	2.43	3.47 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+22+22+35+60	1.17	1.43	1.43	2.27	3.90	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+22+22+35+71	1.09	1.34	1.34	2.13	4.31	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+22+22+42+42	1.26	1.54	1.54	2.93 *	2.93 *	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+22+22+42+50	1.19	1.46	1.46	2.78 *	3.31 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+22+22+42+60	1.12	1.37	1.37	2.61 *	3.73	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+22+22+50+50	1.13	1.39	1.39	3.15 *	3.15 *	10.20 3.90 - 11.00	2.641 0.640 - 4.111	11.10	11.60	12.10	99
18+22+22+50+60	1.07	1.30	1.30	2.97 *	3.56	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+22+25+25+25	1.60	1.95	2.22	2.22	2.22	10.20 3.90 - 11.00	2.641 0.640 - 4.111	11.10	11.60	12.10	99
18+22+25+25+35	1.47	1.80	2.04	2.04	2.86	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+22+25+25+42	1.39	1.70	1.93	1.93	3.25 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+22+25+25+50	1.31	1.60	1.82	1.82	3.64 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+22+25+25+60	1.22	1.50	1.70	1.70	4.08	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+22+25+25+71	1.14	1.39	1.58	1.58	4.50	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+22+25+35+35	1.36	1.66	1.89	2.64	2.64	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+22+25+35+42	1.29	1.58	1.80	2.51	3.02 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+22+25+35+50	1.22	1.50	1.70	2.38	3.40 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+22+25+35+60	1.15	1.40	1.59	2.23	3.83	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+22+25+35+71	1.07	1.31	1.49	2.09	4.24	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+22+25+42+42	1.23	1.51	1.71	2.88 *	2.88 *	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+22+25+42+50	1.17	1.43	1.62	2.73 *	3.25 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+22+25+42+60	1.10	1.34	1.53	2.57 *	3.66	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+22+25+50+50	1.11	1.36	1.55	3.09 *	3.09 *	10.20 3.90 - 11.00	2.641 0.640 - 4.111	11.10	11.60	12.10	99
18+22+35+35+35	1.27	1.55	2.46	2.46	2.46	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+22+35+35+42	1.21	1.48	2.35	2.35	2.82 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+22+35+35+50	1.15	1.40	2.23	2.23	3.19 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+22+35+35+60	1.08	1.32	2.10	2.10	3.60	10.20 3.90 - 11.00	2.664 - 4.134	11.19	11.70	12.21	99
18+22+35+42+42	1.15	1.41	2.25	2.69 *	2.69 *	10.20 3.90 - 11.00	2.647 - 4.117	11.11	11.62	12.13	99
18+22+35+42+50	1.10	1.34	2.14	2.57 *	3.05 *	10.20 3.90 - 11.00	2.658 - 4.128	11.16	11.67	12.18	99
18+22+42+42+42	1.11	1.35	2.58 *	2.58 *	2.58 *	10.20 3.90 - 11.00	2.658 - 4.128	11.16	11.67	12.18	99
18+25+25+25+25	1.56	2.16	2.16	2.16	2.16	10.20 3.90 - 11.00	2.652 - 4.122	11.14	11.65	12.16	99
18+25+25+25+35	1.43	1.99	1.99	1.99	2.79	10.20 3.90 - 11.00	2.670 - 4.140	11.22	11.73	12.24	99
18+25+25+25+42	1.36	1.89	1.89	1.89	3.17 *	10.20 3.90 - 11.00	2.670 - 4.140	11.22	11.73	12.24	99
18+25+25+25+50	1.28	1.78	1.78	1.78	3.57 *	10.20 3.90 - 11.00	2.664 - 4.134	11.19	11.70	12.21	99
18+25+25+25+60	1.20	1.67	1.67	1.67	4.00	10.20 3.90 - 11.00	2.664 - 4.134	11.19	11.70	12.21	99
18+25+25+25+71	1.12	1.55	1.55	1.55	4.42	10.20 3.90 - 11.00	2.647 - 4.117	11.11	11.62	12.13	99
18+25+25+35+35	1.33	1.85	1.85	2.59	2.59	10.20 3.90 - 11.00	2.651 - 4.121	11.13	11.64	12.15	99
18+25+25+35+42	1.27	1.76	1.76	2.46	2.95 *	10.20 3.90 - 11.00	2.670 - 4.140	11.22	11.73	12.24	99
18+25+25+35+50	1.20	1.67	1.67	2.33	3.33 *	10.20 3.90 - 11.00	2.664 - 4.134	11.19	11.70	12.21	99
18+25+25+35+60	1.13	1.56	1.56	2.19	3.75	10.20 3.90 - 11.00	2.664 - 4.134	11.19	11.70	12.21	99
18+25+25+42+42	1.21	1.68	1.68	2.82 *	2.82 *	10.20 3.90 - 11.00	2.647 - 4.117	11.11	11.62	12.13	99
18+25+25+42+50	1.15	1.59	1.59	2.68 *	3.19 *	10.20 3.90 - 11.00	2.658 - 4.128	11.16	11.67	12.18	99
18+25+25+42+60	1.08	1.50	1.50	2.52 *	3.60	10.20 3.90 - 11.00	2.658 - 4.128	11.16	11.67	12.18	99
18+25+25+50+50	1.09	1.52	1.52	3.04 *	3.04 *	10.20 3.90 - 11.00	2.641 - 4.111	11.10	11.60	12.10	99
18+25+35+35+35	1.24	1.72	2.41	2.41	2.41	10.20 3.90 - 11.00	2.658 - 4.128	11.16	11.67	12.18	99
18+25+35+35+42	1.18	1.65	2.30	2.30	2.76 *	10.20 3.90 - 11.00	2.670 - 4.140	11.22	11.73	12.24	99
18+25+35+35+50	1.13	1.56	2.19	2.19	3.13 *	10.20 3.90 - 11.00	2.664 - 4.134	11.19	11.70	12.21	99
18+25+35+42+42	1.13	1.57	2.20	2.64 *	2.64 *	10.20 3.90 - 11.00	2.664 - 4.134	11.19	11.70	12.21	99
18+25+35+42+50	1.08	1.50	2.10	2.52 *	3.00 *	10.20 3.90 - 11.00	2.658 - 4.128	11.16	11.67	12.18	99
18+25+42+42+42	1.09	1.51	2.53 *	2.53 *	2.53 *	10.20 3.90 - 11.00	2.658 - 4.128	11.16	11.67	12.18	99
18+35+35+35+35	1.16	2.26	2.26	2.26	2.26	10.20 3.90 - 11.00	2.652 - 4.122	11.14	11.65	12.16	99
18+35+35+35+42	1.11	2.16	2.16	2.16	2.60 *	10.20 3.90 - 11.00	2.670 - 4.140	11.22	11.73	12.24	99
18+35+35+42+42	1.07	2.08	2.08	2.49 *	2.49 *	10.20 3.90 - 11.00	2.664 - 4.134	11.19	11.70	12.21	99
20+20+20+20+20	1.97	1.97	1.97	1.97	1.97	9.86 3.90 - 11.00	2.568 - 4.128	10.79	11.28	11.77	99
20+20+20+20+22	1.87	1.87	1.87	1.87	2.06	9.53 3.90 - 11.00	2.655 - 4.175	11.15	11.66	12.17	99
20+20+20+20+25	1.87	1.87	1.87	1.87	2.33	9.80 3.90 - 11.00	2.698 - 4.168	11.33	11.85	12.37	99
20+20+20+20+35	1.70	1.70	1.70	1.70	2.98	9.80 3.90 - 11.00	2.698 - 4.168	11.33	11.85	12.37	99
20+20+20+20+42	1.61	1.61	1.61	1.61	3.37 *	9.80 3.90 - 11.00	2.698 - 4.168	11.33	11.85	12.37	99
20+20+20+20+50	1.51	1.51	1.51	1.51	3.77 *	9.80 3.90 - 11.00	2.692 - 4.162	11.31	11.82	12.33	99
20+20+20+20+60	1.40	1.40	1.40	1.40	4.20	9.80 3.90 - 11.00	2.692 - 4.162	11.31	11.82	12.33	99
20+20+20+20+71	1.30	1.30	1.30	1.30	4.61	9.80 3.90 - 11.00	2.675 - 4.145	11.24	11.75	12.26	99
20+20+20+22+25	1.83	1.83	1.83	2.01	2.29	9.80 3.90 - 11.00	2.679 - 4.149	11.26	11.77	12.28	99
20+20+20+22+35	1.69	1.69	1.69	1.86	2.96	9.90 3.90 - 11.00	2.691 - 4.161	11.31	11.82	12.33	99
20+20+20+22+42	1.60	1.60	1.60	1.76	3.35 *	9.90 3.90 - 11.00	2.691 - 4.161	11.31	11.82	12.33	99
20+20+20+22+50	1.50	1.50	1.50	1.65	3.75 *	9.90 3.90 - 11.00	2.685 - 4.155	11.28	11.79	12.30	99
20+20+20+22+60	1.39	1.39	1.39	1.53	4.18	9.90 3.90 - 11.00	2.685 - 4.155	11.28	11.79	12.30	99
20+20+20+22+71	1.29	1.29	1.29	1.42	4.59	9.90 3.90 - 11.00	2.668 - 4.138	11.21	11.72	12.23	99



**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+20+20+25+25	1.80	1.80	1.80	2.25	2.25	9.90 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
20+20+20+25+35	1.65	1.65	1.65	2.06	2.89	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
20+20+20+25+42	1.56	1.56	1.56	1.95	3.27 *	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
20+20+20+25+50	1.47	1.47	1.47	1.83	3.67 *	9.90 3.90 - 11.00	2.685 0.640 - 4.155	11.28	11.79	12.30	99
20+20+20+25+60	1.37	1.37	1.37	1.71	4.10	9.90 3.90 - 11.00	2.685 0.640 - 4.155	11.28	11.79	12.30	99
20+20+20+25+71	1.27	1.27	1.27	1.59	4.51	9.90 3.90 - 11.00	2.668 0.640 - 4.138	11.21	11.72	12.23	99
20+20+20+35+35	1.52	1.52	1.52	2.67	2.67	9.90 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
20+20+20+35+42	1.45	1.45	1.45	2.53	3.04 *	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
20+20+20+35+50	1.37	1.37	1.37	2.39	3.41 *	9.90 3.90 - 11.00	2.685 0.640 - 4.155	11.28	11.79	12.30	99
20+20+20+35+60	1.28	1.28	1.28	2.24	3.83	9.90 3.90 - 11.00	2.685 0.640 - 4.155	11.28	11.79	12.30	99
20+20+20+35+71	1.19	1.19	1.19	2.09	4.23	9.90 3.90 - 11.00	2.668 0.640 - 4.138	11.21	11.72	12.23	99
20+20+20+42+42	1.38	1.38	1.38	2.89 *	2.89 *	9.90 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
20+20+20+42+50	1.30	1.30	1.30	2.74 *	3.26 *	9.90 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
20+20+20+42+60	1.22	1.22	1.22	2.57 *	3.67	9.90 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
20+20+20+50+50	1.24	1.24	1.24	3.09 *	3.09 *	9.90 3.90 - 11.00	2.662 0.640 - 4.132	11.18	11.69	12.20	99
20+20+20+50+60	1.16	1.16	1.16	2.91 *	3.49	9.90 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
20+20+22+22+22	1.87	1.87	2.05	2.05	2.05	9.90 3.90 - 11.00	2.662 0.640 - 4.132	11.18	11.69	12.20	99
20+20+22+22+25	1.83	1.83	2.02	2.02	2.29	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
20+20+22+22+35	1.68	1.68	1.85	1.85	2.94	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
20+20+22+22+42	1.59	1.59	1.75	1.75	3.33 *	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
20+20+22+22+50	1.49	1.49	1.64	1.64	3.73 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
20+20+22+22+60	1.39	1.39	1.53	1.53	4.17	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
20+20+22+22+71	1.29	1.29	1.42	1.42	4.58	10.00 3.90 - 11.00	2.661 0.640 - 4.131	11.18	11.69	12.20	99
20+20+22+25+25	1.79	1.79	1.96	2.23	2.23	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+20+22+25+35	1.64	1.64	1.80	2.05	2.87	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
20+20+22+25+42	1.55	1.55	1.71	1.94	3.26 *	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
20+20+22+25+50	1.46	1.46	1.61	1.82	3.65 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
20+20+22+25+60	1.36	1.36	1.50	1.70	4.08	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
20+20+22+25+71	1.27	1.27	1.39	1.58	4.49	10.00 3.90 - 11.00	2.661 0.640 - 4.131	11.18	11.69	12.20	99
20+20+22+35+35	1.52	1.52	1.67	2.65	2.65	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+20+22+35+42	1.44	1.44	1.58	2.52	3.02 *	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
20+20+22+35+50	1.36	1.36	1.50	2.38	3.40 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
20+20+22+35+60	1.27	1.27	1.40	2.23	3.82	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
20+20+22+35+71	1.19	1.19	1.31	2.08	4.23	10.00 3.90 - 11.00	2.661 0.640 - 4.131	11.18	11.69	12.20	99
20+20+22+42+42	1.37	1.37	1.51	2.88 *	2.88 *	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+20+22+42+50	1.30	1.30	1.43	2.73 *	3.25 *	10.00 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
20+20+22+42+60	1.22	1.22	1.34	2.56 *	3.66	10.00 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
20+20+22+50+50	1.23	1.23	1.36	3.09 *	3.09 *	10.00 3.90 - 11.00	2.655 0.640 - 4.125	11.15	11.66	12.17	99
20+20+22+50+60	1.16	1.16	1.28	2.91 *	3.49	10.00 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
20+20+25+25+25	1.74	1.74	2.17	2.17	2.17	10.00 3.90 - 11.00	2.655 0.640 - 4.125	11.15	11.66	12.17	99
20+20+25+25+35	1.60	1.60	2.00	2.00	2.80	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+20+25+25+42	1.52	1.52	1.89	1.89	3.18 *	10.00 3.90 - 11.00	2.684 - 4.154	11.28	11.79	12.30	99
20+20+25+25+50	1.43	1.43	1.79	1.79	3.57 *	10.00 3.90 - 11.00	2.678 - 4.148	11.25	11.76	12.27	99
20+20+25+25+60	1.33	1.33	1.67	1.67	4.00	10.00 3.90 - 11.00	2.678 - 4.148	11.25	11.76	12.27	99
20+20+25+25+71	1.24	1.24	1.55	1.55	4.41	10.00 3.90 - 11.00	2.661 - 4.131	11.18	11.69	12.20	99
20+20+25+35+35	1.48	1.48	1.85	2.59	2.59	10.00 3.90 - 11.00	2.665 - 4.135	11.19	11.70	12.21	99
20+20+25+35+42	1.41	1.41	1.76	2.46	2.96 *	10.00 3.90 - 11.00	2.684 - 4.154	11.28	11.79	12.30	99
20+20+25+35+50	1.33	1.33	1.67	2.33	3.33 *	10.00 3.90 - 11.00	2.678 - 4.148	11.25	11.76	12.27	99
20+20+25+35+60	1.25	1.25	1.56	2.19	3.75	10.00 3.90 - 11.00	2.678 - 4.148	11.25	11.76	12.27	99
20+20+25+35+71	1.17	1.17	1.46	2.05	4.15	10.00 3.90 - 11.00	2.661 - 4.131	11.18	11.69	12.20	99
20+20+25+42+42	1.34	1.34	1.68	2.82 *	2.82 *	10.00 3.90 - 11.00	2.665 - 4.135	11.19	11.70	12.21	99
20+20+25+42+50	1.27	1.27	1.59	2.68 *	3.18 *	10.00 3.90 - 11.00	2.672 - 4.142	11.22	11.73	12.24	99
20+20+25+42+60	1.20	1.20	1.50	2.51 *	3.59	10.00 3.90 - 11.00	2.672 - 4.142	11.22	11.73	12.24	99
20+20+25+50+50	1.21	1.21	1.52	3.03 *	3.03 *	10.00 3.90 - 11.00	2.655 - 4.125	11.15	11.66	12.17	99
20+20+35+35+35	1.38	1.38	2.41	2.41	2.41	10.00 3.90 - 11.00	2.672 - 4.142	11.22	11.73	12.24	99
20+20+35+35+42	1.32	1.32	2.30	2.30	2.76 *	10.00 3.90 - 11.00	2.684 - 4.154	11.28	11.79	12.30	99
20+20+35+35+50	1.25	1.25	2.19	2.19	3.13 *	10.00 3.90 - 11.00	2.678 - 4.148	11.25	11.76	12.27	99
20+20+35+35+60	1.18	1.18	2.06	2.06	3.53	10.00 3.90 - 11.00	2.678 - 4.148	11.25	11.76	12.27	99
20+20+35+42+42	1.26	1.26	2.20	2.64 *	2.64 *	10.00 3.90 - 11.00	2.661 - 4.131	11.18	11.69	12.20	99
20+20+35+42+50	1.20	1.20	2.10	2.51 *	2.99 *	10.00 3.90 - 11.00	2.672 - 4.142	11.22	11.73	12.24	99
20+20+42+42+42	1.20	1.20	2.53 *	2.53 *	2.53 *	10.00 3.90 - 11.00	2.672 - 4.142	11.22	11.73	12.24	99
20+22+22+22+22	1.85	2.04	2.04	2.04	2.04	10.00 3.90 - 11.00	2.666 - 4.136	11.20	11.71	12.22	99
20+22+22+22+25	1.82	2.00	2.00	2.00	2.27	10.10 3.90 - 11.00	2.677 - 4.147	11.25	11.76	12.27	99
20+22+22+22+35	1.67	1.84	1.84	1.84	2.92	10.10 3.90 - 11.00	2.677 - 4.147	11.25	11.76	12.27	99
20+22+22+22+42	1.58	1.74	1.74	1.74	3.31 *	10.10 3.90 - 11.00	2.677 - 4.147	11.25	11.76	12.27	99
20+22+22+22+50	1.49	1.63	1.63	1.63	3.71 *	10.10 3.90 - 11.00	2.671 - 4.141	11.22	11.73	12.24	99
20+22+22+22+60	1.38	1.52	1.52	1.52	4.15	10.10 3.90 - 11.00	2.671 - 4.141	11.22	11.73	12.24	99
20+22+22+22+71	1.29	1.42	1.42	1.42	4.57	10.10 3.90 - 11.00	2.654 - 4.124	11.15	11.66	12.17	99
20+22+22+25+25	1.77	1.95	1.95	2.21	2.21	10.10 3.90 - 11.00	2.658 - 4.128	11.16	11.67	12.18	99
20+22+22+25+35	1.63	1.79	1.79	2.04	2.85	10.10 3.90 - 11.00	2.677 - 4.147	11.25	11.76	12.27	99
20+22+22+25+42	1.54	1.70	1.70	1.93	3.24 *	10.10 3.90 - 11.00	2.677 - 4.147	11.25	11.76	12.27	99
20+22+22+25+50	1.45	1.60	1.60	1.82	3.63 *	10.10 3.90 - 11.00	2.671 - 4.141	11.22	11.73	12.24	99
20+22+22+25+60	1.36	1.49	1.49	1.69	4.07	10.10 3.90 - 11.00	2.671 - 4.141	11.22	11.73	12.24	99
20+22+22+25+71	1.26	1.39	1.39	1.58	4.48	10.10 3.90 - 11.00	2.654 - 4.124	11.15	11.66	12.17	99
20+22+22+35+35	1.51	1.66	1.66	2.64	2.64	10.10 3.90 - 11.00	2.658 - 4.128	11.16	11.67	12.18	99
20+22+22+35+42	1.43	1.58	1.58	2.51	3.01 *	10.10 3.90 - 11.00	2.677 - 4.147	11.25	11.76	12.27	99
20+22+22+35+50	1.36	1.49	1.49	2.37	3.39 *	10.10 3.90 - 11.00	2.671 - 4.141	11.22	11.73	12.24	99
20+22+22+35+60	1.27	1.40	1.40	2.22	3.81	10.10 3.90 - 11.00	2.671 - 4.141	11.22	11.73	12.24	99
20+22+22+35+71	1.19	1.31	1.31	2.08	4.22	10.10 3.90 - 11.00	2.654 - 4.124	11.15	11.66	12.17	99
20+22+22+42+42	1.36	1.50	1.50	2.87 *	2.87 *	10.10 3.90 - 11.00	2.658 - 4.128	11.16	11.67	12.18	99
20+22+22+42+50	1.29	1.42	1.42	2.72 *	3.24 *	10.10 3.90 - 11.00	2.665 - 4.135	11.19	11.70	12.21	99
20+22+22+42+60	1.22	1.34	1.34	2.56 *	3.65	10.10 3.90 - 11.00	2.665 - 4.135	11.19	11.70	12.21	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+22+22+50+50	1.23	1.35	1.35	3.08 *	3.08 *	10.10 3.90 - 11.00	2.648 0.640 - 4.118	11.12	11.63	12.14	99
20+22+25+25+25	1.73	1.90	2.16	2.16	2.16	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+22+25+25+35	1.59	1.75	1.99	1.99	2.78	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
20+22+25+25+42	1.51	1.66	1.88	1.88	3.17 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
20+22+25+25+50	1.42	1.56	1.78	1.78	3.56 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
20+22+25+25+60	1.33	1.46	1.66	1.66	3.99	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
20+22+25+25+71	1.24	1.36	1.55	1.55	4.40	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
20+22+25+35+35	1.47	1.62	1.84	2.58	2.58	10.10 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
20+22+25+35+42	1.40	1.54	1.75	2.45	2.95 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
20+22+25+35+50	1.33	1.46	1.66	2.33	3.32 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
20+22+25+35+60	1.25	1.37	1.56	2.18	3.74	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
20+22+25+42+42	1.34	1.47	1.67	2.81 *	2.81 *	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
20+22+25+42+50	1.27	1.40	1.59	2.67 *	3.18 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+22+25+42+60	1.20	1.31	1.49	2.51 *	3.59	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+22+25+50+50	1.21	1.33	1.51	3.02 *	3.02 *	10.10 3.90 - 11.00	2.648 0.640 - 4.118	11.12	11.63	12.14	99
20+22+35+35+35	1.37	1.51	2.40	2.40	2.40	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+22+35+35+42	1.31	1.44	2.30	2.30	2.75 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
20+22+35+35+50	1.25	1.37	2.18	2.18	3.12 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
20+22+35+35+60	1.17	1.29	2.06	2.06	3.52	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
20+22+35+42+42	1.25	1.38	2.20	2.63 *	2.63 *	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
20+22+35+42+50	1.20	1.31	2.09	2.51 *	2.99 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+22+42+42+42	1.20	1.32	2.53 *	2.53 *	2.53 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+25+25+25+25	1.68	2.10	2.10	2.10	2.10	10.10 3.90 - 11.00	2.659 0.640 - 4.129	11.17	11.68	12.19	99
20+25+25+25+35	1.55	1.94	1.94	1.94	2.72	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
20+25+25+25+42	1.47	1.84	1.84	1.84	3.10 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
20+25+25+25+50	1.39	1.74	1.74	1.74	3.48 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
20+25+25+25+60	1.30	1.63	1.63	1.63	3.91	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
20+25+25+25+71	1.22	1.52	1.52	1.52	4.32	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
20+25+25+35+35	1.44	1.80	1.80	2.53	2.53	10.10 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
20+25+25+35+42	1.37	1.72	1.72	2.40	2.89 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
20+25+25+35+50	1.30	1.63	1.63	2.28	3.26 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
20+25+25+35+60	1.22	1.53	1.53	2.14	3.67	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
20+25+25+42+42	1.31	1.64	1.64	2.75 *	2.75 *	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
20+25+25+42+50	1.25	1.56	1.56	2.62 *	3.12 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+25+25+42+60	1.17	1.47	1.47	2.47 *	3.52	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+25+25+50+50	1.19	1.49	1.49	2.97 *	2.97 *	10.10 3.90 - 11.00	2.648 0.640 - 4.118	11.12	11.63	12.14	99
20+25+35+35+35	1.35	1.68	2.36	2.36	2.36	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+25+35+35+42	1.29	1.61	2.25	2.25	2.70 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
20+25+35+35+50	1.22	1.53	2.14	2.14	3.06 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
20+25+35+42+42	1.23	1.54	2.16	2.59 *	2.59 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
20+25+35+42+50	1.17	1.47	2.06	2.47 *	2.94 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+25+42+42+42	1.18	1.48	2.48 *	2.48 *	2.48 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+35+35+35+35	1.26	2.21	2.21	2.21	2.21	10.10 3.90 - 11.00	2.659 0.640 - 4.129	11.17	11.68	12.19	99
20+35+35+35+42	1.21	2.12	2.12	2.12	2.54 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
22+22+22+22+22	2.02	2.02	2.02	2.02	2.02	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
22+22+22+22+25	1.99	1.99	1.99	1.99	2.26	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+22+22+22+35	1.82	1.82	1.82	1.82	2.90	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+22+22+22+42	1.73	1.73	1.73	1.73	3.30 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+22+22+22+50	1.63	1.63	1.63	1.63	3.70 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+22+22+22+60	1.52	1.52	1.52	1.52	4.14	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+22+22+22+71	1.41	1.41	1.41	1.41	4.55	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
22+22+22+25+25	1.93	1.93	1.93	2.20	2.20	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
22+22+22+25+35	1.78	1.78	1.78	2.02	2.83	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+22+22+25+42	1.69	1.69	1.69	1.92	3.22 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+22+22+25+50	1.59	1.59	1.59	1.81	3.62 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+22+22+25+60	1.49	1.49	1.49	1.69	4.05	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+22+22+25+71	1.39	1.39	1.39	1.57	4.47	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
22+22+22+35+35	1.65	1.65	1.65	2.63	2.63	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
22+22+22+35+42	1.57	1.57	1.57	2.50	3.00 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+22+22+35+50	1.49	1.49	1.49	2.36	3.38 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+22+22+35+60	1.39	1.39	1.39	2.22	3.80	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+22+22+35+71	1.30	1.30	1.30	2.08	4.21	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
22+22+22+42+42	1.50	1.50	1.50	2.86 *	2.86 *	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
22+22+22+42+50	1.42	1.42	1.42	2.71 *	3.23 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
22+22+22+42+60	1.34	1.34	1.34	2.55 *	3.64	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
22+22+22+50+50	1.35	1.35	1.35	3.07 *	3.07 *	10.20 3.90 - 11.00	2.641 0.640 - 4.111	11.10	11.60	12.10	99
22+22+25+25+25	1.89	1.89	2.14	2.14	2.14	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
22+22+25+25+35	1.74	1.74	1.98	1.98	2.77	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+22+25+25+42	1.65	1.65	1.88	1.88	3.15 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+22+25+25+50	1.56	1.56	1.77	1.77	3.54 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+22+25+25+60	1.46	1.46	1.66	1.66	3.97	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+22+25+25+71	1.36	1.36	1.55	1.55	4.39	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
22+22+25+35+35	1.61	1.61	1.83	2.57	2.57	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
22+22+25+35+42	1.54	1.54	1.75	2.45	2.93 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+22+25+35+50	1.46	1.46	1.66	2.32	3.31 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+22+25+35+60	1.37	1.37	1.55	2.18	3.73	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+22+25+42+42	1.47	1.47	1.67	2.80 *	2.80 *	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
22+22+25+42+50	1.39	1.39	1.58	2.66 *	3.17 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
22+22+25+42+60	1.31	1.31	1.49	2.51 *	3.58	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
22+22+25+50+50	1.33	1.33	1.51	3.02 *	3.02 *	10.20 3.90 - 11.00	2.641 0.640 - 4.111	11.10	11.60	12.10	99
22+22+35+35+35	1.51	1.51	2.40	2.40	2.40	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
22+22+35+35+42	1.44	1.44	2.29	2.29	2.75 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
22+22+35+35+50	1.37	1.37	2.18	2.18	3.11 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+22+35+42+42	1.38	1.38	2.19	2.63 *	2.63 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+22+35+42+50	1.31	1.31	2.09	2.51 *	2.98 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
22+22+42+42+42	1.32	1.32	2.52 *	2.52 *	2.52 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
22+25+25+25+25	1.84	2.09	2.09	2.09	2.09	10.20 3.90 - 11.00	2.652 0.640 - 4.122	11.14	11.65	12.16	99
22+25+25+25+35	1.70	1.93	1.93	1.93	2.70	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+25+25+25+42	1.61	1.83	1.83	1.83	3.08 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+25+25+25+50	1.53	1.73	1.73	1.73	3.47 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+25+25+25+60	1.43	1.62	1.62	1.62	3.90	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+25+25+25+71	1.34	1.52	1.52	1.52	4.31	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
22+25+25+35+35	1.58	1.80	1.80	2.51	2.51	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
22+25+25+35+42	1.51	1.71	1.71	2.40	2.88 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+25+25+35+50	1.43	1.62	1.62	2.27	3.25 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+25+25+35+60	1.34	1.53	1.53	2.14	3.66	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+25+25+42+42	1.44	1.63	1.63	2.75 *	2.75 *	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
22+25+25+42+50	1.37	1.55	1.55	2.61 *	3.11 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
22+25+25+50+50	1.30	1.48	1.48	2.97 *	2.97 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
22+25+35+35+35	1.48	1.68	2.35	2.35	2.35	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
22+25+35+35+42	1.41	1.60	2.25	2.25	2.69 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+25+35+35+50	1.34	1.53	2.14	2.14	3.05 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+25+35+42+42	1.35	1.54	2.15	2.58 *	2.58 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+35+35+35+35	1.39	2.20	2.20	2.20	2.20	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
22+35+35+35+42	1.33	2.11	2.11	2.11	2.53 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
25+25+25+25+25	2.04	2.04	2.04	2.04	2.04	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
25+25+25+25+35	1.89	1.89	1.89	1.89	2.64	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
25+25+25+25+42	1.80	1.80	1.80	1.80	3.02 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
25+25+25+25+50	1.70	1.70	1.70	1.70	3.40 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
25+25+25+25+60	1.59	1.59	1.59	1.59	3.83	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
25+25+25+25+71	1.49	1.49	1.49	1.49	4.24	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
25+25+25+35+35	1.76	1.76	1.76	2.46	2.46	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
25+25+25+35+42	1.68	1.68	1.68	2.35	2.82 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
25+25+25+35+50	1.59	1.59	1.59	2.23	3.19 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
25+25+25+35+60	1.50	1.50	1.50	2.10	3.60	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
25+25+25+42+42	1.60	1.60	1.60	2.69 *	2.69 *	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
25+25+25+42+50	1.53	1.53	1.53	2.57 *	3.05 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
25+25+35+35+35	1.65	1.65	2.30	2.30	2.30	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
25+25+35+35+42	1.57	1.57	2.20	2.20	2.64 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
25+25+35+35+50	1.50	1.50	2.10	2.10	3.00 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
25+25+35+42+42	1.51	1.51	2.11	2.53 *	2.53 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
25+35+35+35+35	1.55	2.16	2.16	2.16	2.16	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
25+35+35+35+42	1.48	2.08	2.08	2.08	2.49 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99

\* In case of MSZ-AP42/50VG or SLZ-M50FA, Rated capacity is lower than another model.

	Total connect indoor unit 3 or more units
MSZ-AP42VG	90%
MSZ-AP50VG	80%
SLZ-M50FA	70%

ex.) MSZ-LN18VG2 + MSZ-LN25VG2 + MSZ-AP42VG

- MSZ-LN18VG2 : Rated capacity is 1.67kW
- MSZ-LN25VG2 : Rated capacity is 2.32kW
- MSZ-AP42VG : Rated capacity is 3.51kW (=3.92\*0.9)

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15	1.70	-	-	-	-	1.70 1.50 - 3.20	0.590 - 1.300	2.48	2.59	2.70	99
18	3.30	-	-	-	-	3.30 1.50 - 4.60	0.750 - 1.610	3.15	3.29	3.43	99
20	2.20	-	-	-	-	2.20 1.50 - 3.40	0.620 - 1.380	2.60	2.72	2.84	99
22	3.30	-	-	-	-	3.30 1.50 - 4.80	0.750 - 1.670	3.15	3.29	3.43	99
25	3.60	-	-	-	-	3.60 1.50 - 5.10	0.800 - 1.720	3.36	3.51	3.66	99
35	4.00	-	-	-	-	4.00 1.50 - 5.60	0.890 - 1.890	3.74	3.91	4.08	99
42	5.40	-	-	-	-	5.40 1.50 - 6.50	1.250 - 2.180	5.25	5.49	5.73	99
50	7.20	-	-	-	-	7.20 1.50 - 7.50	1.930 - 2.520	8.11	8.48	8.85	99
60	7.90	-	-	-	-	7.90 1.50 - 8.60	2.200 - 2.970	9.24	9.66	10.08	99
71	8.60	-	-	-	-	8.60 1.50 - 9.20	2.560 - 3.400	10.75	11.24	11.73	99
15+15	3.30	3.30	-	-	-	6.60 3.00 - 7.20	1.420 - 2.500	5.97	6.24	6.51	99
15+18	2.91	3.49	-	-	-	6.40 3.00 - 7.20	1.386 - 2.556	5.83	6.09	6.35	99
15+20	2.79	3.71	-	-	-	6.50 3.00 - 7.20	1.377 - 2.607	5.79	6.05	6.31	99
15+22	2.59	3.81	-	-	-	6.40 3.00 - 7.20	1.384 - 2.644	5.82	6.08	6.34	99
15+25	2.44	4.06	-	-	-	6.50 3.00 - 7.20	1.377 - 2.637	5.79	6.05	6.31	99
15+35	2.13	4.97	-	-	-	7.10 3.00 - 8.80	1.547 - 2.787	6.49	6.79	7.09	99
15+42	1.95	5.45	-	-	-	7.40 3.00 - 9.20	1.657 - 2.847	6.96	7.28	7.60	99
15+50	1.78	5.92	-	-	-	7.70 3.00 - 9.60	1.771 - 2.921	7.44	7.78	8.12	99
15+60	1.66	6.64	-	-	-	8.30 3.00 - 10.20	2.021 - 3.041	8.49	8.88	9.27	99
15+71	1.57	7.43	-	-	-	9.00 3.00 - 11.00	2.334 - 3.154	9.80	10.25	10.70	99
18+18	3.25	3.25	-	-	-	6.50 3.00 - 7.20	1.358 - 2.618	5.70	5.96	6.22	99
18+20	3.13	3.47	-	-	-	6.60 3.00 - 7.20	1.368 - 2.628	5.75	6.01	6.27	99
18+22	2.93	3.58	-	-	-	6.50 3.00 - 7.20	1.375 - 2.635	5.78	6.04	6.30	99
18+25	2.76	3.84	-	-	-	6.60 3.00 - 7.20	1.368 - 2.628	5.75	6.01	6.27	99
18+35	2.48	4.82	-	-	-	7.30 3.00 - 9.00	1.588 - 2.808	6.67	6.97	7.27	99
18+42	2.28	5.32	-	-	-	7.60 3.00 - 9.30	1.698 - 2.868	7.14	7.46	7.78	99
18+50	2.09	5.81	-	-	-	7.90 3.00 - 9.70	1.812 - 2.932	7.61	7.96	8.31	99
18+60	1.98	6.62	-	-	-	8.60 3.00 - 10.50	2.112 - 3.072	8.88	9.28	9.68	99
18+71	1.88	7.42	-	-	-	9.30 3.00 - 11.00	2.375 - 3.145	9.98	10.43	10.88	99
20+20	3.30	3.30	-	-	-	6.60 3.00 - 7.20	1.349 - 2.609	5.66	5.92	6.18	99
20+22	3.05	3.35	-	-	-	6.40 3.00 - 7.20	1.382 - 2.642	5.81	6.07	6.33	99
20+25	2.93	3.67	-	-	-	6.60 3.00 - 7.50	1.405 - 2.665	5.90	6.17	6.44	99
20+35	2.65	4.65	-	-	-	7.30 3.00 - 9.10	1.625 - 2.835	6.83	7.14	7.45	99
20+42	2.45	5.15	-	-	-	7.60 3.00 - 9.40	1.735 - 2.895	7.29	7.62	7.95	99
20+50	2.26	5.64	-	-	-	7.90 3.00 - 9.80	1.849 - 2.959	7.77	8.12	8.47	99
20+60	2.15	6.45	-	-	-	8.60 3.00 - 10.70	2.189 - 3.109	9.19	9.61	10.03	99
20+71	2.04	7.26	-	-	-	9.30 3.00 - 11.00	2.422 - 3.152	10.18	10.64	11.10	99
22+22	3.25	3.25	-	-	-	6.50 3.00 - 7.20	1.356 - 2.616	5.70	5.96	6.22	99
22+25	3.23	3.67	-	-	-	6.90 3.00 - 8.00	1.458 - 2.708	6.12	6.40	6.68	99
22+35	2.89	4.61	-	-	-	7.50 3.00 - 9.20	1.648 - 2.838	6.93	7.24	7.55	99
22+42	2.68	5.12	-	-	-	7.80 3.00 - 9.50	1.758 - 2.908	7.38	7.72	8.06	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
22+50	2.48	5.63	-	-	-	8.10 3.00 - 10.00	1.912 0.720 - 2.982	8.03	8.40	8.77	99
22+60	2.39	6.51	-	-	-	8.90 3.00 - 10.80	2.242 0.690 - 3.132	9.42	9.85	10.28	99
22+71	2.27	7.33	-	-	-	9.60 3.00 - 11.00	2.445 0.690 - 3.145	10.27	10.74	11.21	99
25+25	3.60	3.60	-	-	-	7.20 3.00 - 8.80	1.519 0.720 - 2.759	6.38	6.67	6.96	99
25+35	3.17	4.43	-	-	-	7.60 3.00 - 9.30	1.698 0.720 - 2.868	7.14	7.46	7.78	99
25+42	2.95	4.95	-	-	-	7.90 3.00 - 9.70	1.798 0.720 - 2.928	7.56	7.90	8.24	99
25+50	2.80	5.60	-	-	-	8.40 3.00 - 10.20	2.012 0.710 - 3.032	8.46	8.84	9.22	99
25+60	2.68	6.42	-	-	-	9.10 3.00 - 11.00	2.332 0.690 - 3.162	9.79	10.24	10.69	99
25+71	2.55	7.25	-	-	-	9.80 3.00 - 11.00	2.495 0.690 - 3.145	10.48	10.96	11.44	99
35+35	4.00	4.00	-	-	-	8.00 3.00 - 9.80	1.829 0.720 - 2.939	7.68	8.03	8.38	99
35+42	3.86	4.64	-	-	-	8.50 3.00 - 10.40	2.088 0.710 - 3.068	8.77	9.17	9.57	99
35+50	3.75	5.35	-	-	-	9.10 3.00 - 11.00	2.332 0.690 - 3.162	9.79	10.24	10.69	99
35+60	3.57	6.13	-	-	-	9.70 3.00 - 11.00	2.502 0.690 - 3.162	10.51	10.99	11.47	99
35+71	3.37	6.83	-	-	-	10.20 3.00 - 11.00	2.605 0.690 - 3.145	10.94	11.44	11.94	99
42+42	4.50	4.50	-	-	-	9.00 3.00 - 11.00	2.299 0.690 - 3.149	9.66	10.10	10.54	99
42+50	4.34	5.16	-	-	-	9.50 3.00 - 11.00	2.446 0.690 - 3.156	10.27	10.74	11.21	99
42+71	3.83	6.47	-	-	-	10.30 3.00 - 11.00	2.656 0.690 - 3.156	11.15	11.66	12.17	99
50+50	5.00	5.00	-	-	-	10.00 3.00 - 11.00	2.563 0.690 - 3.143	10.77	11.26	11.75	99
50+60	4.68	5.62	-	-	-	10.30 3.00 - 11.00	2.646 0.690 - 3.156	11.11	11.62	12.13	99
50+71	4.34	6.16	-	-	-	10.50 3.00 - 11.00	2.689 0.690 - 3.139	11.30	11.81	12.32	99
60+60	5.25	5.25	-	-	-	10.50 3.00 - 11.00	2.693 0.690 - 3.143	11.32	11.83	12.34	99
60+71	4.81	5.69	-	-	-	10.50 3.00 - 11.00	2.672 0.690 - 3.122	11.22	11.73	12.24	99
71+71	5.25	5.25	-	-	-	10.50 3.00 - 11.00	2.676 0.690 - 3.126	11.24	11.75	12.26	99
15+15+15	2.90	2.90	2.90	-	-	8.70 3.20 - 10.60	1.680 0.530 - 3.840	7.06	7.38	7.70	99
15+15+18	2.63	2.63	3.15	-	-	8.40 3.20 - 10.60	1.719 0.530 - 3.879	7.22	7.55	7.88	99
15+15+20	2.55	2.55	3.40	-	-	8.50 3.20 - 10.60	1.710 0.530 - 3.870	7.18	7.51	7.84	99
15+15+22	2.42	2.42	3.55	-	-	8.40 3.20 - 10.60	1.717 0.530 - 3.877	7.21	7.54	7.87	99
15+15+25	2.32	2.32	3.86	-	-	8.50 3.20 - 10.60	1.710 0.530 - 3.870	7.18	7.51	7.84	99
15+15+35	1.96	1.96	4.58	-	-	8.50 3.20 - 10.60	1.710 0.530 - 3.870	7.18	7.51	7.84	99
15+15+42	1.81	1.81	5.08	-	-	8.70 3.20 - 11.30	1.820 0.530 - 3.870	7.64	7.99	8.34	99
15+15+50	1.69	1.69	5.63	-	-	9.00 3.20 - 11.80	2.034 0.560 - 3.864	8.54	8.93	9.32	99
15+15+60	1.55	1.55	6.20	-	-	9.30 3.20 - 12.10	2.344 0.610 - 3.864	9.84	10.29	10.74	99
15+15+71	1.44	1.44	6.82	-	-	9.70 3.20 - 12.50	2.667 0.660 - 3.847	11.20	11.71	12.22	99
15+18+18	2.50	3.00	3.00	-	-	8.50 3.20 - 10.60	1.691 0.530 - 3.851	7.11	7.43	7.75	99
15+18+20	2.43	2.92	3.25	-	-	8.60 3.20 - 10.60	1.701 0.530 - 3.861	7.15	7.47	7.79	99
15+18+22	2.32	2.78	3.40	-	-	8.50 3.20 - 10.60	1.708 0.530 - 3.868	7.17	7.50	7.83	99
15+18+25	2.22	2.67	3.71	-	-	8.60 3.20 - 10.60	1.701 0.530 - 3.861	7.15	7.47	7.79	99
15+18+35	1.92	2.30	4.48	-	-	8.70 3.20 - 10.80	1.741 0.530 - 3.861	7.32	7.65	7.98	99
15+18+42	1.78	2.14	4.98	-	-	8.90 3.20 - 11.60	1.871 0.530 - 3.861	7.86	8.22	8.58	99
15+18+50	1.66	2.00	5.54	-	-	9.20 3.20 - 11.90	2.115 0.570 - 3.855	8.89	9.29	9.69	99
15+18+60	1.53	1.84	6.13	-	-	9.50 3.20 - 12.20	2.425 0.620 - 3.855	10.19	10.65	11.11	99



**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+71	1.43	1.71	6.76	-	-	9.90 3.20 - 12.60	2.758 0.680 - 3.838	11.58	12.11	12.64	99
15+20+20	2.35	3.13	3.13	-	-	8.60 3.20 - 10.60	1.682 0.530 - 3.842	7.07	7.39	7.71	99
15+20+22	2.21	2.95	3.24	-	-	8.40 3.20 - 10.60	1.715 0.530 - 3.875	7.20	7.53	7.86	99
15+20+25	2.13	2.83	3.54	-	-	8.50 3.20 - 10.60	1.708 0.530 - 3.868	7.17	7.50	7.83	99
15+20+35	1.84	2.46	4.30	-	-	8.60 3.20 - 11.00	1.788 0.530 - 3.868	7.51	7.85	8.19	99
15+20+42	1.73	2.31	4.85	-	-	8.90 3.20 - 11.70	1.938 0.540 - 3.868	8.14	8.51	8.88	99
15+20+50	1.61	2.14	5.35	-	-	9.10 3.20 - 11.90	2.182 0.580 - 3.862	9.16	9.58	10.00	99
15+20+60	1.50	2.00	6.00	-	-	9.50 3.20 - 12.30	2.502 0.630 - 3.862	10.51	10.99	11.47	99
15+20+71	1.39	1.85	6.56	-	-	9.80 3.20 - 12.60	2.795 0.680 - 3.845	11.74	12.27	12.80	99
15+22+22	2.16	3.17	3.17	-	-	8.50 3.20 - 10.60	1.689 0.530 - 3.849	7.10	7.42	7.74	99
15+22+25	2.08	3.05	3.47	-	-	8.60 3.20 - 10.60	1.701 0.530 - 3.861	7.15	7.47	7.79	99
15+22+35	1.83	2.69	4.28	-	-	8.80 3.20 - 11.30	1.811 0.530 - 3.861	7.60	7.95	8.30	99
15+22+42	1.71	2.51	4.78	-	-	9.00 3.20 - 11.70	2.001 0.550 - 3.861	8.41	8.79	9.17	99
15+22+50	1.60	2.35	5.34	-	-	9.30 3.20 - 12.00	2.245 0.590 - 3.855	9.43	9.86	10.29	99
15+22+60	1.48	2.18	5.94	-	-	9.60 3.20 - 12.30	2.555 0.640 - 3.855	10.73	11.22	11.71	99
15+22+71	1.38	2.02	6.51	-	-	9.90 3.20 - 12.60	2.788 0.680 - 3.838	11.71	12.24	12.77	99
15+25+25	1.98	3.31	3.31	-	-	8.60 3.20 - 10.60	1.682 0.530 - 3.842	7.07	7.39	7.71	99
15+25+35	1.78	2.97	4.15	-	-	8.90 3.20 - 11.60	1.871 0.530 - 3.861	7.86	8.22	8.58	99
15+25+42	1.66	2.77	4.66	-	-	9.10 3.20 - 11.80	2.091 0.570 - 3.861	8.78	9.18	9.58	99
15+25+50	1.57	2.61	5.22	-	-	9.40 3.20 - 12.10	2.335 0.610 - 3.855	9.80	10.25	10.70	99
15+25+60	1.46	2.43	5.82	-	-	9.70 3.20 - 12.40	2.645 0.660 - 3.855	11.11	11.62	12.13	99
15+25+71	1.34	2.23	6.33	-	-	9.90 3.20 - 12.60	2.788 0.680 - 3.838	11.71	12.24	12.77	99
15+35+35	1.62	3.79	3.79	-	-	9.20 3.20 - 11.90	2.162 0.580 - 3.842	9.08	9.49	9.90	99
15+35+42	1.55	3.61	4.34	-	-	9.50 3.20 - 12.20	2.401 0.620 - 3.861	10.08	10.54	11.00	99
15+35+50	1.46	3.40	4.85	-	-	9.70 3.20 - 12.40	2.645 0.660 - 3.855	11.11	11.62	12.13	99
15+35+60	1.35	3.15	5.40	-	-	9.90 3.20 - 12.60	2.805 0.680 - 3.855	11.78	12.32	12.86	99
15+35+71	1.23	2.86	5.81	-	-	9.90 3.20 - 12.60	2.788 0.680 - 3.838	11.71	12.24	12.77	99
15+42+42	1.47	4.12	4.12	-	-	9.70 3.20 - 12.40	2.602 0.650 - 3.842	10.93	11.43	11.93	99
15+42+50	1.39	3.89	4.63	-	-	9.90 3.20 - 12.60	2.799 0.680 - 3.849	11.76	12.29	12.82	99
15+42+60	1.27	3.55	5.08	-	-	9.90 3.20 - 12.60	2.799 0.680 - 3.849	11.76	12.29	12.82	99
15+42+71	1.16	3.25	5.49	-	-	9.90 3.20 - 12.60	2.782 0.680 - 3.832	11.69	12.22	12.75	99
15+50+50	1.29	4.30	4.30	-	-	9.90 3.20 - 12.60	2.786 0.680 - 3.836	11.71	12.24	12.77	99
15+50+60	1.19	3.96	4.75	-	-	9.90 3.20 - 12.60	2.799 0.680 - 3.849	11.76	12.29	12.82	99
15+50+71	1.09	3.64	5.17	-	-	9.90 3.20 - 12.60	2.782 0.680 - 3.832	11.69	12.22	12.75	99
15+60+60	1.10	4.40	4.40	-	-	9.90 3.20 - 12.60	2.786 0.680 - 3.836	11.71	12.24	12.77	99
15+60+71	1.02	4.07	4.81	-	-	9.90 3.20 - 12.60	2.765 0.680 - 3.815	11.61	12.14	12.67	99
15+71+71	0.95	4.48	4.48	-	-	9.90 3.20 - 12.60	2.769 0.680 - 3.819	11.63	12.16	12.69	99
18+18+18	2.87	2.87	2.87	-	-	8.60 3.20 - 10.60	1.663 0.530 - 3.823	6.98	7.30	7.62	99
18+18+20	2.80	2.80	3.11	-	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.11	7.43	7.75	99
18+18+22	2.67	2.67	3.26	-	-	8.60 3.20 - 10.60	1.699 0.530 - 3.859	7.14	7.46	7.78	99
18+18+25	2.57	2.57	3.57	-	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.11	7.43	7.75	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+18+35	2.26	2.26	4.39	-	-	8.90 3.20 - 11.20	1.782 0.530 - 3.852	7.49	7.83	8.17	99
18+18+42	2.10	2.10	4.90	-	-	9.10 3.20 - 11.70	1.952 0.550 - 3.852	8.20	8.57	8.94	99
18+18+50	1.97	1.97	5.47	-	-	9.40 3.20 - 12.00	2.196 0.590 - 3.846	9.22	9.64	10.06	99
18+18+60	1.82	1.82	6.06	-	-	9.70 3.20 - 12.30	2.516 0.640 - 3.846	10.57	11.05	11.53	99
18+18+71	1.68	1.68	6.64	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	11.67	12.20	12.73	99
18+20+20	2.70	3.00	3.00	-	-	8.70 3.20 - 10.60	1.673 0.530 - 3.833	7.03	7.35	7.67	99
18+20+22	2.55	2.83	3.12	-	-	8.50 3.20 - 10.60	1.706 0.530 - 3.866	7.16	7.49	7.82	99
18+20+25	2.46	2.73	3.41	-	-	8.60 3.20 - 10.60	1.699 0.530 - 3.859	7.14	7.46	7.78	99
18+20+35	2.17	2.41	4.22	-	-	8.80 3.20 - 11.40	1.829 0.530 - 3.859	7.68	8.03	8.38	99
18+20+42	2.05	2.28	4.78	-	-	9.10 3.20 - 11.80	2.029 0.560 - 3.859	8.52	8.91	9.30	99
18+20+50	1.90	2.11	5.28	-	-	9.30 3.20 - 12.00	2.273 0.600 - 3.853	9.55	9.98	10.41	99
18+20+60	1.78	1.98	5.94	-	-	9.70 3.20 - 12.40	2.583 0.650 - 3.853	10.85	11.34	11.83	99
18+20+71	1.63	1.82	6.45	-	-	9.90 3.20 - 12.60	2.786 0.680 - 3.836	11.71	12.24	12.77	99
18+22+22	2.50	3.05	3.05	-	-	8.60 3.20 - 10.60	1.680 0.530 - 3.840	7.06	7.38	7.70	99
18+22+25	2.41	2.94	3.35	-	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.11	7.43	7.75	99
18+22+35	2.16	2.64	4.20	-	-	9.00 3.20 - 11.60	1.862 0.530 - 3.852	7.82	8.18	8.54	99
18+22+42	2.02	2.47	4.71	-	-	9.20 3.20 - 11.80	2.082 0.570 - 3.852	8.74	9.14	9.54	99
18+22+50	1.90	2.32	5.28	-	-	9.50 3.20 - 12.10	2.326 0.610 - 3.846	9.78	10.22	10.66	99
18+22+60	1.76	2.16	5.88	-	-	9.80 3.20 - 12.40	2.636 0.660 - 3.846	11.08	11.58	12.08	99
18+22+71	1.62	1.98	6.40	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	11.67	12.20	12.73	99
18+25+25	2.33	3.24	3.24	-	-	8.80 3.20 - 10.80	1.713 0.530 - 3.833	7.19	7.52	7.85	99
18+25+35	2.10	2.92	4.08	-	-	9.10 3.20 - 11.70	1.952 0.550 - 3.852	8.20	8.57	8.94	99
18+25+42	1.97	2.74	4.60	-	-	9.30 3.20 - 11.90	2.172 0.580 - 3.852	9.13	9.54	9.95	99
18+25+50	1.86	2.58	5.16	-	-	9.60 3.20 - 12.20	2.416 0.620 - 3.846	10.15	10.61	11.07	99
18+25+60	1.73	2.40	5.77	-	-	9.90 3.20 - 12.50	2.736 0.670 - 3.846	11.50	12.02	12.54	99
18+25+71	1.58	2.19	6.23	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	11.67	12.20	12.73	99
18+35+35	1.92	3.74	3.74	-	-	9.40 3.20 - 12.00	2.253 0.600 - 3.833	9.46	9.89	10.32	99
18+35+42	1.84	3.57	4.29	-	-	9.70 3.20 - 12.30	2.492 0.630 - 3.852	10.46	10.94	11.42	99
18+35+50	1.73	3.36	4.81	-	-	9.90 3.20 - 12.50	2.736 0.670 - 3.846	11.50	12.02	12.54	99
18+35+60	1.59	3.10	5.31	-	-	10.00 3.20 - 12.60	2.796 0.680 - 3.846	11.75	12.28	12.81	99
18+35+71	1.45	2.82	5.73	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	11.67	12.20	12.73	99
18+42+50	1.64	3.82	4.55	-	-	10.00 3.20 - 12.60	2.783 0.680 - 3.833	11.69	12.22	12.75	99
18+42+60	1.50	3.50	5.00	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	11.72	12.25	12.78	99
18+42+71	1.37	3.21	5.42	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	11.65	12.18	12.71	99
18+50+50	1.53	4.24	4.24	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	11.67	12.20	12.73	99
18+50+60	1.41	3.91	4.69	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	11.72	12.25	12.78	99
18+50+71	1.29	3.60	5.11	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	11.65	12.18	12.71	99
18+60+60	1.30	4.35	4.35	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	11.67	12.20	12.73	99
18+60+71	1.21	4.03	4.77	-	-	10.00 3.20 - 12.60	2.756 0.680 - 3.806	11.57	12.10	12.63	99
18+71+71	1.13	4.44	4.44	-	-	10.00 3.20 - 12.60	2.760 0.680 - 3.810	11.59	12.12	12.65	99
20+20+20	2.90	2.90	2.90	-	-	8.70 3.20 - 10.60	1.654 0.530 - 3.814	6.94	7.26	7.58	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+20+22	2.71	2.71	2.98	-	-	8.40 3.20 - 10.60	1.713 0.530 - 3.873	7.19	7.52	7.85	99
20+20+25	2.62	2.62	3.27	-	-	8.50 3.20 - 10.60	1.706 0.530 - 3.866	7.16	7.49	7.82	99
20+20+35	2.35	2.35	4.11	-	-	8.80 3.20 - 11.60	1.876 0.530 - 3.866	7.88	8.24	8.60	99
20+20+42	2.20	2.20	4.61	-	-	9.00 3.20 - 11.80	2.096 0.570 - 3.866	8.81	9.21	9.61	99
20+20+50	2.07	2.07	5.17	-	-	9.30 3.20 - 12.10	2.340 0.610 - 3.860	9.83	10.28	10.73	99
20+20+60	1.92	1.92	5.76	-	-	9.60 3.20 - 12.40	2.650 0.660 - 3.860	11.13	11.64	12.15	99
20+20+71	1.77	1.77	6.27	-	-	9.80 3.20 - 12.60	2.793 0.680 - 3.843	11.74	12.27	12.80	99
20+22+22	2.66	2.92	2.92	-	-	8.50 3.20 - 10.60	1.687 0.530 - 3.847	7.09	7.41	7.73	99
20+22+25	2.57	2.82	3.21	-	-	8.60 3.20 - 10.70	1.719 0.530 - 3.859	7.22	7.55	7.88	99
20+22+35	2.34	2.57	4.09	-	-	9.00 3.20 - 11.70	1.929 0.540 - 3.859	8.10	8.47	8.84	99
20+22+42	2.19	2.41	4.60	-	-	9.20 3.20 - 11.90	2.149 0.580 - 3.859	9.03	9.44	9.85	99
20+22+50	2.07	2.27	5.16	-	-	9.50 3.20 - 12.20	2.393 0.620 - 3.853	10.05	10.51	10.97	99
20+22+71	1.75	1.93	6.22	-	-	9.90 3.20 - 12.60	2.803 0.680 - 3.853	11.77	12.31	12.85	99
20+25+25	2.49	3.11	3.11	-	-	8.70 3.20 - 11.00	1.760 0.530 - 3.840	7.39	7.73	8.07	99
20+25+35	2.28	2.84	3.98	-	-	9.10 3.20 - 11.80	2.029 0.560 - 3.859	8.52	8.91	9.30	99
20+25+42	2.14	2.67	4.49	-	-	9.30 3.20 - 12.00	2.249 0.590 - 3.859	9.45	9.88	10.31	99
20+25+50	2.02	2.53	5.05	-	-	9.60 3.20 - 12.30	2.493 0.630 - 3.853	10.47	10.95	11.43	99
20+25+60	1.89	2.36	5.66	-	-	9.90 3.20 - 12.60	2.803 0.680 - 3.853	11.77	12.31	12.85	99
20+25+71	1.71	2.13	6.06	-	-	9.90 3.20 - 12.60	2.786 0.680 - 3.836	11.71	12.24	12.77	99
20+35+35	2.09	3.66	3.66	-	-	9.40 3.20 - 12.10	2.320 0.610 - 3.840	9.75	10.19	10.63	99
20+35+42	1.98	3.46	4.16	-	-	9.60 3.20 - 12.30	2.559 0.640 - 3.859	10.75	11.24	11.73	99
20+35+50	1.89	3.30	4.71	-	-	9.90 3.20 - 12.60	2.803 0.680 - 3.853	11.77	12.31	12.85	99
20+35+60	1.72	3.01	5.17	-	-	9.90 3.20 - 12.60	2.803 0.680 - 3.853	11.77	12.31	12.85	99
20+35+71	1.57	2.75	5.58	-	-	9.90 3.20 - 12.60	2.786 0.680 - 3.836	11.71	12.24	12.77	99
20+42+42	1.90	4.00	4.00	-	-	9.90 3.20 - 12.60	2.760 0.680 - 3.840	11.59	12.12	12.65	99
20+42+50	1.77	3.71	4.42	-	-	9.90 3.20 - 12.60	2.797 0.680 - 3.847	11.75	12.28	12.81	99
20+42+60	1.62	3.41	4.87	-	-	9.90 3.20 - 12.60	2.797 0.680 - 3.847	11.75	12.28	12.81	99
20+42+71	1.49	3.13	5.28	-	-	9.90 3.20 - 12.60	2.780 0.680 - 3.830	11.68	12.21	12.74	99
20+50+50	1.65	4.13	4.13	-	-	9.90 3.20 - 12.60	2.784 0.680 - 3.834	11.70	12.23	12.76	99
20+50+60	1.52	3.81	4.57	-	-	9.90 3.20 - 12.60	2.797 0.680 - 3.847	11.75	12.28	12.81	99
20+50+71	1.40	3.51	4.99	-	-	9.90 3.20 - 12.60	2.780 0.680 - 3.830	11.68	12.21	12.74	99
20+60+60	1.41	4.24	4.24	-	-	9.90 3.20 - 12.60	2.784 0.680 - 3.834	11.70	12.23	12.76	99
20+60+71	1.31	3.93	4.65	-	-	9.90 3.20 - 12.60	2.763 0.680 - 3.813	11.60	12.13	12.66	99
20+71+71	1.22	4.34	4.34	-	-	9.90 3.20 - 12.60	2.767 0.680 - 3.817	11.62	12.15	12.68	99
22+22+22	2.87	2.87	2.87	-	-	8.60 3.20 - 10.60	1.661 0.530 - 3.821	6.97	7.29	7.61	99
22+22+25	2.81	2.81	3.19	-	-	8.80 3.20 - 10.90	1.752 0.530 - 3.852	7.36	7.69	8.02	99
22+22+35	2.53	2.53	4.03	-	-	9.10 3.20 - 11.70	1.992 0.550 - 3.852	8.37	8.75	9.13	99
22+22+42	2.40	2.40	4.59	-	-	9.40 3.20 - 12.00	2.202 0.590 - 3.852	9.25	9.67	10.09	99
22+22+50	2.25	2.25	5.11	-	-	9.60 3.20 - 12.20	2.456 0.630 - 3.846	10.32	10.79	11.26	99
22+22+60	2.12	2.12	5.77	-	-	10.00 3.20 - 12.60	2.766 0.680 - 3.846	11.62	12.15	12.68	99
22+22+71	1.91	1.91	6.17	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	11.67	12.20	12.73	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
22+25+25	2.72	3.09	3.09	-	-	8.90 3.20 - 11.30	1.783 0.530 - 3.833	7.49	7.83	8.17	99
22+25+35	2.47	2.80	3.93	-	-	9.20 3.20 - 11.80	2.082 0.570 - 3.852	8.74	9.14	9.54	99
22+25+42	2.35	2.67	4.48	-	-	9.50 3.20 - 12.10	2.302 0.600 - 3.852	9.67	10.11	10.55	99
22+25+50	2.20	2.50	5.00	-	-	9.70 3.20 - 12.30	2.546 0.640 - 3.846	10.69	11.18	11.67	99
22+25+60	2.06	2.34	5.61	-	-	10.00 3.20 - 12.60	2.796 0.680 - 3.846	11.75	12.28	12.81	99
22+25+71	1.86	2.12	6.02	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	11.67	12.20	12.73	99
22+35+35	2.30	3.65	3.65	-	-	9.60 3.20 - 12.20	2.373 0.620 - 3.833	9.97	10.42	10.87	99
22+35+42	2.18	3.46	4.16	-	-	9.80 3.20 - 12.40	2.612 0.650 - 3.852	10.97	11.47	11.97	99
22+35+50	2.06	3.27	4.67	-	-	10.00 3.20 - 12.60	2.796 0.680 - 3.846	11.75	12.28	12.81	99
22+35+60	1.88	2.99	5.13	-	-	10.00 3.20 - 12.60	2.796 0.680 - 3.846	11.75	12.28	12.81	99
22+35+71	1.72	2.73	5.55	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	11.67	12.20	12.73	99
22+42+42	2.08	3.96	3.96	-	-	10.00 3.20 - 12.60	2.783 0.680 - 3.833	11.69	12.22	12.75	99
22+42+50	1.93	3.68	4.39	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	11.72	12.25	12.78	99
22+42+60	1.77	3.39	4.84	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	11.72	12.25	12.78	99
22+42+71	1.63	3.11	5.26	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	11.65	12.18	12.71	99
22+50+50	1.80	4.10	4.10	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	11.67	12.20	12.73	99
22+50+60	1.67	3.79	4.55	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	11.72	12.25	12.78	99
22+50+71	1.54	3.50	4.97	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	11.65	12.18	12.71	99
22+60+60	1.55	4.23	4.23	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	11.67	12.20	12.73	99
22+60+71	1.44	3.92	4.64	-	-	10.00 3.20 - 12.60	2.756 0.680 - 3.806	11.57	12.10	12.63	99
22+71+71	1.34	4.33	4.33	-	-	10.00 3.20 - 12.60	2.760 0.680 - 3.810	11.59	12.12	12.65	99
25+25+25	3.00	3.00	3.00	-	-	9.00 3.20 - 11.60	1.824 0.530 - 3.814	7.66	8.01	8.36	99
25+25+35	2.74	2.74	3.83	-	-	9.30 3.20 - 11.90	2.172 0.580 - 3.852	9.13	9.54	9.95	99
25+25+42	2.61	2.61	4.38	-	-	9.60 3.20 - 12.20	2.392 0.620 - 3.852	10.05	10.51	10.97	99
25+25+50	2.45	2.45	4.90	-	-	9.80 3.20 - 12.40	2.636 0.660 - 3.846	11.08	11.58	12.08	99
25+25+60	2.27	2.27	5.45	-	-	10.00 3.20 - 12.60	2.796 0.680 - 3.846	11.75	12.28	12.81	99
25+25+71	2.07	2.07	5.87	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	11.67	12.20	12.73	99
25+35+35	2.55	3.57	3.57	-	-	9.70 3.20 - 12.30	2.473 0.630 - 3.833	10.39	10.86	11.33	99
25+35+50	2.27	3.18	4.55	-	-	10.00 3.20 - 12.60	2.802 0.680 - 3.852	11.77	12.31	12.85	99
25+35+60	2.08	2.92	5.00	-	-	10.00 3.20 - 12.60	2.796 0.680 - 3.846	11.75	12.28	12.81	99
25+35+71	1.91	2.67	5.42	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	11.67	12.20	12.73	99
25+42+42	2.29	3.85	3.85	-	-	10.00 3.20 - 12.60	2.783 0.680 - 3.833	11.69	12.22	12.75	99
25+42+50	2.14	3.59	4.27	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	11.72	12.25	12.78	99
25+42+60	1.97	3.31	4.72	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	11.72	12.25	12.78	99
25+42+71	1.81	3.04	5.14	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	11.65	12.18	12.71	99
25+50+50	2.00	4.00	4.00	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	11.67	12.20	12.73	99
25+50+60	1.85	3.70	4.44	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	11.72	12.25	12.78	99
25+50+71	1.71	3.42	4.86	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	11.65	12.18	12.71	99
25+60+60	1.72	4.14	4.14	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	11.67	12.20	12.73	99
25+60+71	1.60	3.85	4.55	-	-	10.00 3.20 - 12.60	2.756 0.680 - 3.806	11.57	12.10	12.63	99
25+71+71	1.50	4.25	4.25	-	-	10.00 3.20 - 12.60	2.760 0.680 - 3.810	11.59	12.12	12.65	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
35+35+35	3.33	3.33	3.33	-	-	10.00 3.20 - 12.60	2.764 0.680 - 3.814	11.61	12.14	12.67	99
35+35+42	3.13	3.13	3.75	-	-	10.00 3.20 - 12.60	2.802 0.680 - 3.852	11.77	12.31	12.85	99
35+35+50	2.92	2.92	4.17	-	-	10.00 3.20 - 12.60	2.796 0.680 - 3.846	11.75	12.28	12.81	99
35+35+60	2.69	2.69	4.62	-	-	10.00 3.20 - 12.60	2.796 0.680 - 3.846	11.75	12.28	12.81	99
35+35+71	2.48	2.48	5.04	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	11.67	12.20	12.73	99
35+42+42	2.94	3.53	3.53	-	-	10.00 3.20 - 12.60	2.783 0.680 - 3.833	11.69	12.22	12.75	99
35+42+50	2.76	3.31	3.94	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	11.72	12.25	12.78	99
35+42+60	2.55	3.07	4.38	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	11.72	12.25	12.78	99
35+42+71	2.36	2.84	4.80	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	11.65	12.18	12.71	99
35+50+50	2.59	3.70	3.70	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	11.67	12.20	12.73	99
35+50+60	2.41	3.45	4.14	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	11.72	12.25	12.78	99
35+50+71	2.24	3.21	4.55	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	11.65	12.18	12.71	99
35+60+60	2.26	3.87	3.87	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	11.67	12.20	12.73	99
35+60+71	2.11	3.61	4.28	-	-	10.00 3.20 - 12.60	2.756 0.680 - 3.806	11.57	12.10	12.63	99
42+42+42	3.33	3.33	3.33	-	-	10.00 3.20 - 12.60	2.760 0.680 - 3.810	11.59	12.12	12.65	99
42+42+50	3.13	3.13	3.73	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	11.70	12.23	12.76	99
42+42+60	2.92	2.92	4.17	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	11.70	12.23	12.76	99
42+42+71	2.71	2.71	4.58	-	-	10.00 3.20 - 12.60	2.767 0.680 - 3.817	11.62	12.15	12.68	99
42+50+50	2.96	3.52	3.52	-	-	10.00 3.20 - 12.60	2.771 0.680 - 3.821	11.64	12.17	12.70	99
42+50+60	2.76	3.29	3.95	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	11.70	12.23	12.76	99
42+50+71	2.58	3.07	4.36	-	-	10.00 3.20 - 12.60	2.767 0.680 - 3.817	11.62	12.15	12.68	99
42+60+60	2.59	3.70	3.70	-	-	10.00 3.20 - 12.60	2.771 0.680 - 3.821	11.64	12.17	12.70	99
50+50+50	3.33	3.33	3.33	-	-	10.00 3.20 - 12.60	2.750 0.680 - 3.800	11.55	12.08	12.61	99
50+50+60	3.13	3.13	3.75	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	11.70	12.23	12.76	99
50+50+71	2.92	2.92	4.15	-	-	10.00 3.20 - 12.60	2.767 0.680 - 3.817	11.62	12.15	12.68	99
50+60+60	2.94	3.53	3.53	-	-	10.00 3.20 - 12.60	2.771 0.680 - 3.821	11.64	12.17	12.70	99
15+15+15+15	2.25	2.25	2.25	2.25	-	9.00 3.40 - 11.60	1.810 0.590 - 3.800	7.60	7.95	8.30	99
15+15+15+18	2.12	2.12	2.12	2.54	-	8.90 3.40 - 12.00	1.982 0.590 - 3.862	8.32	8.70	9.08	99
15+15+15+20	2.10	2.10	2.10	2.80	-	9.10 3.40 - 12.30	2.053 0.590 - 3.853	8.63	9.02	9.41	99
15+15+15+22	2.06	2.06	2.06	3.02	-	9.20 3.40 - 12.60	2.130 0.590 - 3.860	8.94	9.35	9.76	99
15+15+15+25	2.04	2.04	2.04	3.39	-	9.50 3.40 - 13.00	2.243 0.590 - 3.853	9.42	9.85	10.28	99
15+15+15+35	1.82	1.82	1.82	4.24	-	9.70 3.40 - 13.30	2.313 0.590 - 3.853	9.72	10.16	10.60	99
15+15+15+42	1.67	1.67	1.67	4.68	-	9.70 3.40 - 13.30	2.313 0.590 - 3.853	9.72	10.16	10.60	99
15+15+15+50	1.53	1.53	1.53	5.11	-	9.70 3.40 - 13.30	2.307 0.590 - 3.847	9.69	10.13	10.57	99
15+15+15+60	1.40	1.40	1.40	5.60	-	9.80 3.40 - 13.30	2.377 0.590 - 3.847	9.99	10.44	10.89	99
15+15+15+71	1.31	1.31	1.31	6.18	-	10.10 3.40 - 13.30	2.520 0.590 - 3.830	10.59	11.07	11.55	99
15+15+18+18	2.09	2.09	2.51	2.51	-	9.20 3.40 - 12.50	2.074 0.590 - 3.834	8.71	9.11	9.51	99
15+15+18+20	2.10	2.10	2.51	2.79	-	9.50 3.40 - 12.70	2.154 0.590 - 3.844	9.05	9.46	9.87	99
15+15+18+22	2.04	2.04	2.44	2.99	-	9.50 3.40 - 13.00	2.241 0.590 - 3.851	9.41	9.84	10.27	99
15+15+18+25	2.01	2.01	2.42	3.36	-	9.80 3.40 - 13.30	2.304 0.590 - 3.844	9.68	10.12	10.56	99
15+15+18+35	1.77	1.77	2.13	4.13	-	9.80 3.40 - 13.30	2.304 0.590 - 3.844	9.68	10.12	10.56	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+18+42	1.63	1.63	1.96	4.57	-	9.80 3.40 - 13.30	2.304 0.590 - 3.844	9.68	10.12	10.56	99
15+15+18+50	1.50	1.50	1.80	5.00	-	9.80 3.40 - 13.30	2.298 0.590 - 3.838	9.65	10.09	10.53	99
15+15+18+60	1.39	1.39	1.67	5.56	-	10.00 3.40 - 13.30	2.418 0.590 - 3.838	10.16	10.62	11.08	99
15+15+18+71	1.30	1.30	1.56	6.15	-	10.30 3.40 - 13.30	2.561 0.590 - 3.821	10.76	11.25	11.74	99
15+15+20+20	2.06	2.06	2.74	2.74	-	9.60 3.40 - 13.00	2.215 0.590 - 3.825	9.31	9.73	10.15	99
15+15+20+22	2.00	2.00	2.67	2.93	-	9.60 3.40 - 13.30	2.318 0.590 - 3.858	9.74	10.18	10.62	99
15+15+20+25	1.94	1.94	2.59	3.23	-	9.70 3.40 - 13.30	2.311 0.590 - 3.851	9.71	10.15	10.59	99
15+15+20+35	1.71	1.71	2.28	3.99	-	9.70 3.40 - 13.30	2.311 0.590 - 3.851	9.71	10.15	10.59	99
15+15+20+42	1.58	1.58	2.11	4.43	-	9.70 3.40 - 13.30	2.311 0.590 - 3.851	9.71	10.15	10.59	99
15+15+20+50	1.46	1.46	1.94	4.85	-	9.70 3.40 - 13.30	2.305 0.590 - 3.845	9.68	10.12	10.56	99
15+15+20+60	1.36	1.36	1.82	5.45	-	10.00 3.40 - 13.30	2.455 0.590 - 3.845	10.31	10.78	11.25	99
15+15+20+71	1.26	1.26	1.69	5.99	-	10.20 3.40 - 13.30	2.578 0.590 - 3.828	10.83	11.32	11.81	99
15+15+22+22	1.97	1.97	2.88	2.88	-	9.70 3.40 - 13.30	2.292 0.590 - 3.832	9.63	10.07	10.51	99
15+15+22+25	1.91	1.91	2.80	3.18	-	9.80 3.40 - 13.30	2.304 0.590 - 3.844	9.68	10.12	10.56	99
15+15+22+35	1.69	1.69	2.48	3.94	-	9.80 3.40 - 13.30	2.304 0.590 - 3.844	9.68	10.12	10.56	99
15+15+22+42	1.56	1.56	2.29	4.38	-	9.80 3.40 - 13.30	2.304 0.590 - 3.844	9.68	10.12	10.56	99
15+15+22+60	1.35	1.35	1.98	5.41	-	10.10 3.40 - 13.30	2.468 0.590 - 3.838	10.37	10.84	11.31	99
15+15+22+71	1.26	1.26	1.84	5.95	-	10.30 3.40 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
15+15+25+25	1.84	1.84	3.06	3.06	-	9.80 3.40 - 13.30	2.285 0.590 - 3.825	9.60	10.04	10.48	99
15+15+25+35	1.63	1.63	2.72	3.81	-	9.80 3.40 - 13.30	2.304 0.590 - 3.844	9.68	10.12	10.56	99
15+15+25+42	1.52	1.52	2.53	4.24	-	9.80 3.40 - 13.30	2.304 0.590 - 3.844	9.68	10.12	10.56	99
15+15+25+50	1.41	1.41	2.36	4.71	-	9.90 3.40 - 13.30	2.368 0.590 - 3.838	9.95	10.40	10.85	99
15+15+25+60	1.33	1.33	2.22	5.32	-	10.20 3.40 - 13.30	2.518 0.590 - 3.838	10.58	11.06	11.54	99
15+15+25+71	1.23	1.23	2.04	5.80	-	10.30 3.40 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
15+15+35+35	1.47	1.47	3.43	3.43	-	9.80 3.40 - 13.30	2.285 0.590 - 3.825	9.60	10.04	10.48	99
15+15+35+42	1.40	1.40	3.27	3.93	-	10.00 3.40 - 13.30	2.404 0.590 - 3.844	10.10	10.56	11.02	99
15+15+35+50	1.33	1.33	3.10	4.43	-	10.20 3.40 - 13.30	2.518 0.590 - 3.838	10.58	11.06	11.54	99
15+15+35+60	1.24	1.24	2.88	4.94	-	10.30 3.40 - 13.30	2.588 0.590 - 3.838	10.88	11.37	11.86	99
15+15+35+71	1.14	1.14	2.65	5.38	-	10.30 3.40 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
15+15+42+42	1.34	1.34	3.76	3.76	-	10.20 3.40 - 13.30	2.485 0.590 - 3.825	10.44	10.91	11.38	99
15+15+42+50	1.27	1.27	3.55	4.22	-	10.30 3.40 - 13.30	2.582 0.590 - 3.832	10.85	11.34	11.83	99
15+15+42+60	1.17	1.17	3.28	4.68	-	10.30 3.40 - 13.30	2.582 0.590 - 3.832	10.85	11.34	11.83	99
15+15+42+71	1.08	1.08	3.03	5.11	-	10.30 3.40 - 13.30	2.565 0.590 - 3.815	10.77	11.26	11.75	99
15+15+50+50	1.19	1.19	3.96	3.96	-	10.30 3.40 - 13.30	2.569 0.590 - 3.819	10.79	11.28	11.77	99
15+15+50+60	1.10	1.10	3.68	4.41	-	10.30 3.40 - 13.30	2.582 0.590 - 3.832	10.85	11.34	11.83	99
15+15+50+71	1.02	1.02	3.41	4.84	-	10.30 3.40 - 13.30	2.565 0.590 - 3.815	10.77	11.26	11.75	99
15+15+60+60	1.03	1.03	4.12	4.12	-	10.30 3.40 - 13.30	2.569 0.590 - 3.819	10.79	11.28	11.77	99
15+15+60+71	0.96	0.96	3.84	4.54	-	10.30 3.50 - 13.30	2.548 0.590 - 3.798	10.70	11.19	11.68	99
15+15+71+71	0.90	0.90	4.25	4.25	-	10.30 3.50 - 13.30	2.552 0.590 - 3.802	10.72	11.21	11.70	99
15+18+18+18	2.09	2.50	2.50	2.50	-	9.60 3.40 - 12.90	2.156 0.590 - 3.806	9.06	9.47	9.88	99
15+18+18+20	2.07	2.48	2.48	2.76	-	9.80 3.40 - 13.20	2.255 0.590 - 3.835	9.47	9.90	10.33	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+18+22	2.01	2.42	2.42	2.95	-	9.80 3.40 - 13.30	2.302 0.590 - 3.842	9.67	10.11	10.55	99
15+18+18+25	1.95	2.34	2.34	3.26	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	9.64	10.08	10.52	99
15+18+18+35	1.73	2.07	2.07	4.03	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	9.64	10.08	10.52	99
15+18+18+42	1.60	1.92	1.92	4.47	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	9.64	10.08	10.52	99
15+18+18+50	1.47	1.76	1.76	4.90	-	9.90 3.40 - 13.30	2.299 0.590 - 3.829	9.66	10.10	10.54	99
15+18+18+60	1.38	1.65	1.65	5.51	-	10.20 3.40 - 13.30	2.449 0.590 - 3.829	10.29	10.76	11.23	99
15+18+18+71	1.28	1.53	1.53	6.05	-	10.40 3.40 - 13.30	2.562 0.590 - 3.812	10.76	11.25	11.74	99
15+18+20+20	2.03	2.44	2.71	2.71	-	9.90 3.40 - 13.30	2.276 0.590 - 3.816	9.57	10.00	10.43	99
15+18+20+22	1.94	2.33	2.59	2.85	-	9.70 3.40 - 13.30	2.309 0.590 - 3.849	9.70	10.14	10.58	99
15+18+20+25	1.88	2.26	2.51	3.14	-	9.80 3.40 - 13.30	2.302 0.590 - 3.842	9.67	10.11	10.55	99
15+18+20+35	1.67	2.00	2.23	3.90	-	9.80 3.40 - 13.30	2.302 0.590 - 3.842	9.67	10.11	10.55	99
15+18+20+42	1.55	1.86	2.06	4.33	-	9.80 3.40 - 13.30	2.302 0.590 - 3.842	9.67	10.11	10.55	99
15+18+20+50	1.44	1.73	1.92	4.81	-	9.90 3.40 - 13.30	2.336 0.590 - 3.836	9.81	10.26	10.71	99
15+18+20+60	1.34	1.61	1.79	5.36	-	10.10 3.40 - 13.30	2.486 0.590 - 3.836	10.45	10.92	11.39	99
15+18+20+71	1.25	1.50	1.66	5.90	-	10.30 3.40 - 13.30	2.569 0.590 - 3.819	10.79	11.28	11.77	99
15+18+22+22	1.91	2.29	2.80	2.80	-	9.80 3.40 - 13.30	2.283 0.590 - 3.823	9.59	10.03	10.47	99
15+18+22+25	1.86	2.23	2.72	3.09	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	9.64	10.08	10.52	99
15+18+22+35	1.65	1.98	2.42	3.85	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	9.64	10.08	10.52	99
15+18+22+42	1.53	1.84	2.25	4.29	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	9.64	10.08	10.52	99
15+18+22+50	1.43	1.71	2.10	4.76	-	10.00 3.40 - 13.30	2.359 0.590 - 3.829	9.91	10.36	10.81	99
15+18+22+60	1.34	1.61	1.97	5.37	-	10.30 3.40 - 13.30	2.509 0.590 - 3.829	10.54	11.02	11.50	99
15+18+22+71	1.24	1.49	1.82	5.86	-	10.40 3.40 - 13.30	2.562 0.590 - 3.812	10.76	11.25	11.74	99
15+18+25+25	1.79	2.15	2.98	2.98	-	9.90 3.40 - 13.30	2.276 0.590 - 3.816	9.57	10.00	10.43	99
15+18+25+35	1.60	1.92	2.66	3.73	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	9.64	10.08	10.52	99
15+18+25+42	1.49	1.78	2.48	4.16	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	9.64	10.08	10.52	99
15+18+25+50	1.40	1.68	2.34	4.68	-	10.10 3.40 - 13.30	2.409 0.590 - 3.829	10.12	10.58	11.04	99
15+18+25+60	1.32	1.59	2.20	5.29	-	10.40 3.40 - 13.30	2.549 0.590 - 3.829	10.70	11.19	11.68	99
15+18+25+71	1.21	1.45	2.02	5.72	-	10.40 3.40 - 13.30	2.562 0.590 - 3.812	10.76	11.25	11.74	99
15+18+35+35	1.46	1.75	3.40	3.40	-	10.00 3.40 - 13.30	2.316 0.590 - 3.816	9.73	10.17	10.61	99
15+18+35+42	1.39	1.67	3.25	3.89	-	10.20 3.40 - 13.30	2.445 0.590 - 3.835	10.27	10.74	11.21	99
15+18+35+50	1.32	1.59	3.08	4.41	-	10.40 3.40 - 13.30	2.549 0.590 - 3.829	10.70	11.19	11.68	99
15+18+35+60	1.22	1.46	2.84	4.88	-	10.40 3.40 - 13.30	2.579 0.590 - 3.829	10.84	11.33	11.82	99
15+18+35+71	1.12	1.35	2.62	5.31	-	10.40 3.40 - 13.30	2.562 0.590 - 3.812	10.76	11.25	11.74	99
15+18+42+42	1.32	1.58	3.70	3.70	-	10.30 3.40 - 13.30	2.526 0.590 - 3.816	10.61	11.09	11.57	99
15+18+42+50	1.25	1.50	3.49	4.16	-	10.40 3.40 - 13.30	2.573 0.590 - 3.823	10.81	11.30	11.79	99
15+18+42+60	1.16	1.39	3.24	4.62	-	10.40 3.40 - 13.30	2.573 0.590 - 3.823	10.81	11.30	11.79	99
15+18+42+71	1.07	1.28	2.99	5.06	-	10.40 3.40 - 13.30	2.556 0.590 - 3.806	10.74	11.23	11.72	99
15+18+50+50	1.17	1.41	3.91	3.91	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
15+18+50+60	1.09	1.31	3.64	4.36	-	10.40 3.40 - 13.30	2.573 0.590 - 3.823	10.81	11.30	11.79	99
15+18+50+71	1.01	1.22	3.38	4.79	-	10.40 3.40 - 13.30	2.556 0.590 - 3.806	10.74	11.23	11.72	99
15+18+60+60	1.02	1.22	4.08	4.08	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+60+71	0.95	1.14	3.80	4.50	-	10.40 3.50 - 13.30	2.539 0.590 - 3.789	10.67	11.15	11.63	99
15+20+20+20	1.98	2.64	2.64	2.64	-	9.90 3.40 - 13.30	2.253 0.590 - 3.793	9.46	9.89	10.32	99
15+20+20+22	1.87	2.49	2.49	2.74	-	9.60 3.40 - 13.30	2.316 0.590 - 3.856	9.73	10.17	10.61	99
15+20+20+25	1.82	2.43	2.43	3.03	-	9.70 3.40 - 13.30	2.309 0.590 - 3.849	9.70	10.14	10.58	99
15+20+20+35	1.62	2.16	2.16	3.77	-	9.70 3.40 - 13.30	2.309 0.590 - 3.849	9.70	10.14	10.58	99
15+20+20+42	1.50	2.00	2.00	4.20	-	9.70 3.40 - 13.30	2.309 0.590 - 3.849	9.70	10.14	10.58	99
15+20+20+50	1.40	1.87	1.87	4.67	-	9.80 3.40 - 13.30	2.373 0.590 - 3.843	9.97	10.42	10.87	99
15+20+20+60	1.32	1.76	1.76	5.27	-	10.10 3.40 - 13.30	2.523 0.590 - 3.843	10.60	11.08	11.56	99
15+20+20+71	1.21	1.62	1.62	5.75	-	10.20 3.40 - 13.30	2.576 0.590 - 3.826	10.82	11.31	11.80	99
15+20+22+22	1.84	2.46	2.70	2.70	-	9.70 3.40 - 13.30	2.290 0.590 - 3.830	9.62	10.06	10.50	99
15+20+22+25	1.79	2.39	2.63	2.99	-	9.80 3.40 - 13.30	2.302 0.590 - 3.842	9.67	10.11	10.55	99
15+20+22+35	1.60	2.13	2.34	3.73	-	9.80 3.40 - 13.30	2.302 0.590 - 3.842	9.67	10.11	10.55	99
15+20+22+42	1.48	1.98	2.18	4.16	-	9.80 3.40 - 13.30	2.302 0.590 - 3.842	9.67	10.11	10.55	99
15+20+22+50	1.40	1.87	2.06	4.67	-	10.00 3.40 - 13.30	2.396 0.590 - 3.836	10.06	10.52	10.98	99
15+20+22+60	1.31	1.74	1.92	5.23	-	10.20 3.40 - 13.30	2.546 0.590 - 3.836	10.69	11.18	11.67	99
15+20+22+71	1.21	1.61	1.77	5.71	-	10.30 3.40 - 13.30	2.569 0.590 - 3.819	10.79	11.28	11.77	99
15+20+25+25	1.73	2.31	2.88	2.88	-	9.80 3.40 - 13.30	2.283 0.590 - 3.823	9.59	10.03	10.47	99
15+20+25+35	1.55	2.06	2.58	3.61	-	9.80 3.40 - 13.30	2.302 0.590 - 3.842	9.67	10.11	10.55	99
15+20+25+50	1.38	1.84	2.30	4.59	-	10.10 3.40 - 13.30	2.452 0.590 - 3.842	10.30	10.77	11.24	99
15+20+25+60	1.29	1.72	2.15	5.15	-	10.30 3.40 - 13.30	2.586 0.590 - 3.836	10.87	11.36	11.85	99
15+20+25+71	1.18	1.57	1.97	5.58	-	10.30 3.40 - 13.30	2.569 0.590 - 3.819	10.79	11.28	11.77	99
15+20+35+35	1.41	1.89	3.30	3.30	-	9.90 3.40 - 13.30	2.353 0.590 - 3.823	9.88	10.33	10.78	99
15+20+35+42	1.35	1.80	3.16	3.79	-	10.10 3.40 - 13.30	2.472 0.590 - 3.842	10.39	10.86	11.33	99
15+20+35+50	1.29	1.72	3.00	4.29	-	10.30 3.40 - 13.30	2.586 0.590 - 3.836	10.87	11.36	11.85	99
15+20+35+60	1.19	1.58	2.77	4.75	-	10.30 3.40 - 13.30	2.586 0.590 - 3.836	10.87	11.36	11.85	99
15+20+35+71	1.10	1.46	2.56	5.19	-	10.30 3.40 - 13.30	2.569 0.590 - 3.819	10.79	11.28	11.77	99
15+20+42+42	1.30	1.73	3.64	3.64	-	10.30 3.40 - 13.30	2.563 0.590 - 3.823	10.77	11.26	11.75	99
15+20+42+50	1.22	1.62	3.41	4.06	-	10.30 3.40 - 13.30	2.580 0.590 - 3.830	10.84	11.33	11.82	99
15+20+42+60	1.13	1.50	3.16	4.51	-	10.30 3.40 - 13.30	2.580 0.590 - 3.830	10.84	11.33	11.82	99
15+20+42+71	1.04	1.39	2.92	4.94	-	10.30 3.40 - 13.30	2.563 0.590 - 3.813	10.77	11.26	11.75	99
15+20+50+50	1.14	1.53	3.81	3.81	-	10.30 3.40 - 13.30	2.567 0.590 - 3.817	10.78	11.27	11.76	99
15+20+50+60	1.07	1.42	3.55	4.26	-	10.30 3.40 - 13.30	2.580 0.590 - 3.830	10.84	11.33	11.82	99
15+20+50+71	0.99	1.32	3.30	4.69	-	10.30 3.40 - 13.30	2.563 0.590 - 3.813	10.77	11.26	11.75	99
15+20+60+60	1.00	1.33	3.99	3.99	-	10.30 3.40 - 13.30	2.567 0.590 - 3.817	10.78	11.27	11.76	99
15+20+60+71	0.93	1.24	3.72	4.41	-	10.30 3.50 - 13.30	2.546 0.590 - 3.796	10.69	11.18	11.67	99
15+22+22+22	1.81	2.66	2.66	2.66	-	9.80 3.40 - 13.30	2.260 0.590 - 3.800	9.50	9.93	10.36	99
15+22+22+25	1.77	2.59	2.59	2.95	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	9.64	10.08	10.52	99
15+22+22+35	1.58	2.32	2.32	3.69	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	9.64	10.08	10.52	99
15+22+22+42	1.47	2.16	2.16	4.12	-	9.90 3.40 - 13.30	2.305 0.590 - 3.835	9.68	10.12	10.56	99
15+22+22+50	1.39	2.04	2.04	4.63	-	10.10 3.40 - 13.30	2.419 0.590 - 3.829	10.16	10.62	11.08	99
15+22+22+60	1.31	1.92	1.92	5.24	-	10.40 3.40 - 13.30	2.569 0.590 - 3.829	10.79	11.28	11.77	99



**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+22+22+71	1.20	1.76	1.76	5.68	-	10.40 3.40 - 13.30	2.562 0.590 - 3.812	10.76	11.25	11.74	99
15+22+25+25	1.71	2.50	2.84	2.84	-	9.90 3.40 - 13.30	2.276 0.590 - 3.816	9.57	10.00	10.43	99
15+22+25+35	1.53	2.25	2.55	3.57	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	9.64	10.08	10.52	99
15+22+25+42	1.44	2.12	2.40	4.04	-	10.00 3.40 - 13.30	2.355 0.590 - 3.835	9.89	10.34	10.79	99
15+22+25+50	1.37	2.00	2.28	4.55	-	10.20 3.40 - 13.30	2.459 0.590 - 3.829	10.33	10.80	11.27	99
15+22+25+60	1.28	1.88	2.13	5.11	-	10.40 3.40 - 13.30	2.579 0.590 - 3.829	10.84	11.33	11.82	99
15+22+25+71	1.17	1.72	1.95	5.55	-	10.40 3.40 - 13.30	2.562 0.590 - 3.812	10.76	11.25	11.74	99
15+22+35+35	1.42	2.08	3.30	3.30	-	10.10 3.40 - 13.30	2.376 0.590 - 3.816	9.98	10.43	10.88	99
15+22+35+42	1.36	1.99	3.16	3.79	-	10.30 3.40 - 13.30	2.495 0.590 - 3.835	10.48	10.96	11.44	99
15+22+35+50	1.28	1.88	2.98	4.26	-	10.40 3.40 - 13.30	2.579 0.590 - 3.829	10.84	11.33	11.82	99
15+22+35+60	1.18	1.73	2.76	4.73	-	10.40 3.40 - 13.30	2.579 0.590 - 3.829	10.84	11.33	11.82	99
15+22+35+71	1.09	1.60	2.55	5.16	-	10.40 3.40 - 13.30	2.562 0.590 - 3.812	10.76	11.25	11.74	99
15+22+42+42	1.29	1.89	3.61	3.61	-	10.40 3.40 - 13.30	2.566 0.590 - 3.816	10.78	11.27	11.76	99
15+22+42+50	1.21	1.77	3.39	4.03	-	10.40 3.40 - 13.30	2.573 0.590 - 3.823	10.81	11.30	11.79	99
15+22+42+60	1.12	1.65	3.14	4.49	-	10.40 3.40 - 13.30	2.573 0.590 - 3.823	10.81	11.30	11.79	99
15+22+42+71	1.04	1.53	2.91	4.92	-	10.40 3.40 - 13.30	2.556 0.590 - 3.806	10.74	11.23	11.72	99
15+22+50+50	1.14	1.67	3.80	3.80	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
15+22+50+60	1.06	1.56	3.54	4.24	-	10.40 3.40 - 13.30	2.573 0.590 - 3.823	10.81	11.30	11.79	99
15+22+50+71	0.99	1.45	3.29	4.67	-	10.40 3.50 - 13.30	2.556 0.590 - 3.806	10.74	11.23	11.72	99
15+22+60+60	0.99	1.46	3.97	3.97	-	10.40 3.50 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
15+22+60+71	0.93	1.36	3.71	4.40	-	10.40 3.50 - 13.30	2.539 0.590 - 3.789	10.67	11.15	11.63	99
15+25+25+25	1.65	2.75	2.75	2.75	-	9.90 3.40 - 13.30	2.253 0.590 - 3.793	9.46	9.89	10.32	99
15+25+25+35	1.49	2.48	2.48	3.47	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	9.64	10.08	10.52	99
15+25+25+42	1.42	2.36	2.36	3.96	-	10.10 3.40 - 13.30	2.395 0.590 - 3.835	10.06	10.52	10.98	99
15+25+25+50	1.34	2.24	2.24	4.48	-	10.30 3.40 - 13.30	2.509 0.590 - 3.829	10.54	11.02	11.50	99
15+25+25+60	1.25	2.08	2.08	4.99	-	10.40 3.40 - 13.30	2.579 0.590 - 3.829	10.84	11.33	11.82	99
15+25+25+71	1.15	1.91	1.91	5.43	-	10.40 3.40 - 13.30	2.562 0.590 - 3.812	10.76	11.25	11.74	99
15+25+35+35	1.39	2.32	3.25	3.25	-	10.20 3.40 - 13.30	2.426 0.590 - 3.816	10.19	10.65	11.11	99
15+25+35+42	1.32	2.20	3.08	3.70	-	10.30 3.40 - 13.30	2.545 0.590 - 3.835	10.69	11.18	11.67	99
15+25+35+50	1.25	2.08	2.91	4.16	-	10.40 3.40 - 13.30	2.579 0.590 - 3.829	10.84	11.33	11.82	99
15+25+35+60	1.16	1.93	2.70	4.62	-	10.40 3.40 - 13.30	2.579 0.590 - 3.829	10.84	11.33	11.82	99
15+25+35+71	1.07	1.78	2.49	5.06	-	10.40 3.40 - 13.30	2.562 0.590 - 3.812	10.76	11.25	11.74	99
15+25+42+42	1.26	2.10	3.52	3.52	-	10.40 3.40 - 13.30	2.566 0.590 - 3.816	10.78	11.27	11.76	99
15+25+42+50	1.18	1.97	3.31	3.94	-	10.40 3.40 - 13.30	2.573 0.590 - 3.823	10.81	11.30	11.79	99
15+25+42+60	1.10	1.83	3.08	4.39	-	10.40 3.40 - 13.30	2.573 0.590 - 3.823	10.81	11.30	11.79	99
15+25+42+71	1.02	1.70	2.85	4.83	-	10.40 3.40 - 13.30	2.556 0.590 - 3.806	10.74	11.23	11.72	99
15+25+50+50	1.11	1.86	3.71	3.71	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
15+25+50+60	1.04	1.73	3.47	4.16	-	10.40 3.40 - 13.30	2.573 0.590 - 3.823	10.81	11.30	11.79	99
15+25+50+71	0.97	1.61	3.23	4.59	-	10.40 3.50 - 13.30	2.556 0.590 - 3.806	10.74	11.23	11.72	99
15+25+60+60	0.98	1.63	3.90	3.90	-	10.40 3.50 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
15+25+60+71	0.91	1.52	3.65	4.32	-	10.40 3.50 - 13.30	2.539 0.590 - 3.789	10.67	11.15	11.63	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+35+35+35	1.30	3.03	3.03	3.03	-	10.40 3.40 - 13.30	2.543 0.590 - 3.793	10.68	11.17	11.66	99
15+35+35+42	1.23	2.87	2.87	3.44	-	10.40 3.40 - 13.30	2.585 0.590 - 3.835	10.86	11.35	11.84	99
15+35+35+50	1.16	2.70	2.70	3.85	-	10.40 3.40 - 13.30	2.579 0.590 - 3.829	10.84	11.33	11.82	99
15+35+35+60	1.08	2.51	2.51	4.30	-	10.40 3.40 - 13.30	2.579 0.590 - 3.829	10.84	11.33	11.82	99
15+35+35+71	1.00	2.33	2.33	4.73	-	10.40 3.40 - 13.30	2.562 0.590 - 3.812	10.76	11.25	11.74	99
15+35+42+42	1.16	2.72	3.26	3.26	-	10.40 3.40 - 13.30	2.566 0.590 - 3.816	10.78	11.27	11.76	99
15+35+42+50	1.10	2.56	3.08	3.66	-	10.40 3.40 - 13.30	2.573 0.590 - 3.823	10.81	11.30	11.79	99
15+35+42+60	1.03	2.39	2.87	4.11	-	10.40 3.40 - 13.30	2.573 0.590 - 3.823	10.81	11.30	11.79	99
15+35+42+71	0.96	2.23	2.68	4.53	-	10.40 3.50 - 13.30	2.556 0.590 - 3.806	10.74	11.23	11.72	99
15+35+50+50	1.04	2.43	3.47	3.47	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
15+35+50+60	0.98	2.28	3.25	3.90	-	10.40 3.50 - 13.30	2.573 0.590 - 3.823	10.81	11.30	11.79	99
15+35+50+71	0.91	2.13	3.04	4.32	-	10.40 3.50 - 13.30	2.556 0.590 - 3.806	10.74	11.23	11.72	99
15+35+60+60	0.92	2.14	3.67	3.67	-	10.40 3.50 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
15+42+42+42	1.11	3.10	3.10	3.10	-	10.40 3.40 - 13.30	2.539 0.590 - 3.789	10.67	11.15	11.63	99
15+42+42+50	1.05	2.93	2.93	3.49	-	10.40 3.40 - 13.30	2.567 0.590 - 3.817	10.78	11.27	11.76	99
15+42+42+60	0.98	2.75	2.75	3.92	-	10.40 3.50 - 13.30	2.567 0.590 - 3.817	10.78	11.27	11.76	99
15+42+42+71	0.92	2.57	2.57	4.34	-	10.40 3.50 - 13.30	2.550 0.590 - 3.800	10.71	11.20	11.69	99
15+42+50+50	0.99	2.78	3.31	3.31	-	10.40 3.50 - 13.30	2.554 0.590 - 3.804	10.73	11.22	11.71	99
15+42+50+60	0.93	2.62	3.11	3.74	-	10.40 3.50 - 13.30	2.567 0.590 - 3.817	10.78	11.27	11.76	99
15+50+50+50	0.95	3.15	3.15	3.15	-	10.40 3.50 - 13.30	2.550 0.590 - 3.800	10.71	11.20	11.69	99
18+18+18+18	2.48	2.48	2.48	2.48	-	9.90 3.40 - 13.30	2.277 0.590 - 3.817	9.57	10.00	10.43	99
18+18+18+20	2.43	2.43	2.43	2.70	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	9.60	10.04	10.48	99
18+18+18+22	2.34	2.34	2.34	2.87	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	9.63	10.07	10.51	99
18+18+18+25	2.28	2.28	2.28	3.16	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	9.60	10.04	10.48	99
18+18+18+35	2.02	2.02	2.02	3.93	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	9.60	10.04	10.48	99
18+18+18+42	1.88	1.88	1.88	4.38	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	9.60	10.04	10.48	99
18+18+18+50	1.75	1.75	1.75	4.86	-	10.10 3.40 - 13.30	2.340 0.590 - 3.820	9.83	10.28	10.73	99
18+18+18+60	1.64	1.64	1.64	5.47	-	10.40 3.40 - 13.30	2.480 0.590 - 3.820	10.42	10.89	11.36	99
18+18+18+71	1.51	1.51	1.51	5.96	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
18+18+20+20	2.37	2.37	2.63	2.63	-	10.00 3.40 - 13.30	2.267 0.590 - 3.807	9.53	9.96	10.39	99
18+18+20+22	2.26	2.26	2.51	2.76	-	9.80 3.40 - 13.30	2.300 0.590 - 3.840	9.66	10.10	10.54	99
18+18+20+25	2.20	2.20	2.44	3.06	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	9.63	10.07	10.51	99
18+18+20+35	1.96	1.96	2.18	3.81	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	9.63	10.07	10.51	99
18+18+20+42	1.82	1.82	2.02	4.24	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	9.63	10.07	10.51	99
18+18+20+50	1.72	1.72	1.91	4.76	-	10.10 3.40 - 13.30	2.377 0.590 - 3.827	9.99	10.44	10.89	99
18+18+20+60	1.60	1.60	1.78	5.33	-	10.30 3.40 - 13.30	2.517 0.590 - 3.827	10.57	11.05	11.53	99
18+18+20+71	1.47	1.47	1.64	5.81	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
18+18+22+22	2.23	2.23	2.72	2.72	-	9.90 3.40 - 13.30	2.274 0.590 - 3.814	9.56	9.99	10.42	99
18+18+22+25	2.17	2.17	2.65	3.01	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	9.60	10.04	10.48	99
18+18+22+35	1.94	1.94	2.37	3.76	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	9.60	10.04	10.48	99
18+18+22+42	1.80	1.80	2.20	4.20	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	9.60	10.04	10.48	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+18+22+50	1.70	1.70	2.08	4.72	-	10.20 3.40 - 13.30	2.400 0.590 - 3.820	10.08	10.54	11.00	99
18+18+22+60	1.60	1.60	1.96	5.34	-	10.50 3.40 - 13.30	2.540 0.590 - 3.820	10.67	11.16	11.65	99
18+18+22+71	1.47	1.47	1.79	5.78	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
18+18+25+25	2.09	2.09	2.91	2.91	-	10.00 3.40 - 13.30	2.267 0.590 - 3.807	9.53	9.96	10.39	99
18+18+25+35	1.88	1.88	2.60	3.65	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	9.60	10.04	10.48	99
18+18+25+42	1.77	1.77	2.45	4.12	-	10.10 3.40 - 13.30	2.326 0.590 - 3.826	9.78	10.22	10.66	99
18+18+25+50	1.67	1.67	2.32	4.64	-	10.30 3.40 - 13.30	2.440 0.590 - 3.820	10.25	10.72	11.19	99
18+18+25+60	1.56	1.56	2.17	5.21	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
18+18+25+71	1.43	1.43	1.99	5.65	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
18+18+35+35	1.73	1.73	3.37	3.37	-	10.20 3.40 - 13.30	2.357 0.590 - 3.807	9.90	10.35	10.80	99
18+18+35+42	1.64	1.64	3.19	3.83	-	10.30 3.40 - 13.30	2.476 0.590 - 3.826	10.40	10.87	11.34	99
18+18+35+50	1.56	1.56	3.04	4.34	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
18+18+35+60	1.44	1.44	2.81	4.81	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
18+18+35+71	1.33	1.33	2.59	5.25	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
18+18+42+42	1.58	1.58	3.68	3.68	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	10.74	11.23	11.72	99
18+18+42+50	1.48	1.48	3.45	4.10	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
18+18+42+60	1.37	1.37	3.20	4.57	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
18+18+42+71	1.27	1.27	2.96	5.00	-	10.50 3.40 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
18+18+50+50	1.39	1.39	3.86	3.86	-	10.50 3.40 - 13.30	2.551 0.590 - 3.801	10.71	11.20	11.69	99
18+18+50+60	1.29	1.29	3.60	4.32	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
18+18+50+71	1.20	1.20	3.34	4.75	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
18+18+60+60	1.21	1.21	4.04	4.04	-	10.50 3.40 - 13.30	2.551 0.590 - 3.801	10.71	11.20	11.69	99
18+18+60+71	1.13	1.13	3.77	4.46	-	10.50 3.50 - 13.30	2.530 0.590 - 3.780	10.63	11.11	11.59	99
18+20+20+20	2.31	2.56	2.56	2.56	-	10.00 3.40 - 13.30	2.244 0.590 - 3.784	9.43	9.86	10.29	99
18+20+20+22	2.18	2.43	2.43	2.67	-	9.70 3.40 - 13.30	2.307 0.590 - 3.847	9.69	10.13	10.57	99
18+20+20+25	2.13	2.36	2.36	2.95	-	9.80 3.40 - 13.30	2.300 0.590 - 3.840	9.66	10.10	10.54	99
18+20+20+35	1.90	2.11	2.11	3.69	-	9.80 3.40 - 13.30	2.300 0.590 - 3.840	9.66	10.10	10.54	99
18+20+20+42	1.76	1.96	1.96	4.12	-	9.80 3.40 - 13.30	2.300 0.590 - 3.840	9.66	10.10	10.54	99
18+20+20+50	1.67	1.85	1.85	4.63	-	10.00 3.40 - 13.30	2.414 0.590 - 3.834	10.14	10.60	11.06	99
18+20+20+60	1.57	1.75	1.75	5.24	-	10.30 3.40 - 13.30	2.554 0.590 - 3.834	10.73	11.22	11.71	99
18+20+20+71	1.44	1.60	1.60	5.67	-	10.30 3.40 - 13.30	2.567 0.590 - 3.817	10.78	11.27	11.76	99
18+20+22+22	2.15	2.39	2.63	2.63	-	9.80 3.40 - 13.30	2.281 0.590 - 3.821	9.58	10.02	10.46	99
18+20+22+25	2.10	2.33	2.56	2.91	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	9.63	10.07	10.51	99
18+20+22+35	1.88	2.08	2.29	3.65	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	9.63	10.07	10.51	99
18+20+22+50	1.67	1.85	2.04	4.64	-	10.20 3.40 - 13.30	2.443 0.590 - 3.833	10.26	10.73	11.20	99
18+20+22+60	1.56	1.73	1.91	5.20	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	10.83	11.32	11.81	99
18+20+22+71	1.43	1.59	1.75	5.64	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
18+20+25+25	2.03	2.25	2.81	2.81	-	9.90 3.40 - 13.30	2.274 0.590 - 3.814	9.56	9.99	10.42	99
18+20+25+35	1.82	2.02	2.53	3.54	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	9.63	10.07	10.51	99
18+20+25+42	1.71	1.90	2.38	4.00	-	10.00 3.40 - 13.30	2.363 0.590 - 3.833	9.93	10.38	10.83	99
18+20+25+50	1.62	1.81	2.26	4.51	-	10.20 3.40 - 13.30	2.477 0.590 - 3.827	10.41	10.88	11.35	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+20+25+60	1.52	1.69	2.11	5.07	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	10.83	11.32	11.81	99
18+20+25+71	1.40	1.55	1.94	5.51	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
18+20+35+35	1.68	1.87	3.27	3.27	-	10.10 3.40 - 13.30	2.394 0.590 - 3.814	10.05	10.51	10.97	99
18+20+35+42	1.61	1.79	3.13	3.76	-	10.30 3.40 - 13.30	2.513 0.590 - 3.833	10.56	11.04	11.52	99
18+20+35+50	1.52	1.69	2.96	4.23	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	10.83	11.32	11.81	99
18+20+35+60	1.41	1.56	2.74	4.69	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	10.83	11.32	11.81	99
18+20+35+71	1.30	1.44	2.53	5.13	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
18+20+42+42	1.53	1.70	3.58	3.58	-	10.40 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
18+20+42+50	1.44	1.60	3.36	4.00	-	10.40 3.40 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
18+20+42+60	1.34	1.49	3.12	4.46	-	10.40 3.40 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
18+20+42+71	1.24	1.38	2.89	4.89	-	10.40 3.40 - 13.30	2.554 0.590 - 3.804	10.73	11.22	11.71	99
18+20+50+50	1.36	1.51	3.77	3.77	-	10.40 3.40 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
18+20+50+60	1.26	1.41	3.51	4.22	-	10.40 3.40 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
18+20+50+71	1.18	1.31	3.27	4.64	-	10.40 3.50 - 13.30	2.554 0.590 - 3.804	10.73	11.22	11.71	99
18+20+60+60	1.18	1.32	3.95	3.95	-	10.40 3.50 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
18+20+60+71	1.11	1.23	3.69	4.37	-	10.40 3.50 - 13.30	2.537 0.590 - 3.787	10.66	11.14	11.62	99
18+22+22+22	2.12	2.59	2.59	2.59	-	9.90 3.40 - 13.30	2.251 0.590 - 3.791	9.46	9.89	10.32	99
18+22+22+25	2.07	2.53	2.53	2.87	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	9.60	10.04	10.48	99
18+22+22+35	1.86	2.27	2.27	3.61	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	9.60	10.04	10.48	99
18+22+22+42	1.75	2.14	2.14	4.08	-	10.10 3.40 - 13.30	2.346 0.590 - 3.826	9.85	10.30	10.75	99
18+22+22+50	1.66	2.02	2.02	4.60	-	10.30 3.40 - 13.30	2.450 0.590 - 3.820	10.29	10.76	11.23	99
18+22+22+60	1.55	1.89	1.89	5.16	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
18+22+22+71	1.42	1.74	1.74	5.61	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
18+22+25+25	2.00	2.44	2.78	2.78	-	10.00 3.40 - 13.30	2.267 0.590 - 3.807	9.53	9.96	10.39	99
18+22+25+35	1.80	2.20	2.50	3.50	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	9.60	10.04	10.48	99
18+22+25+42	1.72	2.10	2.38	4.00	-	10.20 3.40 - 13.30	2.386 0.590 - 3.826	10.02	10.48	10.94	99
18+22+25+50	1.63	1.99	2.26	4.52	-	10.40 3.40 - 13.30	2.500 0.590 - 3.820	10.50	10.98	11.46	99
18+22+25+60	1.51	1.85	2.10	5.04	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
18+22+25+71	1.39	1.70	1.93	5.48	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
18+22+35+35	1.69	2.06	3.28	3.28	-	10.30 3.40 - 13.30	2.417 0.590 - 3.807	10.15	10.61	11.07	99
18+22+35+42	1.60	1.96	3.11	3.73	-	10.40 3.40 - 13.30	2.536 0.590 - 3.826	10.66	11.14	11.62	99
18+22+35+50	1.51	1.85	2.94	4.20	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
18+22+35+60	1.40	1.71	2.72	4.67	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
18+22+35+71	1.29	1.58	2.52	5.11	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
18+22+42+42	1.52	1.86	3.56	3.56	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	10.74	11.23	11.72	99
18+22+42+50	1.43	1.75	3.34	3.98	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
18+22+42+60	1.33	1.63	3.11	4.44	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
18+22+42+71	1.24	1.51	2.88	4.87	-	10.50 3.40 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
18+22+50+50	1.35	1.65	3.75	3.75	-	10.50 3.40 - 13.30	2.551 0.590 - 3.801	10.71	11.20	11.69	99
18+22+50+60	1.26	1.54	3.50	4.20	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
18+22+50+71	1.17	1.43	3.26	4.63	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+22+60+60	1.18	1.44	3.94	3.94	-	10.50 3.50 - 13.30	2.551 0.590 - 3.801	10.71	11.20	11.69	99
18+22+60+71	1.11	1.35	3.68	4.36	-	10.50 3.50 - 13.30	2.530 0.590 - 3.780	10.63	11.11	11.59	99
18+25+25+25	1.94	2.69	2.69	2.69	-	10.00 3.40 - 13.30	2.244 0.590 - 3.784	9.43	9.86	10.29	99
18+25+25+35	1.77	2.45	2.45	3.43	-	10.10 3.40 - 13.30	2.326 0.590 - 3.826	9.78	10.22	10.66	99
18+25+25+42	1.69	2.34	2.34	3.93	-	10.30 3.40 - 13.30	2.436 0.590 - 3.826	10.23	10.70	11.17	99
18+25+25+50	1.60	2.22	2.22	4.45	-	10.50 3.40 - 13.30	2.540 0.590 - 3.820	10.67	11.16	11.65	99
18+25+25+60	1.48	2.05	2.05	4.92	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
18+25+25+71	1.36	1.89	1.89	5.36	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
18+25+35+35	1.64	2.28	3.19	3.19	-	10.30 3.40 - 13.30	2.457 0.590 - 3.807	10.32	10.79	11.26	99
18+25+35+42	1.58	2.19	3.06	3.68	-	10.50 3.40 - 13.30	2.576 0.590 - 3.826	10.82	11.31	11.80	99
18+25+35+50	1.48	2.05	2.87	4.10	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
18+25+35+60	1.37	1.90	2.66	4.57	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
18+25+35+71	1.27	1.76	2.47	5.00	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
18+25+42+42	1.49	2.07	3.47	3.47	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	10.74	11.23	11.72	99
18+25+42+50	1.40	1.94	3.27	3.89	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
18+25+42+60	1.30	1.81	3.04	4.34	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
18+25+42+71	1.21	1.68	2.83	4.78	-	10.50 3.40 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
18+25+50+50	1.32	1.84	3.67	3.67	-	10.50 3.40 - 13.30	2.551 0.590 - 3.801	10.71	11.20	11.69	99
18+25+50+60	1.24	1.72	3.43	4.12	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
18+25+50+71	1.15	1.60	3.20	4.55	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
18+25+60+60	1.16	1.61	3.87	3.87	-	10.50 3.50 - 13.30	2.551 0.590 - 3.801	10.71	11.20	11.69	99
18+35+35+35	1.54	2.99	2.99	2.99	-	10.50 3.40 - 13.30	2.530 0.590 - 3.780	10.63	11.11	11.59	99
18+35+35+42	1.45	2.83	2.83	3.39	-	10.50 3.40 - 13.30	2.576 0.590 - 3.826	10.82	11.31	11.80	99
18+35+35+50	1.37	2.66	2.66	3.80	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
18+35+35+60	1.28	2.48	2.48	4.26	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
18+35+35+71	1.19	2.31	2.31	4.69	-	10.50 3.50 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
18+35+42+42	1.38	2.68	3.22	3.22	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	10.74	11.23	11.72	99
18+35+42+50	1.30	2.53	3.04	3.62	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
18+35+42+60	1.22	2.37	2.85	4.06	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
18+35+42+71	1.14	2.21	2.66	4.49	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
18+35+50+50	1.24	2.40	3.43	3.43	-	10.50 3.40 - 13.30	2.551 0.590 - 3.801	10.71	11.20	11.69	99
18+35+50+60	1.16	2.25	3.22	3.87	-	10.50 3.50 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
18+42+42+42	1.31	3.06	3.06	3.06	-	10.50 3.40 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
18+42+42+50	1.24	2.90	2.90	3.45	-	10.50 3.40 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
18+42+42+60	1.17	2.72	2.72	3.89	-	10.50 3.50 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
18+42+50+50	1.18	2.76	3.28	3.28	-	10.50 3.50 - 13.30	2.541 0.590 - 3.791	10.67	11.16	11.65	99
18+42+50+60	1.11	2.59	3.09	3.71	-	10.50 3.50 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
18+50+50+50	1.13	3.13	3.13	3.13	-	10.50 3.50 - 13.30	2.541 0.590 - 3.791	10.67	11.16	11.65	99
20+20+20+20	2.50	2.50	2.50	2.50	-	10.00 3.40 - 13.30	2.268 0.590 - 3.808	9.53	9.96	10.39	99
20+20+20+22	2.34	2.34	2.34	2.58	-	9.60 3.40 - 13.30	2.314 0.590 - 3.854	9.72	10.16	10.60	99
20+20+20+25	2.28	2.28	2.28	2.85	-	9.70 3.40 - 13.30	2.307 0.590 - 3.847	9.69	10.13	10.57	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+20+20+35	2.04	2.04	2.04	3.57	-	9.70 3.40 - 13.30	2.307 0.590 - 3.847	9.69	10.13	10.57	99
20+20+20+50	1.82	1.82	1.82	4.55	-	10.00 3.40 - 13.30	2.457 0.590 - 3.847	10.32	10.79	11.26	99
20+20+20+60	1.70	1.70	1.70	5.10	-	10.20 3.40 - 13.30	2.591 0.590 - 3.841	10.89	11.38	11.87	99
20+20+20+71	1.56	1.56	1.56	5.53	-	10.20 3.40 - 13.30	2.574 0.590 - 3.824	10.81	11.30	11.79	99
20+20+22+22	2.31	2.31	2.54	2.54	-	9.70 3.40 - 13.30	2.288 0.590 - 3.828	9.61	10.05	10.49	99
20+20+22+25	2.25	2.25	2.48	2.82	-	9.80 3.40 - 13.30	2.300 0.590 - 3.840	9.66	10.10	10.54	99
20+20+22+35	2.02	2.02	2.22	3.54	-	9.80 3.40 - 13.30	2.300 0.590 - 3.840	9.66	10.10	10.54	99
20+20+22+42	1.90	1.90	2.09	4.00	-	9.90 3.40 - 13.30	2.360 0.590 - 3.840	9.91	10.36	10.81	99
20+20+22+50	1.80	1.80	1.98	4.51	-	10.10 3.40 - 13.30	2.464 0.590 - 3.834	10.35	10.82	11.29	99
20+20+22+60	1.69	1.69	1.86	5.07	-	10.30 3.40 - 13.30	2.584 0.590 - 3.834	10.86	11.35	11.84	99
20+20+22+71	1.55	1.55	1.70	5.50	-	10.30 3.40 - 13.30	2.567 0.590 - 3.817	10.78	11.27	11.76	99
20+20+25+25	2.18	2.18	2.72	2.72	-	9.80 3.40 - 13.30	2.281 0.590 - 3.821	9.58	10.02	10.46	99
20+20+25+35	1.96	1.96	2.45	3.43	-	9.80 3.40 - 13.30	2.300 0.590 - 3.840	9.66	10.10	10.54	99
20+20+25+42	1.87	1.87	2.34	3.93	-	10.00 3.40 - 13.30	2.400 0.590 - 3.840	10.08	10.54	11.00	99
20+20+25+50	1.77	1.77	2.22	4.43	-	10.20 3.40 - 13.30	2.514 0.590 - 3.834	10.56	11.04	11.52	99
20+20+25+60	1.65	1.65	2.06	4.94	-	10.30 3.40 - 13.30	2.584 0.590 - 3.834	10.86	11.35	11.84	99
20+20+25+71	1.51	1.51	1.89	5.38	-	10.30 3.40 - 13.30	2.567 0.590 - 3.817	10.78	11.27	11.76	99
20+20+35+35	1.84	1.84	3.21	3.21	-	10.10 3.40 - 13.30	2.431 0.590 - 3.821	10.22	10.68	11.14	99
20+20+35+42	1.74	1.74	3.05	3.66	-	10.20 3.40 - 13.30	2.550 0.590 - 3.840	10.71	11.20	11.69	99
20+20+35+50	1.65	1.65	2.88	4.12	-	10.30 3.40 - 13.30	2.584 0.590 - 3.834	10.86	11.35	11.84	99
20+20+35+60	1.53	1.53	2.67	4.58	-	10.30 3.40 - 13.30	2.584 0.590 - 3.834	10.86	11.35	11.84	99
20+20+35+71	1.41	1.41	2.47	5.01	-	10.30 3.40 - 13.30	2.567 0.590 - 3.817	10.78	11.27	11.76	99
20+20+42+42	1.66	1.66	3.49	3.49	-	10.30 3.40 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
20+20+42+50	1.56	1.56	3.28	3.90	-	10.30 3.40 - 13.30	2.578 0.590 - 3.828	10.83	11.32	11.81	99
20+20+42+60	1.45	1.45	3.05	4.35	-	10.30 3.40 - 13.30	2.578 0.590 - 3.828	10.83	11.32	11.81	99
20+20+42+71	1.35	1.35	2.83	4.78	-	10.30 3.40 - 13.30	2.561 0.590 - 3.811	10.76	11.25	11.74	99
20+20+50+50	1.47	1.47	3.68	3.68	-	10.30 3.40 - 13.30	2.565 0.590 - 3.815	10.77	11.26	11.75	99
20+20+50+60	1.37	1.37	3.43	4.12	-	10.30 3.40 - 13.30	2.578 0.590 - 3.828	10.83	11.32	11.81	99
20+20+50+71	1.28	1.28	3.20	4.54	-	10.30 3.50 - 13.30	2.561 0.590 - 3.811	10.76	11.25	11.74	99
20+20+60+60	1.29	1.29	3.86	3.86	-	10.30 3.50 - 13.30	2.565 0.590 - 3.815	10.77	11.26	11.75	99
20+20+60+71	1.20	1.20	3.61	4.28	-	10.30 3.50 - 13.30	2.544 0.590 - 3.794	10.68	11.17	11.66	99
20+22+22+22	2.28	2.51	2.51	2.51	-	9.80 3.40 - 13.30	2.258 0.590 - 3.798	9.49	9.92	10.35	99
20+22+22+25	2.22	2.45	2.45	2.78	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	9.63	10.07	10.51	99
20+22+22+35	2.00	2.20	2.20	3.50	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	9.63	10.07	10.51	99
20+22+22+42	1.91	2.10	2.10	4.00	-	10.10 3.40 - 13.30	2.383 0.590 - 3.833	10.01	10.47	10.93	99
20+22+22+50	1.81	1.99	1.99	4.52	-	10.30 3.40 - 13.30	2.487 0.590 - 3.827	10.45	10.92	11.39	99
20+22+22+60	1.68	1.85	1.85	5.03	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	10.83	11.32	11.81	99
20+22+22+71	1.54	1.69	1.69	5.47	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
20+22+25+25	2.15	2.37	2.69	2.69	-	9.90 3.40 - 13.30	2.274 0.590 - 3.814	9.56	9.99	10.42	99
20+22+25+42	1.85	2.04	2.32	3.89	-	10.10 3.40 - 13.30	2.423 0.590 - 3.833	10.18	10.64	11.10	99
20+22+25+50	1.76	1.94	2.20	4.40	-	10.30 3.40 - 13.30	2.537 0.590 - 3.827	10.66	11.14	11.62	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+22+25+60	1.64	1.80	2.05	4.91	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	10.83	11.32	11.81	99
20+22+25+71	1.51	1.66	1.88	5.35	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
20+22+35+35	1.82	2.00	3.19	3.19	-	10.20 3.40 - 13.30	2.444 0.590 - 3.814	10.26	10.73	11.20	99
20+22+35+42	1.75	1.92	3.06	3.67	-	10.40 3.40 - 13.30	2.573 0.590 - 3.833	10.81	11.30	11.79	99
20+22+35+50	1.64	1.80	2.87	4.09	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	10.83	11.32	11.81	99
20+22+35+60	1.52	1.67	2.66	4.55	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	10.83	11.32	11.81	99
20+22+35+71	1.41	1.55	2.46	4.99	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
20+22+42+42	1.65	1.82	3.47	3.47	-	10.40 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
20+22+42+50	1.55	1.71	3.26	3.88	-	10.40 3.40 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
20+22+42+60	1.44	1.59	3.03	4.33	-	10.40 3.40 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
20+22+42+71	1.34	1.48	2.82	4.76	-	10.40 3.40 - 13.30	2.554 0.590 - 3.804	10.73	11.22	11.71	99
20+22+50+50	1.46	1.61	3.66	3.66	-	10.40 3.40 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
20+22+50+60	1.37	1.51	3.42	4.11	-	10.40 3.40 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
20+22+50+71	1.28	1.40	3.19	4.53	-	10.40 3.50 - 13.30	2.554 0.590 - 3.804	10.73	11.22	11.71	99
20+22+60+60	1.28	1.41	3.85	3.85	-	10.40 3.50 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
20+25+25+25	2.08	2.61	2.61	2.61	-	9.90 3.40 - 13.30	2.247 0.590 - 3.787	9.44	9.87	10.30	99
20+25+25+35	1.90	2.38	2.38	3.33	-	10.00 3.40 - 13.30	2.363 0.590 - 3.833	9.93	10.38	10.83	99
20+25+25+42	1.82	2.28	2.28	3.83	-	10.20 3.40 - 13.30	2.463 0.590 - 3.833	10.35	10.82	11.29	99
20+25+25+50	1.73	2.17	2.17	4.33	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	10.83	11.32	11.81	99
20+25+25+60	1.60	2.00	2.00	4.80	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	10.83	11.32	11.81	99
20+25+25+71	1.48	1.84	1.84	5.24	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
20+25+35+35	1.79	2.24	3.13	3.13	-	10.30 3.40 - 13.30	2.494 0.590 - 3.814	10.47	10.95	11.43	99
20+25+35+42	1.70	2.13	2.98	3.58	-	10.40 3.40 - 13.30	2.583 0.590 - 3.833	10.85	11.34	11.83	99
20+25+35+50	1.60	2.00	2.80	4.00	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	10.83	11.32	11.81	99
20+25+35+60	1.49	1.86	2.60	4.46	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	10.83	11.32	11.81	99
20+25+35+71	1.38	1.72	2.41	4.89	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
20+25+42+42	1.61	2.02	3.39	3.39	-	10.40 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
20+25+42+50	1.52	1.90	3.19	3.80	-	10.40 3.40 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
20+25+42+60	1.41	1.77	2.97	4.24	-	10.40 3.40 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
20+25+42+71	1.32	1.65	2.76	4.67	-	10.40 3.50 - 13.30	2.554 0.590 - 3.804	10.73	11.22	11.71	99
20+25+50+50	1.43	1.79	3.59	3.59	-	10.40 3.40 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
20+25+50+60	1.34	1.68	3.35	4.03	-	10.40 3.40 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
20+25+50+71	1.25	1.57	3.13	4.45	-	10.40 3.50 - 13.30	2.554 0.590 - 3.804	10.73	11.22	11.71	99
20+25+60+60	1.26	1.58	3.78	3.78	-	10.40 3.50 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
20+35+35+35	1.66	2.91	2.91	2.91	-	10.40 3.40 - 13.30	2.537 0.590 - 3.787	10.66	11.14	11.62	99
20+35+35+42	1.58	2.76	2.76	3.31	-	10.40 3.40 - 13.30	2.583 0.590 - 3.833	10.85	11.34	11.83	99
20+35+35+50	1.49	2.60	2.60	3.71	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	10.83	11.32	11.81	99
20+35+35+60	1.39	2.43	2.43	4.16	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	10.83	11.32	11.81	99
20+35+35+71	1.29	2.26	2.26	4.59	-	10.40 3.50 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
20+35+42+42	1.50	2.62	3.14	3.14	-	10.40 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
20+35+42+50	1.41	2.48	2.97	3.54	-	10.40 3.40 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+35+42+60	1.32	2.32	2.78	3.97	-	10.40 3.50 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
20+35+42+71	1.24	2.17	2.60	4.40	-	10.40 3.50 - 13.30	2.554 0.590 - 3.804	10.73	11.22	11.71	99
20+35+50+50	1.34	2.35	3.35	3.35	-	10.40 3.40 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
20+35+50+60	1.26	2.21	3.15	3.78	-	10.40 3.50 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
20+42+42+42	1.42	2.99	2.99	2.99	-	10.40 3.40 - 13.30	2.554 0.590 - 3.804	10.73	11.22	11.71	99
20+42+42+50	1.35	2.84	2.84	3.38	-	10.40 3.40 - 13.30	2.565 0.590 - 3.815	10.77	11.26	11.75	99
20+42+42+60	1.27	2.66	2.66	3.80	-	10.40 3.50 - 13.30	2.565 0.590 - 3.815	10.77	11.26	11.75	99
20+42+50+50	1.28	2.70	3.21	3.21	-	10.40 3.50 - 13.30	2.548 0.590 - 3.798	10.70	11.19	11.68	99
20+42+50+60	1.21	2.54	3.02	3.63	-	10.40 3.50 - 13.30	2.565 0.590 - 3.815	10.77	11.26	11.75	99
20+50+50+50	1.22	3.06	3.06	3.06	-	10.40 3.50 - 13.30	2.548 0.590 - 3.798	10.70	11.19	11.68	99
22+22+22+22	2.48	2.48	2.48	2.48	-	9.90 3.40 - 13.30	2.275 0.590 - 3.815	9.56	9.99	10.42	99
22+22+22+25	2.42	2.42	2.42	2.75	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	9.60	10.04	10.48	99
22+22+22+35	2.18	2.18	2.18	3.47	-	10.00 3.40 - 13.30	2.296 0.590 - 3.826	9.64	10.08	10.52	99
22+22+22+42	2.08	2.08	2.08	3.97	-	10.20 3.40 - 13.30	2.406 0.590 - 3.826	10.11	10.57	11.03	99
22+22+22+50	1.97	1.97	1.97	4.48	-	10.40 3.40 - 13.30	2.510 0.590 - 3.820	10.54	11.02	11.50	99
22+22+22+60	1.83	1.83	1.83	5.00	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
22+22+22+71	1.69	1.69	1.69	5.44	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
22+22+25+25	2.34	2.34	2.66	2.66	-	10.00 3.40 - 13.30	2.267 0.590 - 3.807	9.53	9.96	10.39	99
22+22+25+35	2.14	2.14	2.43	3.40	-	10.10 3.40 - 13.30	2.346 0.590 - 3.826	9.85	10.30	10.75	99
22+22+25+42	2.04	2.04	2.32	3.90	-	10.30 3.40 - 13.30	2.446 0.590 - 3.826	10.27	10.74	11.21	99
22+22+25+50	1.94	1.94	2.21	4.41	-	10.50 3.40 - 13.30	2.560 0.590 - 3.820	10.75	11.24	11.73	99
22+22+25+60	1.79	1.79	2.03	4.88	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
22+22+25+71	1.65	1.65	1.88	5.33	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
22+22+35+35	2.01	2.01	3.19	3.19	-	10.40 3.40 - 13.30	2.467 0.590 - 3.807	10.36	10.83	11.30	99
22+22+35+42	1.91	1.91	3.04	3.64	-	10.50 3.40 - 13.30	2.576 0.590 - 3.826	10.82	11.31	11.80	99
22+22+35+50	1.79	1.79	2.85	4.07	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
22+22+35+60	1.66	1.66	2.64	4.53	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
22+22+35+71	1.54	1.54	2.45	4.97	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
22+22+42+42	1.80	1.80	3.45	3.45	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	10.74	11.23	11.72	99
22+22+42+50	1.70	1.70	3.24	3.86	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
22+22+42+60	1.58	1.58	3.02	4.32	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
22+22+42+71	1.47	1.47	2.81	4.75	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
22+22+50+50	1.60	1.60	3.65	3.65	-	10.50 3.40 - 13.30	2.551 0.590 - 3.801	10.71	11.20	11.69	99
22+22+50+60	1.50	1.50	3.41	4.09	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
22+22+50+71	1.40	1.40	3.18	4.52	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
22+22+60+60	1.41	1.41	3.84	3.84	-	10.50 3.50 - 13.30	2.551 0.590 - 3.801	10.71	11.20	11.69	99
22+25+25+25	2.27	2.58	2.58	2.58	-	10.00 3.40 - 13.30	2.240 0.590 - 3.780	9.41	9.84	10.27	99
22+25+25+35	2.10	2.38	2.38	3.34	-	10.20 3.40 - 13.30	2.386 0.590 - 3.826	10.02	10.48	10.94	99
22+25+25+42	2.01	2.28	2.28	3.83	-	10.40 3.40 - 13.30	2.486 0.590 - 3.826	10.45	10.92	11.39	99
22+25+25+50	1.89	2.15	2.15	4.30	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
22+25+25+60	1.75	1.99	1.99	4.77	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99



**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
22+25+25+71	1.62	1.84	1.84	5.21	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
22+25+35+35	1.96	2.22	3.11	3.11	-	10.40 3.40 - 13.30	2.517 0.590 - 3.807	10.57	11.05	11.53	99
22+25+35+42	1.86	2.12	2.96	3.56	-	10.50 3.40 - 13.30	2.576 0.590 - 3.826	10.82	11.31	11.80	99
22+25+35+50	1.75	1.99	2.78	3.98	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
22+25+35+60	1.63	1.85	2.59	4.44	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
22+25+35+71	1.51	1.72	2.40	4.87	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
22+25+42+42	1.76	2.00	3.37	3.37	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	10.74	11.23	11.72	99
22+25+42+50	1.66	1.89	3.17	3.78	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
22+25+42+60	1.55	1.76	2.96	4.23	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
22+25+42+71	1.44	1.64	2.76	4.66	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
22+25+50+50	1.57	1.79	3.57	3.57	-	10.50 3.40 - 13.30	2.551 0.590 - 3.801	10.71	11.20	11.69	99
22+25+50+60	1.47	1.67	3.34	4.01	-	10.50 3.50 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
22+25+50+71	1.38	1.56	3.13	4.44	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
22+25+60+60	1.38	1.57	3.77	3.77	-	10.50 3.50 - 13.30	2.551 0.590 - 3.801	10.71	11.20	11.69	99
22+35+35+35	1.82	2.89	2.89	2.89	-	10.50 3.40 - 13.30	2.530 0.590 - 3.780	10.63	11.11	11.59	99
22+35+35+42	1.72	2.74	2.74	3.29	-	10.50 3.40 - 13.30	2.576 0.590 - 3.826	10.82	11.31	11.80	99
22+35+35+50	1.63	2.59	2.59	3.70	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
22+35+35+60	1.52	2.42	2.42	4.14	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
22+35+35+71	1.42	2.25	2.25	4.57	-	10.50 3.50 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
22+35+42+42	1.64	2.61	3.13	3.13	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	10.74	11.23	11.72	99
22+35+42+50	1.55	2.47	2.96	3.52	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
22+35+42+60	1.45	2.31	2.77	3.96	-	10.50 3.50 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
22+35+42+71	1.36	2.16	2.59	4.39	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
22+35+50+50	1.47	2.34	3.34	3.34	-	10.50 3.50 - 13.30	2.551 0.590 - 3.801	10.71	11.20	11.69	99
22+35+50+60	1.38	2.20	3.14	3.77	-	10.50 3.50 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
22+42+42+42	1.56	2.98	2.98	2.98	-	10.50 3.40 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
22+42+42+50	1.48	2.83	2.83	3.37	-	10.50 3.40 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
22+42+42+60	1.39	2.66	2.66	3.80	-	10.50 3.50 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
22+42+50+50	1.41	2.69	3.20	3.20	-	10.50 3.50 - 13.30	2.541 0.590 - 3.791	10.67	11.16	11.65	99
22+50+50+50	1.34	3.05	3.05	3.05	-	10.50 3.50 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
25+25+25+25	2.50	2.50	2.50	2.50	-	10.00 3.40 - 13.30	2.268 0.590 - 3.808	9.53	9.96	10.39	99
25+25+25+35	2.34	2.34	2.34	3.28	-	10.30 3.40 - 13.30	2.436 0.590 - 3.826	10.23	10.70	11.17	99
25+25+25+42	2.22	2.22	2.22	3.73	-	10.40 3.40 - 13.30	2.536 0.590 - 3.826	10.66	11.14	11.62	99
25+25+25+50	2.10	2.10	2.10	4.20	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
25+25+25+60	1.94	1.94	1.94	4.67	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
25+25+25+71	1.80	1.80	1.80	5.11	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
25+25+35+35	2.19	2.19	3.06	3.06	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	10.74	11.23	11.72	99
25+25+35+42	2.07	2.07	2.89	3.47	-	10.50 3.40 - 13.30	2.576 0.590 - 3.826	10.82	11.31	11.80	99
25+25+35+50	1.94	1.94	2.72	3.89	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
25+25+35+60	1.81	1.81	2.53	4.34	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
25+25+35+71	1.68	1.68	2.36	4.78	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
25+25+42+42	1.96	1.96	3.29	3.29	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	10.74	11.23	11.72	99
25+25+42+50	1.85	1.85	3.11	3.70	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
25+25+42+60	1.73	1.73	2.90	4.14	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
25+25+42+71	1.61	1.61	2.71	4.57	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
25+25+50+50	1.75	1.75	3.50	3.50	-	10.50 3.40 - 13.30	2.551 0.590 - 3.801	10.71	11.20	11.69	99
25+25+50+60	1.64	1.64	3.28	3.94	-	10.50 3.50 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
25+25+50+71	1.54	1.54	3.07	4.36	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
25+25+60+60	1.54	1.54	3.71	3.71	-	10.50 3.50 - 13.30	2.551 0.590 - 3.801	10.71	11.20	11.69	99
25+35+35+35	2.02	2.83	2.83	2.83	-	10.50 3.40 - 13.30	2.530 0.590 - 3.780	10.63	11.11	11.59	99
25+35+35+42	1.92	2.68	2.68	3.22	-	10.50 3.40 - 13.30	2.576 0.590 - 3.826	10.82	11.31	11.80	99
25+35+35+50	1.81	2.53	2.53	3.62	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
25+35+35+60	1.69	2.37	2.37	4.06	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
25+35+35+71	1.58	2.21	2.21	4.49	-	10.50 3.50 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
25+35+42+42	1.82	2.55	3.06	3.06	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	10.74	11.23	11.72	99
25+35+42+50	1.73	2.42	2.90	3.45	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
25+35+42+60	1.62	2.27	2.72	3.89	-	10.50 3.50 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
25+35+50+50	1.64	2.30	3.28	3.28	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
25+35+50+60	1.54	2.16	3.09	3.71	-	10.50 3.50 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
25+42+42+42	1.74	2.92	2.92	2.92	-	10.50 3.40 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
25+42+42+50	1.65	2.77	2.77	3.30	-	10.50 3.50 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
25+42+42+60	1.55	2.61	2.61	3.73	-	10.50 3.50 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
25+42+50+50	1.57	2.64	3.14	3.14	-	10.50 3.50 - 13.30	2.541 0.590 - 3.791	10.67	11.16	11.65	99
35+35+35+35	2.63	2.63	2.63	2.63	-	10.50 3.40 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
35+35+35+42	2.50	2.50	2.50	3.00	-	10.50 3.40 - 13.30	2.576 0.590 - 3.826	10.82	11.31	11.80	99
35+35+35+50	2.37	2.37	2.37	3.39	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
35+35+35+60	2.23	2.23	2.23	3.82	-	10.50 3.50 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
35+35+42+42	2.39	2.39	2.86	2.86	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
35+35+42+50	2.27	2.27	2.72	3.24	-	10.50 3.50 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
35+35+42+60	2.14	2.14	2.56	3.66	-	10.50 3.50 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
35+35+50+50	2.16	2.16	3.09	3.09	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
35+42+42+42	2.28	2.74	2.74	2.74	-	10.50 3.50 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
35+42+42+50	2.17	2.61	2.61	3.11	-	10.50 3.50 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
42+42+42+42	2.63	2.63	2.63	2.63	-	10.50 3.50 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
15+15+15+15+15	2.10	2.10	2.10	2.10	2.10	10.50 4.10 - 13.00	2.182 0.640 - 3.902	9.16	9.58	10.00	99
15+15+15+15+18	1.92	1.92	1.92	1.92	2.31	10.00 4.10 - 13.20	2.225 0.640 - 3.945	9.35	9.77	10.19	99
15+15+15+15+20	1.89	1.89	1.89	1.89	2.53	10.10 4.10 - 13.33	2.216 0.640 - 3.936	9.31	9.73	10.15	99
15+15+15+15+22	1.83	1.83	1.83	1.83	2.68	10.00 4.10 - 13.47	2.223 0.640 - 3.943	9.34	9.76	10.18	99
15+15+15+15+25	1.78	1.78	1.78	1.78	2.97	10.10 4.10 - 13.67	2.206 0.640 - 3.936	9.27	9.69	10.11	99
15+15+15+15+35	1.59	1.59	1.59	1.59	3.72	10.10 4.10 - 14.00	2.196 0.640 - 3.936	9.22	9.64	10.06	99
15+15+15+15+42	1.49	1.49	1.49	1.49	4.16	10.10 4.10 - 14.00	2.186 0.640 - 3.936	9.18	9.60	10.02	99
15+15+15+15+50	1.38	1.38	1.38	1.38	4.59	10.10 4.10 - 14.00	2.180 0.640 - 3.920	9.15	9.57	9.99	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+15+15+60	1.26	1.26	1.26	1.26	5.05	10.10 4.10 - 14.00	2.170 0.640 - 3.920	9.12	9.53	9.94	99
15+15+15+15+71	1.16	1.16	1.16	1.16	5.47	10.10 4.10 - 14.00	2.153 0.640 - 3.903	9.05	9.46	9.87	99
15+15+15+18+18	1.87	1.87	1.87	2.24	2.24	10.10 4.10 - 13.40	2.197 0.640 - 3.917	9.23	9.65	10.07	99
15+15+15+18+20	1.84	1.84	1.84	2.21	2.46	10.20 4.10 - 13.53	2.197 0.640 - 3.927	9.23	9.65	10.07	99
15+15+15+18+22	1.78	1.78	1.78	2.14	2.61	10.10 4.10 - 13.67	2.204 0.640 - 3.934	9.26	9.68	10.10	99
15+15+15+18+25	1.74	1.74	1.74	2.09	2.90	10.20 4.10 - 13.87	2.197 0.640 - 3.927	9.23	9.65	10.07	99
15+15+15+18+35	1.56	1.56	1.56	1.87	3.64	10.20 4.10 - 14.00	2.187 0.640 - 3.927	9.18	9.60	10.02	99
15+15+15+18+42	1.46	1.46	1.46	1.75	4.08	10.20 4.10 - 14.00	2.187 0.640 - 3.927	9.18	9.60	10.02	99
15+15+15+18+50	1.35	1.35	1.35	1.62	4.51	10.20 4.10 - 14.00	2.171 0.640 - 3.911	9.12	9.53	9.94	99
15+15+15+18+60	1.24	1.24	1.24	1.49	4.98	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.08	9.49	9.90	99
15+15+15+18+71	1.14	1.14	1.14	1.37	5.40	10.20 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+15+15+20+20	1.80	1.80	1.80	2.40	2.40	10.20 4.10 - 13.67	2.178 0.640 - 3.908	9.15	9.57	9.99	99
15+15+15+20+22	1.72	1.72	1.72	2.30	2.53	10.00 4.10 - 13.80	2.211 0.640 - 3.941	9.29	9.71	10.13	99
15+15+15+20+25	1.68	1.68	1.68	2.24	2.81	10.10 4.10 - 14.00	2.204 0.640 - 3.934	9.26	9.68	10.10	99
15+15+15+20+35	1.52	1.52	1.52	2.02	3.54	10.10 4.10 - 14.00	2.194 0.640 - 3.934	9.22	9.64	10.06	99
15+15+15+20+42	1.42	1.42	1.42	1.89	3.96	10.10 4.10 - 14.00	2.194 0.640 - 3.934	9.22	9.64	10.06	99
15+15+15+20+50	1.32	1.32	1.32	1.76	4.39	10.10 4.10 - 14.00	2.178 0.640 - 3.918	9.15	9.57	9.99	99
15+15+15+20+60	1.21	1.21	1.21	1.62	4.85	10.10 4.10 - 14.00	2.168 0.640 - 3.918	9.11	9.52	9.93	99
15+15+15+20+71	1.11	1.11	1.11	1.49	5.27	10.10 4.10 - 14.00	2.151 0.640 - 3.901	9.04	9.45	9.86	99
15+15+15+22+22	1.70	1.70	1.70	2.50	2.50	10.10 4.10 - 13.93	2.185 0.640 - 3.915	9.18	9.60	10.02	99
15+15+15+22+25	1.66	1.66	1.66	2.44	2.77	10.20 4.10 - 14.00	2.197 0.640 - 3.927	9.23	9.65	10.07	99
15+15+15+22+35	1.50	1.50	1.50	2.20	3.50	10.20 4.10 - 14.00	2.177 0.640 - 3.927	9.14	9.56	9.98	99
15+15+15+22+42	1.40	1.40	1.40	2.06	3.93	10.20 4.10 - 14.00	2.177 0.640 - 3.917	9.14	9.56	9.98	99
15+15+15+22+50	1.31	1.31	1.31	1.92	4.36	10.20 4.10 - 14.00	2.171 0.640 - 3.911	9.12	9.53	9.94	99
15+15+15+22+60	1.20	1.20	1.20	1.77	4.82	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.08	9.49	9.90	99
15+15+15+22+71	1.11	1.11	1.11	1.63	5.25	10.20 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+15+15+25+25	1.61	1.61	1.61	2.68	2.68	10.20 4.10 - 14.00	2.168 0.640 - 3.908	9.11	9.52	9.93	99
15+15+15+25+35	1.46	1.46	1.46	2.43	3.40	10.20 4.10 - 14.00	2.187 0.640 - 3.927	9.18	9.60	10.02	99
15+15+15+25+42	1.37	1.37	1.37	2.28	3.83	10.20 4.10 - 14.00	2.177 0.640 - 3.917	9.14	9.56	9.98	99
15+15+15+25+50	1.28	1.28	1.28	2.13	4.25	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.08	9.49	9.90	99
15+15+15+25+60	1.18	1.18	1.18	1.96	4.71	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.08	9.49	9.90	99
15+15+15+25+71	1.09	1.09	1.09	1.81	5.14	10.20 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+15+15+35+35	1.33	1.33	1.33	3.10	3.10	10.20 4.10 - 14.00	2.158 0.640 - 3.898	9.07	9.48	9.89	99
15+15+15+35+42	1.25	1.25	1.25	2.93	3.51	10.20 4.10 - 14.00	2.167 0.640 - 3.917	9.11	9.52	9.93	99
15+15+15+35+50	1.18	1.18	1.18	2.75	3.92	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.08	9.49	9.90	99
15+15+15+35+60	1.09	1.09	1.09	2.55	4.37	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.08	9.49	9.90	99
15+15+15+35+71	1.01	1.01	1.01	2.36	4.80	10.20 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+15+15+42+42	1.19	1.19	1.19	3.32	3.32	10.20 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
15+15+15+42+50	1.12	1.12	1.12	3.13	3.72	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.05	9.46	9.87	99
15+15+15+42+60	1.04	1.04	1.04	2.91	4.16	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.05	9.46	9.87	99
15+15+15+42+71	0.97	0.97	0.97	2.71	4.58	10.20 4.10 - 14.00	2.138 0.640 - 3.888	8.98	9.39	9.80	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+15+50+50	1.06	1.06	1.06	3.52	3.52	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
15+15+15+50+60	0.99	0.99	0.99	3.29	3.95	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.05	9.46	9.87	99
15+15+15+50+71	0.92	0.92	0.92	3.07	4.36	10.20 4.10 - 14.00	2.138 0.640 - 3.888	8.98	9.39	9.80	99
15+15+15+60+60	0.93	0.93	0.93	3.71	3.71	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
15+15+18+18+18	1.82	1.82	2.19	2.19	2.19	10.20 4.10 - 13.60	2.151 0.640 - 3.881	9.04	9.45	9.86	99
15+15+18+18+20	1.80	1.80	2.16	2.16	2.40	10.30 4.10 - 13.73	2.188 0.640 - 3.918	9.19	9.61	10.03	99
15+15+18+18+22	1.74	1.74	2.09	2.09	2.55	10.20 4.10 - 13.87	2.195 0.640 - 3.925	9.22	9.64	10.06	99
15+15+18+18+25	1.70	1.70	2.04	2.04	2.83	10.30 4.10 - 14.00	2.188 0.640 - 3.918	9.19	9.61	10.03	99
15+15+18+18+35	1.53	1.53	1.84	1.84	3.57	10.30 4.10 - 14.00	2.168 0.640 - 3.918	9.11	9.52	9.93	99
15+15+18+18+42	1.43	1.43	1.72	1.72	4.01	10.30 4.10 - 14.00	2.168 0.640 - 3.908	9.11	9.52	9.93	99
15+15+18+18+50	1.33	1.33	1.60	1.60	4.44	10.30 4.10 - 14.00	2.162 0.640 - 3.902	9.08	9.49	9.90	99
15+15+18+18+60	1.23	1.23	1.47	1.47	4.90	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+18+18+71	1.13	1.13	1.35	1.35	5.34	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
15+15+18+20+20	1.76	1.76	2.11	2.34	2.34	10.30 4.10 - 13.87	2.169 0.640 - 3.899	9.12	9.53	9.94	99
15+15+18+20+22	1.68	1.68	2.02	2.24	2.47	10.10 4.10 - 14.00	2.202 0.640 - 3.932	9.25	9.67	10.09	99
15+15+18+20+25	1.65	1.65	1.97	2.19	2.74	10.20 4.10 - 14.00	2.195 0.640 - 3.925	9.22	9.64	10.06	99
15+15+18+20+35	1.49	1.49	1.78	1.98	3.47	10.20 4.10 - 14.00	2.175 0.640 - 3.925	9.13	9.55	9.97	99
15+15+18+20+42	1.39	1.39	1.67	1.85	3.89	10.20 4.10 - 14.00	2.175 0.640 - 3.915	9.13	9.55	9.97	99
15+15+18+20+50	1.30	1.30	1.56	1.73	4.32	10.20 4.10 - 14.00	2.169 0.640 - 3.909	9.12	9.53	9.94	99
15+15+18+20+60	1.20	1.20	1.43	1.59	4.78	10.20 4.10 - 14.00	2.159 0.640 - 3.909	9.07	9.48	9.89	99
15+15+18+20+71	1.10	1.10	1.32	1.47	5.21	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
15+15+18+22+22	1.66	1.66	2.00	2.44	2.44	10.20 4.10 - 14.00	2.176 0.640 - 3.906	9.14	9.56	9.98	99
15+15+18+22+25	1.63	1.63	1.95	2.39	2.71	10.30 4.10 - 14.00	2.178 0.640 - 3.918	9.15	9.57	9.99	99
15+15+18+22+35	1.47	1.47	1.77	2.16	3.43	10.30 4.10 - 14.00	2.178 0.640 - 3.918	9.15	9.57	9.99	99
15+15+18+22+42	1.38	1.38	1.66	2.02	3.86	10.30 4.10 - 14.00	2.168 0.640 - 3.908	9.11	9.52	9.93	99
15+15+18+22+50	1.29	1.29	1.55	1.89	4.29	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+18+22+60	1.19	1.19	1.43	1.74	4.75	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+18+22+71	1.10	1.10	1.31	1.61	5.19	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
15+15+18+25+25	1.58	1.58	1.89	2.63	2.63	10.30 4.10 - 14.00	2.159 0.640 - 3.899	9.07	9.48	9.89	99
15+15+18+25+35	1.43	1.43	1.72	2.38	3.34	10.30 4.10 - 14.00	2.168 0.640 - 3.908	9.11	9.52	9.93	99
15+15+18+25+42	1.34	1.34	1.61	2.24	3.76	10.30 4.10 - 14.00	2.168 0.640 - 3.908	9.11	9.52	9.93	99
15+15+18+25+50	1.26	1.26	1.51	2.09	4.19	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+18+25+60	1.16	1.16	1.39	1.94	4.65	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+18+25+71	1.07	1.07	1.29	1.79	5.08	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
15+15+18+35+35	1.31	1.31	1.57	3.06	3.06	10.30 4.10 - 14.00	2.149 0.640 - 3.889	9.03	9.44	9.85	99
15+15+18+35+42	1.24	1.24	1.48	2.88	3.46	10.30 4.10 - 14.00	2.158 0.640 - 3.908	9.07	9.48	9.89	99
15+15+18+35+50	1.16	1.16	1.39	2.71	3.87	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+18+35+60	1.08	1.08	1.30	2.52	4.32	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+18+35+71	1.00	1.00	1.20	2.34	4.75	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
15+15+18+42+42	1.17	1.17	1.40	3.28	3.28	10.30 4.10 - 14.00	2.139 0.640 - 3.889	8.98	9.39	9.80	99
15+15+18+42+50	1.10	1.10	1.32	3.09	3.68	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+18+42+60	1.03	1.03	1.24	2.88	4.12	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99
15+15+18+42+71	0.96	0.96	1.15	2.69	4.54	10.30 4.10 - 14.00	2.129 0.640 - 3.879	8.94	9.35	9.76	99
15+15+18+50+50	1.04	1.04	1.25	3.48	3.48	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+15+18+50+60	0.98	0.98	1.17	3.26	3.91	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99
15+15+18+50+71	0.91	0.91	1.10	3.05	4.33	10.30 4.10 - 14.00	2.129 0.640 - 3.879	8.94	9.35	9.76	99
15+15+18+60+60	0.92	0.92	1.10	3.68	3.68	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+15+20+20+20	1.72	1.72	2.29	2.29	2.29	10.30 4.10 - 14.00	2.142 0.640 - 3.872	9.00	9.41	9.82	99
15+15+20+20+22	1.63	1.63	2.17	2.17	2.39	10.00 4.10 - 14.00	2.209 0.640 - 3.939	9.28	9.70	10.12	99
15+15+20+20+25	1.59	1.59	2.13	2.13	2.66	10.10 4.10 - 14.00	2.192 0.640 - 3.932	9.21	9.63	10.05	99
15+15+20+20+35	1.44	1.44	1.92	1.92	3.37	10.10 4.10 - 14.00	2.192 0.640 - 3.932	9.21	9.63	10.05	99
15+15+20+20+42	1.35	1.35	1.80	1.80	3.79	10.10 4.10 - 14.00	2.182 0.640 - 3.922	9.16	9.58	10.00	99
15+15+20+20+50	1.26	1.26	1.68	1.68	4.21	10.10 4.10 - 14.00	2.166 0.640 - 3.916	9.10	9.51	9.92	99
15+15+20+20+60	1.17	1.17	1.55	1.55	4.66	10.10 4.10 - 14.00	2.166 0.640 - 3.916	9.10	9.51	9.92	99
15+15+20+20+71	1.07	1.07	1.43	1.43	5.09	10.10 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+15+20+22+22	1.61	1.61	2.15	2.36	2.36	10.10 4.10 - 14.00	2.173 0.640 - 3.913	9.13	9.54	9.95	99
15+15+20+22+25	1.58	1.58	2.10	2.31	2.63	10.20 4.10 - 14.00	2.185 0.640 - 3.925	9.18	9.60	10.02	99
15+15+20+22+35	1.43	1.43	1.91	2.10	3.34	10.20 4.10 - 14.00	2.185 0.640 - 3.925	9.18	9.60	10.02	99
15+15+20+22+42	1.34	1.34	1.79	1.97	3.76	10.20 4.10 - 14.00	2.175 0.640 - 3.915	9.13	9.55	9.97	99
15+15+20+22+50	1.25	1.25	1.67	1.84	4.18	10.20 4.10 - 14.00	2.159 0.640 - 3.909	9.07	9.48	9.89	99
15+15+20+22+60	1.16	1.16	1.55	1.70	4.64	10.20 4.10 - 14.00	2.159 0.640 - 3.909	9.07	9.48	9.89	99
15+15+20+22+71	1.07	1.07	1.43	1.57	5.06	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
15+15+20+25+25	1.53	1.53	2.04	2.55	2.55	10.20 4.10 - 14.00	2.166 0.640 - 3.906	9.10	9.51	9.92	99
15+15+20+25+35	1.39	1.39	1.85	2.32	3.25	10.20 4.10 - 14.00	2.175 0.640 - 3.915	9.13	9.55	9.97	99
15+15+20+25+42	1.31	1.31	1.74	2.18	3.66	10.20 4.10 - 14.00	2.175 0.640 - 3.915	9.13	9.55	9.97	99
15+15+20+25+50	1.22	1.22	1.63	2.04	4.08	10.20 4.10 - 14.00	2.159 0.640 - 3.909	9.07	9.48	9.89	99
15+15+20+25+60	1.13	1.13	1.51	1.89	4.53	10.20 4.10 - 14.00	2.159 0.640 - 3.909	9.07	9.48	9.89	99
15+15+20+25+71	1.05	1.05	1.40	1.75	4.96	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
15+15+20+35+35	1.28	1.28	1.70	2.98	2.98	10.20 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99
15+15+20+35+42	1.20	1.20	1.61	2.81	3.37	10.20 4.10 - 14.00	2.165 0.640 - 3.915	9.10	9.51	9.92	99
15+15+20+35+50	1.13	1.13	1.51	2.64	3.78	10.20 4.10 - 14.00	2.159 0.640 - 3.909	9.07	9.48	9.89	99
15+15+20+35+60	1.06	1.06	1.41	2.46	4.22	10.20 4.10 - 14.00	2.159 0.640 - 3.909	9.07	9.48	9.89	99
15+15+20+35+71	0.98	0.98	1.31	2.29	4.64	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
15+15+20+42+42	1.14	1.14	1.52	3.20	3.20	10.20 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99
15+15+20+42+50	1.08	1.08	1.44	3.02	3.59	10.20 4.10 - 14.00	2.153 0.640 - 3.903	9.05	9.46	9.87	99
15+15+20+42+60	1.01	1.01	1.34	2.82	4.03	10.20 4.10 - 14.00	2.153 0.640 - 3.903	9.05	9.46	9.87	99
15+15+20+42+71	0.94	0.94	1.25	2.63	4.44	10.20 4.10 - 14.00	2.136 0.640 - 3.886	8.97	9.38	9.79	99
15+15+20+50+50	1.02	1.02	1.36	3.40	3.40	10.20 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
15+15+20+50+60	0.96	0.96	1.28	3.19	3.83	10.20 4.10 - 14.00	2.153 0.640 - 3.903	9.05	9.46	9.87	99
15+15+20+50+71	0.89	0.89	1.19	2.98	4.24	10.20 4.10 - 14.00	2.136 0.640 - 3.886	8.97	9.38	9.79	99
15+15+20+60+60	0.90	0.90	1.20	3.60	3.60	10.20 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
15+15+22+22+22	1.59	1.59	2.34	2.34	2.34	10.20 4.10 - 14.00	2.139 0.640 - 3.879	8.98	9.39	9.80	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+22+22+25	1.56	1.56	2.29	2.29	2.60	10.30 4.10 - 14.00	2.178 0.640 - 3.918	9.15	9.57	9.99	99
15+15+22+22+35	1.42	1.42	2.08	2.08	3.31	10.30 4.10 - 14.00	2.168 0.640 - 3.908	9.11	9.52	9.93	99
15+15+22+22+42	1.33	1.33	1.95	1.95	3.73	10.30 4.10 - 14.00	2.168 0.640 - 3.908	9.11	9.52	9.93	99
15+15+22+22+50	1.25	1.25	1.83	1.83	4.15	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+22+22+60	1.15	1.15	1.69	1.69	4.61	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+22+22+71	1.07	1.07	1.56	1.56	5.04	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
15+15+22+25+25	1.51	1.51	2.22	2.52	2.52	10.30 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+15+22+25+35	1.38	1.38	2.02	2.30	3.22	10.30 4.10 - 14.00	2.168 0.640 - 3.908	9.11	9.52	9.93	99
15+15+22+25+42	1.30	1.30	1.90	2.16	3.64	10.30 4.10 - 14.00	2.168 0.640 - 3.908	9.11	9.52	9.93	99
15+15+22+25+50	1.22	1.22	1.78	2.03	4.06	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+22+25+60	1.13	1.13	1.65	1.88	4.51	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+22+25+71	1.04	1.04	1.53	1.74	4.94	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
15+15+22+35+35	1.27	1.27	1.86	2.95	2.95	10.30 4.10 - 14.00	2.139 0.640 - 3.889	8.98	9.39	9.80	99
15+15+22+35+42	1.20	1.20	1.76	2.79	3.35	10.30 4.10 - 14.00	2.158 0.640 - 3.908	9.07	9.48	9.89	99
15+15+22+35+50	1.13	1.13	1.65	2.63	3.76	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+22+35+60	1.05	1.05	1.54	2.45	4.20	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+22+35+71	0.98	0.98	1.43	2.28	4.63	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
15+15+22+42+42	1.14	1.14	1.67	3.18	3.18	10.30 4.10 - 14.00	2.139 0.640 - 3.889	8.98	9.39	9.80	99
15+15+22+42+50	1.07	1.07	1.57	3.00	3.58	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99
15+15+22+42+60	1.00	1.00	1.47	2.81	4.01	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99
15+15+22+42+71	0.94	0.94	1.37	2.62	4.43	10.30 4.10 - 14.00	2.129 0.640 - 3.879	8.94	9.35	9.76	99
15+15+22+50+50	1.02	1.02	1.49	3.39	3.39	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+15+22+50+60	0.95	0.95	1.40	3.18	3.81	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99
15+15+22+60+60	0.90	0.90	1.32	3.59	3.59	10.30 4.10 - 14.00	2.129 0.640 - 3.879	8.94	9.35	9.76	99
15+15+25+25+25	1.47	1.47	2.45	2.45	2.45	10.30 4.10 - 14.00	2.132 0.640 - 3.872	8.95	9.36	9.77	99
15+15+25+25+35	1.34	1.34	2.24	2.24	3.13	10.30 4.10 - 14.00	2.168 0.640 - 3.908	9.11	9.52	9.93	99
15+15+25+25+42	1.27	1.27	2.11	2.11	3.55	10.30 4.10 - 14.00	2.158 0.640 - 3.908	9.07	9.48	9.89	99
15+15+25+25+50	1.19	1.19	1.98	1.98	3.96	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+25+25+60	1.10	1.10	1.84	1.84	4.41	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+25+25+71	1.02	1.02	1.71	1.71	4.84	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
15+15+25+35+35	1.24	1.24	2.06	2.88	2.88	10.30 4.10 - 14.00	2.139 0.640 - 3.889	8.98	9.39	9.80	99
15+15+25+35+42	1.17	1.17	1.95	2.73	3.28	10.30 4.10 - 14.00	2.158 0.640 - 3.908	9.07	9.48	9.89	99
15+15+25+35+50	1.10	1.10	1.84	2.58	3.68	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+25+35+60	1.03	1.03	1.72	2.40	4.12	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+25+35+71	0.96	0.96	1.60	2.24	4.54	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
15+15+25+42+42	1.11	1.11	1.85	3.11	3.11	10.30 4.10 - 14.00	2.139 0.640 - 3.889	8.98	9.39	9.80	99
15+15+25+42+50	1.05	1.05	1.75	2.94	3.50	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99
15+15+25+42+60	0.98	0.98	1.64	2.76	3.94	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99
15+15+25+42+71	0.92	0.92	1.53	2.58	4.35	10.30 4.10 - 14.00	2.129 0.640 - 3.879	8.94	9.35	9.76	99
15+15+25+50+50	1.00	1.00	1.66	3.32	3.32	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+15+25+50+60	0.94	0.94	1.56	3.12	3.75	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+35+35+35	1.14	1.14	2.67	2.67	2.67	10.30 4.10 - 14.00	2.129 0.640 - 3.879	8.94	9.35	9.76	99
15+15+35+35+42	1.09	1.09	2.54	2.54	3.05	10.30 4.10 - 14.00	2.158 0.640 - 3.908	9.07	9.48	9.89	99
15+15+35+35+50	1.03	1.03	2.40	2.40	3.43	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+35+35+60	0.97	0.97	2.25	2.25	3.86	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+35+35+71	0.90	0.90	2.11	2.11	4.28	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
15+15+35+42+42	1.04	1.04	2.42	2.90	2.90	10.30 4.10 - 14.00	2.139 0.640 - 3.889	8.98	9.39	9.80	99
15+15+35+42+50	0.98	0.98	2.30	2.76	3.28	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99
15+15+35+42+60	0.93	0.93	2.16	2.59	3.70	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99
15+15+35+50+50	0.94	0.94	2.18	3.12	3.12	10.30 4.10 - 14.00	2.129 0.640 - 3.879	8.94	9.35	9.76	99
15+15+42+42+42	0.99	0.99	2.77	2.77	2.77	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99
15+15+42+42+50	0.94	0.94	2.64	2.64	3.14	10.30 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
15+15+42+50+50	0.90	0.90	2.52	2.99	2.99	10.30 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
15+18+18+18+18	1.78	2.13	2.13	2.13	2.13	10.30 4.10 - 13.80	2.170 0.640 - 3.900	9.12	9.53	9.94	99
15+18+18+18+20	1.75	2.10	2.10	2.10	2.34	10.40 4.10 - 13.93	2.179 0.640 - 3.909	9.15	9.57	9.99	99
15+18+18+18+22	1.70	2.04	2.04	2.04	2.49	10.30 4.10 - 14.00	2.186 0.640 - 3.916	9.18	9.60	10.02	99
15+18+18+18+25	1.66	1.99	1.99	1.99	2.77	10.40 4.10 - 14.00	2.169 0.640 - 3.909	9.12	9.53	9.94	99
15+18+18+18+42	1.41	1.69	1.69	1.69	3.94	10.40 4.10 - 14.00	2.159 0.640 - 3.899	9.07	9.48	9.89	99
15+18+18+18+50	1.31	1.57	1.57	1.57	4.37	10.40 4.10 - 14.00	2.153 0.640 - 3.893	9.05	9.46	9.87	99
15+18+18+18+60	1.21	1.45	1.45	1.45	4.84	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+18+18+71	1.11	1.34	1.34	1.34	5.27	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+18+18+20+20	1.71	2.06	2.06	2.29	2.29	10.40 4.10 - 14.00	2.160 0.640 - 3.890	9.08	9.49	9.90	99
15+18+18+20+22	1.65	1.97	1.97	2.19	2.41	10.20 4.10 - 14.00	2.193 0.640 - 3.923	9.21	9.63	10.05	99
15+18+18+20+25	1.61	1.93	1.93	2.15	2.68	10.30 4.10 - 14.00	2.176 0.640 - 3.916	9.14	9.56	9.98	99
15+18+18+20+35	1.46	1.75	1.75	1.94	3.40	10.30 4.10 - 14.00	2.176 0.640 - 3.916	9.14	9.56	9.98	99
15+18+18+20+42	1.37	1.64	1.64	1.82	3.83	10.30 4.10 - 14.00	2.166 0.640 - 3.906	9.10	9.51	9.92	99
15+18+18+20+50	1.28	1.53	1.53	1.70	4.26	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+18+18+20+60	1.18	1.42	1.42	1.57	4.72	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+18+18+20+71	1.09	1.31	1.31	1.45	5.15	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+18+18+22+22	1.63	1.95	1.95	2.39	2.39	10.30 4.10 - 14.00	2.157 0.640 - 3.897	9.06	9.47	9.88	99
15+18+18+22+25	1.59	1.91	1.91	2.33	2.65	10.40 4.10 - 14.00	2.169 0.640 - 3.909	9.12	9.53	9.94	99
15+18+18+22+35	1.44	1.73	1.73	2.12	3.37	10.40 4.10 - 14.00	2.159 0.640 - 3.899	9.07	9.48	9.89	99
15+18+18+22+42	1.36	1.63	1.63	1.99	3.80	10.40 4.10 - 14.00	2.159 0.640 - 3.899	9.07	9.48	9.89	99
15+18+18+22+50	1.27	1.52	1.52	1.86	4.23	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+18+22+60	1.17	1.41	1.41	1.72	4.69	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+18+22+71	1.08	1.30	1.30	1.59	5.13	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+18+18+25+25	1.54	1.85	1.85	2.57	2.57	10.40 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
15+18+18+25+35	1.41	1.69	1.69	2.34	3.28	10.40 4.10 - 14.00	2.159 0.640 - 3.899	9.07	9.48	9.89	99
15+18+18+25+42	1.32	1.59	1.59	2.20	3.70	10.40 4.10 - 14.00	2.159 0.640 - 3.899	9.07	9.48	9.89	99
15+18+18+25+50	1.24	1.49	1.49	2.06	4.13	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+18+25+60	1.15	1.38	1.38	1.91	4.59	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+18+25+71	1.06	1.27	1.27	1.77	5.02	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+18+35+35	1.29	1.55	1.55	3.01	3.01	10.40 4.10 - 14.00	2.130 0.640 - 3.880	8.94	9.35	9.76	99
15+18+18+35+42	1.22	1.46	1.46	2.84	3.41	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+18+18+35+50	1.15	1.38	1.38	2.68	3.82	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+18+35+60	1.07	1.28	1.28	2.49	4.27	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+18+35+71	0.99	1.19	1.19	2.32	4.70	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+18+18+42+42	1.16	1.39	1.39	3.24	3.24	10.40 4.10 - 14.00	2.130 0.640 - 3.880	8.94	9.35	9.76	99
15+18+18+42+50	1.09	1.31	1.31	3.05	3.64	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+18+42+60	1.02	1.22	1.22	2.85	4.08	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+18+42+71	0.95	1.14	1.14	2.66	4.50	10.40 4.10 - 14.00	2.120 0.640 - 3.870	8.91	9.31	9.71	99
15+18+18+50+50	1.03	1.24	1.24	3.44	3.44	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
15+18+18+50+60	0.97	1.16	1.16	3.23	3.88	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+18+50+71	0.91	1.09	1.09	3.02	4.29	10.40 4.10 - 14.00	2.120 0.640 - 3.870	8.91	9.31	9.71	99
15+18+18+60+60	0.91	1.09	1.09	3.65	3.65	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
15+18+20+20+20	1.68	2.01	2.24	2.24	2.24	10.40 4.10 - 14.00	2.133 0.640 - 3.863	8.96	9.37	9.78	99
15+18+20+20+22	1.59	1.91	2.13	2.13	2.34	10.10 4.10 - 14.00	2.190 0.640 - 3.930	9.20	9.62	10.04	99
15+18+20+20+25	1.56	1.87	2.08	2.08	2.60	10.20 4.10 - 14.00	2.183 0.640 - 3.923	9.17	9.59	10.01	99
15+18+20+20+35	1.42	1.70	1.89	1.89	3.31	10.20 4.10 - 14.00	2.173 0.640 - 3.913	9.13	9.54	9.95	99
15+18+20+20+42	1.33	1.60	1.77	1.77	3.73	10.20 4.10 - 14.00	2.173 0.640 - 3.913	9.13	9.54	9.95	99
15+18+20+20+50	1.24	1.49	1.66	1.66	4.15	10.20 4.10 - 14.00	2.157 0.640 - 3.907	9.06	9.47	9.88	99
15+18+20+20+60	1.15	1.38	1.53	1.53	4.60	10.20 4.10 - 14.00	2.157 0.640 - 3.907	9.06	9.47	9.88	99
15+18+20+20+71	1.06	1.28	1.42	1.42	5.03	10.20 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
15+18+20+22+22	1.58	1.89	2.10	2.31	2.31	10.20 4.10 - 14.00	2.164 0.640 - 3.904	9.09	9.50	9.91	99
15+18+20+22+25	1.55	1.85	2.06	2.27	2.58	10.30 4.10 - 14.00	2.176 0.640 - 3.916	9.14	9.56	9.98	99
15+18+20+22+35	1.40	1.69	1.87	2.06	3.28	10.30 4.10 - 14.00	2.166 0.640 - 3.906	9.10	9.51	9.92	99
15+18+20+22+42	1.32	1.58	1.76	1.94	3.70	10.30 4.10 - 14.00	2.166 0.640 - 3.906	9.10	9.51	9.92	99
15+18+20+22+50	1.24	1.48	1.65	1.81	4.12	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+18+20+22+60	1.14	1.37	1.53	1.68	4.58	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+18+20+22+71	1.06	1.27	1.41	1.55	5.01	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+18+20+25+25	1.50	1.80	2.00	2.50	2.50	10.30 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
15+18+20+25+35	1.37	1.64	1.82	2.28	3.19	10.30 4.10 - 14.00	2.166 0.640 - 3.906	9.10	9.51	9.92	99
15+18+20+25+42	1.29	1.55	1.72	2.15	3.61	10.30 4.10 - 14.00	2.156 0.640 - 3.906	9.06	9.47	9.88	99
15+18+20+25+50	1.21	1.45	1.61	2.01	4.02	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+18+20+25+60	1.12	1.34	1.49	1.87	4.48	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+18+20+25+71	1.04	1.24	1.38	1.73	4.91	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+18+20+35+35	1.26	1.51	1.67	2.93	2.93	10.30 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+20+35+42	1.19	1.43	1.58	2.77	3.33	10.30 4.10 - 14.00	2.156 0.640 - 3.906	9.06	9.47	9.88	99
15+18+20+35+50	1.12	1.34	1.49	2.61	3.73	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+18+20+35+60	1.04	1.25	1.39	2.44	4.18	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+18+20+35+71	0.97	1.17	1.30	2.27	4.60	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+18+20+42+42	1.13	1.35	1.50	3.16	3.16	10.30 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+20+42+50	1.07	1.28	1.42	2.98	3.55	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99



**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+20+42+60	1.00	1.20	1.33	2.79	3.99	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+18+20+42+71	0.93	1.12	1.24	2.61	4.41	10.30 4.10 - 14.00	2.127 0.640 - 3.877	8.93	9.34	9.75	99
15+18+20+50+50	1.01	1.21	1.35	3.37	3.37	10.30 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
15+18+20+50+60	0.95	1.14	1.26	3.16	3.79	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+18+22+22+22	1.56	1.87	2.29	2.29	2.29	10.30 4.10 - 14.00	2.147 0.640 - 3.887	9.02	9.43	9.84	99
15+18+22+22+25	1.53	1.84	2.24	2.24	2.55	10.40 4.10 - 14.00	2.159 0.640 - 3.909	9.07	9.48	9.89	99
15+18+22+22+35	1.39	1.67	2.04	2.04	3.25	10.40 4.10 - 14.00	2.159 0.640 - 3.899	9.07	9.48	9.89	99
15+18+22+22+42	1.31	1.57	1.92	1.92	3.67	10.40 4.10 - 14.00	2.159 0.640 - 3.899	9.07	9.48	9.89	99
15+18+22+22+50	1.23	1.47	1.80	1.80	4.09	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+22+22+60	1.14	1.37	1.67	1.67	4.55	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+22+22+71	1.05	1.26	1.55	1.55	4.99	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+18+22+25+25	1.49	1.78	2.18	2.48	2.48	10.40 4.10 - 14.00	2.150 0.640 - 3.890	9.03	9.44	9.85	99
15+18+22+25+35	1.36	1.63	1.99	2.26	3.17	10.40 4.10 - 14.00	2.159 0.640 - 3.899	9.07	9.48	9.89	99
15+18+22+25+42	1.28	1.53	1.88	2.13	3.58	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+18+22+25+50	1.20	1.44	1.76	2.00	4.00	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+22+25+60	1.11	1.34	1.63	1.86	4.46	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+22+25+71	1.03	1.24	1.52	1.72	4.89	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+18+22+35+35	1.25	1.50	1.83	2.91	2.91	10.40 4.10 - 14.00	2.130 0.640 - 3.880	8.94	9.35	9.76	99
15+18+22+35+42	1.18	1.42	1.73	2.76	3.31	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+18+22+35+50	1.11	1.34	1.63	2.60	3.71	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+22+35+60	1.04	1.25	1.53	2.43	4.16	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+22+35+71	0.97	1.16	1.42	2.26	4.59	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+18+22+42+42	1.12	1.35	1.65	3.14	3.14	10.40 4.10 - 14.00	2.130 0.640 - 3.880	8.94	9.35	9.76	99
15+18+22+42+50	1.06	1.27	1.56	2.97	3.54	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+22+42+60	0.99	1.19	1.46	2.78	3.97	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+22+42+71	0.93	1.11	1.36	2.60	4.40	10.40 4.10 - 14.00	2.120 0.640 - 3.870	8.91	9.31	9.71	99
15+18+22+50+50	1.01	1.21	1.48	3.35	3.35	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
15+18+22+50+60	0.95	1.13	1.39	3.15	3.78	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+25+25+25	1.44	1.73	2.41	2.41	2.41	10.40 4.10 - 14.00	2.130 0.640 - 3.870	8.94	9.35	9.76	99
15+18+25+25+35	1.32	1.59	2.20	2.20	3.08	10.40 4.10 - 14.00	2.159 0.640 - 3.899	9.07	9.48	9.89	99
15+18+25+25+42	1.25	1.50	2.08	2.08	3.49	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+18+25+25+50	1.17	1.41	1.95	1.95	3.91	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+25+25+60	1.09	1.31	1.82	1.82	4.36	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+25+25+71	1.01	1.22	1.69	1.69	4.79	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+18+25+35+35	1.22	1.46	2.03	2.84	2.84	10.40 4.10 - 14.00	2.130 0.640 - 3.880	8.94	9.35	9.76	99
15+18+25+35+42	1.16	1.39	1.93	2.70	3.24	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+18+25+35+50	1.09	1.31	1.82	2.55	3.64	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+25+35+60	1.02	1.22	1.70	2.38	4.08	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+25+35+71	0.95	1.14	1.59	2.22	4.50	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+18+25+42+42	1.10	1.32	1.83	3.08	3.08	10.40 4.10 - 14.00	2.130 0.640 - 3.880	8.94	9.35	9.76	99
15+18+25+42+50	1.04	1.25	1.73	2.91	3.47	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+25+42+60	0.98	1.17	1.63	2.73	3.90	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+25+42+71	0.91	1.09	1.52	2.55	4.32	10.40 4.10 - 14.00	2.120 0.640 - 3.870	8.91	9.31	9.71	99
15+18+25+50+50	0.99	1.18	1.65	3.29	3.29	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
15+18+25+50+60	0.93	1.11	1.55	3.10	3.71	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+35+35+35	1.13	1.36	2.64	2.64	2.64	10.40 4.10 - 14.00	2.120 0.640 - 3.870	8.91	9.31	9.71	99
15+18+35+35+42	1.08	1.29	2.51	2.51	3.01	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+18+35+35+50	1.02	1.22	2.38	2.38	3.40	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+35+35+60	0.96	1.15	2.23	2.23	3.83	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+35+42+42	1.03	1.23	2.39	2.87	2.87	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+18+35+42+50	0.98	1.17	2.28	2.73	3.25	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+35+42+60	0.92	1.10	2.14	2.57	3.67	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+35+50+50	0.93	1.11	2.17	3.10	3.10	10.40 4.10 - 14.00	2.120 0.640 - 3.870	8.91	9.31	9.71	99
15+18+42+42+42	0.98	1.18	2.75	2.75	2.75	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+42+42+50	0.93	1.12	2.62	2.62	3.11	10.40 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
15+20+20+20+20	1.64	2.19	2.19	2.19	2.19	10.40 4.10 - 14.00	2.151 0.640 - 3.891	9.04	9.45	9.86	99
15+20+20+20+22	1.55	2.06	2.06	2.06	2.27	10.00 4.10 - 14.00	2.197 0.640 - 3.937	9.23	9.65	10.07	99
15+20+20+20+25	1.52	2.02	2.02	2.02	2.53	10.10 4.10 - 14.00	2.190 0.640 - 3.930	9.20	9.62	10.04	99
15+20+20+20+35	1.38	1.84	1.84	1.84	3.21	10.10 4.10 - 14.00	2.180 0.640 - 3.920	9.15	9.57	9.99	99
15+20+20+20+42	1.29	1.73	1.73	1.73	3.63	10.10 4.10 - 14.00	2.180 0.640 - 3.920	9.15	9.57	9.99	99
15+20+20+20+50	1.21	1.62	1.62	1.62	4.04	10.10 4.10 - 14.00	2.164 0.640 - 3.914	9.09	9.50	9.91	99
15+20+20+20+60	1.12	1.50	1.50	1.50	4.49	10.10 4.10 - 14.00	2.164 0.640 - 3.914	9.09	9.50	9.91	99
15+20+20+20+71	1.04	1.38	1.38	1.38	4.91	10.10 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
15+20+20+22+22	1.53	2.04	2.04	2.24	2.24	10.10 4.10 - 14.00	2.171 0.640 - 3.911	9.12	9.53	9.94	99
15+20+20+22+25	1.50	2.00	2.00	2.20	2.50	10.20 4.10 - 14.00	2.173 0.640 - 3.923	9.13	9.54	9.95	99
15+20+20+22+35	1.37	1.82	1.82	2.00	3.19	10.20 4.10 - 14.00	2.173 0.640 - 3.913	9.13	9.54	9.95	99
15+20+20+22+42	1.29	1.71	1.71	1.89	3.60	10.20 4.10 - 14.00	2.173 0.640 - 3.913	9.13	9.54	9.95	99
15+20+20+22+50	1.20	1.61	1.61	1.77	4.02	10.20 4.10 - 14.00	2.157 0.640 - 3.907	9.06	9.47	9.88	99
15+20+20+22+60	1.12	1.49	1.49	1.64	4.47	10.20 4.10 - 14.00	2.157 0.640 - 3.907	9.06	9.47	9.88	99
15+20+20+22+71	1.03	1.38	1.38	1.52	4.89	10.20 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
15+20+20+25+25	1.46	1.94	1.94	2.43	2.43	10.20 4.10 - 14.00	2.164 0.640 - 3.904	9.09	9.50	9.91	99
15+20+20+25+35	1.33	1.77	1.77	2.22	3.10	10.20 4.10 - 14.00	2.173 0.640 - 3.913	9.13	9.54	9.95	99
15+20+20+25+42	1.25	1.67	1.67	2.09	3.51	10.20 4.10 - 14.00	2.163 0.640 - 3.913	9.09	9.50	9.91	99
15+20+20+25+50	1.18	1.57	1.57	1.96	3.92	10.20 4.10 - 14.00	2.157 0.640 - 3.907	9.06	9.47	9.88	99
15+20+20+25+60	1.09	1.46	1.46	1.82	4.37	10.20 4.10 - 14.00	2.157 0.640 - 3.907	9.06	9.47	9.88	99
15+20+20+25+71	1.01	1.35	1.35	1.69	4.80	10.20 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
15+20+20+35+35	1.22	1.63	1.63	2.86	2.86	10.20 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+20+20+35+42	1.16	1.55	1.55	2.70	3.25	10.20 4.10 - 14.00	2.163 0.640 - 3.913	9.09	9.50	9.91	99
15+20+20+35+50	1.09	1.46	1.46	2.55	3.64	10.20 4.10 - 14.00	2.157 0.640 - 3.907	9.06	9.47	9.88	99
15+20+20+35+60	1.02	1.36	1.36	2.38	4.08	10.20 4.10 - 14.00	2.157 0.640 - 3.907	9.06	9.47	9.88	99
15+20+20+35+71	0.95	1.27	1.27	2.22	4.50	10.20 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
15+20+20+42+42	1.10	1.47	1.47	3.08	3.08	10.20 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+20+20+42+50	1.04	1.39	1.39	2.91	3.47	10.20 4.10 - 14.00	2.151 0.640 - 3.901	9.04	9.45	9.86	99
15+20+20+42+60	0.97	1.30	1.30	2.73	3.90	10.20 4.10 - 14.00	2.151 0.640 - 3.901	9.04	9.45	9.86	99
15+20+20+42+71	0.91	1.21	1.21	2.55	4.31	10.20 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
15+20+20+50+50	0.99	1.32	1.32	3.29	3.29	10.20 4.10 - 14.00	2.138 0.640 - 3.888	8.98	9.39	9.80	99
15+20+20+50+60	0.93	1.24	1.24	3.09	3.71	10.20 4.10 - 14.00	2.151 0.640 - 3.901	9.04	9.45	9.86	99
15+20+22+22+22	1.51	2.02	2.22	2.22	2.22	10.20 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+20+22+22+35	1.36	1.81	1.99	1.99	3.16	10.30 4.10 - 14.00	2.166 0.640 - 3.906	9.10	9.51	9.92	99
15+20+22+22+42	1.28	1.70	1.87	1.87	3.58	10.30 4.10 - 14.00	2.156 0.640 - 3.906	9.06	9.47	9.88	99
15+20+22+22+50	1.20	1.60	1.76	1.76	3.99	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+20+22+22+60	1.11	1.48	1.63	1.63	4.45	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+20+22+22+71	1.03	1.37	1.51	1.51	4.88	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+20+22+25+25	1.44	1.93	2.12	2.41	2.41	10.30 4.10 - 14.00	2.157 0.640 - 3.897	9.06	9.47	9.88	99
15+20+22+25+35	1.32	1.76	1.94	2.20	3.08	10.30 4.10 - 14.00	2.166 0.640 - 3.906	9.10	9.51	9.92	99
15+20+22+25+42	1.25	1.66	1.83	2.08	3.49	10.30 4.10 - 14.00	2.156 0.640 - 3.906	9.06	9.47	9.88	99
15+20+22+25+50	1.17	1.56	1.72	1.95	3.90	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+20+22+25+60	1.09	1.45	1.60	1.81	4.35	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+20+22+25+71	1.01	1.35	1.48	1.68	4.78	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+20+22+35+35	1.22	1.62	1.78	2.84	2.84	10.30 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+20+22+35+42	1.15	1.54	1.69	2.69	3.23	10.30 4.10 - 14.00	2.156 0.640 - 3.906	9.06	9.47	9.88	99
15+20+22+35+50	1.09	1.45	1.60	2.54	3.63	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+20+22+35+60	1.02	1.36	1.49	2.37	4.07	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+20+22+35+71	0.95	1.26	1.39	2.21	4.49	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+20+22+42+42	1.10	1.46	1.61	3.07	3.07	10.30 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+20+22+42+50	1.04	1.38	1.52	2.90	3.46	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+20+22+42+60	0.97	1.30	1.43	2.72	3.89	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+20+22+42+71	0.91	1.21	1.33	2.54	4.30	10.30 4.10 - 14.00	2.127 0.640 - 3.877	8.93	9.34	9.75	99
15+20+22+50+50	0.98	1.31	1.44	3.28	3.28	10.30 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
15+20+22+50+60	0.93	1.23	1.36	3.08	3.70	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+20+25+25+25	1.40	1.87	2.34	2.34	2.34	10.30 4.10 - 14.00	2.137 0.640 - 3.877	8.98	9.39	9.80	99
15+20+25+25+35	1.29	1.72	2.15	2.15	3.00	10.30 4.10 - 14.00	2.156 0.640 - 3.906	9.06	9.47	9.88	99
15+20+25+25+42	1.22	1.62	2.03	2.03	3.41	10.30 4.10 - 14.00	2.156 0.640 - 3.906	9.06	9.47	9.88	99
15+20+25+25+50	1.14	1.53	1.91	1.91	3.81	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+20+25+25+60	1.07	1.42	1.78	1.78	4.26	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+20+25+25+71	0.99	1.32	1.65	1.65	4.69	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+20+25+35+35	1.19	1.58	1.98	2.77	2.77	10.30 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+20+25+35+42	1.13	1.50	1.88	2.63	3.16	10.30 4.10 - 14.00	2.156 0.640 - 3.906	9.06	9.47	9.88	99
15+20+25+35+50	1.07	1.42	1.78	2.49	3.55	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+20+25+35+60	1.00	1.33	1.66	2.33	3.99	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+20+25+35+71	0.93	1.24	1.55	2.17	4.41	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+20+25+42+42	1.07	1.43	1.79	3.00	3.00	10.30 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+20+25+42+50	1.02	1.36	1.69	2.85	3.39	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+20+25+42+60	0.95	1.27	1.59	2.67	3.81	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+20+25+50+50	0.97	1.29	1.61	3.22	3.22	10.30 4.10 - 14.00	2.127 0.640 - 3.877	8.93	9.34	9.75	99
15+20+25+50+60	0.91	1.21	1.51	3.03	3.64	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+20+35+35+35	1.10	1.47	2.58	2.58	2.58	10.30 4.10 - 14.00	2.127 0.640 - 3.877	8.93	9.34	9.75	99
15+20+35+35+42	1.05	1.40	2.45	2.45	2.94	10.30 4.10 - 14.00	2.156 0.640 - 3.906	9.06	9.47	9.88	99
15+20+35+35+50	1.00	1.33	2.33	2.33	3.32	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+20+35+35+60	0.94	1.25	2.18	2.18	3.75	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+20+35+42+42	1.00	1.34	2.34	2.81	2.81	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+20+35+42+50	0.95	1.27	2.23	2.67	3.18	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+20+35+42+60	0.90	1.20	2.10	2.52	3.59	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+20+35+50+50	0.91	1.21	2.12	3.03	3.03	10.30 4.10 - 14.00	2.127 0.640 - 3.877	8.93	9.34	9.75	99
15+20+42+42+42	0.96	1.28	2.69	2.69	2.69	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+20+42+42+50	0.91	1.22	2.56	2.56	3.05	10.30 4.10 - 14.00	2.138 0.640 - 3.888	8.98	9.39	9.80	99
15+22+22+22+22	1.50	2.20	2.20	2.20	2.20	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
15+22+22+22+25	1.47	2.16	2.16	2.16	2.45	10.40 4.10 - 14.00	2.169 0.640 - 3.909	9.12	9.53	9.94	99
15+22+22+22+35	1.34	1.97	1.97	1.97	3.14	10.40 4.10 - 14.00	2.159 0.640 - 3.899	9.07	9.48	9.89	99
15+22+22+22+42	1.27	1.86	1.86	1.86	3.55	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+22+22+22+50	1.19	1.75	1.75	1.75	3.97	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+22+22+22+60	1.11	1.62	1.62	1.62	4.43	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+22+22+22+71	1.03	1.51	1.51	1.51	4.86	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+22+22+25+25	1.43	2.10	2.10	2.39	2.39	10.40 4.10 - 14.00	2.140 0.640 - 3.880	8.99	9.40	9.81	99
15+22+22+25+35	1.31	1.92	1.92	2.18	3.06	10.40 4.10 - 14.00	2.159 0.640 - 3.899	9.07	9.48	9.89	99
15+22+22+25+42	1.24	1.82	1.82	2.06	3.47	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+22+22+25+50	1.16	1.71	1.71	1.94	3.88	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+22+22+25+60	1.08	1.59	1.59	1.81	4.33	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+22+22+25+71	1.01	1.48	1.48	1.68	4.76	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+22+22+35+35	1.21	1.77	1.77	2.82	2.82	10.40 4.10 - 14.00	2.130 0.640 - 3.880	8.94	9.35	9.76	99
15+22+22+35+42	1.15	1.68	1.68	2.68	3.21	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+22+22+35+50	1.08	1.59	1.59	2.53	3.61	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+22+22+35+60	1.01	1.49	1.49	2.36	4.05	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+22+22+35+71	0.95	1.39	1.39	2.21	4.48	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+22+22+42+42	1.09	1.60	1.60	3.05	3.05	10.40 4.10 - 14.00	2.130 0.640 - 3.880	8.94	9.35	9.76	99
15+22+22+42+50	1.03	1.52	1.52	2.89	3.44	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+22+22+42+60	0.97	1.42	1.42	2.71	3.88	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+22+22+42+71	0.91	1.33	1.33	2.54	4.29	10.40 4.10 - 14.00	2.120 0.640 - 3.870	8.91	9.31	9.71	99
15+22+22+50+50	0.98	1.44	1.44	3.27	3.27	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
15+22+22+50+60	0.92	1.35	1.35	3.08	3.69	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+22+25+25+25	1.39	2.04	2.32	2.32	2.32	10.40 4.10 - 14.00	2.130 0.640 - 3.870	8.94	9.35	9.76	99
15+22+25+25+35	1.28	1.88	2.13	2.13	2.98	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+22+25+25+42	1.21	1.77	2.02	2.02	3.39	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+22+25+25+50	1.14	1.67	1.90	1.90	3.80	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+22+25+25+60	1.06	1.56	1.77	1.77	4.24	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+22+25+25+71	0.99	1.45	1.65	1.65	4.67	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+22+25+35+35	1.18	1.73	1.97	2.76	2.76	10.40 4.10 - 14.00	2.130 0.640 - 3.880	8.94	9.35	9.76	99
15+22+25+35+42	1.12	1.65	1.87	2.62	3.14	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+22+25+35+50	1.06	1.56	1.77	2.48	3.54	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+22+25+35+60	0.99	1.46	1.66	2.32	3.97	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+22+25+35+71	0.93	1.36	1.55	2.17	4.40	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+22+25+42+42	1.07	1.57	1.78	2.99	2.99	10.40 4.10 - 14.00	2.130 0.640 - 3.880	8.94	9.35	9.76	99
15+22+25+42+50	1.01	1.49	1.69	2.84	3.38	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+22+25+42+60	0.95	1.40	1.59	2.66	3.80	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+22+25+50+50	0.96	1.41	1.60	3.21	3.21	10.40 4.10 - 14.00	2.120 0.640 - 3.870	8.91	9.31	9.71	99
15+22+25+50+60	0.91	1.33	1.51	3.02	3.63	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+22+35+35+35	1.10	1.61	2.56	2.56	2.56	10.40 4.10 - 14.00	2.120 0.640 - 3.870	8.91	9.31	9.71	99
15+22+35+35+42	1.05	1.54	2.44	2.44	2.93	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+22+35+35+50	0.99	1.46	2.32	2.32	3.31	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+22+35+35+60	0.93	1.37	2.18	2.18	3.74	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+22+35+42+42	1.00	1.47	2.33	2.80	2.80	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+22+35+42+50	0.95	1.40	2.22	2.66	3.17	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+22+35+50+50	0.91	1.33	2.12	3.02	3.02	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+22+42+42+42	0.96	1.40	2.68	2.68	2.68	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+22+42+42+50	0.91	1.34	2.55	2.55	3.04	10.40 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
15+25+25+25+25	1.36	2.26	2.26	2.26	2.26	10.40 4.10 - 14.00	2.141 0.640 - 3.881	8.99	9.40	9.81	99
15+25+25+25+35	1.25	2.08	2.08	2.08	2.91	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+25+25+25+42	1.18	1.97	1.97	1.97	3.31	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+25+25+25+50	1.11	1.86	1.86	1.86	3.71	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+25+25+25+60	1.04	1.73	1.73	1.73	4.16	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+25+25+25+71	0.97	1.61	1.61	1.61	4.59	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+25+25+35+35	1.16	1.93	1.93	2.70	2.70	10.40 4.10 - 14.00	2.130 0.640 - 3.880	8.94	9.35	9.76	99
15+25+25+35+42	1.10	1.83	1.83	2.56	3.08	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+25+25+35+50	1.04	1.73	1.73	2.43	3.47	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+25+25+35+60	0.98	1.63	1.63	2.28	3.90	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+25+25+35+71	0.91	1.52	1.52	2.13	4.32	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+25+25+42+42	1.05	1.74	1.74	2.93	2.93	10.40 4.10 - 14.00	2.130 0.640 - 3.880	8.94	9.35	9.76	99
15+25+25+42+50	0.99	1.66	1.66	2.78	3.31	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+25+25+42+60	0.93	1.56	1.56	2.62	3.74	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+25+25+50+50	0.95	1.58	1.58	3.15	3.15	10.40 4.10 - 14.00	2.120 0.640 - 3.870	8.91	9.31	9.71	99
15+25+35+35+35	1.08	1.79	2.51	2.51	2.51	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+25+35+35+42	1.03	1.71	2.39	2.39	2.87	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+25+35+35+50	0.98	1.63	2.28	2.28	3.25	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+25+35+35+60	0.92	1.53	2.14	2.14	3.67	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+25+35+42+42	0.98	1.64	2.29	2.75	2.75	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+25+35+42+50	0.93	1.56	2.18	2.62	3.11	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+25+42+42+42	0.94	1.57	2.63	2.63	2.63	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+35+35+35+35	1.01	2.35	2.35	2.35	2.35	10.40 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
15+35+35+35+42	0.96	2.25	2.25	2.25	2.70	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+35+35+35+50	0.92	2.14	2.14	2.14	3.06	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+35+35+42+42	0.92	2.15	2.15	2.58	2.58	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
18+18+18+18+18	2.08	2.08	2.08	2.08	2.08	10.40 4.10 - 14.00	2.167 0.640 - 3.897	9.11	9.52	9.93	99
18+18+18+18+20	2.05	2.05	2.05	2.05	2.28	10.50 4.10 - 14.00	2.170 0.640 - 3.900	9.12	9.53	9.94	99
18+18+18+18+22	1.99	1.99	1.99	1.99	2.43	10.40 4.10 - 14.00	2.167 0.640 - 3.907	9.11	9.52	9.93	99
18+18+18+18+25	1.95	1.95	1.95	1.95	2.71	10.50 4.10 - 14.00	2.160 0.640 - 3.900	9.08	9.49	9.90	99
18+18+18+18+35	1.77	1.77	1.77	1.77	3.43	10.50 4.10 - 14.00	2.160 0.640 - 3.900	9.08	9.49	9.90	99
18+18+18+18+42	1.66	1.66	1.66	1.66	3.87	10.50 4.10 - 14.00	2.150 0.640 - 3.890	9.03	9.44	9.85	99
18+18+18+18+50	1.55	1.55	1.55	1.55	4.30	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+18+18+60	1.43	1.43	1.43	1.43	4.77	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+18+18+71	1.32	1.32	1.32	1.32	5.21	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+18+18+20+20	2.01	2.01	2.01	2.23	2.23	10.50 4.10 - 14.00	2.141 0.640 - 3.881	8.99	9.40	9.81	99
18+18+18+20+22	1.93	1.93	1.93	2.15	2.36	10.30 4.10 - 14.00	2.174 0.640 - 3.914	9.13	9.55	9.97	99
18+18+18+20+25	1.89	1.89	1.89	2.10	2.63	10.40 4.10 - 14.00	2.167 0.640 - 3.907	9.11	9.52	9.93	99
18+18+18+20+35	1.72	1.72	1.72	1.91	3.34	10.40 4.10 - 14.00	2.157 0.640 - 3.897	9.06	9.47	9.88	99
18+18+18+20+42	1.61	1.61	1.61	1.79	3.77	10.40 4.10 - 14.00	2.157 0.640 - 3.897	9.06	9.47	9.88	99
18+18+18+20+50	1.51	1.51	1.51	1.68	4.19	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+18+18+20+60	1.40	1.40	1.40	1.55	4.66	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+18+18+20+71	1.29	1.29	1.29	1.43	5.09	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
18+18+18+22+22	1.91	1.91	1.91	2.33	2.33	10.40 4.10 - 14.00	2.148 0.640 - 3.888	9.02	9.43	9.84	99
18+18+18+22+25	1.87	1.87	1.87	2.29	2.60	10.50 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
18+18+18+22+35	1.70	1.70	1.70	2.08	3.31	10.50 4.10 - 14.00	2.150 0.640 - 3.890	9.03	9.44	9.85	99
18+18+18+22+42	1.60	1.60	1.60	1.96	3.74	10.50 4.10 - 14.00	2.150 0.640 - 3.890	9.03	9.44	9.85	99
18+18+18+22+50	1.50	1.50	1.50	1.83	4.17	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+18+22+60	1.39	1.39	1.39	1.70	4.63	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+18+22+71	1.29	1.29	1.29	1.57	5.07	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+18+18+25+25	1.82	1.82	1.82	2.52	2.52	10.50 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
18+18+18+25+35	1.66	1.66	1.66	2.30	3.22	10.50 4.10 - 14.00	2.150 0.640 - 3.890	9.03	9.44	9.85	99
18+18+18+25+42	1.56	1.56	1.56	2.17	3.64	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+18+18+25+50	1.47	1.47	1.47	2.03	4.07	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+18+25+60	1.36	1.36	1.36	1.89	4.53	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+18+25+71	1.26	1.26	1.26	1.75	4.97	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+18+18+35+35	1.52	1.52	1.52	2.96	2.96	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
18+18+18+35+42	1.44	1.44	1.44	2.81	3.37	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+18+18+35+50	1.36	1.36	1.36	2.64	3.78	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+18+35+60	1.27	1.27	1.27	2.47	4.23	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+18+35+71	1.18	1.18	1.18	2.30	4.66	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+18+18+42+42	1.37	1.37	1.37	3.20	3.20	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
18+18+18+42+50	1.29	1.29	1.29	3.02	3.60	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+18+42+60	1.21	1.21	1.21	2.83	4.04	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+18+42+71	1.13	1.13	1.13	2.64	4.46	10.50 4.10 - 14.00	2.111 0.640 - 3.861	8.87	9.27	9.67	99
18+18+18+50+50	1.23	1.23	1.23	3.41	3.41	10.50 4.10 - 14.00	2.115 0.640 - 3.865	8.89	9.29	9.69	99
18+18+18+50+60	1.15	1.15	1.15	3.20	3.84	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+20+20+20	1.97	1.97	2.19	2.19	2.19	10.50 4.10 - 14.00	2.131 0.640 - 3.871	8.95	9.36	9.77	99
18+18+20+20+22	1.87	1.87	2.08	2.08	2.29	10.20 4.10 - 14.00	2.181 0.640 - 3.921	9.16	9.58	10.00	99
18+18+20+20+25	1.84	1.84	2.04	2.04	2.55	10.30 4.10 - 14.00	2.164 0.640 - 3.914	9.09	9.50	9.91	99
18+18+20+20+35	1.67	1.67	1.86	1.86	3.25	10.30 4.10 - 14.00	2.164 0.640 - 3.904	9.09	9.50	9.91	99
18+18+20+20+42	1.57	1.57	1.75	1.75	3.67	10.30 4.10 - 14.00	2.164 0.640 - 3.904	9.09	9.50	9.91	99
18+18+20+20+50	1.47	1.47	1.63	1.63	4.09	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
18+18+20+20+60	1.36	1.36	1.51	1.51	4.54	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
18+18+20+20+71	1.26	1.26	1.40	1.40	4.97	10.30 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
18+18+20+22+22	1.85	1.85	2.06	2.27	2.27	10.30 4.10 - 14.00	2.155 0.640 - 3.895	9.05	9.46	9.87	99
18+18+20+22+25	1.82	1.82	2.02	2.22	2.52	10.40 4.10 - 14.00	2.157 0.640 - 3.907	9.06	9.47	9.88	99
18+18+20+22+35	1.66	1.66	1.84	2.02	3.22	10.40 4.10 - 14.00	2.157 0.640 - 3.897	9.06	9.47	9.88	99
18+18+20+22+42	1.56	1.56	1.73	1.91	3.64	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
18+18+20+22+50	1.46	1.46	1.63	1.79	4.06	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+18+20+22+60	1.36	1.36	1.51	1.66	4.52	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+18+20+22+71	1.26	1.26	1.40	1.54	4.96	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
18+18+20+25+25	1.77	1.77	1.96	2.45	2.45	10.40 4.10 - 14.00	2.148 0.640 - 3.888	9.02	9.43	9.84	99
18+18+20+25+35	1.61	1.61	1.79	2.24	3.14	10.40 4.10 - 14.00	2.157 0.640 - 3.897	9.06	9.47	9.88	99
18+18+20+25+42	1.52	1.52	1.69	2.11	3.55	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
18+18+20+25+50	1.43	1.43	1.59	1.98	3.97	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+18+20+25+60	1.33	1.33	1.48	1.84	4.43	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+18+20+25+71	1.23	1.23	1.37	1.71	4.86	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
18+18+20+35+35	1.49	1.49	1.65	2.89	2.89	10.40 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+20+35+42	1.41	1.41	1.56	2.74	3.28	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
18+18+20+35+50	1.33	1.33	1.48	2.58	3.69	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+18+20+35+60	1.24	1.24	1.38	2.41	4.13	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+18+20+35+71	1.16	1.16	1.28	2.25	4.56	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
18+18+20+42+42	1.34	1.34	1.49	3.12	3.12	10.40 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+20+42+50	1.26	1.26	1.41	2.95	3.51	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+18+20+42+60	1.18	1.18	1.32	2.76	3.95	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+18+20+42+71	1.11	1.11	1.23	2.58	4.37	10.40 4.10 - 14.00	2.118 0.640 - 3.868	8.90	9.30	9.70	99
18+18+20+50+50	1.20	1.20	1.33	3.33	3.33	10.40 4.10 - 14.00	2.122 0.640 - 3.872	8.91	9.32	9.73	99
18+18+20+50+60	1.13	1.13	1.25	3.13	3.76	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+18+22+22+22	1.84	1.84	2.24	2.24	2.24	10.40 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+22+22+25	1.80	1.80	2.20	2.20	2.50	10.50 4.10 - 14.00	2.160 0.640 - 3.900	9.08	9.49	9.90	99
18+18+22+22+35	1.64	1.64	2.01	2.01	3.20	10.50 4.10 - 14.00	2.150 0.640 - 3.890	9.03	9.44	9.85	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+18+22+22+42	1.55	1.55	1.89	1.89	3.61	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+18+22+22+50	1.45	1.45	1.78	1.78	4.04	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+22+22+60	1.35	1.35	1.65	1.65	4.50	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+22+22+71	1.25	1.25	1.53	1.53	4.94	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+18+22+25+25	1.75	1.75	2.14	2.43	2.43	10.50 4.10 - 14.00	2.131 0.640 - 3.871	8.95	9.36	9.77	99
18+18+22+25+35	1.60	1.60	1.96	2.22	3.11	10.50 4.10 - 14.00	2.150 0.640 - 3.890	9.03	9.44	9.85	99
18+18+22+25+42	1.51	1.51	1.85	2.10	3.53	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+18+22+25+50	1.42	1.42	1.74	1.97	3.95	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+22+25+60	1.32	1.32	1.62	1.84	4.41	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+22+25+71	1.23	1.23	1.50	1.70	4.84	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+18+22+35+35	1.48	1.48	1.80	2.87	2.87	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
18+18+22+35+42	1.40	1.40	1.71	2.72	3.27	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+18+22+35+50	1.32	1.32	1.62	2.57	3.67	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+22+35+60	1.24	1.24	1.51	2.40	4.12	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+22+35+71	1.15	1.15	1.41	2.24	4.55	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+18+22+42+42	1.33	1.33	1.63	3.11	3.11	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
18+18+22+42+50	1.26	1.26	1.54	2.94	3.50	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+22+42+60	1.18	1.18	1.44	2.76	3.94	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+22+42+71	1.11	1.11	1.35	2.58	4.36	10.50 4.10 - 14.00	2.111 0.640 - 3.861	8.87	9.27	9.67	99
18+18+22+50+50	1.20	1.20	1.46	3.32	3.32	10.50 4.10 - 14.00	2.115 0.640 - 3.865	8.89	9.29	9.69	99
18+18+22+50+60	1.13	1.13	1.38	3.13	3.75	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+25+25+25	1.70	1.70	2.36	2.36	2.36	10.50 4.10 - 14.00	2.121 0.640 - 3.861	8.91	9.31	9.71	99
18+18+25+25+35	1.56	1.56	2.17	2.17	3.04	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+18+25+25+42	1.48	1.48	2.05	2.05	3.45	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+18+25+25+50	1.39	1.39	1.93	1.93	3.86	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+25+25+60	1.29	1.29	1.80	1.80	4.32	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+25+25+71	1.20	1.20	1.67	1.67	4.75	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+18+25+35+35	1.44	1.44	2.00	2.81	2.81	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
18+18+25+35+42	1.37	1.37	1.90	2.66	3.20	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+18+25+35+50	1.29	1.29	1.80	2.52	3.60	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+25+35+60	1.21	1.21	1.68	2.36	4.04	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+25+35+71	1.13	1.13	1.57	2.20	4.46	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+18+25+42+42	1.30	1.30	1.81	3.04	3.04	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
18+18+25+42+50	1.24	1.24	1.72	2.88	3.43	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+25+42+60	1.16	1.16	1.61	2.71	3.87	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+25+50+50	1.17	1.17	1.63	3.26	3.26	10.50 4.10 - 14.00	2.111 0.640 - 3.861	8.87	9.27	9.67	99
18+18+25+50+60	1.11	1.11	1.54	3.07	3.68	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+35+35+35	1.34	1.34	2.61	2.61	2.61	10.50 4.10 - 14.00	2.111 0.640 - 3.861	8.87	9.27	9.67	99
18+18+35+35+42	1.28	1.28	2.48	2.48	2.98	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+18+35+35+50	1.21	1.21	2.36	2.36	3.37	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+35+35+60	1.14	1.14	2.21	2.21	3.80	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99



**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+18+35+42+42	1.22	1.22	2.37	2.85	2.85	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+18+35+42+50	1.16	1.16	2.25	2.71	3.22	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+35+50+50	1.11	1.11	2.15	3.07	3.07	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+42+42+42	1.17	1.17	2.72	2.72	2.72	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+42+42+50	1.11	1.11	2.59	2.59	3.09	10.50 4.10 - 14.00	2.122 0.640 - 3.872	8.91	9.32	9.73	99
18+20+20+20+20	1.93	2.14	2.14	2.14	2.14	10.50 4.10 - 14.00	2.142 0.640 - 3.882	9.00	9.41	9.82	99
18+20+20+20+22	1.82	2.02	2.02	2.02	2.22	10.10 4.10 - 14.00	2.188 0.640 - 3.928	9.19	9.61	10.03	99
18+20+20+20+25	1.78	1.98	1.98	1.98	2.48	10.20 4.10 - 14.00	2.171 0.640 - 3.921	9.12	9.53	9.94	99
18+20+20+20+35	1.62	1.81	1.81	1.81	3.16	10.20 4.10 - 14.00	2.171 0.640 - 3.911	9.12	9.53	9.94	99
18+20+20+20+42	1.53	1.70	1.70	1.70	3.57	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.08	9.49	9.90	99
18+20+20+20+50	1.43	1.59	1.59	1.59	3.98	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.05	9.46	9.87	99
18+20+20+20+60	1.33	1.48	1.48	1.48	4.43	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.05	9.46	9.87	99
18+20+20+20+71	1.23	1.37	1.37	1.37	4.86	10.20 4.10 - 14.00	2.138 0.640 - 3.888	8.98	9.39	9.80	99
18+20+20+22+22	1.80	2.00	2.00	2.20	2.20	10.20 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
18+20+20+22+25	1.77	1.96	1.96	2.16	2.45	10.30 4.10 - 14.00	2.174 0.640 - 3.914	9.13	9.55	9.97	99
18+20+20+22+35	1.61	1.79	1.79	1.97	3.13	10.30 4.10 - 14.00	2.164 0.640 - 3.904	9.09	9.50	9.91	99
18+20+20+22+42	1.52	1.69	1.69	1.86	3.55	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.05	9.46	9.87	99
18+20+20+22+50	1.43	1.58	1.58	1.74	3.96	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
18+20+20+22+60	1.32	1.47	1.47	1.62	4.41	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
18+20+20+22+71	1.23	1.36	1.36	1.50	4.84	10.30 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
18+20+20+25+25	1.72	1.91	1.91	2.38	2.38	10.30 4.10 - 14.00	2.145 0.640 - 3.885	9.01	9.42	9.83	99
18+20+20+25+35	1.57	1.75	1.75	2.18	3.06	10.30 4.10 - 14.00	2.164 0.640 - 3.904	9.09	9.50	9.91	99
18+20+20+25+42	1.48	1.65	1.65	2.06	3.46	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.05	9.46	9.87	99
18+20+20+25+50	1.39	1.55	1.55	1.94	3.87	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
18+20+20+25+60	1.30	1.44	1.44	1.80	4.32	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
18+20+20+25+71	1.20	1.34	1.34	1.67	4.75	10.30 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
18+20+20+35+35	1.45	1.61	1.61	2.82	2.82	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+20+20+35+42	1.37	1.53	1.53	2.67	3.20	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.05	9.46	9.87	99
18+20+20+35+50	1.30	1.44	1.44	2.52	3.60	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
18+20+20+35+60	1.21	1.35	1.35	2.36	4.04	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
18+20+20+35+71	1.13	1.26	1.26	2.20	4.46	10.30 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
18+20+20+42+42	1.31	1.45	1.45	3.05	3.05	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+20+20+42+50	1.24	1.37	1.37	2.88	3.43	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
18+20+20+42+60	1.16	1.29	1.29	2.70	3.86	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
18+20+20+42+71	1.08	1.20	1.20	2.53	4.28	10.30 4.10 - 14.00	2.125 0.640 - 3.875	8.92	9.33	9.74	99
18+20+20+50+50	1.17	1.30	1.30	3.26	3.26	10.30 4.10 - 14.00	2.129 0.640 - 3.879	8.94	9.35	9.76	99
18+20+20+50+60	1.10	1.23	1.23	3.07	3.68	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
18+20+22+22+25	1.73	1.93	2.12	2.12	2.41	10.30 4.10 - 14.00	2.145 0.640 - 3.885	9.01	9.42	9.83	99
18+20+22+22+35	1.60	1.78	1.96	1.96	3.11	10.40 4.10 - 14.00	2.157 0.640 - 3.897	9.06	9.47	9.88	99
18+20+22+22+42	1.51	1.68	1.85	1.85	3.52	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
18+20+22+22+50	1.42	1.58	1.73	1.73	3.94	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+20+22+22+60	1.32	1.46	1.61	1.61	4.39	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+20+22+22+71	1.22	1.36	1.50	1.50	4.83	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
18+20+22+25+25	1.70	1.89	2.08	2.36	2.36	10.40 4.10 - 14.00	2.138 0.640 - 3.878	8.98	9.39	9.80	99
18+20+22+25+35	1.56	1.73	1.91	2.17	3.03	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
18+20+22+25+42	1.47	1.64	1.80	2.05	3.44	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
18+20+22+25+50	1.39	1.54	1.69	1.93	3.85	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+20+22+25+60	1.29	1.43	1.58	1.79	4.30	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+20+22+25+71	1.20	1.33	1.47	1.67	4.73	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
18+20+22+35+35	1.44	1.60	1.76	2.80	2.80	10.40 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+20+22+35+42	1.37	1.52	1.67	2.66	3.19	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
18+20+22+35+50	1.29	1.43	1.58	2.51	3.59	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+20+22+35+60	1.21	1.34	1.48	2.35	4.03	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+20+22+35+71	1.13	1.25	1.38	2.19	4.45	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
18+20+22+42+42	1.30	1.44	1.59	3.03	3.03	10.40 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+20+22+42+50	1.23	1.37	1.51	2.87	3.42	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+20+22+42+60	1.16	1.28	1.41	2.70	3.85	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+20+22+50+50	1.17	1.30	1.43	3.25	3.25	10.40 4.10 - 14.00	2.118 0.640 - 3.868	8.90	9.30	9.70	99
18+20+22+50+60	1.10	1.22	1.35	3.06	3.67	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+20+25+25+25	1.66	1.84	2.30	2.30	2.30	10.40 4.10 - 14.00	2.128 0.640 - 3.868	8.94	9.35	9.76	99
18+20+25+25+35	1.52	1.69	2.11	2.11	2.96	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
18+20+25+25+42	1.44	1.60	2.00	2.00	3.36	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
18+20+25+25+50	1.36	1.51	1.88	1.88	3.77	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+20+25+25+60	1.26	1.41	1.76	1.76	4.22	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+20+25+25+71	1.18	1.31	1.64	1.64	4.64	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
18+20+25+35+35	1.41	1.56	1.95	2.74	2.74	10.40 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+20+25+35+42	1.34	1.49	1.86	2.60	3.12	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
18+20+25+35+50	1.26	1.41	1.76	2.46	3.51	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+20+25+35+60	1.18	1.32	1.65	2.30	3.95	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+20+25+35+71	1.11	1.23	1.54	2.15	4.37	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
18+20+25+42+42	1.27	1.41	1.77	2.97	2.97	10.40 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+20+25+42+50	1.21	1.34	1.68	2.82	3.35	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+20+25+42+60	1.13	1.26	1.58	2.65	3.78	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+20+25+50+50	1.15	1.28	1.60	3.19	3.19	10.40 4.10 - 14.00	2.118 0.640 - 3.868	8.90	9.30	9.70	99
18+20+35+35+35	1.31	1.45	2.55	2.55	2.55	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+20+35+35+42	1.25	1.39	2.43	2.43	2.91	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
18+20+35+35+50	1.18	1.32	2.30	2.30	3.29	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+20+35+35+60	1.11	1.24	2.17	2.17	3.71	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+20+35+42+42	1.19	1.32	2.32	2.78	2.78	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
18+20+35+42+50	1.13	1.26	2.21	2.65	3.15	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+20+42+42+42	1.14	1.27	2.66	2.66	2.66	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+20+42+42+50	1.09	1.21	2.54	2.54	3.02	10.40 4.10 - 14.00	2.129 0.640 - 3.879	8.94	9.35	9.76	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+22+22+22+22	1.77	2.16	2.16	2.16	2.16	10.40 4.10 - 14.00	2.149 0.640 - 3.889	9.03	9.44	9.85	99
18+22+22+22+25	1.73	2.12	2.12	2.12	2.41	10.50 4.10 - 14.00	2.150 0.640 - 3.890	9.03	9.44	9.85	99
18+22+22+22+35	1.59	1.94	1.94	1.94	3.09	10.50 4.10 - 14.00	2.150 0.640 - 3.890	9.03	9.44	9.85	99
18+22+22+22+42	1.50	1.83	1.83	1.83	3.50	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+22+22+22+50	1.41	1.72	1.72	1.72	3.92	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+22+22+22+60	1.31	1.60	1.60	1.60	4.38	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+22+22+22+71	1.22	1.49	1.49	1.49	4.81	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+22+22+25+25	1.69	2.06	2.06	2.34	2.34	10.50 4.10 - 14.00	2.131 0.640 - 3.871	8.95	9.36	9.77	99
18+22+22+25+35	1.55	1.89	1.89	2.15	3.01	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+22+22+25+42	1.47	1.79	1.79	2.03	3.42	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+22+22+25+50	1.38	1.69	1.69	1.92	3.83	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+22+22+25+60	1.29	1.57	1.57	1.79	4.29	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+22+22+25+71	1.20	1.46	1.46	1.66	4.72	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+22+22+35+35	1.43	1.75	1.75	2.78	2.78	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
18+22+22+35+42	1.36	1.66	1.66	2.64	3.17	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+22+22+35+50	1.29	1.57	1.57	2.50	3.57	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+22+22+35+60	1.20	1.47	1.47	2.34	4.01	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+22+22+35+71	1.13	1.38	1.38	2.19	4.44	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+22+22+42+42	1.29	1.58	1.58	3.02	3.02	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
18+22+22+42+50	1.23	1.50	1.50	2.86	3.41	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+22+22+42+60	1.15	1.41	1.41	2.69	3.84	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+22+22+50+50	1.17	1.43	1.43	3.24	3.24	10.50 4.10 - 14.00	2.111 0.640 - 3.861	8.87	9.27	9.67	99
18+22+22+50+60	1.10	1.34	1.34	3.05	3.66	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+22+25+25+25	1.64	2.01	2.28	2.28	2.28	10.50 4.10 - 14.00	2.121 0.640 - 3.861	8.91	9.31	9.71	99
18+22+25+25+35	1.51	1.85	2.10	2.10	2.94	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+22+25+25+42	1.43	1.75	1.99	1.99	3.34	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+22+25+25+50	1.35	1.65	1.88	1.88	3.75	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+22+25+25+60	1.26	1.54	1.75	1.75	4.20	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+22+25+25+71	1.17	1.43	1.63	1.63	4.63	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+22+25+35+35	1.40	1.71	1.94	2.72	2.72	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
18+22+25+35+42	1.33	1.63	1.85	2.59	3.11	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+22+25+35+50	1.26	1.54	1.75	2.45	3.50	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+22+25+35+60	1.18	1.44	1.64	2.30	3.94	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+22+25+35+71	1.11	1.35	1.54	2.15	4.36	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+22+25+42+42	1.27	1.55	1.76	2.96	2.96	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
18+22+25+42+50	1.20	1.47	1.67	2.81	3.34	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+22+25+42+60	1.13	1.38	1.57	2.64	3.77	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+22+25+50+50	1.15	1.40	1.59	3.18	3.18	10.50 4.10 - 14.00	2.111 0.640 - 3.861	8.87	9.27	9.67	99
18+22+35+35+35	1.30	1.59	2.53	2.53	2.53	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+22+35+35+42	1.24	1.52	2.42	2.42	2.90	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+22+35+35+50	1.18	1.44	2.30	2.30	3.28	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+22+35+35+60	1.11	1.36	2.16	2.16	3.71	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+22+35+42+42	1.19	1.45	2.31	2.77	2.77	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+22+35+42+50	1.13	1.38	2.20	2.64	3.14	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+22+42+42+42	1.14	1.39	2.66	2.66	2.66	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+25+25+25+25	1.60	2.22	2.22	2.22	2.22	10.50 4.10 - 14.00	2.132 0.640 - 3.872	8.95	9.36	9.77	99
18+25+25+25+35	1.48	2.05	2.05	2.05	2.87	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+25+25+25+42	1.40	1.94	1.94	1.94	3.27	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+25+25+25+50	1.32	1.84	1.84	1.84	3.67	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+25+25+25+60	1.24	1.72	1.72	1.72	4.12	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+25+25+25+71	1.15	1.60	1.60	1.60	4.55	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+25+25+35+35	1.37	1.90	1.90	2.66	2.66	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
18+25+25+35+42	1.30	1.81	1.81	2.53	3.04	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+25+25+35+50	1.24	1.72	1.72	2.40	3.43	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+25+25+35+60	1.16	1.61	1.61	2.25	3.87	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+25+25+42+42	1.24	1.73	1.73	2.90	2.90	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+25+25+42+50	1.18	1.64	1.64	2.76	3.28	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+25+25+42+60	1.11	1.54	1.54	2.59	3.71	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+25+25+50+50	1.13	1.56	1.56	3.13	3.13	10.50 4.10 - 14.00	2.111 0.640 - 3.861	8.87	9.27	9.67	99
18+25+35+35+35	1.28	1.77	2.48	2.48	2.48	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+25+35+35+42	1.22	1.69	2.37	2.37	2.85	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+25+35+35+50	1.16	1.61	2.25	2.25	3.22	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+25+35+42+42	1.17	1.62	2.27	2.72	2.72	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+25+35+42+50	1.11	1.54	2.16	2.59	3.09	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+25+42+42+42	1.12	1.55	2.61	2.61	2.61	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+35+35+35+35	1.20	2.33	2.33	2.33	2.33	10.50 4.10 - 14.00	2.122 0.640 - 3.872	8.91	9.32	9.73	99
18+35+35+35+42	1.15	2.23	2.23	2.23	2.67	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+35+35+42+42	1.10	2.14	2.14	2.56	2.56	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
20+20+20+20+20	2.10	2.10	2.10	2.10	2.10	10.50 4.10 - 14.00	2.148 0.640 - 3.888	9.02	9.43	9.84	99
20+20+20+20+22	1.96	1.96	1.96	1.96	2.16	10.00 4.10 - 14.00	2.185 0.640 - 3.935	9.18	9.60	10.02	99
20+20+20+20+25	1.92	1.92	1.92	1.92	2.40	10.10 4.10 - 14.00	2.188 0.640 - 3.928	9.19	9.61	10.03	99
20+20+20+20+35	1.76	1.76	1.76	1.76	3.07	10.10 4.10 - 14.00	2.178 0.640 - 3.918	9.15	9.57	9.99	99
20+20+20+20+42	1.66	1.66	1.66	1.66	3.48	10.10 4.10 - 14.00	2.168 0.640 - 3.918	9.11	9.52	9.93	99
20+20+20+20+50	1.55	1.55	1.55	1.55	3.88	10.10 4.10 - 14.00	2.162 0.640 - 3.912	9.08	9.49	9.90	99
20+20+20+20+60	1.44	1.44	1.44	1.44	4.33	10.10 4.10 - 14.00	2.162 0.640 - 3.912	9.08	9.49	9.90	99
20+20+20+20+71	1.34	1.34	1.34	1.34	4.75	10.10 4.10 - 14.00	2.145 0.640 - 3.895	9.01	9.42	9.83	99
20+20+20+22+25	1.89	1.89	1.89	2.08	2.36	10.10 4.10 - 14.00	2.169 0.640 - 3.909	9.12	9.53	9.94	99
20+20+20+22+35	1.74	1.74	1.74	1.92	3.05	10.20 4.10 - 14.00	2.171 0.640 - 3.911	9.12	9.53	9.94	99
20+20+20+22+42	1.65	1.65	1.65	1.81	3.45	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.08	9.49	9.90	99
20+20+20+22+50	1.55	1.55	1.55	1.70	3.86	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.05	9.46	9.87	99
20+20+20+22+60	1.44	1.44	1.44	1.58	4.31	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.05	9.46	9.87	99
20+20+20+22+71	1.33	1.33	1.33	1.47	4.73	10.20 4.10 - 14.00	2.138 0.640 - 3.888	8.98	9.39	9.80	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+20+20+25+25	1.85	1.85	1.85	2.32	2.32	10.20 4.10 - 14.00	2.152 0.640 - 3.892	9.04	9.45	9.86	99
20+20+20+25+35	1.70	1.70	1.70	2.13	2.98	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.08	9.49	9.90	99
20+20+20+25+42	1.61	1.61	1.61	2.01	3.37	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.08	9.49	9.90	99
20+20+20+25+50	1.51	1.51	1.51	1.89	3.78	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.05	9.46	9.87	99
20+20+20+25+60	1.41	1.41	1.41	1.76	4.22	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.05	9.46	9.87	99
20+20+20+25+71	1.31	1.31	1.31	1.63	4.64	10.20 4.10 - 14.00	2.138 0.640 - 3.888	8.98	9.39	9.80	99
20+20+20+35+35	1.57	1.57	1.57	2.75	2.75	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
20+20+20+35+42	1.49	1.49	1.49	2.61	3.13	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.08	9.49	9.90	99
20+20+20+35+50	1.41	1.41	1.41	2.46	3.52	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.05	9.46	9.87	99
20+20+20+35+60	1.32	1.32	1.32	2.30	3.95	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.05	9.46	9.87	99
20+20+20+35+71	1.23	1.23	1.23	2.15	4.36	10.20 4.10 - 14.00	2.138 0.640 - 3.888	8.98	9.39	9.80	99
20+20+20+42+42	1.42	1.42	1.42	2.98	2.98	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
20+20+20+42+50	1.34	1.34	1.34	2.82	3.36	10.20 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
20+20+20+42+60	1.26	1.26	1.26	2.64	3.78	10.20 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
20+20+20+50+50	1.28	1.28	1.28	3.19	3.19	10.20 4.10 - 14.00	2.132 0.640 - 3.882	8.95	9.36	9.77	99
20+20+20+50+60	1.20	1.20	1.20	3.00	3.60	10.20 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
20+20+22+22+22	1.92	1.92	2.12	2.12	2.12	10.20 4.10 - 14.00	2.152 0.640 - 3.892	9.04	9.45	9.86	99
20+20+22+22+25	1.89	1.89	2.08	2.08	2.36	10.30 4.10 - 14.00	2.164 0.640 - 3.904	9.09	9.50	9.91	99
20+20+22+22+35	1.73	1.73	1.90	1.90	3.03	10.30 4.10 - 14.00	2.164 0.640 - 3.904	9.09	9.50	9.91	99
20+20+22+22+42	1.63	1.63	1.80	1.80	3.43	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.05	9.46	9.87	99
20+20+22+22+50	1.54	1.54	1.69	1.69	3.84	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
20+20+22+22+60	1.43	1.43	1.57	1.57	4.29	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
20+20+22+22+71	1.33	1.33	1.46	1.46	4.72	10.30 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
20+20+22+25+25	1.84	1.84	2.02	2.30	2.30	10.30 4.10 - 14.00	2.145 0.640 - 3.885	9.01	9.42	9.83	99
20+20+22+25+35	1.69	1.69	1.86	2.11	2.95	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.05	9.46	9.87	99
20+20+22+25+42	1.60	1.60	1.76	2.00	3.35	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.05	9.46	9.87	99
20+20+22+25+50	1.50	1.50	1.65	1.88	3.76	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
20+20+22+25+60	1.40	1.40	1.54	1.75	4.20	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
20+20+22+25+71	1.30	1.30	1.43	1.63	4.63	10.30 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
20+20+22+35+35	1.56	1.56	1.72	2.73	2.73	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+20+22+35+42	1.48	1.48	1.63	2.59	3.11	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.05	9.46	9.87	99
20+20+22+35+50	1.40	1.40	1.54	2.45	3.50	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
20+20+22+35+60	1.31	1.31	1.44	2.30	3.94	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
20+20+22+35+71	1.23	1.23	1.35	2.15	4.35	10.30 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
20+20+22+42+42	1.41	1.41	1.55	2.96	2.96	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+20+22+42+50	1.34	1.34	1.47	2.81	3.34	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
20+20+22+42+60	1.26	1.26	1.38	2.64	3.77	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
20+20+22+50+50	1.27	1.27	1.40	3.18	3.18	10.30 4.10 - 14.00	2.125 0.640 - 3.875	8.92	9.33	9.74	99
20+20+22+50+60	1.20	1.20	1.32	2.99	3.59	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
20+20+25+25+25	1.79	1.79	2.24	2.24	2.24	10.30 4.10 - 14.00	2.135 0.640 - 3.875	8.97	9.38	9.79	99
20+20+25+25+35	1.65	1.65	2.06	2.06	2.88	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.05	9.46	9.87	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+20+25+25+42	1.56	1.56	1.95	1.95	3.28	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.05	9.46	9.87	99
20+20+25+25+50	1.47	1.47	1.84	1.84	3.68	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
20+20+25+25+60	1.37	1.37	1.72	1.72	4.12	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
20+20+25+25+71	1.28	1.28	1.60	1.60	4.54	10.30 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
20+20+25+35+35	1.53	1.53	1.91	2.67	2.67	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+20+25+35+42	1.45	1.45	1.81	2.54	3.05	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.05	9.46	9.87	99
20+20+25+35+50	1.37	1.37	1.72	2.40	3.43	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
20+20+25+35+60	1.29	1.29	1.61	2.25	3.86	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
20+20+25+35+71	1.20	1.20	1.51	2.11	4.28	10.30 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
20+20+25+42+42	1.38	1.38	1.73	2.90	2.90	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+20+25+42+50	1.31	1.31	1.64	2.76	3.28	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
20+20+25+42+60	1.23	1.23	1.54	2.59	3.70	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
20+20+25+50+50	1.25	1.25	1.56	3.12	3.12	10.30 4.10 - 14.00	2.125 0.640 - 3.875	8.92	9.33	9.74	99
20+20+35+35+35	1.42	1.42	2.49	2.49	2.49	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
20+20+35+35+42	1.36	1.36	2.37	2.37	2.85	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.05	9.46	9.87	99
20+20+35+35+50	1.29	1.29	2.25	2.25	3.22	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
20+20+35+35+60	1.21	1.21	2.12	2.12	3.64	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
20+20+35+42+42	1.30	1.30	2.27	2.72	2.72	10.30 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
20+20+35+42+50	1.23	1.23	2.16	2.59	3.08	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
20+20+42+42+42	1.24	1.24	2.61	2.61	2.61	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
20+22+22+22+22	1.91	2.10	2.10	2.10	2.10	10.30 4.10 - 14.00	2.146 0.640 - 3.886	9.01	9.42	9.83	99
20+22+22+22+25	1.87	2.06	2.06	2.06	2.34	10.40 4.10 - 14.00	2.157 0.640 - 3.897	9.06	9.47	9.88	99
20+22+22+22+35	1.72	1.89	1.89	1.89	3.01	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+22+22+22+42	1.63	1.79	1.79	1.79	3.41	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+22+22+22+50	1.53	1.68	1.68	1.68	3.82	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+22+22+22+60	1.42	1.57	1.57	1.57	4.27	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+22+22+22+71	1.32	1.46	1.46	1.46	4.70	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
20+22+22+25+25	1.82	2.01	2.01	2.28	2.28	10.40 4.10 - 14.00	2.138 0.640 - 3.878	8.98	9.39	9.80	99
20+22+22+25+35	1.68	1.85	1.85	2.10	2.94	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+22+22+25+42	1.59	1.75	1.75	1.98	3.33	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+22+22+25+50	1.50	1.65	1.65	1.87	3.74	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+22+22+25+60	1.40	1.54	1.54	1.74	4.19	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+22+22+25+71	1.30	1.43	1.43	1.63	4.62	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
20+22+22+35+35	1.55	1.71	1.71	2.72	2.72	10.40 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
20+22+22+35+42	1.48	1.62	1.62	2.58	3.10	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+22+22+35+50	1.40	1.54	1.54	2.44	3.49	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+22+22+35+60	1.31	1.44	1.44	2.29	3.92	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+22+22+35+71	1.22	1.35	1.35	2.14	4.34	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
20+22+22+42+42	1.41	1.55	1.55	2.95	2.95	10.40 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
20+22+22+42+50	1.33	1.47	1.47	2.80	3.33	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+22+22+42+60	1.25	1.38	1.38	2.63	3.76	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+22+22+50+50	1.27	1.40	1.40	3.17	3.17	10.40 4.10 - 14.00	2.118 0.640 - 3.868	8.90	9.30	9.70	99
20+22+25+25+25	1.78	1.96	2.22	2.22	2.22	10.40 4.10 - 14.00	2.145 0.640 - 3.885	9.01	9.42	9.83	99
20+22+25+25+35	1.64	1.80	2.05	2.05	2.87	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+22+25+25+42	1.55	1.71	1.94	1.94	3.26	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+22+25+25+50	1.46	1.61	1.83	1.83	3.66	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+22+25+25+60	1.37	1.51	1.71	1.71	4.11	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+22+25+25+71	1.28	1.40	1.60	1.60	4.53	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
20+22+25+35+35	1.52	1.67	1.90	2.66	2.66	10.40 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
20+22+25+35+42	1.44	1.59	1.81	2.53	3.03	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+22+25+35+50	1.37	1.51	1.71	2.39	3.42	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+22+25+35+60	1.28	1.41	1.60	2.25	3.85	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+22+25+42+42	1.38	1.52	1.72	2.89	2.89	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
20+22+25+42+50	1.31	1.44	1.64	2.75	3.27	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+22+25+42+60	1.23	1.35	1.54	2.58	3.69	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+22+25+50+50	1.25	1.37	1.56	3.11	3.11	10.40 4.10 - 14.00	2.118 0.640 - 3.868	8.90	9.30	9.70	99
20+22+35+35+35	1.41	1.56	2.48	2.48	2.48	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+22+35+35+42	1.35	1.49	2.36	2.36	2.84	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+22+35+35+50	1.28	1.41	2.25	2.25	3.21	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+22+35+35+60	1.21	1.33	2.12	2.12	3.63	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+22+35+42+42	1.29	1.42	2.26	2.71	2.71	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
20+22+35+42+50	1.23	1.35	2.15	2.58	3.08	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+22+42+42+42	1.24	1.36	2.60	2.60	2.60	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+25+25+25+25	1.73	2.17	2.17	2.17	2.17	10.40 4.10 - 14.00	2.129 0.640 - 3.879	8.94	9.35	9.76	99
20+25+25+25+35	1.60	2.00	2.00	2.00	2.80	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+25+25+25+42	1.52	1.90	1.90	1.90	3.19	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+25+25+25+50	1.43	1.79	1.79	1.79	3.59	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+25+25+25+60	1.34	1.68	1.68	1.68	4.03	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+25+25+25+71	1.25	1.57	1.57	1.57	4.45	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
20+25+25+35+35	1.49	1.86	1.86	2.60	2.60	10.40 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
20+25+25+35+42	1.41	1.77	1.77	2.48	2.97	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+25+25+35+50	1.34	1.68	1.68	2.35	3.35	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+25+25+35+60	1.26	1.58	1.58	2.21	3.78	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+25+25+42+42	1.35	1.69	1.69	2.84	2.84	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
20+25+25+42+50	1.28	1.60	1.60	2.70	3.21	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+25+25+42+60	1.21	1.51	1.51	2.54	3.63	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+25+25+50+50	1.22	1.53	1.53	3.06	3.06	10.40 4.10 - 14.00	2.118 0.640 - 3.868	8.90	9.30	9.70	99
20+25+35+35+35	1.39	1.73	2.43	2.43	2.43	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+25+35+35+42	1.32	1.66	2.32	2.32	2.78	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+25+35+35+50	1.26	1.58	2.21	2.21	3.15	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+25+35+42+42	1.27	1.59	2.22	2.66	2.66	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+25+35+42+50	1.21	1.51	2.12	2.54	3.02	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+25+42+42+42	1.22	1.52	2.55	2.55	2.55	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+35+35+35+35	1.30	2.28	2.28	2.28	2.28	10.40 4.10 - 14.00	2.129 0.640 - 3.879	8.94	9.35	9.76	99
20+35+35+35+42	1.25	2.18	2.18	2.18	2.62	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
22+22+22+22+22	2.08	2.08	2.08	2.08	2.08	10.40 4.10 - 14.00	2.151 0.640 - 3.891	9.04	9.45	9.86	99
22+22+22+22+25	2.04	2.04	2.04	2.04	2.32	10.50 4.10 - 14.00	2.150 0.640 - 3.890	9.03	9.44	9.85	99
22+22+22+22+35	1.88	1.88	1.88	1.88	2.99	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
22+22+22+22+42	1.78	1.78	1.78	1.78	3.39	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
22+22+22+22+50	1.67	1.67	1.67	1.67	3.80	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+22+22+22+60	1.56	1.56	1.56	1.56	4.26	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+22+22+22+71	1.45	1.45	1.45	1.45	4.69	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
22+22+22+25+25	1.99	1.99	1.99	2.26	2.26	10.50 4.10 - 14.00	2.131 0.640 - 3.871	8.95	9.36	9.77	99
22+22+22+25+35	1.83	1.83	1.83	2.08	2.92	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
22+22+22+25+42	1.74	1.74	1.74	1.97	3.32	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
22+22+22+25+50	1.64	1.64	1.64	1.86	3.72	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+22+22+25+60	1.53	1.53	1.53	1.74	4.17	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+22+22+25+71	1.43	1.43	1.43	1.62	4.60	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
22+22+22+35+35	1.70	1.70	1.70	2.70	2.70	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
22+22+22+35+42	1.62	1.62	1.62	2.57	3.08	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
22+22+22+35+50	1.53	1.53	1.53	2.43	3.48	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+22+22+35+60	1.43	1.43	1.43	2.28	3.91	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+22+22+35+71	1.34	1.34	1.34	2.14	4.33	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
22+22+22+42+42	1.54	1.54	1.54	2.94	2.94	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
22+22+22+42+50	1.46	1.46	1.46	2.79	3.32	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
22+22+22+42+60	1.38	1.38	1.38	2.63	3.75	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
22+22+22+50+50	1.39	1.39	1.39	3.16	3.16	10.50 4.10 - 14.00	2.111 0.640 - 3.861	8.87	9.27	9.67	99
22+22+25+25+25	1.94	1.94	2.21	2.21	2.21	10.50 4.10 - 14.00	2.138 0.640 - 3.878	8.98	9.39	9.80	99
22+22+25+25+35	1.79	1.79	2.03	2.03	2.85	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
22+22+25+25+42	1.70	1.70	1.93	1.93	3.24	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
22+22+25+25+50	1.60	1.60	1.82	1.82	3.65	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+22+25+25+60	1.50	1.50	1.70	1.70	4.09	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+22+25+25+71	1.40	1.40	1.59	1.59	4.52	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
22+22+25+35+35	1.66	1.66	1.89	2.64	2.64	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
22+22+25+35+42	1.58	1.58	1.80	2.52	3.02	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
22+22+25+35+50	1.50	1.50	1.70	2.39	3.41	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+22+25+35+60	1.41	1.41	1.60	2.24	3.84	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+22+25+42+42	1.51	1.51	1.72	2.88	2.88	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
22+22+25+42+50	1.43	1.43	1.63	2.74	3.26	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
22+22+25+42+60	1.35	1.35	1.54	2.58	3.68	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
22+22+25+50+50	1.37	1.37	1.55	3.11	3.11	10.50 4.10 - 14.00	2.111 0.640 - 3.861	8.87	9.27	9.67	99
22+22+35+35+35	1.55	1.55	2.47	2.47	2.47	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
22+22+35+35+42	1.48	1.48	2.36	2.36	2.83	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99



**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
22+22+35+35+50	1.41	1.41	2.24	2.24	3.20	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+22+35+42+42	1.42	1.42	2.25	2.71	2.71	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+22+35+42+50	1.35	1.35	2.15	2.58	3.07	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
22+22+42+42+42	1.36	1.36	2.59	2.59	2.59	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
22+25+25+25+25	1.89	2.15	2.15	2.15	2.15	10.50 4.10 - 14.00	2.122 0.640 - 3.872	8.91	9.32	9.73	99
22+25+25+25+35	1.75	1.99	1.99	1.99	2.78	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
22+25+25+25+42	1.66	1.89	1.89	1.89	3.17	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
22+25+25+25+50	1.57	1.79	1.79	1.79	3.57	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+25+25+25+60	1.47	1.67	1.67	1.67	4.01	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+25+25+25+71	1.38	1.56	1.56	1.56	4.44	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
22+25+25+35+35	1.63	1.85	1.85	2.59	2.59	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
22+25+25+35+42	1.55	1.76	1.76	2.47	2.96	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
22+25+25+35+50	1.47	1.67	1.67	2.34	3.34	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+25+25+35+60	1.38	1.57	1.57	2.20	3.77	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+25+25+42+42	1.48	1.68	1.68	2.83	2.83	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
22+25+25+42+50	1.41	1.60	1.60	2.69	3.20	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
22+25+25+50+50	1.34	1.53	1.53	3.05	3.05	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
22+25+35+35+35	1.52	1.73	2.42	2.42	2.42	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
22+25+35+35+42	1.45	1.65	2.31	2.31	2.77	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
22+25+35+35+50	1.38	1.57	2.20	2.20	3.14	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+25+35+42+42	1.39	1.58	2.21	2.66	2.66	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+35+35+35+35	1.43	2.27	2.27	2.27	2.27	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
22+35+35+35+42	1.37	2.17	2.17	2.17	2.61	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
25+25+25+25+25	2.10	2.10	2.10	2.10	2.10	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
25+25+25+25+35	1.94	1.94	1.94	1.94	2.72	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
25+25+25+25+42	1.85	1.85	1.85	1.85	3.11	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
25+25+25+25+50	1.75	1.75	1.75	1.75	3.50	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
25+25+25+25+60	1.64	1.64	1.64	1.64	3.94	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
25+25+25+25+71	1.54	1.54	1.54	1.54	4.36	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
25+25+25+35+35	1.81	1.81	1.81	2.53	2.53	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
25+25+25+35+42	1.73	1.73	1.73	2.42	2.90	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
25+25+25+35+50	1.64	1.64	1.64	2.30	3.28	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
25+25+25+35+60	1.54	1.54	1.54	2.16	3.71	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
25+25+25+42+42	1.65	1.65	1.65	2.77	2.77	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
25+25+25+42+50	1.57	1.57	1.57	2.64	3.14	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
25+25+35+35+35	1.69	1.69	2.37	2.37	2.37	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
25+25+35+35+42	1.62	1.62	2.27	2.27	2.72	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
25+25+35+35+50	1.54	1.54	2.16	2.16	3.09	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
25+25+35+42+42	1.55	1.55	2.17	2.61	2.61	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
25+35+35+35+35	1.59	2.23	2.23	2.23	2.23	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
25+35+35+35+42	1.53	2.14	2.14	2.14	2.56	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)							Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total		220	230	240	
15	1.50	-	-	-	-	-	1.50 1.50 - 3.20	0.530 - 1.300	2.23	2.33	2.43	99
18	1.80	-	-	-	-	-	1.80 1.50 - 3.70	0.540 - 1.360	2.27	2.37	2.47	99
20	2.00	-	-	-	-	-	2.00 1.50 - 3.20	0.600 - 1.310	2.53	2.64	2.75	99
22	2.20	-	-	-	-	-	2.20 1.50 - 3.70	0.710 - 1.430	2.98	3.12	3.26	99
25	2.50	-	-	-	-	-	2.50 1.50 - 3.70	0.800 - 1.500	3.36	3.51	3.66	99
35	3.50	-	-	-	-	-	3.50 1.50 - 3.80	1.100 - 1.530	4.62	4.83	5.04	99
42	4.20	-	-	-	-	-	4.20 1.50 - 5.00	1.290 - 1.650	5.42	5.67	5.92	99
50	5.00	-	-	-	-	-	5.00 1.50 - 5.60	1.610 - 1.920	6.76	7.07	7.38	99
60	6.00	-	-	-	-	-	6.00 1.50 - 7.50	1.870 - 2.220	7.85	8.21	8.57	99
71	7.10	-	-	-	-	-	7.10 1.50 - 8.70	2.240 - 2.940	9.41	9.84	10.27	99
15+15	1.50	1.50	-	-	-	-	3.00 2.50 - 4.20	0.910 - 2.300	3.83	4.00	4.17	99
15+18	1.41	1.69	-	-	-	-	3.10 2.60 - 4.80	0.896 - 2.216	3.77	3.94	4.11	99
15+20	1.46	1.94	-	-	-	-	3.40 2.70 - 5.50	0.897 - 2.177	3.77	3.94	4.11	99
15+22	1.42	2.08	-	-	-	-	3.50 2.70 - 5.60	0.954 - 2.374	4.01	4.19	4.37	99
15+25	1.46	2.44	-	-	-	-	3.90 2.50 - 5.40	1.057 - 2.977	4.44	4.64	4.84	99
15+35	1.47	3.43	-	-	-	-	4.90 2.70 - 6.40	1.307 - 2.237	5.49	5.74	5.99	99
15+42	1.47	4.13	-	-	-	-	5.60 2.70 - 7.10	1.587 - 2.457	6.67	6.97	7.27	99
15+50	1.48	4.92	-	-	-	-	6.40 2.80 - 7.80	1.901 - 2.711	7.99	8.35	8.71	99
15+60	1.48	5.92	-	-	-	-	7.40 2.80 - 8.60	2.331 - 2.951	9.79	10.24	10.69	99
15+71	1.47	6.93	-	-	-	-	8.40 2.80 - 9.10	2.734 - 3.064	11.49	12.01	12.53	99
18+18	1.75	1.75	-	-	-	-	3.50 2.70 - 5.75	0.888 - 2.138	3.73	3.90	4.07	99
18+20	1.80	2.00	-	-	-	-	3.80 2.60 - 5.70	0.978 - 2.558	4.11	4.30	4.49	99
18+22	1.76	2.15	-	-	-	-	3.90 2.50 - 5.40	1.055 - 2.975	4.43	4.63	4.83	99
18+25	1.80	2.50	-	-	-	-	4.30 2.70 - 5.80	1.068 - 2.358	4.49	4.69	4.89	99
18+35	1.80	3.50	-	-	-	-	5.30 2.70 - 6.80	1.418 - 2.328	5.96	6.23	6.50	99
18+42	1.80	4.20	-	-	-	-	6.00 2.80 - 7.50	1.698 - 2.548	7.14	7.46	7.78	99
18+50	1.80	5.00	-	-	-	-	6.80 2.80 - 8.20	2.012 - 2.802	8.46	8.84	9.22	99
18+60	1.80	6.00	-	-	-	-	7.80 2.80 - 8.90	2.452 - 2.982	10.30	10.77	11.24	99
18+71	1.74	6.86	-	-	-	-	8.60 2.80 - 9.30	2.755 - 3.055	11.57	12.10	12.63	99
20+20	2.00	2.00	-	-	-	-	4.00 2.50 - 5.50	1.029 - 2.949	4.32	4.52	4.72	99
20+22	1.90	2.10	-	-	-	-	4.00 2.60 - 5.50	1.082 - 2.572	4.54	4.75	4.96	99
20+25	1.96	2.44	-	-	-	-	4.40 2.70 - 5.90	1.125 - 2.165	4.73	4.94	5.15	99
20+35	1.96	3.44	-	-	-	-	5.40 2.70 - 6.90	1.505 - 2.395	6.32	6.61	6.90	99
20+42	1.97	4.13	-	-	-	-	6.10 2.80 - 7.50	1.785 - 2.615	7.50	7.84	8.18	99
20+50	1.97	4.93	-	-	-	-	6.90 2.80 - 8.30	2.099 - 2.869	8.82	9.22	9.62	99
20+60	1.98	5.93	-	-	-	-	7.90 2.80 - 8.90	2.549 - 3.019	10.70	11.19	11.68	99
20+71	1.87	6.63	-	-	-	-	8.50 2.80 - 9.20	2.782 - 3.062	11.69	12.22	12.75	99
22+22	2.15	2.15	-	-	-	-	4.30 2.70 - 5.75	1.066 - 2.136	4.48	4.68	4.88	99
22+25	2.20	2.50	-	-	-	-	4.70 2.70 - 6.20	1.188 - 2.188	4.99	5.22	5.45	99
22+35	2.20	3.50	-	-	-	-	5.70 2.70 - 7.20	1.578 - 2.448	6.63	6.93	7.23	99
22+42	2.20	4.20	-	-	-	-	6.40 2.80 - 7.80	1.858 - 2.678	7.81	8.16	8.51	99
22+50	2.20	5.00	-	-	-	-	7.20 2.80 - 8.50	2.182 - 2.892	9.16	9.58	10.00	99
22+60	2.20	6.00	-	-	-	-	8.20 2.80 - 9.10	2.632 - 3.042	11.06	11.56	12.06	99
22+71	2.06	6.64	-	-	-	-	8.70 2.80 - 9.40	2.795 - 3.055	11.74	12.27	12.80	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)		220	230	240	
25+25	2.50	2.50	-	-	-	-	5.00 2.70 - 6.50	1.279 0.530 - 2.209	5.38	5.62	5.86	99
25+35	2.50	3.50	-	-	-	-	6.00 2.80 - 7.50	1.698 0.530 - 2.548	7.14	7.46	7.78	99
25+42	2.50	4.20	-	-	-	-	6.70 2.80 - 8.10	1.978 0.530 - 2.768	8.31	8.69	9.07	99
25+50	2.50	5.00	-	-	-	-	7.50 2.80 - 8.70	2.322 0.530 - 2.942	9.76	10.20	10.64	99
25+60	2.47	5.93	-	-	-	-	8.40 2.80 - 9.20	2.732 0.530 - 3.072	11.48	12.00	12.52	99
25+71	2.29	6.51	-	-	-	-	8.80 2.80 - 9.40	2.825 0.530 - 3.055	11.87	12.41	12.95	99
35+35	3.50	3.50	-	-	-	-	7.00 2.80 - 8.40	2.079 0.530 - 2.849	8.73	9.13	9.53	99
35+42	3.50	4.20	-	-	-	-	7.70 2.80 - 8.80	2.418 0.530 - 2.978	10.16	10.62	11.08	99
35+50	3.46	4.94	-	-	-	-	8.40 2.80 - 9.20	2.732 0.530 - 3.072	11.48	12.00	12.52	99
35+60	3.21	5.49	-	-	-	-	8.70 2.80 - 9.40	2.832 0.530 - 3.072	11.90	12.44	12.98	99
35+71	3.00	6.10	-	-	-	-	9.10 2.80 - 9.70	2.875 0.530 - 3.085	12.08	12.63	13.18	99
42+42	4.20	4.20	-	-	-	-	8.40 2.80 - 9.20	2.709 0.530 - 3.059	11.38	11.90	12.42	99
42+50	3.97	4.73	-	-	-	-	8.70 2.80 - 9.40	2.796 0.530 - 3.066	11.75	12.28	12.81	99
42+71	3.49	5.91	-	-	-	-	9.40 2.90 - 10.00	2.886 0.530 - 3.136	12.12	12.67	13.22	99
50+50	4.45	4.45	-	-	-	-	8.90 2.80 - 9.50	2.863 0.530 - 3.053	12.02	12.57	13.12	99
50+60	4.23	5.07	-	-	-	-	9.30 2.90 - 9.90	2.886 0.530 - 3.116	12.12	12.67	13.22	99
50+71	3.97	5.63	-	-	-	-	9.60 2.90 - 10.20	2.879 0.530 - 3.149	12.09	12.64	13.19	99
60+60	4.80	4.80	-	-	-	-	9.60 2.90 - 10.20	2.883 0.530 - 3.153	12.11	12.66	13.21	99
60+71	4.44	5.26	-	-	-	-	9.70 2.90 - 10.30	2.872 0.530 - 3.142	12.06	12.61	13.16	99
71+71	4.85	4.85	-	-	-	-	9.70 2.90 - 10.30	2.886 0.530 - 3.146	12.12	12.67	13.22	99
15+15+15	1.50	1.50	1.50	-	-	-	4.50 2.90 - 6.00	1.110 0.530 - 3.190	4.66	4.87	5.08	99
15+15+18	1.41	1.41	1.69	-	-	-	4.50 3.00 - 6.50	1.219 0.530 - 2.969	5.12	5.35	5.58	99
15+15+20	1.44	1.44	1.92	-	-	-	4.80 3.10 - 7.20	1.250 0.530 - 2.790	5.25	5.49	5.73	99
15+15+22	1.41	1.41	2.07	-	-	-	4.90 3.10 - 7.60	1.307 0.530 - 2.617	5.49	5.74	5.99	99
15+15+25	1.45	1.45	2.41	-	-	-	5.30 3.20 - 8.30	1.360 0.530 - 2.590	5.71	5.97	6.23	99
15+15+35	1.45	1.45	3.39	-	-	-	6.30 3.20 - 8.30	1.570 0.530 - 2.590	6.60	6.90	7.20	99
15+15+42	1.46	1.46	4.08 *	-	-	-	7.00 3.20 - 9.00	1.820 0.530 - 2.920	7.64	7.99	8.34	99
15+15+50	1.44	1.44	4.81 *	-	-	-	7.70 3.20 - 9.60	2.114 0.530 - 3.324	8.88	9.28	9.68	99
15+15+60	1.40	1.40	5.60	-	-	-	8.40 3.30 - 10.20	2.484 0.530 - 3.664	10.44	10.91	11.38	99
15+15+71	1.35	1.35	6.40	-	-	-	9.10 3.30 - 10.80	2.867 0.530 - 4.017	12.04	12.59	13.14	99
15+18+18	1.44	1.73	1.73	-	-	-	4.90 3.10 - 7.50	1.251 0.530 - 2.681	5.25	5.49	5.73	99
15+18+20	1.47	1.77	1.96	-	-	-	5.20 3.20 - 8.10	1.311 0.530 - 2.521	5.51	5.76	6.01	99
15+18+22	1.45	1.73	2.12	-	-	-	5.30 3.20 - 8.30	1.358 0.530 - 2.588	5.70	5.96	6.22	99
15+18+25	1.47	1.77	2.46	-	-	-	5.70 3.10 - 8.30	1.401 0.530 - 3.031	5.88	6.15	6.42	99
15+18+35	1.48	1.77	3.45	-	-	-	6.70 3.20 - 8.60	1.661 0.530 - 2.591	6.97	7.29	7.61	99
15+18+42	1.48	1.78	4.14 *	-	-	-	7.40 3.20 - 9.40	1.931 0.530 - 3.151	8.11	8.48	8.85	99
15+18+50	1.45	1.73	4.82 *	-	-	-	8.00 3.20 - 9.90	2.215 0.530 - 3.415	9.31	9.73	10.15	99
15+18+60	1.40	1.68	5.61	-	-	-	8.70 3.30 - 10.40	2.585 0.530 - 3.755	10.86	11.35	11.84	99
15+18+71	1.36	1.63	6.42	-	-	-	9.40 3.30 - 11.00	2.968 0.530 - 4.108	12.46	13.03	13.60	99
15+20+20	1.47	1.96	1.96	-	-	-	5.40 3.20 - 8.40	1.332 0.530 - 2.562	5.60	5.85	6.10	99
15+20+22	1.42	1.89	2.08	-	-	-	5.40 3.10 - 8.10	1.405 0.530 - 2.895	5.90	6.17	6.44	99
15+20+25	1.45	1.93	2.42	-	-	-	5.80 3.00 - 8.10	1.448 0.530 - 3.338	6.08	6.36	6.64	99
15+20+35	1.46	1.94	3.40	-	-	-	6.80 3.20 - 8.70	1.748 0.530 - 2.758	7.35	7.68	8.01	99
15+20+42	1.44	1.92	4.04 *	-	-	-	7.40 3.20 - 9.40	2.008 0.530 - 3.228	8.44	8.82	9.20	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)		220	230	240	
15+20+50	1.41	1.88	4.71 *	-	-	-	8.00 3.20 - 9.90	2.302 0.530 - 3.492	9.67	10.11	10.55	99
15+20+60	1.37	1.83	5.49	-	-	-	8.70 3.30 - 10.40	2.662 0.530 - 3.822	11.18	11.69	12.20	99
15+20+71	1.33	1.77	6.30	-	-	-	9.40 3.30 - 11.00	3.025 0.530 - 4.155	12.71	13.29	13.87	99
15+22+22	1.45	2.13	2.13	-	-	-	5.70 3.00 - 8.10	1.409 0.530 - 3.169	5.92	6.19	6.46	99
15+22+25	1.48	2.16	2.46	-	-	-	6.10 3.10 - 8.30	1.491 0.530 - 3.031	6.27	6.55	6.83	99
15+22+35	1.48	2.17	3.45	-	-	-	7.10 3.20 - 9.10	1.811 0.530 - 2.911	7.60	7.95	8.30	99
15+22+42	1.46	2.14	4.09 *	-	-	-	7.70 3.20 - 9.60	2.081 0.530 - 3.281	8.74	9.14	9.54	99
15+22+50	1.41	2.07	4.71 *	-	-	-	8.20 3.20 - 10.10	2.365 0.530 - 3.545	9.94	10.39	10.84	99
15+22+60	1.38	2.02	5.51	-	-	-	8.90 3.30 - 10.60	2.735 0.530 - 3.885	11.49	12.01	12.53	99
15+22+71	1.32	1.94	6.25	-	-	-	9.50 3.30 - 11.10	3.038 0.530 - 4.168	12.76	13.34	13.92	99
15+25+25	1.48	2.46	2.46	-	-	-	6.40 3.20 - 8.40	1.542 0.530 - 2.562	6.48	6.77	7.06	99
15+25+35	1.48	2.47	3.45	-	-	-	7.40 3.20 - 9.40	1.931 0.530 - 3.151	8.11	8.48	8.85	99
15+25+42	1.45	2.41	4.05 *	-	-	-	7.90 3.20 - 9.80	2.191 0.530 - 3.391	9.20	9.62	10.04	99
15+25+50	1.42	2.36	4.72 *	-	-	-	8.50 3.30 - 10.30	2.475 0.530 - 3.655	10.40	10.87	11.34	99
15+25+60	1.38	2.30	5.52	-	-	-	9.20 3.30 - 10.80	2.845 0.530 - 3.985	11.95	12.49	13.03	99
15+25+71	1.30	2.16	6.14	-	-	-	9.60 3.30 - 11.20	3.078 0.530 - 4.188	12.93	13.52	14.11	99
15+35+35	1.43	3.34	3.34	-	-	-	8.10 3.20 - 10.00	2.282 0.530 - 3.472	9.58	10.02	10.46	99
15+35+42	1.40	3.27	3.93 *	-	-	-	8.60 3.30 - 10.40	2.551 0.530 - 3.721	10.71	11.20	11.69	99
15+35+50	1.38	3.22	4.60 *	-	-	-	9.20 3.30 - 10.80	2.845 0.530 - 3.985	11.95	12.49	13.03	99
15+35+60	1.31	3.05	5.24	-	-	-	9.60 3.30 - 11.20	3.085 0.530 - 4.205	12.96	13.55	14.14	99
15+35+71	1.20	2.81	5.69	-	-	-	9.70 3.30 - 11.30	3.188 0.530 - 4.278	13.39	14.00	14.61	99
15+42+42	1.38	3.86	3.86 *	-	-	-	9.10 3.30 - 10.80	2.792 0.530 - 3.942	11.73	12.26	12.79	99
15+42+50	1.33	3.73	4.44 *	-	-	-	9.50 3.30 - 11.10	3.039 0.530 - 4.169	12.77	13.35	13.93	99
15+42+60	1.24	3.48	4.97	-	-	-	9.70 3.30 - 11.30	3.159 0.530 - 4.259	13.27	13.87	14.47	99
15+42+71	1.15	3.22	5.44	-	-	-	9.80 3.30 - 11.40	3.242 0.530 - 4.322	13.62	14.24	14.86	99
15+50+50	1.25	4.17	4.17 *	-	-	-	9.60 3.30 - 11.20	3.116 0.530 - 4.226	13.09	13.68	14.27	99
15+50+60	1.18	3.92	4.70	-	-	-	9.80 3.30 - 11.40	3.249 0.530 - 4.329	13.65	14.27	14.89	99
15+50+71	1.08	3.60	5.12	-	-	-	9.80 3.30 - 11.40	3.242 0.530 - 4.322	13.62	14.24	14.86	99
15+60+60	1.09	4.36	4.36	-	-	-	9.80 3.30 - 11.40	3.246 0.530 - 4.326	13.64	14.26	14.88	99
15+60+71	1.02	4.07	4.81	-	-	-	9.90 3.30 - 11.50	3.305 0.530 - 4.405	13.88	14.51	15.14	99
15+71+71	1.00	4.75	4.75	-	-	-	10.50 3.30 - 12.10	3.629 0.530 - 4.819	15.25	15.94	16.63	99
18+18+18	1.77	1.77	1.77	-	-	-	5.30 3.20 - 8.40	1.293 0.530 - 2.393	5.43	5.68	5.93	99
18+18+20	1.80	1.80	2.00	-	-	-	5.60 3.10 - 8.40	1.362 0.530 - 2.722	5.72	5.98	6.24	99
18+18+22	1.77	1.77	2.16	-	-	-	5.70 3.10 - 8.30	1.399 0.530 - 3.029	5.87	6.14	6.41	99
18+18+25	1.80	1.80	2.50	-	-	-	6.10 3.00 - 8.30	1.452 0.530 - 3.172	6.10	6.38	6.66	99
18+18+35	1.80	1.80	3.50	-	-	-	7.10 3.20 - 9.10	1.762 0.530 - 2.822	7.40	7.74	8.08	99
18+18+42	1.78	1.78	4.15 *	-	-	-	7.70 3.20 - 9.70	2.032 0.530 - 3.242	8.53	8.92	9.31	99
18+18+50	1.74	1.74	4.83 *	-	-	-	8.30 3.20 - 10.10	2.316 0.530 - 3.506	9.73	10.17	10.61	99
18+18+60	1.69	1.69	5.63	-	-	-	9.00 3.30 - 10.70	2.686 0.530 - 3.846	11.29	11.80	12.31	99
18+18+71	1.61	1.61	6.37	-	-	-	9.60 3.30 - 11.20	3.019 0.530 - 4.149	12.68	13.26	13.84	99
18+20+20	1.80	2.00	2.00	-	-	-	5.80 3.10 - 8.40	1.373 0.530 - 3.003	5.77	6.03	6.29	99
18+20+22	1.74	1.93	2.13	-	-	-	5.80 3.00 - 8.10	1.446 0.530 - 3.336	6.07	6.35	6.63	99
18+20+25	1.77	1.97	2.46	-	-	-	6.20 3.10 - 8.30	1.509 0.530 - 2.879	6.34	6.63	6.92	99
18+20+35	1.78	1.97	3.45	-	-	-	7.20 3.20 - 9.20	1.849 0.530 - 2.989	7.77	8.12	8.47	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)		220	230	240	
18+20+42	1.76	1.95	4.10 *	-	-	-	7.80 3.20 - 9.70	2.109 0.530 - 3.319	8.86	9.26	9.66	99
18+20+50	1.70	1.89	4.72 *	-	-	-	8.30 3.20 - 10.10	2.403 0.530 - 3.583	10.09	10.55	11.01	99
18+20+60	1.65	1.84	5.51	-	-	-	9.00 3.30 - 10.70	2.763 0.530 - 3.913	11.60	12.13	12.66	99
18+20+71	1.59	1.76	6.25	-	-	-	9.60 3.30 - 11.20	3.056 0.530 - 4.176	12.84	13.42	14.00	99
18+22+22	1.77	2.16	2.16	-	-	-	6.10 3.10 - 8.30	1.470 0.530 - 3.010	6.18	6.46	6.74	99
18+22+25	1.80	2.20	2.50	-	-	-	6.50 3.20 - 8.50	1.552 0.530 - 2.572	6.52	6.82	7.12	99
18+22+35	1.80	2.20	3.50	-	-	-	7.50 3.20 - 9.50	1.922 0.530 - 3.142	8.07	8.44	8.81	99
18+22+42	1.76	2.15	4.10 *	-	-	-	8.00 3.20 - 9.90	2.182 0.530 - 3.382	9.16	9.58	10.00	99
18+22+50	1.72	2.10	4.78 *	-	-	-	8.60 3.30 - 10.40	2.466 0.530 - 3.646	10.36	10.83	11.30	99
18+22+60	1.67	2.05	5.58	-	-	-	9.30 3.30 - 10.90	2.836 0.530 - 3.976	11.91	12.45	12.99	99
18+22+71	1.57	1.92	6.20	-	-	-	9.70 3.30 - 11.30	3.069 0.530 - 4.179	12.89	13.48	14.07	99
18+25+25	1.80	2.50	2.50	-	-	-	6.80 3.20 - 8.70	1.633 0.530 - 2.563	6.86	7.17	7.48	99
18+25+35	1.78	2.47	3.46	-	-	-	7.70 3.20 - 9.70	2.032 0.530 - 3.242	8.53	8.92	9.31	99
18+25+42	1.74	2.41	4.05 *	-	-	-	8.20 3.20 - 10.10	2.292 0.530 - 3.482	9.63	10.07	10.51	99
18+25+50	1.70	2.37	4.73 *	-	-	-	8.80 3.30 - 10.50	2.576 0.530 - 3.746	10.82	11.31	11.80	99
18+25+60	1.66	2.31	5.53	-	-	-	9.50 3.30 - 11.10	2.946 0.530 - 4.076	12.38	12.94	13.50	99
18+25+71	1.53	2.13	6.04	-	-	-	9.70 3.30 - 11.30	3.099 0.530 - 4.209	13.02	13.61	14.20	99
18+35+35	1.72	3.34	3.34	-	-	-	8.40 3.20 - 10.20	2.383 0.530 - 3.563	10.01	10.47	10.93	99
18+35+42	1.69	3.28	3.93 *	-	-	-	8.90 3.30 - 10.60	2.652 0.530 - 3.812	11.14	11.65	12.16	99
18+35+50	1.66	3.23	4.61 *	-	-	-	9.50 3.30 - 11.10	2.946 0.530 - 4.076	12.38	12.94	13.50	99
18+35+60	1.55	3.00	5.15	-	-	-	9.70 3.30 - 11.30	3.106 0.530 - 4.216	13.05	13.64	14.23	99
18+35+71	1.44	2.79	5.67	-	-	-	9.90 3.30 - 11.50	3.219 0.530 - 4.299	13.53	14.14	14.75	99
18+42+42	1.66	3.87	3.87 *	-	-	-	9.40 3.30 - 11.00	2.893 0.530 - 4.033	12.16	12.71	13.26	99
18+42+50	1.59	3.70	4.41 *	-	-	-	9.70 3.30 - 11.30	3.070 0.530 - 4.190	12.89	13.48	14.07	99
18+42+60	1.47	3.43	4.90	-	-	-	9.80 3.30 - 11.40	3.180 0.530 - 4.280	13.36	13.97	14.58	99
18+42+71	1.36	3.17	5.37	-	-	-	9.90 3.30 - 11.50	3.233 0.530 - 4.313	13.58	14.20	14.82	99
18+50+50	1.49	4.15	4.15 *	-	-	-	9.80 3.30 - 11.40	3.147 0.530 - 4.247	13.22	13.82	14.42	99
18+50+60	1.39	3.87	4.64	-	-	-	9.90 3.30 - 11.50	3.250 0.530 - 4.330	13.65	14.27	14.89	99
18+50+71	1.28	3.56	5.06	-	-	-	9.90 3.30 - 11.50	3.233 0.530 - 4.313	13.58	14.20	14.82	99
18+60+60	1.29	4.30	4.30	-	-	-	9.90 3.30 - 11.50	3.237 0.530 - 4.317	13.60	14.22	14.84	99
18+60+71	1.27	4.23	5.00	-	-	-	10.50 3.30 - 12.10	3.536 0.530 - 4.706	14.85	15.53	16.21	99
18+71+71	1.19	4.70	4.70	-	-	-	10.60 3.30 - 12.20	3.620 0.530 - 4.810	15.21	15.90	16.59	99
20+20+20	2.00	2.00	2.00	-	-	-	6.00 3.00 - 8.30	1.394 0.530 - 3.284	5.85	6.12	6.39	99
20+20+22	1.90	1.90	2.09	-	-	-	5.90 3.10 - 8.10	1.503 0.530 - 3.043	6.31	6.60	6.89	99
20+20+25	1.94	1.94	2.42	-	-	-	6.30 3.20 - 8.30	1.566 0.530 - 2.586	6.58	6.88	7.18	99
20+20+35	1.95	1.95	3.41	-	-	-	7.30 3.20 - 9.30	1.936 0.530 - 3.156	8.13	8.50	8.87	99
20+20+42	1.90	1.90	4.00 *	-	-	-	7.80 3.20 - 9.70	2.196 0.530 - 3.396	9.22	9.64	10.06	99
20+20+50	1.87	1.87	4.67 *	-	-	-	8.40 3.30 - 10.20	2.480 0.530 - 3.660	10.42	10.89	11.36	99
20+20+60	1.82	1.82	5.46	-	-	-	9.10 3.30 - 10.70	2.850 0.530 - 3.990	11.98	12.52	13.06	99
20+20+71	1.71	1.71	6.08	-	-	-	9.50 3.30 - 11.10	3.083 0.530 - 4.193	12.95	13.54	14.13	99
20+22+22	1.94	2.13	2.13	-	-	-	6.20 3.10 - 8.20	1.517 0.530 - 2.717	6.37	6.66	6.95	99
20+22+25	1.97	2.17	2.46	-	-	-	6.60 3.20 - 8.50	1.619 0.530 - 2.509	6.80	7.11	7.42	99
20+22+35	1.95	2.14	3.41	-	-	-	7.50 3.20 - 9.50	1.999 0.530 - 3.219	8.40	8.78	9.16	99
20+22+42	1.90	2.10	4.00 *	-	-	-	8.00 3.20 - 9.90	2.259 0.530 - 3.449	9.49	9.92	10.35	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)		220	230	240	
20+22+50	1.87	2.06	4.67 *	-	-	-	8.60 3.30 - 10.40	2.543 0.530 - 3.713	10.68	11.17	11.66	99
20+22+60	1.82	2.01	5.47	-	-	-	9.30 3.30 - 10.90	2.913 0.530 - 4.053	12.23	12.79	13.35	99
20+22+71	1.70	1.87	6.03	-	-	-	9.60 3.30 - 11.20	3.096 0.530 - 4.206	13.01	13.60	14.19	99
20+25+25	1.97	2.46	2.46	-	-	-	6.90 3.20 - 8.80	1.720 0.530 - 2.730	7.22	7.55	7.88	99
20+25+35	1.95	2.44	3.41	-	-	-	7.80 3.20 - 9.70	2.109 0.530 - 3.319	8.86	9.26	9.66	99
20+25+42	1.89	2.36	3.96 *	-	-	-	8.20 3.20 - 10.10	2.369 0.530 - 3.549	9.95	10.40	10.85	99
20+25+50	1.85	2.32	4.63 *	-	-	-	8.80 3.30 - 10.50	2.653 0.530 - 3.813	11.14	11.65	12.16	99
20+25+60	1.81	2.26	5.43	-	-	-	9.50 3.30 - 11.10	3.023 0.530 - 4.153	12.70	13.28	13.86	99
20+25+71	1.67	2.09	5.94	-	-	-	9.70 3.30 - 11.30	3.136 0.530 - 4.236	13.17	13.77	14.37	99
20+35+35	1.89	3.31	3.31	-	-	-	8.50 3.30 - 10.30	2.460 0.530 - 3.640	10.33	10.80	11.27	99
20+35+42	1.84	3.21	3.85 *	-	-	-	8.90 3.30 - 10.60	2.739 0.530 - 3.889	11.51	12.03	12.55	99
20+35+50	1.81	3.17	4.52 *	-	-	-	9.50 3.30 - 11.10	3.023 0.530 - 4.153	12.70	13.28	13.86	99
20+35+60	1.67	2.92	5.01	-	-	-	9.60 3.30 - 11.20	3.133 0.530 - 4.243	13.16	13.76	14.36	99
20+35+71	1.56	2.72	5.52	-	-	-	9.80 3.30 - 11.40	3.246 0.530 - 4.326	13.64	14.26	14.88	99
20+42+42	1.81	3.80	3.80 *	-	-	-	9.40 3.30 - 11.00	2.970 0.530 - 4.110	12.47	13.04	13.61	99
20+42+50	1.71	3.60	4.29 *	-	-	-	9.60 3.30 - 11.20	3.097 0.530 - 4.207	13.01	13.60	14.19	99
20+42+71	1.47	3.09	5.23	-	-	-	9.80 3.30 - 11.40	3.257 0.530 - 4.337	13.68	14.30	14.92	99
20+50+50	1.62	4.04	4.04 *	-	-	-	9.70 3.30 - 11.30	3.174 0.530 - 4.274	13.33	13.94	14.55	99
20+50+60	1.51	3.77	4.52	-	-	-	9.80 3.30 - 11.40	3.257 0.530 - 4.337	13.68	14.30	14.92	99
20+50+71	1.39	3.48	4.93	-	-	-	9.80 3.30 - 11.40	3.240 0.530 - 4.320	13.61	14.23	14.85	99
20+60+60	1.40	4.20	4.20	-	-	-	9.80 3.30 - 11.40	3.244 0.530 - 4.324	13.63	14.25	14.87	99
20+60+71	1.39	4.17	4.94	-	-	-	10.50 3.30 - 12.10	3.623 0.530 - 4.813	15.22	15.91	16.60	99
20+71+71	1.30	4.60	4.60	-	-	-	10.50 3.30 - 12.10	3.627 0.530 - 4.817	15.24	15.93	16.62	99
22+22+22	2.17	2.17	2.17	-	-	-	6.50 3.20 - 8.40	1.541 0.530 - 2.391	6.48	6.77	7.06	99
22+22+25	2.20	2.20	2.50	-	-	-	6.90 3.20 - 8.80	1.692 0.530 - 2.662	7.11	7.43	7.75	99
22+22+35	2.17	2.17	3.46	-	-	-	7.80 3.20 - 9.70	2.072 0.530 - 3.272	8.70	9.10	9.50	99
22+22+42	2.12	2.12	4.05 *	-	-	-	8.30 3.20 - 10.10	2.322 0.530 - 3.512	9.76	10.20	10.64	99
22+22+50	2.06	2.06	4.68 *	-	-	-	8.80 3.30 - 10.60	2.616 0.530 - 3.776	10.99	11.49	11.99	99
22+22+60	2.01	2.01	5.48	-	-	-	9.50 3.30 - 11.10	2.976 0.530 - 4.116	12.50	13.07	13.64	99
22+22+71	1.86	1.86	5.99	-	-	-	9.70 3.30 - 11.30	3.109 0.530 - 4.219	13.06	13.65	14.24	99
22+25+25	2.20	2.50	2.50	-	-	-	7.20 3.20 - 9.20	1.783 0.530 - 2.883	7.49	7.83	8.17	99
22+25+35	2.15	2.44	3.41	-	-	-	8.00 3.20 - 9.90	2.182 0.530 - 3.382	9.16	9.58	10.00	99
22+25+42	2.10	2.39	4.01 *	-	-	-	8.50 3.20 - 10.30	2.432 0.530 - 3.612	10.22	10.68	11.14	99
22+25+50	2.04	2.32	4.64 *	-	-	-	9.00 3.30 - 10.70	2.726 0.530 - 3.876	11.45	11.97	12.49	99
22+25+60	1.97	2.24	5.38	-	-	-	9.60 3.30 - 11.20	3.036 0.530 - 4.166	12.75	13.33	13.91	99
22+25+71	1.83	2.08	5.90	-	-	-	9.80 3.30 - 11.40	3.149 0.530 - 4.249	13.23	13.83	14.43	99
22+35+35	2.08	3.31	3.31	-	-	-	8.70 3.30 - 10.50	2.523 0.530 - 3.693	10.60	11.08	11.56	99
22+35+42	2.04	3.25	3.90 *	-	-	-	9.20 3.30 - 10.90	2.802 0.530 - 3.952	11.77	12.31	12.85	99
22+35+50	1.97	3.14	4.49 *	-	-	-	9.60 3.30 - 11.20	3.036 0.530 - 4.166	12.75	13.33	13.91	99
22+35+60	1.84	2.93	5.03	-	-	-	9.80 3.30 - 11.40	3.156 0.530 - 4.256	13.26	13.86	14.46	99
22+35+71	1.70	2.71	5.49	-	-	-	9.90 3.30 - 11.50	3.239 0.530 - 4.319	13.60	14.22	14.84	99
22+42+42	1.99	3.80	3.80 *	-	-	-	9.60 3.30 - 11.20	3.013 0.530 - 4.143	12.65	13.23	13.81	99
22+42+50	1.87	3.57	4.25 *	-	-	-	9.70 3.30 - 11.30	3.110 0.530 - 4.220	13.07	13.66	14.25	99
22+42+60	1.76	3.35	4.79	-	-	-	9.90 3.30 - 11.50	3.230 0.530 - 4.310	13.57	14.19	14.81	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
22+42+71	1.61	3.08	5.21	-	-	-	9.90 3.30 - 11.50	3.233 0.530 - 4.313	13.58	14.20	14.82	99
22+50+60	1.65	3.75	4.50	-	-	-	9.90 3.30 - 11.50	3.237 0.530 - 4.317	13.60	14.22	14.84	99
22+50+71	1.52	3.46	4.92	-	-	-	9.90 3.30 - 11.50	3.233 0.530 - 4.313	13.58	14.20	14.82	99
22+60+60	1.53	4.18	4.18	-	-	-	9.90 3.30 - 11.50	3.237 0.530 - 4.317	13.60	14.22	14.84	99
22+60+71	1.52	4.16	4.92	-	-	-	10.60 3.30 - 12.20	3.616 0.530 - 4.806	15.19	15.88	16.57	99
22+71+71	1.42	4.59	4.59	-	-	-	10.60 3.30 - 12.20	3.620 0.530 - 4.810	15.21	15.90	16.59	99
25+25+25	2.50	2.50	2.50	-	-	-	7.50 3.20 - 9.50	1.884 0.530 - 3.104	7.91	8.27	8.63	99
25+25+35	2.41	2.41	3.38	-	-	-	8.20 3.20 - 10.10	2.292 0.530 - 3.482	9.63	10.07	10.51	99
25+25+42	2.36	2.36	3.97 *	-	-	-	8.70 3.30 - 10.50	2.542 0.530 - 3.712	10.67	11.16	11.65	99
25+25+50	2.33	2.33	4.65 *	-	-	-	9.30 3.30 - 10.90	2.836 0.530 - 3.976	11.91	12.45	12.99	99
25+25+60	2.20	2.20	5.29	-	-	-	9.70 3.30 - 11.30	3.076 0.530 - 4.196	12.92	13.51	14.10	99
25+25+71	2.02	2.02	5.75	-	-	-	9.80 3.30 - 11.40	3.179 0.530 - 4.269	13.35	13.96	14.57	99
25+35+35	2.34	3.28	3.28	-	-	-	8.90 3.30 - 10.60	2.633 0.530 - 3.793	11.06	11.56	12.06	99
25+35+42	2.30	3.23	3.87 *	-	-	-	9.40 3.30 - 11.00	2.912 0.530 - 4.052	12.23	12.79	13.35	99
25+35+50	2.20	3.09	4.41 *	-	-	-	9.70 3.30 - 11.30	3.076 0.530 - 4.196	12.92	13.51	14.10	99
25+35+60	2.04	2.86	4.90	-	-	-	9.80 3.30 - 11.40	3.186 0.530 - 4.286	13.38	13.99	14.60	99
25+35+71	1.89	2.65	5.37	-	-	-	9.90 3.30 - 11.50	3.239 0.530 - 4.319	13.60	14.22	14.84	99
25+42+42	2.22	3.74	3.74 *	-	-	-	9.70 3.30 - 11.30	3.053 0.530 - 4.173	12.83	13.41	13.99	99
25+42+50	2.09	3.52	4.19 *	-	-	-	9.80 3.30 - 11.40	3.150 0.530 - 4.250	13.23	13.83	14.43	99
25+42+60	1.95	3.27	4.68	-	-	-	9.90 3.30 - 11.50	3.250 0.530 - 4.330	13.65	14.27	14.89	99
25+42+71	1.79	3.01	5.09	-	-	-	9.90 3.30 - 11.50	3.233 0.530 - 4.313	13.58	14.20	14.82	99
25+50+50	1.98	3.96	3.96 *	-	-	-	9.90 3.30 - 11.50	3.227 0.530 - 4.307	13.55	14.17	14.79	99
25+50+60	1.83	3.67	4.40	-	-	-	9.90 3.30 - 11.50	3.250 0.530 - 4.330	13.65	14.27	14.89	99
25+50+71	1.71	3.42	4.86	-	-	-	10.00 3.30 - 11.60	3.313 0.530 - 4.413	13.92	14.55	15.18	99
25+60+60	1.71	4.10	4.10	-	-	-	9.90 3.30 - 11.50	3.237 0.530 - 4.317	13.60	14.22	14.84	99
25+60+71	1.70	4.08	4.82	-	-	-	10.60 3.30 - 12.20	3.616 0.530 - 4.806	15.19	15.88	16.57	99
25+71+71	1.59	4.51	4.51	-	-	-	10.60 3.30 - 12.20	3.620 0.530 - 4.810	15.21	15.90	16.59	99
35+35+35	3.20	3.20	3.20	-	-	-	9.60 3.30 - 11.20	2.984 0.530 - 4.114	12.53	13.10	13.67	99
35+35+42	3.03	3.03	3.64 *	-	-	-	9.70 3.30 - 11.30	3.102 0.530 - 4.212	13.03	13.62	14.21	99
35+35+50	2.86	2.86	4.08 *	-	-	-	9.80 3.30 - 11.40	3.186 0.530 - 4.286	13.38	13.99	14.60	99
35+35+60	2.67	2.67	4.57	-	-	-	9.90 3.30 - 11.50	3.256 0.530 - 4.336	13.68	14.30	14.92	99
35+35+71	2.46	2.46	4.99	-	-	-	9.90 3.30 - 11.50	3.239 0.530 - 4.319	13.60	14.22	14.84	99
35+42+42	2.88	3.46	3.46 *	-	-	-	9.80 3.30 - 11.40	3.163 0.530 - 4.263	13.29	13.89	14.49	99
35+42+50	2.73	3.27	3.90 *	-	-	-	9.90 3.30 - 11.50	3.250 0.530 - 4.330	13.65	14.27	14.89	99
35+42+60	2.53	3.04	4.34	-	-	-	9.90 3.30 - 11.50	3.250 0.530 - 4.330	13.65	14.27	14.89	99
35+42+71	2.44	2.92	4.94	-	-	-	10.30 3.30 - 11.90	3.473 0.530 - 4.623	14.59	15.25	15.91	99
35+50+50	2.57	3.67	3.67 *	-	-	-	9.90 3.30 - 11.50	3.237 0.530 - 4.317	13.60	14.22	14.84	99
35+50+60	2.39	3.41	4.10	-	-	-	9.90 3.30 - 11.50	3.250 0.530 - 4.330	13.65	14.27	14.89	99
35+50+71	2.38	3.40	4.82	-	-	-	10.60 3.30 - 12.20	3.633 0.530 - 4.823	15.27	15.96	16.65	99
35+60+60	2.39	4.10	4.10	-	-	-	10.60 3.30 - 12.20	3.637 0.530 - 4.827	15.28	15.97	16.66	99
35+60+71	2.23	3.83	4.53	-	-	-	10.60 3.30 - 12.20	3.616 0.530 - 4.806	15.19	15.88	16.57	99
35+71+71	2.10	4.25	4.25	-	-	-	10.60 3.30 - 12.20	3.620 0.530 - 4.810	15.21	15.90	16.59	99
42+42+42	3.30	3.30	3.30 *	-	-	-	9.90 3.30 - 11.50	3.224 0.530 - 4.304	13.54	14.16	14.78	99
42+42+50	3.10	3.10	3.69 *	-	-	-	9.90 3.30 - 11.50	3.244 0.530 - 4.324	13.63	14.25	14.87	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
42+42+60	2.89	2.89	4.13	-	-	-	9.90 3.30 - 11.50	3.244 0.530 - 4.324	13.63	14.25	14.87	99
42+42+71	2.87	2.87	4.86	-	-	-	10.60 3.30 - 12.20	3.627 0.530 - 4.817	15.24	15.93	16.62	99
42+50+50	2.93	3.49	3.49 *	-	-	-	9.90 3.30 - 11.50	3.231 0.530 - 4.311	13.57	14.19	14.81	99
42+50+60	2.93	3.49	4.18	-	-	-	10.60 3.30 - 12.20	3.644 0.530 - 4.834	15.30	16.00	16.70	99
42+50+71	2.73	3.25	4.62	-	-	-	10.60 3.30 - 12.20	3.627 0.530 - 4.817	15.24	15.93	16.62	99
42+60+60	2.75	3.93	3.93	-	-	-	10.60 3.30 - 12.20	3.631 0.530 - 4.821	15.26	15.95	16.64	99
42+60+71	2.57	3.68	4.35	-	-	-	10.60 3.30 - 12.20	3.610 0.530 - 4.800	15.16	15.85	16.54	99
50+50+50	3.53	3.53	3.53 *	-	-	-	10.60 3.30 - 12.20	3.614 0.530 - 4.804	15.18	15.87	16.56	99
50+50+60	3.31	3.31	3.98	-	-	-	10.60 3.30 - 12.20	3.644 0.530 - 4.834	15.30	16.00	16.70	99
50+50+71	3.10	3.10	4.40	-	-	-	10.60 3.30 - 12.20	3.627 0.530 - 4.817	15.24	15.93	16.62	99
50+60+60	3.12	3.74	3.74	-	-	-	10.60 3.30 - 12.20	3.631 0.530 - 4.821	15.26	15.95	16.64	99
60+60+60	3.53	3.53	3.53	-	-	-	10.60 3.30 - 12.20	3.610 0.530 - 4.800	15.16	15.85	16.54	99
15+15+15+15	1.50	1.50	1.50	1.50	-	-	6.00 3.10 - 8.40	1.303 0.530 - 3.983	5.47	5.72	5.97	99
15+15+15+18	1.40	1.40	1.40	1.69	-	-	5.90 3.10 - 8.30	1.502 0.530 - 3.932	6.31	6.60	6.89	99
15+15+15+20	1.43	1.43	1.43	1.91	-	-	6.20 3.10 - 8.60	1.573 0.530 - 3.833	6.61	6.91	7.21	99
15+15+15+22	1.41	1.41	1.41	2.07	-	-	6.30 3.10 - 8.80	1.670 0.530 - 3.750	7.01	7.33	7.65	99
15+15+15+25	1.44	1.44	1.44	2.39	-	-	6.70 3.10 - 9.20	1.783 0.530 - 3.613	7.49	7.83	8.17	99
15+15+15+35	1.44	1.44	1.44	3.37	-	-	7.70 3.20 - 10.10	2.093 0.530 - 3.653	8.79	9.19	9.59	99
15+15+15+42	1.45	1.45	1.45	4.06 *	-	-	8.40 3.30 - 10.60	2.293 0.530 - 3.753	9.63	10.07	10.51	99
15+15+15+50	1.20	1.20	1.20	4.00 *	-	-	7.60 3.10 - 9.90	2.187 0.530 - 3.637	9.18	9.60	10.02	99
15+15+15+60	1.41	1.41	1.41	5.66	-	-	9.90 3.30 - 11.70	2.987 0.530 - 4.037	12.55	13.12	13.69	99
15+15+15+71	1.33	1.33	1.33	6.30	-	-	10.30 3.40 - 12.00	3.170 0.530 - 4.170	13.31	13.92	14.53	99
15+15+18+18	1.43	1.43	1.72	1.72	-	-	6.30 3.10 - 8.80	1.604 0.530 - 3.774	6.73	7.04	7.35	99
15+15+18+20	1.46	1.46	1.75	1.94	-	-	6.60 3.10 - 9.10	1.694 0.530 - 3.694	7.12	7.44	7.76	99
15+15+18+22	1.44	1.44	1.72	2.11	-	-	6.70 3.10 - 9.20	1.781 0.530 - 3.611	7.48	7.82	8.16	99
15+15+18+25	1.46	1.46	1.75	2.43	-	-	7.10 3.10 - 9.60	1.884 0.530 - 3.534	7.91	8.27	8.63	99
15+15+18+35	1.46	1.46	1.76	3.42	-	-	8.10 3.20 - 10.40	2.174 0.530 - 3.684	9.13	9.55	9.97	99
15+15+18+42	1.20	1.20	1.44	3.36 *	-	-	7.20 3.10 - 9.60	1.954 0.530 - 3.544	8.21	8.58	8.95	99
15+15+18+50	1.22	1.22	1.47	4.08 *	-	-	8.00 3.10 - 10.20	2.328 0.530 - 3.678	9.78	10.22	10.66	99
15+15+18+60	1.40	1.40	1.68	5.61	-	-	10.10 3.30 - 11.80	3.028 0.530 - 4.068	12.72	13.30	13.88	99
15+15+18+71	1.32	1.32	1.59	6.26	-	-	10.50 3.40 - 12.20	3.221 0.530 - 4.211	13.53	14.15	14.77	99
15+15+20+20	1.46	1.46	1.94	1.94	-	-	6.80 3.10 - 9.30	1.755 0.530 - 3.585	7.37	7.71	8.05	99
15+15+20+22	1.42	1.42	1.89	2.08	-	-	6.80 3.10 - 9.30	1.868 0.530 - 3.528	7.84	8.20	8.56	99
15+15+20+25	1.44	1.44	1.92	2.40	-	-	7.20 3.10 - 9.60	1.951 0.530 - 3.571	8.20	8.57	8.94	99
15+15+20+35	1.45	1.45	1.93	3.38	-	-	8.20 3.30 - 10.50	2.231 0.530 - 3.721	9.37	9.80	10.23	99
15+15+20+42	1.19	1.19	1.59	3.33 *	-	-	7.30 3.10 - 9.70	2.051 0.530 - 3.591	8.62	9.01	9.40	99
15+15+20+50	1.46	1.46	1.94	4.85 *	-	-	9.70 3.30 - 11.50	2.885 0.530 - 3.965	12.12	12.67	13.22	99
15+15+20+60	1.38	1.38	1.84	5.51	-	-	10.10 3.40 - 11.80	3.075 0.530 - 4.105	12.91	13.50	14.09	99
15+15+20+71	1.29	1.29	1.72	6.10	-	-	10.40 3.40 - 12.10	3.298 0.500 - 4.198	13.85	14.48	15.11	99
15+15+22+22	1.44	1.44	2.11	2.11	-	-	7.10 3.10 - 9.60	1.902 0.530 - 3.532	7.99	8.35	8.71	99
15+15+22+25	1.46	1.46	2.14	2.44	-	-	7.50 3.20 - 9.90	1.994 0.530 - 3.594	8.38	8.76	9.14	99
15+15+22+35	1.47	1.47	2.15	3.42	-	-	8.50 3.30 - 10.70	2.284 0.530 - 3.744	9.59	10.03	10.47	99
15+15+22+42	1.21	1.21	1.78	3.40 *	-	-	7.60 3.10 - 9.90	2.144 0.530 - 3.614	9.01	9.42	9.83	99
15+15+22+50	1.46	1.46	2.14	4.85 *	-	-	9.90 3.30 - 11.70	2.918 0.530 - 3.988	12.26	12.82	13.38	99



**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
15+15+22+60	1.37	1.37	2.00	5.46	-	-	10.20 3.40 - 12.00	3.108 0.530 - 4.128	13.06	13.65	14.24	99	
15+15+22+71	1.28	1.28	1.88	6.06	-	-	10.50 3.40 - 12.20	3.291 0.500 - 4.191	13.82	14.45	15.08	99	
15+15+25+25	1.46	1.46	2.44	2.44	-	-	7.80 3.20 - 10.20	2.065 0.530 - 3.625	8.68	9.07	9.46	99	
15+15+25+35	1.20	1.20	2.00	2.80	-	-	7.20 3.10 - 9.60	1.954 0.530 - 3.544	8.21	8.58	8.95	99	
15+15+25+42	1.22	1.22	2.04	3.42 *	-	-	7.90 3.10 - 10.10	2.284 0.530 - 3.664	9.59	10.03	10.47	99	
15+15+25+50	1.43	1.43	2.38	4.76 *	-	-	10.00 3.30 - 11.80	2.978 0.530 - 4.028	12.51	13.08	13.65	99	
15+15+25+60	1.34	1.34	2.24	5.37	-	-	10.30 3.40 - 12.10	3.168 0.530 - 4.168	13.31	13.91	14.51	99	
15+15+25+71	1.25	1.25	2.08	5.92	-	-	10.50 3.40 - 12.20	3.291 0.500 - 4.191	13.82	14.45	15.08	99	
15+15+35+35	1.47	1.47	3.43	3.43	-	-	9.80 3.30 - 11.60	2.865 0.530 - 3.945	12.03	12.58	13.13	99	
15+15+35+42	1.40	1.40	3.27	3.93 *	-	-	10.00 3.30 - 11.80	3.014 0.530 - 4.064	12.66	13.24	13.82	99	
15+15+35+50	1.34	1.34	3.13	4.48 *	-	-	10.30 3.40 - 12.10	3.168 0.530 - 4.168	13.31	13.91	14.51	99	
15+15+35+60	1.26	1.26	2.94	5.04	-	-	10.50 3.40 - 12.20	3.308 0.500 - 4.208	13.90	14.53	15.16	99	
15+15+35+71	1.16	1.16	2.70	5.48	-	-	10.50 3.40 - 12.20	3.291 0.500 - 4.291	13.82	14.45	15.08	99	
15+15+42+42	1.36	1.36	3.79 *	3.79 *	-	-	10.30 3.40 - 12.00	3.135 0.530 - 4.145	13.17	13.77	14.37	99	
15+15+42+60	1.19	1.19	3.34 *	4.77	-	-	10.50 3.40 - 12.20	3.302 0.500 - 4.202	13.87	14.50	15.13	99	
15+15+42+71	1.10	1.10	3.08 *	5.21	-	-	10.50 3.40 - 12.20	3.285 0.500 - 4.285	13.80	14.43	15.06	99	
15+15+50+50	1.21	1.21	4.04 *	4.04 *	-	-	10.50 3.40 - 12.20	3.289 0.500 - 4.189	13.81	14.44	15.07	99	
15+15+50+60	1.13	1.13	3.75 *	4.50	-	-	10.50 3.40 - 12.20	3.302 0.500 - 4.302	13.87	14.50	15.13	99	
15+15+50+71	1.05	1.05	3.51 *	4.98	-	-	10.60 3.40 - 12.30	3.285 0.500 - 4.285	13.80	14.43	15.06	99	
15+15+60+60	1.06	1.06	4.24	4.24	-	-	10.60 3.40 - 12.30	3.289 0.500 - 4.289	13.81	14.44	15.07	99	
15+15+60+71	0.99	0.99	3.95	4.67	-	-	10.60 3.40 - 12.30	3.268 0.500 - 4.268	13.73	14.35	14.97	99	
15+15+71+71	0.92	0.92	4.38	4.38	-	-	10.60 3.40 - 12.30	3.302 0.530 - 4.272	13.87	14.50	15.13	99	
15+18+18+18	1.46	1.75	1.75	1.75	-	-	6.70 3.10 - 9.20	1.696 0.530 - 3.606	7.13	7.45	7.77	99	
15+18+18+20	1.48	1.77	1.77	1.97	-	-	7.00 3.10 - 9.50	1.805 0.530 - 3.545	7.59	7.93	8.27	99	
15+18+18+22	1.46	1.75	1.75	2.14	-	-	7.10 3.10 - 9.60	1.882 0.530 - 3.532	7.91	8.27	8.63	99	
15+18+18+25	1.48	1.78	1.78	2.47	-	-	7.50 3.20 - 9.90	1.965 0.530 - 3.565	8.25	8.63	9.01	99	
15+18+18+35	1.48	1.78	1.78	3.46	-	-	8.50 3.30 - 10.70	2.245 0.530 - 3.725	9.43	9.86	10.29	99	
15+18+18+42	1.23	1.47	1.47	3.43 *	-	-	7.60 3.10 - 9.90	2.085 0.530 - 3.585	8.76	9.16	9.56	99	
15+18+18+50	1.47	1.76	1.76	4.90 *	-	-	9.90 3.30 - 11.70	2.889 0.530 - 3.959	12.14	12.69	13.24	99	
15+18+18+60	1.39	1.67	1.67	5.57	-	-	10.30 3.40 - 12.00	3.079 0.530 - 4.099	12.93	13.52	14.11	99	
15+18+20+20	1.48	1.78	1.97	1.97	-	-	7.20 3.10 - 9.70	1.852 0.530 - 3.502	7.78	8.13	8.48	99	
15+18+20+22	1.44	1.73	1.92	2.11	-	-	7.20 3.10 - 9.60	1.949 0.530 - 3.569	8.19	8.56	8.93	99	
15+18+20+25	1.46	1.75	1.95	2.44	-	-	7.60 3.20 - 10.00	2.022 0.530 - 3.602	8.49	8.88	9.27	99	
15+18+20+35	1.47	1.76	1.95	3.42	-	-	8.60 3.30 - 10.80	2.312 0.530 - 3.762	9.71	10.15	10.59	99	
15+18+20+42	1.22	1.46	1.62	3.40 *	-	-	7.70 3.10 - 10.00	2.182 0.530 - 3.632	9.16	9.58	10.00	99	
15+18+20+50	1.44	1.73	1.92	4.81 *	-	-	9.90 3.30 - 11.70	2.936 0.530 - 3.996	12.33	12.89	13.45	99	
15+18+20+60	1.37	1.64	1.82	5.47	-	-	10.30 3.40 - 12.00	3.126 0.530 - 4.136	13.13	13.73	14.33	99	
15+18+20+71	1.27	1.52	1.69	6.01	-	-	10.50 3.40 - 12.20	3.289 0.500 - 4.189	13.81	14.44	15.07	99	
15+18+22+22	1.46	1.75	2.14	2.14	-	-	7.50 3.20 - 9.90	1.973 0.530 - 3.573	8.28	8.66	9.04	99	
15+18+22+25	1.48	1.78	2.17	2.47	-	-	7.90 3.20 - 10.30	2.075 0.530 - 3.635	8.71	9.11	9.51	99	
15+18+22+35	1.22	1.46	1.78	2.84	-	-	7.30 3.10 - 9.70	1.945 0.530 - 3.535	8.17	8.54	8.91	99	
15+18+22+42	1.24	1.48	1.81	3.46 *	-	-	8.00 3.10 - 10.20	2.275 0.530 - 3.655	9.56	9.99	10.42	99	
15+18+22+50	1.44	1.73	2.12	4.81 *	-	-	10.10 3.30 - 11.90	2.969 0.530 - 4.019	12.47	13.04	13.61	99	
15+18+22+60	1.36	1.63	1.99	5.43	-	-	10.40 3.40 - 12.20	3.159 0.530 - 4.159	13.27	13.87	14.47	99	

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)		220	230	240	
15+18+22+71	1.26	1.51	1.85	5.97	-	-	10.60 3.40 - 12.30	3.282 0.500 - 4.182	13.78	14.41	15.04	99
15+18+25+25	1.48	1.78	2.47	2.47	-	-	8.20 3.20 - 10.50	2.146 0.530 - 3.656	9.01	9.42	9.83	99
15+18+25+35	1.23	1.47	2.04	2.86	-	-	7.60 3.10 - 9.90	2.085 0.530 - 3.585	8.76	9.16	9.56	99
15+18+25+42	1.49	1.78	2.48	4.16 *	-	-	9.90 3.30 - 11.70	2.875 0.530 - 3.955	12.08	12.63	13.18	99
15+18+25+50	1.42	1.70	2.36	4.72 *	-	-	10.20 3.30 - 11.90	3.019 0.530 - 4.059	12.68	13.26	13.84	99
15+18+25+60	1.33	1.60	2.22	5.34	-	-	10.50 3.40 - 12.20	3.209 0.530 - 4.199	13.48	14.09	14.70	99
15+18+25+71	1.23	1.48	2.05	5.83	-	-	10.60 3.40 - 12.30	3.282 0.500 - 4.182	13.78	14.41	15.04	99
15+18+35+35	1.46	1.75	3.40	3.40	-	-	10.00 3.30 - 11.80	2.916 0.530 - 3.976	12.25	12.81	13.37	99
15+18+35+42	1.40	1.69	3.28	3.93 *	-	-	10.30 3.40 - 12.00	3.065 0.530 - 4.095	12.87	13.46	14.05	99
15+18+35+50	1.33	1.60	3.11	4.45 *	-	-	10.50 3.40 - 12.20	3.209 0.530 - 4.199	13.48	14.09	14.70	99
15+18+35+60	1.24	1.49	2.90	4.97	-	-	10.60 3.40 - 12.30	3.299 0.500 - 4.199	13.86	14.49	15.12	99
15+18+35+71	1.14	1.37	2.67	5.41	-	-	10.60 3.40 - 12.30	3.282 0.500 - 4.282	13.78	14.41	15.04	99
15+18+42+42	1.35	1.62	3.77 *	3.77 *	-	-	10.50 3.40 - 12.20	3.176 0.530 - 4.176	13.34	13.95	14.56	99
15+18+42+50	1.27	1.53	3.56 *	4.24 *	-	-	10.60 3.40 - 12.30	3.293 0.500 - 4.193	13.83	14.46	15.09	99
15+18+42+60	1.18	1.41	3.30 *	4.71	-	-	10.60 3.40 - 12.30	3.293 0.500 - 4.293	13.83	14.46	15.09	99
15+18+42+71	1.10	1.32	3.08 *	5.20	-	-	10.70 3.40 - 12.40	3.276 0.500 - 4.276	13.76	14.39	15.02	99
15+18+50+50	1.20	1.43	3.98 *	3.98 *	-	-	10.60 3.40 - 12.30	3.280 0.500 - 4.180	13.77	14.40	15.03	99
15+18+50+60	1.11	1.33	3.71 *	4.45	-	-	10.60 3.40 - 12.30	3.293 0.500 - 4.293	13.83	14.46	15.09	99
15+18+50+71	1.04	1.25	3.47 *	4.93	-	-	10.70 3.40 - 12.40	3.276 0.500 - 4.276	13.76	14.39	15.02	99
15+18+60+60	1.05	1.26	4.20	4.20	-	-	10.70 3.40 - 12.40	3.280 0.500 - 4.280	13.77	14.40	15.03	99
15+18+60+71	0.98	1.17	3.91	4.63	-	-	10.70 3.40 - 12.40	3.259 0.500 - 4.259	13.69	14.31	14.93	99
15+18+71+71	0.92	1.10	4.34	4.34	-	-	10.70 3.40 - 12.40	3.293 0.530 - 4.263	13.83	14.46	15.09	99
15+20+20+20	1.48	1.97	1.97	1.97	-	-	7.40 3.10 - 9.80	1.897 0.530 - 3.517	7.97	8.33	8.69	99
15+20+20+22	1.42	1.90	1.90	2.09	-	-	7.30 3.20 - 9.70	2.006 0.530 - 3.606	8.43	8.81	9.19	99
15+20+20+25	1.44	1.93	1.93	2.41	-	-	7.70 3.20 - 10.10	2.089 0.530 - 3.649	8.77	9.17	9.57	99
15+20+20+35	1.18	1.58	1.58	2.76	-	-	7.10 3.10 - 9.50	1.959 0.530 - 3.549	8.23	8.60	8.97	99
15+20+20+42	1.21	1.61	1.61	3.38 *	-	-	7.80 3.10 - 10.00	2.289 0.530 - 3.669	9.61	10.05	10.49	99
15+20+20+50	1.41	1.89	1.89	4.71 *	-	-	9.90 3.30 - 11.70	2.983 0.530 - 4.033	12.53	13.10	13.67	99
15+20+20+60	1.33	1.77	1.77	5.32	-	-	10.20 3.40 - 12.00	3.173 0.530 - 4.173	13.33	13.94	14.55	99
15+20+20+71	1.24	1.65	1.65	5.86	-	-	10.40 3.40 - 12.10	3.296 0.500 - 4.196	13.85	14.48	15.11	99
15+20+22+22	1.44	1.92	2.12	2.12	-	-	7.60 3.20 - 10.00	2.040 0.530 - 3.610	8.57	8.96	9.35	99
15+20+22+25	1.46	1.95	2.15	2.44	-	-	8.00 3.20 - 10.30	2.142 0.530 - 3.672	9.00	9.41	9.82	99
15+20+22+35	1.21	1.61	1.77	2.82	-	-	7.40 3.10 - 9.80	2.042 0.530 - 3.582	8.58	8.97	9.36	99
15+20+22+42	1.23	1.64	1.80	3.44 *	-	-	8.10 3.10 - 10.20	2.372 0.530 - 3.692	9.97	10.42	10.87	99
15+20+22+50	1.40	1.87	2.06	4.67 *	-	-	10.00 3.30 - 11.80	3.006 0.530 - 4.056	12.63	13.20	13.77	99
15+20+22+60	1.33	1.78	1.96	5.33	-	-	10.40 3.40 - 12.10	3.196 0.530 - 4.196	13.43	14.04	14.65	99
15+20+22+71	1.23	1.64	1.80	5.82	-	-	10.50 3.40 - 12.20	3.289 0.500 - 4.189	13.81	14.44	15.07	99
15+20+25+25	1.46	1.95	2.44	2.44	-	-	8.30 3.30 - 10.60	2.203 0.530 - 3.693	9.26	9.68	10.10	99
15+20+25+35	1.22	1.62	2.03	2.84	-	-	7.70 3.10 - 10.00	2.182 0.530 - 3.632	9.16	9.58	10.00	99
15+20+25+42	1.46	1.94	2.43	4.08 *	-	-	9.90 3.30 - 11.70	2.922 0.530 - 3.992	12.27	12.83	13.39	99
15+20+25+50	1.39	1.85	2.32	4.64 *	-	-	10.20 3.40 - 11.90	3.066 0.530 - 4.096	12.88	13.47	14.06	99
15+20+25+60	1.31	1.75	2.19	5.25	-	-	10.50 3.40 - 12.20	3.256 0.530 - 4.236	13.68	14.30	14.92	99
15+20+25+71	1.20	1.60	2.00	5.69	-	-	10.50 3.40 - 12.20	3.289 0.500 - 4.189	13.81	14.44	15.07	99
15+20+35+35	1.43	1.90	3.33	3.33	-	-	10.00 3.30 - 11.80	2.963 0.530 - 4.013	12.44	13.01	13.58	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
15+20+35+42	1.37	1.82	3.19	3.83 *	-	-	10.20 3.40 - 12.00	3.112 0.530 - 4.132	13.08	13.67	14.26	99	
15+20+35+50	1.31	1.75	3.06	4.38 *	-	-	10.50 3.40 - 12.20	3.256 0.530 - 4.236	13.68	14.30	14.92	99	
15+20+35+60	1.21	1.62	2.83	4.85	-	-	10.50 3.40 - 12.20	3.306 0.500 - 4.206	13.89	14.52	15.15	99	
15+20+35+71	1.12	1.49	2.61	5.29	-	-	10.50 3.40 - 12.20	3.289 0.500 - 4.289	13.81	14.44	15.07	99	
15+20+42+42	1.32	1.76	3.71 *	3.71 *	-	-	10.50 3.40 - 12.20	3.223 0.530 - 4.213	13.53	14.15	14.77	99	
15+20+42+50	1.24	1.65	3.47 *	4.13 *	-	-	10.50 3.40 - 12.20	3.300 0.500 - 4.200	13.86	14.49	15.12	99	
15+20+42+60	1.15	1.53	3.22 *	4.60	-	-	10.50 3.40 - 12.20	3.300 0.500 - 4.300	13.86	14.49	15.12	99	
15+20+42+71	1.07	1.43	3.01 *	5.09	-	-	10.60 3.40 - 12.30	3.283 0.500 - 4.283	13.79	14.42	15.05	99	
15+20+50+50	1.17	1.56	3.89 *	3.89 *	-	-	10.50 3.40 - 12.20	3.287 0.500 - 4.287	13.81	14.44	15.07	99	
15+20+50+60	1.10	1.46	3.66 *	4.39	-	-	10.60 3.40 - 12.30	3.300 0.500 - 4.300	13.86	14.49	15.12	99	
15+20+50+71	1.02	1.36	3.40 *	4.82	-	-	10.60 3.40 - 12.30	3.283 0.500 - 4.283	13.79	14.42	15.05	99	
15+20+60+60	1.03	1.37	4.10	4.10	-	-	10.60 3.40 - 12.30	3.287 0.500 - 4.287	13.81	14.44	15.07	99	
15+20+60+71	0.96	1.28	3.83	4.53	-	-	10.60 3.40 - 12.30	3.266 0.500 - 4.266	13.72	14.34	14.96	99	
15+20+71+71	0.90	1.20	4.25	4.25	-	-	10.60 3.40 - 12.30	3.300 0.530 - 4.270	13.86	14.49	15.12	99	
15+22+22+22	1.46	2.15	2.15	2.15	-	-	7.90 3.20 - 10.20	2.074 0.530 - 3.614	8.71	9.11	9.51	99	
15+22+22+25	1.48	2.17	2.17	2.47	-	-	8.30 3.30 - 10.60	2.195 0.530 - 3.695	9.22	9.64	10.06	99	
15+22+22+35	1.23	1.80	1.80	2.87	-	-	7.70 3.10 - 10.00	2.135 0.530 - 3.605	8.97	9.38	9.79	99	
15+22+22+42	1.47	2.16	2.16	4.12 *	-	-	9.90 3.30 - 11.70	2.895 0.530 - 3.965	12.16	12.71	13.26	99	
15+22+22+50	1.40	2.06	2.06	4.68 *	-	-	10.20 3.30 - 12.00	3.039 0.530 - 4.079	12.77	13.35	13.93	99	
15+22+22+60	1.34	1.96	1.96	5.34	-	-	10.60 3.40 - 12.30	3.229 0.530 - 4.219	13.56	14.18	14.80	99	
15+22+22+71	1.22	1.79	1.79	5.79	-	-	10.60 3.40 - 12.30	3.282 0.500 - 4.182	13.78	14.41	15.04	99	
15+22+25+25	1.48	2.17	2.47	2.47	-	-	8.60 3.30 - 10.80	2.256 0.530 - 3.716	9.48	9.91	10.34	99	
15+22+25+35	1.24	1.81	2.06	2.89	-	-	8.00 3.10 - 10.20	2.275 0.530 - 3.655	9.56	9.99	10.42	99	
15+22+25+42	1.44	2.12	2.40	4.04 *	-	-	10.00 3.30 - 11.80	2.955 0.530 - 4.015	12.42	12.98	13.54	99	
15+22+25+50	1.38	2.02	2.30	4.60 *	-	-	10.30 3.40 - 12.10	3.099 0.530 - 4.119	13.02	13.61	14.20	99	
15+22+25+71	1.20	1.75	1.99	5.66	-	-	10.60 3.40 - 12.30	3.299 0.500 - 4.199	13.86	14.49	15.12	99	
15+22+35+35	1.42	2.08	3.30	3.30	-	-	10.10 3.30 - 11.90	2.986 0.530 - 4.036	12.54	13.11	13.68	99	
15+22+35+42	1.37	2.01	3.19	3.83 *	-	-	10.40 3.40 - 12.10	3.145 0.530 - 4.155	13.21	13.81	14.41	99	
15+22+35+60	1.20	1.77	2.81	4.82	-	-	10.60 3.40 - 12.30	3.299 0.500 - 4.199	13.86	14.49	15.12	99	
15+22+35+71	1.11	1.63	2.59	5.26	-	-	10.60 3.40 - 12.30	3.282 0.500 - 4.282	13.78	14.41	15.04	99	
15+22+42+42	1.31	1.93	3.68 *	3.68 *	-	-	10.60 3.40 - 12.30	3.286 0.500 - 4.186	13.80	14.43	15.06	99	
15+22+42+50	1.23	1.81	3.45 *	4.11 *	-	-	10.60 3.40 - 12.30	3.293 0.500 - 4.193	13.83	14.46	15.09	99	
15+22+42+60	1.14	1.68	3.20 *	4.58	-	-	10.60 3.40 - 12.30	3.293 0.500 - 4.293	13.83	14.46	15.09	99	
15+22+42+71	1.07	1.57	3.00 *	5.06	-	-	10.70 3.40 - 12.40	3.276 0.500 - 4.276	13.76	14.39	15.02	99	
15+22+50+50	1.16	1.70	3.87 *	3.87 *	-	-	10.60 3.40 - 12.30	3.280 0.500 - 4.280	13.77	14.40	15.03	99	
15+22+50+60	1.09	1.60	3.64 *	4.37	-	-	10.70 3.40 - 12.40	3.293 0.500 - 4.293	13.83	14.46	15.09	99	
15+22+50+71	1.02	1.49	3.39 *	4.81	-	-	10.70 3.40 - 12.40	3.276 0.500 - 4.276	13.76	14.39	15.02	99	
15+22+60+60	1.02	1.50	4.09	4.09	-	-	10.70 3.40 - 12.40	3.280 0.500 - 4.280	13.77	14.40	15.03	99	
15+22+60+71	0.96	1.40	3.82	4.52	-	-	10.70 3.40 - 12.40	3.289 0.530 - 4.259	13.81	14.44	15.07	99	
15+22+71+71	0.90	1.32	4.24	4.24	-	-	10.70 3.40 - 12.40	3.293 0.530 - 4.263	13.83	14.46	15.09	99	
15+25+25+25	1.22	2.03	2.03	2.03	-	-	7.30 3.10 - 9.70	1.907 0.530 - 3.497	8.02	8.38	8.74	99	
15+25+25+35	1.49	2.48	2.48	3.47	-	-	9.90 3.30 - 11.70	2.875 0.530 - 3.955	12.08	12.63	13.18	99	
15+25+25+42	1.42	2.36	2.36	3.96 *	-	-	10.10 3.30 - 11.90	3.005 0.530 - 4.055	12.63	13.20	13.77	99	
15+25+25+50	1.36	2.26	2.26	4.52 *	-	-	10.40 3.40 - 12.20	3.159 0.530 - 4.159	13.27	13.87	14.47	99	

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)			220	230	240	
15+25+25+60	1.27	2.12	2.12	5.09	-	-	10.60 3.40 - 12.30	3.299 0.500 - 4.199	13.86	14.49	15.12	99		
15+25+25+71	1.17	1.95	1.95	5.53	-	-	10.60 3.40 - 12.30	3.282 0.500 - 4.282	13.78	14.41	15.04	99		
15+25+35+35	1.40	2.34	3.28	3.28	-	-	10.30 3.40 - 12.00	3.046 0.530 - 4.076	12.80	13.38	13.96	99		
15+25+35+42	1.35	2.24	3.14	3.77 *	-	-	10.50 3.40 - 12.20	3.195 0.530 - 4.195	13.42	14.03	14.64	99		
15+25+35+50	1.27	2.12	2.97	4.24 *	-	-	10.60 3.40 - 12.30	3.299 0.500 - 4.199	13.86	14.49	15.12	99		
15+25+35+60	1.18	1.96	2.75	4.71	-	-	10.60 3.40 - 12.30	3.299 0.500 - 4.299	13.86	14.49	15.12	99		
15+25+35+71	1.10	1.83	2.57	5.20	-	-	10.70 3.40 - 12.40	3.282 0.500 - 4.282	13.78	14.41	15.04	99		
15+25+42+42	1.28	2.14	3.59 *	3.59 *	-	-	10.60 3.40 - 12.30	3.286 0.500 - 4.186	13.80	14.43	15.06	99		
15+25+42+50	1.20	2.01	3.37 *	4.02 *	-	-	10.60 3.40 - 12.30	3.293 0.500 - 4.193	13.83	14.46	15.09	99		
15+25+42+60	1.12	1.87	3.14 *	4.48	-	-	10.60 3.40 - 12.30	3.293 0.500 - 4.293	13.83	14.46	15.09	99		
15+25+42+71	1.05	1.75	2.94 *	4.97	-	-	10.70 3.40 - 12.40	3.276 0.500 - 4.276	13.76	14.39	15.02	99		
15+25+50+50	1.14	1.89	3.79 *	3.79 *	-	-	10.60 3.40 - 12.30	3.280 0.500 - 4.280	13.77	14.40	15.03	99		
15+25+50+60	1.07	1.78	3.57 *	4.28	-	-	10.70 3.40 - 12.40	3.293 0.500 - 4.293	13.83	14.46	15.09	99		
15+25+50+71	1.00	1.66	3.32 *	4.72	-	-	10.70 3.40 - 12.40	3.276 0.500 - 4.276	13.76	14.39	15.02	99		
15+25+60+60	1.00	1.67	4.01	4.01	-	-	10.70 3.40 - 12.40	3.280 0.500 - 4.280	13.77	14.40	15.03	99		
15+25+60+71	0.94	1.56	3.75	4.44	-	-	10.70 3.40 - 12.40	3.289 0.530 - 4.259	13.81	14.44	15.07	99		
15+35+35+35	1.33	3.09	3.09	3.09	-	-	10.60 3.40 - 12.30	3.213 0.530 - 4.193	13.50	14.11	14.72	99		
15+35+35+42	1.25	2.92	2.92	3.51 *	-	-	10.60 3.40 - 12.30	3.305 0.500 - 4.205	13.88	14.51	15.14	99		
15+35+35+50	1.18	2.75	2.75	3.93 *	-	-	10.60 3.40 - 12.30	3.299 0.500 - 4.299	13.86	14.49	15.12	99		
15+35+35+60	1.11	2.58	2.58	4.43	-	-	10.70 3.40 - 12.40	3.299 0.500 - 4.299	13.86	14.49	15.12	99		
15+35+35+71	1.03	2.40	2.40	4.87	-	-	10.70 3.40 - 12.40	3.282 0.500 - 4.282	13.78	14.41	15.04	99		
15+35+42+42	1.19	2.77	3.32 *	3.32 *	-	-	10.60 3.40 - 12.30	3.286 0.500 - 4.286	13.80	14.43	15.06	99		
15+35+42+50	1.12	2.61	3.14 *	3.73 *	-	-	10.60 3.40 - 12.30	3.293 0.500 - 4.293	13.83	14.46	15.09	99		
15+35+42+60	1.06	2.46	2.96 *	4.22	-	-	10.70 3.40 - 12.40	3.293 0.500 - 4.293	13.83	14.46	15.09	99		
15+35+42+71	0.98	2.30	2.76 *	4.66	-	-	10.70 3.40 - 12.40	3.276 0.500 - 4.276	13.76	14.39	15.02	99		
15+35+50+50	1.07	2.50	3.57 *	3.57 *	-	-	10.70 3.40 - 12.40	3.280 0.500 - 4.280	13.77	14.40	15.03	99		
15+35+50+60	1.00	2.34	3.34 *	4.01	-	-	10.70 3.40 - 12.40	3.293 0.500 - 4.293	13.83	14.46	15.09	99		
15+35+50+71	0.94	2.19	3.13 *	4.44	-	-	10.70 3.40 - 12.40	3.306 0.530 - 4.276	13.89	14.52	15.15	99		
15+35+60+60	0.94	2.20	3.78	3.78	-	-	10.70 3.40 - 12.40	3.310 0.530 - 4.280	13.91	14.54	15.17	99		
15+42+42+42	1.13	3.16	3.16 *	3.16 *	-	-	10.60 3.40 - 12.30	3.259 0.500 - 4.259	13.69	14.31	14.93	99		
15+42+42+50	1.08	3.02	3.02 *	3.59 *	-	-	10.70 3.40 - 12.40	3.287 0.500 - 4.287	13.81	14.44	15.07	99		
15+42+42+60	1.01	2.83	2.83 *	4.04	-	-	10.70 3.40 - 12.40	3.287 0.500 - 4.287	13.81	14.44	15.07	99		
15+42+42+71	0.94	2.64	2.64 *	4.47	-	-	10.70 3.40 - 12.40	3.300 0.530 - 4.270	13.86	14.49	15.12	99		
15+42+50+50	1.02	2.86	3.41 *	3.41 *	-	-	10.70 3.40 - 12.40	3.274 0.500 - 4.274	13.75	14.38	15.01	99		
15+42+50+60	0.96	2.69	3.20 *	3.84	-	-	10.70 3.40 - 12.40	3.287 0.500 - 4.287	13.81	14.44	15.07	99		
15+42+50+71	0.90	2.52	3.01 *	4.27	-	-	10.70 3.40 - 12.40	3.300 0.530 - 4.270	13.86	14.49	15.12	99		
15+42+60+60	0.91	2.54	3.63	3.63	-	-	10.70 3.40 - 12.40	3.304 0.530 - 4.274	13.88	14.51	15.14	99		
15+50+50+50	0.97	3.24	3.24 *	3.24 *	-	-	10.70 3.40 - 12.40	3.253 0.500 - 4.253	13.67	14.29	14.91	99		
15+50+50+60	0.92	3.06	3.06 *	3.67	-	-	10.70 3.40 - 12.40	3.317 0.530 - 4.287	13.94	14.57	15.20	99		
18+18+18+18	1.78	1.78	1.78	1.78	-	-	7.10 3.10 - 9.60	1.810 0.530 - 3.470	7.60	7.95	8.30	99		
18+18+18+20	1.80	1.80	1.80	2.00	-	-	7.40 3.10 - 9.90	1.896 0.530 - 3.526	7.97	8.33	8.69	99		
18+18+18+22	1.78	1.78	1.78	2.17	-	-	7.50 3.20 - 9.90	1.963 0.530 - 3.563	8.25	8.62	8.99	99		
18+18+18+25	1.80	1.80	1.80	2.50	-	-	7.90 3.20 - 10.30	2.036 0.530 - 3.606	8.55	8.94	9.33	99		
18+18+18+35	1.48	1.48	1.48	2.87	-	-	7.30 3.10 - 9.80	1.886 0.530 - 3.516	7.92	8.28	8.64	99		

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)		220	230	240	
18+18+18+42	1.50	1.50	1.50	3.50 *	-	-	8.00 3.10 - 10.20	2.216 0.530 - 3.626	9.31	9.73	10.15	99
18+18+18+50	1.75	1.75	1.75	4.86 *	-	-	10.10 3.30 - 11.90	2.940 0.530 - 4.000	12.35	12.91	13.47	99
18+18+18+60	1.66	1.66	1.66	5.53	-	-	10.50 3.40 - 12.20	3.130 0.530 - 4.140	13.15	13.75	14.35	99
18+18+18+71	1.54	1.54	1.54	6.08	-	-	10.70 3.40 - 12.40	3.273 0.500 - 4.173	13.75	14.37	14.99	99
18+18+20+20	1.80	1.80	2.00	2.00	-	-	7.60 3.20 - 10.00	1.937 0.530 - 3.537	8.14	8.51	8.88	99
18+18+20+22	1.75	1.75	1.95	2.14	-	-	7.60 3.20 - 10.00	2.020 0.530 - 3.600	8.48	8.87	9.26	99
18+18+20+25	1.78	1.78	1.98	2.47	-	-	8.00 3.20 - 10.30	2.103 0.530 - 3.643	8.84	9.24	9.64	99
18+18+20+35	1.46	1.46	1.63	2.85	-	-	7.40 3.10 - 9.80	1.983 0.530 - 3.553	8.33	8.71	9.09	99
18+18+20+42	1.49	1.49	1.65	3.47 *	-	-	8.10 3.10 - 10.30	2.323 0.530 - 3.673	9.76	10.20	10.64	99
18+18+20+50	1.72	1.72	1.91	4.76 *	-	-	10.10 3.30 - 11.90	2.977 0.530 - 4.027	12.50	13.07	13.64	99
18+18+20+60	1.63	1.63	1.81	5.43	-	-	10.50 3.40 - 12.20	3.167 0.530 - 4.167	13.31	13.91	14.51	99
18+18+20+71	1.50	1.50	1.67	5.93	-	-	10.60 3.40 - 12.30	3.280 0.500 - 4.180	13.77	14.40	15.03	99
18+18+22+22	1.78	1.78	2.17	2.17	-	-	7.90 3.20 - 10.30	2.054 0.530 - 3.614	8.63	9.02	9.41	99
18+18+22+25	1.80	1.80	2.20	2.50	-	-	8.30 3.20 - 10.60	2.156 0.530 - 3.666	9.06	9.47	9.88	99
18+18+22+35	1.49	1.49	1.82	2.90	-	-	7.70 3.10 - 10.00	2.076 0.530 - 3.576	8.72	9.12	9.52	99
18+18+22+42	1.80	1.80	2.20	4.20 *	-	-	10.00 3.30 - 11.80	2.866 0.530 - 3.946	12.04	12.59	13.14	99
18+18+22+50	1.72	1.72	2.10	4.77 *	-	-	10.30 3.30 - 12.00	3.010 0.530 - 4.050	12.65	13.22	13.79	99
18+18+22+60	1.62	1.62	1.98	5.39	-	-	10.60 3.40 - 12.30	3.200 0.530 - 4.190	13.44	14.05	14.66	99
18+18+22+71	1.49	1.49	1.82	5.89	-	-	10.70 3.40 - 12.40	3.273 0.500 - 4.173	13.75	14.37	14.99	99
18+18+25+25	1.80	1.80	2.50	2.50	-	-	8.60 3.30 - 10.80	2.217 0.530 - 3.697	9.32	9.74	10.16	99
18+18+25+35	1.50	1.50	2.08	2.92	-	-	8.00 3.10 - 10.20	2.216 0.530 - 3.626	9.31	9.73	10.15	99
18+18+25+42	1.77	1.77	2.45	4.12 *	-	-	10.10 3.30 - 11.90	2.926 0.530 - 3.986	12.29	12.85	13.41	99
18+18+25+50	1.69	1.69	2.34	4.68 *	-	-	10.40 3.40 - 12.10	3.070 0.530 - 4.090	12.89	13.48	14.07	99
18+18+25+60	1.59	1.59	2.21	5.31	-	-	10.70 3.40 - 12.40	3.290 0.500 - 4.190	13.82	14.45	15.08	99
18+18+25+71	1.46	1.46	2.03	5.76	-	-	10.70 3.40 - 12.40	3.273 0.500 - 4.173	13.75	14.37	14.99	99
18+18+35+35	1.73	1.73	3.37	3.37	-	-	10.20 3.30 - 12.00	2.957 0.530 - 4.007	12.43	12.99	13.55	99
18+18+35+42	1.67	1.67	3.25	3.90 *	-	-	10.50 3.40 - 12.20	3.116 0.530 - 4.126	13.09	13.68	14.27	99
18+18+35+50	1.59	1.59	3.10	4.42 *	-	-	10.70 3.40 - 12.40	3.290 0.500 - 4.190	13.82	14.45	15.08	99
18+18+35+60	1.47	1.47	2.86	4.90	-	-	10.70 3.40 - 12.40	3.290 0.500 - 4.190	13.82	14.45	15.08	99
18+18+35+71	1.36	1.36	2.64	5.35	-	-	10.70 3.40 - 12.40	3.273 0.500 - 4.273	13.75	14.37	14.99	99
18+18+42+42	1.61	1.61	3.75 *	3.75 *	-	-	10.70 3.40 - 12.40	3.227 0.530 - 4.207	13.55	14.17	14.79	99
18+18+42+50	1.50	1.50	3.51 *	4.18 *	-	-	10.70 3.40 - 12.40	3.284 0.500 - 4.184	13.79	14.42	15.05	99
18+18+42+60	1.40	1.40	3.26 *	4.65	-	-	10.70 3.40 - 12.40	3.284 0.500 - 4.284	13.79	14.42	15.05	99
18+18+42+71	1.30	1.30	3.04 *	5.15	-	-	10.80 3.40 - 12.50	3.267 0.500 - 4.267	13.73	14.35	14.97	99
18+18+50+50	1.42	1.42	3.93 *	3.93 *	-	-	10.70 3.40 - 12.40	3.271 0.500 - 4.271	13.75	14.37	14.99	99
18+18+50+60	1.33	1.33	3.70 *	4.44	-	-	10.80 3.40 - 12.50	3.284 0.500 - 4.284	13.79	14.42	15.05	99
18+18+50+71	1.24	1.24	3.44 *	4.88	-	-	10.80 3.40 - 12.50	3.267 0.500 - 4.267	13.73	14.35	14.97	99
18+18+60+60	1.25	1.25	4.15	4.15	-	-	10.80 3.40 - 12.50	3.271 0.500 - 4.271	13.75	14.37	14.99	99
18+18+60+71	1.16	1.16	3.88	4.59	-	-	10.80 3.40 - 12.50	3.250 0.500 - 4.250	13.65	14.27	14.89	99
18+18+71+71	1.09	1.09	4.31	4.31	-	-	10.80 3.40 - 12.50	3.284 0.530 - 4.254	13.79	14.42	15.05	99
18+20+20+20	1.80	2.00	2.00	2.00	-	-	7.80 3.20 - 10.20	1.968 0.530 - 3.548	8.26	8.64	9.02	99
18+20+20+22	1.73	1.93	1.93	2.12	-	-	7.70 3.20 - 10.10	2.087 0.530 - 3.647	8.77	9.17	9.57	99
18+20+20+25	1.76	1.95	1.95	2.44	-	-	8.10 3.20 - 10.40	2.170 0.530 - 3.680	9.12	9.53	9.94	99
18+20+20+35	1.45	1.61	1.61	2.82	-	-	7.50 3.10 - 9.80	2.090 0.530 - 3.590	8.78	9.18	9.58	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
18+20+20+42	1.76	1.96	1.96	4.12 *	-	-	9.80 3.30 - 11.60	2.880 0.530 - 3.960	12.10	12.65	13.20	99	
18+20+20+50	1.68	1.87	1.87	4.68 *	-	-	10.10 3.30 - 11.80	3.024 0.530 - 4.064	12.70	13.28	13.86	99	
18+20+20+60	1.59	1.76	1.76	5.29	-	-	10.40 3.40 - 12.10	3.214 0.530 - 4.204	13.51	14.12	14.73	99	
18+20+20+71	1.47	1.63	1.63	5.78	-	-	10.50 3.40 - 12.20	3.287 0.500 - 4.187	13.81	14.44	15.07	99	
18+20+22+22	1.76	1.95	2.15	2.15	-	-	8.00 3.20 - 10.30	2.121 0.530 - 3.651	8.91	9.31	9.71	99	
18+20+22+25	1.78	1.98	2.17	2.47	-	-	8.40 3.30 - 10.70	2.213 0.530 - 3.703	9.30	9.72	10.14	99	
18+20+22+35	1.48	1.64	1.81	2.87	-	-	7.80 3.10 - 10.10	2.173 0.530 - 3.623	9.13	9.54	9.95	99	
18+20+22+42	1.76	1.96	2.16	4.12 *	-	-	10.00 3.30 - 11.80	2.913 0.530 - 3.983	12.23	12.79	13.35	99	
18+20+22+50	1.69	1.87	2.06	4.68 *	-	-	10.30 3.40 - 12.00	3.057 0.530 - 4.087	12.85	13.43	14.01	99	
18+20+22+60	1.59	1.77	1.94	5.30	-	-	10.60 3.40 - 12.30	3.247 0.530 - 4.227	13.64	14.26	14.88	99	
18+20+22+71	1.46	1.62	1.78	5.75	-	-	10.60 3.40 - 12.30	3.280 0.500 - 4.180	13.77	14.40	15.03	99	
18+20+25+25	1.78	1.98	2.47	2.47	-	-	8.70 3.30 - 10.90	2.284 0.530 - 3.734	9.59	10.03	10.47	99	
18+20+25+35	1.49	1.65	2.07	2.89	-	-	8.10 3.10 - 10.30	2.323 0.530 - 3.673	9.76	10.20	10.64	99	
18+20+25+42	1.73	1.92	2.40	4.04 *	-	-	10.10 3.30 - 11.90	2.973 0.530 - 4.023	12.49	13.06	13.63	99	
18+20+25+50	1.66	1.84	2.30	4.60 *	-	-	10.40 3.40 - 12.10	3.117 0.530 - 4.127	13.09	13.69	14.29	99	
18+20+25+60	1.55	1.72	2.15	5.17	-	-	10.60 3.40 - 12.30	3.297 0.500 - 4.197	13.85	14.48	15.11	99	
18+20+25+71	1.42	1.58	1.98	5.62	-	-	10.60 3.40 - 12.30	3.280 0.500 - 4.280	13.77	14.40	15.03	99	
18+20+35+35	1.70	1.89	3.31	3.31	-	-	10.20 3.30 - 11.90	3.004 0.530 - 4.044	12.62	13.19	13.76	99	
18+20+35+42	1.63	1.81	3.17	3.80 *	-	-	10.40 3.40 - 12.20	3.163 0.530 - 4.163	13.29	13.89	14.49	99	
18+20+35+50	1.55	1.72	3.02	4.31 *	-	-	10.60 3.40 - 12.30	3.297 0.500 - 4.197	13.85	14.48	15.11	99	
18+20+35+60	1.43	1.59	2.79	4.78	-	-	10.60 3.40 - 12.30	3.297 0.500 - 4.197	13.85	14.48	15.11	99	
18+20+35+71	1.34	1.49	2.60	5.28	-	-	10.70 3.40 - 12.40	3.280 0.500 - 4.280	13.77	14.40	15.03	99	
18+20+42+50	1.47	1.63	3.42 *	4.08 *	-	-	10.60 3.40 - 12.30	3.284 0.500 - 4.184	13.79	14.42	15.05	99	
18+20+42+60	1.36	1.51	3.18 *	4.54	-	-	10.60 3.40 - 12.30	3.291 0.500 - 4.291	13.82	14.45	15.08	99	
18+20+42+71	1.28	1.42	2.98 *	5.03	-	-	10.70 3.40 - 12.40	3.274 0.500 - 4.274	13.75	14.38	15.01	99	
18+20+50+50	1.38	1.54	3.84 *	3.84 *	-	-	10.60 3.40 - 12.30	3.278 0.500 - 4.278	13.77	14.40	15.03	99	
18+20+50+60	1.30	1.45	3.61 *	4.34	-	-	10.70 3.40 - 12.40	3.291 0.500 - 4.291	13.82	14.45	15.08	99	
18+20+50+71	1.21	1.35	3.36 *	4.78	-	-	10.70 3.40 - 12.40	3.274 0.500 - 4.274	13.75	14.38	15.01	99	
18+20+60+60	1.22	1.35	4.06	4.06	-	-	10.70 3.40 - 12.40	3.278 0.500 - 4.278	13.77	14.40	15.03	99	
18+20+60+71	1.14	1.27	3.80	4.50	-	-	10.70 3.40 - 12.40	3.287 0.530 - 4.257	13.81	14.44	15.07	99	
18+20+71+71	1.07	1.19	4.22	4.22	-	-	10.70 3.40 - 12.40	3.291 0.530 - 4.261	13.82	14.45	15.08	99	
18+22+22+22	1.78	2.17	2.17	2.17	-	-	8.30 3.30 - 10.60	2.155 0.530 - 3.655	9.05	9.46	9.87	99	
18+22+22+25	1.80	2.20	2.20	2.50	-	-	8.70 3.30 - 10.90	2.266 0.530 - 3.726	9.52	9.95	10.38	99	
18+22+22+35	1.50	1.84	1.84	2.92	-	-	8.10 3.10 - 10.30	2.266 0.530 - 3.646	9.52	9.95	10.38	99	
18+22+22+42	1.75	2.14	2.14	4.08 *	-	-	10.10 3.30 - 11.90	2.946 0.530 - 4.006	12.38	12.94	13.50	99	
18+22+22+50	1.67	2.04	2.04	4.64 *	-	-	10.40 3.40 - 12.20	3.090 0.530 - 4.110	12.98	13.57	14.16	99	
18+22+22+71	1.45	1.77	1.77	5.71	-	-	10.70 3.40 - 12.40	3.290 0.500 - 4.190	13.82	14.45	15.08	99	
18+22+25+25	1.48	1.81	2.06	2.06	-	-	7.40 3.10 - 9.80	1.917 0.530 - 3.507	8.05	8.42	8.79	99	
18+22+25+35	1.80	2.20	2.50	3.50	-	-	10.00 3.30 - 11.80	2.866 0.530 - 3.946	12.04	12.59	13.14	99	
18+22+25+42	1.72	2.10	2.38	4.00 *	-	-	10.20 3.30 - 12.00	2.996 0.530 - 4.046	12.59	13.16	13.73	99	
18+22+25+50	1.64	2.01	2.28	4.57 *	-	-	10.50 3.40 - 12.30	3.150 0.530 - 4.150	13.23	13.83	14.43	99	
18+22+25+60	1.54	1.88	2.14	5.14	-	-	10.70 3.40 - 12.40	3.290 0.500 - 4.190	13.82	14.45	15.08	99	
18+22+25+71	1.42	1.73	1.97	5.59	-	-	10.70 3.40 - 12.40	3.273 0.500 - 4.273	13.75	14.37	14.99	99	
18+22+35+35	1.70	2.08	3.31	3.31	-	-	10.40 3.40 - 12.10	3.037 0.530 - 4.067	12.76	13.34	13.92	99	

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)							Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total		220	230	240	
18+22+35+42	1.63	1.99	3.17	3.81 *	-	-	10.60 3.40 - 12.30	3.186 0.530 - 4.186	13.38	13.99	14.60	99
18+22+35+50	1.54	1.88	3.00	4.28 *	-	-	10.70 3.40 - 12.40	3.290 0.500 - 4.190	13.82	14.45	15.08	99
18+22+35+60	1.43	1.74	2.77	4.76	-	-	10.70 3.40 - 12.40	3.290 0.500 - 4.290	13.82	14.45	15.08	99
18+22+35+71	1.33	1.63	2.59	5.25	-	-	10.80 3.40 - 12.50	3.273 0.500 - 4.273	13.75	14.37	14.99	99
18+22+42+42	1.55	1.90	3.62 *	3.62 *	-	-	10.70 3.40 - 12.40	3.277 0.500 - 4.177	13.76	14.39	15.02	99
18+22+42+50	1.46	1.78	3.40 *	4.05 *	-	-	10.70 3.40 - 12.40	3.284 0.500 - 4.184	13.79	14.42	15.05	99
18+22+42+60	1.36	1.66	3.16 *	4.52	-	-	10.70 3.40 - 12.40	3.284 0.500 - 4.284	13.79	14.42	15.05	99
18+22+42+71	1.27	1.55	2.96 *	5.01	-	-	10.80 3.40 - 12.50	3.267 0.500 - 4.267	13.73	14.35	14.97	99
18+22+50+50	1.38	1.68	3.82 *	3.82 *	-	-	10.70 3.40 - 12.40	3.271 0.500 - 4.271	13.75	14.37	14.99	99
18+22+50+60	1.30	1.58	3.60 *	4.32	-	-	10.80 3.40 - 12.50	3.284 0.500 - 4.284	13.79	14.42	15.05	99
18+22+50+71	1.21	1.48	3.35 *	4.76	-	-	10.80 3.40 - 12.50	3.267 0.500 - 4.267	13.73	14.35	14.97	99
18+22+60+60	1.22	1.49	4.05	4.05	-	-	10.80 3.40 - 12.50	3.271 0.500 - 4.271	13.75	14.37	14.99	99
18+22+60+71	1.14	1.39	3.79	4.48	-	-	10.80 3.40 - 12.50	3.280 0.530 - 4.250	13.77	14.40	15.03	99
18+25+25+25	1.49	2.07	2.07	2.07	-	-	7.70 3.10 - 10.00	2.034 0.530 - 3.534	8.54	8.93	9.32	99
18+25+25+35	1.77	2.45	2.45	3.43	-	-	10.10 3.30 - 11.90	2.926 0.530 - 3.986	12.29	12.85	13.41	99
18+25+25+42	1.70	2.36	2.36	3.97 *	-	-	10.40 3.40 - 12.10	3.056 0.530 - 4.086	12.84	13.42	14.00	99
18+25+25+50	1.62	2.25	2.25	4.49 *	-	-	10.60 3.40 - 12.30	3.200 0.530 - 4.190	13.44	14.05	14.66	99
18+25+25+60	1.50	2.09	2.09	5.02	-	-	10.70 3.40 - 12.40	3.290 0.500 - 4.190	13.82	14.45	15.08	99
18+25+25+71	1.39	1.92	1.92	5.47	-	-	10.70 3.40 - 12.40	3.273 0.500 - 4.273	13.75	14.37	14.99	99
18+25+35+35	1.67	2.32	3.25	3.25	-	-	10.50 3.40 - 12.20	3.097 0.530 - 4.107	13.01	13.60	14.19	99
18+25+35+42	1.61	2.23	3.12	3.75 *	-	-	10.70 3.40 - 12.40	3.246 0.530 - 4.226	13.64	14.26	14.88	99
18+25+35+50	1.50	2.09	2.93	4.18 *	-	-	10.70 3.40 - 12.40	3.290 0.500 - 4.190	13.82	14.45	15.08	99
18+25+35+60	1.40	1.94	2.71	4.65	-	-	10.70 3.40 - 12.40	3.290 0.500 - 4.290	13.82	14.45	15.08	99
18+25+35+71	1.30	1.81	2.54	5.15	-	-	10.80 3.40 - 12.50	3.273 0.500 - 4.273	13.75	14.37	14.99	99
18+25+42+42	1.52	2.11	3.54 *	3.54 *	-	-	10.70 3.40 - 12.40	3.277 0.500 - 4.177	13.76	14.39	15.02	99
18+25+42+50	1.43	1.98	3.33 *	3.96 *	-	-	10.70 3.40 - 12.40	3.284 0.500 - 4.284	13.79	14.42	15.05	99
18+25+42+60	1.34	1.86	3.13 *	4.47	-	-	10.80 3.40 - 12.50	3.284 0.500 - 4.284	13.79	14.42	15.05	99
18+25+42+71	1.25	1.73	2.91 *	4.92	-	-	10.80 3.40 - 12.50	3.267 0.500 - 4.267	13.73	14.35	14.97	99
18+25+50+50	1.35	1.87	3.74 *	3.74 *	-	-	10.70 3.40 - 12.40	3.271 0.500 - 4.271	13.75	14.37	14.99	99
18+25+50+60	1.27	1.76	3.53 *	4.24	-	-	10.80 3.40 - 12.50	3.284 0.500 - 4.284	13.79	14.42	15.05	99
18+25+50+71	1.19	1.65	3.29 *	4.68	-	-	10.80 3.40 - 12.50	3.267 0.500 - 4.267	13.73	14.35	14.97	99
18+25+60+60	1.19	1.66	3.98	3.98	-	-	10.80 3.40 - 12.50	3.271 0.500 - 4.271	13.75	14.37	14.99	99
18+25+60+71	1.12	1.55	3.72	4.41	-	-	10.80 3.40 - 12.50	3.280 0.530 - 4.250	13.77	14.40	15.03	99
18+35+35+35	1.57	3.04	3.04	3.04	-	-	10.70 3.40 - 12.40	3.254 0.500 - 4.154	13.67	14.29	14.91	99
18+35+35+42	1.48	2.88	2.88	3.46 *	-	-	10.70 3.40 - 12.40	3.296 0.500 - 4.196	13.85	14.48	15.11	99
18+35+35+50	1.40	2.71	2.71	3.88 *	-	-	10.70 3.40 - 12.40	3.290 0.500 - 4.290	13.82	14.45	15.08	99
18+35+35+60	1.31	2.55	2.55	4.38	-	-	10.80 3.40 - 12.50	3.290 0.500 - 4.290	13.82	14.45	15.08	99
18+35+35+71	1.22	2.38	2.38	4.82	-	-	10.80 3.40 - 12.50	3.273 0.500 - 4.273	13.75	14.37	14.99	99
18+35+42+42	1.41	2.73	3.28 *	3.28 *	-	-	10.70 3.40 - 12.40	3.277 0.500 - 4.277	13.76	14.39	15.02	99
18+35+42+50	1.34	2.61	3.13 *	3.72 *	-	-	10.80 3.40 - 12.50	3.284 0.500 - 4.284	13.79	14.42	15.05	99
18+35+42+60	1.25	2.44	2.93 *	4.18	-	-	10.80 3.40 - 12.50	3.284 0.500 - 4.284	13.79	14.42	15.05	99
18+35+42+71	1.17	2.28	2.73 *	4.62	-	-	10.80 3.40 - 12.50	3.267 0.500 - 4.267	13.73	14.35	14.97	99
18+35+50+50	1.27	2.47	3.53 *	3.53 *	-	-	10.80 3.40 - 12.50	3.271 0.500 - 4.271	13.75	14.37	14.99	99
18+35+50+60	1.19	2.32	3.31 *	3.98	-	-	10.80 3.40 - 12.50	3.284 0.500 - 4.284	13.79	14.42	15.05	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)							Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total		220	230	240	
18+35+50+71	1.12	2.17	3.10 *	4.41	-	-	10.80 3.40 - 12.50	3.297 0.530 - 4.267	13.85	14.48	15.11	99
18+35+60+60	1.12	2.18	3.75	3.75	-	-	10.80 3.40 - 12.50	3.301 0.530 - 4.271	13.87	14.50	15.13	99
18+42+42+42	1.35	3.15	3.15 *	3.15 *	-	-	10.80 3.40 - 12.50	3.250 0.500 - 4.250	13.65	14.27	14.89	99
18+42+42+50	1.28	2.98	2.98 *	3.55 *	-	-	10.80 3.40 - 12.50	3.278 0.500 - 4.278	13.77	14.40	15.03	99
18+42+42+60	1.20	2.80	2.80 *	4.00	-	-	10.80 3.40 - 12.50	3.278 0.500 - 4.278	13.77	14.40	15.03	99
18+42+42+71	1.12	2.62	2.62 *	4.43	-	-	10.80 3.40 - 12.50	3.291 0.530 - 4.261	13.82	14.45	15.08	99
18+42+50+50	1.22	2.84	3.38 *	3.38 *	-	-	10.80 3.40 - 12.50	3.265 0.500 - 4.265	13.72	14.34	14.96	99
18+42+50+60	1.14	2.67	3.18 *	3.81	-	-	10.80 3.40 - 12.50	3.308 0.530 - 4.278	13.90	14.53	15.16	99
18+42+60+60	1.08	2.52	3.60	3.60	-	-	10.80 3.40 - 12.50	3.291 0.530 - 4.261	13.82	14.45	15.08	99
18+50+50+50	1.16	3.21	3.21 *	3.21 *	-	-	10.80 3.40 - 12.50	3.274 0.530 - 4.244	13.75	14.38	15.01	99
18+50+50+60	1.09	3.03	3.03 *	3.64	-	-	10.80 3.40 - 12.50	3.308 0.530 - 4.278	13.90	14.53	15.16	99
20+20+20+20	2.00	2.00	2.00	2.00	-	-	8.00 3.20 - 10.40	2.031 0.530 - 3.591	8.53	8.92	9.31	99
20+20+20+22	1.90	1.90	1.90	2.09	-	-	7.80 3.20 - 10.10	2.154 0.530 - 3.684	9.05	9.46	9.87	99
20+20+20+25	1.93	1.93	1.93	2.41	-	-	8.20 3.30 - 10.50	2.227 0.530 - 3.717	9.35	9.78	10.21	99
20+20+20+35	1.60	1.60	1.60	2.80	-	-	7.60 3.10 - 9.90	2.187 0.530 - 3.637	9.18	9.60	10.02	99
20+20+20+42	1.92	1.92	1.92	4.04 *	-	-	9.80 3.30 - 11.60	2.927 0.530 - 3.997	12.29	12.85	13.41	99
20+20+20+50	1.84	1.84	1.84	4.59 *	-	-	10.10 3.40 - 11.80	3.071 0.530 - 4.101	12.90	13.49	14.08	99
20+20+20+60	1.73	1.73	1.73	5.20	-	-	10.40 3.40 - 12.10	3.261 0.530 - 4.241	13.70	14.32	14.94	99
20+20+20+71	1.59	1.59	1.59	5.64	-	-	10.40 3.40 - 12.10	3.294 0.500 - 4.194	13.84	14.47	15.10	99
20+20+22+22	1.93	1.93	2.12	2.12	-	-	8.10 3.30 - 10.40	2.188 0.530 - 3.688	9.19	9.61	10.03	99
20+20+22+25	1.95	1.95	2.15	2.44	-	-	8.50 3.30 - 10.70	2.280 0.530 - 3.740	9.57	10.01	10.45	99
20+20+22+35	1.63	1.63	1.79	2.85	-	-	7.90 3.10 - 10.10	2.280 0.530 - 3.660	9.57	10.01	10.45	99
20+20+22+42	1.90	1.90	2.09	4.00 *	-	-	9.90 3.30 - 11.70	2.960 0.530 - 4.020	12.43	13.00	13.57	99
20+20+22+50	1.82	1.82	2.00	4.55 *	-	-	10.20 3.40 - 12.00	3.104 0.530 - 4.124	13.04	13.63	14.22	99
20+20+22+71	1.58	1.58	1.74	5.61	-	-	10.50 3.40 - 12.20	3.304 0.500 - 4.204	13.88	14.51	15.14	99
20+20+25+25	1.60	1.60	2.00	2.00	-	-	7.20 3.10 - 9.60	1.931 0.530 - 3.521	8.11	8.48	8.85	99
20+20+25+35	1.96	1.96	2.45	3.43	-	-	9.80 3.30 - 11.60	2.880 0.530 - 3.960	12.10	12.65	13.20	99
20+20+25+42	1.87	1.87	2.34	3.93 *	-	-	10.00 3.30 - 11.80	3.010 0.530 - 4.060	12.65	13.22	13.79	99
20+20+25+50	1.79	1.79	2.24	4.48 *	-	-	10.30 3.40 - 12.10	3.164 0.530 - 4.164	13.30	13.90	14.50	99
20+20+25+60	1.68	1.68	2.10	5.04	-	-	10.50 3.40 - 12.20	3.304 0.500 - 4.204	13.88	14.51	15.14	99
20+20+25+71	1.54	1.54	1.93	5.48	-	-	10.50 3.40 - 12.20	3.287 0.500 - 4.287	13.81	14.44	15.07	99
20+20+35+35	1.85	1.85	3.25	3.25	-	-	10.20 3.40 - 11.90	3.051 0.530 - 4.081	12.82	13.40	13.98	99
20+20+35+42	1.78	1.78	3.11	3.73 *	-	-	10.40 3.40 - 12.10	3.200 0.530 - 4.200	13.44	14.05	14.66	99
20+20+35+50	1.68	1.68	2.94	4.20 *	-	-	10.50 3.40 - 12.20	3.304 0.500 - 4.204	13.88	14.51	15.14	99
20+20+35+60	1.56	1.56	2.72	4.67	-	-	10.50 3.40 - 12.20	3.304 0.500 - 4.304	13.88	14.51	15.14	99
20+20+35+71	1.45	1.45	2.54	5.15	-	-	10.60 3.40 - 12.30	3.287 0.500 - 4.287	13.81	14.44	15.07	99
20+20+42+42	1.69	1.69	3.56 *	3.56 *	-	-	10.50 3.40 - 12.20	3.291 0.500 - 4.191	13.82	14.45	15.08	99
20+20+42+50	1.59	1.59	3.34 *	3.98 *	-	-	10.50 3.40 - 12.20	3.298 0.500 - 4.198	13.85	14.48	15.11	99
20+20+42+60	1.48	1.48	3.11 *	4.44	-	-	10.50 3.40 - 12.20	3.298 0.500 - 4.298	13.85	14.48	15.11	99
20+20+42+71	1.39	1.39	2.91 *	4.92	-	-	10.60 3.40 - 12.30	3.281 0.500 - 4.281	13.78	14.41	15.04	99
20+20+50+50	1.50	1.50	3.75 *	3.75 *	-	-	10.50 3.40 - 12.20	3.285 0.500 - 4.285	13.80	14.43	15.06	99
20+20+50+60	1.41	1.41	3.53 *	4.24	-	-	10.60 3.40 - 12.30	3.298 0.500 - 4.298	13.85	14.48	15.11	99
20+20+50+71	1.32	1.32	3.29 *	4.67	-	-	10.60 3.40 - 12.30	3.281 0.500 - 4.281	13.78	14.41	15.04	99
20+20+60+60	1.33	1.33	3.98	3.98	-	-	10.60 3.40 - 12.30	3.285 0.500 - 4.285	13.80	14.43	15.06	99



**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)		220	230	240	
20+20+60+71	1.24	1.24	3.72	4.40	-	-	10.60 3.40 - 12.30	3.294 0.530 - 4.264	13.84	14.47	15.10	99
20+22+22+22	1.95	2.15	2.15	2.15	-	-	8.40 3.30 - 10.60	2.208 0.530 - 3.688	9.28	9.70	10.12	99
20+22+22+25	1.62	1.78	1.78	2.02	-	-	7.20 3.10 - 9.70	1.893 0.530 - 3.523	7.95	8.31	8.67	99
20+22+22+35	1.66	1.82	1.82	2.90	-	-	8.20 3.10 - 10.30	2.363 0.530 - 3.683	9.93	10.38	10.83	99
20+22+22+42	1.91	2.10	2.10	4.00 *	-	-	10.10 3.30 - 11.90	2.983 0.530 - 4.033	12.53	13.10	13.67	99
20+22+22+50	1.82	2.01	2.01	4.56 *	-	-	10.40 3.40 - 12.10	3.137 0.530 - 4.147	13.18	13.78	14.38	99
20+22+22+60	1.71	1.88	1.88	5.13	-	-	10.60 3.40 - 12.30	3.297 0.500 - 4.197	13.85	14.48	15.11	99
20+22+22+71	1.57	1.73	1.73	5.57	-	-	10.60 3.40 - 12.30	3.280 0.500 - 4.280	13.77	14.40	15.03	99
20+22+25+25	1.63	1.79	2.04	2.04	-	-	7.50 3.10 - 9.90	2.014 0.530 - 3.554	8.46	8.84	9.22	99
20+22+25+35	1.96	2.16	2.45	3.43	-	-	10.00 3.30 - 11.80	2.913 0.530 - 3.983	12.23	12.79	13.35	99
20+22+25+42	1.87	2.06	2.34	3.93 *	-	-	10.20 3.30 - 12.00	3.043 0.530 - 4.083	12.78	13.36	13.94	99
20+22+25+50	1.79	1.97	2.24	4.49 *	-	-	10.50 3.40 - 12.20	3.187 0.530 - 4.187	13.39	14.00	14.61	99
20+22+25+60	1.67	1.84	2.09	5.01	-	-	10.60 3.40 - 12.30	3.297 0.500 - 4.197	13.85	14.48	15.11	99
20+22+25+71	1.54	1.69	1.92	5.45	-	-	10.60 3.40 - 12.30	3.280 0.500 - 4.280	13.77	14.40	15.03	99
20+22+35+35	1.84	2.02	3.22	3.22	-	-	10.30 3.40 - 12.10	3.084 0.530 - 4.104	12.95	13.54	14.13	99
20+22+35+42	1.78	1.96	3.12	3.74 *	-	-	10.60 3.40 - 12.30	3.233 0.530 - 4.223	13.58	14.20	14.82	99
20+22+35+50	1.67	1.84	2.92	4.17 *	-	-	10.60 3.40 - 12.30	3.297 0.500 - 4.197	13.85	14.48	15.11	99
20+22+35+60	1.55	1.70	2.71	4.64	-	-	10.60 3.40 - 12.30	3.297 0.500 - 4.297	13.85	14.48	15.11	99
20+22+35+71	1.45	1.59	2.53	5.13	-	-	10.70 3.40 - 12.40	3.280 0.500 - 4.280	13.77	14.40	15.03	99
20+22+42+42	1.68	1.85	3.53 *	3.53 *	-	-	10.60 3.40 - 12.30	3.284 0.500 - 4.184	13.79	14.42	15.05	99
20+22+42+50	1.58	1.74	3.32 *	3.96 *	-	-	10.60 3.40 - 12.30	3.291 0.500 - 4.291	13.82	14.45	15.08	99
20+22+42+60	1.49	1.63	3.12 *	4.46	-	-	10.70 3.40 - 12.40	3.291 0.500 - 4.291	13.82	14.45	15.08	99
20+22+42+71	1.38	1.52	2.90 *	4.90	-	-	10.70 3.40 - 12.40	3.274 0.500 - 4.274	13.75	14.38	15.01	99
20+22+50+50	1.49	1.64	3.73 *	3.73 *	-	-	10.60 3.40 - 12.30	3.278 0.500 - 4.278	13.77	14.40	15.03	99
20+22+50+60	1.41	1.55	3.52 *	4.22	-	-	10.70 3.40 - 12.40	3.291 0.500 - 4.291	13.82	14.45	15.08	99
20+22+50+71	1.31	1.44	3.28 *	4.66	-	-	10.70 3.40 - 12.40	3.274 0.500 - 4.274	13.75	14.38	15.01	99
20+22+60+60	1.32	1.45	3.96	3.96	-	-	10.70 3.40 - 12.40	3.278 0.500 - 4.278	13.77	14.40	15.03	99
20+22+60+71	1.24	1.36	3.71	4.39	-	-	10.70 3.40 - 12.40	3.287 0.530 - 4.257	13.81	14.44	15.07	99
20+25+25+25	1.64	2.05	2.05	2.05	-	-	7.80 3.10 - 10.10	2.131 0.530 - 3.581	8.95	9.36	9.77	99
20+25+25+35	1.92	2.40	2.40	3.37	-	-	10.10 3.30 - 11.90	2.973 0.530 - 4.023	12.49	13.06	13.63	99
20+25+25+42	1.84	2.30	2.30	3.86 *	-	-	10.30 3.40 - 12.10	3.103 0.530 - 4.123	13.04	13.63	14.22	99
20+25+25+50	1.77	2.21	2.21	4.42 *	-	-	10.60 3.40 - 12.30	3.247 0.530 - 4.227	13.64	14.26	14.88	99
20+25+25+60	1.63	2.04	2.04	4.89	-	-	10.60 3.40 - 12.30	3.297 0.500 - 4.197	13.85	14.48	15.11	99
20+25+25+71	1.50	1.88	1.88	5.34	-	-	10.60 3.40 - 12.30	3.280 0.500 - 4.280	13.77	14.40	15.03	99
20+25+35+35	1.81	2.26	3.17	3.17	-	-	10.40 3.40 - 12.20	3.144 0.530 - 4.144	13.21	13.81	14.41	99
20+25+35+50	1.63	2.04	2.85	4.08 *	-	-	10.60 3.40 - 12.30	3.303 0.500 - 4.203	13.88	14.51	15.14	99
20+25+35+60	1.51	1.89	2.65	4.54	-	-	10.60 3.40 - 12.30	3.297 0.500 - 4.297	13.85	14.48	15.11	99
20+25+35+71	1.42	1.77	2.48	5.03	-	-	10.70 3.40 - 12.40	3.280 0.500 - 4.280	13.77	14.40	15.03	99
20+25+42+42	1.64	2.05	3.45 *	3.45 *	-	-	10.60 3.40 - 12.30	3.284 0.500 - 4.184	13.79	14.42	15.05	99
20+25+42+50	1.55	1.93	3.25 *	3.87 *	-	-	10.60 3.40 - 12.30	3.291 0.500 - 4.291	13.82	14.45	15.08	99
20+25+42+60	1.46	1.82	3.06 *	4.37	-	-	10.70 3.40 - 12.40	3.291 0.500 - 4.291	13.82	14.45	15.08	99
20+25+42+71	1.35	1.69	2.84 *	4.81	-	-	10.70 3.40 - 12.40	3.274 0.500 - 4.274	13.75	14.38	15.01	99
20+25+50+50	1.48	1.84	3.69 *	3.69 *	-	-	10.70 3.40 - 12.40	3.278 0.500 - 4.278	13.77	14.40	15.03	99
20+25+50+60	1.38	1.73	3.45 *	4.14	-	-	10.70 3.40 - 12.40	3.291 0.500 - 4.291	13.82	14.45	15.08	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
20+25+50+71	1.29	1.61	3.22 *	4.58	-	-	10.70 3.40 - 12.40	3.274 0.500 - 4.274	13.75	14.38	15.01	99
20+25+60+60	1.30	1.62	3.89	3.89	-	-	10.70 3.40 - 12.40	3.278 0.500 - 4.278	13.77	14.40	15.03	99
20+25+60+71	1.22	1.52	3.65	4.32	-	-	10.70 3.40 - 12.40	3.287 0.530 - 4.257	13.81	14.44	15.07	99
20+35+35+35	1.70	2.97	2.97	2.97	-	-	10.60 3.40 - 12.30	3.261 0.500 - 4.161	13.70	14.32	14.94	99
20+35+35+42	1.61	2.81	2.81	3.37 *	-	-	10.60 3.40 - 12.30	3.303 0.500 - 4.203	13.88	14.51	15.14	99
20+35+35+50	1.51	2.65	2.65	3.79 *	-	-	10.60 3.40 - 12.30	3.297 0.500 - 4.297	13.85	14.48	15.11	99
20+35+35+60	1.43	2.50	2.50	4.28	-	-	10.70 3.40 - 12.40	3.297 0.500 - 4.297	13.85	14.48	15.11	99
20+35+35+71	1.33	2.33	2.33	4.72	-	-	10.70 3.40 - 12.40	3.280 0.500 - 4.280	13.77	14.40	15.03	99
20+35+42+42	1.53	2.67	3.20 *	3.20 *	-	-	10.60 3.40 - 12.30	3.284 0.500 - 4.284	13.79	14.42	15.05	99
20+35+42+50	1.46	2.55	3.06 *	3.64 *	-	-	10.70 3.40 - 12.40	3.291 0.500 - 4.291	13.82	14.45	15.08	99
20+35+42+60	1.36	2.39	2.86 *	4.09	-	-	10.70 3.40 - 12.40	3.291 0.500 - 4.291	13.82	14.45	15.08	99
20+35+42+71	1.27	2.23	2.68 *	4.52	-	-	10.70 3.40 - 12.40	3.304 0.530 - 4.274	13.88	14.51	15.14	99
20+35+50+50	1.38	2.42	3.45 *	3.45 *	-	-	10.70 3.40 - 12.40	3.278 0.500 - 4.278	13.77	14.40	15.03	99
20+35+50+60	1.30	2.27	3.24 *	3.89	-	-	10.70 3.40 - 12.40	3.291 0.500 - 4.291	13.82	14.45	15.08	99
20+35+50+71	1.22	2.13	3.04 *	4.32	-	-	10.70 3.40 - 12.40	3.304 0.530 - 4.274	13.88	14.51	15.14	99
20+35+60+60	1.22	2.14	3.67	3.67	-	-	10.70 3.40 - 12.40	3.308 0.530 - 4.278	13.90	14.53	15.16	99
20+42+42+42	1.47	3.08	3.08 *	3.08 *	-	-	10.70 3.40 - 12.40	3.257 0.500 - 4.257	13.68	14.30	14.92	99
20+42+42+50	1.39	2.92	2.92 *	3.47 *	-	-	10.70 3.40 - 12.40	3.285 0.500 - 4.285	13.80	14.43	15.06	99
20+42+42+60	1.30	2.74	2.74 *	3.91	-	-	10.70 3.40 - 12.40	3.285 0.500 - 4.285	13.80	14.43	15.06	99
20+42+42+71	1.22	2.57	2.57 *	4.34	-	-	10.70 3.40 - 12.40	3.298 0.530 - 4.268	13.85	14.48	15.11	99
20+42+50+50	1.32	2.77	3.30 *	3.30 *	-	-	10.70 3.40 - 12.40	3.272 0.500 - 4.272	13.75	14.37	14.99	99
20+42+50+60	1.24	2.61	3.11 *	3.73	-	-	10.70 3.40 - 12.40	3.315 0.530 - 4.285	13.93	14.56	15.19	99
20+50+50+50	1.26	3.15	3.15 *	3.15 *	-	-	10.70 3.40 - 12.40	3.298 0.530 - 4.268	13.85	14.48	15.11	99
20+50+50+60	1.19	2.97	2.97 *	3.57	-	-	10.70 3.40 - 12.40	3.315 0.530 - 4.285	13.93	14.56	15.19	99
22+22+22+22	2.18	2.18	2.18	2.18	-	-	8.70 3.30 - 10.90	2.268 0.530 - 3.718	9.53	9.96	10.39	99
22+22+22+25	1.81	1.81	1.81	2.06	-	-	7.50 3.10 - 9.90	1.976 0.530 - 3.546	8.30	8.68	9.06	99
22+22+22+35	2.18	2.18	2.18	3.47	-	-	10.00 3.30 - 11.80	2.886 0.530 - 3.956	12.12	12.67	13.22	99
22+22+22+42	2.10	2.10	2.10	4.01 *	-	-	10.30 3.30 - 12.00	3.016 0.530 - 4.056	12.67	13.25	13.83	99
22+22+22+50	2.01	2.01	2.01	4.57 *	-	-	10.60 3.40 - 12.30	3.160 0.530 - 4.160	13.28	13.88	14.48	99
22+22+22+60	1.87	1.87	1.87	5.10	-	-	10.70 3.40 - 12.40	3.290 0.500 - 4.190	13.82	14.45	15.08	99
22+22+22+71	1.72	1.72	1.72	5.55	-	-	10.70 3.40 - 12.40	3.273 0.500 - 4.273	13.75	14.37	14.99	99
22+22+25+25	1.83	1.83	2.07	2.07	-	-	7.80 3.10 - 10.10	2.107 0.530 - 3.577	8.85	9.25	9.65	99
22+22+25+35	2.14	2.14	2.43	3.40	-	-	10.10 3.30 - 11.90	2.946 0.530 - 4.006	12.38	12.94	13.50	99
22+22+25+42	2.06	2.06	2.34	3.94 *	-	-	10.40 3.40 - 12.10	3.076 0.530 - 4.096	12.92	13.51	14.10	99
22+22+25+50	1.98	1.98	2.25	4.50 *	-	-	10.70 3.40 - 12.40	3.220 0.530 - 4.210	13.53	14.14	14.75	99
22+22+25+60	1.82	1.82	2.07	4.98	-	-	10.70 3.40 - 12.40	3.290 0.500 - 4.190	13.82	14.45	15.08	99
22+22+25+71	1.68	1.68	1.91	5.43	-	-	10.70 3.40 - 12.40	3.273 0.500 - 4.273	13.75	14.37	14.99	99
22+22+35+35	2.03	2.03	3.22	3.22	-	-	10.50 3.40 - 12.20	3.117 0.530 - 4.127	13.09	13.69	14.29	99
22+22+35+42	1.95	1.95	3.10	3.71 *	-	-	10.70 3.40 - 12.40	3.296 0.500 - 4.196	13.85	14.48	15.11	99
22+22+35+50	1.82	1.82	2.90	4.15 *	-	-	10.70 3.40 - 12.40	3.290 0.500 - 4.190	13.82	14.45	15.08	99
22+22+35+60	1.69	1.69	2.69	4.62	-	-	10.70 3.40 - 12.40	3.290 0.500 - 4.290	13.82	14.45	15.08	99
22+22+35+71	1.58	1.58	2.52	5.11	-	-	10.80 3.40 - 12.50	3.273 0.500 - 4.273	13.75	14.37	14.99	99
22+22+42+42	1.84	1.84	3.51 *	3.51 *	-	-	10.70 3.40 - 12.40	3.277 0.500 - 4.177	13.76	14.39	15.02	99
22+22+42+50	1.73	1.73	3.30 *	3.93 *	-	-	10.70 3.40 - 12.40	3.284 0.500 - 4.284	13.79	14.42	15.05	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)							Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total		220	230	240	
22+22+42+60	1.63	1.63	3.11 *	4.44	-	-	10.80 3.40 - 12.50	3.284 0.500 - 4.284	13.79	14.42	15.05	99
22+22+42+71	1.51	1.51	2.89 *	4.88	-	-	10.80 3.40 - 12.50	3.267 0.500 - 4.267	13.73	14.35	14.97	99
22+22+50+50	1.65	1.65	3.75 *	3.75 *	-	-	10.80 3.40 - 12.50	3.271 0.500 - 4.271	13.75	14.37	14.99	99
22+22+50+60	1.54	1.54	3.51 *	4.21	-	-	10.80 3.40 - 12.50	3.284 0.500 - 4.284	13.79	14.42	15.05	99
22+22+50+71	1.44	1.44	3.27 *	4.65	-	-	10.80 3.40 - 12.50	3.267 0.500 - 4.267	13.73	14.35	14.97	99
22+22+60+60	1.45	1.45	3.95	3.95	-	-	10.80 3.40 - 12.50	3.271 0.500 - 4.271	13.75	14.37	14.99	99
22+22+60+71	1.36	1.36	3.70	4.38	-	-	10.80 3.40 - 12.50	3.280 0.530 - 4.250	13.77	14.40	15.03	99
22+25+25+25	1.84	2.09	2.09	2.09	-	-	8.10 3.10 - 10.30	2.224 0.530 - 3.604	9.35	9.77	10.19	99
22+25+25+35	2.10	2.38	2.38	3.34	-	-	10.20 3.30 - 12.00	2.996 0.530 - 4.046	12.59	13.16	13.73	99
22+25+25+42	2.03	2.30	2.30	3.87 *	-	-	10.50 3.40 - 12.20	3.136 0.530 - 4.146	13.17	13.77	14.37	99
22+25+25+60	1.78	2.03	2.03	4.86	-	-	10.70 3.40 - 12.40	3.290 0.500 - 4.190	13.82	14.45	15.08	99
22+25+25+71	1.65	1.87	1.87	5.31	-	-	10.70 3.40 - 12.40	3.273 0.500 - 4.273	13.75	14.37	14.99	99
22+25+35+35	1.99	2.26	3.17	3.17	-	-	10.60 3.40 - 12.30	3.167 0.530 - 4.167	13.31	13.91	14.51	99
22+25+35+42	1.90	2.16	3.02	3.62 *	-	-	10.70 3.40 - 12.40	3.296 0.500 - 4.196	13.85	14.48	15.11	99
22+25+35+50	1.78	2.03	2.84	4.05 *	-	-	10.70 3.40 - 12.40	3.290 0.500 - 4.190	13.82	14.45	15.08	99
22+25+35+60	1.66	1.88	2.64	4.52	-	-	10.70 3.40 - 12.40	3.290 0.500 - 4.290	13.82	14.45	15.08	99
22+25+35+71	1.55	1.76	2.47	5.01	-	-	10.80 3.40 - 12.50	3.273 0.500 - 4.273	13.75	14.37	14.99	99
22+25+42+42	1.80	2.04	3.43 *	3.43 *	-	-	10.70 3.40 - 12.40	3.277 0.500 - 4.177	13.76	14.39	15.02	99
22+25+42+50	1.69	1.92	3.23 *	3.85 *	-	-	10.70 3.40 - 12.40	3.284 0.500 - 4.284	13.79	14.42	15.05	99
22+25+42+60	1.59	1.81	3.04 *	4.35	-	-	10.80 3.40 - 12.50	3.284 0.500 - 4.284	13.79	14.42	15.05	99
22+25+42+71	1.49	1.69	2.84 *	4.79	-	-	10.80 3.40 - 12.50	3.267 0.500 - 4.267	13.73	14.35	14.97	99
22+25+50+50	1.62	1.84	3.67 *	3.67 *	-	-	10.80 3.40 - 12.50	3.271 0.500 - 4.271	13.75	14.37	14.99	99
22+25+50+60	1.51	1.72	3.44 *	4.13	-	-	10.80 3.40 - 12.50	3.284 0.500 - 4.284	13.79	14.42	15.05	99
22+25+50+71	1.41	1.61	3.21 *	4.56	-	-	10.80 3.40 - 12.50	3.297 0.530 - 4.267	13.85	14.48	15.11	99
22+25+60+60	1.42	1.62	3.88	3.88	-	-	10.80 3.40 - 12.50	3.271 0.500 - 4.271	13.75	14.37	14.99	99
22+25+60+71	1.33	1.52	3.64	4.31	-	-	10.80 3.40 - 12.50	3.280 0.530 - 4.250	13.77	14.40	15.03	99
22+35+35+35	1.85	2.95	2.95	2.95	-	-	10.70 3.40 - 12.40	3.254 0.500 - 4.154	13.67	14.29	14.91	99
22+35+35+42	1.76	2.79	2.79	3.35 *	-	-	10.70 3.40 - 12.40	3.296 0.500 - 4.296	13.85	14.48	15.11	99
22+35+35+50	1.66	2.64	2.64	3.77 *	-	-	10.70 3.40 - 12.40	3.290 0.500 - 4.290	13.82	14.45	15.08	99
22+35+35+60	1.56	2.49	2.49	4.26	-	-	10.80 3.40 - 12.50	3.290 0.500 - 4.290	13.82	14.45	15.08	99
22+35+35+71	1.46	2.32	2.32	4.70	-	-	10.80 3.40 - 12.50	3.273 0.500 - 4.273	13.75	14.37	14.99	99
22+35+42+42	1.67	2.66	3.19 *	3.19 *	-	-	10.70 3.40 - 12.40	3.277 0.500 - 4.277	13.76	14.39	15.02	99
22+35+42+50	1.59	2.54	3.04 *	3.62 *	-	-	10.80 3.40 - 12.50	3.284 0.500 - 4.284	13.79	14.42	15.05	99
22+35+42+60	1.49	2.38	2.85 *	4.08	-	-	10.80 3.40 - 12.50	3.284 0.500 - 4.284	13.79	14.42	15.05	99
22+35+42+71	1.40	2.22	2.67 *	4.51	-	-	10.80 3.40 - 12.50	3.297 0.530 - 4.267	13.85	14.48	15.11	99
22+35+50+50	1.51	2.41	3.44 *	3.44 *	-	-	10.80 3.40 - 12.50	3.271 0.500 - 4.271	13.75	14.37	14.99	99
22+35+50+60	1.42	2.26	3.23 *	3.88	-	-	10.80 3.40 - 12.50	3.284 0.500 - 4.284	13.79	14.42	15.05	99
22+35+50+71	1.33	2.12	3.03 *	4.31	-	-	10.80 3.40 - 12.50	3.297 0.530 - 4.267	13.85	14.48	15.11	99
22+35+60+60	1.34	2.14	3.66	3.66	-	-	10.80 3.40 - 12.50	3.301 0.530 - 4.271	13.87	14.50	15.13	99
22+42+42+42	1.61	3.06	3.06 *	3.06 *	-	-	10.80 3.40 - 12.50	3.250 0.500 - 4.250	13.65	14.27	14.89	99
22+42+42+50	1.52	2.91	2.91 *	3.46 *	-	-	10.80 3.40 - 12.50	3.278 0.500 - 4.278	13.77	14.40	15.03	99
22+42+42+60	1.43	2.73	2.73 *	3.90	-	-	10.80 3.40 - 12.50	3.278 0.500 - 4.278	13.77	14.40	15.03	99
22+42+42+71	1.34	2.56	2.56 *	4.33	-	-	10.80 3.40 - 12.50	3.291 0.530 - 4.261	13.82	14.45	15.08	99
22+42+50+50	1.45	2.77	3.29 *	3.29 *	-	-	10.80 3.40 - 12.50	3.265 0.500 - 4.265	13.72	14.34	14.96	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)							Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total		220	230	240	
22+42+50+60	1.37	2.61	3.10 *	3.72	-	-	10.80 3.40 - 12.50	3.308 0.530 - 4.278	13.90	14.53	15.16	99
22+50+50+50	1.38	3.14	3.14 *	3.14 *	-	-	10.80 3.40 - 12.50	3.291 0.530 - 4.261	13.82	14.45	15.08	99
25+25+25+25	2.50	2.50	2.50	2.50	-	-	10.00 3.30 - 11.80	2.848 0.530 - 3.928	11.97	12.51	13.05	99
25+25+25+35	2.36	2.36	2.36	3.31	-	-	10.40 3.40 - 12.10	3.056 0.530 - 4.086	12.84	13.42	14.00	99
25+25+25+42	2.26	2.26	2.26	3.81 *	-	-	10.60 3.40 - 12.30	3.186 0.530 - 4.186	13.38	13.99	14.60	99
25+25+25+50	2.14	2.14	2.14	4.28 *	-	-	10.70 3.40 - 12.40	3.290 0.500 - 4.190	13.82	14.45	15.08	99
25+25+25+60	1.98	1.98	1.98	4.76	-	-	10.70 3.40 - 12.40	3.290 0.500 - 4.290	13.82	14.45	15.08	99
25+25+25+71	1.85	1.85	1.85	5.25	-	-	10.80 3.40 - 12.50	3.273 0.500 - 4.273	13.75	14.37	14.99	99
25+25+35+35	2.23	2.23	3.12	3.12	-	-	10.70 3.40 - 12.40	3.227 0.530 - 4.207	13.55	14.17	14.79	99
25+25+35+42	2.11	2.11	2.95	3.54 *	-	-	10.70 3.40 - 12.40	3.296 0.500 - 4.196	13.85	14.48	15.11	99
25+25+35+50	1.98	1.98	2.77	3.96 *	-	-	10.70 3.40 - 12.40	3.290 0.500 - 4.290	13.82	14.45	15.08	99
25+25+35+60	1.86	1.86	2.61	4.47	-	-	10.80 3.40 - 12.50	3.290 0.500 - 4.290	13.82	14.45	15.08	99
25+25+35+71	1.73	1.73	2.42	4.92	-	-	10.80 3.40 - 12.50	3.273 0.500 - 4.273	13.75	14.37	14.99	99
25+25+42+42	2.00	2.00	3.35 *	3.35 *	-	-	10.70 3.40 - 12.40	3.277 0.500 - 4.277	13.76	14.39	15.02	99
25+25+42+50	1.88	1.88	3.16 *	3.77 *	-	-	10.70 3.40 - 12.40	3.284 0.500 - 4.284	13.79	14.42	15.05	99
25+25+42+60	1.78	1.78	2.98 *	4.26	-	-	10.80 3.40 - 12.50	3.284 0.500 - 4.284	13.79	14.42	15.05	99
25+25+42+71	1.66	1.66	2.78 *	4.70	-	-	10.80 3.40 - 12.50	3.267 0.500 - 4.267	13.73	14.35	14.97	99
25+25+50+50	1.80	1.80	3.60 *	3.60 *	-	-	10.80 3.40 - 12.50	3.271 0.500 - 4.271	13.75	14.37	14.99	99
25+25+50+60	1.69	1.69	3.38 *	4.05	-	-	10.80 3.40 - 12.50	3.284 0.500 - 4.284	13.79	14.42	15.05	99
25+25+50+71	1.58	1.58	3.16 *	4.48	-	-	10.80 3.40 - 12.50	3.297 0.530 - 4.267	13.85	14.48	15.11	99
25+25+60+60	1.59	1.59	3.81	3.81	-	-	10.80 3.40 - 12.50	3.301 0.530 - 4.271	13.87	14.50	15.13	99
25+35+35+35	2.06	2.88	2.88	2.88	-	-	10.70 3.40 - 12.40	3.250 0.500 - 4.150	13.65	14.27	14.89	99
25+35+35+42	1.95	2.73	2.73	3.28 *	-	-	10.70 3.40 - 12.40	3.296 0.500 - 4.296	13.85	14.48	15.11	99
25+35+35+50	1.86	2.61	2.61	3.72 *	-	-	10.80 3.40 - 12.50	3.290 0.500 - 4.290	13.82	14.45	15.08	99
25+35+35+60	1.74	2.44	2.44	4.18	-	-	10.80 3.40 - 12.50	3.290 0.500 - 4.290	13.82	14.45	15.08	99
25+35+35+71	1.63	2.28	2.28	4.62	-	-	10.80 3.40 - 12.50	3.273 0.500 - 4.273	13.75	14.37	14.99	99
25+35+42+42	1.88	2.63	3.15 *	3.15 *	-	-	10.80 3.40 - 12.50	3.277 0.500 - 4.277	13.76	14.39	15.02	99
25+35+42+50	1.78	2.49	2.98 *	3.55 *	-	-	10.80 3.40 - 12.50	3.284 0.500 - 4.284	13.79	14.42	15.05	99
25+35+42+60	1.67	2.33	2.80 *	4.00	-	-	10.80 3.40 - 12.50	3.284 0.500 - 4.284	13.79	14.42	15.05	99
25+35+42+71	1.56	2.18	2.62 *	4.43	-	-	10.80 3.40 - 12.50	3.297 0.530 - 4.267	13.85	14.48	15.11	99
25+35+50+50	1.69	2.36	3.38 *	3.38 *	-	-	10.80 3.40 - 12.50	3.271 0.500 - 4.271	13.75	14.37	14.99	99
25+35+50+60	1.59	2.22	3.18 *	3.81	-	-	10.80 3.40 - 12.50	3.314 0.530 - 4.284	13.92	14.55	15.18	99
25+35+60+60	1.50	2.10	3.60	3.60	-	-	10.80 3.40 - 12.50	3.297 0.530 - 4.267	13.85	14.48	15.11	99
25+42+42+42	1.79	3.00	3.00 *	3.00 *	-	-	10.80 3.40 - 12.50	3.250 0.500 - 4.250	13.65	14.27	14.89	99
25+42+42+50	1.70	2.85	2.85 *	3.40 *	-	-	10.80 3.40 - 12.50	3.278 0.500 - 4.278	13.77	14.40	15.03	99
25+42+42+60	1.60	2.68	2.68 *	3.83	-	-	10.80 3.40 - 12.50	3.308 0.530 - 4.278	13.90	14.53	15.16	99
25+42+42+71	1.50	2.52	2.52 *	4.26	-	-	10.80 3.40 - 12.50	3.291 0.530 - 4.261	13.82	14.45	15.08	99
25+42+50+50	1.62	2.72	3.23 *	3.23 *	-	-	10.80 3.40 - 12.50	3.265 0.500 - 4.265	13.72	14.34	14.96	99
25+42+50+60	1.53	2.56	3.05 *	3.66	-	-	10.80 3.40 - 12.50	3.308 0.530 - 4.278	13.90	14.53	15.16	99
25+50+50+50	1.54	3.09	3.09 *	3.09 *	-	-	10.80 3.40 - 12.50	3.291 0.530 - 4.261	13.82	14.45	15.08	99
35+35+35+35	2.68	2.68	2.68	2.68	-	-	10.70 3.40 - 12.40	3.278 0.500 - 4.278	13.77	14.40	15.03	99
35+35+35+42	2.57	2.57	2.57	3.09 *	-	-	10.80 3.40 - 12.50	3.296 0.500 - 4.296	13.85	14.48	15.11	99
35+35+35+50	2.44	2.44	2.44	3.48 *	-	-	10.80 3.40 - 12.50	3.290 0.500 - 4.290	13.82	14.45	15.08	99
35+35+35+60	2.29	2.29	2.29	3.93	-	-	10.80 3.40 - 12.50	3.290 0.500 - 4.290	13.82	14.45	15.08	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
35+35+35+71	2.15	2.15	2.15	4.36	-	-	10.80 3.40 - 12.50	3.303 0.530 - 4.273	13.88	14.51	15.14	99
35+35+42+42	2.45	2.45	2.95 *	2.95 *	-	-	10.80 3.40 - 12.50	3.277 0.500 - 4.277	13.76	14.39	15.02	99
35+35+42+50	2.33	2.33	2.80 *	3.33 *	-	-	10.80 3.40 - 12.50	3.284 0.500 - 4.284	13.79	14.42	15.05	99
35+35+42+60	2.20	2.20	2.64 *	3.77	-	-	10.80 3.40 - 12.50	3.314 0.530 - 4.284	13.92	14.55	15.18	99
35+35+50+50	2.22	2.22	3.18 *	3.18 *	-	-	10.80 3.40 - 12.50	3.297 0.530 - 4.267	13.85	14.48	15.11	99
35+35+50+60	2.10	2.10	3.00 *	3.60	-	-	10.80 3.40 - 12.50	3.314 0.530 - 4.284	13.92	14.55	15.18	99
35+42+42+42	2.35	2.82	2.82 *	2.82 *	-	-	10.80 3.40 - 12.50	3.267 0.500 - 4.267	13.73	14.35	14.97	99
35+42+42+50	2.24	2.68	2.68 *	3.20 *	-	-	10.80 3.40 - 12.50	3.308 0.530 - 4.278	13.90	14.53	15.16	99
35+42+42+60	2.11	2.53	2.53 *	3.62	-	-	10.80 3.40 - 12.50	3.308 0.530 - 4.278	13.90	14.53	15.16	99
35+42+50+50	2.14	2.56	3.05 *	3.05 *	-	-	10.80 3.40 - 12.50	3.291 0.530 - 4.261	13.82	14.45	15.08	99
42+42+42+42	2.70	2.70	2.70 *	2.70 *	-	-	10.80 3.40 - 12.50	3.308 0.530 - 4.278	13.90	14.53	15.16	99
42+42+42+50	2.58	2.58	2.58 *	3.07 *	-	-	10.80 3.40 - 12.50	3.302 0.530 - 4.272	13.87	14.50	15.13	99
15+15+15+15+15	1.50	1.50	1.50	1.50	1.50	-	7.50 3.30 - 10.50	1.672 0.530 - 4.772	7.02	7.34	7.66	99
15+15+15+15+18	1.40	1.40	1.40	1.40	1.68	-	7.30 3.30 - 10.16	1.875 0.530 - 4.855	7.87	8.23	8.59	99
15+15+15+15+20	1.43	1.43	1.43	1.43	1.90	-	7.60 3.30 - 10.37	1.966 0.530 - 4.876	8.25	8.63	9.01	99
15+15+15+15+22	1.41	1.41	1.41	1.41	2.07	-	7.70 3.30 - 10.37	2.073 0.530 - 4.903	8.70	9.10	9.50	99
15+15+15+15+25	1.43	1.43	1.43	1.43	2.38	-	8.10 3.30 - 10.63	2.226 0.530 - 4.936	9.35	9.78	10.21	99
15+15+15+15+35	1.44	1.44	1.44	1.44	3.35	-	9.10 3.30 - 11.15	2.746 0.530 - 5.006	11.54	12.06	12.58	99
15+15+15+15+42	1.44	1.44	1.44	1.44	4.04 *	-	9.80 3.34 - 11.68	3.066 0.530 - 5.006	12.88	13.47	14.06	99
15+15+15+15+50	1.45	1.45	1.45	1.45	4.82 *	-	10.60 3.50 - 12.80	3.280 0.530 - 5.000	13.77	14.40	15.03	99
15+15+15+15+60	1.40	1.40	1.40	1.40	5.60	-	11.20 3.50 - 12.80	3.510 0.530 - 5.000	14.75	15.42	16.09	99
15+15+15+15+71	1.32	1.32	1.32	1.32	6.25	-	11.54 3.50 - 12.82	3.653 0.530 - 4.983	15.34	16.04	16.74	99
15+15+15+18+18	1.43	1.43	1.43	1.71	1.71	-	7.70 3.30 - 10.42	1.997 0.530 - 4.867	8.39	8.77	9.15	99
15+15+15+18+20	1.45	1.45	1.45	1.73	1.93	-	8.00 3.30 - 10.63	2.117 0.530 - 4.907	8.90	9.30	9.70	99
15+15+15+18+22	1.43	1.43	1.43	1.72	2.10	-	8.10 3.30 - 10.63	2.224 0.530 - 4.934	9.35	9.77	10.19	99
15+15+15+18+25	1.45	1.45	1.45	1.74	2.41	-	8.50 3.30 - 10.89	2.377 0.530 - 4.967	9.99	10.44	10.89	99
15+15+15+18+35	1.45	1.45	1.45	1.74	3.39	-	9.50 3.30 - 11.40	2.897 0.530 - 4.997	12.17	12.72	13.27	99
15+15+15+18+42	1.46	1.46	1.46	1.75	4.08 *	-	10.20 3.40 - 12.20	3.137 0.530 - 4.997	13.18	13.78	14.38	99
15+15+15+18+50	1.44	1.44	1.44	1.73	4.81 *	-	10.88 3.50 - 12.90	3.341 0.530 - 4.991	14.03	14.67	15.31	99
15+15+15+18+60	1.40	1.40	1.40	1.68	5.60	-	11.48 3.50 - 12.90	3.571 0.530 - 4.991	15.00	15.68	16.36	99
15+15+15+18+71	1.30	1.30	1.30	1.56	6.17	-	11.65 3.50 - 12.94	3.654 0.530 - 4.974	15.35	16.05	16.75	99
15+15+15+20+20	1.45	1.45	1.45	1.93	1.93	-	8.20 3.30 - 10.73	2.198 0.530 - 4.908	9.23	9.65	10.07	99
15+15+15+20+22	1.41	1.41	1.41	1.89	2.07	-	8.20 3.30 - 10.64	2.331 0.530 - 4.971	9.79	10.24	10.69	99
15+15+15+20+25	1.43	1.43	1.43	1.91	2.39	-	8.60 3.30 - 10.90	2.484 0.530 - 5.004	10.44	10.91	11.38	99
15+15+15+20+35	1.44	1.44	1.44	1.92	3.36	-	9.60 3.30 - 11.40	3.004 0.530 - 5.004	12.62	13.19	13.76	99
15+15+15+20+42	1.44	1.44	1.44	1.93	4.04 *	-	10.30 3.44 - 12.38	3.204 0.530 - 5.004	13.46	14.07	14.68	99
15+15+15+20+50	1.42	1.42	1.42	1.90	4.74 *	-	10.90 3.50 - 12.80	3.398 0.530 - 4.998	14.27	14.92	15.57	99
15+15+15+20+60	1.38	1.38	1.38	1.84	5.52	-	11.50 3.50 - 12.80	3.628 0.530 - 4.998	15.24	15.93	16.62	99
15+15+15+20+71	1.28	1.28	1.28	1.70	6.04	-	11.57 3.50 - 12.84	3.681 0.530 - 4.981	15.47	16.17	16.87	99
15+15+15+22+22	1.43	1.43	1.43	2.10	2.10	-	8.50 3.30 - 10.85	2.415 0.530 - 4.975	10.15	10.61	11.07	99
15+15+15+22+25	1.45	1.45	1.45	2.13	2.42	-	8.90 3.30 - 11.10	2.577 0.530 - 4.997	10.83	11.32	11.81	99
15+15+15+22+35	1.46	1.46	1.46	2.14	3.40	-	9.90 3.34 - 11.78	3.057 0.530 - 4.997	12.85	13.43	14.01	99
15+15+15+22+42	1.46	1.46	1.46	2.14	4.08 *	-	10.60 3.48 - 12.76	3.247 0.530 - 4.997	13.64	14.26	14.88	99
15+15+15+22+50	1.43	1.43	1.43	2.09	4.75 *	-	11.12 3.50 - 12.90	3.431 0.530 - 4.991	14.41	15.07	15.73	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
15+15+15+22+60	1.37	1.37	1.37	2.01	5.49	-	11.61 3.50 - 12.91	3.631 0.530 - 4.991	15.26	15.95	16.64	99
15+15+15+22+71	1.27	1.27	1.27	1.86	6.01	-	11.68 3.50 - 12.95	3.684 0.530 - 4.974	15.48	16.18	16.88	99
15+15+15+25+25	1.45	1.45	1.45	2.42	2.42	-	9.20 3.30 - 11.25	2.718 0.530 - 4.978	11.42	11.94	12.46	99
15+15+15+25+35	1.46	1.46	1.46	2.43	3.40	-	10.20 3.40 - 12.20	3.137 0.530 - 4.997	13.18	13.78	14.38	99
15+15+15+25+42	1.45	1.45	1.45	2.42	4.06 *	-	10.82 3.50 - 12.90	3.327 0.530 - 4.997	13.97	14.61	15.25	99
15+15+15+25+50	1.41	1.41	1.41	2.35	4.71 *	-	11.30 3.50 - 12.90	3.501 0.530 - 4.991	14.71	15.38	16.05	99
15+15+15+25+60	1.34	1.34	1.34	2.24	5.37	-	11.63 3.50 - 12.92	3.651 0.530 - 4.991	15.33	16.03	16.73	99
15+15+15+25+71	1.24	1.24	1.24	2.07	5.89	-	11.70 3.50 - 12.96	3.704 0.530 - 4.974	15.56	16.27	16.98	99
15+15+15+35+35	1.43	1.43	1.43	3.35	3.35	-	11.00 3.50 - 12.90	3.378 0.530 - 4.978	14.19	14.84	15.49	99
15+15+15+35+50	1.34	1.34	1.34	3.13	4.47 *	-	11.63 3.50 - 12.92	3.657 0.530 - 4.997	15.36	16.06	16.76	99
15+15+15+35+60	1.25	1.25	1.25	2.92	5.01	-	11.69 3.50 - 12.96	3.711 0.530 - 4.991	15.59	16.30	17.01	99
15+15+15+35+71	1.17	1.17	1.17	2.73	5.53	-	11.76 3.50 - 13.00	3.764 0.530 - 4.974	15.81	16.53	17.25	99
15+15+15+42+42	1.35	1.35	1.35	3.78 *	3.78 *	-	11.62 3.50 - 12.92	3.628 0.530 - 4.978	15.24	15.93	16.62	99
15+15+15+42+50	1.28	1.28	1.28	3.58 *	4.26 *	-	11.67 3.50 - 12.95	3.685 0.530 - 4.985	15.48	16.18	16.88	99
15+15+15+42+60	1.20	1.20	1.20	3.35 *	4.79	-	11.73 3.50 - 12.99	3.745 0.530 - 4.985	15.73	16.45	17.17	99
15+15+15+42+71	1.12	1.12	1.12	3.14 *	5.30	-	11.80 3.50 - 13.03	3.798 0.530 - 4.968	15.95	16.68	17.41	99
15+15+15+50+50	1.21	1.21	1.21	4.04 *	4.04 *	-	11.72 3.50 - 12.98	3.722 0.530 - 4.972	15.64	16.35	17.06	99
15+15+15+50+60	1.14	1.14	1.14	3.80 *	4.56	-	11.78 3.50 - 13.02	3.795 0.530 - 4.985	15.95	16.67	17.39	99
15+15+15+50+71	1.07	1.07	1.07	3.57 *	5.07	-	11.85 3.50 - 13.06	3.848 0.530 - 4.968	16.17	16.90	17.63	99
15+15+15+60+60	1.08	1.08	1.08	4.31	4.31	-	11.84 3.50 - 13.06	3.842 0.530 - 4.972	16.14	16.87	17.60	99
15+15+15+60+71	1.01	1.01	1.01	4.05	4.79	-	11.88 3.50 - 13.09	3.861 0.530 - 4.951	16.22	16.96	17.70	99
15+15+18+18+18	1.45	1.45	1.74	1.74	1.74	-	8.10 3.30 - 10.68	2.125 0.530 - 4.875	8.92	9.33	9.74	99
15+15+18+18+20	1.47	1.47	1.76	1.76	1.95	-	8.40 3.30 - 10.89	2.258 0.530 - 4.938	9.49	9.92	10.35	99
15+15+18+18+22	1.45	1.45	1.74	1.74	2.13	-	8.50 3.30 - 10.89	2.375 0.530 - 4.965	9.98	10.43	10.88	99
15+15+18+18+25	1.47	1.47	1.76	1.76	2.45	-	8.90 3.30 - 11.15	2.518 0.530 - 4.988	10.58	11.06	11.54	99
15+15+18+18+35	1.47	1.47	1.76	1.76	3.43	-	9.90 3.32 - 11.74	3.018 0.530 - 4.988	12.67	13.25	13.83	99
15+15+18+18+42	1.47	1.47	1.77	1.77	4.12 *	-	10.60 3.46 - 12.72	3.208 0.530 - 4.988	13.48	14.09	14.70	99
15+15+18+18+50	1.44	1.44	1.73	1.73	4.81 *	-	11.16 3.50 - 13.00	3.402 0.530 - 4.982	14.29	14.94	15.59	99
15+15+18+18+60	1.39	1.39	1.67	1.67	5.58	-	11.71 3.50 - 13.00	3.622 0.530 - 4.982	15.22	15.91	16.60	99
15+15+18+18+71	1.29	1.29	1.55	1.55	6.10	-	11.77 3.50 - 13.05	3.665 0.530 - 4.965	15.40	16.10	16.80	99
15+15+18+20+20	1.47	1.47	1.76	1.95	1.95	-	8.60 3.30 - 10.99	2.349 0.530 - 4.939	9.87	10.32	10.77	99
15+15+18+20+22	1.43	1.43	1.72	1.91	2.10	-	8.60 3.30 - 10.90	2.482 0.530 - 5.002	10.43	10.90	11.37	99
15+15+18+20+25	1.45	1.45	1.74	1.94	2.42	-	9.00 3.30 - 11.15	2.635 0.530 - 4.995	11.07	11.57	12.07	99
15+15+18+20+35	1.46	1.46	1.75	1.94	3.40	-	10.00 3.36 - 11.92	3.075 0.530 - 4.995	12.91	13.50	14.09	99
15+15+18+20+42	1.46	1.46	1.75	1.95	4.09 *	-	10.70 3.50 - 12.90	3.275 0.530 - 4.995	13.75	14.38	15.01	99
15+15+18+20+50	1.42	1.42	1.71	1.89	4.74 *	-	11.18 3.50 - 12.90	3.459 0.530 - 4.989	14.53	15.19	15.85	99
15+15+18+20+60	1.36	1.36	1.63	1.82	5.45	-	11.62 3.50 - 12.91	3.639 0.530 - 4.989	15.29	15.98	16.67	99
15+15+18+20+71	1.26	1.26	1.51	1.68	5.97	-	11.68 3.50 - 12.96	3.682 0.530 - 4.972	15.47	16.17	16.87	99
15+15+18+22+22	1.45	1.45	1.74	2.13	2.13	-	8.90 3.30 - 11.10	2.556 0.530 - 4.976	10.74	11.23	11.72	99
15+15+18+22+25	1.47	1.47	1.76	2.15	2.45	-	9.30 3.30 - 11.35	2.728 0.530 - 4.988	11.46	11.98	12.50	99
15+15+18+22+35	1.47	1.47	1.77	2.16	3.43	-	10.30 3.40 - 12.30	3.128 0.530 - 4.988	13.14	13.74	14.34	99
15+15+18+22+42	1.46	1.46	1.76	2.15	4.10 *	-	10.92 3.50 - 13.00	3.318 0.530 - 4.988	13.94	14.57	15.20	99
15+15+18+22+50	1.43	1.43	1.71	2.09	4.75 *	-	11.40 3.50 - 13.00	3.492 0.530 - 4.982	14.67	15.34	16.01	99
15+15+18+22+60	1.35	1.35	1.62	1.99	5.41	-	11.73 3.50 - 13.02	3.642 0.530 - 4.982	15.29	15.99	16.69	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
15+15+18+22+71	1.26	1.26	1.51	1.84	5.94	-	11.80 3.50 - 13.06	3.695 0.530 - 4.965	15.52	16.23	16.94	99	
15+15+18+25+25	1.47	1.47	1.76	2.45	2.45	-	9.60 3.30 - 11.50	2.869 0.530 - 4.969	12.05	12.60	13.15	99	
15+15+18+25+35	1.47	1.47	1.77	2.45	3.44	-	10.60 3.46 - 12.72	3.208 0.530 - 4.988	13.48	14.09	14.70	99	
15+15+18+25+42	1.45	1.45	1.74	2.41	4.05 *	-	11.10 3.50 - 13.00	3.388 0.530 - 4.988	14.23	14.88	15.53	99	
15+15+18+25+50	1.41	1.41	1.69	2.35	4.71 *	-	11.58 3.50 - 13.00	3.562 0.530 - 4.982	14.96	15.64	16.32	99	
15+15+18+25+60	1.33	1.33	1.59	2.21	5.30	-	11.75 3.50 - 13.03	3.662 0.530 - 4.982	15.38	16.08	16.78	99	
15+15+18+25+71	1.23	1.23	1.48	2.05	5.82	-	11.81 3.50 - 13.08	3.705 0.530 - 4.965	15.56	16.27	16.98	99	
15+15+18+35+35	1.43	1.43	1.72	3.35	3.35	-	11.28 3.50 - 13.00	3.439 0.530 - 4.969	14.44	15.10	15.76	99	
15+15+18+35+42	1.40	1.40	1.68	3.28	3.93 *	-	11.70 3.50 - 13.00	3.618 0.530 - 4.988	15.20	15.89	16.58	99	
15+15+18+35+50	1.33	1.33	1.59	3.09	4.42 *	-	11.75 3.50 - 13.03	3.662 0.530 - 4.982	15.38	16.08	16.78	99	
15+15+18+35+60	1.24	1.24	1.49	2.89	4.96	-	11.81 3.50 - 13.07	3.722 0.530 - 4.982	15.64	16.35	17.06	99	
15+15+18+35+71	1.16	1.16	1.39	2.70	5.47	-	11.87 3.50 - 13.12	3.765 0.530 - 4.965	15.81	16.53	17.25	99	
15+15+18+42+42	1.33	1.33	1.60	3.74 *	3.74 *	-	11.74 3.50 - 13.03	3.639 0.530 - 4.969	15.29	15.98	16.67	99	
15+15+18+42+50	1.26	1.26	1.52	3.54 *	4.21 *	-	11.79 3.50 - 13.06	3.696 0.530 - 4.976	15.52	16.23	16.94	99	
15+15+18+42+60	1.19	1.19	1.42	3.32 *	4.74	-	11.85 3.50 - 13.10	3.756 0.530 - 4.976	15.78	16.50	17.22	99	
15+15+18+42+71	1.11	1.11	1.33	3.11 *	5.26	-	11.92 3.50 - 13.14	3.809 0.530 - 4.959	16.00	16.73	17.46	99	
15+15+18+50+50	1.20	1.20	1.44	4.00 *	4.00 *	-	11.84 3.50 - 13.09	3.733 0.530 - 4.963	15.68	16.39	17.10	99	
15+15+18+50+60	1.13	1.13	1.36	3.77 *	4.52	-	11.90 3.50 - 13.13	3.806 0.530 - 4.976	15.98	16.71	17.44	99	
15+15+18+50+71	1.06	1.06	1.27	3.54 *	5.02	-	11.96 3.50 - 13.18	3.849 0.530 - 4.959	16.17	16.90	17.63	99	
15+15+18+60+60	1.07	1.07	1.28	4.27	4.27	-	11.96 3.50 - 13.17	3.853 0.530 - 4.963	16.18	16.92	17.66	99	
15+15+18+60+71	1.00	1.00	1.20	4.02	4.75	-	11.98 3.50 - 13.19	3.852 0.530 - 4.942	16.18	16.92	17.66	99	
15+15+20+20+20	1.47	1.47	1.96	1.96	1.96	-	8.80 3.30 - 11.10	2.426 0.530 - 4.946	10.19	10.65	11.11	99	
15+15+20+20+22	1.42	1.42	1.89	1.89	2.08	-	8.70 3.30 - 10.90	2.589 0.530 - 5.009	10.88	11.37	11.86	99	
15+15+20+20+25	1.44	1.44	1.92	1.92	2.39	-	9.10 3.30 - 11.15	2.742 0.530 - 5.002	11.52	12.04	12.56	99	
15+15+20+20+35	1.44	1.44	1.92	1.92	3.37	-	10.10 3.40 - 12.10	3.142 0.530 - 5.002	13.20	13.80	14.40	99	
15+15+20+20+42	1.44	1.44	1.91	1.91	4.02 *	-	10.72 3.50 - 12.80	3.332 0.530 - 5.002	13.99	14.63	15.27	99	
15+15+20+20+50	1.40	1.40	1.87	1.87	4.67 *	-	11.20 3.50 - 12.80	3.506 0.530 - 4.996	14.73	15.40	16.07	99	
15+15+20+20+60	1.33	1.33	1.77	1.77	5.32	-	11.53 3.50 - 12.82	3.656 0.530 - 4.996	15.36	16.06	16.76	99	
15+15+20+20+71	1.23	1.23	1.65	1.65	5.84	-	11.60 3.50 - 12.86	3.709 0.530 - 4.979	15.58	16.29	17.00	99	
15+15+20+22+22	1.44	1.44	1.91	2.11	2.11	-	9.00 3.30 - 11.10	2.673 0.530 - 4.983	11.23	11.74	12.25	99	
15+15+20+22+25	1.45	1.45	1.94	2.13	2.42	-	9.40 3.30 - 11.35	2.835 0.530 - 4.995	11.91	12.45	12.99	99	
15+15+20+22+35	1.46	1.46	1.94	2.14	3.40	-	10.40 3.44 - 12.48	3.195 0.530 - 4.995	13.42	14.03	14.64	99	
15+15+20+22+42	1.44	1.44	1.92	2.11	4.03 *	-	10.94 3.50 - 12.90	3.365 0.530 - 4.995	14.14	14.78	15.42	99	
15+15+20+22+60	1.32	1.32	1.76	1.94	5.29	-	11.64 3.50 - 12.93	3.659 0.530 - 4.989	15.37	16.07	16.77	99	
15+15+20+22+71	1.23	1.23	1.64	1.80	5.81	-	11.71 3.50 - 12.97	3.712 0.530 - 4.972	15.59	16.30	17.01	99	
15+15+20+25+25	1.46	1.46	1.94	2.43	2.43	-	9.70 3.30 - 11.50	2.976 0.530 - 4.976	12.50	13.07	13.64	99	
15+15+20+25+35	1.46	1.46	1.95	2.43	3.40	-	10.70 3.50 - 12.90	3.275 0.530 - 4.995	13.75	14.38	15.01	99	
15+15+20+25+42	1.43	1.43	1.90	2.38	3.99 *	-	11.12 3.50 - 12.90	3.435 0.530 - 4.995	14.43	15.09	15.75	99	
15+15+20+25+50	1.39	1.39	1.86	2.32	4.64 *	-	11.60 3.50 - 12.90	3.619 0.530 - 4.989	15.20	15.89	16.58	99	
15+15+20+25+60	1.30	1.30	1.73	2.16	5.18	-	11.66 3.50 - 12.94	3.679 0.530 - 4.989	15.46	16.16	16.86	99	
15+15+20+25+71	1.21	1.21	1.61	2.01	5.70	-	11.73 3.50 - 12.98	3.732 0.530 - 4.972	15.68	16.39	17.10	99	
15+15+20+35+35	1.41	1.41	1.88	3.30	3.30	-	11.30 3.50 - 12.90	3.486 0.530 - 4.976	14.64	15.31	15.98	99	
15+15+20+35+42	1.37	1.37	1.83	3.20	3.84 *	-	11.61 3.50 - 12.91	3.635 0.530 - 4.995	15.27	15.96	16.65	99	
15+15+20+35+50	1.30	1.30	1.73	3.02	4.32 *	-	11.66 3.50 - 12.94	3.679 0.530 - 4.989	15.46	16.16	16.86	99	

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
15+15+20+35+60	1.21	1.21	1.62	2.83	4.85	-	11.72 3.50 - 12.98	3.739 0.530 - 4.989	15.71	16.42	17.13	99	
15+15+20+35+71	1.13	1.13	1.51	2.65	5.37	-	11.79 3.50 - 13.02	3.792 0.530 - 4.972	15.93	16.65	17.37	99	
15+15+20+42+42	1.30	1.30	1.74	3.65 *	3.65 *	-	11.65 3.50 - 12.94	3.656 0.530 - 4.976	15.36	16.06	16.76	99	
15+15+20+42+50	1.24	1.24	1.65	3.46 *	4.12 *	-	11.70 3.50 - 12.97	3.713 0.530 - 4.983	15.60	16.31	17.02	99	
15+15+20+42+60	1.16	1.16	1.55	3.25 *	4.64	-	11.76 3.50 - 13.01	3.773 0.530 - 4.983	15.85	16.57	17.29	99	
15+15+20+42+71	1.09	1.09	1.45	3.05 *	5.15	-	11.83 3.50 - 13.05	3.826 0.530 - 4.966	16.07	16.80	17.53	99	
15+15+20+50+50	1.18	1.18	1.57	3.92 *	3.92 *	-	11.75 3.50 - 13.00	3.750 0.530 - 4.970	15.75	16.47	17.19	99	
15+15+20+50+60	1.11	1.11	1.48	3.69 *	4.43	-	11.81 3.50 - 13.04	3.823 0.530 - 4.983	16.06	16.79	17.52	99	
15+15+20+50+71	1.04	1.04	1.39	3.47 *	4.93	-	11.88 3.50 - 13.08	3.876 0.530 - 4.966	16.28	17.02	17.76	99	
15+15+20+60+60	1.05	1.05	1.40	4.19	4.19	-	11.87 3.50 - 13.08	3.870 0.530 - 4.970	16.26	17.00	17.74	99	
15+15+22+22+22	1.45	1.45	2.13	2.13	2.13	-	9.30 3.30 - 11.30	2.739 0.530 - 4.949	11.51	12.03	12.55	99	
15+15+22+22+25	1.47	1.47	2.16	2.16	2.45	-	9.70 3.30 - 11.55	2.938 0.530 - 4.988	12.34	12.90	13.46	99	
15+15+22+22+35	1.47	1.47	2.16	2.16	3.44	-	10.70 3.48 - 12.86	3.238 0.530 - 4.988	13.60	14.22	14.84	99	
15+15+22+22+42	1.44	1.44	2.12	2.12	4.04 *	-	11.16 3.50 - 13.00	3.408 0.530 - 4.988	14.32	14.97	15.62	99	
15+15+22+22+50	1.41	1.41	2.07	2.07	4.69 *	-	11.64 3.50 - 13.00	3.592 0.530 - 4.982	15.09	15.78	16.47	99	
15+15+22+22+60	1.32	1.32	1.93	1.93	5.26	-	11.75 3.50 - 13.04	3.662 0.530 - 4.982	15.38	16.08	16.78	99	
15+15+22+22+71	1.22	1.22	1.79	1.79	5.79	-	11.82 3.50 - 13.08	3.715 0.530 - 4.965	15.61	16.32	17.03	99	
15+15+22+25+25	1.47	1.47	2.16	2.45	2.45	-	10.00 3.34 - 11.88	3.029 0.530 - 4.969	12.72	13.30	13.88	99	
15+15+22+25+35	1.46	1.46	2.15	2.44	3.41	-	10.92 3.50 - 13.00	3.318 0.530 - 4.988	13.94	14.57	15.20	99	
15+15+22+25+42	1.43	1.43	2.10	2.38	4.00 *	-	11.34 3.50 - 13.00	3.478 0.530 - 4.988	14.61	15.27	15.93	99	
15+15+22+25+50	1.38	1.38	2.03	2.31	4.61 *	-	11.71 3.50 - 13.01	3.622 0.530 - 4.982	15.22	15.91	16.60	99	
15+15+22+25+60	1.29	1.29	1.89	2.15	5.15	-	11.77 3.50 - 13.05	3.682 0.530 - 4.982	15.47	16.17	16.87	99	
15+15+22+25+71	1.20	1.20	1.76	2.00	5.68	-	11.84 3.50 - 13.09	3.735 0.530 - 4.965	15.69	16.40	17.11	99	
15+15+22+35+42	1.36	1.36	2.00	3.18	3.82 *	-	11.72 3.50 - 13.02	3.619 0.530 - 4.969	15.20	15.89	16.58	99	
15+15+22+35+50	1.29	1.29	1.89	3.01	4.30 *	-	11.77 3.50 - 13.05	3.682 0.530 - 4.982	15.47	16.17	16.87	99	
15+15+22+35+60	1.21	1.21	1.77	2.82	4.83	-	11.83 3.50 - 13.09	3.742 0.530 - 4.982	15.72	16.43	17.14	99	
15+15+22+35+71	1.13	1.13	1.66	2.64	5.35	-	11.90 3.50 - 13.13	3.795 0.530 - 4.965	15.95	16.67	17.39	99	
15+15+22+42+42	1.30	1.30	1.90	3.63 *	3.63 *	-	11.77 3.50 - 13.04	3.669 0.530 - 4.969	15.41	16.11	16.81	99	
15+15+22+42+50	1.23	1.23	1.80	3.44 *	4.10 *	-	11.81 3.50 - 13.08	3.716 0.530 - 4.976	15.61	16.32	17.03	99	
15+15+22+42+60	1.16	1.16	1.70	3.24 *	4.62	-	11.87 3.50 - 13.12	3.776 0.530 - 4.976	15.86	16.58	17.30	99	
15+15+22+42+71	1.09	1.09	1.59	3.04 *	5.14	-	11.94 3.50 - 13.16	3.829 0.530 - 4.959	16.09	16.82	17.55	99	
15+15+22+50+50	1.17	1.17	1.72	3.90 *	3.90 *	-	11.86 3.50 - 13.11	3.753 0.530 - 4.963	15.76	16.48	17.20	99	
15+15+22+50+60	1.10	1.10	1.62	3.68 *	4.41	-	11.92 3.50 - 13.15	3.826 0.530 - 4.976	16.07	16.80	17.53	99	
15+15+22+50+71	1.04	1.04	1.52	3.46 *	4.92	-	11.98 3.50 - 13.19	3.869 0.530 - 4.959	16.25	16.99	17.73	99	
15+15+22+60+60	1.04	1.04	1.53	4.18	4.18	-	11.98 3.50 - 13.19	3.873 0.530 - 4.963	16.27	17.01	17.75	99	
15+15+25+25+25	1.47	1.47	2.45	2.45	2.45	-	10.30 3.40 - 12.30	3.082 0.530 - 4.942	12.95	13.54	14.13	99	
15+15+25+25+35	1.45	1.45	2.41	2.41	3.38	-	11.10 3.50 - 13.00	3.388 0.530 - 4.988	14.23	14.88	15.53	99	
15+15+25+25+50	1.35	1.35	2.26	2.26	4.51 *	-	11.73 3.50 - 13.02	3.648 0.530 - 4.988	15.32	16.02	16.72	99	
15+15+25+25+60	1.26	1.26	2.11	2.11	5.05	-	11.79 3.50 - 13.06	3.702 0.530 - 4.982	15.55	16.26	16.97	99	
15+15+25+25+71	1.18	1.18	1.96	1.96	5.58	-	11.86 3.50 - 13.10	3.755 0.530 - 4.965	15.77	16.49	17.21	99	
15+15+25+35+35	1.40	1.40	2.34	3.28	3.28	-	11.70 3.50 - 13.00	3.599 0.530 - 4.969	15.12	15.81	16.50	99	
15+15+25+35+42	1.33	1.33	2.22	3.11	3.74 *	-	11.74 3.50 - 13.03	3.658 0.530 - 4.988	15.36	16.06	16.76	99	
15+15+25+35+50	1.26	1.26	2.11	2.95	4.21 *	-	11.79 3.50 - 13.06	3.702 0.530 - 4.982	15.55	16.26	16.97	99	
15+15+25+35+60	1.19	1.19	1.98	2.77	4.74	-	11.85 3.50 - 13.10	3.762 0.530 - 4.982	15.80	16.52	17.24	99	



**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
15+15+25+35+71	1.11	1.11	1.85	2.59	5.26	-	11.92 3.50 - 13.14	3.815 0.530 - 4.965	16.02	16.75	17.48	99	
15+15+25+42+42	1.27	1.27	2.12	3.56 *	3.56 *	-	11.78 3.50 - 13.06	3.679 0.530 - 4.969	15.46	16.16	16.86	99	
15+15+25+42+50	1.21	1.21	2.01	3.38 *	4.02 *	-	11.83 3.50 - 13.09	3.736 0.530 - 4.976	15.70	16.41	17.12	99	
15+15+25+42+60	1.14	1.14	1.89	3.18 *	4.54	-	11.89 3.50 - 13.13	3.796 0.530 - 4.976	15.95	16.67	17.39	99	
15+15+25+42+71	1.07	1.07	1.78	2.99 *	5.05	-	11.96 3.50 - 13.17	3.849 0.530 - 4.959	16.17	16.90	17.63	99	
15+15+25+50+50	1.15	1.15	1.92	3.83 *	3.83 *	-	11.88 3.50 - 13.12	3.773 0.530 - 4.963	15.85	16.57	17.29	99	
15+15+25+50+60	1.09	1.09	1.81	3.62 *	4.34	-	11.94 3.50 - 13.16	3.846 0.530 - 4.976	16.16	16.89	17.62	99	
15+15+25+50+71	1.02	1.02	1.70	3.40 *	4.83	-	11.98 3.50 - 13.19	3.869 0.530 - 4.959	16.25	16.99	17.73	99	
15+15+25+60+60	1.03	1.03	1.71	4.11	4.11	-	11.98 3.50 - 13.19	3.873 0.530 - 4.963	16.27	17.01	17.75	99	
15+15+35+35+35	1.31	1.31	3.05	3.05	3.05	-	11.76 3.50 - 13.04	3.632 0.530 - 4.942	15.26	15.95	16.64	99	
15+15+35+35+42	1.25	1.25	2.91	2.91	3.49 *	-	11.80 3.50 - 13.07	3.718 0.530 - 4.988	15.62	16.33	17.04	99	
15+15+35+35+50	1.19	1.19	2.77	2.77	3.95 *	-	11.85 3.50 - 13.10	3.762 0.530 - 4.982	15.80	16.52	17.24	99	
15+15+35+35+60	1.12	1.12	2.61	2.61	4.47	-	11.91 3.50 - 13.14	3.822 0.530 - 4.982	16.06	16.79	17.52	99	
15+15+35+35+71	1.05	1.05	2.45	2.45	4.97	-	11.98 3.50 - 13.18	3.875 0.530 - 4.965	16.28	17.02	17.76	99	
15+15+35+42+42	1.19	1.19	2.78	3.34 *	3.34 *	-	11.84 3.50 - 13.10	3.739 0.530 - 4.969	15.71	16.42	17.13	99	
15+15+35+42+50	1.14	1.14	2.65	3.18 *	3.79 *	-	11.89 3.50 - 13.13	3.796 0.530 - 4.976	15.95	16.67	17.39	99	
15+15+35+42+60	1.07	1.07	2.50	3.01 *	4.29	-	11.95 3.50 - 13.17	3.856 0.530 - 4.976	16.19	16.93	17.67	99	
15+15+35+42+71	1.01	1.01	2.36	2.83 *	4.78	-	11.98 3.50 - 13.19	3.869 0.530 - 4.959	16.25	16.99	17.73	99	
15+15+35+50+50	1.09	1.09	2.53	3.62 *	3.62 *	-	11.94 3.50 - 13.16	3.833 0.530 - 4.963	16.10	16.83	17.56	99	
15+15+35+50+60	1.03	1.03	2.40	3.42 *	4.11	-	11.98 3.50 - 13.19	3.886 0.530 - 4.976	16.33	17.07	17.81	99	
15+15+42+42+42	1.14	1.14	3.20 *	3.20 *	3.20 *	-	11.89 3.50 - 13.12	3.779 0.530 - 4.959	15.88	16.60	17.32	99	
15+15+42+42+50	1.09	1.09	3.06 *	3.06 *	3.64 *	-	11.93 3.50 - 13.16	3.830 0.530 - 4.970	16.09	16.82	17.55	99	
15+15+42+42+60	1.03	1.03	2.89 *	2.89 *	4.13	-	11.98 3.50 - 13.19	3.880 0.530 - 4.970	16.30	17.04	17.78	99	
15+15+42+50+50	1.04	1.04	2.93 *	3.48 *	3.48 *	-	11.98 3.50 - 13.19	3.863 0.530 - 4.953	16.23	16.97	17.71	99	
15+15+50+50+50	1.00	1.00	3.33 *	3.33 *	3.33 *	-	11.98 3.50 - 13.19	3.880 0.530 - 4.970	16.30	17.04	17.78	99	
15+18+18+18+18	1.47	1.76	1.76	1.76	1.76	-	8.50 3.30 - 10.94	2.290 0.530 - 4.930	9.62	10.06	10.50	99	
15+18+18+18+20	1.48	1.78	1.78	1.78	1.98	-	8.80 3.30 - 11.15	2.409 0.530 - 4.969	10.12	10.58	11.04	99	
15+18+18+18+22	1.47	1.76	1.76	1.76	2.15	-	8.90 3.30 - 11.15	2.516 0.530 - 4.986	10.57	11.05	11.53	99	
15+18+18+18+25	1.48	1.78	1.78	1.78	2.47	-	9.30 3.30 - 11.40	2.669 0.530 - 4.979	11.21	11.72	12.23	99	
15+18+18+18+35	1.49	1.78	1.78	1.78	3.47	-	10.30 3.38 - 12.26	3.089 0.530 - 4.979	12.98	13.57	14.16	99	
15+18+18+18+42	1.48	1.78	1.78	1.78	4.15 *	-	10.96 3.50 - 13.10	3.279 0.530 - 4.979	13.77	14.40	15.03	99	
15+18+18+18+50	1.44	1.73	1.73	1.73	4.81 *	-	11.44 3.50 - 13.10	3.463 0.530 - 4.973	14.55	15.21	15.87	99	
15+18+18+18+60	1.37	1.65	1.65	1.65	5.50	-	11.82 3.50 - 13.12	3.623 0.530 - 4.973	15.22	15.91	16.60	99	
15+18+18+18+71	1.27	1.53	1.53	1.53	6.03	-	11.89 3.50 - 13.16	3.676 0.530 - 4.956	15.44	16.14	16.84	99	
15+18+18+20+20	1.48	1.78	1.78	1.98	1.98	-	9.00 3.30 - 11.25	2.490 0.530 - 4.960	10.46	10.94	11.42	99	
15+18+18+20+22	1.45	1.74	1.74	1.94	2.13	-	9.00 3.30 - 11.15	2.633 0.530 - 4.993	11.06	11.56	12.06	99	
15+18+18+20+25	1.47	1.76	1.76	1.96	2.45	-	9.40 3.30 - 11.40	2.776 0.530 - 4.986	11.66	12.19	12.72	99	
15+18+18+20+35	1.47	1.77	1.77	1.96	3.43	-	10.40 3.42 - 12.44	3.156 0.530 - 4.986	13.26	13.86	14.46	99	
15+18+18+20+42	1.46	1.75	1.75	1.94	4.08 *	-	10.98 3.50 - 13.00	3.336 0.530 - 4.986	14.01	14.65	15.29	99	
15+18+18+20+50	1.42	1.70	1.70	1.89	4.74 *	-	11.46 3.50 - 13.00	3.520 0.530 - 4.980	14.79	15.46	16.13	99	
15+18+18+20+60	1.34	1.61	1.61	1.79	5.38	-	11.74 3.50 - 13.02	3.650 0.530 - 4.980	15.33	16.03	16.73	99	
15+18+18+20+71	1.25	1.50	1.50	1.66	5.90	-	11.80 3.50 - 13.07	3.693 0.530 - 4.963	15.51	16.22	16.93	99	
15+18+18+22+22	1.47	1.76	1.76	2.15	2.15	-	9.30 3.30 - 11.35	2.707 0.530 - 4.967	11.37	11.89	12.41	99	
15+18+18+22+25	1.48	1.78	1.78	2.18	2.47	-	9.70 3.30 - 11.60	2.879 0.530 - 4.979	12.09	12.64	13.19	99	

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
15+18+18+22+35	1.49	1.78	1.78	2.18	3.47	-	10.70 3.46 - 12.82	3.199 0.530 - 4.979	13.44	14.05	14.66	99	
15+18+18+22+42	1.46	1.75	1.75	2.14	4.09 *	-	11.20 3.50 - 13.10	3.379 0.530 - 4.979	14.19	14.84	15.49	99	
15+18+18+22+50	1.42	1.71	1.71	2.09	4.75 *	-	11.68 3.50 - 13.10	3.553 0.530 - 4.973	14.92	15.60	16.28	99	
15+18+18+22+60	1.34	1.60	1.60	1.96	5.35	-	11.85 3.50 - 13.13	3.653 0.530 - 4.973	15.34	16.04	16.74	99	
15+18+18+22+71	1.24	1.49	1.49	1.82	5.87	-	11.91 3.50 - 13.18	3.696 0.530 - 4.956	15.52	16.23	16.94	99	
15+18+18+25+25	1.49	1.78	1.78	2.48	2.48	-	10.00 3.32 - 11.84	2.990 0.530 - 4.960	12.56	13.13	13.70	99	
15+18+18+25+35	1.48	1.78	1.78	2.47	3.46	-	10.96 3.50 - 13.10	3.279 0.530 - 4.979	13.77	14.40	15.03	99	
15+18+18+25+42	1.45	1.74	1.74	2.41	4.05 *	-	11.38 3.50 - 13.10	3.449 0.530 - 4.979	14.49	15.15	15.81	99	
15+18+18+25+50	1.41	1.69	1.69	2.34	4.69 *	-	11.81 3.50 - 13.10	3.613 0.530 - 4.973	15.18	15.87	16.56	99	
15+18+18+25+60	1.31	1.57	1.57	2.18	5.24	-	11.87 3.50 - 13.14	3.673 0.530 - 4.973	15.43	16.13	16.83	99	
15+18+18+25+71	1.22	1.46	1.46	2.03	5.76	-	11.93 3.50 - 13.19	3.716 0.530 - 4.956	15.61	16.32	17.03	99	
15+18+18+35+35	1.43	1.72	1.72	3.34	3.34	-	11.56 3.50 - 13.10	3.500 0.530 - 4.960	14.70	15.37	16.04	99	
15+18+18+35+42	1.39	1.66	1.66	3.23	3.88 *	-	11.82 3.50 - 13.11	3.629 0.530 - 4.979	15.25	15.94	16.63	99	
15+18+18+35+50	1.31	1.57	1.57	3.05	4.36 *	-	11.87 3.50 - 13.14	3.673 0.530 - 4.973	15.43	16.13	16.83	99	
15+18+18+35+60	1.23	1.47	1.47	2.86	4.90	-	11.93 3.50 - 13.18	3.733 0.530 - 4.973	15.68	16.39	17.10	99	
15+18+18+35+71	1.15	1.37	1.37	2.67	5.42	-	11.99 3.50 - 13.23	3.776 0.530 - 4.956	15.86	16.58	17.30	99	
15+18+18+42+42	1.32	1.58	1.58	3.69 *	3.69 *	-	11.86 3.50 - 13.14	3.650 0.530 - 4.960	15.33	16.03	16.73	99	
15+18+18+42+50	1.25	1.50	1.50	3.50 *	4.16 *	-	11.91 3.50 - 13.17	3.707 0.530 - 4.967	15.57	16.28	16.99	99	
15+18+18+42+60	1.17	1.41	1.41	3.29 *	4.69	-	11.97 3.50 - 13.21	3.767 0.530 - 4.967	15.82	16.54	17.26	99	
15+18+18+42+71	1.10	1.32	1.32	3.08 *	5.21	-	12.03 3.50 - 13.26	3.810 0.530 - 4.950	16.00	16.73	17.46	99	
15+18+18+50+50	1.19	1.43	1.43	3.96 *	3.96 *	-	11.96 3.50 - 13.20	3.744 0.530 - 4.954	15.73	16.44	17.15	99	
15+18+18+50+60	1.12	1.34	1.34	3.73 *	4.48	-	12.02 3.50 - 13.24	3.817 0.530 - 4.967	16.03	16.76	17.49	99	
15+18+18+50+71	1.05	1.26	1.26	3.51 *	4.99	-	12.08 3.50 - 13.29	3.860 0.530 - 4.950	16.21	16.95	17.69	99	
15+18+18+60+60	1.06	1.27	1.27	4.24	4.24	-	12.08 3.50 - 13.28	3.864 0.530 - 4.954	16.23	16.97	17.71	99	
15+18+20+20+20	1.48	1.78	1.98	1.98	1.98	-	9.20 3.30 - 11.35	2.573 0.530 - 4.933	10.81	11.30	11.79	99	
15+18+20+20+22	1.44	1.72	1.92	1.92	2.11	-	9.10 3.30 - 11.15	2.740 0.530 - 5.000	11.51	12.03	12.55	99	
15+18+20+20+25	1.45	1.74	1.94	1.94	2.42	-	9.50 3.30 - 11.40	2.893 0.530 - 4.993	12.16	12.71	13.26	99	
15+18+20+20+35	1.46	1.75	1.94	1.94	3.40	-	10.50 3.46 - 12.62	3.213 0.530 - 4.993	13.50	14.11	14.72	99	
15+18+20+20+42	1.43	1.72	1.91	1.91	4.02 *	-	11.00 3.50 - 12.90	3.393 0.530 - 4.993	14.25	14.90	15.55	99	
15+18+20+20+50	1.40	1.68	1.87	1.87	4.67 *	-	11.48 3.50 - 12.90	3.567 0.530 - 4.987	14.99	15.67	16.35	99	
15+18+20+20+60	1.31	1.58	1.75	1.75	5.26	-	11.65 3.50 - 12.93	3.667 0.530 - 4.987	15.40	16.10	16.80	99	
15+18+20+20+71	1.22	1.46	1.63	1.63	5.77	-	11.71 3.50 - 12.98	3.710 0.530 - 4.970	15.58	16.29	17.00	99	
15+18+20+22+22	1.45	1.74	1.94	2.13	2.13	-	9.40 3.30 - 11.35	2.814 0.530 - 4.974	11.82	12.36	12.90	99	
15+18+20+22+25	1.47	1.76	1.96	2.16	2.45	-	9.80 3.30 - 11.60	2.986 0.530 - 4.986	12.54	13.11	13.68	99	
15+18+20+22+35	1.47	1.77	1.96	2.16	3.44	-	10.80 3.50 - 13.00	3.266 0.530 - 4.986	13.72	14.34	14.96	99	
15+18+20+22+42	1.44	1.73	1.92	2.11	4.03 *	-	11.22 3.50 - 13.00	3.426 0.530 - 4.986	14.40	15.05	15.70	99	
15+18+20+22+50	1.40	1.68	1.87	2.06	4.68 *	-	11.70 3.50 - 13.00	3.610 0.530 - 4.980	15.16	15.85	16.54	99	
15+18+20+22+60	1.31	1.57	1.74	1.92	5.23	-	11.76 3.50 - 13.04	3.670 0.530 - 4.980	15.42	16.12	16.82	99	
15+18+20+22+71	1.22	1.46	1.62	1.78	5.75	-	11.83 3.50 - 13.08	3.723 0.530 - 4.963	15.64	16.35	17.06	99	
15+18+20+25+25	1.47	1.77	1.96	2.45	2.45	-	10.10 3.36 - 12.02	3.047 0.530 - 4.967	12.80	13.38	13.96	99	
15+18+20+25+35	1.46	1.75	1.94	2.43	3.40	-	10.98 3.50 - 13.00	3.336 0.530 - 4.986	14.01	14.65	15.29	99	
15+18+20+25+42	1.43	1.71	1.90	2.38	3.99 *	-	11.40 3.50 - 13.00	3.496 0.530 - 4.986	14.68	15.35	16.02	99	
15+18+20+25+50	1.37	1.65	1.83	2.29	4.58 *	-	11.72 3.50 - 13.01	3.630 0.530 - 4.980	15.25	15.94	16.63	99	
15+18+20+25+60	1.28	1.54	1.71	2.13	5.12	-	11.78 3.50 - 13.05	3.690 0.530 - 4.980	15.51	16.21	16.91	99	

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
15+18+20+25+71	1.19	1.43	1.59	1.99	5.64	-	11.84 3.50 - 13.10	3.733 0.530 - 4.963	15.68	16.39	17.10	99
15+18+20+35+35	1.41	1.69	1.88	3.30	3.30	-	11.58 3.50 - 13.00	3.547 0.530 - 4.967	14.90	15.58	16.26	99
15+18+20+35+42	1.35	1.62	1.80	3.16	3.79	*	11.73 3.50 - 13.02	3.646 0.530 - 4.986	15.31	16.01	16.71	99
15+18+20+35+50	1.28	1.54	1.71	2.99	4.27	*	11.78 3.50 - 13.05	3.690 0.530 - 4.980	15.51	16.21	16.91	99
15+18+20+35+60	1.20	1.44	1.60	2.80	4.80	-	11.84 3.50 - 13.09	3.750 0.530 - 4.980	15.75	16.47	17.19	99
15+18+20+35+71	1.12	1.35	1.50	2.62	5.31	-	11.90 3.50 - 13.14	3.793 0.530 - 4.963	15.94	16.66	17.38	99
15+18+20+42+42	1.29	1.55	1.72	3.61	3.61	*	11.77 3.50 - 13.05	3.667 0.530 - 4.967	15.40	16.10	16.80	99
15+18+20+42+50	1.22	1.47	1.63	3.42	4.08	*	11.82 3.50 - 13.08	3.724 0.530 - 4.974	15.64	16.35	17.06	99
15+18+20+42+60	1.15	1.38	1.53	3.22	4.60	-	11.88 3.50 - 13.12	3.784 0.530 - 4.974	15.90	16.62	17.34	99
15+18+20+42+71	1.08	1.30	1.44	3.02	5.11	-	11.95 3.50 - 13.16	3.837 0.530 - 4.957	16.12	16.85	17.58	99
15+18+20+50+50	1.16	1.40	1.55	3.88	3.88	*	11.87 3.50 - 13.11	3.761 0.530 - 4.961	15.80	16.52	17.24	99
15+18+20+50+60	1.10	1.32	1.46	3.66	4.39	-	11.93 3.50 - 13.15	3.834 0.530 - 4.974	16.11	16.84	17.57	99
15+18+20+50+71	1.03	1.24	1.38	3.44	4.89	-	11.98 3.50 - 13.19	3.867 0.530 - 4.957	16.24	16.98	17.72	99
15+18+20+60+60	1.04	1.25	1.38	4.15	4.15	-	11.98 3.50 - 13.19	3.871 0.530 - 4.961	16.26	17.00	17.74	99
15+18+22+22+22	1.47	1.76	2.16	2.16	2.16	-	9.70 3.30 - 11.55	2.890 0.530 - 4.940	12.14	12.69	13.24	99
15+18+22+22+25	1.49	1.78	2.18	2.18	2.48	-	10.10 3.34 - 11.98	3.039 0.530 - 4.979	12.77	13.35	13.93	99
15+18+22+22+35	1.48	1.77	2.16	2.16	3.44	-	11.02 3.50 - 13.10	3.309 0.530 - 4.979	13.90	14.53	15.16	99
15+18+22+22+42	1.44	1.73	2.11	2.11	4.04	*	11.44 3.50 - 13.10	3.469 0.530 - 4.979	14.57	15.23	15.89	99
15+18+22+22+50	1.39	1.67	2.05	2.05	4.65	*	11.81 3.50 - 13.11	3.613 0.530 - 4.973	15.18	15.87	16.56	99
15+18+22+22+60	1.30	1.56	1.91	1.91	5.20	-	11.87 3.50 - 13.15	3.673 0.530 - 4.973	15.43	16.13	16.83	99
15+18+22+22+71	1.21	1.45	1.77	1.77	5.73	-	11.94 3.50 - 13.19	3.726 0.530 - 4.956	15.65	16.36	17.07	99
15+18+22+25+25	1.49	1.78	2.18	2.48	2.48	-	10.40 3.40 - 12.40	3.100 0.530 - 4.960	13.02	13.61	14.20	99
15+18+22+25+35	1.46	1.75	2.14	2.43	3.41	-	11.20 3.50 - 13.10	3.379 0.530 - 4.979	14.19	14.84	15.49	99
15+18+22+25+50	1.37	1.64	2.00	2.28	4.55	*	11.83 3.50 - 13.12	3.639 0.530 - 4.979	15.29	15.98	16.67	99
15+18+22+25+60	1.27	1.53	1.87	2.12	5.10	-	11.89 3.50 - 13.16	3.693 0.530 - 4.973	15.51	16.22	16.93	99
15+18+22+25+71	1.19	1.43	1.74	1.98	5.62	-	11.96 3.50 - 13.20	3.746 0.530 - 4.956	15.73	16.45	17.17	99
15+18+22+35+35	1.42	1.70	2.08	3.30	3.30	-	11.80 3.50 - 13.10	3.590 0.530 - 4.960	15.08	15.77	16.46	99
15+18+22+35+42	1.35	1.61	1.97	3.14	3.77	*	11.84 3.50 - 13.13	3.649 0.530 - 4.979	15.33	16.03	16.73	99
15+18+22+35+50	1.27	1.53	1.87	2.97	4.25	*	11.89 3.50 - 13.16	3.693 0.530 - 4.973	15.51	16.22	16.93	99
15+18+22+35+60	1.20	1.43	1.75	2.79	4.78	-	11.95 3.50 - 13.20	3.753 0.530 - 4.973	15.76	16.48	17.20	99
15+18+22+35+71	1.12	1.34	1.64	2.61	5.30	-	12.02 3.50 - 13.24	3.806 0.530 - 4.956	15.98	16.71	17.44	99
15+18+22+42+42	1.28	1.54	1.88	3.59	3.59	*	11.88 3.50 - 13.16	3.670 0.530 - 4.960	15.42	16.12	16.82	99
15+18+22+42+50	1.22	1.46	1.79	3.41	4.06	*	11.93 3.50 - 13.19	3.727 0.530 - 4.967	15.66	16.37	17.08	99
15+18+22+42+60	1.15	1.37	1.68	3.21	4.58	-	11.99 3.50 - 13.23	3.787 0.530 - 4.967	15.91	16.63	17.35	99
15+18+22+42+71	1.08	1.29	1.58	3.02	5.10	-	12.06 3.50 - 13.27	3.840 0.530 - 4.950	16.13	16.86	17.59	99
15+18+22+50+50	1.16	1.39	1.70	3.86	3.86	*	11.98 3.50 - 13.22	3.764 0.530 - 4.954	15.81	16.53	17.25	99
15+18+22+50+60	1.09	1.31	1.61	3.65	4.38	-	12.04 3.50 - 13.26	3.837 0.530 - 4.967	16.12	16.85	17.58	99
15+18+22+50+71	1.03	1.24	1.51	3.43	4.87	-	12.08 3.50 - 13.29	3.860 0.530 - 4.950	16.21	16.95	17.69	99
15+18+22+60+60	1.04	1.24	1.52	4.14	4.14	-	12.08 3.50 - 13.29	3.864 0.530 - 4.954	16.23	16.97	17.71	99
15+18+25+25+25	1.49	1.78	2.48	2.48	2.48	-	10.70 3.46 - 12.82	3.153 0.530 - 4.933	13.25	13.85	14.45	99
15+18+25+25+35	1.45	1.74	2.41	2.41	3.38	-	11.38 3.50 - 13.10	3.449 0.530 - 4.979	14.49	15.15	15.81	99
15+18+25+25+42	1.42	1.70	2.36	2.36	3.96	*	11.80 3.50 - 13.10	3.609 0.530 - 4.979	15.16	15.85	16.54	99
15+18+25+25+50	1.34	1.60	2.23	2.23	4.45	*	11.85 3.50 - 13.13	3.653 0.530 - 4.973	15.34	16.04	16.74	99
15+18+25+25+60	1.25	1.50	2.08	2.08	5.00	-	11.91 3.50 - 13.17	3.713 0.530 - 4.973	15.60	16.31	17.02	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
15+18+25+25+71	1.17	1.40	1.94	1.94	5.52	-	11.97 3.50 - 13.22	3.756 0.530 - 4.956	15.78	16.50	17.22	99	
15+18+25+35+35	1.39	1.66	2.31	3.23	3.23	-	11.82 3.50 - 13.11	3.610 0.530 - 4.960	15.16	15.85	16.54	99	
15+18+25+35+42	1.32	1.58	2.20	3.07	3.69 *	-	11.86 3.50 - 13.14	3.669 0.530 - 4.979	15.41	16.11	16.81	99	
15+18+25+35+50	1.25	1.50	2.08	2.92	4.16 *	-	11.91 3.50 - 13.17	3.713 0.530 - 4.973	15.60	16.31	17.02	99	
15+18+25+35+60	1.17	1.41	1.96	2.74	4.69	-	11.97 3.50 - 13.21	3.773 0.530 - 4.973	15.85	16.57	17.29	99	
15+18+25+35+71	1.10	1.32	1.83	2.57	5.21	-	12.03 3.50 - 13.26	3.816 0.530 - 4.956	16.03	16.76	17.49	99	
15+18+25+42+42	1.26	1.51	2.10	3.52 *	3.52 *	-	11.90 3.50 - 13.17	3.690 0.530 - 4.960	15.51	16.21	16.91	99	
15+18+25+42+50	1.20	1.43	1.99	3.35 *	3.98 *	-	11.95 3.50 - 13.20	3.747 0.530 - 4.967	15.74	16.46	17.18	99	
15+18+25+42+60	1.13	1.35	1.88	3.15 *	4.50	-	12.01 3.50 - 13.24	3.807 0.530 - 4.967	15.99	16.72	17.45	99	
15+18+25+42+71	1.06	1.27	1.77	2.97 *	5.02	-	12.08 3.50 - 13.28	3.860 0.530 - 4.950	16.21	16.95	17.69	99	
15+18+25+50+50	1.14	1.37	1.90	3.80 *	3.80 *	-	12.00 3.50 - 13.23	3.784 0.530 - 4.954	15.90	16.62	17.34	99	
15+18+25+50+60	1.08	1.29	1.79	3.59 *	4.31	-	12.06 3.50 - 13.27	3.857 0.530 - 4.967	16.20	16.94	17.68	99	
15+18+25+50+71	1.01	1.21	1.69	3.37 *	4.79	-	12.08 3.50 - 13.29	3.860 0.530 - 4.950	16.21	16.95	17.69	99	
15+18+25+60+60	1.02	1.22	1.70	4.07	4.07	-	12.08 3.50 - 13.29	3.864 0.530 - 4.954	16.23	16.97	17.71	99	
15+18+35+35+35	1.29	1.55	3.01	3.01	3.01	-	11.88 3.50 - 13.15	3.643 0.530 - 4.933	15.30	16.00	16.70	99	
15+18+35+35+42	1.23	1.48	2.88	2.88	3.45 *	-	11.92 3.50 - 13.18	3.729 0.530 - 4.979	15.67	16.38	17.09	99	
15+18+35+35+50	1.17	1.41	2.74	2.74	3.91 *	-	11.97 3.50 - 13.21	3.773 0.530 - 4.973	15.85	16.57	17.29	99	
15+18+35+35+60	1.11	1.33	2.58	2.58	4.43	-	12.03 3.50 - 13.25	3.833 0.530 - 4.973	16.10	16.83	17.56	99	
15+18+35+35+71	1.04	1.25	2.43	2.43	4.93	-	12.08 3.50 - 13.29	3.866 0.530 - 4.956	16.24	16.98	17.72	99	
15+18+35+42+42	1.18	1.42	2.75	3.30 *	3.30 *	-	11.96 3.50 - 13.21	3.750 0.530 - 4.960	15.75	16.47	17.19	99	
15+18+35+42+50	1.13	1.35	2.63	3.15 *	3.75 *	-	12.01 3.50 - 13.24	3.807 0.530 - 4.967	15.99	16.72	17.45	99	
15+18+35+42+60	1.07	1.28	2.49	2.98 *	4.26	-	12.07 3.50 - 13.28	3.867 0.530 - 4.967	16.24	16.98	17.72	99	
15+18+35+50+50	1.08	1.29	2.51	3.59 *	3.59 *	-	12.06 3.50 - 13.27	3.840 0.530 - 4.950	16.13	16.86	17.59	99	
15+18+35+50+60	1.02	1.22	2.38	3.39 *	4.07	-	12.08 3.50 - 13.29	3.877 0.530 - 4.967	16.29	17.03	17.77	99	
15+18+42+42+42	1.13	1.36	3.17 *	3.17 *	3.17 *	-	12.00 3.50 - 13.24	3.780 0.530 - 4.950	15.88	16.60	17.32	99	
15+18+42+42+50	1.08	1.30	3.03 *	3.03 *	3.61 *	-	12.05 3.50 - 13.27	3.841 0.530 - 4.961	16.14	16.87	17.60	99	
15+18+42+42+60	1.02	1.23	2.87 *	2.87 *	4.09	-	12.08 3.50 - 13.29	3.871 0.530 - 4.961	16.26	17.00	17.74	99	
15+18+42+50+50	1.04	1.24	2.90 *	3.45 *	3.45 *	-	12.08 3.50 - 13.29	3.854 0.530 - 4.944	16.19	16.93	17.67	99	
15+20+20+20+20	1.48	1.98	1.98	1.98	1.98	-	9.40 3.30 - 11.45	2.701 0.530 - 4.961	11.34	11.86	12.38	99	
15+20+20+20+22	1.42	1.90	1.90	1.90	2.09	-	9.20 3.30 - 11.15	2.847 0.530 - 5.007	11.96	12.50	13.04	99	
15+20+20+20+25	1.44	1.92	1.92	1.92	2.40	-	9.60 3.30 - 11.40	3.000 0.530 - 5.000	12.61	13.18	13.75	99	
15+20+20+20+35	1.45	1.93	1.93	1.93	3.37	-	10.60 3.50 - 12.80	3.280 0.530 - 5.000	13.77	14.40	15.03	99	
15+20+20+20+42	1.41	1.88	1.88	1.88	3.96 *	-	11.02 3.50 - 12.80	3.440 0.530 - 5.000	14.45	15.11	15.77	99	
15+20+20+20+50	1.38	1.84	1.84	1.84	4.60 *	-	11.50 3.50 - 12.80	3.624 0.530 - 4.994	15.23	15.92	16.61	99	
15+20+20+20+60	1.28	1.71	1.71	1.71	5.14	-	11.56 3.50 - 12.84	3.684 0.530 - 4.994	15.48	16.18	16.88	99	
15+20+20+20+71	1.19	1.59	1.59	1.59	5.66	-	11.63 3.50 - 12.88	3.737 0.530 - 4.977	15.70	16.41	17.12	99	
15+20+20+22+22	1.44	1.92	1.92	2.11	2.11	-	9.50 3.30 - 11.35	2.931 0.530 - 4.981	12.31	12.87	13.43	99	
15+20+20+22+25	1.46	1.94	1.94	2.14	2.43	-	9.90 3.34 - 11.78	3.053 0.530 - 4.993	12.83	13.41	13.99	99	
15+20+20+22+35	1.45	1.93	1.93	2.13	3.38	-	10.82 3.50 - 12.90	3.323 0.530 - 4.993	13.96	14.59	15.22	99	
15+20+20+22+42	1.42	1.89	1.89	2.08	3.97 *	-	11.24 3.50 - 12.90	3.483 0.530 - 4.993	14.63	15.30	15.97	99	
15+20+20+22+50	1.37	1.83	1.83	2.01	4.57 *	-	11.61 3.50 - 12.91	3.627 0.530 - 4.987	15.24	15.93	16.62	99	
15+20+20+22+60	1.28	1.70	1.70	1.87	5.11	-	11.67 3.50 - 12.95	3.687 0.530 - 4.987	15.49	16.19	16.89	99	
15+20+20+22+71	1.19	1.59	1.59	1.75	5.63	-	11.74 3.50 - 12.99	3.740 0.530 - 4.970	15.72	16.43	17.14	99	
15+20+20+25+25	1.46	1.94	1.94	2.43	2.43	-	10.20 3.40 - 12.20	3.114 0.530 - 4.974	13.09	13.68	14.27	99	

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
15+20+20+25+35	1.43	1.91	1.91	2.39	3.35	-	11.00 3.50 - 12.90	3.393 0.530 - 4.993	14.25	14.90	15.55	99	
15+20+20+25+50	1.34	1.79	1.79	2.24	4.47 *	-	11.63 3.50 - 12.92	3.653 0.530 - 4.993	15.34	16.04	16.74	99	
15+20+20+25+60	1.25	1.67	1.67	2.09	5.01	-	11.69 3.50 - 12.96	3.707 0.530 - 4.987	15.57	16.28	16.99	99	
15+20+20+25+71	1.17	1.56	1.56	1.95	5.53	-	11.76 3.50 - 13.00	3.760 0.530 - 4.970	15.79	16.51	17.23	99	
15+20+20+35+35	1.39	1.86	1.86	3.25	3.25	-	11.60 3.50 - 12.90	3.604 0.530 - 4.974	15.14	15.83	16.52	99	
15+20+20+35+42	1.32	1.76	1.76	3.09	3.70 *	-	11.64 3.50 - 12.93	3.663 0.530 - 4.993	15.39	16.09	16.79	99	
15+20+20+35+50	1.25	1.67	1.67	2.92	4.18 *	-	11.69 3.50 - 12.96	3.707 0.530 - 4.987	15.57	16.28	16.99	99	
15+20+20+35+60	1.18	1.57	1.57	2.74	4.70	-	11.75 3.50 - 13.00	3.767 0.530 - 4.987	15.82	16.54	17.26	99	
15+20+20+35+71	1.10	1.47	1.47	2.57	5.21	-	11.82 3.50 - 13.04	3.820 0.530 - 4.970	16.05	16.78	17.51	99	
15+20+20+42+42	1.26	1.68	1.68	3.53 *	3.53 *	-	11.68 3.50 - 12.96	3.684 0.530 - 4.974	15.48	16.18	16.88	99	
15+20+20+42+50	1.20	1.60	1.60	3.35 *	3.99 *	-	11.73 3.50 - 12.99	3.741 0.530 - 4.981	15.72	16.43	17.14	99	
15+20+20+42+60	1.13	1.50	1.50	3.15 *	4.51	-	11.79 3.50 - 13.03	3.801 0.530 - 4.981	15.96	16.69	17.42	99	
15+20+20+42+71	1.06	1.41	1.41	2.97 *	5.01	-	11.86 3.50 - 13.07	3.854 0.530 - 4.964	16.19	16.93	17.67	99	
15+20+20+50+50	1.14	1.52	1.52	3.80 *	3.80 *	-	11.78 3.50 - 13.02	3.778 0.530 - 4.968	15.87	16.59	17.31	99	
15+20+20+50+60	1.08	1.44	1.44	3.59 *	4.31	-	11.84 3.50 - 13.06	3.851 0.530 - 4.981	16.17	16.91	17.65	99	
15+20+20+50+71	1.01	1.35	1.35	3.38 *	4.79	-	11.88 3.50 - 13.09	3.874 0.530 - 4.964	16.27	17.01	17.75	99	
15+20+20+60+60	1.02	1.36	1.36	4.07	4.07	-	11.88 3.50 - 13.09	3.878 0.530 - 4.968	16.29	17.03	17.77	99	
15+20+22+22+22	1.46	1.94	2.13	2.13	2.13	-	9.80 3.32 - 11.64	2.977 0.530 - 4.947	12.50	13.07	13.64	99	
15+20+22+22+25	1.47	1.96	2.16	2.16	2.45	-	10.20 3.38 - 12.16	3.096 0.530 - 4.986	13.01	13.60	14.19	99	
15+20+22+22+35	1.45	1.94	2.13	2.13	3.39	-	11.04 3.50 - 13.00	3.356 0.530 - 4.986	14.10	14.74	15.38	99	
15+20+22+22+42	1.42	1.89	2.08	2.08	3.98 *	-	11.46 3.50 - 13.00	3.526 0.530 - 4.986	14.82	15.49	16.16	99	
15+20+22+22+50	1.36	1.82	2.00	2.00	4.54 *	-	11.72 3.50 - 13.02	3.630 0.530 - 4.980	15.25	15.94	16.63	99	
15+20+22+22+60	1.27	1.69	1.86	1.86	5.08	-	11.78 3.50 - 13.06	3.690 0.530 - 4.980	15.51	16.21	16.91	99	
15+20+22+22+71	1.19	1.58	1.74	1.74	5.61	-	11.85 3.50 - 13.10	3.743 0.530 - 4.963	15.73	16.44	17.15	99	
15+20+22+25+25	1.47	1.96	2.16	2.45	2.45	-	10.50 3.44 - 12.58	3.167 0.530 - 4.967	13.31	13.91	14.51	99	
15+20+22+25+35	1.44	1.92	2.11	2.40	3.36	-	11.22 3.50 - 13.00	3.426 0.530 - 4.986	14.40	15.05	15.70	99	
15+20+22+25+42	1.41	1.88	2.07	2.35	3.94 *	-	11.64 3.50 - 13.00	3.596 0.530 - 4.986	15.10	15.79	16.48	99	
15+20+22+25+50	1.33	1.78	1.96	2.22	4.45 *	-	11.74 3.50 - 13.03	3.650 0.530 - 4.980	15.33	16.03	16.73	99	
15+20+22+25+60	1.25	1.66	1.83	2.08	4.99	-	11.80 3.50 - 13.07	3.710 0.530 - 4.980	15.58	16.29	17.00	99	
15+20+22+25+71	1.16	1.55	1.71	1.94	5.51	-	11.87 3.50 - 13.11	3.763 0.530 - 4.963	15.81	16.53	17.25	99	
15+20+22+35+35	1.38	1.84	2.03	3.23	3.23	-	11.71 3.50 - 13.01	3.607 0.530 - 4.967	15.15	15.84	16.53	99	
15+20+22+35+42	1.32	1.75	1.93	3.07	3.68 *	-	11.75 3.50 - 13.04	3.666 0.530 - 4.986	15.40	16.10	16.80	99	
15+20+22+35+50	1.25	1.66	1.83	2.91	4.15 *	-	11.80 3.50 - 13.07	3.710 0.530 - 4.980	15.58	16.29	17.00	99	
15+20+22+35+60	1.17	1.56	1.72	2.73	4.68	-	11.86 3.50 - 13.11	3.770 0.530 - 4.980	15.84	16.56	17.28	99	
15+20+22+35+71	1.10	1.46	1.61	2.56	5.20	-	11.93 3.50 - 13.15	3.823 0.530 - 4.963	16.06	16.79	17.52	99	
15+20+22+42+42	1.26	1.67	1.84	3.51 *	3.51 *	-	11.80 3.50 - 13.06	3.697 0.530 - 4.967	15.53	16.24	16.95	99	
15+20+22+42+50	1.19	1.59	1.75	3.34 *	3.97 *	-	11.84 3.50 - 13.10	3.744 0.530 - 4.974	15.73	16.44	17.15	99	
15+20+22+42+60	1.12	1.50	1.65	3.14 *	4.49	-	11.90 3.50 - 13.14	3.804 0.530 - 4.974	15.98	16.71	17.44	99	
15+20+22+42+71	1.06	1.41	1.55	2.96 *	5.00	-	11.97 3.50 - 13.18	3.857 0.530 - 4.957	16.20	16.94	17.68	99	
15+20+22+50+50	1.14	1.51	1.67	3.79 *	3.79 *	-	11.89 3.50 - 13.13	3.781 0.530 - 4.961	15.89	16.61	17.33	99	
15+20+22+50+60	1.07	1.43	1.57	3.58 *	4.29	-	11.95 3.50 - 13.17	3.854 0.530 - 4.974	16.19	16.93	17.67	99	
15+20+22+50+71	1.01	1.35	1.48	3.37 *	4.78	-	11.98 3.50 - 13.19	3.867 0.530 - 4.957	16.24	16.98	17.72	99	
15+20+22+60+60	1.02	1.35	1.49	4.06	4.06	-	11.98 3.50 - 13.19	3.871 0.530 - 4.961	16.26	17.00	17.74	99	
15+20+25+25+25	1.47	1.96	2.45	2.45	2.45	-	10.80 3.50 - 13.00	3.220 0.530 - 4.940	13.53	14.14	14.75	99	

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)							Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total		220	230	240	
15+20+25+25+35	1.43	1.90	2.38	2.38	3.33	-	11.40 3.50 - 13.00	3.496 0.530 - 4.986	14.68	15.35	16.02	99
15+20+25+25+42	1.38	1.84	2.31	2.31	3.87 *	-	11.71 3.50 - 13.01	3.626 0.530 - 4.986	15.23	15.92	16.61	99
15+20+25+25+50	1.31	1.74	2.18	2.18	4.36 *	-	11.76 3.50 - 13.04	3.670 0.530 - 4.980	15.42	16.12	16.82	99
15+20+25+25+60	1.22	1.63	2.04	2.04	4.89	-	11.82 3.50 - 13.08	3.730 0.530 - 4.980	15.67	16.38	17.09	99
15+20+25+25+71	1.14	1.52	1.91	1.91	5.41	-	11.89 3.50 - 13.12	3.783 0.530 - 4.963	15.89	16.61	17.33	99
15+20+25+35+35	1.35	1.80	2.26	3.16	3.16	-	11.73 3.50 - 13.02	3.627 0.530 - 4.967	15.24	15.93	16.62	99
15+20+25+35+42	1.29	1.72	2.15	3.01	3.61 *	-	11.77 3.50 - 13.05	3.686 0.530 - 4.986	15.49	16.19	16.89	99
15+20+25+35+50	1.22	1.63	2.04	2.85	4.08 *	-	11.82 3.50 - 13.08	3.730 0.530 - 4.980	15.67	16.38	17.09	99
15+20+25+35+60	1.15	1.53	1.92	2.68	4.60	-	11.88 3.50 - 13.12	3.790 0.530 - 4.980	15.92	16.64	17.36	99
15+20+25+35+71	1.08	1.44	1.80	2.52	5.11	-	11.95 3.50 - 13.16	3.843 0.530 - 4.963	16.15	16.88	17.61	99
15+20+25+42+42	1.23	1.64	2.05	3.44 *	3.44 *	-	11.81 3.50 - 13.08	3.707 0.530 - 4.967	15.57	16.28	16.99	99
15+20+25+42+50	1.17	1.56	1.95	3.28 *	3.90 *	-	11.86 3.50 - 13.11	3.764 0.530 - 4.974	15.81	16.53	17.25	99
15+20+25+42+60	1.10	1.47	1.84	3.09 *	4.41	-	11.92 3.50 - 13.15	3.824 0.530 - 4.974	16.06	16.79	17.52	99
15+20+25+42+71	1.04	1.38	1.73	2.91 *	4.92	-	11.98 3.50 - 13.19	3.867 0.530 - 4.957	16.24	16.98	17.72	99
15+20+25+50+50	1.12	1.49	1.86	3.72 *	3.72 *	-	11.91 3.50 - 13.14	3.801 0.530 - 4.961	15.96	16.69	17.42	99
15+20+25+50+60	1.06	1.41	1.76	3.52 *	4.22	-	11.97 3.50 - 13.18	3.874 0.530 - 4.974	16.27	17.01	17.75	99
15+20+25+60+60	1.00	1.33	1.66	3.99	3.99	-	11.98 3.50 - 13.19	3.867 0.530 - 4.957	16.24	16.98	17.72	99
15+20+35+35+35	1.26	1.68	2.95	2.95	2.95	-	11.79 3.50 - 13.06	3.660 0.530 - 4.940	15.37	16.07	16.77	99
15+20+35+35+42	1.21	1.61	2.82	2.82	3.38 *	-	11.83 3.50 - 13.09	3.746 0.530 - 4.986	15.73	16.45	17.17	99
15+20+35+35+50	1.15	1.53	2.68	2.68	3.83 *	-	11.88 3.50 - 13.12	3.790 0.530 - 4.980	15.92	16.64	17.36	99
15+20+35+35+60	1.09	1.45	2.53	2.53	4.34	-	11.94 3.50 - 13.16	3.850 0.530 - 4.980	16.17	16.91	17.65	99
15+20+35+35+71	1.02	1.36	2.38	2.38	4.83	-	11.98 3.50 - 13.19	3.873 0.530 - 4.963	16.27	17.01	17.75	99
15+20+35+42+42	1.16	1.54	2.70	3.24 *	3.24 *	-	11.87 3.50 - 13.12	3.767 0.530 - 4.967	15.82	16.54	17.26	99
15+20+35+42+50	1.10	1.47	2.58	3.09 *	3.68 *	-	11.92 3.50 - 13.15	3.824 0.530 - 4.974	16.06	16.79	17.52	99
15+20+35+42+60	1.04	1.39	2.44	2.93 *	4.18	-	11.98 3.50 - 13.19	3.884 0.530 - 4.974	16.32	17.06	17.80	99
15+20+35+50+50	1.06	1.41	2.46	3.52 *	3.52 *	-	11.97 3.50 - 13.18	3.857 0.530 - 4.957	16.20	16.94	17.68	99
15+20+35+50+60	1.00	1.33	2.33	3.33 *	3.99	-	11.98 3.50 - 13.19	3.884 0.530 - 4.974	16.32	17.06	17.80	99
15+20+42+42+42	1.11	1.48	3.11 *	3.11 *	3.11 *	-	11.92 3.50 - 13.14	3.807 0.530 - 4.957	15.99	16.72	17.45	99
15+20+42+42+50	1.06	1.42	2.97 *	2.97 *	3.54 *	-	11.96 3.50 - 13.18	3.858 0.530 - 4.968	16.20	16.94	17.68	99
15+20+42+42+60	1.00	1.34	2.81 *	2.81 *	4.02	-	11.98 3.50 - 13.19	3.878 0.530 - 4.968	16.29	17.03	17.77	99
15+20+42+50+50	1.02	1.35	2.84 *	3.38 *	3.38 *	-	11.98 3.50 - 13.19	3.861 0.530 - 4.951	16.22	16.96	17.70	99
15+22+22+22+22	1.47	2.16	2.16	2.16	2.16	-	10.10 3.36 - 12.02	3.048 0.530 - 4.968	12.81	13.39	13.97	99
15+22+22+22+25	1.49	2.18	2.18	2.18	2.48	-	10.50 3.42 - 12.54	3.149 0.530 - 4.979	13.23	13.83	14.43	99
15+22+22+22+35	1.46	2.14	2.14	2.14	3.40	-	11.26 3.50 - 13.10	3.399 0.530 - 4.979	14.28	14.93	15.58	99
15+22+22+22+42	1.42	2.09	2.09	2.09	3.99 *	-	11.68 3.50 - 13.10	3.559 0.530 - 4.979	14.95	15.63	16.31	99
15+22+22+22+50	1.36	1.99	1.99	1.99	4.52 *	-	11.84 3.50 - 13.12	3.643 0.530 - 4.973	15.30	16.00	16.70	99
15+22+22+22+60	1.27	1.86	1.86	1.86	5.06	-	11.90 3.50 - 13.16	3.703 0.530 - 4.973	15.55	16.26	16.97	99
15+22+22+22+71	1.18	1.73	1.73	1.73	5.59	-	11.96 3.50 - 13.21	3.746 0.530 - 4.956	15.73	16.45	17.17	99
15+22+22+25+25	1.49	2.18	2.18	2.48	2.48	-	10.80 3.48 - 12.96	3.210 0.530 - 4.960	13.49	14.10	14.71	99
15+22+22+25+35	1.44	2.11	2.11	2.40	3.36	-	11.44 3.50 - 13.10	3.469 0.530 - 4.979	14.57	15.23	15.89	99
15+22+22+25+42	1.41	2.06	2.06	2.34	3.94 *	-	11.81 3.50 - 13.10	3.619 0.530 - 4.979	15.20	15.89	16.58	99
15+22+22+25+50	1.33	1.95	1.95	2.21	4.42 *	-	11.85 3.50 - 13.14	3.653 0.530 - 4.973	15.34	16.04	16.74	99
15+22+22+25+60	1.24	1.82	1.82	2.07	4.96	-	11.91 3.50 - 13.18	3.713 0.530 - 4.973	15.60	16.31	17.02	99
15+22+22+25+71	1.16	1.70	1.70	1.93	5.49	-	11.98 3.50 - 13.22	3.766 0.530 - 4.956	15.82	16.54	17.26	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
15+22+22+35+35	1.37	2.02	2.02	3.21	3.21	-	11.82 3.50 - 13.12	3.610 0.530 - 4.960	15.16	15.85	16.54	99
15+22+22+35+42	1.31	1.92	1.92	3.05	3.67 *	-	11.87 3.50 - 13.14	3.679 0.530 - 4.979	15.46	16.16	16.86	99
15+22+22+35+50	1.24	1.82	1.82	2.89	4.14 *	-	11.91 3.50 - 13.18	3.713 0.530 - 4.973	15.60	16.31	17.02	99
15+22+22+35+60	1.17	1.71	1.71	2.72	4.66	-	11.97 3.50 - 13.22	3.773 0.530 - 4.973	15.85	16.57	17.29	99
15+22+22+35+71	1.09	1.61	1.61	2.55	5.18	-	12.04 3.50 - 13.26	3.826 0.530 - 4.956	16.07	16.80	17.53	99
15+22+22+42+42	1.25	1.83	1.83	3.50 *	3.50 *	-	11.91 3.50 - 13.17	3.700 0.530 - 4.960	15.54	16.25	16.96	99
15+22+22+42+50	1.19	1.74	1.74	3.33 *	3.96 *	-	11.96 3.50 - 13.20	3.757 0.530 - 4.967	15.78	16.50	17.22	99
15+22+22+42+60	1.12	1.64	1.64	3.14 *	4.48	-	12.02 3.50 - 13.24	3.817 0.530 - 4.967	16.03	16.76	17.49	99
15+22+22+42+71	1.05	1.55	1.55	2.95 *	4.99	-	12.08 3.50 - 13.29	3.860 0.530 - 4.950	16.21	16.95	17.69	99
15+22+22+50+50	1.13	1.66	1.66	3.77 *	3.77 *	-	12.00 3.50 - 13.24	3.784 0.530 - 4.954	15.90	16.62	17.34	99
15+22+22+50+60	1.07	1.57	1.57	3.57 *	4.28	-	12.06 3.50 - 13.28	3.857 0.530 - 4.967	16.20	16.94	17.68	99
15+22+22+50+71	1.01	1.48	1.48	3.36 *	4.76	-	12.08 3.50 - 13.29	3.860 0.530 - 4.950	16.21	16.95	17.69	99
15+22+22+60+60	1.01	1.48	1.48	4.05	4.05	-	12.08 3.50 - 13.29	3.864 0.530 - 4.954	16.23	16.97	17.71	99
15+22+25+25+25	1.48	2.16	2.46	2.46	2.46	-	11.02 3.50 - 13.10	3.263 0.530 - 4.933	13.71	14.33	14.95	99
15+22+25+25+42	1.37	2.02	2.29	2.29	3.85 *	-	11.82 3.50 - 13.12	3.629 0.530 - 4.979	15.25	15.94	16.63	99
15+22+25+25+50	1.30	1.91	2.17	2.17	4.33 *	-	11.87 3.50 - 13.15	3.673 0.530 - 4.973	15.43	16.13	16.83	99
15+22+25+25+60	1.22	1.79	2.03	2.03	4.87	-	11.93 3.50 - 13.19	3.733 0.530 - 4.973	15.68	16.39	17.10	99
15+22+25+25+71	1.14	1.67	1.90	1.90	5.39	-	12.00 3.50 - 13.23	3.786 0.530 - 4.956	15.91	16.63	17.35	99
15+22+25+35+35	1.35	1.97	2.24	3.14	3.14	-	11.84 3.50 - 13.13	3.630 0.530 - 4.960	15.25	15.94	16.63	99
15+22+25+35+42	1.28	1.88	2.14	2.99	3.59 *	-	11.88 3.50 - 13.16	3.689 0.530 - 4.979	15.50	16.20	16.90	99
15+22+25+35+50	1.22	1.79	2.03	2.84	4.06 *	-	11.93 3.50 - 13.19	3.733 0.530 - 4.973	15.68	16.39	17.10	99
15+22+25+35+60	1.15	1.68	1.91	2.67	4.58	-	11.99 3.50 - 13.23	3.793 0.530 - 4.973	15.94	16.66	17.38	99
15+22+25+35+71	1.08	1.58	1.79	2.51	5.10	-	12.06 3.50 - 13.27	3.846 0.530 - 4.956	16.16	16.89	17.62	99
15+22+25+42+42	1.23	1.80	2.04	3.43 *	3.43 *	-	11.93 3.50 - 13.18	3.720 0.530 - 4.960	15.63	16.34	17.05	99
15+22+25+42+50	1.17	1.71	1.94	3.26 *	3.89 *	-	11.97 3.50 - 13.22	3.767 0.530 - 4.967	15.82	16.54	17.26	99
15+22+25+42+60	1.10	1.61	1.83	3.08 *	4.40	-	12.03 3.50 - 13.26	3.827 0.530 - 4.967	16.08	16.81	17.54	99
15+22+25+42+71	1.04	1.52	1.73	2.90 *	4.90	-	12.08 3.50 - 13.29	3.860 0.530 - 4.950	16.21	16.95	17.69	99
15+22+25+50+50	1.11	1.63	1.85	3.71 *	3.71 *	-	12.02 3.50 - 13.25	3.804 0.530 - 4.954	15.98	16.71	17.44	99
15+22+25+50+60	1.05	1.55	1.76	3.51 *	4.21	-	12.08 3.50 - 13.29	3.877 0.530 - 4.967	16.29	17.03	17.77	99
15+22+35+35+35	1.26	1.84	2.93	2.93	2.93	-	11.90 3.50 - 13.17	3.680 0.530 - 4.950	15.46	16.16	16.86	99
15+22+35+35+42	1.20	1.76	2.80	2.80	3.37 *	-	11.94 3.50 - 13.20	3.749 0.530 - 4.979	15.74	16.46	17.18	99
15+22+35+35+50	1.15	1.68	2.67	2.67	3.82 *	-	11.99 3.50 - 13.23	3.793 0.530 - 4.973	15.94	16.66	17.38	99
15+22+35+35+60	1.08	1.59	2.53	2.53	4.33	-	12.05 3.50 - 13.27	3.853 0.530 - 4.973	16.18	16.92	17.66	99
15+22+35+35+71	1.02	1.49	2.38	2.38	4.82	-	12.08 3.50 - 13.29	3.866 0.530 - 4.956	16.24	16.98	17.72	99
15+22+35+42+42	1.15	1.69	2.69	3.23 *	3.23 *	-	11.99 3.50 - 13.22	3.780 0.530 - 4.960	15.88	16.60	17.32	99
15+22+35+42+50	1.10	1.61	2.57	3.08 *	3.67 *	-	12.03 3.50 - 13.26	3.827 0.530 - 4.967	16.08	16.81	17.54	99
15+22+35+42+60	1.04	1.53	2.43	2.92 *	4.17	-	12.08 3.50 - 13.29	3.877 0.530 - 4.967	16.29	17.03	17.77	99
15+22+35+50+50	1.05	1.55	2.46	3.51 *	3.51 *	-	12.08 3.50 - 13.29	3.860 0.530 - 4.950	16.21	16.95	17.69	99
15+22+42+42+42	1.11	1.62	3.10 *	3.10 *	3.10 *	-	12.03 3.50 - 13.25	3.827 0.530 - 4.967	16.08	16.81	17.54	99
15+22+42+42+50	1.06	1.55	2.97 *	2.97 *	3.53 *	-	12.08 3.50 - 13.28	3.871 0.530 - 4.961	16.26	17.00	17.74	99
15+22+42+50+50	1.01	1.48	2.83 *	3.37 *	3.37 *	-	12.08 3.50 - 13.29	3.871 0.530 - 4.961	16.26	17.00	17.74	99
15+25+25+25+25	1.46	2.43	2.43	2.43	2.43	-	11.20 3.50 - 13.10	3.361 0.530 - 4.961	14.12	14.76	15.40	99
15+25+25+25+35	1.42	2.36	2.36	2.36	3.30	-	11.80 3.50 - 13.10	3.609 0.530 - 4.979	15.16	15.85	16.54	99
15+25+25+25+42	1.35	2.24	2.24	2.24	3.77 *	-	11.84 3.50 - 13.13	3.649 0.530 - 4.979	15.33	16.03	16.73	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
15+25+25+25+50	1.27	2.12	2.12	2.12	4.25 *	-	11.89 3.50 - 13.16	3.693 0.530 - 4.973	15.51	16.22	16.93	99	
15+25+25+25+60	1.20	1.99	1.99	1.99	4.78	-	11.95 3.50 - 13.20	3.753 0.530 - 4.973	15.76	16.48	17.20	99	
15+25+25+25+71	1.12	1.87	1.87	1.87	5.30	-	12.02 3.50 - 13.24	3.806 0.530 - 4.956	15.98	16.71	17.44	99	
15+25+25+35+35	1.32	2.20	2.20	3.07	3.07	-	11.86 3.50 - 13.14	3.650 0.530 - 4.960	15.33	16.03	16.73	99	
15+25+25+35+42	1.26	2.10	2.10	2.93	3.52 *	-	11.90 3.50 - 13.17	3.709 0.530 - 4.979	15.58	16.29	17.00	99	
15+25+25+35+50	1.20	1.99	1.99	2.79	3.98 *	-	11.95 3.50 - 13.20	3.753 0.530 - 4.973	15.76	16.48	17.20	99	
15+25+25+35+60	1.13	1.88	1.88	2.63	4.50	-	12.01 3.50 - 13.24	3.813 0.530 - 4.973	16.02	16.75	17.48	99	
15+25+25+35+71	1.06	1.77	1.77	2.47	5.02	-	12.08 3.50 - 13.28	3.866 0.530 - 4.956	16.24	16.98	17.72	99	
15+25+25+42+42	1.20	2.00	2.00	3.37 *	3.37 *	-	11.94 3.50 - 13.20	3.730 0.530 - 4.960	15.67	16.38	17.09	99	
15+25+25+42+50	1.15	1.91	1.91	3.21 *	3.82 *	-	11.99 3.50 - 13.23	3.787 0.530 - 4.967	15.91	16.63	17.35	99	
15+25+25+42+60	1.08	1.80	1.80	3.03 *	4.33	-	12.05 3.50 - 13.27	3.847 0.530 - 4.967	16.17	16.90	17.63	99	
15+25+25+42+71	1.02	1.70	1.70	2.85 *	4.82	-	12.08 3.50 - 13.29	3.860 0.530 - 4.950	16.21	16.95	17.69	99	
15+25+25+50+50	1.09	1.82	1.82	3.65 *	3.65 *	-	12.04 3.50 - 13.26	3.824 0.530 - 4.954	16.06	16.79	17.52	99	
15+25+25+50+60	1.04	1.73	1.73	3.45 *	4.14	-	12.08 3.50 - 13.29	3.877 0.530 - 4.967	16.29	17.03	17.77	99	
15+25+35+35+35	1.23	2.06	2.88	2.88	2.88	-	11.92 3.50 - 13.18	3.700 0.530 - 4.950	15.54	16.25	16.96	99	
15+25+35+35+42	1.18	1.97	2.75	2.75	3.30 *	-	11.96 3.50 - 13.21	3.769 0.530 - 4.979	15.83	16.55	17.27	99	
15+25+35+35+50	1.13	1.88	2.63	2.63	3.75 *	-	12.01 3.50 - 13.24	3.813 0.530 - 4.973	16.02	16.75	17.48	99	
15+25+35+35+60	1.07	1.78	2.49	2.49	4.26	-	12.07 3.50 - 13.28	3.873 0.530 - 4.973	16.27	17.01	17.75	99	
15+25+35+42+42	1.13	1.89	2.64	3.17 *	3.17 *	-	12.00 3.50 - 13.24	3.786 0.530 - 4.956	15.91	16.63	17.35	99	
15+25+35+42+50	1.08	1.80	2.53	3.03 *	3.61 *	-	12.05 3.50 - 13.27	3.847 0.530 - 4.967	16.17	16.90	17.63	99	
15+25+35+42+60	1.02	1.71	2.39	2.87 *	4.09	-	12.08 3.50 - 13.29	3.877 0.530 - 4.967	16.29	17.03	17.77	99	
15+25+35+50+50	1.04	1.73	2.42	3.45 *	3.45 *	-	12.08 3.50 - 13.29	3.860 0.530 - 4.950	16.21	16.95	17.69	99	
15+25+42+42+42	1.09	1.81	3.05 *	3.05 *	3.05 *	-	12.05 3.50 - 13.26	3.847 0.530 - 4.967	16.17	16.90	17.63	99	
15+25+42+42+50	1.04	1.74	2.92 *	2.92 *	3.47 *	-	12.08 3.50 - 13.29	3.871 0.530 - 4.961	16.26	17.00	17.74	99	
15+35+35+35+35	1.16	2.71	2.71	2.71	2.71	-	11.98 3.50 - 13.22	3.771 0.530 - 4.961	15.84	16.56	17.28	99	
15+35+35+35+42	1.11	2.60	2.60	2.60	3.12 *	-	12.02 3.50 - 13.25	3.829 0.530 - 4.979	16.09	16.82	17.55	99	
15+35+35+35+50	1.07	2.49	2.49	2.49	3.55 *	-	12.07 3.50 - 13.28	3.873 0.530 - 4.973	16.27	17.01	17.75	99	
15+35+35+35+60	1.01	2.35	2.35	2.35	4.03	-	12.08 3.50 - 13.29	3.883 0.530 - 4.973	16.31	17.05	17.79	99	
15+35+35+42+42	1.07	2.50	2.50	3.00 *	3.00 *	-	12.06 3.50 - 13.28	3.846 0.530 - 4.956	16.16	16.89	17.62	99	
15+35+35+42+50	1.02	2.39	2.39	2.87 *	3.41 *	-	12.08 3.50 - 13.29	3.877 0.530 - 4.967	16.29	17.03	17.77	99	
15+35+42+42+42	1.03	2.40	2.88 *	2.88 *	2.88 *	-	12.08 3.50 - 13.29	3.877 0.530 - 4.967	16.29	17.03	17.77	99	
18+18+18+18+18	1.78	1.78	1.78	1.78	1.78	-	8.90 3.30 - 11.20	2.441 0.530 - 4.961	10.25	10.72	11.19	99	
18+18+18+18+20	1.80	1.80	1.80	1.80	2.00	-	9.20 3.30 - 11.40	2.550 0.530 - 4.970	10.71	11.20	11.69	99	
18+18+18+18+22	1.78	1.78	1.78	1.78	2.18	-	9.30 3.30 - 11.40	2.667 0.530 - 4.977	11.20	11.71	12.22	99	
18+18+18+18+25	1.80	1.80	1.80	1.80	2.50	-	9.70 3.30 - 11.65	2.810 0.530 - 4.970	11.80	12.34	12.88	99	
18+18+18+18+35	1.80	1.80	1.80	1.80	3.50	-	10.70 3.44 - 12.78	3.170 0.530 - 4.970	13.31	13.92	14.53	99	
18+18+18+18+42	1.77	1.77	1.77	1.77	4.14 *	-	11.24 3.50 - 13.20	3.340 0.530 - 4.970	14.03	14.67	15.31	99	
18+18+18+18+60	1.63	1.63	1.63	1.63	5.43	-	11.94 3.50 - 13.23	3.634 0.530 - 4.964	15.27	15.96	16.65	99	
18+18+18+18+71	1.51	1.51	1.51	1.51	5.96	-	12.01 3.50 - 13.27	3.687 0.530 - 4.947	15.49	16.19	16.89	99	
18+18+18+20+20	1.80	1.80	1.80	2.00	2.00	-	9.40 3.30 - 11.50	2.641 0.530 - 4.951	11.10	11.60	12.10	99	
18+18+18+20+22	1.76	1.76	1.76	1.96	2.15	-	9.40 3.30 - 11.40	2.774 0.530 - 4.984	11.65	12.18	12.71	99	
18+18+18+20+25	1.78	1.78	1.78	1.98	2.47	-	9.80 3.30 - 11.65	2.927 0.530 - 4.977	12.29	12.85	13.41	99	
18+18+18+20+35	1.78	1.78	1.78	1.98	3.47	-	10.80 3.48 - 12.96	3.227 0.530 - 4.977	13.55	14.17	14.79	99	
18+18+18+20+42	1.75	1.75	1.75	1.94	4.08 *	-	11.26 3.50 - 13.10	3.397 0.530 - 4.977	14.27	14.92	15.57	99	



**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)							Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total		220	230	240	
18+18+18+20+50	1.70	1.70	1.70	1.89	4.73 *	-	11.74 3.50 - 13.10	3.581 0.530 - 4.971	15.05	15.73	16.41	99
18+18+18+20+60	1.59	1.59	1.59	1.77	5.31	-	11.85 3.50 - 13.14	3.651 0.530 - 4.971	15.33	16.03	16.73	99
18+18+18+20+71	1.48	1.48	1.48	1.64	5.84	-	11.92 3.50 - 13.18	3.704 0.530 - 4.954	15.56	16.27	16.98	99
18+18+18+22+22	1.78	1.78	1.78	2.18	2.18	-	9.70 3.30 - 11.60	2.858 0.530 - 4.958	12.00	12.55	13.10	99
18+18+18+22+25	1.80	1.80	1.80	2.20	2.50	-	10.10 3.32 - 11.94	3.000 0.530 - 4.970	12.61	13.18	13.75	99
18+18+18+22+35	1.79	1.79	1.79	2.19	3.49	-	11.06 3.50 - 13.20	3.270 0.530 - 4.970	13.74	14.36	14.98	99
18+18+18+22+42	1.75	1.75	1.75	2.14	4.09 *	-	11.48 3.50 - 13.20	3.440 0.530 - 4.970	14.45	15.11	15.77	99
18+18+18+22+50	1.70	1.70	1.70	2.08	4.73 *	-	11.91 3.50 - 13.20	3.604 0.530 - 4.964	15.14	15.83	16.52	99
18+18+18+22+60	1.58	1.58	1.58	1.94	5.28	-	11.97 3.50 - 13.24	3.664 0.530 - 4.964	15.39	16.09	16.79	99
18+18+18+22+71	1.47	1.47	1.47	1.80	5.81	-	12.03 3.50 - 13.29	3.707 0.530 - 4.947	15.57	16.28	16.99	99
18+18+18+25+25	1.80	1.80	1.80	2.50	2.50	-	10.40 3.38 - 12.36	3.061 0.530 - 4.951	12.86	13.44	14.02	99
18+18+18+25+35	1.77	1.77	1.77	2.46	3.45	-	11.24 3.50 - 13.20	3.340 0.530 - 4.970	14.03	14.67	15.31	99
18+18+18+25+42	1.73	1.73	1.73	2.41	4.05 *	-	11.66 3.50 - 13.20	3.510 0.530 - 4.970	14.75	15.42	16.09	99
18+18+18+25+50	1.66	1.66	1.66	2.31	4.62 *	-	11.92 3.50 - 13.22	3.614 0.530 - 4.964	15.18	15.87	16.56	99
18+18+18+25+60	1.55	1.55	1.55	2.15	5.17	-	11.98 3.50 - 13.26	3.674 0.530 - 4.964	15.44	16.14	16.84	99
18+18+18+25+71	1.45	1.45	1.45	2.01	5.70	-	12.05 3.50 - 13.30	3.727 0.530 - 4.947	15.66	16.37	17.08	99
18+18+18+35+35	1.72	1.72	1.72	3.34	3.34	-	11.84 3.50 - 13.20	3.561 0.530 - 4.951	14.96	15.64	16.32	99
18+18+18+35+42	1.64	1.64	1.64	3.19	3.83 *	-	11.94 3.50 - 13.22	3.640 0.530 - 4.970	15.29	15.99	16.69	99
18+18+18+35+50	1.55	1.55	1.55	3.02	4.31 *	-	11.98 3.50 - 13.26	3.674 0.530 - 4.964	15.44	16.14	16.84	99
18+18+18+35+60	1.45	1.45	1.45	2.83	4.85	-	12.04 3.50 - 13.30	3.734 0.530 - 4.964	15.69	16.40	17.11	99
18+18+18+35+71	1.36	1.36	1.36	2.65	5.37	-	12.11 3.50 - 13.34	3.787 0.530 - 4.947	15.91	16.63	17.35	99
18+18+18+42+42	1.56	1.56	1.56	3.65 *	3.65 *	-	11.98 3.50 - 13.25	3.661 0.530 - 4.951	15.38	16.08	16.78	99
18+18+18+42+50	1.48	1.48	1.48	3.46 *	4.12 *	-	12.03 3.50 - 13.28	3.718 0.530 - 4.958	15.62	16.33	17.04	99
18+18+18+42+60	1.40	1.40	1.40	3.26 *	4.65	-	12.09 3.50 - 13.32	3.778 0.530 - 4.958	15.87	16.59	17.31	99
18+18+18+42+71	1.31	1.31	1.31	3.06 *	5.17	-	12.15 3.50 - 13.37	3.821 0.530 - 4.941	16.05	16.78	17.51	99
18+18+18+50+50	1.41	1.41	1.41	3.92 *	3.92 *	-	12.07 3.50 - 13.32	3.745 0.530 - 4.945	15.73	16.45	17.17	99
18+18+18+50+60	1.33	1.33	1.33	3.70 *	4.44	-	12.13 3.50 - 13.36	3.818 0.530 - 4.958	16.04	16.77	17.50	99
18+18+18+50+71	1.25	1.25	1.25	3.48 *	4.94	-	12.18 3.50 - 13.39	3.851 0.530 - 4.941	16.17	16.91	17.65	99
18+18+18+60+60	1.26	1.26	1.26	4.20	4.20	-	12.18 3.50 - 13.39	3.855 0.530 - 4.945	16.19	16.93	17.67	99
18+18+20+20+20	1.80	1.80	2.00	2.00	2.00	-	9.60 3.30 - 11.60	2.714 0.530 - 4.924	11.40	11.92	12.44	99
18+18+20+20+22	1.74	1.74	1.94	1.94	2.13	-	9.50 3.30 - 11.40	2.891 0.530 - 4.991	12.15	12.70	13.25	99
18+18+20+20+25	1.76	1.76	1.96	1.96	2.45	-	9.90 3.32 - 11.74	3.014 0.530 - 4.984	12.66	13.24	13.82	99
18+18+20+20+35	1.76	1.76	1.96	1.96	3.42	-	10.86 3.50 - 13.00	3.284 0.530 - 4.984	13.79	14.42	15.05	99
18+18+20+20+42	1.72	1.72	1.91	1.91	4.01 *	-	11.28 3.50 - 13.00	3.454 0.530 - 4.984	14.51	15.17	15.83	99
18+18+20+20+50	1.67	1.67	1.86	1.86	4.65 *	-	11.71 3.50 - 13.00	3.618 0.530 - 4.978	15.20	15.89	16.58	99
18+18+20+20+60	1.56	1.56	1.73	1.73	5.19	-	11.77 3.50 - 13.04	3.678 0.530 - 4.978	15.45	16.15	16.85	99
18+18+20+20+71	1.45	1.45	1.61	1.61	5.71	-	11.83 3.50 - 13.09	3.721 0.530 - 4.961	15.63	16.34	17.05	99
18+18+20+22+22	1.76	1.76	1.96	2.16	2.16	-	9.80 3.30 - 11.60	2.965 0.530 - 4.965	12.45	13.02	13.59	99
18+18+20+22+25	1.78	1.78	1.98	2.18	2.48	-	10.20 3.36 - 12.12	3.057 0.530 - 4.977	12.85	13.43	14.01	99
18+18+20+22+35	1.76	1.76	1.96	2.16	3.43	-	11.08 3.50 - 13.10	3.327 0.530 - 4.977	13.97	14.61	15.25	99
18+18+20+22+42	1.73	1.73	1.92	2.11	4.03 *	-	11.50 3.50 - 13.10	3.487 0.530 - 4.977	14.64	15.31	15.98	99
18+18+20+22+50	1.66	1.66	1.85	2.03	4.62 *	-	11.82 3.50 - 13.11	3.621 0.530 - 4.971	15.21	15.90	16.59	99
18+18+20+22+60	1.55	1.55	1.72	1.89	5.17	-	11.88 3.50 - 13.15	3.681 0.530 - 4.971	15.47	16.17	16.87	99
18+18+20+22+71	1.44	1.44	1.60	1.76	5.69	-	11.94 3.50 - 13.20	3.724 0.530 - 4.954	15.64	16.35	17.06	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)		220	230	240	
18+18+20+25+25	1.78	1.78	1.98	2.48	2.48	-	10.50 3.42 - 12.54	3.128 0.530 - 4.958	13.14	13.74	14.34	99
18+18+20+25+35	1.75	1.75	1.94	2.43	3.40	-	11.26 3.50 - 13.10	3.397 0.530 - 4.977	14.27	14.92	15.57	99
18+18+20+25+42	1.71	1.71	1.90	2.37	3.99 *	-	11.68 3.50 - 13.10	3.557 0.530 - 4.977	14.94	15.62	16.30	99
18+18+20+25+50	1.63	1.63	1.81	2.26	4.52 *	-	11.84 3.50 - 13.12	3.641 0.530 - 4.971	15.29	15.99	16.69	99
18+18+20+25+60	1.52	1.52	1.69	2.11	5.06	-	11.90 3.50 - 13.16	3.701 0.530 - 4.971	15.54	16.25	16.96	99
18+18+20+25+71	1.42	1.42	1.57	1.97	5.59	-	11.96 3.50 - 13.21	3.744 0.530 - 4.954	15.73	16.44	17.15	99
18+18+20+35+35	1.69	1.69	1.87	3.28	3.28	-	11.81 3.50 - 13.10	3.598 0.530 - 4.958	15.11	15.80	16.49	99
18+18+20+35+42	1.60	1.60	1.78	3.12	3.74 *	-	11.85 3.50 - 13.13	3.657 0.530 - 4.977	15.36	16.06	16.76	99
18+18+20+35+50	1.52	1.52	1.69	2.95	4.22 *	-	11.90 3.50 - 13.16	3.701 0.530 - 4.971	15.54	16.25	16.96	99
18+18+20+35+60	1.43	1.43	1.58	2.77	4.75	-	11.96 3.50 - 13.20	3.761 0.530 - 4.971	15.80	16.52	17.24	99
18+18+20+35+71	1.34	1.34	1.48	2.60	5.27	-	12.02 3.50 - 13.25	3.804 0.530 - 4.954	15.98	16.71	17.44	99
18+18+20+42+42	1.53	1.53	1.70	3.57 *	3.57 *	-	11.89 3.50 - 13.16	3.678 0.530 - 4.958	15.45	16.15	16.85	99
18+18+20+42+50	1.45	1.45	1.61	3.39 *	4.03 *	-	11.94 3.50 - 13.19	3.735 0.530 - 4.965	15.69	16.40	17.11	99
18+18+20+42+60	1.37	1.37	1.52	3.19 *	4.56	-	12.00 3.50 - 13.23	3.795 0.530 - 4.965	15.95	16.67	17.39	99
18+18+20+42+71	1.28	1.28	1.43	3.00 *	5.07	-	12.06 3.50 - 13.28	3.838 0.530 - 4.948	16.13	16.86	17.59	99
18+18+20+50+50	1.38	1.38	1.54	3.84 *	3.84 *	-	11.99 3.50 - 13.22	3.772 0.530 - 4.952	15.85	16.57	17.29	99
18+18+20+50+60	1.31	1.31	1.45	3.63 *	4.36	-	12.05 3.50 - 13.26	3.845 0.530 - 4.965	16.16	16.89	17.62	99
18+18+20+50+71	1.23	1.23	1.36	3.41 *	4.85	-	12.08 3.50 - 13.29	3.858 0.530 - 4.948	16.20	16.94	17.68	99
18+18+20+60+60	1.24	1.24	1.37	4.12	4.12	-	12.08 3.50 - 13.29	3.862 0.530 - 4.952	16.22	16.96	17.70	99
18+18+22+22+22	1.78	1.78	2.18	2.18	2.18	-	10.10 3.34 - 11.98	2.991 0.530 - 4.931	12.57	13.14	13.71	99
18+18+22+22+25	1.80	1.80	2.20	2.20	2.50	-	10.50 3.40 - 12.50	3.110 0.530 - 4.970	13.07	13.66	14.25	99
18+18+22+22+35	1.77	1.77	2.16	2.16	3.44	-	11.30 3.50 - 13.20	3.370 0.530 - 4.970	14.16	14.80	15.44	99
18+18+22+22+50	1.65	1.65	2.02	2.02	4.59 *	-	11.93 3.50 - 13.22	3.630 0.530 - 4.970	15.25	15.94	16.63	99
18+18+22+22+60	1.54	1.54	1.88	1.88	5.14	-	11.99 3.50 - 13.26	3.684 0.530 - 4.964	15.48	16.18	16.88	99
18+18+22+22+71	1.44	1.44	1.76	1.76	5.67	-	12.06 3.50 - 13.30	3.737 0.530 - 4.947	15.70	16.41	17.12	99
18+18+22+25+25	1.80	1.80	2.20	2.50	2.50	-	10.80 3.46 - 12.92	3.171 0.530 - 4.951	13.32	13.93	14.54	99
18+18+22+25+35	1.75	1.75	2.14	2.43	3.41	-	11.48 3.50 - 13.20	3.440 0.530 - 4.970	14.45	15.11	15.77	99
18+18+22+25+42	1.71	1.71	2.09	2.38	4.00 *	-	11.90 3.50 - 13.20	3.600 0.530 - 4.970	15.12	15.81	16.50	99
18+18+22+25+50	1.62	1.62	1.98	2.25	4.49 *	-	11.95 3.50 - 13.23	3.644 0.530 - 4.964	15.30	16.00	16.70	99
18+18+22+25+60	1.51	1.51	1.85	2.10	5.04	-	12.01 3.50 - 13.27	3.704 0.530 - 4.964	15.56	16.27	16.98	99
18+18+22+25+71	1.41	1.41	1.72	1.96	5.56	-	12.07 3.50 - 13.32	3.747 0.530 - 4.947	15.74	16.46	17.18	99
18+18+22+35+35	1.68	1.68	2.05	3.26	3.26	-	11.92 3.50 - 13.21	3.601 0.530 - 4.951	15.12	15.81	16.50	99
18+18+22+35+42	1.59	1.59	1.95	3.10	3.72 *	-	11.96 3.50 - 13.24	3.660 0.530 - 4.970	15.37	16.07	16.77	99
18+18+22+35+50	1.51	1.51	1.85	2.94	4.20 *	-	12.01 3.50 - 13.27	3.704 0.530 - 4.964	15.56	16.27	16.98	99
18+18+22+35+60	1.42	1.42	1.74	2.76	4.73	-	12.07 3.50 - 13.31	3.764 0.530 - 4.964	15.81	16.53	17.25	99
18+18+22+35+71	1.33	1.33	1.63	2.59	5.25	-	12.13 3.50 - 13.36	3.807 0.530 - 4.947	15.99	16.72	17.45	99
18+18+22+42+42	1.52	1.52	1.86	3.55 *	3.55 *	-	12.00 3.50 - 13.27	3.681 0.530 - 4.951	15.47	16.17	16.87	99
18+18+22+42+50	1.45	1.45	1.77	3.37 *	4.02 *	-	12.05 3.50 - 13.30	3.738 0.530 - 4.958	15.71	16.42	17.13	99
18+18+22+42+60	1.36	1.36	1.67	3.18 *	4.54	-	12.11 3.50 - 13.34	3.798 0.530 - 4.958	15.95	16.68	17.41	99
18+18+22+42+71	1.28	1.28	1.57	2.99 *	5.06	-	12.18 3.50 - 13.38	3.851 0.530 - 4.941	16.17	16.91	17.65	99
18+18+22+50+50	1.38	1.38	1.68	3.83 *	3.83 *	-	12.10 3.50 - 13.33	3.775 0.530 - 4.945	15.86	16.58	17.30	99
18+18+22+50+60	1.30	1.30	1.59	3.62 *	4.34	-	12.16 3.50 - 13.37	3.848 0.530 - 4.958	16.17	16.90	17.63	99
18+18+22+50+71	1.22	1.22	1.50	3.40 *	4.83	-	12.18 3.50 - 13.39	3.851 0.530 - 4.941	16.17	16.91	17.65	99
18+18+22+60+60	1.23	1.23	1.51	4.11	4.11	-	12.18 3.50 - 13.39	3.855 0.530 - 4.945	16.19	16.93	17.67	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)		220	230	240	
18+18+25+25+25	1.79	1.79	2.49	2.49	2.49	-	11.06 3.50 - 13.20	3.224 0.530 - 4.924	13.54	14.16	14.78	99
18+18+25+25+35	1.73	1.73	2.41	2.41	3.37	-	11.66 3.50 - 13.20	3.510 0.530 - 4.970	14.75	15.42	16.09	99
18+18+25+25+42	1.68	1.68	2.33	2.33	3.91 *	-	11.92 3.50 - 13.21	3.620 0.530 - 4.970	15.21	15.90	16.59	99
18+18+25+25+50	1.58	1.58	2.20	2.20	4.40 *	-	11.97 3.50 - 13.24	3.664 0.530 - 4.964	15.39	16.09	16.79	99
18+18+25+25+60	1.48	1.48	2.06	2.06	4.94	-	12.03 3.50 - 13.28	3.724 0.530 - 4.964	15.64	16.35	17.06	99
18+18+25+25+71	1.39	1.39	1.93	1.93	5.47	-	12.09 3.50 - 13.33	3.767 0.530 - 4.947	15.82	16.54	17.26	99
18+18+25+35+35	1.64	1.64	2.28	3.19	3.19	-	11.94 3.50 - 13.22	3.621 0.530 - 4.951	15.21	15.90	16.59	99
18+18+25+35+42	1.56	1.56	2.17	3.04	3.65 *	-	11.98 3.50 - 13.25	3.680 0.530 - 4.970	15.46	16.16	16.86	99
18+18+25+35+50	1.48	1.48	2.06	2.88	4.12 *	-	12.03 3.50 - 13.28	3.724 0.530 - 4.964	15.64	16.35	17.06	99
18+18+25+35+60	1.40	1.40	1.94	2.71	4.65	-	12.09 3.50 - 13.32	3.784 0.530 - 4.964	15.90	16.62	17.34	99
18+18+25+35+71	1.31	1.31	1.82	2.55	5.17	-	12.15 3.50 - 13.37	3.827 0.530 - 4.947	16.08	16.81	17.54	99
18+18+25+42+42	1.49	1.49	2.07	3.48 *	3.48 *	-	12.02 3.50 - 13.28	3.701 0.530 - 4.951	15.54	16.25	16.96	99
18+18+25+42+50	1.42	1.42	1.97	3.31 *	3.94 *	-	12.07 3.50 - 13.31	3.758 0.530 - 4.958	15.78	16.50	17.22	99
18+18+25+42+60	1.34	1.34	1.86	3.13 *	4.47	-	12.13 3.50 - 13.35	3.818 0.530 - 4.958	16.04	16.77	17.50	99
18+18+25+42+71	1.26	1.26	1.75	2.94 *	4.97	-	12.18 3.50 - 13.39	3.851 0.530 - 4.941	16.17	16.91	17.65	99
18+18+25+50+50	1.36	1.36	1.88	3.76 *	3.76 *	-	12.12 3.50 - 13.34	3.795 0.530 - 4.945	15.95	16.67	17.39	99
18+18+25+50+60	1.28	1.28	1.78	3.56 *	4.27	-	12.18 3.50 - 13.38	3.868 0.530 - 4.958	16.25	16.99	17.73	99
18+18+35+35+35	1.53	1.53	2.98	2.98	2.98	-	12.00 3.50 - 13.26	3.671 0.530 - 4.941	15.42	16.12	16.82	99
18+18+35+35+42	1.46	1.46	2.85	2.85	3.42 *	-	12.04 3.50 - 13.29	3.740 0.530 - 4.970	15.72	16.43	17.14	99
18+18+35+35+50	1.40	1.40	2.71	2.71	3.88 *	-	12.09 3.50 - 13.32	3.784 0.530 - 4.964	15.90	16.62	17.34	99
18+18+35+35+60	1.32	1.32	2.56	2.56	4.39	-	12.15 3.50 - 13.36	3.844 0.530 - 4.964	16.15	16.88	17.61	99
18+18+35+35+71	1.24	1.24	2.41	2.41	4.89	-	12.18 3.50 - 13.39	3.857 0.530 - 4.947	16.20	16.94	17.68	99
18+18+35+42+42	1.40	1.40	2.73	3.27 *	3.27 *	-	12.08 3.50 - 13.32	3.761 0.530 - 4.951	15.80	16.52	17.24	99
18+18+35+42+50	1.34	1.34	2.60	3.13 *	3.72 *	-	12.13 3.50 - 13.35	3.818 0.530 - 4.958	16.04	16.77	17.50	99
18+18+35+42+60	1.27	1.27	2.46	2.96 *	4.22	-	12.18 3.50 - 13.39	3.868 0.530 - 4.958	16.25	16.99	17.73	99
18+18+35+50+50	1.28	1.28	2.49	3.56 *	3.56 *	-	12.18 3.50 - 13.38	3.851 0.530 - 4.941	16.17	16.91	17.65	99
18+18+42+42+42	1.35	1.35	3.14 *	3.14 *	3.14 *	-	12.12 3.50 - 13.35	3.808 0.530 - 4.958	15.99	16.72	17.45	99
18+18+42+42+50	1.29	1.29	3.01 *	3.01 *	3.58 *	-	12.17 3.50 - 13.38	3.852 0.530 - 4.952	16.18	16.92	17.66	99
18+18+42+42+60	1.22	1.22	2.84 *	2.84 *	4.06	-	12.18 3.50 - 13.39	3.862 0.530 - 4.952	16.22	16.96	17.70	99
18+18+42+50+50	1.23	1.23	2.87 *	3.42 *	3.42 *	-	12.18 3.50 - 13.39	3.845 0.530 - 4.935	16.16	16.89	17.62	99
18+20+20+20+20	1.80	2.00	2.00	2.00	2.00	-	9.80 3.30 - 11.70	2.852 0.530 - 4.952	11.99	12.53	13.07	99
18+20+20+20+22	1.73	1.92	1.92	1.92	2.11	-	9.60 3.30 - 11.40	2.998 0.530 - 4.998	12.60	13.17	13.74	99
18+20+20+20+25	1.75	1.94	1.94	1.94	2.43	-	10.00 3.36 - 11.92	3.071 0.530 - 4.991	12.90	13.49	14.08	99
18+20+20+20+35	1.73	1.93	1.93	1.93	3.37	-	10.88 3.50 - 12.90	3.341 0.530 - 4.991	14.03	14.67	15.31	99
18+20+20+20+42	1.70	1.88	1.88	1.88	3.96 *	-	11.30 3.50 - 12.90	3.501 0.530 - 4.991	14.71	15.38	16.05	99
18+20+20+20+50	1.63	1.82	1.82	1.82	4.54 *	-	11.62 3.50 - 12.91	3.635 0.530 - 4.985	15.27	15.96	16.65	99
18+20+20+20+60	1.52	1.69	1.69	1.69	5.08	-	11.68 3.50 - 12.95	3.695 0.530 - 4.985	15.52	16.23	16.94	99
18+20+20+20+71	1.42	1.58	1.58	1.58	5.59	-	11.74 3.50 - 13.00	3.738 0.530 - 4.968	15.71	16.42	17.13	99
18+20+20+22+22	1.75	1.94	1.94	2.14	2.14	-	9.90 3.34 - 11.78	3.032 0.530 - 4.972	12.74	13.32	13.90	99
18+20+20+22+25	1.77	1.96	1.96	2.16	2.45	-	10.30 3.40 - 12.30	3.124 0.530 - 4.984	13.12	13.72	14.32	99
18+20+20+22+35	1.74	1.93	1.93	2.12	3.38	-	11.10 3.50 - 13.00	3.384 0.530 - 4.984	14.21	14.86	15.51	99
18+20+20+22+50	1.62	1.80	1.80	1.99	4.51 *	-	11.73 3.50 - 13.02	3.644 0.530 - 4.984	15.30	16.00	16.70	99
18+20+20+22+60	1.52	1.68	1.68	1.85	5.05	-	11.79 3.50 - 13.06	3.698 0.530 - 4.978	15.53	16.24	16.95	99
18+20+20+22+71	1.41	1.57	1.57	1.73	5.58	-	11.86 3.50 - 13.10	3.751 0.530 - 4.961	15.75	16.47	17.19	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
18+20+20+25+25	1.77	1.96	1.96	2.45	2.45	-	10.60 3.46 - 12.72	3.185 0.530 - 4.965	13.38	13.99	14.60	99	
18+20+20+25+35	1.72	1.91	1.91	2.39	3.35	-	11.28 3.50 - 13.00	3.454 0.530 - 4.984	14.51	15.17	15.83	99	
18+20+20+25+42	1.68	1.87	1.87	2.34	3.93 *	-	11.70 3.50 - 13.00	3.614 0.530 - 4.984	15.18	15.87	16.56	99	
18+20+20+25+50	1.59	1.77	1.77	2.21	4.42 *	-	11.75 3.50 - 13.03	3.658 0.530 - 4.978	15.36	16.06	16.76	99	
18+20+20+25+60	1.49	1.65	1.65	2.06	4.96	-	11.81 3.50 - 13.07	3.718 0.530 - 4.978	15.62	16.33	17.04	99	
18+20+20+25+71	1.39	1.54	1.54	1.93	5.47	-	11.87 3.50 - 13.12	3.761 0.530 - 4.961	15.80	16.52	17.24	99	
18+20+20+35+35	1.65	1.83	1.83	3.20	3.20	-	11.72 3.50 - 13.01	3.615 0.530 - 4.965	15.19	15.88	16.57	99	
18+20+20+35+42	1.57	1.74	1.74	3.05	3.66 *	-	11.76 3.50 - 13.04	3.674 0.530 - 4.984	15.44	16.14	16.84	99	
18+20+20+35+50	1.49	1.65	1.65	2.89	4.13 *	-	11.81 3.50 - 13.07	3.718 0.530 - 4.978	15.62	16.33	17.04	99	
18+20+20+35+60	1.40	1.55	1.55	2.72	4.65	-	11.87 3.50 - 13.11	3.778 0.530 - 4.978	15.87	16.59	17.31	99	
18+20+20+35+71	1.31	1.45	1.45	2.55	5.16	-	11.93 3.50 - 13.16	3.821 0.530 - 4.961	16.05	16.78	17.51	99	
18+20+20+42+42	1.50	1.66	1.66	3.49 *	3.49 *	-	11.80 3.50 - 13.07	3.695 0.530 - 4.965	15.52	16.23	16.94	99	
18+20+20+42+50	1.42	1.58	1.58	3.32 *	3.95 *	-	11.85 3.50 - 13.10	3.752 0.530 - 4.972	15.76	16.48	17.20	99	
18+20+20+42+60	1.34	1.49	1.49	3.13 *	4.47	-	11.91 3.50 - 13.14	3.812 0.530 - 4.972	16.01	16.74	17.47	99	
18+20+20+42+71	1.26	1.40	1.40	2.94 *	4.97	-	11.98 3.50 - 13.18	3.865 0.530 - 4.955	16.23	16.97	17.71	99	
18+20+20+50+50	1.36	1.51	1.51	3.77 *	3.77 *	-	11.90 3.50 - 13.13	3.789 0.530 - 4.959	15.92	16.64	17.36	99	
18+20+20+50+60	1.28	1.42	1.42	3.56 *	4.27	-	11.96 3.50 - 13.17	3.862 0.530 - 4.972	16.22	16.96	17.70	99	
18+20+20+50+71	1.20	1.34	1.34	3.35 *	4.75	-	11.98 3.50 - 13.19	3.865 0.530 - 4.955	16.23	16.97	17.71	99	
18+20+20+60+60	1.21	1.35	1.35	4.04	4.04	-	11.98 3.50 - 13.19	3.869 0.530 - 4.959	16.25	16.99	17.73	99	
18+20+22+22+22	1.77	1.96	2.16	2.16	2.16	-	10.20 3.38 - 12.16	3.048 0.530 - 4.938	12.81	13.39	13.97	99	
18+20+22+22+25	1.78	1.98	2.18	2.18	2.48	-	10.60 3.44 - 12.68	3.177 0.530 - 4.977	13.34	13.95	14.56	99	
18+20+22+22+35	1.74	1.94	2.13	2.13	3.39	-	11.32 3.50 - 13.10	3.417 0.530 - 4.977	14.36	15.01	15.66	99	
18+20+22+22+42	1.70	1.89	2.08	2.08	3.98 *	-	11.74 3.50 - 13.10	3.587 0.530 - 4.977	15.07	15.75	16.43	99	
18+20+22+22+50	1.61	1.79	1.97	1.97	4.48 *	-	11.84 3.50 - 13.13	3.641 0.530 - 4.971	15.29	15.99	16.69	99	
18+20+22+22+60	1.51	1.68	1.84	1.84	5.03	-	11.90 3.50 - 13.17	3.701 0.530 - 4.971	15.54	16.25	16.96	99	
18+20+22+22+71	1.41	1.56	1.72	1.72	5.55	-	11.97 3.50 - 13.21	3.754 0.530 - 4.954	15.77	16.49	17.21	99	
18+20+22+25+25	1.78	1.98	2.18	2.48	2.48	-	10.90 3.50 - 13.10	3.238 0.530 - 4.958	13.60	14.22	14.84	99	
18+20+22+25+35	1.73	1.92	2.11	2.40	3.35	-	11.50 3.50 - 13.10	3.487 0.530 - 4.977	14.64	15.31	15.98	99	
18+20+22+25+42	1.67	1.86	2.05	2.32	3.91 *	-	11.81 3.50 - 13.11	3.617 0.530 - 4.977	15.19	15.88	16.57	99	
18+20+22+25+50	1.58	1.76	1.93	2.20	4.39 *	-	11.86 3.50 - 13.14	3.661 0.530 - 4.971	15.38	16.08	16.78	99	
18+20+22+25+60	1.48	1.64	1.81	2.06	4.93	-	11.92 3.50 - 13.18	3.721 0.530 - 4.971	15.63	16.34	17.05	99	
18+20+22+25+71	1.38	1.54	1.69	1.92	5.46	-	11.99 3.50 - 13.22	3.774 0.530 - 4.954	15.85	16.57	17.29	99	
18+20+22+35+35	1.64	1.82	2.00	3.19	3.19	-	11.83 3.50 - 13.12	3.618 0.530 - 4.958	15.20	15.89	16.58	99	
18+20+22+35+42	1.56	1.73	1.91	3.03	3.64 *	-	11.87 3.50 - 13.15	3.677 0.530 - 4.977	15.45	16.15	16.85	99	
18+20+22+35+50	1.48	1.64	1.81	2.88	4.11 *	-	11.92 3.50 - 13.18	3.721 0.530 - 4.971	15.63	16.34	17.05	99	
18+20+22+35+60	1.39	1.55	1.70	2.71	4.64	-	11.98 3.50 - 13.22	3.781 0.530 - 4.971	15.89	16.61	17.33	99	
18+20+22+35+71	1.31	1.45	1.60	2.54	5.15	-	12.05 3.50 - 13.26	3.834 0.530 - 4.954	16.11	16.84	17.57	99	
18+20+22+42+42	1.49	1.65	1.82	3.47 *	3.47 *	-	11.91 3.50 - 13.18	3.698 0.530 - 4.958	15.53	16.24	16.95	99	
18+20+22+42+50	1.42	1.57	1.73	3.30 *	3.93 *	-	11.96 3.50 - 13.21	3.755 0.530 - 4.965	15.77	16.49	17.21	99	
18+20+22+42+60	1.34	1.48	1.63	3.12 *	4.45	-	12.02 3.50 - 13.25	3.815 0.530 - 4.965	16.02	16.75	17.48	99	
18+20+22+42+71	1.26	1.40	1.54	2.93 *	4.96	-	12.08 3.50 - 13.29	3.858 0.530 - 4.948	16.20	16.94	17.68	99	
18+20+22+50+50	1.35	1.50	1.65	3.75 *	3.75 *	-	12.01 3.50 - 13.24	3.792 0.530 - 4.952	15.93	16.65	17.37	99	
18+20+22+50+60	1.28	1.42	1.56	3.55 *	4.26	-	12.07 3.50 - 13.28	3.865 0.530 - 4.965	16.23	16.97	17.71	99	
18+20+22+60+60	1.21	1.34	1.48	4.03	4.03	-	12.08 3.50 - 13.29	3.858 0.530 - 4.948	16.20	16.94	17.68	99	

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
18+20+25+25+25	1.76	1.96	2.45	2.45	2.45	-	11.08 3.50 - 13.10	3.281 0.530 - 4.931	13.78	14.41	15.04	99
18+20+25+25+35	1.71	1.90	2.37	2.37	3.32	-	11.68 3.50 - 13.10	3.557 0.530 - 4.977	14.94	15.62	16.30	99
18+20+25+25+42	1.64	1.82	2.28	2.28	3.82 *	-	11.83 3.50 - 13.12	3.637 0.530 - 4.977	15.28	15.97	16.66	99
18+20+25+25+50	1.55	1.72	2.15	2.15	4.30 *	-	11.88 3.50 - 13.15	3.681 0.530 - 4.971	15.47	16.17	16.87	99
18+20+25+25+60	1.45	1.61	2.02	2.02	4.84	-	11.94 3.50 - 13.19	3.741 0.530 - 4.971	15.72	16.43	17.14	99
18+20+25+25+71	1.36	1.51	1.89	1.89	5.36	-	12.00 3.50 - 13.24	3.784 0.530 - 4.954	15.90	16.62	17.34	99
18+20+25+35+35	1.60	1.78	2.23	3.12	3.12	-	11.85 3.50 - 13.13	3.638 0.530 - 4.958	15.29	15.98	16.67	99
18+20+25+35+42	1.53	1.70	2.12	2.97	3.57 *	-	11.89 3.50 - 13.16	3.697 0.530 - 4.977	15.53	16.24	16.95	99
18+20+25+35+50	1.45	1.61	2.02	2.82	4.03 *	-	11.94 3.50 - 13.19	3.741 0.530 - 4.971	15.72	16.43	17.14	99
18+20+25+35+60	1.37	1.52	1.90	2.66	4.56	-	12.00 3.50 - 13.23	3.801 0.530 - 4.971	15.96	16.69	17.42	99
18+20+25+35+71	1.28	1.43	1.78	2.50	5.07	-	12.06 3.50 - 13.28	3.844 0.530 - 4.954	16.15	16.88	17.61	99
18+20+25+42+42	1.46	1.62	2.03	3.41 *	3.41 *	-	11.93 3.50 - 13.19	3.718 0.530 - 4.958	15.62	16.33	17.04	99
18+20+25+42+50	1.39	1.55	1.93	3.25 *	3.86 *	-	11.98 3.50 - 13.22	3.775 0.530 - 4.965	15.86	16.58	17.30	99
18+20+25+42+60	1.31	1.46	1.82	3.06 *	4.38	-	12.04 3.50 - 13.26	3.835 0.530 - 4.965	16.11	16.84	17.57	99
18+20+25+42+71	1.24	1.37	1.72	2.88 *	4.87	-	12.08 3.50 - 13.29	3.858 0.530 - 4.948	16.20	16.94	17.68	99
18+20+25+50+50	1.33	1.48	1.85	3.69 *	3.69 *	-	12.03 3.50 - 13.25	3.812 0.530 - 4.952	16.01	16.74	17.47	99
18+20+25+50+60	1.26	1.40	1.75	3.49 *	4.19	-	12.08 3.50 - 13.29	3.875 0.530 - 4.965	16.28	17.02	17.76	99
18+20+35+35+35	1.50	1.67	2.92	2.92	2.92	-	11.91 3.50 - 13.17	3.688 0.530 - 4.948	15.50	16.20	16.90	99
18+20+35+35+42	1.43	1.59	2.79	2.79	3.35 *	-	11.95 3.50 - 13.20	3.757 0.530 - 4.977	15.78	16.50	17.22	99
18+20+35+35+50	1.37	1.52	2.66	2.66	3.80 *	-	12.00 3.50 - 13.23	3.801 0.530 - 4.971	15.96	16.69	17.42	99
18+20+35+35+60	1.29	1.44	2.51	2.51	4.31	-	12.06 3.50 - 13.27	3.861 0.530 - 4.971	16.22	16.96	17.70	99
18+20+35+35+71	1.21	1.35	2.36	2.36	4.79	-	12.08 3.50 - 13.29	3.864 0.530 - 4.954	16.23	16.97	17.71	99
18+20+35+42+42	1.37	1.53	2.67	3.21 *	3.21 *	-	11.99 3.50 - 13.23	3.778 0.530 - 4.958	15.87	16.59	17.31	99
18+20+35+42+50	1.31	1.46	2.55	3.06 *	3.65 *	-	12.04 3.50 - 13.26	3.835 0.530 - 4.965	16.11	16.84	17.57	99
18+20+35+42+60	1.24	1.38	2.42	2.90 *	4.14	-	12.08 3.50 - 13.29	3.875 0.530 - 4.965	16.28	17.02	17.76	99
18+20+35+50+50	1.26	1.40	2.44	3.49 *	3.49 *	-	12.08 3.50 - 13.29	3.858 0.530 - 4.948	16.20	16.94	17.68	99
18+20+42+42+42	1.32	1.47	3.08 *	3.08 *	3.08 *	-	12.03 3.50 - 13.26	3.825 0.530 - 4.965	16.07	16.80	17.53	99
18+20+42+42+50	1.26	1.40	2.95 *	2.95 *	3.51 *	-	12.08 3.50 - 13.29	3.869 0.530 - 4.959	16.25	16.99	17.73	99
18+20+42+50+50	1.21	1.34	2.82 *	3.36 *	3.36 *	-	12.08 3.50 - 13.29	3.869 0.530 - 4.959	16.25	16.99	17.73	99
18+22+22+22+22	1.78	2.18	2.18	2.18	2.18	-	10.50 3.42 - 12.54	3.129 0.530 - 4.959	13.14	13.74	14.34	99
18+22+22+22+25	1.80	2.20	2.20	2.20	2.50	-	10.90 3.48 - 13.06	3.220 0.530 - 4.970	13.53	14.14	14.75	99
18+22+22+22+35	1.75	2.13	2.13	2.13	3.39	-	11.54 3.50 - 13.20	3.460 0.530 - 4.970	14.54	15.20	15.86	99
18+22+22+22+42	1.70	2.08	2.08	2.08	3.97 *	-	11.91 3.50 - 13.20	3.610 0.530 - 4.970	15.16	15.85	16.54	99
18+22+22+22+50	1.61	1.96	1.96	1.96	4.46 *	-	11.95 3.50 - 13.24	3.644 0.530 - 4.964	15.30	16.00	16.70	99
18+22+22+22+60	1.50	1.83	1.83	1.83	5.00	-	12.01 3.50 - 13.28	3.704 0.530 - 4.964	15.56	16.27	16.98	99
18+22+22+22+71	1.40	1.71	1.71	1.71	5.53	-	12.08 3.50 - 13.32	3.757 0.530 - 4.947	15.78	16.50	17.22	99
18+22+22+25+25	1.79	2.18	2.18	2.48	2.48	-	11.12 3.50 - 13.20	3.281 0.530 - 4.951	13.78	14.41	15.04	99
18+22+22+25+42	1.66	2.03	2.03	2.31	3.88 *	-	11.92 3.50 - 13.22	3.620 0.530 - 4.970	15.21	15.90	16.59	99
18+22+22+25+50	1.57	1.92	1.92	2.18	4.37 *	-	11.97 3.50 - 13.25	3.664 0.530 - 4.964	15.39	16.09	16.79	99
18+22+22+25+60	1.47	1.80	1.80	2.05	4.91	-	12.03 3.50 - 13.29	3.724 0.530 - 4.964	15.64	16.35	17.06	99
18+22+22+25+71	1.38	1.68	1.68	1.91	5.44	-	12.10 3.50 - 13.33	3.777 0.530 - 4.947	15.87	16.59	17.31	99
18+22+22+35+35	1.63	1.99	1.99	3.17	3.17	-	11.94 3.50 - 13.23	3.621 0.530 - 4.951	15.21	15.90	16.59	99
18+22+22+35+42	1.55	1.90	1.90	3.02	3.62 *	-	11.98 3.50 - 13.26	3.680 0.530 - 4.970	15.46	16.16	16.86	99
18+22+22+35+50	1.47	1.80	1.80	2.86	4.09 *	-	12.03 3.50 - 13.29	3.724 0.530 - 4.964	15.64	16.35	17.06	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
18+22+22+35+60	1.39	1.69	1.69	2.70	4.62	-	12.09 3.50 - 13.33	3.784 0.530 - 4.964	15.90	16.62	17.34	99	
18+22+22+35+71	1.30	1.59	1.59	2.53	5.14	-	12.16 3.50 - 13.37	3.837 0.530 - 4.947	16.12	16.85	17.58	99	
18+22+22+42+42	1.48	1.81	1.81	3.46 *	3.46 *	-	12.03 3.50 - 13.28	3.711 0.530 - 4.951	15.59	16.30	17.01	99	
18+22+22+42+50	1.41	1.72	1.72	3.29 *	3.92 *	-	12.07 3.50 - 13.32	3.758 0.530 - 4.958	15.78	16.50	17.22	99	
18+22+22+42+60	1.33	1.63	1.63	3.11 *	4.44	-	12.13 3.50 - 13.36	3.818 0.530 - 4.958	16.04	16.77	17.50	99	
18+22+22+42+71	1.25	1.53	1.53	2.92 *	4.94	-	12.18 3.50 - 13.39	3.851 0.530 - 4.941	16.17	16.91	17.65	99	
18+22+22+50+50	1.35	1.65	1.65	3.74 *	3.74 *	-	12.12 3.50 - 13.35	3.795 0.530 - 4.945	15.95	16.67	17.39	99	
18+22+22+50+60	1.27	1.56	1.56	3.54 *	4.25	-	12.18 3.50 - 13.39	3.868 0.530 - 4.958	16.25	16.99	17.73	99	
18+22+25+25+25	1.77	2.16	2.46	2.46	2.46	-	11.30 3.50 - 13.20	3.341 0.530 - 4.941	14.03	14.67	15.31	99	
18+22+25+25+35	1.71	2.09	2.38	2.38	3.33	-	11.90 3.50 - 13.20	3.600 0.530 - 4.970	15.12	15.81	16.50	99	
18+22+25+25+42	1.63	1.99	2.26	2.26	3.80 *	-	11.94 3.50 - 13.23	3.640 0.530 - 4.970	15.29	15.99	16.69	99	
18+22+25+25+50	1.54	1.88	2.14	2.14	4.28 *	-	11.99 3.50 - 13.26	3.684 0.530 - 4.964	15.48	16.18	16.88	99	
18+22+25+25+60	1.45	1.77	2.01	2.01	4.82	-	12.05 3.50 - 13.30	3.744 0.530 - 4.964	15.73	16.44	17.15	99	
18+22+25+25+71	1.36	1.66	1.88	1.88	5.34	-	12.12 3.50 - 13.34	3.797 0.530 - 4.947	15.95	16.68	17.41	99	
18+22+25+35+35	1.59	1.95	2.21	3.10	3.10	-	11.96 3.50 - 13.24	3.641 0.530 - 4.951	15.29	15.99	16.69	99	
18+22+25+35+42	1.52	1.86	2.11	2.96	3.55 *	-	12.00 3.50 - 13.27	3.700 0.530 - 4.970	15.54	16.25	16.96	99	
18+22+25+35+50	1.45	1.77	2.01	2.81	4.02 *	-	12.05 3.50 - 13.30	3.744 0.530 - 4.964	15.73	16.44	17.15	99	
18+22+25+35+60	1.36	1.67	1.89	2.65	4.54	-	12.11 3.50 - 13.34	3.804 0.530 - 4.964	15.98	16.71	17.44	99	
18+22+25+35+71	1.28	1.57	1.78	2.49	5.06	-	12.18 3.50 - 13.38	3.857 0.530 - 4.947	16.20	16.94	17.68	99	
18+22+25+42+42	1.45	1.78	2.02	3.39 *	3.39 *	-	12.04 3.50 - 13.30	3.721 0.530 - 4.951	15.63	16.34	17.05	99	
18+22+25+42+50	1.39	1.69	1.93	3.23 *	3.85 *	-	12.09 3.50 - 13.33	3.778 0.530 - 4.958	15.87	16.59	17.31	99	
18+22+25+42+60	1.31	1.60	1.82	3.06 *	4.37	-	12.15 3.50 - 13.37	3.838 0.530 - 4.958	16.13	16.86	17.59	99	
18+22+25+42+71	1.23	1.51	1.71	2.87 *	4.86	-	12.18 3.50 - 13.39	3.851 0.530 - 4.941	16.17	16.91	17.65	99	
18+22+25+50+50	1.32	1.62	1.84	3.68 *	3.68 *	-	12.14 3.50 - 13.36	3.815 0.530 - 4.945	16.02	16.75	17.48	99	
18+22+25+50+60	1.25	1.53	1.74	3.48 *	4.18	-	12.18 3.50 - 13.39	3.868 0.530 - 4.958	16.25	16.99	17.73	99	
18+22+35+35+35	1.49	1.82	2.90	2.90	2.90	-	12.02 3.50 - 13.28	3.691 0.530 - 4.941	15.51	16.21	16.91	99	
18+22+35+35+42	1.43	1.75	2.78	2.78	3.33 *	-	12.06 3.50 - 13.31	3.760 0.530 - 4.970	15.79	16.51	17.23	99	
18+22+35+35+50	1.36	1.67	2.65	2.65	3.78 *	-	12.11 3.50 - 13.34	3.804 0.530 - 4.964	15.98	16.71	17.44	99	
18+22+35+35+60	1.29	1.57	2.51	2.51	4.30	-	12.17 3.50 - 13.38	3.864 0.530 - 4.964	16.23	16.97	17.71	99	
18+22+35+42+42	1.37	1.67	2.66	3.20 *	3.20 *	-	12.10 3.50 - 13.34	3.777 0.530 - 4.947	15.87	16.59	17.31	99	
18+22+35+42+50	1.31	1.60	2.55	3.06 *	3.64 *	-	12.15 3.50 - 13.37	3.838 0.530 - 4.958	16.13	16.86	17.59	99	
18+22+35+42+60	1.24	1.51	2.41	2.89 *	4.13	-	12.18 3.50 - 13.39	3.868 0.530 - 4.958	16.25	16.99	17.73	99	
18+22+35+50+50	1.25	1.53	2.44	3.48 *	3.48 *	-	12.18 3.50 - 13.39	3.851 0.530 - 4.941	16.17	16.91	17.65	99	
18+22+42+42+42	1.32	1.61	3.07 *	3.07 *	3.07 *	-	12.15 3.50 - 13.36	3.838 0.530 - 4.958	16.13	16.86	17.59	99	
18+22+42+42+50	1.26	1.54	2.94 *	2.94 *	3.50 *	-	12.18 3.50 - 13.39	3.862 0.530 - 4.952	16.22	16.96	17.70	99	
18+25+25+25+25	1.75	2.43	2.43	2.43	2.43	-	11.48 3.50 - 13.20	3.422 0.530 - 4.952	14.38	15.03	15.68	99	
18+25+25+25+35	1.68	2.33	2.33	2.33	3.26	-	11.92 3.50 - 13.21	3.620 0.530 - 4.970	15.21	15.90	16.59	99	
18+25+25+25+42	1.59	2.21	2.21	2.21	3.72 *	-	11.96 3.50 - 13.24	3.660 0.530 - 4.970	15.37	16.07	16.77	99	
18+25+25+25+50	1.51	2.10	2.10	2.10	4.20 *	-	12.01 3.50 - 13.27	3.704 0.530 - 4.964	15.56	16.27	16.98	99	
18+25+25+25+60	1.42	1.97	1.97	1.97	4.73	-	12.07 3.50 - 13.31	3.764 0.530 - 4.964	15.81	16.53	17.25	99	
18+25+25+25+71	1.33	1.85	1.85	1.85	5.25	-	12.13 3.50 - 13.36	3.807 0.530 - 4.947	15.99	16.72	17.45	99	
18+25+25+35+35	1.56	2.17	2.17	3.04	3.04	-	11.98 3.50 - 13.25	3.661 0.530 - 4.951	15.38	16.08	16.78	99	
18+25+25+35+42	1.49	2.07	2.07	2.90	3.48 *	-	12.02 3.50 - 13.28	3.720 0.530 - 4.970	15.63	16.34	17.05	99	
18+25+25+35+50	1.42	1.97	1.97	2.76	3.94 *	-	12.07 3.50 - 13.31	3.764 0.530 - 4.964	15.81	16.53	17.25	99	

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
18+25+25+35+60	1.34	1.86	1.86	2.60	4.47	-	12.13 3.50 - 13.35	3.824 0.530 - 4.964	16.06	16.79	17.52	99
18+25+25+35+71	1.26	1.75	1.75	2.45	4.97	-	12.18 3.50 - 13.39	3.857 0.530 - 4.947	16.20	16.94	17.68	99
18+25+25+42+42	1.43	1.98	1.98	3.33 *	3.33 *	-	12.06 3.50 - 13.31	3.741 0.530 - 4.951	15.72	16.43	17.14	99
18+25+25+42+50	1.36	1.89	1.89	3.18 *	3.78 *	-	12.11 3.50 - 13.34	3.798 0.530 - 4.958	15.95	16.68	17.41	99
18+25+25+42+60	1.29	1.79	1.79	3.01 *	4.30	-	12.17 3.50 - 13.38	3.858 0.530 - 4.958	16.20	16.94	17.68	99
18+25+25+50+50	1.30	1.81	1.81	3.62 *	3.62 *	-	12.16 3.50 - 13.37	3.831 0.530 - 4.941	16.09	16.82	17.55	99
18+25+25+50+60	1.23	1.71	1.71	3.42 *	4.11	-	12.18 3.50 - 13.39	3.868 0.530 - 4.958	16.25	16.99	17.73	99
18+25+35+35+35	1.46	2.03	2.85	2.85	2.85	-	12.04 3.50 - 13.29	3.711 0.530 - 4.941	15.59	16.30	17.01	99
18+25+35+35+42	1.40	1.95	2.73	2.73	3.27 *	-	12.08 3.50 - 13.32	3.780 0.530 - 4.970	15.88	16.60	17.32	99
18+25+35+35+50	1.34	1.86	2.60	2.60	3.72 *	-	12.13 3.50 - 13.35	3.824 0.530 - 4.964	16.06	16.79	17.52	99
18+25+35+35+60	1.27	1.76	2.46	2.46	4.22	-	12.18 3.50 - 13.39	3.874 0.530 - 4.964	16.27	17.01	17.75	99
18+25+35+42+42	1.35	1.87	2.62	3.14 *	3.14 *	-	12.12 3.50 - 13.35	3.797 0.530 - 4.947	15.95	16.68	17.41	99
18+25+35+42+50	1.29	1.79	2.51	3.01 *	3.58 *	-	12.17 3.50 - 13.38	3.858 0.530 - 4.958	16.20	16.94	17.68	99
18+25+35+42+60	1.22	1.69	2.37	2.84 *	4.06	-	12.18 3.50 - 13.39	3.868 0.530 - 4.958	16.25	16.99	17.73	99
18+25+35+50+50	1.23	1.71	2.39	3.42 *	3.42 *	-	12.18 3.50 - 13.39	3.851 0.530 - 4.941	16.17	16.91	17.65	99
18+25+42+42+42	1.30	1.80	3.02 *	3.02 *	3.02 *	-	12.16 3.50 - 13.38	3.848 0.530 - 4.958	16.17	16.90	17.63	99
18+25+42+42+50	1.24	1.72	2.89 *	2.89 *	3.44 *	-	12.18 3.50 - 13.39	3.862 0.530 - 4.952	16.22	16.96	17.70	99
18+35+35+35+35	1.38	2.68	2.68	2.68	2.68	-	12.10 3.50 - 13.33	3.782 0.530 - 4.952	15.89	16.61	17.33	99
18+35+35+35+42	1.32	2.58	2.58	2.58	3.09 *	-	12.14 3.50 - 13.36	3.840 0.530 - 4.970	16.13	16.86	17.59	99
18+35+35+35+50	1.27	2.46	2.46	2.46	3.52 *	-	12.18 3.50 - 13.39	3.874 0.530 - 4.964	16.27	17.01	17.75	99
18+35+35+42+42	1.27	2.48	2.48	2.97 *	2.97 *	-	12.18 3.50 - 13.39	3.874 0.530 - 4.964	16.27	17.01	17.75	99
18+35+35+42+50	1.22	2.37	2.37	2.84 *	3.38 *	-	12.18 3.50 - 13.39	3.868 0.530 - 4.958	16.25	16.99	17.73	99
18+35+42+42+42	1.22	2.38	2.86 *	2.86 *	2.86 *	-	12.18 3.50 - 13.39	3.868 0.530 - 4.958	16.25	16.99	17.73	99
20+20+20+20+20	2.00	2.00	2.00	2.00	2.00	-	10.00 3.30 - 11.80	2.952 0.530 - 4.952	12.40	12.96	13.52	99
20+20+20+20+22	1.90	1.90	1.90	1.90	2.09	-	9.70 3.34 - 11.58	3.065 0.530 - 5.005	12.87	13.46	14.05	99
20+20+20+20+25	1.92	1.92	1.92	1.92	2.40	-	10.10 3.40 - 12.10	3.138 0.530 - 4.998	13.18	13.78	14.38	99
20+20+20+20+35	1.90	1.90	1.90	1.90	3.32	-	10.90 3.50 - 12.80	3.398 0.530 - 4.998	14.27	14.92	15.57	99
20+20+20+20+50	1.77	1.77	1.77	1.77	4.43 *	-	11.53 3.50 - 12.82	3.658 0.530 - 4.998	15.36	16.06	16.76	99
20+20+20+20+60	1.66	1.66	1.66	1.66	4.97	-	11.59 3.50 - 12.86	3.712 0.530 - 4.992	15.59	16.30	17.01	99
20+20+20+20+71	1.54	1.54	1.54	1.54	5.48	-	11.66 3.50 - 12.90	3.765 0.530 - 4.975	15.81	16.53	17.25	99
20+20+20+22+22	1.92	1.92	1.92	2.12	2.12	-	10.00 3.38 - 11.96	3.089 0.530 - 4.979	12.98	13.57	14.16	99
20+20+20+22+25	1.94	1.94	1.94	2.14	2.43	-	10.40 3.44 - 12.48	3.191 0.530 - 4.991	13.40	14.01	14.62	99
20+20+20+22+35	1.90	1.90	1.90	2.09	3.33	-	11.12 3.50 - 12.90	3.431 0.530 - 4.991	14.41	15.07	15.73	99
20+20+20+22+42	1.86	1.86	1.86	2.05	3.91 *	-	11.54 3.50 - 12.90	3.601 0.530 - 4.991	15.12	15.81	16.50	99
20+20+20+22+50	1.76	1.76	1.76	1.94	4.41 *	-	11.64 3.50 - 12.93	3.655 0.530 - 4.985	15.35	16.05	16.75	99
20+20+20+22+60	1.65	1.65	1.65	1.81	4.94	-	11.70 3.50 - 12.97	3.715 0.530 - 4.985	15.61	16.32	17.03	99
20+20+20+22+71	1.54	1.54	1.54	1.69	5.46	-	11.77 3.50 - 13.01	3.768 0.530 - 4.968	15.83	16.55	17.27	99
20+20+20+25+25	1.95	1.95	1.95	2.43	2.43	-	10.70 3.50 - 12.90	3.252 0.530 - 4.972	13.66	14.28	14.90	99
20+20+20+25+35	1.88	1.88	1.88	2.35	3.30	-	11.30 3.50 - 12.90	3.501 0.530 - 4.991	14.71	15.38	16.05	99
20+20+20+25+42	1.83	1.83	1.83	2.29	3.84 *	-	11.61 3.50 - 12.91	3.631 0.530 - 4.991	15.26	15.95	16.64	99
20+20+20+25+50	1.73	1.73	1.73	2.16	4.32 *	-	11.66 3.50 - 12.94	3.675 0.530 - 4.985	15.44	16.14	16.84	99
20+20+20+25+60	1.62	1.62	1.62	2.02	4.85	-	11.72 3.50 - 12.98	3.735 0.530 - 4.985	15.69	16.40	17.11	99
20+20+20+25+71	1.51	1.51	1.51	1.89	5.37	-	11.79 3.50 - 13.02	3.788 0.530 - 4.968	15.92	16.64	17.36	99
20+20+20+35+35	1.79	1.79	1.79	3.13	3.13	-	11.63 3.50 - 12.92	3.632 0.530 - 4.972	15.26	15.95	16.64	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
20+20+20+35+42	1.70	1.70	1.70	2.98	3.58 *	-	11.67 3.50 - 12.95	3.691 0.530 - 4.991	15.51	16.21	16.91	99
20+20+20+35+50	1.62	1.62	1.62	2.83	4.04 *	-	11.72 3.50 - 12.98	3.735 0.530 - 4.985	15.69	16.40	17.11	99
20+20+20+35+60	1.52	1.52	1.52	2.66	4.56	-	11.78 3.50 - 13.02	3.795 0.530 - 4.985	15.95	16.67	17.39	99
20+20+20+35+71	1.43	1.43	1.43	2.50	5.07	-	11.85 3.50 - 13.06	3.848 0.530 - 4.968	16.17	16.90	17.63	99
20+20+20+42+42	1.63	1.63	1.63	3.42 *	3.42 *	-	11.71 3.50 - 12.98	3.712 0.530 - 4.972	15.59	16.30	17.01	99
20+20+20+42+50	1.55	1.55	1.55	3.25 *	3.87 *	-	11.76 3.50 - 13.01	3.769 0.530 - 4.979	15.83	16.55	17.27	99
20+20+20+42+60	1.46	1.46	1.46	3.06 *	4.38	-	11.82 3.50 - 13.05	3.829 0.530 - 4.979	16.09	16.82	17.55	99
20+20+20+42+71	1.37	1.37	1.37	2.88 *	4.88	-	11.88 3.50 - 13.09	3.872 0.530 - 4.962	16.26	17.00	17.74	99
20+20+20+50+50	1.48	1.48	1.48	3.69 *	3.69 *	-	11.81 3.50 - 13.04	3.806 0.530 - 4.966	15.98	16.71	17.44	99
20+20+20+50+60	1.40	1.40	1.40	3.49 *	4.19	-	11.87 3.50 - 13.08	3.879 0.530 - 4.979	16.30	17.04	17.78	99
20+20+20+60+60	1.32	1.32	1.32	3.96	3.96	-	11.88 3.50 - 13.09	3.872 0.530 - 4.962	16.26	17.00	17.74	99
20+20+22+22+22	1.94	1.94	2.14	2.14	2.14	-	10.30 3.42 - 12.34	3.115 0.530 - 4.945	13.09	13.68	14.27	99
20+20+22+22+25	1.96	1.96	2.16	2.16	2.45	-	10.70 3.48 - 12.86	3.234 0.530 - 4.984	13.58	14.20	14.82	99
20+20+22+22+35	1.91	1.91	2.10	2.10	3.34	-	11.34 3.50 - 13.00	3.474 0.530 - 4.984	14.60	15.26	15.92	99
20+20+22+22+42	1.86	1.86	2.04	2.04	3.90 *	-	11.71 3.50 - 13.00	3.624 0.530 - 4.984	15.23	15.92	16.61	99
20+20+22+22+50	1.75	1.75	1.93	1.93	4.38 *	-	11.75 3.50 - 13.04	3.658 0.530 - 4.978	15.36	16.06	16.76	99
20+20+22+22+60	1.64	1.64	1.80	1.80	4.92	-	11.81 3.50 - 13.08	3.718 0.530 - 4.978	15.62	16.33	17.04	99
20+20+22+22+71	1.53	1.53	1.69	1.69	5.44	-	11.88 3.50 - 13.12	3.771 0.530 - 4.961	15.84	16.56	17.28	99
20+20+22+25+25	1.95	1.95	2.15	2.44	2.44	-	10.92 3.50 - 13.00	3.295 0.530 - 4.965	13.84	14.47	15.10	99
20+20+22+25+42	1.82	1.82	2.00	2.27	3.82 *	-	11.72 3.50 - 13.02	3.634 0.530 - 4.984	15.27	15.96	16.65	99
20+20+22+25+50	1.72	1.72	1.89	2.15	4.30 *	-	11.77 3.50 - 13.05	3.678 0.530 - 4.978	15.45	16.15	16.85	99
20+20+22+25+60	1.61	1.61	1.77	2.01	4.83	-	11.83 3.50 - 13.09	3.738 0.530 - 4.978	15.71	16.42	17.13	99
20+20+22+25+71	1.51	1.51	1.66	1.88	5.35	-	11.90 3.50 - 13.13	3.791 0.530 - 4.961	15.93	16.65	17.37	99
20+20+22+35+35	1.78	1.78	1.96	3.11	3.11	-	11.74 3.50 - 13.03	3.635 0.530 - 4.965	15.27	15.96	16.65	99
20+20+22+35+42	1.69	1.69	1.86	2.97	3.56 *	-	11.78 3.50 - 13.06	3.694 0.530 - 4.984	15.51	16.22	16.93	99
20+20+22+35+50	1.61	1.61	1.77	2.82	4.02 *	-	11.83 3.50 - 13.09	3.738 0.530 - 4.978	15.71	16.42	17.13	99
20+20+22+35+60	1.51	1.51	1.67	2.65	4.54	-	11.89 3.50 - 13.13	3.798 0.530 - 4.978	15.95	16.68	17.41	99
20+20+22+35+71	1.42	1.42	1.57	2.49	5.05	-	11.96 3.50 - 13.17	3.851 0.530 - 4.961	16.17	16.91	17.65	99
20+20+22+42+42	1.62	1.62	1.78	3.40 *	3.40 *	-	11.83 3.50 - 13.08	3.725 0.530 - 4.965	15.65	16.36	17.07	99
20+20+22+42+50	1.54	1.54	1.70	3.24 *	3.85 *	-	11.87 3.50 - 13.12	3.772 0.530 - 4.972	15.85	16.57	17.29	99
20+20+22+42+60	1.45	1.45	1.60	3.06 *	4.36	-	11.93 3.50 - 13.16	3.832 0.530 - 4.972	16.10	16.83	17.56	99
20+20+22+42+71	1.37	1.37	1.51	2.88 *	4.86	-	11.98 3.50 - 13.19	3.865 0.530 - 4.955	16.23	16.97	17.71	99
20+20+22+50+50	1.47	1.47	1.62	3.68 *	3.68 *	-	11.92 3.50 - 13.15	3.809 0.530 - 4.959	16.00	16.73	17.46	99
20+20+22+50+60	1.39	1.39	1.53	3.48 *	4.18	-	11.98 3.50 - 13.19	3.882 0.530 - 4.972	16.31	17.05	17.79	99
20+20+25+25+25	1.93	1.93	2.41	2.41	2.41	-	11.10 3.50 - 13.00	3.355 0.530 - 4.955	14.09	14.73	15.37	99
20+20+25+25+35	1.87	1.87	2.34	2.34	3.28	-	11.70 3.50 - 13.00	3.614 0.530 - 4.984	15.18	15.87	16.56	99
20+20+25+25+42	1.78	1.78	2.22	2.22	3.74 *	-	11.74 3.50 - 13.03	3.654 0.530 - 4.984	15.35	16.05	16.75	99
20+20+25+25+50	1.68	1.68	2.11	2.11	4.21 *	-	11.79 3.50 - 13.06	3.698 0.530 - 4.978	15.53	16.24	16.95	99
20+20+25+25+60	1.58	1.58	1.98	1.98	4.74	-	11.85 3.50 - 13.10	3.758 0.530 - 4.978	15.78	16.50	17.22	99
20+20+25+25+71	1.48	1.48	1.85	1.85	5.26	-	11.92 3.50 - 13.14	3.811 0.530 - 4.961	16.01	16.74	17.47	99
20+20+25+35+35	1.74	1.74	2.18	3.05	3.05	-	11.76 3.50 - 13.04	3.655 0.530 - 4.965	15.35	16.05	16.75	99
20+20+25+35+42	1.66	1.66	2.08	2.91	3.49 *	-	11.80 3.50 - 13.07	3.714 0.530 - 4.984	15.60	16.31	17.02	99
20+20+25+35+50	1.58	1.58	1.98	2.77	3.95 *	-	11.85 3.50 - 13.10	3.758 0.530 - 4.978	15.78	16.50	17.22	99
20+20+25+35+60	1.49	1.49	1.86	2.61	4.47	-	11.91 3.50 - 13.14	3.818 0.530 - 4.978	16.04	16.77	17.50	99



**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
20+20+25+35+71	1.40	1.40	1.75	2.45	4.97	-	11.98 3.50 - 13.18	3.871 0.530 - 4.961	16.26	17.00	17.74	99
20+20+25+42+42	1.59	1.59	1.99	3.34 *	3.34 *	-	11.84 3.50 - 13.10	3.735 0.530 - 4.965	15.69	16.40	17.11	99
20+20+25+42+50	1.51	1.51	1.89	3.18 *	3.79 *	-	11.89 3.50 - 13.13	3.792 0.530 - 4.972	15.93	16.65	17.37	99
20+20+25+42+60	1.43	1.43	1.79	3.01 *	4.29	-	11.95 3.50 - 13.17	3.852 0.530 - 4.972	16.18	16.92	17.66	99
20+20+25+42+71	1.35	1.35	1.68	2.83 *	4.78	-	11.98 3.50 - 13.19	3.865 0.530 - 4.955	16.23	16.97	17.71	99
20+20+25+50+50	1.45	1.45	1.81	3.62 *	3.62 *	-	11.94 3.50 - 13.16	3.829 0.530 - 4.959	16.09	16.82	17.55	99
20+20+25+50+60	1.37	1.37	1.71	3.42 *	4.11	-	11.98 3.50 - 13.19	3.882 0.530 - 4.972	16.31	17.05	17.79	99
20+20+35+35+35	1.63	1.63	2.85	2.85	2.85	-	11.82 3.50 - 13.08	3.705 0.530 - 4.955	15.56	16.27	16.98	99
20+20+35+35+42	1.56	1.56	2.73	2.73	3.28 *	-	11.86 3.50 - 13.11	3.774 0.530 - 4.984	15.85	16.57	17.29	99
20+20+35+35+50	1.49	1.49	2.61	2.61	3.72 *	-	11.91 3.50 - 13.14	3.818 0.530 - 4.978	16.04	16.77	17.50	99
20+20+35+35+60	1.41	1.41	2.46	2.46	4.22	-	11.97 3.50 - 13.18	3.878 0.530 - 4.978	16.29	17.03	17.77	99
20+20+35+42+42	1.50	1.50	2.62	3.14 *	3.14 *	-	11.90 3.50 - 13.14	3.791 0.530 - 4.961	15.93	16.65	17.37	99
20+20+35+42+50	1.43	1.43	2.50	3.01 *	3.58 *	-	11.95 3.50 - 13.17	3.852 0.530 - 4.972	16.18	16.92	17.66	99
20+20+35+42+60	1.35	1.35	2.37	2.84 *	4.06	-	11.98 3.50 - 13.19	3.882 0.530 - 4.972	16.31	17.05	17.79	99
20+20+35+50+50	1.37	1.37	2.40	3.42 *	3.42 *	-	11.98 3.50 - 13.19	3.865 0.530 - 4.955	16.23	16.97	17.71	99
20+20+42+42+42	1.44	1.44	3.02 *	3.02 *	3.02 *	-	11.95 3.50 - 13.16	3.852 0.530 - 4.972	16.18	16.92	17.66	99
20+20+42+42+50	1.38	1.38	2.89 *	2.89 *	3.44 *	-	11.98 3.50 - 13.19	3.876 0.530 - 4.966	16.28	17.02	17.76	99
20+22+22+22+22	1.96	2.16	2.16	2.16	2.16	-	10.60 3.46 - 12.72	3.186 0.530 - 4.966	13.38	13.99	14.60	99
20+22+22+22+25	1.97	2.17	2.17	2.17	2.47	-	10.96 3.50 - 13.10	3.277 0.530 - 4.977	13.76	14.39	15.02	99
20+22+22+22+35	1.91	2.10	2.10	2.10	3.34	-	11.56 3.50 - 13.10	3.517 0.530 - 4.977	14.78	15.45	16.12	99
20+22+22+22+42	1.85	2.03	2.03	2.03	3.88 *	-	11.82 3.50 - 13.11	3.627 0.530 - 4.977	15.24	15.93	16.62	99
20+22+22+22+50	1.75	1.92	1.92	1.92	4.36 *	-	11.87 3.50 - 13.14	3.671 0.530 - 4.971	15.42	16.12	16.82	99
20+22+22+22+60	1.63	1.80	1.80	1.80	4.90	-	11.93 3.50 - 13.18	3.731 0.530 - 4.971	15.68	16.39	17.10	99
20+22+22+22+71	1.53	1.68	1.68	1.68	5.42	-	11.99 3.50 - 13.23	3.774 0.530 - 4.954	15.85	16.57	17.29	99
20+22+22+25+25	1.95	2.15	2.15	2.44	2.44	-	11.14 3.50 - 13.10	3.328 0.530 - 4.958	13.98	14.62	15.26	99
20+22+22+25+35	1.89	2.08	2.08	2.37	3.31	-	11.74 3.50 - 13.10	3.587 0.530 - 4.977	15.07	15.75	16.43	99
20+22+22+25+42	1.81	1.99	1.99	2.26	3.80 *	-	11.84 3.50 - 13.12	3.647 0.530 - 4.977	15.32	16.02	16.72	99
20+22+22+25+50	1.71	1.88	1.88	2.14	4.27 *	-	11.88 3.50 - 13.16	3.681 0.530 - 4.971	15.47	16.17	16.87	99
20+22+22+25+60	1.60	1.76	1.76	2.00	4.81	-	11.94 3.50 - 13.20	3.741 0.530 - 4.971	15.72	16.43	17.14	99
20+22+22+25+71	1.50	1.65	1.65	1.88	5.33	-	12.01 3.50 - 13.24	3.794 0.530 - 4.954	15.94	16.66	17.38	99
20+22+22+35+35	1.77	1.95	1.95	3.10	3.10	-	11.85 3.50 - 13.14	3.638 0.530 - 4.958	15.29	15.98	16.67	99
20+22+22+35+42	1.69	1.86	1.86	2.95	3.54 *	-	11.90 3.50 - 13.16	3.707 0.530 - 4.977	15.57	16.28	16.99	99
20+22+22+35+50	1.60	1.76	1.76	2.80	4.01 *	-	11.94 3.50 - 13.20	3.741 0.530 - 4.971	15.72	16.43	17.14	99
20+22+22+35+60	1.51	1.66	1.66	2.64	4.53	-	12.00 3.50 - 13.24	3.801 0.530 - 4.971	15.96	16.69	17.42	99
20+22+22+35+71	1.42	1.56	1.56	2.49	5.04	-	12.07 3.50 - 13.28	3.854 0.530 - 4.954	16.19	16.93	17.67	99
20+22+22+42+42	1.61	1.77	1.77	3.39 *	3.39 *	-	11.94 3.50 - 13.19	3.728 0.530 - 4.958	15.66	16.37	17.08	99
20+22+22+42+50	1.54	1.69	1.69	3.23 *	3.84 *	-	11.99 3.50 - 13.22	3.785 0.530 - 4.965	15.90	16.62	17.34	99
20+22+22+42+60	1.45	1.60	1.60	3.05 *	4.36	-	12.05 3.50 - 13.26	3.845 0.530 - 4.965	16.16	16.89	17.62	99
20+22+22+42+71	1.36	1.50	1.50	2.87 *	4.85	-	12.08 3.50 - 13.29	3.858 0.530 - 4.948	16.20	16.94	17.68	99
20+22+22+50+50	1.47	1.61	1.61	3.67 *	3.67 *	-	12.03 3.50 - 13.26	3.812 0.530 - 4.952	16.01	16.74	17.47	99
20+22+22+50+60	1.39	1.53	1.53	3.47 *	4.17	-	12.08 3.50 - 13.29	3.875 0.530 - 4.965	16.28	17.02	17.76	99
20+22+25+25+25	1.94	2.13	2.42	2.42	2.42	-	11.32 3.50 - 13.10	3.388 0.530 - 4.948	14.23	14.88	15.53	99
20+22+25+25+35	1.86	2.05	2.32	2.32	3.25	-	11.81 3.50 - 13.11	3.617 0.530 - 4.977	15.19	15.88	16.57	99
20+22+25+25+42	1.77	1.95	2.21	2.21	3.71 *	-	11.85 3.50 - 13.14	3.657 0.530 - 4.977	15.36	16.06	16.76	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
20+22+25+25+50	1.68	1.84	2.10	2.10	4.19 *	-	11.90 3.50 - 13.17	3.701 0.530 - 4.971	15.54	16.25	16.96	99
20+22+25+25+60	1.57	1.73	1.97	1.97	4.72	-	11.96 3.50 - 13.21	3.761 0.530 - 4.971	15.80	16.52	17.24	99
20+22+25+25+71	1.48	1.62	1.85	1.85	5.24	-	12.03 3.50 - 13.25	3.814 0.530 - 4.954	16.02	16.75	17.48	99
20+22+25+35+35	1.73	1.91	2.17	3.03	3.03	-	11.87 3.50 - 13.15	3.658 0.530 - 4.958	15.36	16.06	16.76	99
20+22+25+35+42	1.65	1.82	2.07	2.89	3.47 *	-	11.91 3.50 - 13.18	3.717 0.530 - 4.977	15.61	16.32	17.03	99
20+22+25+35+50	1.57	1.73	1.97	2.75	3.93 *	-	11.96 3.50 - 13.21	3.761 0.530 - 4.971	15.80	16.52	17.24	99
20+22+25+35+60	1.48	1.63	1.85	2.60	4.45	-	12.02 3.50 - 13.25	3.821 0.530 - 4.971	16.05	16.78	17.51	99
20+22+25+35+71	1.40	1.54	1.75	2.44	4.96	-	12.08 3.50 - 13.29	3.864 0.530 - 4.954	16.23	16.97	17.71	99
20+22+25+42+42	1.58	1.74	1.98	3.33 *	3.33 *	-	11.96 3.50 - 13.20	3.748 0.530 - 4.958	15.74	16.46	17.18	99
20+22+25+42+50	1.51	1.66	1.89	3.17 *	3.77 *	-	12.00 3.50 - 13.24	3.795 0.530 - 4.965	15.95	16.67	17.39	99
20+22+25+42+60	1.43	1.57	1.78	3.00 *	4.28	-	12.06 3.50 - 13.28	3.855 0.530 - 4.965	16.19	16.93	17.67	99
20+22+25+42+71	1.34	1.48	1.68	2.82 *	4.76	-	12.08 3.50 - 13.29	3.858 0.530 - 4.948	16.20	16.94	17.68	99
20+22+25+50+50	1.44	1.59	1.80	3.61 *	3.61 *	-	12.05 3.50 - 13.27	3.832 0.530 - 4.952	16.10	16.83	17.56	99
20+22+25+50+60	1.36	1.50	1.71	3.41 *	4.09	-	12.08 3.50 - 13.29	3.875 0.530 - 4.965	16.28	17.02	17.76	99
20+22+35+35+35	1.62	1.79	2.84	2.84	2.84	-	11.93 3.50 - 13.19	3.708 0.530 - 4.948	15.57	16.28	16.99	99
20+22+35+35+42	1.55	1.71	2.72	2.72	3.26 *	-	11.97 3.50 - 13.22	3.777 0.530 - 4.977	15.87	16.59	17.31	99
20+22+35+35+50	1.48	1.63	2.60	2.60	3.71 *	-	12.02 3.50 - 13.25	3.821 0.530 - 4.971	16.05	16.78	17.51	99
20+22+35+35+60	1.40	1.55	2.46	2.46	4.21	-	12.08 3.50 - 13.29	3.881 0.530 - 4.971	16.30	17.04	17.78	99
20+22+35+42+42	1.49	1.64	2.61	3.14 *	3.14 *	-	12.02 3.50 - 13.24	3.804 0.530 - 4.954	15.98	16.71	17.44	99
20+22+35+42+50	1.43	1.57	2.50	3.00 *	3.57 *	-	12.06 3.50 - 13.28	3.855 0.530 - 4.965	16.19	16.93	17.67	99
20+22+35+42+60	1.35	1.48	2.36	2.83 *	4.05	-	12.08 3.50 - 13.29	3.875 0.530 - 4.965	16.28	17.02	17.76	99
20+22+35+50+50	1.36	1.50	2.39	3.41 *	3.41 *	-	12.08 3.50 - 13.29	3.858 0.530 - 4.948	16.20	16.94	17.68	99
20+22+42+42+42	1.44	1.58	3.02 *	3.02 *	3.02 *	-	12.06 3.50 - 13.27	3.855 0.530 - 4.965	16.19	16.93	17.67	99
20+22+42+42+50	1.37	1.51	2.88 *	2.88 *	3.43 *	-	12.08 3.50 - 13.29	3.869 0.530 - 4.959	16.25	16.99	17.73	99
20+25+25+25+25	1.92	2.40	2.40	2.40	2.40	-	11.50 3.50 - 13.10	3.469 0.530 - 4.959	14.57	15.23	15.89	99
20+25+25+25+35	1.82	2.28	2.28	2.28	3.19	-	11.83 3.50 - 13.12	3.637 0.530 - 4.977	15.28	15.97	16.66	99
20+25+25+25+42	1.73	2.17	2.17	2.17	3.64 *	-	11.87 3.50 - 13.15	3.677 0.530 - 4.977	15.45	16.15	16.85	99
20+25+25+25+50	1.64	2.06	2.06	2.06	4.11 *	-	11.92 3.50 - 13.18	3.721 0.530 - 4.971	15.63	16.34	17.05	99
20+25+25+25+60	1.55	1.93	1.93	1.93	4.64	-	11.98 3.50 - 13.22	3.781 0.530 - 4.971	15.89	16.61	17.33	99
20+25+25+25+71	1.45	1.81	1.81	1.81	5.15	-	12.05 3.50 - 13.26	3.834 0.530 - 4.954	16.11	16.84	17.57	99
20+25+25+35+35	1.70	2.12	2.12	2.97	2.97	-	11.89 3.50 - 13.16	3.678 0.530 - 4.958	15.45	16.15	16.85	99
20+25+25+35+42	1.62	2.03	2.03	2.84	3.41 *	-	11.93 3.50 - 13.19	3.737 0.530 - 4.977	15.70	16.41	17.12	99
20+25+25+35+50	1.55	1.93	1.93	2.71	3.86 *	-	11.98 3.50 - 13.22	3.781 0.530 - 4.971	15.89	16.61	17.33	99
20+25+25+35+60	1.46	1.82	1.82	2.55	4.38	-	12.04 3.50 - 13.26	3.841 0.530 - 4.971	16.14	16.87	17.60	99
20+25+25+35+71	1.37	1.72	1.72	2.40	4.87	-	12.08 3.50 - 13.29	3.864 0.530 - 4.954	16.23	16.97	17.71	99
20+25+25+42+42	1.55	1.94	1.94	3.26 *	3.26 *	-	11.97 3.50 - 13.22	3.758 0.530 - 4.958	15.78	16.50	17.22	99
20+25+25+42+50	1.48	1.85	1.85	3.12 *	3.71 *	-	12.02 3.50 - 13.25	3.815 0.530 - 4.965	16.02	16.75	17.48	99
20+25+25+42+60	1.40	1.76	1.76	2.95 *	4.21	-	12.08 3.50 - 13.29	3.875 0.530 - 4.965	16.28	17.02	17.76	99
20+25+25+50+50	1.42	1.78	1.78	3.55 *	3.55 *	-	12.07 3.50 - 13.28	3.848 0.530 - 4.948	16.17	16.90	17.63	99
20+25+25+50+60	1.34	1.68	1.68	3.36 *	4.03	-	12.08 3.50 - 13.29	3.875 0.530 - 4.965	16.28	17.02	17.76	99
20+25+35+35+35	1.59	1.99	2.79	2.79	2.79	-	11.95 3.50 - 13.20	3.728 0.530 - 4.948	15.66	16.37	17.08	99
20+25+35+35+42	1.53	1.91	2.67	2.67	3.21 *	-	11.99 3.50 - 13.23	3.797 0.530 - 4.977	15.95	16.68	17.41	99
20+25+35+35+50	1.46	1.82	2.55	2.55	3.65 *	-	12.04 3.50 - 13.26	3.841 0.530 - 4.971	16.14	16.87	17.60	99
20+25+35+35+60	1.38	1.73	2.42	2.42	4.14	-	12.08 3.50 - 13.29	3.881 0.530 - 4.971	16.30	17.04	17.78	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
20+25+35+42+42	1.47	1.83	2.57	3.08 *	3.08 *	-	12.03 3.50 - 13.26	3.814 0.530 - 4.954	16.02	16.75	17.48	99
20+25+35+42+50	1.40	1.76	2.46	2.95 *	3.51 *	-	12.08 3.50 - 13.29	3.875 0.530 - 4.965	16.28	17.02	17.76	99
20+25+35+50+50	1.34	1.68	2.35	3.36 *	3.36 *	-	12.08 3.50 - 13.29	3.875 0.530 - 4.965	16.28	17.02	17.76	99
20+25+42+42+42	1.41	1.77	2.97 *	2.97 *	2.97 *	-	12.08 3.50 - 13.28	3.875 0.530 - 4.965	16.28	17.02	17.76	99
20+25+42+42+50	1.35	1.69	2.83 *	2.83 *	3.37 *	-	12.08 3.50 - 13.29	3.869 0.530 - 4.959	16.25	16.99	17.73	99
20+35+35+35+35	1.50	2.63	2.63	2.63	2.63	-	12.01 3.50 - 13.24	3.799 0.530 - 4.959	15.95	16.68	17.41	99
20+35+35+35+42	1.44	2.53	2.53	2.53	3.03 *	-	12.05 3.50 - 13.27	3.857 0.530 - 4.977	16.20	16.94	17.68	99
20+35+35+35+50	1.38	2.42	2.42	2.42	3.45 *	-	12.08 3.50 - 13.29	3.881 0.530 - 4.971	16.30	17.04	17.78	99
20+35+35+42+42	1.39	2.43	2.43	2.92 *	2.92 *	-	12.08 3.50 - 13.29	3.881 0.530 - 4.971	16.30	17.04	17.78	99
22+22+22+22+22	2.18	2.18	2.18	2.18	2.18	-	10.90 3.50 - 13.10	3.245 0.530 - 4.965	13.63	14.25	14.87	99
22+22+22+22+25	2.18	2.18	2.18	2.18	2.47	-	11.18 3.50 - 13.20	3.320 0.530 - 4.970	13.95	14.58	15.21	99
22+22+22+22+35	2.11	2.11	2.11	2.11	3.35	-	11.78 3.50 - 13.20	3.550 0.530 - 4.970	14.91	15.59	16.27	99
22+22+22+22+42	2.02	2.02	2.02	2.02	3.85 *	-	11.93 3.50 - 13.22	3.630 0.530 - 4.970	15.25	15.94	16.63	99
22+22+22+22+50	1.91	1.91	1.91	1.91	4.34 *	-	11.98 3.50 - 13.25	3.674 0.530 - 4.964	15.44	16.14	16.84	99
22+22+22+22+60	1.79	1.79	1.79	1.79	4.88	-	12.04 3.50 - 13.29	3.734 0.530 - 4.964	15.69	16.40	17.11	99
22+22+22+22+71	1.67	1.67	1.67	1.67	5.40	-	12.10 3.50 - 13.34	3.777 0.530 - 4.947	15.87	16.59	17.31	99
22+22+22+25+25	2.15	2.15	2.15	2.45	2.45	-	11.36 3.50 - 13.20	3.371 0.530 - 4.951	14.16	14.80	15.44	99
22+22+22+25+35	2.08	2.08	2.08	2.36	3.31	-	11.91 3.50 - 13.20	3.610 0.530 - 4.970	15.16	15.85	16.54	99
22+22+22+25+42	1.98	1.98	1.98	2.25	3.77 *	-	11.95 3.50 - 13.23	3.650 0.530 - 4.970	15.33	16.03	16.73	99
22+22+22+25+50	1.87	1.87	1.87	2.13	4.26 *	-	12.00 3.50 - 13.26	3.694 0.530 - 4.964	15.51	16.22	16.93	99
22+22+22+25+60	1.76	1.76	1.76	2.00	4.79	-	12.06 3.50 - 13.30	3.754 0.530 - 4.964	15.77	16.49	17.21	99
22+22+22+25+71	1.65	1.65	1.65	1.87	5.31	-	12.12 3.50 - 13.35	3.797 0.530 - 4.947	15.95	16.68	17.41	99
22+22+22+35+35	1.94	1.94	1.94	3.08	3.08	-	11.97 3.50 - 13.24	3.651 0.530 - 4.951	15.33	16.03	16.73	99
22+22+22+35+42	1.85	1.85	1.85	2.94	3.53 *	-	12.01 3.50 - 13.27	3.710 0.530 - 4.970	15.58	16.29	17.00	99
22+22+22+35+50	1.76	1.76	1.76	2.80	3.99 *	-	12.06 3.50 - 13.30	3.754 0.530 - 4.964	15.77	16.49	17.21	99
22+22+22+35+60	1.66	1.66	1.66	2.63	4.52	-	12.12 3.50 - 13.34	3.814 0.530 - 4.964	16.02	16.75	17.48	99
22+22+22+35+71	1.56	1.56	1.56	2.48	5.03	-	12.18 3.50 - 13.39	3.857 0.530 - 4.947	16.20	16.94	17.68	99
22+22+22+42+42	1.77	1.77	1.77	3.37 *	3.37 *	-	12.05 3.50 - 13.30	3.731 0.530 - 4.951	15.68	16.39	17.10	99
22+22+22+42+50	1.68	1.68	1.68	3.22 *	3.83 *	-	12.10 3.50 - 13.33	3.788 0.530 - 4.958	15.92	16.64	17.36	99
22+22+22+42+60	1.59	1.59	1.59	3.04 *	4.34	-	12.16 3.50 - 13.37	3.848 0.530 - 4.958	16.17	16.90	17.63	99
22+22+22+42+71	1.50	1.50	1.50	2.86 *	4.83	-	12.18 3.50 - 13.39	3.851 0.530 - 4.941	16.17	16.91	17.65	99
22+22+22+50+50	1.61	1.61	1.61	3.66 *	3.66 *	-	12.15 3.50 - 13.36	3.825 0.530 - 4.945	16.07	16.80	17.53	99
22+22+22+50+60	1.52	1.52	1.52	3.46 *	4.15	-	12.18 3.50 - 13.39	3.868 0.530 - 4.958	16.25	16.99	17.73	99
22+22+25+25+25	2.13	2.13	2.42	2.42	2.42	-	11.54 3.50 - 13.20	3.431 0.530 - 4.941	14.41	15.07	15.73	99
22+22+25+25+35	2.03	2.03	2.31	2.31	3.23	-	11.92 3.50 - 13.22	3.620 0.530 - 4.970	15.21	15.90	16.59	99
22+22+25+25+42	1.94	1.94	2.20	2.20	3.70 *	-	11.97 3.50 - 13.24	3.670 0.530 - 4.970	15.42	16.12	16.82	99
22+22+25+25+50	1.83	1.83	2.09	2.09	4.17 *	-	12.01 3.50 - 13.28	3.704 0.530 - 4.964	15.56	16.27	16.98	99
22+22+25+25+60	1.72	1.72	1.96	1.96	4.70	-	12.07 3.50 - 13.32	3.764 0.530 - 4.964	15.81	16.53	17.25	99
22+22+25+25+71	1.62	1.62	1.84	1.84	5.22	-	12.14 3.50 - 13.36	3.817 0.530 - 4.947	16.03	16.76	17.49	99
22+22+25+35+35	1.90	1.90	2.15	3.02	3.02	-	11.98 3.50 - 13.26	3.661 0.530 - 4.951	15.38	16.08	16.78	99
22+22+25+35+42	1.81	1.81	2.06	2.88	3.46 *	-	12.03 3.50 - 13.28	3.730 0.530 - 4.970	15.67	16.38	17.09	99
22+22+25+35+50	1.72	1.72	1.96	2.74	3.92 *	-	12.07 3.50 - 13.32	3.764 0.530 - 4.964	15.81	16.53	17.25	99
22+22+25+35+60	1.63	1.63	1.85	2.59	4.44	-	12.13 3.50 - 13.36	3.824 0.530 - 4.964	16.06	16.79	17.52	99
22+22+25+35+71	1.53	1.53	1.74	2.44	4.94	-	12.18 3.50 - 13.39	3.857 0.530 - 4.947	16.20	16.94	17.68	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
22+22+25+42+42	1.74	1.74	1.97	3.31 *	3.31 *	-	12.07 3.50 - 13.31	3.751 0.530 - 4.951	15.75	16.47	17.19	99
22+22+25+42+50	1.66	1.66	1.88	3.16 *	3.76 *	-	12.12 3.50 - 13.34	3.808 0.530 - 4.958	15.99	16.72	17.45	99
22+22+25+42+60	1.57	1.57	1.78	2.99 *	4.27	-	12.18 3.50 - 13.38	3.868 0.530 - 4.958	16.25	16.99	17.73	99
22+22+25+50+50	1.58	1.58	1.80	3.60 *	3.60 *	-	12.16 3.50 - 13.38	3.831 0.530 - 4.941	16.09	16.82	17.55	99
22+22+25+50+60	1.50	1.50	1.70	3.40 *	4.08	-	12.18 3.50 - 13.39	3.868 0.530 - 4.958	16.25	16.99	17.73	99
22+22+35+35+35	1.78	1.78	2.83	2.83	2.83	-	12.04 3.50 - 13.30	3.711 0.530 - 4.941	15.59	16.30	17.01	99
22+22+35+35+42	1.71	1.71	2.71	2.71	3.26 *	-	12.09 3.50 - 13.32	3.790 0.530 - 4.970	15.92	16.64	17.36	99
22+22+35+35+50	1.63	1.63	2.59	2.59	3.70 *	-	12.13 3.50 - 13.36	3.824 0.530 - 4.964	16.06	16.79	17.52	99
22+22+35+35+60	1.54	1.54	2.45	2.45	4.20	-	12.18 3.50 - 13.39	3.874 0.530 - 4.964	16.27	17.01	17.75	99
22+22+35+42+42	1.64	1.64	2.60	3.13 *	3.13 *	-	12.13 3.50 - 13.35	3.807 0.530 - 4.947	15.99	16.72	17.45	99
22+22+35+42+50	1.57	1.57	2.49	2.99 *	3.56 *	-	12.18 3.50 - 13.38	3.868 0.530 - 4.958	16.25	16.99	17.73	99
22+22+35+50+50	1.50	1.50	2.38	3.40 *	3.40 *	-	12.18 3.50 - 13.39	3.868 0.530 - 4.958	16.25	16.99	17.73	99
22+22+42+42+42	1.57	1.57	3.01 *	3.01 *	3.01 *	-	12.17 3.50 - 13.38	3.858 0.530 - 4.958	16.20	16.94	17.68	99
22+22+42+42+50	1.51	1.51	2.87 *	2.87 *	3.42 *	-	12.18 3.50 - 13.39	3.862 0.530 - 4.952	16.22	16.96	17.70	99
22+25+25+25+35	1.99	2.26	2.26	2.26	3.17	-	11.94 3.50 - 13.23	3.622 0.530 - 4.952	15.22	15.91	16.60	99
22+25+25+25+42	1.90	2.15	2.15	2.15	3.62 *	-	11.98 3.50 - 13.26	3.680 0.530 - 4.970	15.46	16.16	16.86	99
22+25+25+25+50	1.80	2.05	2.05	2.05	4.09 *	-	12.03 3.50 - 13.29	3.724 0.530 - 4.964	15.64	16.35	17.06	99
22+25+25+25+60	1.69	1.93	1.93	1.93	4.62	-	12.09 3.50 - 13.33	3.784 0.530 - 4.964	15.90	16.62	17.34	99
22+25+25+25+71	1.59	1.81	1.81	1.81	5.14	-	12.16 3.50 - 13.37	3.837 0.530 - 4.947	16.12	16.85	17.58	99
22+25+25+35+35	1.86	2.11	2.11	2.96	2.96	-	12.00 3.50 - 13.27	3.681 0.530 - 4.951	15.47	16.17	16.87	99
22+25+25+35+42	1.78	2.02	2.02	2.83	3.39 *	-	12.04 3.50 - 13.30	3.740 0.530 - 4.970	15.72	16.43	17.14	99
22+25+25+35+50	1.69	1.93	1.93	2.70	3.85 *	-	12.09 3.50 - 13.33	3.784 0.530 - 4.964	15.90	16.62	17.34	99
22+25+25+35+60	1.60	1.82	1.82	2.55	4.37	-	12.15 3.50 - 13.37	3.844 0.530 - 4.964	16.15	16.88	17.61	99
22+25+25+35+71	1.51	1.71	1.71	2.39	4.86	-	12.18 3.50 - 13.39	3.857 0.530 - 4.947	16.20	16.94	17.68	99
22+25+25+42+42	1.71	1.94	1.94	3.26 *	3.26 *	-	12.09 3.50 - 13.32	3.771 0.530 - 4.951	15.84	16.56	17.28	99
22+25+25+42+50	1.63	1.85	1.85	3.11 *	3.70 *	-	12.13 3.50 - 13.36	3.818 0.530 - 4.958	16.04	16.77	17.50	99
22+25+25+42+60	1.54	1.75	1.75	2.94 *	4.20	-	12.18 3.50 - 13.39	3.868 0.530 - 4.958	16.25	16.99	17.73	99
22+25+25+50+50	1.56	1.77	1.77	3.54 *	3.54 *	-	12.18 3.50 - 13.39	3.851 0.530 - 4.941	16.17	16.91	17.65	99
22+25+35+35+35	1.75	1.98	2.78	2.78	2.78	-	12.06 3.50 - 13.31	3.748 0.530 - 4.958	15.74	16.46	17.18	99
22+25+35+35+42	1.67	1.90	2.66	2.66	3.20 *	-	12.10 3.50 - 13.34	3.800 0.530 - 4.970	15.96	16.69	17.42	99
22+25+35+35+50	1.60	1.82	2.55	2.55	3.64 *	-	12.15 3.50 - 13.37	3.844 0.530 - 4.964	16.15	16.88	17.61	99
22+25+35+35+60	1.51	1.72	2.41	2.41	4.13	-	12.18 3.50 - 13.39	3.874 0.530 - 4.964	16.27	17.01	17.75	99
22+25+35+42+42	1.61	1.83	2.56	3.07 *	3.07 *	-	12.15 3.50 - 13.36	3.827 0.530 - 4.947	16.08	16.81	17.54	99
22+25+35+42+50	1.54	1.75	2.45	2.94 *	3.50 *	-	12.18 3.50 - 13.39	3.868 0.530 - 4.958	16.25	16.99	17.73	99
22+25+42+42+42	1.55	1.76	2.96 *	2.96 *	2.96 *	-	12.18 3.50 - 13.39	3.868 0.530 - 4.958	16.25	16.99	17.73	99
22+35+35+35+35	1.65	2.62	2.62	2.62	2.62	-	12.12 3.50 - 13.35	3.802 0.530 - 4.952	15.97	16.70	17.43	99
22+35+35+35+42	1.58	2.52	2.52	2.52	3.02 *	-	12.16 3.50 - 13.38	3.860 0.530 - 4.970	16.21	16.95	17.69	99
22+35+35+35+50	1.51	2.41	2.41	2.41	3.44 *	-	12.18 3.50 - 13.39	3.874 0.530 - 4.964	16.27	17.01	17.75	99
22+35+35+42+42	1.52	2.42	2.42	2.91 *	2.91 *	-	12.18 3.50 - 13.39	3.874 0.530 - 4.964	16.27	17.01	17.75	99
25+25+25+25+25	2.38	2.38	2.38	2.38	2.38	-	11.90 3.50 - 13.20	3.588 0.530 - 4.958	15.07	15.76	16.45	99
25+25+25+25+35	2.21	2.21	2.21	2.21	3.10	-	11.96 3.50 - 13.24	3.660 0.530 - 4.970	15.37	16.07	16.77	99
25+25+25+25+42	2.11	2.11	2.11	2.11	3.55 *	-	12.00 3.50 - 13.27	3.700 0.530 - 4.970	15.54	16.25	16.96	99
25+25+25+25+50	2.01	2.01	2.01	2.01	4.02 *	-	12.05 3.50 - 13.30	3.744 0.530 - 4.964	15.73	16.44	17.15	99
25+25+25+25+60	1.89	1.89	1.89	1.89	4.54	-	12.11 3.50 - 13.34	3.804 0.530 - 4.964	15.98	16.71	17.44	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
25+25+25+25+71	1.78	1.78	1.78	1.78	5.06	-	12.18 3.50 - 13.38	3.857 0.530 - 4.947	16.20	16.94	17.68	99	
25+25+25+35+35	2.07	2.07	2.07	2.90	2.90	-	12.02 3.50 - 13.28	3.701 0.530 - 4.951	15.54	16.25	16.96	99	
25+25+25+35+42	1.98	1.98	1.98	2.78	3.33	*	12.06 3.50 - 13.31	3.760 0.530 - 4.970	15.79	16.51	17.23	99	
25+25+25+35+50	1.89	1.89	1.89	2.65	3.78	*	12.11 3.50 - 13.34	3.804 0.530 - 4.964	15.98	16.71	17.44	99	
25+25+25+35+60	1.79	1.79	1.79	2.51	4.30	-	12.17 3.50 - 13.38	3.864 0.530 - 4.964	16.23	16.97	17.71	99	
25+25+25+42+42	1.90	1.90	1.90	3.20	3.20	*	12.10 3.50 - 13.34	3.777 0.530 - 4.947	15.87	16.59	17.31	99	
25+25+25+42+50	1.82	1.82	1.82	3.06	3.64	*	12.15 3.50 - 13.37	3.838 0.530 - 4.958	16.13	16.86	17.59	99	
25+25+25+42+60	1.72	1.72	1.72	2.89	4.13	-	12.18 3.50 - 13.39	3.868 0.530 - 4.958	16.25	16.99	17.73	99	
25+25+25+50+50	1.74	1.74	1.74	3.48	3.48	*	12.18 3.50 - 13.39	3.851 0.530 - 4.941	16.17	16.91	17.65	99	
25+25+35+35+35	1.95	1.95	2.73	2.73	2.73	-	12.08 3.50 - 13.32	3.768 0.530 - 4.958	15.83	16.55	17.27	99	
25+25+35+35+42	1.87	1.87	2.62	2.62	3.14	*	12.12 3.50 - 13.35	3.820 0.530 - 4.970	16.05	16.78	17.51	99	
25+25+35+35+50	1.79	1.79	2.51	2.51	3.58	*	12.17 3.50 - 13.38	3.864 0.530 - 4.964	16.23	16.97	17.71	99	
25+25+35+35+60	1.69	1.69	2.37	2.37	4.06	-	12.18 3.50 - 13.39	3.874 0.530 - 4.964	16.27	17.01	17.75	99	
25+25+35+42+42	1.80	1.80	2.52	3.02	3.02	*	12.16 3.50 - 13.38	3.837 0.530 - 4.947	16.12	16.85	17.58	99	
25+25+35+42+50	1.72	1.72	2.41	2.89	3.44	*	12.18 3.50 - 13.39	3.868 0.530 - 4.958	16.25	16.99	17.73	99	
25+25+42+42+42	1.73	1.73	2.91	2.91	2.91	*	12.18 3.50 - 13.39	3.868 0.530 - 4.958	16.25	16.99	17.73	99	
25+35+35+35+35	1.84	2.58	2.58	2.58	2.58	-	12.14 3.50 - 13.36	3.822 0.530 - 4.952	16.06	16.79	17.52	99	
25+35+35+35+42	1.77	2.48	2.48	2.48	2.97	*	12.18 3.50 - 13.39	3.880 0.530 - 4.970	16.30	17.04	17.78	99	
25+35+35+35+50	1.69	2.37	2.37	2.37	3.38	*	12.18 3.50 - 13.39	3.874 0.530 - 4.964	16.27	17.01	17.75	99	
25+35+35+42+42	1.70	2.38	2.38	2.86	2.86	*	12.18 3.50 - 13.39	3.874 0.530 - 4.964	16.27	17.01	17.75	99	
35+35+35+35+35	2.44	2.44	2.44	2.44	2.44	-	12.18 3.50 - 13.39	3.868 0.530 - 4.958	16.25	16.99	17.73	99	
15+15+15+15+15+15	1.50	1.50	1.50	1.50	1.50	1.50	9.00 3.50 - 13.00	2.270 0.530 - 4.870	9.54	9.97	10.40	99	
15+15+15+15+15+18	1.39	1.39	1.39	1.39	1.39	1.66	8.60 3.50 - 12.60	2.448 0.530 - 4.918	10.28	10.75	11.22	99	
15+15+15+15+15+20	1.41	1.41	1.41	1.41	1.41	1.87	8.90 3.50 - 12.80	2.539 0.530 - 4.919	10.67	11.15	11.63	99	
15+15+15+15+15+22	1.39	1.39	1.39	1.39	1.39	2.04	9.00 3.50 - 12.80	2.646 0.530 - 4.936	11.11	11.62	12.13	99	
15+15+15+15+15+25	1.40	1.40	1.40	1.40	1.40	2.33	9.30 3.50 - 13.10	2.789 0.530 - 4.949	11.72	12.25	12.78	99	
15+15+15+15+15+35	1.39	1.39	1.39	1.39	1.39	3.25	10.21 3.50 - 13.50	3.289 0.530 - 4.989	13.81	14.44	15.07	99	
15+15+15+15+15+42	1.42	1.42	1.42	1.42	1.42	3.99	11.11 3.50 - 13.50	3.619 0.530 - 4.989	15.20	15.89	16.58	99	
15+15+15+15+15+50	1.38	1.38	1.38	1.38	1.38	4.61	11.53 3.50 - 13.50	3.723 0.530 - 4.983	15.64	16.35	17.06	99	
15+15+15+15+15+60	1.29	1.29	1.29	1.29	1.29	5.16	11.60 3.50 - 13.50	3.653 0.530 - 4.983	15.34	16.04	16.74	99	
15+15+15+15+15+71	1.20	1.20	1.20	1.20	1.20	5.68	11.67 3.50 - 13.50	3.556 0.530 - 4.966	14.94	15.62	16.30	99	
15+15+15+15+18+18	1.41	1.41	1.41	1.41	1.69	1.69	9.00 3.50 - 12.80	2.570 0.530 - 4.900	10.80	11.29	11.78	99	
15+15+15+15+18+20	1.41	1.41	1.41	1.41	1.69	1.88	9.20 3.50 - 13.00	2.680 0.530 - 4.920	11.26	11.77	12.28	99	
15+15+15+15+18+22	1.40	1.40	1.40	1.40	1.67	2.05	9.30 3.50 - 13.10	2.787 0.530 - 4.947	11.71	12.24	12.77	99	
15+15+15+15+18+25	1.40	1.40	1.40	1.40	1.68	2.33	9.60 3.50 - 13.30	2.930 0.530 - 4.950	12.31	12.87	13.43	99	
15+15+15+15+18+35	1.42	1.42	1.42	1.42	1.70	3.31	10.70 3.50 - 13.60	3.420 0.530 - 4.980	14.37	15.02	15.67	99	
15+15+15+15+18+42	1.45	1.45	1.45	1.45	1.74	4.06	11.60 3.50 - 13.60	3.750 0.530 - 4.980	15.75	16.47	17.19	99	
15+15+15+15+18+50	1.37	1.37	1.37	1.37	1.64	4.55	11.65 3.50 - 13.60	3.684 0.530 - 4.974	15.48	16.18	16.88	99	
15+15+15+15+18+60	1.27	1.27	1.27	1.27	1.53	5.10	11.72 3.50 - 13.60	3.614 0.530 - 4.974	15.18	15.87	16.56	99	
15+15+15+15+18+71	1.19	1.19	1.19	1.19	1.42	5.62	11.79 3.50 - 13.60	3.527 0.530 - 4.957	14.82	15.49	16.16	99	
15+15+15+15+20+20	1.41	1.41	1.41	1.41	1.88	1.88	9.40 3.50 - 13.20	2.761 0.530 - 4.921	11.60	12.13	12.66	99	
15+15+15+15+20+22	1.38	1.38	1.38	1.38	1.84	2.03	9.40 3.50 - 13.10	2.894 0.530 - 4.964	12.16	12.71	13.26	99	
15+15+15+15+20+25	1.39	1.39	1.39	1.39	1.85	2.31	9.70 3.50 - 13.30	3.037 0.530 - 4.967	12.76	13.34	13.92	99	
15+15+15+15+20+35	1.42	1.42	1.42	1.42	1.89	3.30	10.85 3.50 - 13.50	3.517 0.530 - 4.987	14.78	15.45	16.12	99	

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
15+15+15+15+20+50	1.34	1.34	1.34	1.34	1.78	4.45 *	11.57 3.50 - 13.50	3.687 0.530 - 4.987	15.49	16.19	16.89	99
15+15+15+15+20+60	1.25	1.25	1.25	1.25	1.66	4.98	11.63 3.50 - 13.50	3.611 0.530 - 4.981	15.17	15.86	16.55	99
15+15+15+15+20+71	1.16	1.16	1.16	1.16	1.55	5.50	11.70 3.50 - 13.50	3.524 0.530 - 4.964	14.81	15.48	16.15	99
15+15+15+15+22+22	1.38	1.38	1.38	1.38	2.03	2.03	9.60 3.50 - 13.30	2.968 0.530 - 4.948	12.46	13.03	13.60	99
15+15+15+15+22+25	1.40	1.40	1.40	1.40	2.06	2.34	10.00 3.50 - 13.50	3.130 0.530 - 4.970	13.15	13.75	14.35	99
15+15+15+15+22+35	1.44	1.44	1.44	1.44	2.11	3.35	11.21 3.50 - 13.60	3.610 0.530 - 4.980	15.16	15.85	16.54	99
15+15+15+15+22+42	1.41	1.41	1.41	1.41	2.06	3.94 *	11.63 3.50 - 13.60	3.720 0.530 - 4.980	15.63	16.34	17.05	99
15+15+15+15+22+50	1.33	1.33	1.33	1.33	1.95	4.42 *	11.68 3.50 - 13.60	3.664 0.530 - 4.974	15.39	16.09	16.79	99
15+15+15+15+22+60	1.24	1.24	1.24	1.24	1.82	4.96	11.75 3.50 - 13.60	3.594 0.530 - 4.974	15.09	15.78	16.47	99
15+15+15+15+22+71	1.16	1.16	1.16	1.16	1.70	5.48	11.80 3.50 - 13.60	3.517 0.530 - 4.957	14.78	15.45	16.12	99
15+15+15+15+25+25	1.41	1.41	1.41	1.41	2.34	2.34	10.31 3.50 - 13.60	3.261 0.530 - 4.961	13.70	14.32	14.94	99
15+15+15+15+25+35	1.45	1.45	1.45	1.45	2.42	3.38	11.60 3.50 - 13.60	3.750 0.530 - 4.980	15.75	16.47	17.19	99
15+15+15+15+25+42	1.38	1.38	1.38	1.38	2.29	3.85 *	11.65 3.50 - 13.60	3.700 0.530 - 4.980	15.54	16.25	16.96	99
15+15+15+15+25+50	1.30	1.30	1.30	1.30	2.17	4.33 *	11.70 3.50 - 13.60	3.644 0.530 - 4.974	15.30	16.00	16.70	99
15+15+15+15+25+60	1.22	1.22	1.22	1.22	2.03	4.87	11.77 3.50 - 13.60	3.574 0.530 - 4.974	15.02	15.70	16.38	99
15+15+15+15+25+71	1.13	1.13	1.13	1.13	1.89	5.37	11.80 3.50 - 13.60	3.517 0.530 - 4.957	14.78	15.45	16.12	99
15+15+15+15+35+35	1.35	1.35	1.35	1.35	3.14	3.14	11.67 3.50 - 13.60	3.661 0.530 - 4.961	15.38	16.08	16.78	99
15+15+15+15+35+42	1.28	1.28	1.28	1.28	2.99	3.59 *	11.71 3.50 - 13.60	3.630 0.530 - 4.980	15.25	15.94	16.63	99
15+15+15+15+35+50	1.22	1.22	1.22	1.22	2.84	4.06 *	11.77 3.50 - 13.60	3.574 0.530 - 4.974	15.02	15.70	16.38	99
15+15+15+15+35+60	1.14	1.14	1.14	1.14	2.66	4.57	11.80 3.50 - 13.60	3.534 0.530 - 4.974	14.85	15.52	16.19	99
15+15+15+15+35+71	1.07	1.07	1.07	1.07	2.49	5.05	11.80 3.50 - 13.60	3.517 0.530 - 4.957	14.78	15.45	16.12	99
15+15+15+15+42+42	1.23	1.23	1.23	1.23	3.43 *	3.43 *	11.76 3.50 - 13.60	3.561 0.530 - 4.961	14.96	15.64	16.32	99
15+15+15+15+42+50	1.16	1.16	1.16	1.16	3.26 *	3.88 *	11.80 3.50 - 13.60	3.528 0.530 - 4.968	14.82	15.49	16.16	99
15+15+15+15+42+60	1.09	1.09	1.09	1.09	3.06 *	4.37	11.80 3.50 - 13.60	3.528 0.530 - 4.968	14.82	15.49	16.16	99
15+15+15+15+42+71	1.02	1.02	1.02	1.02	2.86 *	4.84	11.80 3.50 - 13.60	3.511 0.530 - 4.951	14.75	15.42	16.09	99
15+15+15+15+50+50	1.11	1.11	1.11	1.11	3.69 *	3.69 *	11.80 3.50 - 13.60	3.515 0.530 - 4.955	14.77	15.44	16.11	99
15+15+15+15+50+60	1.04	1.04	1.04	1.04	3.47 *	4.16	11.80 3.50 - 13.60	3.528 0.530 - 4.968	14.82	15.49	16.16	99
15+15+15+15+60+60	0.98	0.98	0.98	0.98	3.93	3.93	11.80 3.50 - 13.60	3.511 0.530 - 4.951	14.75	15.42	16.09	99
15+15+15+18+18+18	1.41	1.41	1.41	1.69	1.69	1.69	9.30 3.50 - 13.10	2.684 0.530 - 4.884	11.28	11.79	12.30	99
15+15+15+18+18+20	1.43	1.43	1.43	1.71	1.71	1.90	9.60 3.50 - 13.30	2.821 0.530 - 4.931	11.85	12.39	12.93	99
15+15+15+18+18+22	1.40	1.40	1.40	1.68	1.68	2.05	9.60 3.50 - 13.30	2.928 0.530 - 4.948	12.30	12.86	13.42	99
15+15+15+18+18+25	1.42	1.42	1.42	1.70	1.70	2.36	10.00 3.50 - 13.60	3.071 0.530 - 4.961	12.90	13.49	14.08	99
15+15+15+18+18+35	1.45	1.45	1.45	1.73	1.73	3.37	11.18 3.50 - 13.70	3.551 0.530 - 4.971	14.92	15.60	16.28	99
15+15+15+18+18+42	1.43	1.43	1.43	1.72	1.72	4.00 *	11.72 3.50 - 13.70	3.721 0.530 - 4.971	15.63	16.34	17.05	99
15+15+15+18+18+50	1.35	1.35	1.35	1.62	1.62	4.49 *	11.77 3.50 - 13.70	3.655 0.530 - 4.965	15.35	16.05	16.75	99
15+15+15+18+18+60	1.26	1.26	1.26	1.51	1.51	5.04	11.84 3.50 - 13.70	3.585 0.530 - 4.965	15.06	15.74	16.42	99
15+15+15+18+18+71	1.17	1.17	1.17	1.41	1.41	5.56	11.90 3.50 - 13.70	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+15+15+18+20+20	1.41	1.41	1.41	1.70	1.88	1.88	9.70 3.50 - 13.40	2.902 0.530 - 4.922	12.19	12.74	13.29	99
15+15+15+18+20+22	1.39	1.39	1.39	1.66	1.85	2.03	9.70 3.50 - 13.30	3.035 0.530 - 4.965	12.75	13.33	13.91	99
15+15+15+18+20+25	1.40	1.40	1.40	1.68	1.86	2.33	10.05 3.50 - 13.60	3.178 0.530 - 4.978	13.35	13.96	14.57	99
15+15+15+18+20+35	1.44	1.44	1.44	1.73	1.92	3.36	11.34 3.50 - 13.60	3.658 0.530 - 4.978	15.36	16.06	16.76	99
15+15+15+18+20+42	1.40	1.40	1.40	1.67	1.86	3.91 *	11.63 3.50 - 13.60	3.718 0.530 - 4.978	15.62	16.33	17.04	99
15+15+15+18+20+50	1.32	1.32	1.32	1.58	1.76	4.39 *	11.69 3.50 - 13.60	3.652 0.530 - 4.972	15.34	16.04	16.74	99
15+15+15+18+20+60	1.23	1.23	1.23	1.48	1.64	4.93	11.75 3.50 - 13.60	3.582 0.530 - 4.972	15.05	15.73	16.41	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
15+15+15+18+20+71	1.15	1.15	1.15	1.38	1.53	5.44	11.80 3.50 - 13.60	3.515 0.530 - 4.955	14.77	15.44	16.11	99
15+15+15+18+22+22	1.40	1.40	1.40	1.68	2.06	2.06	10.00 3.50 - 13.50	3.109 0.530 - 4.949	13.06	13.65	14.24	99
15+15+15+18+22+25	1.42	1.42	1.42	1.70	2.08	2.37	10.41 3.50 - 13.70	3.271 0.530 - 4.971	13.75	14.37	14.99	99
15+15+15+18+22+35	1.46	1.46	1.46	1.76	2.15	3.41	11.70 3.50 - 13.70	3.741 0.530 - 4.971	15.72	16.43	17.14	99
15+15+15+18+22+42	1.39	1.39	1.39	1.67	2.04	3.89 *	11.75 3.50 - 13.70	3.691 0.530 - 4.971	15.51	16.21	16.91	99
15+15+15+18+22+50	1.31	1.31	1.31	1.57	1.92	4.37 *	11.80 3.50 - 13.70	3.635 0.530 - 4.965	15.27	15.96	16.65	99
15+15+15+18+22+60	1.23	1.23	1.23	1.47	1.80	4.91	11.87 3.50 - 13.70	3.565 0.530 - 4.965	14.98	15.66	16.34	99
15+15+15+18+22+71	1.14	1.14	1.14	1.37	1.68	5.42	11.90 3.50 - 13.70	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+15+15+18+25+25	1.43	1.43	1.43	1.72	2.39	2.39	10.80 3.50 - 13.70	3.392 0.530 - 4.952	14.25	14.90	15.55	99
15+15+15+18+25+35	1.43	1.43	1.43	1.72	2.38	3.33	11.72 3.50 - 13.70	3.721 0.530 - 4.971	15.63	16.34	17.05	99
15+15+15+18+25+42	1.36	1.36	1.36	1.63	2.26	3.80 *	11.77 3.50 - 13.70	3.671 0.530 - 4.971	15.42	16.12	16.82	99
15+15+15+18+25+50	1.28	1.28	1.28	1.54	2.14	4.28 *	11.82 3.50 - 13.70	3.605 0.530 - 4.965	15.14	15.83	16.52	99
15+15+15+18+25+60	1.21	1.21	1.21	1.45	2.01	4.82	11.89 3.50 - 13.70	3.535 0.530 - 4.965	14.85	15.52	16.19	99
15+15+15+18+25+71	1.12	1.12	1.12	1.35	1.87	5.31	11.90 3.50 - 13.70	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+15+15+18+35+35	1.33	1.33	1.33	1.60	3.10	3.10	11.79 3.50 - 13.70	3.632 0.530 - 4.952	15.26	15.95	16.64	99
15+15+15+18+35+42	1.27	1.27	1.27	1.52	2.96	3.55 *	11.83 3.50 - 13.70	3.601 0.530 - 4.971	15.12	15.81	16.50	99
15+15+15+18+35+50	1.21	1.21	1.21	1.45	2.81	4.02 *	11.89 3.50 - 13.70	3.535 0.530 - 4.965	14.85	15.52	16.19	99
15+15+15+18+35+60	1.13	1.13	1.13	1.36	2.64	4.52	11.90 3.50 - 13.70	3.525 0.530 - 4.965	14.81	15.48	16.15	99
15+15+15+18+35+71	1.06	1.06	1.06	1.27	2.46	5.00	11.90 3.50 - 13.70	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+15+15+18+42+42	1.21	1.21	1.21	1.45	3.39 *	3.39 *	11.88 3.50 - 13.70	3.532 0.530 - 4.952	14.84	15.51	16.18	99
15+15+15+18+42+50	1.15	1.15	1.15	1.38	3.22 *	3.84 *	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
15+15+15+18+42+60	1.08	1.08	1.08	1.30	3.03 *	4.33	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
15+15+15+18+42+71	1.01	1.01	1.01	1.22	2.84 *	4.80	11.90 3.50 - 13.70	3.502 0.530 - 4.942	14.71	15.38	16.05	99
15+15+15+18+50+50	1.10	1.10	1.10	1.31	3.65 *	3.65 *	11.90 3.50 - 13.70	3.506 0.530 - 4.946	14.73	15.40	16.07	99
15+15+15+18+50+60	1.03	1.03	1.03	1.24	3.44 *	4.13	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
15+15+15+20+20+20	1.41	1.41	1.41	1.89	1.89	1.89	9.90 3.50 - 13.50	2.992 0.530 - 4.922	12.57	13.14	13.71	99
15+15+15+20+20+22	1.37	1.37	1.37	1.83	1.83	2.01	9.80 3.50 - 13.30	3.142 0.530 - 4.982	13.20	13.80	14.40	99
15+15+15+20+20+25	1.39	1.39	1.39	1.86	1.86	2.32	10.21 3.50 - 13.50	3.285 0.530 - 4.985	13.80	14.43	15.06	99
15+15+15+20+20+35	1.44	1.44	1.44	1.92	1.92	3.35	11.50 3.50 - 13.50	3.755 0.530 - 4.985	15.77	16.49	17.21	99
15+15+15+20+20+42	1.36	1.36	1.36	1.82	1.82	3.82 *	11.55 3.50 - 13.50	3.705 0.530 - 4.985	15.56	16.27	16.98	99
15+15+15+20+20+50	1.29	1.29	1.29	1.72	1.72	4.30 *	11.60 3.50 - 13.50	3.649 0.530 - 4.979	15.33	16.03	16.73	99
15+15+15+20+20+60	1.21	1.21	1.21	1.61	1.61	4.83	11.67 3.50 - 13.50	3.579 0.530 - 4.979	15.04	15.72	16.40	99
15+15+15+20+20+71	1.13	1.13	1.13	1.50	1.50	5.33	11.70 3.50 - 13.50	3.522 0.530 - 4.962	14.80	15.47	16.14	99
15+15+15+20+22+22	1.39	1.39	1.39	1.85	2.03	2.03	10.08 3.50 - 13.50	3.216 0.530 - 4.966	13.51	14.12	14.73	99
15+15+15+20+22+25	1.42	1.42	1.42	1.89	2.08	2.36	10.57 3.50 - 13.60	3.368 0.530 - 4.978	14.15	14.79	15.43	99
15+15+15+20+22+42	1.36	1.36	1.36	1.81	1.99	3.80 *	11.66 3.50 - 13.60	3.688 0.530 - 4.978	15.50	16.20	16.90	99
15+15+15+20+22+50	1.28	1.28	1.28	1.71	1.88	4.27 *	11.71 3.50 - 13.60	3.622 0.530 - 4.972	15.22	15.91	16.60	99
15+15+15+20+22+60	1.20	1.20	1.20	1.60	1.76	4.81	11.78 3.50 - 13.60	3.552 0.530 - 4.972	14.92	15.60	16.28	99
15+15+15+20+22+71	1.12	1.12	1.12	1.49	1.64	5.30	11.80 3.50 - 13.60	3.515 0.530 - 4.955	14.77	15.44	16.11	99
15+15+15+20+25+25	1.43	1.43	1.43	1.90	2.38	2.38	10.95 3.50 - 13.60	3.489 0.530 - 4.959	14.65	15.32	15.99	99
15+15+15+20+25+35	1.40	1.40	1.40	1.86	2.33	3.26	11.63 3.50 - 13.60	3.718 0.530 - 4.978	15.62	16.33	17.04	99
15+15+15+20+25+42	1.33	1.33	1.33	1.77	2.21	3.72 *	11.68 3.50 - 13.60	3.668 0.530 - 4.978	15.41	16.11	16.81	99
15+15+15+20+25+50	1.26	1.26	1.26	1.68	2.09	4.19 *	11.73 3.50 - 13.60	3.602 0.530 - 4.972	15.13	15.82	16.51	99
15+15+15+20+25+60	1.18	1.18	1.18	1.57	1.97	4.72	11.80 3.50 - 13.60	3.532 0.530 - 4.972	14.84	15.51	16.18	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
15+15+15+20+25+71	1.10	1.10	1.10	1.47	1.83	5.20	11.80 3.50 - 13.60	3.515 0.530 - 4.955	14.77	15.44	16.11	99
15+15+15+20+35+35	1.30	1.30	1.30	1.73	3.03	3.03	11.70 3.50 - 13.60	3.629 0.530 - 4.959	15.25	15.94	16.63	99
15+15+15+20+35+42	1.24	1.24	1.24	1.65	2.90	3.48 *	11.75 3.50 - 13.60	3.598 0.530 - 4.978	15.11	15.80	16.49	99
15+15+15+20+35+50	1.18	1.18	1.18	1.57	2.75	3.93 *	11.80 3.50 - 13.60	3.532 0.530 - 4.972	14.84	15.51	16.18	99
15+15+15+20+35+60	1.11	1.11	1.11	1.48	2.58	4.43	11.80 3.50 - 13.60	3.532 0.530 - 4.972	14.84	15.51	16.18	99
15+15+15+20+35+71	1.04	1.04	1.04	1.38	2.42	4.90	11.80 3.50 - 13.60	3.515 0.530 - 4.955	14.77	15.44	16.11	99
15+15+15+20+42+42	1.19	1.19	1.19	1.58	3.32 *	3.32 *	11.79 3.50 - 13.60	3.529 0.530 - 4.959	14.83	15.50	16.17	99
15+15+15+20+42+50	1.13	1.13	1.13	1.50	3.16 *	3.76 *	11.80 3.50 - 13.60	3.526 0.530 - 4.966	14.82	15.49	16.16	99
15+15+15+20+42+60	1.06	1.06	1.06	1.41	2.97 *	4.24	11.80 3.50 - 13.60	3.526 0.530 - 4.966	14.82	15.49	16.16	99
15+15+15+20+42+71	0.99	0.99	0.99	1.33	2.78 *	4.71	11.80 3.50 - 13.60	3.509 0.530 - 4.949	14.74	15.41	16.08	99
15+15+15+20+50+50	1.07	1.07	1.07	1.43	3.58 *	3.58 *	11.80 3.50 - 13.60	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+15+15+20+50+60	1.01	1.01	1.01	1.35	3.37 *	4.05	11.80 3.50 - 13.60	3.526 0.530 - 4.966	14.82	15.49	16.16	99
15+15+15+22+22+22	1.41	1.41	1.41	2.07	2.07	2.07	10.44 3.50 - 13.60	3.289 0.530 - 4.949	13.81	14.44	15.07	99
15+15+15+22+22+25	1.44	1.44	1.44	2.11	2.11	2.40	10.93 3.50 - 13.70	3.461 0.530 - 4.971	14.54	15.20	15.86	99
15+15+15+22+22+35	1.42	1.42	1.42	2.08	2.08	3.31	11.73 3.50 - 13.70	3.711 0.530 - 4.971	15.59	16.30	17.01	99
15+15+15+22+22+42	1.35	1.35	1.35	1.98	1.98	3.77 *	11.77 3.50 - 13.70	3.661 0.530 - 4.971	15.38	16.08	16.78	99
15+15+15+22+22+50	1.28	1.28	1.28	1.87	1.87	4.26 *	11.83 3.50 - 13.70	3.605 0.530 - 4.965	15.14	15.83	16.52	99
15+15+15+22+22+60	1.20	1.20	1.20	1.76	1.76	4.79	11.89 3.50 - 13.70	3.535 0.530 - 4.965	14.85	15.52	16.19	99
15+15+15+22+22+71	1.12	1.12	1.12	1.64	1.64	5.28	11.90 3.50 - 13.70	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+15+15+22+25+25	1.45	1.45	1.45	2.13	2.42	2.42	11.31 3.50 - 13.70	3.582 0.530 - 4.952	15.05	15.73	16.41	99
15+15+15+22+25+35	1.39	1.39	1.39	2.04	2.31	3.24	11.75 3.50 - 13.70	3.691 0.530 - 4.971	15.51	16.21	16.91	99
15+15+15+22+25+42	1.32	1.32	1.32	1.94	2.20	3.70 *	11.79 3.50 - 13.70	3.641 0.530 - 4.971	15.29	15.99	16.69	99
15+15+15+22+25+50	1.25	1.25	1.25	1.84	2.09	4.17 *	11.85 3.50 - 13.70	3.585 0.530 - 4.965	15.06	15.74	16.42	99
15+15+15+22+25+60	1.17	1.17	1.17	1.72	1.96	4.70	11.90 3.50 - 13.70	3.525 0.530 - 4.965	14.81	15.48	16.15	99
15+15+15+22+25+71	1.10	1.10	1.10	1.61	1.83	5.18	11.90 3.50 - 13.70	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+15+15+22+35+35	1.29	1.29	1.29	1.90	3.02	3.02	11.81 3.50 - 13.70	3.602 0.530 - 4.952	15.13	15.82	16.51	99
15+15+15+22+35+42	1.24	1.24	1.24	1.81	2.88	3.46 *	11.86 3.50 - 13.70	3.571 0.530 - 4.971	15.00	15.68	16.36	99
15+15+15+22+35+50	1.17	1.17	1.17	1.72	2.74	3.91 *	11.90 3.50 - 13.70	3.525 0.530 - 4.965	14.81	15.48	16.15	99
15+15+15+22+35+60	1.10	1.10	1.10	1.62	2.57	4.41	11.90 3.50 - 13.70	3.525 0.530 - 4.965	14.81	15.48	16.15	99
15+15+15+22+35+71	1.03	1.03	1.03	1.51	2.41	4.88	11.90 3.50 - 13.70	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+15+15+22+42+42	1.18	1.18	1.18	1.73	3.31 *	3.31 *	11.90 3.50 - 13.70	3.512 0.530 - 4.952	14.75	15.42	16.09	99
15+15+15+22+42+50	1.12	1.12	1.12	1.65	3.14 *	3.74 *	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
15+15+15+22+42+60	1.06	1.06	1.06	1.55	2.96 *	4.22	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
15+15+15+22+42+71	0.99	0.99	0.99	1.45	2.78 *	4.69	11.90 3.50 - 13.70	3.502 0.530 - 4.942	14.71	15.38	16.05	99
15+15+15+22+50+50	1.07	1.07	1.07	1.57	3.56 *	3.56 *	11.90 3.50 - 13.70	3.506 0.530 - 4.946	14.73	15.40	16.07	99
15+15+15+22+50+60	1.01	1.01	1.01	1.48	3.36 *	4.03	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
15+15+15+25+25+25	1.46	1.46	1.46	2.44	2.44	2.44	11.70 3.50 - 13.70	3.712 0.530 - 4.942	15.59	16.30	17.01	99
15+15+15+25+25+35	1.36	1.36	1.36	2.26	2.26	3.17	11.77 3.50 - 13.70	3.671 0.530 - 4.971	15.42	16.12	16.82	99
15+15+15+25+25+42	1.29	1.29	1.29	2.16	2.16	3.62 *	11.81 3.50 - 13.70	3.621 0.530 - 4.971	15.21	15.90	16.59	99
15+15+15+25+25+50	1.23	1.23	1.23	2.05	2.05	4.09 *	11.87 3.50 - 13.70	3.565 0.530 - 4.965	14.98	15.66	16.34	99
15+15+15+25+25+60	1.15	1.15	1.15	1.92	1.92	4.61	11.90 3.50 - 13.70	3.525 0.530 - 4.965	14.81	15.48	16.15	99
15+15+15+25+25+71	1.08	1.08	1.08	1.79	1.79	5.09	11.90 3.50 - 13.70	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+15+15+25+35+35	1.27	1.27	1.27	2.11	2.96	2.96	11.83 3.50 - 13.70	3.582 0.530 - 4.952	15.05	15.73	16.41	99
15+15+15+25+35+42	1.21	1.21	1.21	2.02	2.83	3.39 *	11.88 3.50 - 13.70	3.551 0.530 - 4.971	14.92	15.60	16.28	99



**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
15+15+15+25+35+50	1.15	1.15	1.15	1.92	2.69	3.84 *	11.90 3.50 - 13.70	3.525 0.530 - 4.965	14.81	15.48	16.15	99
15+15+15+25+35+60	1.08	1.08	1.08	1.80	2.52	4.33	11.90 3.50 - 13.70	3.525 0.530 - 4.965	14.81	15.48	16.15	99
15+15+15+25+35+71	1.01	1.01	1.01	1.69	2.37	4.80	11.90 3.50 - 13.70	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+15+15+25+42+42	1.16	1.16	1.16	1.93	3.25 *	3.25 *	11.90 3.50 - 13.70	3.512 0.530 - 4.952	14.75	15.42	16.09	99
15+15+15+25+42+50	1.10	1.10	1.10	1.84	3.09 *	3.67 *	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
15+15+15+25+42+60	1.04	1.04	1.04	1.73	2.91 *	4.15	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
15+15+15+25+50+50	1.05	1.05	1.05	1.75	3.50 *	3.50 *	11.90 3.50 - 13.70	3.502 0.530 - 4.942	14.71	15.38	16.05	99
15+15+15+25+50+60	0.99	0.99	0.99	1.65	3.31 *	3.97	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
15+15+15+35+35+35	1.19	1.19	1.19	2.78	2.78	2.78	11.90 3.50 - 13.70	3.502 0.530 - 4.942	14.71	15.38	16.05	99
15+15+15+35+35+42	1.14	1.14	1.14	2.65	2.65	3.18 *	11.90 3.50 - 13.70	3.531 0.530 - 4.971	14.84	15.51	16.18	99
15+15+15+35+35+50	1.08	1.08	1.08	2.52	2.52	3.61 *	11.90 3.50 - 13.70	3.525 0.530 - 4.965	14.81	15.48	16.15	99
15+15+15+35+35+60	1.02	1.02	1.02	2.38	2.38	4.08	11.90 3.50 - 13.70	3.525 0.530 - 4.965	14.81	15.48	16.15	99
15+15+15+35+42+42	1.09	1.09	1.09	2.54	3.05 *	3.05 *	11.90 3.50 - 13.70	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+15+15+35+42+50	1.04	1.04	1.04	2.42	2.91 *	3.46 *	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
15+15+15+35+50+50	0.99	0.99	0.99	2.31	3.31 *	3.31 *	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
15+15+15+42+42+42	1.04	1.04	1.04	2.92 *	2.92 *	2.92 *	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
15+15+15+42+42+50	1.00	1.00	1.00	2.79 *	2.79 *	3.32 *	11.90 3.50 - 13.70	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+15+18+18+18+18	1.43	1.43	1.71	1.71	1.71	1.71	9.70 3.50 - 13.40	2.853 0.530 - 4.923	11.99	12.53	13.07	99
15+15+18+18+18+20	1.43	1.43	1.71	1.71	1.71	1.90	9.90 3.50 - 13.60	2.962 0.530 - 4.942	12.44	13.01	13.58	99
15+15+18+18+18+22	1.42	1.42	1.70	1.70	1.70	2.08	10.00 3.50 - 13.60	3.069 0.530 - 4.959	12.89	13.48	14.07	99
15+15+18+18+18+25	1.43	1.43	1.71	1.71	1.71	2.38	10.38 3.50 - 13.80	3.212 0.530 - 4.962	13.50	14.11	14.72	99
15+15+18+18+18+35	1.47	1.47	1.77	1.77	1.77	3.43	11.67 3.50 - 13.80	3.682 0.530 - 4.962	15.47	16.17	16.87	99
15+15+18+18+18+42	1.41	1.41	1.69	1.69	1.69	3.95 *	11.84 3.50 - 13.80	3.692 0.530 - 4.962	15.51	16.21	16.91	99
15+15+18+18+18+50	1.33	1.33	1.60	1.60	1.60	4.44 *	11.89 3.50 - 13.80	3.626 0.530 - 4.956	15.23	15.92	16.61	99
15+15+18+18+18+60	1.25	1.25	1.50	1.50	1.50	4.98	11.96 3.50 - 13.80	3.556 0.530 - 4.956	14.94	15.62	16.30	99
15+15+18+18+18+71	1.16	1.16	1.39	1.39	1.39	5.50	12.00 3.50 - 13.80	3.499 0.530 - 4.939	14.70	15.37	16.04	99
15+15+18+18+20+20	1.43	1.43	1.72	1.72	1.91	1.91	10.10 3.50 - 13.70	3.043 0.530 - 4.933	12.78	13.36	13.94	99
15+15+18+18+20+22	1.40	1.40	1.68	1.68	1.86	2.05	10.05 3.50 - 13.60	3.176 0.530 - 4.976	13.34	13.95	14.56	99
15+15+18+18+20+25	1.42	1.42	1.71	1.71	1.90	2.37	10.54 3.50 - 13.70	3.309 0.530 - 4.969	13.90	14.53	15.16	99
15+15+18+18+20+35	1.45	1.45	1.74	1.74	1.94	3.39	11.71 3.50 - 13.70	3.729 0.530 - 4.969	15.67	16.38	17.09	99
15+15+18+18+20+42	1.38	1.38	1.65	1.65	1.84	3.86 *	11.75 3.50 - 13.70	3.679 0.530 - 4.969	15.46	16.16	16.86	99
15+15+18+18+20+50	1.30	1.30	1.56	1.56	1.74	4.34 *	11.81 3.50 - 13.70	3.623 0.530 - 4.963	15.22	15.91	16.60	99
15+15+18+18+20+60	1.22	1.22	1.46	1.46	1.63	4.88	11.87 3.50 - 13.70	3.553 0.530 - 4.963	14.92	15.60	16.28	99
15+15+18+18+20+71	1.14	1.14	1.36	1.36	1.52	5.38	11.90 3.50 - 13.70	3.506 0.530 - 4.946	14.73	15.40	16.07	99
15+15+18+18+22+22	1.42	1.42	1.70	1.70	2.08	2.08	10.41 3.50 - 13.70	3.250 0.530 - 4.950	13.65	14.27	14.89	99
15+15+18+18+22+25	1.45	1.45	1.74	1.74	2.12	2.41	10.90 3.50 - 13.80	3.402 0.530 - 4.962	14.29	14.94	15.59	99
15+15+18+18+22+35	1.44	1.44	1.73	1.73	2.11	3.36	11.82 3.50 - 13.80	3.712 0.530 - 4.962	15.59	16.30	17.01	99
15+15+18+18+22+42	1.37	1.37	1.64	1.64	2.01	3.83 *	11.87 3.50 - 13.80	3.662 0.530 - 4.962	15.38	16.08	16.78	99
15+15+18+18+22+50	1.30	1.30	1.55	1.55	1.90	4.32 *	11.92 3.50 - 13.80	3.596 0.530 - 4.956	15.10	15.79	16.48	99
15+15+18+18+22+60	1.22	1.22	1.46	1.46	1.78	4.86	11.99 3.50 - 13.80	3.526 0.530 - 4.956	14.82	15.49	16.16	99
15+15+18+18+22+71	1.13	1.13	1.36	1.36	1.66	5.36	12.00 3.50 - 13.80	3.499 0.530 - 4.939	14.70	15.37	16.04	99
15+15+18+18+25+25	1.46	1.46	1.75	1.75	2.43	2.43	11.28 3.50 - 13.80	3.523 0.530 - 4.943	14.80	15.47	16.14	99
15+15+18+18+25+35	1.41	1.41	1.69	1.69	2.35	3.29	11.84 3.50 - 13.80	3.692 0.530 - 4.962	15.51	16.21	16.91	99
15+15+18+18+25+42	1.34	1.34	1.61	1.61	2.23	3.75 *	11.89 3.50 - 13.80	3.642 0.530 - 4.962	15.29	15.99	16.69	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
15+15+18+18+25+50	1.27	1.27	1.52	1.52	2.12	4.23 *	11.94 3.50 - 13.80	3.576 0.530 - 4.956	15.02	15.70	16.38	99
15+15+18+18+25+60	1.19	1.19	1.43	1.43	1.99	4.77	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+18+18+25+71	1.11	1.11	1.33	1.33	1.85	5.26	12.00 3.50 - 13.80	3.499 0.530 - 4.939	14.70	15.37	16.04	99
15+15+18+18+35+35	1.31	1.31	1.58	1.58	3.07	3.07	11.91 3.50 - 13.80	3.603 0.530 - 4.943	15.13	15.82	16.51	99
15+15+18+18+35+42	1.25	1.25	1.50	1.50	2.92	3.51 *	11.95 3.50 - 13.80	3.572 0.530 - 4.962	15.01	15.69	16.37	99
15+15+18+18+35+50	1.19	1.19	1.43	1.43	2.78	3.97 *	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+18+18+35+60	1.12	1.12	1.34	1.34	2.61	4.47	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+18+18+35+71	1.05	1.05	1.26	1.26	2.44	4.95	12.00 3.50 - 13.80	3.499 0.530 - 4.939	14.70	15.37	16.04	99
15+15+18+18+42+42	1.20	1.20	1.44	1.44	3.36 *	3.36 *	12.00 3.50 - 13.80	3.503 0.530 - 4.943	14.71	15.38	16.05	99
15+15+18+18+42+50	1.14	1.14	1.37	1.37	3.19 *	3.80 *	12.00 3.50 - 13.80	3.510 0.530 - 4.950	14.75	15.42	16.09	99
15+15+18+18+42+60	1.07	1.07	1.29	1.29	3.00 *	4.29	12.00 3.50 - 13.80	3.510 0.530 - 4.950	14.75	15.42	16.09	99
15+15+18+18+42+71	1.01	1.01	1.21	1.21	2.82 *	4.76	12.00 3.50 - 13.80	3.493 0.530 - 4.933	14.67	15.34	16.01	99
15+15+18+18+50+50	1.08	1.08	1.30	1.30	3.61 *	3.61 *	12.00 3.50 - 13.80	3.497 0.530 - 4.937	14.69	15.36	16.03	99
15+15+18+18+50+60	1.02	1.02	1.23	1.23	3.41 *	4.09	12.00 3.50 - 13.80	3.510 0.530 - 4.950	14.75	15.42	16.09	99
15+15+18+20+20+20	1.42	1.42	1.71	1.90	1.90	1.90	10.25 3.50 - 13.80	3.133 0.530 - 4.933	13.16	13.76	14.36	99
15+15+18+20+20+22	1.39	1.39	1.67	1.86	1.86	2.04	10.21 3.50 - 13.50	3.283 0.530 - 4.983	13.79	14.42	15.05	99
15+15+18+20+20+25	1.42	1.42	1.70	1.89	1.89	2.37	10.70 3.50 - 13.60	3.416 0.530 - 4.976	14.35	15.00	15.65	99
15+15+18+20+20+35	1.42	1.42	1.70	1.89	1.89	3.31	11.62 3.50 - 13.60	3.726 0.530 - 4.976	15.65	16.36	17.07	99
15+15+18+20+20+42	1.35	1.35	1.62	1.80	1.80	3.77 *	11.67 3.50 - 13.60	3.676 0.530 - 4.976	15.44	16.14	16.84	99
15+15+18+20+20+50	1.27	1.27	1.53	1.70	1.70	4.25 *	11.72 3.50 - 13.60	3.610 0.530 - 4.970	15.16	15.85	16.54	99
15+15+18+20+20+60	1.19	1.19	1.43	1.59	1.59	4.78	11.79 3.50 - 13.60	3.540 0.530 - 4.970	14.87	15.55	16.23	99
15+15+18+20+20+71	1.11	1.11	1.34	1.48	1.48	5.27	11.80 3.50 - 13.60	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+15+18+20+22+22	1.42	1.42	1.70	1.89	2.08	2.08	10.57 3.50 - 13.60	3.347 0.530 - 4.957	14.06	14.70	15.34	99
15+15+18+20+22+25	1.44	1.44	1.73	1.92	2.11	2.40	11.05 3.50 - 13.70	3.499 0.530 - 4.969	14.70	15.37	16.04	99
15+15+18+20+22+35	1.41	1.41	1.69	1.88	2.06	3.28	11.73 3.50 - 13.70	3.709 0.530 - 4.969	15.58	16.29	17.00	99
15+15+18+20+22+42	1.34	1.34	1.61	1.78	1.96	3.75 *	11.78 3.50 - 13.70	3.659 0.530 - 4.969	15.37	16.07	16.77	99
15+15+18+20+22+50	1.27	1.27	1.52	1.69	1.86	4.23 *	11.83 3.50 - 13.70	3.593 0.530 - 4.963	15.09	15.78	16.47	99
15+15+18+20+22+60	1.19	1.19	1.43	1.59	1.75	4.76	11.90 3.50 - 13.70	3.523 0.530 - 4.963	14.80	15.47	16.14	99
15+15+18+20+22+71	1.11	1.11	1.33	1.48	1.63	5.25	11.90 3.50 - 13.70	3.506 0.530 - 4.946	14.73	15.40	16.07	99
15+15+18+20+25+25	1.45	1.45	1.75	1.94	2.42	2.42	11.44 3.50 - 13.70	3.630 0.530 - 4.950	15.25	15.94	16.63	99
15+15+18+20+25+35	1.38	1.38	1.65	1.84	2.29	3.21	11.75 3.50 - 13.70	3.679 0.530 - 4.969	15.46	16.16	16.86	99
15+15+18+20+25+42	1.31	1.31	1.57	1.75	2.19	3.67 *	11.80 3.50 - 13.70	3.639 0.530 - 4.969	15.29	15.98	16.67	99
15+15+18+20+25+50	1.24	1.24	1.49	1.66	2.07	4.14 *	11.85 3.50 - 13.70	3.573 0.530 - 4.963	15.01	15.69	16.37	99
15+15+18+20+25+60	1.17	1.17	1.40	1.56	1.94	4.67	11.90 3.50 - 13.70	3.523 0.530 - 4.963	14.80	15.47	16.14	99
15+15+18+20+25+71	1.09	1.09	1.31	1.45	1.81	5.15	11.90 3.50 - 13.70	3.506 0.530 - 4.946	14.73	15.40	16.07	99
15+15+18+20+35+35	1.28	1.28	1.54	1.71	3.00	3.00	11.82 3.50 - 13.70	3.590 0.530 - 4.950	15.08	15.77	16.46	99
15+15+18+20+35+42	1.23	1.23	1.47	1.64	2.87	3.44 *	11.87 3.50 - 13.70	3.569 0.530 - 4.969	14.99	15.67	16.35	99
15+15+18+20+35+50	1.17	1.17	1.40	1.56	2.72	3.89 *	11.90 3.50 - 13.70	3.523 0.530 - 4.963	14.80	15.47	16.14	99
15+15+18+20+35+60	1.10	1.10	1.31	1.46	2.56	4.38	11.90 3.50 - 13.70	3.523 0.530 - 4.963	14.80	15.47	16.14	99
15+15+18+20+35+71	1.03	1.03	1.23	1.37	2.39	4.86	11.90 3.50 - 13.70	3.506 0.530 - 4.946	14.73	15.40	16.07	99
15+15+18+20+42+42	1.17	1.17	1.41	1.57	3.29 *	3.29 *	11.90 3.50 - 13.70	3.510 0.530 - 4.950	14.75	15.42	16.09	99
15+15+18+20+42+50	1.12	1.12	1.34	1.49	3.12 *	3.72 *	11.90 3.50 - 13.70	3.517 0.530 - 4.957	14.78	15.45	16.12	99
15+15+18+20+42+60	1.05	1.05	1.26	1.40	2.94 *	4.20	11.90 3.50 - 13.70	3.517 0.530 - 4.957	14.78	15.45	16.12	99
15+15+18+20+50+50	1.06	1.06	1.28	1.42	3.54 *	3.54 *	11.90 3.50 - 13.70	3.500 0.530 - 4.940	14.70	15.37	16.04	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
15+15+18+20+50+60	1.00	1.00	1.20	1.34	3.34 *	4.01	11.90 3.50 - 13.70	3.517 0.530 - 4.957	14.78	15.45	16.12	99
15+15+18+22+22+22	1.44	1.44	1.73	2.11	2.11	2.11	10.93 3.50 - 13.70	3.430 0.530 - 4.940	14.41	15.06	15.71	99
15+15+18+22+22+25	1.46	1.46	1.76	2.15	2.15	2.44	11.41 3.50 - 13.80	3.592 0.530 - 4.962	15.09	15.78	16.47	99
15+15+18+22+22+35	1.40	1.40	1.68	2.05	2.05	3.27	11.85 3.50 - 13.80	3.682 0.530 - 4.962	15.47	16.17	16.87	99
15+15+18+22+22+42	1.33	1.33	1.60	1.95	1.95	3.73 *	11.89 3.50 - 13.80	3.632 0.530 - 4.962	15.26	15.95	16.64	99
15+15+18+22+22+50	1.26	1.26	1.51	1.85	1.85	4.21 *	11.95 3.50 - 13.80	3.576 0.530 - 4.956	15.02	15.70	16.38	99
15+15+18+22+22+60	1.18	1.18	1.42	1.74	1.74	4.74	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+18+22+22+71	1.10	1.10	1.33	1.62	1.62	5.23	12.00 3.50 - 13.80	3.499 0.530 - 4.939	14.70	15.37	16.04	99
15+15+18+22+25+25	1.48	1.48	1.77	2.16	2.46	2.46	11.80 3.50 - 13.80	3.713 0.530 - 4.943	15.60	16.31	17.02	99
15+15+18+22+25+35	1.37	1.37	1.64	2.01	2.28	3.20	11.87 3.50 - 13.80	3.662 0.530 - 4.962	15.38	16.08	16.78	99
15+15+18+22+25+42	1.30	1.30	1.56	1.91	2.17	3.65 *	11.91 3.50 - 13.80	3.612 0.530 - 4.962	15.17	15.86	16.55	99
15+15+18+22+25+50	1.24	1.24	1.49	1.82	2.06	4.13 *	11.97 3.50 - 13.80	3.556 0.530 - 4.956	14.94	15.62	16.30	99
15+15+18+22+25+60	1.16	1.16	1.39	1.70	1.94	4.65	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+18+22+25+71	1.08	1.08	1.30	1.59	1.81	5.13	12.00 3.50 - 13.80	3.499 0.530 - 4.939	14.70	15.37	16.04	99
15+15+18+22+35+35	1.28	1.28	1.53	1.87	2.98	2.98	11.93 3.50 - 13.80	3.573 0.530 - 4.943	15.01	15.69	16.37	99
15+15+18+22+35+42	1.22	1.22	1.47	1.79	2.85	3.42 *	11.98 3.50 - 13.80	3.542 0.530 - 4.962	14.88	15.56	16.24	99
15+15+18+22+35+50	1.16	1.16	1.39	1.70	2.71	3.87 *	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+18+22+35+60	1.09	1.09	1.31	1.60	2.55	4.36	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+18+22+35+71	1.02	1.02	1.23	1.50	2.39	4.84	12.00 3.50 - 13.80	3.499 0.530 - 4.939	14.70	15.37	16.04	99
15+15+18+22+42+42	1.17	1.17	1.40	1.71	3.27 *	3.27 *	12.00 3.50 - 13.80	3.503 0.530 - 4.943	14.71	15.38	16.05	99
15+15+18+22+42+50	1.11	1.11	1.33	1.63	3.11 *	3.70 *	12.00 3.50 - 13.80	3.510 0.530 - 4.950	14.75	15.42	16.09	99
15+15+18+22+42+60	1.05	1.05	1.26	1.53	2.93 *	4.19	12.00 3.50 - 13.80	3.510 0.530 - 4.950	14.75	15.42	16.09	99
15+15+18+22+50+50	1.06	1.06	1.27	1.55	3.53 *	3.53 *	12.00 3.50 - 13.80	3.493 0.530 - 4.933	14.67	15.34	16.01	99
15+15+18+22+50+60	1.00	1.00	1.20	1.47	3.33 *	4.00	12.00 3.50 - 13.80	3.510 0.530 - 4.950	14.75	15.42	16.09	99
15+15+18+25+25+25	1.44	1.44	1.73	2.40	2.40	2.40	11.82 3.50 - 13.80	3.683 0.530 - 4.933	15.47	16.17	16.87	99
15+15+18+25+25+35	1.34	1.34	1.61	2.23	2.23	3.13	11.89 3.50 - 13.80	3.642 0.530 - 4.962	15.29	15.99	16.69	99
15+15+18+25+25+42	1.28	1.28	1.53	2.13	2.13	3.58 *	11.93 3.50 - 13.80	3.592 0.530 - 4.962	15.09	15.78	16.47	99
15+15+18+25+25+50	1.22	1.22	1.46	2.03	2.03	4.05 *	11.99 3.50 - 13.80	3.526 0.530 - 4.956	14.82	15.49	16.16	99
15+15+18+25+25+60	1.14	1.14	1.37	1.90	1.90	4.56	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+18+25+25+71	1.07	1.07	1.28	1.78	1.78	5.04	12.00 3.50 - 13.80	3.499 0.530 - 4.939	14.70	15.37	16.04	99
15+15+18+25+35+35	1.25	1.25	1.50	2.09	2.92	2.92	11.95 3.50 - 13.80	3.553 0.530 - 4.943	14.92	15.60	16.28	99
15+15+18+25+35+42	1.20	1.20	1.44	2.00	2.80	3.36 *	12.00 3.50 - 13.80	3.522 0.530 - 4.962	14.80	15.47	16.14	99
15+15+18+25+35+50	1.14	1.14	1.37	1.90	2.66	3.80 *	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+18+25+35+60	1.07	1.07	1.29	1.79	2.50	4.29	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+18+25+35+71	1.01	1.01	1.21	1.68	2.35	4.76	12.00 3.50 - 13.80	3.499 0.530 - 4.939	14.70	15.37	16.04	99
15+15+18+25+42+42	1.15	1.15	1.38	1.91	3.21 *	3.21 *	12.00 3.50 - 13.80	3.503 0.530 - 4.943	14.71	15.38	16.05	99
15+15+18+25+42+50	1.09	1.09	1.31	1.82	3.05 *	3.64 *	12.00 3.50 - 13.80	3.510 0.530 - 4.950	14.75	15.42	16.09	99
15+15+18+25+42+60	1.03	1.03	1.23	1.71	2.88 *	4.11	12.00 3.50 - 13.80	3.510 0.530 - 4.950	14.75	15.42	16.09	99
15+15+18+25+50+50	1.04	1.04	1.25	1.73	3.47 *	3.47 *	12.00 3.50 - 13.80	3.493 0.530 - 4.933	14.67	15.34	16.01	99
15+15+18+35+35+35	1.18	1.18	1.41	2.75	2.75	2.75	12.00 3.50 - 13.80	3.510 0.530 - 4.950	14.75	15.42	16.09	99
15+15+18+35+35+42	1.13	1.13	1.35	2.63	2.63	3.15 *	12.00 3.50 - 13.80	3.522 0.530 - 4.962	14.80	15.47	16.14	99
15+15+18+35+35+50	1.07	1.07	1.29	2.50	2.50	3.57 *	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+18+35+35+60	1.01	1.01	1.21	2.36	2.36	4.04	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+18+35+42+42	1.08	1.08	1.29	2.51	3.02 *	3.02 *	12.00 3.50 - 13.80	3.499 0.530 - 4.939	14.70	15.37	16.04	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
15+15+18+35+42+50	1.03	1.03	1.23	2.40	2.88 *	3.43 *	12.00 3.50 - 13.80	3.510 0.530 - 4.950	14.75	15.42	16.09	99
15+15+18+42+42+42	1.03	1.03	1.24	2.90 *	2.90 *	2.90 *	12.00 3.50 - 13.80	3.510 0.530 - 4.950	14.75	15.42	16.09	99
15+15+20+20+20+20	1.43	1.43	1.91	1.91	1.91	1.91	10.51 3.50 - 13.80	3.244 0.530 - 4.944	13.63	14.25	14.87	99
15+15+20+20+20+22	1.39	1.39	1.85	1.85	1.85	2.04	10.37 3.50 - 13.40	3.380 0.530 - 4.990	14.19	14.84	15.49	99
15+15+20+20+20+25	1.42	1.42	1.89	1.89	1.89	2.36	10.85 3.50 - 13.50	3.513 0.530 - 4.983	14.76	15.43	16.10	99
15+15+20+20+20+35	1.38	1.38	1.84	1.84	1.84	3.23	11.53 3.50 - 13.50	3.723 0.530 - 4.983	15.64	16.35	17.06	99
15+15+20+20+20+42	1.32	1.32	1.75	1.75	1.75	3.68 *	11.58 3.50 - 13.50	3.673 0.530 - 4.983	15.43	16.13	16.83	99
15+15+20+20+20+50	1.25	1.25	1.66	1.66	1.66	4.15 *	11.63 3.50 - 13.50	3.607 0.530 - 4.977	15.15	15.84	16.53	99
15+15+20+20+20+60	1.17	1.17	1.56	1.56	1.56	4.68	11.70 3.50 - 13.50	3.537 0.530 - 4.977	14.85	15.53	16.21	99
15+15+20+20+20+71	1.09	1.09	1.45	1.45	1.45	5.16	11.70 3.50 - 13.50	3.520 0.530 - 4.960	14.79	15.46	16.13	99
15+15+20+20+22+22	1.41	1.41	1.88	1.88	2.07	2.07	10.73 3.50 - 13.50	3.454 0.530 - 4.964	14.51	15.17	15.83	99
15+15+20+20+22+25	1.44	1.44	1.92	1.92	2.11	2.40	11.21 3.50 - 13.60	3.606 0.530 - 4.976	15.15	15.84	16.53	99
15+15+20+20+22+35	1.38	1.38	1.83	1.83	2.02	3.21	11.65 3.50 - 13.60	3.696 0.530 - 4.976	15.52	16.23	16.94	99
15+15+20+20+22+42	1.31	1.31	1.74	1.74	1.92	3.66 *	11.69 3.50 - 13.60	3.646 0.530 - 4.976	15.31	16.01	16.71	99
15+15+20+20+22+50	1.24	1.24	1.65	1.65	1.82	4.14 *	11.75 3.50 - 13.60	3.590 0.530 - 4.970	15.08	15.77	16.46	99
15+15+20+20+22+60	1.16	1.16	1.55	1.55	1.71	4.66	11.80 3.50 - 13.60	3.530 0.530 - 4.970	14.83	15.50	16.17	99
15+15+20+20+22+71	1.09	1.09	1.45	1.45	1.59	5.14	11.80 3.50 - 13.60	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+15+20+20+25+25	1.45	1.45	1.93	1.93	2.42	2.42	11.60 3.50 - 13.60	3.727 0.530 - 4.957	15.66	16.37	17.08	99
15+15+20+20+25+35	1.35	1.35	1.80	1.80	2.24	3.14	11.67 3.50 - 13.60	3.676 0.530 - 4.976	15.44	16.14	16.84	99
15+15+20+20+25+42	1.28	1.28	1.71	1.71	2.14	3.59 *	11.71 3.50 - 13.60	3.626 0.530 - 4.976	15.23	15.92	16.61	99
15+15+20+20+25+50	1.22	1.22	1.62	1.62	2.03	4.06 *	11.77 3.50 - 13.60	3.570 0.530 - 4.970	15.00	15.68	16.36	99
15+15+20+20+25+60	1.14	1.14	1.52	1.52	1.90	4.57	11.80 3.50 - 13.60	3.530 0.530 - 4.970	14.83	15.50	16.17	99
15+15+20+20+25+71	1.07	1.07	1.42	1.42	1.78	5.05	11.80 3.50 - 13.60	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+15+20+20+35+35	1.26	1.26	1.68	1.68	2.93	2.93	11.73 3.50 - 13.60	3.587 0.530 - 4.957	15.07	15.75	16.43	99
15+15+20+20+35+42	1.20	1.20	1.60	1.60	2.80	3.37 *	11.78 3.50 - 13.60	3.556 0.530 - 4.976	14.94	15.62	16.30	99
15+15+20+20+35+50	1.14	1.14	1.52	1.52	2.66	3.81 *	11.80 3.50 - 13.60	3.530 0.530 - 4.970	14.83	15.50	16.17	99
15+15+20+20+35+60	1.07	1.07	1.43	1.43	2.50	4.29	11.80 3.50 - 13.60	3.530 0.530 - 4.970	14.83	15.50	16.17	99
15+15+20+20+35+71	1.01	1.01	1.34	1.34	2.35	4.76	11.80 3.50 - 13.60	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+15+20+20+42+42	1.15	1.15	1.53	1.53	3.22 *	3.22 *	11.80 3.50 - 13.60	3.517 0.530 - 4.957	14.78	15.45	16.12	99
15+15+20+20+42+50	1.09	1.09	1.46	1.46	3.06 *	3.64 *	11.80 3.50 - 13.60	3.524 0.530 - 4.964	14.81	15.48	16.15	99
15+15+20+20+42+60	1.03	1.03	1.37	1.37	2.88 *	4.12	11.80 3.50 - 13.60	3.524 0.530 - 4.964	14.81	15.48	16.15	99
15+15+20+20+50+50	1.04	1.04	1.39	1.39	3.47 *	3.47 *	11.80 3.50 - 13.60	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+15+20+20+50+60	0.98	0.98	1.31	1.31	3.28 *	3.93	11.80 3.50 - 13.60	3.524 0.530 - 4.964	14.81	15.48	16.15	99
15+15+20+22+22+22	1.43	1.43	1.91	2.10	2.10	2.10	11.08 3.50 - 13.60	3.527 0.530 - 4.947	14.82	15.49	16.16	99
15+15+20+22+22+25	1.46	1.46	1.94	2.14	2.14	2.43	11.57 3.50 - 13.70	3.689 0.530 - 4.969	15.50	16.20	16.90	99
15+15+20+22+22+35	1.37	1.37	1.82	2.01	2.01	3.19	11.76 3.50 - 13.70	3.679 0.530 - 4.969	15.46	16.16	16.86	99
15+15+20+22+22+42	1.30	1.30	1.74	1.91	1.91	3.65 *	11.81 3.50 - 13.70	3.629 0.530 - 4.969	15.25	15.94	16.63	99
15+15+20+22+22+50	1.24	1.24	1.65	1.81	1.81	4.12 *	11.86 3.50 - 13.70	3.563 0.530 - 4.963	14.97	15.65	16.33	99
15+15+20+22+22+60	1.16	1.16	1.55	1.70	1.70	4.64	11.90 3.50 - 13.70	3.523 0.530 - 4.963	14.80	15.47	16.14	99
15+15+20+22+22+71	1.08	1.08	1.44	1.59	1.59	5.12	11.90 3.50 - 13.70	3.506 0.530 - 4.946	14.73	15.40	16.07	99
15+15+20+22+25+35	1.34	1.34	1.78	1.96	2.23	3.12	11.78 3.50 - 13.70	3.640 0.530 - 4.950	15.29	15.99	16.69	99
15+15+20+22+25+42	1.28	1.28	1.70	1.87	2.13	3.57 *	11.83 3.50 - 13.70	3.609 0.530 - 4.969	15.16	15.85	16.54	99
15+15+20+22+25+50	1.21	1.21	1.62	1.78	2.02	4.04 *	11.88 3.50 - 13.70	3.543 0.530 - 4.963	14.88	15.56	16.24	99
15+15+20+22+25+60	1.14	1.14	1.52	1.67	1.89	4.55	11.90 3.50 - 13.70	3.523 0.530 - 4.963	14.80	15.47	16.14	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
15+15+20+22+25+71	1.06	1.06	1.42	1.56	1.77	5.03	11.90 3.50 - 13.70	3.506 0.530 - 4.946	14.73	15.40	16.07	99
15+15+20+22+35+35	1.25	1.25	1.67	1.84	2.92	2.92	11.85 3.50 - 13.70	3.570 0.530 - 4.950	15.00	15.68	16.36	99
15+15+20+22+35+42	1.20	1.20	1.60	1.76	2.79	3.35 *	11.89 3.50 - 13.70	3.539 0.530 - 4.969	14.86	15.54	16.22	99
15+15+20+22+35+50	1.14	1.14	1.52	1.67	2.65	3.79 *	11.90 3.50 - 13.70	3.523 0.530 - 4.963	14.80	15.47	16.14	99
15+15+20+22+35+60	1.07	1.07	1.43	1.57	2.49	4.28	11.90 3.50 - 13.70	3.523 0.530 - 4.963	14.80	15.47	16.14	99
15+15+20+22+35+71	1.00	1.00	1.34	1.47	2.34	4.75	11.90 3.50 - 13.70	3.506 0.530 - 4.946	14.73	15.40	16.07	99
15+15+20+22+42+42	1.14	1.14	1.53	1.68	3.20 *	3.20 *	11.90 3.50 - 13.70	3.510 0.530 - 4.950	14.75	15.42	16.09	99
15+15+20+22+42+50	1.09	1.09	1.45	1.60	3.05 *	3.63 *	11.90 3.50 - 13.70	3.517 0.530 - 4.957	14.78	15.45	16.12	99
15+15+20+22+42+60	1.03	1.03	1.37	1.50	2.87 *	4.10	11.90 3.50 - 13.70	3.517 0.530 - 4.957	14.78	15.45	16.12	99
15+15+20+22+50+50	1.04	1.04	1.38	1.52	3.46 *	3.46 *	11.90 3.50 - 13.70	3.500 0.530 - 4.940	14.70	15.37	16.04	99
15+15+20+25+25+25	1.41	1.41	1.88	2.35	2.35	2.35	11.73 3.50 - 13.70	3.697 0.530 - 4.957	15.53	16.24	16.95	99
15+15+20+25+25+35	1.31	1.31	1.75	2.19	2.19	3.06	11.80 3.50 - 13.70	3.639 0.530 - 4.969	15.29	15.98	16.67	99
15+15+20+25+25+42	1.25	1.25	1.67	2.09	2.09	3.50 *	11.85 3.50 - 13.70	3.589 0.530 - 4.969	15.07	15.76	16.45	99
15+15+20+25+25+50	1.19	1.19	1.59	1.98	1.98	3.97 *	11.90 3.50 - 13.70	3.523 0.530 - 4.963	14.80	15.47	16.14	99
15+15+20+25+25+60	1.12	1.12	1.49	1.86	1.86	4.46	11.90 3.50 - 13.70	3.523 0.530 - 4.963	14.80	15.47	16.14	99
15+15+20+25+25+71	1.04	1.04	1.39	1.74	1.74	4.94	11.90 3.50 - 13.70	3.506 0.530 - 4.946	14.73	15.40	16.07	99
15+15+20+25+35+35	1.23	1.23	1.64	2.05	2.87	2.87	11.87 3.50 - 13.70	3.550 0.530 - 4.950	14.91	15.59	16.27	99
15+15+20+25+35+42	1.17	1.17	1.57	1.96	2.74	3.29 *	11.90 3.50 - 13.70	3.529 0.530 - 4.969	14.83	15.50	16.17	99
15+15+20+25+35+50	1.12	1.12	1.49	1.86	2.60	3.72 *	11.90 3.50 - 13.70	3.523 0.530 - 4.963	14.80	15.47	16.14	99
15+15+20+25+35+60	1.05	1.05	1.40	1.75	2.45	4.20	11.90 3.50 - 13.70	3.523 0.530 - 4.963	14.80	15.47	16.14	99
15+15+20+25+42+42	1.12	1.12	1.50	1.87	3.14 *	3.14 *	11.90 3.50 - 13.70	3.506 0.530 - 4.946	14.73	15.40	16.07	99
15+15+20+25+42+50	1.07	1.07	1.43	1.78	2.99 *	3.56 *	11.90 3.50 - 13.70	3.517 0.530 - 4.957	14.78	15.45	16.12	99
15+15+20+25+42+60	1.01	1.01	1.34	1.68	2.82 *	4.03	11.90 3.50 - 13.70	3.517 0.530 - 4.957	14.78	15.45	16.12	99
15+15+20+25+50+50	1.02	1.02	1.36	1.70	3.40 *	3.40 *	11.90 3.50 - 13.70	3.500 0.530 - 4.940	14.70	15.37	16.04	99
15+15+20+35+35+35	1.15	1.15	1.54	2.69	2.69	2.69	11.90 3.50 - 13.70	3.517 0.530 - 4.957	14.78	15.45	16.12	99
15+15+20+35+35+42	1.10	1.10	1.47	2.57	2.57	3.09 *	11.90 3.50 - 13.70	3.529 0.530 - 4.969	14.83	15.50	16.17	99
15+15+20+35+35+50	1.05	1.05	1.40	2.45	2.45	3.50 *	11.90 3.50 - 13.70	3.523 0.530 - 4.963	14.80	15.47	16.14	99
15+15+20+35+35+60	0.99	0.99	1.32	2.31	2.31	3.97	11.90 3.50 - 13.70	3.523 0.530 - 4.963	14.80	15.47	16.14	99
15+15+20+35+42+42	1.06	1.06	1.41	2.46	2.96 *	2.96 *	11.90 3.50 - 13.70	3.506 0.530 - 4.946	14.73	15.40	16.07	99
15+15+20+35+42+50	1.01	1.01	1.34	2.35	2.82 *	3.36 *	11.90 3.50 - 13.70	3.517 0.530 - 4.957	14.78	15.45	16.12	99
15+15+20+42+42+42	1.01	1.01	1.35	2.84 *	2.84 *	2.84 *	11.90 3.50 - 13.70	3.517 0.530 - 4.957	14.78	15.45	16.12	99
15+15+22+22+22+22	1.45	1.45	2.13	2.13	2.13	2.13	11.44 3.50 - 13.70	3.631 0.530 - 4.951	15.26	15.95	16.64	99
15+15+22+22+22+25	1.46	1.46	2.15	2.15	2.15	2.44	11.81 3.50 - 13.80	3.722 0.530 - 4.962	15.64	16.35	17.06	99
15+15+22+22+22+35	1.36	1.36	1.99	1.99	1.99	3.17	11.87 3.50 - 13.80	3.652 0.530 - 4.962	15.34	16.04	16.74	99
15+15+22+22+22+42	1.30	1.30	1.90	1.90	1.90	3.63 *	11.92 3.50 - 13.80	3.602 0.530 - 4.962	15.13	15.82	16.51	99
15+15+22+22+22+50	1.23	1.23	1.80	1.80	1.80	4.10 *	11.97 3.50 - 13.80	3.546 0.530 - 4.956	14.89	15.57	16.25	99
15+15+22+22+22+60	1.15	1.15	1.69	1.69	1.69	4.62	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+22+22+22+71	1.08	1.08	1.58	1.58	1.58	5.10	12.00 3.50 - 13.80	3.499 0.530 - 4.939	14.70	15.37	16.04	99
15+15+22+22+25+25	1.43	1.43	2.10	2.10	2.39	2.39	11.83 3.50 - 13.80	3.683 0.530 - 4.943	15.47	16.17	16.87	99
15+15+22+22+25+35	1.33	1.33	1.95	1.95	2.22	3.11	11.89 3.50 - 13.80	3.632 0.530 - 4.962	15.26	15.95	16.64	99
15+15+22+22+25+42	1.27	1.27	1.86	1.86	2.12	3.56 *	11.94 3.50 - 13.80	3.582 0.530 - 4.962	15.05	15.73	16.41	99
15+15+22+22+25+50	1.21	1.21	1.77	1.77	2.01	4.02 *	11.99 3.50 - 13.80	3.526 0.530 - 4.956	14.82	15.49	16.16	99
15+15+22+22+25+60	1.13	1.13	1.66	1.66	1.89	4.53	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+22+22+25+71	1.06	1.06	1.55	1.55	1.76	5.01	12.00 3.50 - 13.80	3.499 0.530 - 4.939	14.70	15.37	16.04	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)							Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total		220	230	240	
15+15+22+22+35+35	1.25	1.25	1.83	1.83	2.91	2.91	11.96 3.50 - 13.80	3.543 0.530 - 4.943	14.88	15.56	16.24	99
15+15+22+22+35+42	1.19	1.19	1.75	1.75	2.78	3.34 *	12.00 3.50 - 13.80	3.522 0.530 - 4.962	14.80	15.47	16.14	99
15+15+22+22+35+50	1.13	1.13	1.66	1.66	2.64	3.77 *	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+22+22+35+60	1.07	1.07	1.56	1.56	2.49	4.26	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+22+22+35+71	1.00	1.00	1.47	1.47	2.33	4.73	12.00 3.50 - 13.80	3.499 0.530 - 4.939	14.70	15.37	16.04	99
15+15+22+22+42+42	1.14	1.14	1.67	1.67	3.19 *	3.19 *	12.00 3.50 - 13.80	3.503 0.530 - 4.943	14.71	15.38	16.05	99
15+15+22+22+42+50	1.08	1.08	1.59	1.59	3.04 *	3.61 *	12.00 3.50 - 13.80	3.510 0.530 - 4.950	14.75	15.42	16.09	99
15+15+22+22+42+60	1.02	1.02	1.50	1.50	2.86 *	4.09	12.00 3.50 - 13.80	3.510 0.530 - 4.950	14.75	15.42	16.09	99
15+15+22+22+50+50	1.03	1.03	1.52	1.52	3.45 *	3.45 *	12.00 3.50 - 13.80	3.493 0.530 - 4.933	14.67	15.34	16.01	99
15+15+22+25+25+25	1.40	1.40	2.05	2.33	2.33	2.33	11.85 3.50 - 13.80	3.670 0.530 - 4.950	15.42	16.12	16.82	99
15+15+22+25+25+35	1.30	1.30	1.91	2.17	2.17	3.04	11.91 3.50 - 13.80	3.612 0.530 - 4.962	15.17	15.86	16.55	99
15+15+22+25+25+42	1.25	1.25	1.83	2.08	2.08	3.49 *	11.96 3.50 - 13.80	3.562 0.530 - 4.962	14.96	15.64	16.32	99
15+15+22+25+25+50	1.18	1.18	1.74	1.97	1.97	3.95 *	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+22+25+25+60	1.11	1.11	1.63	1.85	1.85	4.44	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+22+25+25+71	1.04	1.04	1.53	1.73	1.73	4.92	12.00 3.50 - 13.80	3.499 0.530 - 4.939	14.70	15.37	16.04	99
15+15+22+25+35+35	1.22	1.22	1.79	2.04	2.85	2.85	11.98 3.50 - 13.80	3.523 0.530 - 4.943	14.80	15.47	16.14	99
15+15+22+25+35+42	1.17	1.17	1.71	1.95	2.73	3.27 *	12.00 3.50 - 13.80	3.522 0.530 - 4.962	14.80	15.47	16.14	99
15+15+22+25+35+50	1.11	1.11	1.63	1.85	2.59	3.70 *	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+22+25+35+60	1.05	1.05	1.53	1.74	2.44	4.19	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+22+25+42+42	1.12	1.12	1.64	1.86	3.13 *	3.13 *	12.00 3.50 - 13.80	3.499 0.530 - 4.939	14.70	15.37	16.04	99
15+15+22+25+42+50	1.07	1.07	1.56	1.78	2.98 *	3.55 *	12.00 3.50 - 13.80	3.510 0.530 - 4.950	14.75	15.42	16.09	99
15+15+22+25+42+60	1.01	1.01	1.47	1.68	2.82 *	4.02	12.00 3.50 - 13.80	3.510 0.530 - 4.950	14.75	15.42	16.09	99
15+15+22+25+50+50	1.02	1.02	1.49	1.69	3.39 *	3.39 *	12.00 3.50 - 13.80	3.493 0.530 - 4.933	14.67	15.34	16.01	99
15+15+22+35+35+35	1.15	1.15	1.68	2.68	2.68	2.68	12.00 3.50 - 13.80	3.510 0.530 - 4.950	14.75	15.42	16.09	99
15+15+22+35+35+42	1.10	1.10	1.61	2.56	2.56	3.07 *	12.00 3.50 - 13.80	3.522 0.530 - 4.962	14.80	15.47	16.14	99
15+15+22+35+35+50	1.05	1.05	1.53	2.44	2.44	3.49 *	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+22+35+42+42	1.05	1.05	1.54	2.46	2.95 *	2.95 *	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+22+35+42+50	1.01	1.01	1.47	2.35	2.82 *	3.35 *	12.00 3.50 - 13.80	3.510 0.530 - 4.950	14.75	15.42	16.09	99
15+15+22+42+42+42	1.01	1.01	1.48	2.83 *	2.83 *	2.83 *	12.00 3.50 - 13.80	3.510 0.530 - 4.950	14.75	15.42	16.09	99
15+15+25+25+25+25	1.37	1.37	2.28	2.28	2.28	2.28	11.87 3.50 - 13.80	3.644 0.530 - 4.944	15.30	16.00	16.70	99
15+15+25+25+25+35	1.28	1.28	2.13	2.13	2.13	2.98	11.93 3.50 - 13.80	3.592 0.530 - 4.962	15.09	15.78	16.47	99
15+15+25+25+25+42	1.22	1.22	2.04	2.04	2.04	3.42 *	11.98 3.50 - 13.80	3.542 0.530 - 4.962	14.88	15.56	16.24	99
15+15+25+25+25+50	1.16	1.16	1.94	1.94	1.94	3.87 *	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+25+25+25+60	1.09	1.09	1.82	1.82	1.82	4.36	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+25+25+25+71	1.02	1.02	1.70	1.70	1.70	4.84	12.00 3.50 - 13.80	3.499 0.530 - 4.939	14.70	15.37	16.04	99
15+15+25+25+35+35	1.20	1.20	2.00	2.00	2.80	2.80	12.00 3.50 - 13.80	3.503 0.530 - 4.943	14.71	15.38	16.05	99
15+15+25+25+35+42	1.15	1.15	1.91	1.91	2.68	3.21 *	12.00 3.50 - 13.80	3.522 0.530 - 4.962	14.80	15.47	16.14	99
15+15+25+25+35+50	1.09	1.09	1.82	1.82	2.55	3.64 *	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+25+25+35+60	1.03	1.03	1.71	1.71	2.40	4.11	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+25+25+42+42	1.10	1.10	1.83	1.83	3.07 *	3.07 *	12.00 3.50 - 13.80	3.499 0.530 - 4.939	14.70	15.37	16.04	99
15+15+25+25+42+50	1.05	1.05	1.74	1.74	2.93 *	3.49 *	12.00 3.50 - 13.80	3.510 0.530 - 4.950	14.75	15.42	16.09	99
15+15+25+25+50+50	1.00	1.00	1.67	1.67	3.33 *	3.33 *	12.00 3.50 - 13.80	3.510 0.530 - 4.950	14.75	15.42	16.09	99
15+15+25+35+35+35	1.13	1.13	1.88	2.63	2.63	2.63	12.00 3.50 - 13.80	3.510 0.530 - 4.950	14.75	15.42	16.09	99
15+15+25+35+35+42	1.08	1.08	1.80	2.51	2.51	3.02 *	12.00 3.50 - 13.80	3.522 0.530 - 4.962	14.80	15.47	16.14	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
15+15+25+35+35+50	1.03	1.03	1.71	2.40	2.40	3.43 *	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+25+35+42+42	1.03	1.03	1.72	2.41	2.90 *	2.90 *	12.00 3.50 - 13.80	3.516 0.530 - 4.956	14.77	15.44	16.11	99
15+15+35+35+35+35	1.06	1.06	2.47	2.47	2.47	2.47	12.00 3.50 - 13.80	3.510 0.530 - 4.950	14.75	15.42	16.09	99
15+15+35+35+35+42	1.02	1.02	2.37	2.37	2.37	2.85 *	12.00 3.50 - 13.80	3.522 0.530 - 4.962	14.80	15.47	16.14	99
15+18+18+18+18+18	1.43	1.71	1.71	1.71	1.71	1.71	10.00 3.50 - 13.60	3.006 0.530 - 4.936	12.63	13.20	13.77	99
15+18+18+18+18+20	1.44	1.73	1.73	1.73	1.73	1.93	10.30 3.50 - 13.80	3.103 0.530 - 4.943	13.04	13.63	14.22	99
15+18+18+18+18+22	1.43	1.71	1.71	1.71	1.71	2.10	10.38 3.50 - 13.80	3.210 0.530 - 4.960	13.49	14.10	14.71	99
15+18+18+18+18+25	1.46	1.75	1.75	1.75	1.75	2.43	10.87 3.50 - 13.90	3.343 0.530 - 4.953	14.04	14.68	15.32	99
15+18+18+18+18+42	1.39	1.67	1.67	1.67	1.67	3.89 *	11.96 3.50 - 13.90	3.663 0.530 - 4.953	15.39	16.09	16.79	99
15+18+18+18+18+50	1.31	1.58	1.58	1.58	1.58	4.38 *	12.01 3.50 - 13.90	3.597 0.530 - 4.947	15.11	15.80	16.49	99
15+18+18+18+18+60	1.23	1.48	1.48	1.48	1.48	4.93	12.08 3.50 - 13.90	3.527 0.530 - 4.947	14.82	15.49	16.16	99
15+18+18+18+18+71	1.15	1.38	1.38	1.38	1.38	5.44	12.10 3.50 - 13.90	3.490 0.530 - 4.930	14.66	15.33	16.00	99
15+18+18+18+20+20	1.44	1.73	1.73	1.73	1.92	1.92	10.48 3.50 - 13.90	3.184 0.530 - 4.934	13.37	13.98	14.59	99
15+18+18+18+20+22	1.42	1.71	1.71	1.71	1.90	2.09	10.54 3.50 - 13.70	3.307 0.530 - 4.967	13.89	14.52	15.15	99
15+18+18+18+20+25	1.45	1.74	1.74	1.74	1.94	2.42	11.03 3.50 - 13.80	3.450 0.530 - 4.960	14.49	15.15	15.81	99
15+18+18+18+20+35	1.43	1.72	1.72	1.72	1.91	3.34	11.83 3.50 - 13.80	3.700 0.530 - 4.960	15.54	16.25	16.96	99
15+18+18+18+20+42	1.36	1.63	1.63	1.63	1.81	3.81 *	11.87 3.50 - 13.80	3.650 0.530 - 4.960	15.33	16.03	16.73	99
15+18+18+18+20+50	1.29	1.54	1.54	1.54	1.72	4.29 *	11.93 3.50 - 13.80	3.594 0.530 - 4.954	15.09	15.78	16.47	99
15+18+18+18+20+60	1.21	1.45	1.45	1.45	1.61	4.83	11.99 3.50 - 13.80	3.524 0.530 - 4.954	14.81	15.48	16.15	99
15+18+18+18+20+71	1.13	1.35	1.35	1.35	1.50	5.33	12.00 3.50 - 13.80	3.497 0.530 - 4.937	14.69	15.36	16.03	99
15+18+18+18+22+22	1.45	1.74	1.74	1.74	2.12	2.12	10.90 3.50 - 13.80	3.381 0.530 - 4.941	14.20	14.85	15.50	99
15+18+18+18+22+25	1.47	1.77	1.77	1.77	2.16	2.45	11.38 3.50 - 13.90	3.533 0.530 - 4.953	14.85	15.52	16.19	99
15+18+18+18+22+35	1.42	1.71	1.71	1.71	2.08	3.32	11.94 3.50 - 13.90	3.683 0.530 - 4.953	15.47	16.17	16.87	99
15+18+18+18+22+42	1.35	1.62	1.62	1.62	1.98	3.79 *	11.99 3.50 - 13.90	3.633 0.530 - 4.953	15.27	15.96	16.65	99
15+18+18+18+22+50	1.28	1.54	1.54	1.54	1.88	4.27 *	12.04 3.50 - 13.90	3.567 0.530 - 4.947	14.99	15.67	16.35	99
15+18+18+18+22+60	1.20	1.44	1.44	1.44	1.76	4.81	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+18+18+22+71	1.12	1.34	1.34	1.34	1.64	5.30	12.10 3.50 - 13.90	3.490 0.530 - 4.930	14.66	15.33	16.00	99
15+18+18+18+25+25	1.48	1.78	1.78	1.78	2.47	2.47	11.77 3.50 - 13.90	3.654 0.530 - 4.934	15.35	16.05	16.75	99
15+18+18+18+25+35	1.39	1.67	1.67	1.67	2.32	3.24	11.96 3.50 - 13.90	3.663 0.530 - 4.953	15.39	16.09	16.79	99
15+18+18+18+25+42	1.32	1.59	1.59	1.59	2.21	3.71 *	12.01 3.50 - 13.90	3.613 0.530 - 4.953	15.18	15.87	16.56	99
15+18+18+18+25+50	1.26	1.51	1.51	1.51	2.09	4.19 *	12.06 3.50 - 13.90	3.547 0.530 - 4.947	14.90	15.58	16.26	99
15+18+18+18+25+60	1.18	1.41	1.41	1.41	1.96	4.71	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+18+18+25+71	1.10	1.32	1.32	1.32	1.83	5.21	12.10 3.50 - 13.90	3.490 0.530 - 4.930	14.66	15.33	16.00	99
15+18+18+18+35+35	1.30	1.56	1.56	1.56	3.03	3.03	12.03 3.50 - 13.90	3.574 0.530 - 4.934	15.02	15.70	16.38	99
15+18+18+18+35+42	1.24	1.49	1.49	1.49	2.89	3.47 *	12.07 3.50 - 13.90	3.543 0.530 - 4.953	14.88	15.56	16.24	99
15+18+18+18+35+50	1.18	1.41	1.41	1.41	2.75	3.93 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+18+18+35+60	1.11	1.33	1.33	1.33	2.58	4.43	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+18+18+35+71	1.04	1.24	1.24	1.24	2.42	4.91	12.10 3.50 - 13.90	3.490 0.530 - 4.930	14.66	15.33	16.00	99
15+18+18+18+42+42	1.19	1.42	1.42	1.42	3.32 *	3.32 *	12.10 3.50 - 13.90	3.494 0.530 - 4.934	14.67	15.34	16.01	99
15+18+18+18+42+50	1.13	1.35	1.35	1.35	3.16 *	3.76 *	12.10 3.50 - 13.90	3.501 0.530 - 4.941	14.71	15.38	16.05	99
15+18+18+18+42+60	1.06	1.27	1.27	1.27	2.97 *	4.25	12.10 3.50 - 13.90	3.501 0.530 - 4.941	14.71	15.38	16.05	99
15+18+18+18+50+50	1.07	1.29	1.29	1.29	3.58 *	3.58 *	12.10 3.50 - 13.90	3.484 0.530 - 4.924	14.63	15.30	15.97	99
15+18+18+18+50+60	1.01	1.22	1.22	1.22	3.38 *	4.06	12.10 3.50 - 13.90	3.501 0.530 - 4.941	14.71	15.38	16.05	99
15+18+18+20+20+20	1.45	1.74	1.74	1.94	1.94	1.94	10.74 3.50 - 13.90	3.264 0.530 - 4.924	13.71	14.33	14.95	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
15+18+18+20+20+22	1.42	1.70	1.70	1.89	1.89	2.08	10.70 3.50 - 13.60	3.414 0.530 - 4.974	14.34	14.99	15.64	99
15+18+18+20+20+25	1.45	1.73	1.73	1.93	1.93	2.41	11.18 3.50 - 13.70	3.547 0.530 - 4.967	14.90	15.58	16.26	99
15+18+18+20+20+35	1.40	1.68	1.68	1.86	1.86	3.26	11.74 3.50 - 13.70	3.697 0.530 - 4.967	15.53	16.24	16.95	99
15+18+18+20+20+42	1.33	1.60	1.60	1.77	1.77	3.72 *	11.79 3.50 - 13.70	3.647 0.530 - 4.967	15.32	16.02	16.72	99
15+18+18+20+20+50	1.26	1.51	1.51	1.68	1.68	4.20 *	11.84 3.50 - 13.70	3.581 0.530 - 4.961	15.05	15.73	16.41	99
15+18+18+20+20+60	1.18	1.42	1.42	1.58	1.58	4.73	11.90 3.50 - 13.70	3.521 0.530 - 4.961	14.79	15.46	16.13	99
15+18+18+20+20+71	1.10	1.32	1.32	1.47	1.47	5.22	11.90 3.50 - 13.70	3.504 0.530 - 4.944	14.72	15.39	16.06	99
15+18+18+20+22+22	1.44	1.73	1.73	1.92	2.11	2.11	11.05 3.50 - 13.70	3.478 0.530 - 4.948	14.61	15.27	15.93	99
15+18+18+20+22+25	1.47	1.76	1.76	1.96	2.15	2.44	11.54 3.50 - 13.80	3.640 0.530 - 4.960	15.29	15.99	16.69	99
15+18+18+20+22+35	1.39	1.67	1.67	1.85	2.04	3.24	11.85 3.50 - 13.80	3.670 0.530 - 4.960	15.42	16.12	16.82	99
15+18+18+20+22+42	1.32	1.59	1.59	1.76	1.94	3.70 *	11.90 3.50 - 13.80	3.630 0.530 - 4.960	15.25	15.94	16.63	99
15+18+18+20+22+50	1.25	1.50	1.50	1.67	1.84	4.18 *	11.95 3.50 - 13.80	3.564 0.530 - 4.954	14.97	15.65	16.33	99
15+18+18+20+22+60	1.18	1.41	1.41	1.57	1.73	4.71	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+18+18+20+22+71	1.10	1.32	1.32	1.46	1.61	5.20	12.00 3.50 - 13.80	3.497 0.530 - 4.937	14.69	15.36	16.03	99
15+18+18+20+25+25	1.46	1.76	1.76	1.95	2.44	2.44	11.81 3.50 - 13.80	3.701 0.530 - 4.941	15.54	16.25	16.96	99
15+18+18+20+25+35	1.36	1.63	1.63	1.81	2.27	3.17	11.87 3.50 - 13.80	3.650 0.530 - 4.960	15.33	16.03	16.73	99
15+18+18+20+25+42	1.30	1.55	1.55	1.73	2.16	3.63 *	11.92 3.50 - 13.80	3.600 0.530 - 4.960	15.12	15.81	16.50	99
15+18+18+20+25+50	1.23	1.48	1.48	1.64	2.05	4.10 *	11.97 3.50 - 13.80	3.544 0.530 - 4.954	14.88	15.56	16.24	99
15+18+18+20+25+60	1.15	1.38	1.38	1.54	1.92	4.62	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+18+18+20+25+71	1.08	1.29	1.29	1.44	1.80	5.10	12.00 3.50 - 13.80	3.497 0.530 - 4.937	14.69	15.36	16.03	99
15+18+18+20+35+35	1.27	1.52	1.52	1.69	2.96	2.96	11.94 3.50 - 13.80	3.561 0.530 - 4.941	14.96	15.64	16.32	99
15+18+18+20+35+42	1.22	1.46	1.46	1.62	2.84	3.40 *	11.99 3.50 - 13.80	3.530 0.530 - 4.960	14.83	15.50	16.17	99
15+18+18+20+35+50	1.15	1.38	1.38	1.54	2.69	3.85 *	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+18+18+20+35+60	1.08	1.30	1.30	1.45	2.53	4.34	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+18+18+20+35+71	1.02	1.22	1.22	1.36	2.37	4.81	12.00 3.50 - 13.80	3.497 0.530 - 4.937	14.69	15.36	16.03	99
15+18+18+20+42+42	1.16	1.39	1.39	1.55	3.25 *	3.25 *	12.00 3.50 - 13.80	3.501 0.530 - 4.941	14.71	15.38	16.05	99
15+18+18+20+42+50	1.10	1.33	1.33	1.47	3.09 *	3.68 *	12.00 3.50 - 13.80	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+18+18+20+42+60	1.04	1.25	1.25	1.39	2.91 *	4.16	12.00 3.50 - 13.80	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+18+18+20+50+50	1.05	1.26	1.26	1.40	3.51 *	3.51 *	12.00 3.50 - 13.80	3.491 0.530 - 4.931	14.66	15.33	16.00	99
15+18+18+22+22+22	1.46	1.76	1.76	2.15	2.15	2.15	11.41 3.50 - 13.80	3.578 0.530 - 4.948	15.03	15.71	16.39	99
15+18+18+22+22+25	1.49	1.79	1.79	2.18	2.18	2.48	11.90 3.50 - 13.90	3.723 0.530 - 4.953	15.64	16.35	17.06	99
15+18+18+22+22+35	1.38	1.66	1.66	2.03	2.03	3.22	11.97 3.50 - 13.90	3.653 0.530 - 4.953	15.34	16.04	16.74	99
15+18+18+22+22+42	1.31	1.58	1.58	1.93	1.93	3.68 *	12.01 3.50 - 13.90	3.603 0.530 - 4.953	15.13	15.82	16.51	99
15+18+18+22+22+50	1.25	1.50	1.50	1.83	1.83	4.16 *	12.07 3.50 - 13.90	3.547 0.530 - 4.947	14.90	15.58	16.26	99
15+18+18+22+22+60	1.17	1.41	1.41	1.72	1.72	4.68	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+18+22+22+71	1.09	1.31	1.31	1.60	1.60	5.18	12.10 3.50 - 13.90	3.490 0.530 - 4.930	14.66	15.33	16.00	99
15+18+18+22+25+25	1.45	1.74	1.74	2.13	2.42	2.42	11.92 3.50 - 13.90	3.684 0.530 - 4.934	15.48	16.18	16.88	99
15+18+18+22+25+35	1.35	1.62	1.62	1.98	2.25	3.16	11.99 3.50 - 13.90	3.633 0.530 - 4.953	15.27	15.96	16.65	99
15+18+18+22+25+42	1.29	1.55	1.55	1.89	2.15	3.61 *	12.03 3.50 - 13.90	3.583 0.530 - 4.953	15.06	15.74	16.42	99
15+18+18+22+25+50	1.23	1.47	1.47	1.80	2.04	4.08 *	12.09 3.50 - 13.90	3.517 0.530 - 4.947	14.78	15.45	16.12	99
15+18+18+22+25+60	1.15	1.38	1.38	1.68	1.91	4.59	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+18+22+25+71	1.07	1.29	1.29	1.58	1.79	5.08	12.10 3.50 - 13.90	3.490 0.530 - 4.930	14.66	15.33	16.00	99
15+18+18+22+35+35	1.26	1.52	1.52	1.85	2.95	2.95	12.05 3.50 - 13.90	3.544 0.530 - 4.934	14.88	15.56	16.24	99
15+18+18+22+35+42	1.21	1.45	1.45	1.77	2.82	3.39 *	12.10 3.50 - 13.90	3.513 0.530 - 4.953	14.76	15.43	16.10	99



**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
15+18+18+22+35+50	1.15	1.38	1.38	1.68	2.68	3.83 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+18+22+35+60	1.08	1.30	1.30	1.58	2.52	4.32	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+18+22+35+71	1.01	1.22	1.22	1.49	2.37	4.80	12.10 3.50 - 13.90	3.490 0.530 - 4.930	14.66	15.33	16.00	99
15+18+18+22+42+42	1.16	1.39	1.39	1.70	3.24 *	3.24 *	12.10 3.50 - 13.90	3.494 0.530 - 4.934	14.67	15.34	16.01	99
15+18+18+22+42+50	1.10	1.32	1.32	1.61	3.08 *	3.67 *	12.10 3.50 - 13.90	3.501 0.530 - 4.941	14.71	15.38	16.05	99
15+18+18+22+42+60	1.04	1.24	1.24	1.52	2.90 *	4.15	12.10 3.50 - 13.90	3.501 0.530 - 4.941	14.71	15.38	16.05	99
15+18+18+22+50+50	1.05	1.26	1.26	1.54	3.50 *	3.50 *	12.10 3.50 - 13.90	3.484 0.530 - 4.924	14.63	15.30	15.97	99
15+18+18+25+25+25	1.42	1.71	1.71	2.37	2.37	2.37	11.94 3.50 - 13.90	3.671 0.530 - 4.941	15.42	16.12	16.82	99
15+18+18+25+25+35	1.32	1.59	1.59	2.21	2.21	3.09	12.01 3.50 - 13.90	3.613 0.530 - 4.953	15.18	15.87	16.56	99
15+18+18+25+25+42	1.26	1.52	1.52	2.11	2.11	3.54 *	12.05 3.50 - 13.90	3.563 0.530 - 4.953	14.97	15.65	16.33	99
15+18+18+25+25+50	1.20	1.44	1.44	2.00	2.00	4.01 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+18+25+25+60	1.13	1.35	1.35	1.88	1.88	4.51	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+18+25+25+71	1.06	1.27	1.27	1.76	1.76	4.99	12.10 3.50 - 13.90	3.490 0.530 - 4.930	14.66	15.33	16.00	99
15+18+18+25+35+35	1.24	1.49	1.49	2.07	2.89	2.89	12.07 3.50 - 13.90	3.524 0.530 - 4.934	14.81	15.48	16.15	99
15+18+18+25+35+42	1.19	1.42	1.42	1.98	2.77	3.32 *	12.10 3.50 - 13.90	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+18+18+25+35+50	1.13	1.35	1.35	1.88	2.63	3.76 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+18+25+35+60	1.06	1.27	1.27	1.77	2.48	4.25	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+18+25+42+42	1.13	1.36	1.36	1.89	3.18 *	3.18 *	12.10 3.50 - 13.90	3.490 0.530 - 4.930	14.66	15.33	16.00	99
15+18+18+25+42+50	1.08	1.30	1.30	1.80	3.03 *	3.60 *	12.10 3.50 - 13.90	3.501 0.530 - 4.941	14.71	15.38	16.05	99
15+18+18+25+42+60	1.02	1.22	1.22	1.70	2.86 *	4.08	12.10 3.50 - 13.90	3.501 0.530 - 4.941	14.71	15.38	16.05	99
15+18+18+25+50+50	1.03	1.24	1.24	1.72	3.44 *	3.44 *	12.10 3.50 - 13.90	3.484 0.530 - 4.924	14.63	15.30	15.97	99
15+18+18+35+35+35	1.16	1.40	1.40	2.71	2.71	2.71	12.10 3.50 - 13.90	3.501 0.530 - 4.941	14.71	15.38	16.05	99
15+18+18+35+35+42	1.11	1.34	1.34	2.60	2.60	3.12 *	12.10 3.50 - 13.90	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+18+18+35+35+50	1.06	1.27	1.27	2.48	2.48	3.54 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+18+35+42+42	1.07	1.28	1.28	2.49	2.99 *	2.99 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+18+35+42+50	1.02	1.22	1.22	2.38	2.86 *	3.40 *	12.10 3.50 - 13.90	3.501 0.530 - 4.941	14.71	15.38	16.05	99
15+18+18+42+42+42	1.03	1.23	1.23	2.87 *	2.87 *	2.87 *	12.10 3.50 - 13.90	3.501 0.530 - 4.941	14.71	15.38	16.05	99
15+18+20+20+20+20	1.46	1.75	1.95	1.95	1.95	1.95	11.00 3.50 - 13.90	3.375 0.530 - 4.935	14.18	14.82	15.46	99
15+18+20+20+20+22	1.42	1.70	1.89	1.89	1.89	2.08	10.85 3.50 - 13.50	3.511 0.530 - 4.981	14.75	15.42	16.09	99
15+18+20+20+20+25	1.44	1.73	1.92	1.92	1.92	2.40	11.34 3.50 - 13.60	3.654 0.530 - 4.974	15.35	16.05	16.75	99
15+18+20+20+20+35	1.37	1.64	1.82	1.82	1.82	3.19	11.65 3.50 - 13.60	3.684 0.530 - 4.974	15.48	16.18	16.88	99
15+18+20+20+20+42	1.30	1.56	1.73	1.73	1.73	3.64 *	11.70 3.50 - 13.60	3.644 0.530 - 4.974	15.30	16.00	16.70	99
15+18+20+20+20+50	1.23	1.48	1.64	1.64	1.64	4.11 *	11.75 3.50 - 13.60	3.578 0.530 - 4.968	15.03	15.71	16.39	99
15+18+20+20+20+60	1.16	1.39	1.54	1.54	1.54	4.63	11.80 3.50 - 13.60	3.528 0.530 - 4.968	14.82	15.49	16.16	99
15+18+20+20+20+71	1.08	1.30	1.44	1.44	1.44	5.11	11.80 3.50 - 13.60	3.511 0.530 - 4.951	14.75	15.42	16.09	99
15+18+20+20+22+22	1.44	1.72	1.92	1.92	2.11	2.11	11.21 3.50 - 13.60	3.585 0.530 - 4.955	15.06	15.74	16.42	99
15+18+20+20+22+25	1.46	1.76	1.95	1.95	2.15	2.44	11.70 3.50 - 13.70	3.737 0.530 - 4.967	15.70	16.41	17.12	99
15+18+20+20+22+35	1.36	1.63	1.81	1.81	1.99	3.17	11.77 3.50 - 13.70	3.667 0.530 - 4.967	15.40	16.10	16.80	99
15+18+20+20+22+42	1.29	1.55	1.72	1.72	1.90	3.62 *	11.81 3.50 - 13.70	3.617 0.530 - 4.967	15.19	15.88	16.57	99
15+18+20+20+22+50	1.23	1.47	1.64	1.64	1.80	4.09 *	11.87 3.50 - 13.70	3.561 0.530 - 4.961	14.96	15.64	16.32	99
15+18+20+20+22+60	1.15	1.38	1.54	1.54	1.69	4.61	11.90 3.50 - 13.70	3.521 0.530 - 4.961	14.79	15.46	16.13	99
15+18+20+20+22+71	1.08	1.29	1.43	1.43	1.58	5.09	11.90 3.50 - 13.70	3.504 0.530 - 4.944	14.72	15.39	16.06	99
15+18+20+20+25+25	1.43	1.72	1.91	1.91	2.38	2.38	11.72 3.50 - 13.70	3.698 0.530 - 4.948	15.53	16.24	16.95	99
15+18+20+20+25+35	1.33	1.60	1.77	1.77	2.22	3.10	11.79 3.50 - 13.70	3.647 0.530 - 4.967	15.32	16.02	16.72	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
15+18+20+20+25+42	1.27	1.52	1.69	1.69	2.11	3.55 *	11.83 3.50 - 13.70	3.597 0.530 - 4.967	15.11	15.80	16.49	99
15+18+20+20+25+50	1.21	1.45	1.61	1.61	2.01	4.02 *	11.89 3.50 - 13.70	3.531 0.530 - 4.961	14.84	15.51	16.18	99
15+18+20+20+25+60	1.13	1.36	1.51	1.51	1.88	4.52	11.90 3.50 - 13.70	3.521 0.530 - 4.961	14.79	15.46	16.13	99
15+18+20+20+25+71	1.06	1.27	1.41	1.41	1.76	5.00	11.90 3.50 - 13.70	3.504 0.530 - 4.944	14.72	15.39	16.06	99
15+18+20+20+35+35	1.24	1.49	1.66	1.66	2.90	2.90	11.85 3.50 - 13.70	3.558 0.530 - 4.948	14.95	15.63	16.31	99
15+18+20+20+35+42	1.19	1.43	1.59	1.59	2.78	3.33 *	11.90 3.50 - 13.70	3.527 0.530 - 4.967	14.82	15.49	16.16	99
15+18+20+20+35+50	1.13	1.36	1.51	1.51	2.64	3.77 *	11.90 3.50 - 13.70	3.521 0.530 - 4.961	14.79	15.46	16.13	99
15+18+20+20+35+60	1.06	1.28	1.42	1.42	2.48	4.25	11.90 3.50 - 13.70	3.521 0.530 - 4.961	14.79	15.46	16.13	99
15+18+20+20+35+71	1.00	1.20	1.33	1.33	2.33	4.72	11.90 3.50 - 13.70	3.504 0.530 - 4.944	14.72	15.39	16.06	99
15+18+20+20+42+42	1.14	1.36	1.52	1.52	3.18 *	3.18 *	11.90 3.50 - 13.70	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+18+20+20+42+50	1.08	1.30	1.44	1.44	3.03 *	3.61 *	11.90 3.50 - 13.70	3.515 0.530 - 4.955	14.77	15.44	16.11	99
15+18+20+20+42+60	1.02	1.22	1.36	1.36	2.86 *	4.08	11.90 3.50 - 13.70	3.515 0.530 - 4.955	14.77	15.44	16.11	99
15+18+20+20+50+50	1.03	1.24	1.38	1.38	3.44 *	3.44 *	11.90 3.50 - 13.70	3.498 0.530 - 4.938	14.69	15.36	16.03	99
15+18+20+22+22+22	1.46	1.75	1.94	2.14	2.14	2.14	11.57 3.50 - 13.70	3.675 0.530 - 4.955	15.44	16.14	16.84	99
15+18+20+22+22+35	1.35	1.62	1.80	1.98	1.98	3.15	11.88 3.50 - 13.80	3.650 0.530 - 4.960	15.33	16.03	16.73	99
15+18+20+22+22+42	1.29	1.54	1.72	1.89	1.89	3.60 *	11.93 3.50 - 13.80	3.600 0.530 - 4.960	15.12	15.81	16.50	99
15+18+20+22+22+50	1.22	1.47	1.63	1.79	1.79	4.07 *	11.98 3.50 - 13.80	3.534 0.530 - 4.954	14.85	15.52	16.19	99
15+18+20+22+22+60	1.15	1.38	1.53	1.68	1.68	4.59	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+18+20+22+22+71	1.07	1.29	1.43	1.57	1.57	5.07	12.00 3.50 - 13.80	3.497 0.530 - 4.937	14.69	15.36	16.03	99
15+18+20+22+25+25	1.42	1.70	1.89	2.08	2.37	2.37	11.83 3.50 - 13.80	3.681 0.530 - 4.941	15.47	16.17	16.87	99
15+18+20+22+25+35	1.32	1.59	1.76	1.94	2.20	3.09	11.90 3.50 - 13.80	3.630 0.530 - 4.960	15.25	15.94	16.63	99
15+18+20+22+25+42	1.26	1.51	1.68	1.85	2.10	3.53 *	11.95 3.50 - 13.80	3.580 0.530 - 4.960	15.04	15.72	16.40	99
15+18+20+22+25+50	1.20	1.44	1.60	1.76	2.00	4.00 *	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+18+20+22+25+60	1.13	1.35	1.50	1.65	1.88	4.50	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+18+20+22+25+71	1.05	1.26	1.40	1.54	1.75	4.98	12.00 3.50 - 13.80	3.497 0.530 - 4.937	14.69	15.36	16.03	99
15+18+20+22+35+35	1.24	1.49	1.65	1.82	2.89	2.89	11.97 3.50 - 13.80	3.541 0.530 - 4.941	14.87	15.55	16.23	99
15+18+20+22+35+42	1.18	1.42	1.58	1.74	2.76	3.32 *	12.00 3.50 - 13.80	3.520 0.530 - 4.960	14.79	15.46	16.13	99
15+18+20+22+35+50	1.13	1.35	1.50	1.65	2.63	3.75 *	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+18+20+22+35+60	1.06	1.27	1.41	1.55	2.47	4.24	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+18+20+22+42+42	1.13	1.36	1.51	1.66	3.17 *	3.17 *	12.00 3.50 - 13.80	3.497 0.530 - 4.937	14.69	15.36	16.03	99
15+18+20+22+42+50	1.08	1.29	1.44	1.58	3.02 *	3.59 *	12.00 3.50 - 13.80	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+18+20+22+42+60	1.02	1.22	1.36	1.49	2.85 *	4.07	12.00 3.50 - 13.80	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+18+20+22+50+50	1.03	1.23	1.37	1.51	3.43 *	3.43 *	12.00 3.50 - 13.80	3.491 0.530 - 4.931	14.66	15.33	16.00	99
15+18+20+25+25+25	1.39	1.67	1.85	2.31	2.31	2.31	11.85 3.50 - 13.80	3.658 0.530 - 4.948	15.36	16.06	16.76	99
15+18+20+25+25+35	1.30	1.55	1.73	2.16	2.16	3.02	11.92 3.50 - 13.80	3.600 0.530 - 4.960	15.12	15.81	16.50	99
15+18+20+25+25+42	1.24	1.49	1.65	2.06	2.06	3.47 *	11.97 3.50 - 13.80	3.560 0.530 - 4.960	14.95	15.63	16.31	99
15+18+20+25+25+50	1.18	1.41	1.57	1.96	1.96	3.92 *	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+18+20+25+25+60	1.10	1.33	1.47	1.84	1.84	4.42	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+18+20+25+25+71	1.03	1.24	1.38	1.72	1.72	4.90	12.00 3.50 - 13.80	3.497 0.530 - 4.937	14.69	15.36	16.03	99
15+18+20+25+35+35	1.22	1.46	1.62	2.03	2.84	2.84	11.99 3.50 - 13.80	3.511 0.530 - 4.941	14.75	15.42	16.09	99
15+18+20+25+35+42	1.16	1.39	1.55	1.94	2.71	3.25 *	12.00 3.50 - 13.80	3.520 0.530 - 4.960	14.79	15.46	16.13	99
15+18+20+25+35+50	1.10	1.33	1.47	1.84	2.58	3.68 *	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+18+20+25+35+60	1.04	1.25	1.39	1.73	2.43	4.16	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+18+20+25+42+42	1.11	1.33	1.48	1.85	3.11 *	3.11 *	12.00 3.50 - 13.80	3.497 0.530 - 4.937	14.69	15.36	16.03	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
15+18+20+25+42+50	1.06	1.27	1.41	1.76	2.96 *	3.53 *	12.00 3.50 - 13.80	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+18+20+25+42+60	1.00	1.20	1.33	1.67	2.80 *	4.00	12.00 3.50 - 13.80	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+18+20+25+50+50	1.01	1.21	1.35	1.69	3.37 *	3.37 *	12.00 3.50 - 13.80	3.491 0.530 - 4.931	14.66	15.33	16.00	99
15+18+20+35+35+35	1.14	1.37	1.52	2.66	2.66	2.66	12.00 3.50 - 13.80	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+18+20+35+35+42	1.09	1.31	1.45	2.55	2.55	3.05 *	12.00 3.50 - 13.80	3.520 0.530 - 4.960	14.79	15.46	16.13	99
15+18+20+35+35+50	1.04	1.25	1.39	2.43	2.43	3.47 *	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+18+20+35+42+42	1.05	1.26	1.40	2.44	2.93 *	2.93 *	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+18+20+35+42+50	1.00	1.20	1.33	2.33	2.80 *	3.33 *	12.00 3.50 - 13.80	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+18+20+42+42+42	1.01	1.21	1.34	2.82 *	2.82 *	2.82 *	12.00 3.50 - 13.80	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+18+22+22+22+22	1.46	1.76	2.15	2.15	2.15	2.15	11.81 3.50 - 13.80	3.702 0.530 - 4.942	15.55	16.26	16.97	99
15+18+22+22+22+25	1.44	1.73	2.12	2.12	2.12	2.41	11.93 3.50 - 13.90	3.693 0.530 - 4.953	15.51	16.22	16.93	99
15+18+22+22+22+35	1.34	1.61	1.97	1.97	1.97	3.13	11.99 3.50 - 13.90	3.623 0.530 - 4.953	15.22	15.91	16.60	99
15+18+22+22+22+42	1.28	1.54	1.88	1.88	1.88	3.59 *	12.04 3.50 - 13.90	3.573 0.530 - 4.953	15.01	15.69	16.37	99
15+18+22+22+22+50	1.22	1.46	1.79	1.79	1.79	4.06 *	12.09 3.50 - 13.90	3.517 0.530 - 4.947	14.78	15.45	16.12	99
15+18+22+22+22+60	1.14	1.37	1.67	1.67	1.67	4.57	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+22+22+22+71	1.07	1.28	1.57	1.57	1.57	5.05	12.10 3.50 - 13.90	3.490 0.530 - 4.930	14.66	15.33	16.00	99
15+18+22+22+25+25	1.41	1.69	2.07	2.07	2.35	2.35	11.95 3.50 - 13.90	3.654 0.530 - 4.934	15.35	16.05	16.75	99
15+18+22+22+25+35	1.31	1.58	1.93	1.93	2.19	3.07	12.01 3.50 - 13.90	3.603 0.530 - 4.953	15.13	15.82	16.51	99
15+18+22+22+25+42	1.26	1.51	1.84	1.84	2.09	3.52 *	12.06 3.50 - 13.90	3.553 0.530 - 4.953	14.92	15.60	16.28	99
15+18+22+22+25+50	1.19	1.43	1.75	1.75	1.99	3.98 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+22+22+25+60	1.12	1.34	1.64	1.64	1.87	4.48	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+22+22+25+71	1.05	1.26	1.54	1.54	1.75	4.97	12.10 3.50 - 13.90	3.490 0.530 - 4.930	14.66	15.33	16.00	99
15+18+22+22+35+35	1.23	1.48	1.81	1.81	2.88	2.88	12.08 3.50 - 13.90	3.514 0.530 - 4.934	14.76	15.43	16.10	99
15+18+22+22+35+42	1.18	1.41	1.73	1.73	2.75	3.30 *	12.10 3.50 - 13.90	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+18+22+22+35+50	1.12	1.34	1.64	1.64	2.61	3.73 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+22+22+35+60	1.06	1.27	1.55	1.55	2.46	4.22	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+22+22+42+42	1.13	1.35	1.65	1.65	3.16 *	3.16 *	12.10 3.50 - 13.90	3.490 0.530 - 4.930	14.66	15.33	16.00	99
15+18+22+22+42+50	1.07	1.29	1.58	1.58	3.01 *	3.58 *	12.10 3.50 - 13.90	3.501 0.530 - 4.941	14.71	15.38	16.05	99
15+18+22+22+42+60	1.01	1.22	1.49	1.49	2.84 *	4.06	12.10 3.50 - 13.90	3.501 0.530 - 4.941	14.71	15.38	16.05	99
15+18+22+22+50+50	1.03	1.23	1.50	1.50	3.42 *	3.42 *	12.10 3.50 - 13.90	3.484 0.530 - 4.924	14.63	15.30	15.97	99
15+18+22+25+25+25	1.38	1.66	2.03	2.30	2.30	2.30	11.97 3.50 - 13.90	3.641 0.530 - 4.941	15.29	15.99	16.69	99
15+18+22+25+25+35	1.29	1.55	1.89	2.15	2.15	3.01	12.03 3.50 - 13.90	3.583 0.530 - 4.953	15.06	15.74	16.42	99
15+18+22+25+25+42	1.23	1.48	1.81	2.05	2.05	3.45 *	12.08 3.50 - 13.90	3.533 0.530 - 4.953	14.85	15.52	16.19	99
15+18+22+25+25+50	1.17	1.41	1.72	1.95	1.95	3.90 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+22+25+25+60	1.10	1.32	1.61	1.83	1.83	4.40	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+22+25+25+71	1.03	1.24	1.51	1.72	1.72	4.88	12.10 3.50 - 13.90	3.490 0.530 - 4.930	14.66	15.33	16.00	99
15+18+22+25+35+35	1.21	1.45	1.77	2.02	2.82	2.82	12.10 3.50 - 13.90	3.494 0.530 - 4.934	14.67	15.34	16.01	99
15+18+22+25+35+42	1.16	1.39	1.70	1.93	2.70	3.24 *	12.10 3.50 - 13.90	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+18+22+25+35+50	1.10	1.32	1.61	1.83	2.57	3.67 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+22+25+35+60	1.04	1.24	1.52	1.73	2.42	4.15	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+22+25+42+42	1.11	1.33	1.62	1.84	3.10 *	3.10 *	12.10 3.50 - 13.90	3.490 0.530 - 4.930	14.66	15.33	16.00	99
15+18+22+25+42+50	1.06	1.27	1.55	1.76	2.95 *	3.52 *	12.10 3.50 - 13.90	3.501 0.530 - 4.941	14.71	15.38	16.05	99
15+18+22+25+50+50	1.01	1.21	1.48	1.68	3.36 *	3.36 *	12.10 3.50 - 13.90	3.501 0.530 - 4.941	14.71	15.38	16.05	99
15+18+22+35+35+35	1.13	1.36	1.66	2.65	2.65	2.65	12.10 3.50 - 13.90	3.501 0.530 - 4.941	14.71	15.38	16.05	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230	240		
15+18+22+35+35+42	1.09	1.30	1.59	2.54	2.54	3.04 *	12.10 3.50 - 13.90	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+18+22+35+35+50	1.04	1.24	1.52	2.42	2.42	3.46 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+22+35+42+42	1.04	1.25	1.53	2.43	2.92 *	2.92 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+25+25+25+25	1.35	1.62	2.25	2.25	2.25	2.25	11.99 3.50 - 13.90	3.621 0.530 - 4.941	15.21	15.90	16.59	99
15+18+25+25+25+35	1.26	1.52	2.11	2.11	2.11	2.95	12.05 3.50 - 13.90	3.563 0.530 - 4.953	14.97	15.65	16.33	99
15+18+25+25+25+42	1.21	1.45	2.02	2.02	2.02	3.39 *	12.10 3.50 - 13.90	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+18+25+25+25+50	1.15	1.38	1.91	1.91	1.91	3.83 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+25+25+25+60	1.08	1.30	1.80	1.80	1.80	4.32	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+25+25+25+71	1.01	1.22	1.69	1.69	1.69	4.80	12.10 3.50 - 13.90	3.490 0.530 - 4.930	14.66	15.33	16.00	99
15+18+25+25+35+35	1.19	1.42	1.98	1.98	2.77	2.77	12.10 3.50 - 13.90	3.494 0.530 - 4.934	14.67	15.34	16.01	99
15+18+25+25+35+42	1.13	1.36	1.89	1.89	2.65	3.18 *	12.10 3.50 - 13.90	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+18+25+25+35+50	1.08	1.30	1.80	1.80	2.52	3.60 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+25+25+35+60	1.02	1.22	1.70	1.70	2.38	4.08	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+25+25+42+42	1.09	1.30	1.81	1.81	3.04 *	3.04 *	12.10 3.50 - 13.90	3.490 0.530 - 4.930	14.66	15.33	16.00	99
15+18+25+25+42+50	1.04	1.24	1.73	1.73	2.90 *	3.46 *	12.10 3.50 - 13.90	3.501 0.530 - 4.941	14.71	15.38	16.05	99
15+18+25+35+35+35	1.11	1.34	1.86	2.60	2.60	2.60	12.10 3.50 - 13.90	3.501 0.530 - 4.941	14.71	15.38	16.05	99
15+18+25+35+35+42	1.07	1.28	1.78	2.49	2.49	2.99 *	12.10 3.50 - 13.90	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+18+25+35+35+50	1.02	1.22	1.70	2.38	2.38	3.40 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+25+35+42+42	1.03	1.23	1.71	2.39	2.87 *	2.87 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+18+35+35+35+35	1.05	1.26	2.45	2.45	2.45	2.45	12.10 3.50 - 13.90	3.501 0.530 - 4.941	14.71	15.38	16.05	99
15+18+35+35+35+42	1.01	1.21	2.35	2.35	2.35	2.82 *	12.10 3.50 - 13.90	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+20+20+20+20+20	1.47	1.96	1.96	1.96	1.96	1.96	11.25 3.50 - 13.90	3.477 0.530 - 4.947	14.61	15.27	15.93	99
15+20+20+20+20+22	1.41	1.88	1.88	1.88	1.88	2.07	11.01 3.50 - 13.40	3.618 0.530 - 4.988	15.20	15.89	16.58	99
15+20+20+20+20+25	1.44	1.92	1.92	1.92	1.92	2.40	11.50 3.50 - 13.50	3.751 0.530 - 4.981	15.75	16.47	17.19	99
15+20+20+20+20+35	1.34	1.78	1.78	1.78	1.78	3.12	11.57 3.50 - 13.50	3.681 0.530 - 4.981	15.47	16.17	16.87	99
15+20+20+20+20+42	1.27	1.69	1.69	1.69	1.69	3.56 *	11.61 3.50 - 13.50	3.631 0.530 - 4.981	15.26	15.95	16.64	99
15+20+20+20+20+50	1.21	1.61	1.61	1.61	1.61	4.02 *	11.67 3.50 - 13.50	3.575 0.530 - 4.975	15.02	15.70	16.38	99
15+20+20+20+20+60	1.13	1.51	1.51	1.51	1.51	4.53	11.70 3.50 - 13.50	3.535 0.530 - 4.975	14.85	15.52	16.19	99
15+20+20+20+20+71	1.06	1.41	1.41	1.41	1.41	5.00	11.70 3.50 - 13.50	3.518 0.530 - 4.958	14.78	15.45	16.12	99
15+20+20+20+22+22	1.43	1.91	1.91	1.91	2.10	2.10	11.37 3.50 - 13.50	3.682 0.530 - 4.962	15.47	16.17	16.87	99
15+20+20+20+22+35	1.33	1.77	1.77	1.77	1.95	3.10	11.68 3.50 - 13.60	3.664 0.530 - 4.974	15.39	16.09	16.79	99
15+20+20+20+22+42	1.27	1.69	1.69	1.69	1.86	3.54 *	11.73 3.50 - 13.60	3.614 0.530 - 4.974	15.18	15.87	16.56	99
15+20+20+20+22+50	1.20	1.60	1.60	1.60	1.76	4.01 *	11.78 3.50 - 13.60	3.548 0.530 - 4.968	14.90	15.58	16.26	99
15+20+20+20+22+60	1.13	1.50	1.50	1.50	1.65	4.51	11.80 3.50 - 13.60	3.528 0.530 - 4.968	14.82	15.49	16.16	99
15+20+20+20+22+71	1.05	1.40	1.40	1.40	1.55	4.99	11.80 3.50 - 13.60	3.511 0.530 - 4.951	14.75	15.42	16.09	99
15+20+20+20+25+25	1.40	1.86	1.86	1.86	2.33	2.33	11.63 3.50 - 13.60	3.695 0.530 - 4.955	15.52	16.23	16.94	99
15+20+20+20+25+35	1.30	1.73	1.73	1.73	2.17	3.03	11.70 3.50 - 13.60	3.644 0.530 - 4.974	15.30	16.00	16.70	99
15+20+20+20+25+42	1.24	1.65	1.65	1.65	2.07	3.48 *	11.75 3.50 - 13.60	3.594 0.530 - 4.974	15.09	15.78	16.47	99
15+20+20+20+25+50	1.18	1.57	1.57	1.57	1.97	3.93 *	11.80 3.50 - 13.60	3.528 0.530 - 4.968	14.82	15.49	16.16	99
15+20+20+20+25+60	1.11	1.48	1.48	1.48	1.84	4.43	11.80 3.50 - 13.60	3.528 0.530 - 4.968	14.82	15.49	16.16	99
15+20+20+20+25+71	1.04	1.38	1.38	1.38	1.73	4.90	11.80 3.50 - 13.60	3.511 0.530 - 4.951	14.75	15.42	16.09	99
15+20+20+20+35+35	1.22	1.62	1.62	1.62	2.84	2.84	11.77 3.50 - 13.60	3.555 0.530 - 4.955	14.93	15.61	16.29	99
15+20+20+20+35+42	1.16	1.55	1.55	1.55	2.72	3.26 *	11.80 3.50 - 13.60	3.534 0.530 - 4.974	14.85	15.52	16.19	99
15+20+20+20+35+50	1.11	1.48	1.48	1.48	2.58	3.69 *	11.80 3.50 - 13.60	3.528 0.530 - 4.968	14.82	15.49	16.16	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
15+20+20+20+35+60	1.04	1.39	1.39	1.39	2.43	4.16	11.80 3.50 - 13.60	3.528 0.530 - 4.968	14.82	15.49	16.16	99
15+20+20+20+42+42	1.11	1.48	1.48	1.48	3.12 *	3.12 *	11.80 3.50 - 13.60	3.511 0.530 - 4.951	14.75	15.42	16.09	99
15+20+20+20+42+50	1.06	1.41	1.41	1.41	2.97 *	3.53 *	11.80 3.50 - 13.60	3.522 0.530 - 4.962	14.80	15.47	16.14	99
15+20+20+20+42+60	1.00	1.33	1.33	1.33	2.80 *	4.00	11.80 3.50 - 13.60	3.522 0.530 - 4.962	14.80	15.47	16.14	99
15+20+20+20+50+50	1.01	1.35	1.35	1.35	3.37 *	3.37 *	11.80 3.50 - 13.60	3.505 0.530 - 4.945	14.72	15.39	16.06	99
15+20+20+22+22+22	1.44	1.92	1.92	2.11	2.11	2.11	11.61 3.50 - 13.60	3.722 0.530 - 4.962	15.64	16.35	17.06	99
15+20+20+22+22+25	1.42	1.89	1.89	2.08	2.08	2.36	11.73 3.50 - 13.70	3.707 0.530 - 4.967	15.57	16.28	16.99	99
15+20+20+22+22+35	1.32	1.76	1.76	1.94	1.94	3.08	11.79 3.50 - 13.70	3.637 0.530 - 4.967	15.28	15.97	16.66	99
15+20+20+22+22+42	1.26	1.68	1.68	1.85	1.85	3.53 *	11.84 3.50 - 13.70	3.587 0.530 - 4.967	15.07	15.75	16.43	99
15+20+20+22+22+50	1.20	1.60	1.60	1.76	1.76	3.99 *	11.89 3.50 - 13.70	3.531 0.530 - 4.961	14.84	15.51	16.18	99
15+20+20+22+22+60	1.12	1.50	1.50	1.65	1.65	4.49	11.90 3.50 - 13.70	3.521 0.530 - 4.961	14.79	15.46	16.13	99
15+20+20+22+22+71	1.05	1.40	1.40	1.54	1.54	4.97	11.90 3.50 - 13.70	3.504 0.530 - 4.944	14.72	15.39	16.06	99
15+20+20+22+25+25	1.39	1.85	1.85	2.04	2.31	2.31	11.75 3.50 - 13.70	3.668 0.530 - 4.948	15.41	16.11	16.81	99
15+20+20+22+25+35	1.29	1.72	1.72	1.90	2.16	3.02	11.81 3.50 - 13.70	3.617 0.530 - 4.967	15.19	15.88	16.57	99
15+20+20+22+25+42	1.24	1.65	1.65	1.81	2.06	3.46 *	11.86 3.50 - 13.70	3.567 0.530 - 4.967	14.99	15.67	16.35	99
15+20+20+22+25+50	1.17	1.57	1.57	1.72	1.96	3.91 *	11.90 3.50 - 13.70	3.521 0.530 - 4.961	14.79	15.46	16.13	99
15+20+20+22+25+60	1.10	1.47	1.47	1.62	1.84	4.41	11.90 3.50 - 13.70	3.521 0.530 - 4.961	14.79	15.46	16.13	99
15+20+20+22+25+71	1.03	1.38	1.38	1.51	1.72	4.88	11.90 3.50 - 13.70	3.504 0.530 - 4.944	14.72	15.39	16.06	99
15+20+20+22+35+35	1.21	1.62	1.62	1.78	2.83	2.83	11.88 3.50 - 13.70	3.528 0.530 - 4.948	14.82	15.49	16.16	99
15+20+20+22+35+42	1.16	1.55	1.55	1.70	2.70	3.25 *	11.90 3.50 - 13.70	3.527 0.530 - 4.967	14.82	15.49	16.16	99
15+20+20+22+35+50	1.10	1.47	1.47	1.62	2.57	3.67 *	11.90 3.50 - 13.70	3.521 0.530 - 4.961	14.79	15.46	16.13	99
15+20+20+22+35+60	1.04	1.38	1.38	1.52	2.42	4.15	11.90 3.50 - 13.70	3.521 0.530 - 4.961	14.79	15.46	16.13	99
15+20+20+22+42+42	1.11	1.48	1.48	1.63	3.10 *	3.10 *	11.90 3.50 - 13.70	3.504 0.530 - 4.944	14.72	15.39	16.06	99
15+20+20+22+42+50	1.06	1.41	1.41	1.55	2.96 *	3.52 *	11.90 3.50 - 13.70	3.515 0.530 - 4.955	14.77	15.44	16.11	99
15+20+20+22+42+60	1.00	1.33	1.33	1.46	2.79 *	3.99	11.90 3.50 - 13.70	3.515 0.530 - 4.955	14.77	15.44	16.11	99
15+20+20+22+50+50	1.01	1.34	1.34	1.48	3.36 *	3.36 *	11.90 3.50 - 13.70	3.498 0.530 - 4.938	14.69	15.36	16.03	99
15+20+20+25+25+25	1.36	1.81	1.81	2.26	2.26	2.26	11.77 3.50 - 13.70	3.655 0.530 - 4.955	15.35	16.05	16.75	99
15+20+20+25+25+35	1.27	1.69	1.69	2.11	2.11	2.96	11.83 3.50 - 13.70	3.597 0.530 - 4.967	15.11	15.80	16.49	99
15+20+20+25+25+42	1.21	1.62	1.62	2.02	2.02	3.39 *	11.88 3.50 - 13.70	3.547 0.530 - 4.967	14.90	15.58	16.26	99
15+20+20+25+25+50	1.15	1.54	1.54	1.92	1.92	3.84 *	11.90 3.50 - 13.70	3.521 0.530 - 4.961	14.79	15.46	16.13	99
15+20+20+25+25+60	1.08	1.44	1.44	1.80	1.80	4.33	11.90 3.50 - 13.70	3.521 0.530 - 4.961	14.79	15.46	16.13	99
15+20+20+25+25+71	1.01	1.35	1.35	1.69	1.69	4.80	11.90 3.50 - 13.70	3.504 0.530 - 4.944	14.72	15.39	16.06	99
15+20+20+25+35+35	1.19	1.59	1.59	1.98	2.78	2.78	11.90 3.50 - 13.70	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+20+20+25+35+42	1.14	1.52	1.52	1.89	2.65	3.18 *	11.90 3.50 - 13.70	3.527 0.530 - 4.967	14.82	15.49	16.16	99
15+20+20+25+35+50	1.08	1.44	1.44	1.80	2.52	3.61 *	11.90 3.50 - 13.70	3.521 0.530 - 4.961	14.79	15.46	16.13	99
15+20+20+25+35+60	1.02	1.36	1.36	1.70	2.38	4.08	11.90 3.50 - 13.70	3.521 0.530 - 4.961	14.79	15.46	16.13	99
15+20+20+25+42+42	1.09	1.45	1.45	1.81	3.05 *	3.05 *	11.90 3.50 - 13.70	3.504 0.530 - 4.944	14.72	15.39	16.06	99
15+20+20+25+42+50	1.04	1.38	1.38	1.73	2.91 *	3.46 *	11.90 3.50 - 13.70	3.515 0.530 - 4.955	14.77	15.44	16.11	99
15+20+20+25+50+50	0.99	1.32	1.32	1.65	3.31 *	3.31 *	11.90 3.50 - 13.70	3.515 0.530 - 4.955	14.77	15.44	16.11	99
15+20+20+35+35+35	1.12	1.49	1.49	2.60	2.60	2.60	11.90 3.50 - 13.70	3.515 0.530 - 4.955	14.77	15.44	16.11	99
15+20+20+35+35+42	1.07	1.43	1.43	2.49	2.49	2.99 *	11.90 3.50 - 13.70	3.527 0.530 - 4.967	14.82	15.49	16.16	99
15+20+20+35+35+50	1.02	1.36	1.36	2.38	2.38	3.40 *	11.90 3.50 - 13.70	3.521 0.530 - 4.961	14.79	15.46	16.13	99
15+20+20+35+42+42	1.03	1.37	1.37	2.39	2.87 *	2.87 *	11.90 3.50 - 13.70	3.521 0.530 - 4.961	14.79	15.46	16.13	99
15+20+22+22+22+22	1.43	1.91	2.10	2.10	2.10	2.10	11.72 3.50 - 13.70	3.705 0.530 - 4.955	15.56	16.27	16.98	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)							Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total		220	230	240	
15+20+22+22+22+25	1.41	1.88	2.07	2.07	2.07	2.35	11.84 3.50 - 13.80	3.690 0.530 - 4.960	15.51	16.21	16.91	99
15+20+22+22+22+35	1.31	1.75	1.93	1.93	1.93	3.07	11.91 3.50 - 13.80	3.620 0.530 - 4.960	15.21	15.90	16.59	99
15+20+22+22+22+42	1.25	1.67	1.84	1.84	1.84	3.51 *	11.95 3.50 - 13.80	3.570 0.530 - 4.960	15.00	15.68	16.36	99
15+20+22+22+22+50	1.19	1.59	1.75	1.75	1.75	3.97 *	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+20+22+22+22+60	1.12	1.49	1.64	1.64	1.64	4.47	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+20+22+22+22+71	1.05	1.40	1.53	1.53	1.53	4.95	12.00 3.50 - 13.80	3.497 0.530 - 4.937	14.69	15.36	16.03	99
15+20+22+22+25+25	1.38	1.84	2.02	2.02	2.30	2.30	11.86 3.50 - 13.80	3.651 0.530 - 4.941	15.33	16.03	16.73	99
15+20+22+22+25+35	1.29	1.72	1.89	1.89	2.15	3.00	11.93 3.50 - 13.80	3.600 0.530 - 4.960	15.12	15.81	16.50	99
15+20+22+22+25+42	1.23	1.64	1.80	1.80	2.05	3.44 *	11.97 3.50 - 13.80	3.550 0.530 - 4.960	14.91	15.59	16.27	99
15+20+22+22+25+50	1.17	1.56	1.71	1.71	1.95	3.90 *	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+20+22+22+25+60	1.10	1.46	1.61	1.61	1.83	4.39	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+20+22+22+25+71	1.03	1.37	1.51	1.51	1.71	4.87	12.00 3.50 - 13.80	3.497 0.530 - 4.937	14.69	15.36	16.03	99
15+20+22+22+35+35	1.21	1.61	1.77	1.77	2.82	2.82	11.99 3.50 - 13.80	3.511 0.530 - 4.941	14.75	15.42	16.09	99
15+20+22+22+35+42	1.15	1.54	1.69	1.69	2.69	3.23 *	12.00 3.50 - 13.80	3.520 0.530 - 4.960	14.79	15.46	16.13	99
15+20+22+22+35+50	1.10	1.46	1.61	1.61	2.56	3.66 *	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+20+22+22+35+60	1.03	1.38	1.52	1.52	2.41	4.14	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+20+22+22+42+42	1.10	1.47	1.62	1.62	3.09 *	3.09 *	12.00 3.50 - 13.80	3.497 0.530 - 4.937	14.69	15.36	16.03	99
15+20+22+22+42+50	1.05	1.40	1.54	1.54	2.95 *	3.51 *	12.00 3.50 - 13.80	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+20+22+22+50+50	1.01	1.34	1.47	1.47	3.35 *	3.35 *	12.00 3.50 - 13.80	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+20+22+25+25+25	1.35	1.80	1.98	2.25	2.25	2.25	11.88 3.50 - 13.80	3.638 0.530 - 4.948	15.29	15.98	16.67	99
15+20+22+25+25+35	1.26	1.68	1.85	2.10	2.10	2.95	11.95 3.50 - 13.80	3.580 0.530 - 4.960	15.04	15.72	16.40	99
15+20+22+25+25+42	1.21	1.61	1.77	2.01	2.01	3.38 *	11.99 3.50 - 13.80	3.530 0.530 - 4.960	14.83	15.50	16.17	99
15+20+22+25+25+50	1.15	1.53	1.68	1.91	1.91	3.82 *	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+20+22+25+25+60	1.08	1.44	1.58	1.80	1.80	4.31	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+20+22+25+25+71	1.01	1.35	1.48	1.69	1.69	4.79	12.00 3.50 - 13.80	3.497 0.530 - 4.937	14.69	15.36	16.03	99
15+20+22+25+35+35	1.18	1.58	1.74	1.97	2.76	2.76	12.00 3.50 - 13.80	3.501 0.530 - 4.941	14.71	15.38	16.05	99
15+20+22+25+35+42	1.13	1.51	1.66	1.89	2.64	3.17 *	12.00 3.50 - 13.80	3.520 0.530 - 4.960	14.79	15.46	16.13	99
15+20+22+25+35+50	1.08	1.44	1.58	1.80	2.51	3.59 *	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+20+22+25+35+60	1.02	1.36	1.49	1.69	2.37	4.07	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+20+22+25+42+42	1.08	1.45	1.59	1.81	3.04 *	3.04 *	12.00 3.50 - 13.80	3.497 0.530 - 4.937	14.69	15.36	16.03	99
15+20+22+25+42+50	1.03	1.38	1.52	1.72	2.90 *	3.45 *	12.00 3.50 - 13.80	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+20+22+35+35+35	1.11	1.48	1.63	2.59	2.59	2.59	12.00 3.50 - 13.80	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+20+22+35+35+42	1.07	1.42	1.56	2.49	2.49	2.98 *	12.00 3.50 - 13.80	3.520 0.530 - 4.960	14.79	15.46	16.13	99
15+20+22+35+35+50	1.02	1.36	1.49	2.37	2.37	3.39 *	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+20+22+35+42+42	1.02	1.36	1.50	2.39	2.86 *	2.86 *	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+20+25+25+25+25	1.32	1.76	2.20	2.20	2.20	2.20	11.90 3.50 - 13.80	3.618 0.530 - 4.948	15.20	15.89	16.58	99
15+20+25+25+25+35	1.24	1.65	2.06	2.06	2.06	2.89	11.97 3.50 - 13.80	3.560 0.530 - 4.960	14.95	15.63	16.31	99
15+20+25+25+25+42	1.18	1.58	1.97	1.97	1.97	3.32 *	12.00 3.50 - 13.80	3.520 0.530 - 4.960	14.79	15.46	16.13	99
15+20+25+25+25+50	1.13	1.50	1.88	1.88	1.88	3.75 *	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+20+25+25+25+60	1.06	1.41	1.76	1.76	1.76	4.24	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+20+25+25+35+35	1.16	1.55	1.94	1.94	2.71	2.71	12.00 3.50 - 13.80	3.497 0.530 - 4.937	14.69	15.36	16.03	99
15+20+25+25+35+42	1.11	1.48	1.85	1.85	2.59	3.11 *	12.00 3.50 - 13.80	3.520 0.530 - 4.960	14.79	15.46	16.13	99
15+20+25+25+35+50	1.06	1.41	1.76	1.76	2.47	3.53 *	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+20+25+25+35+60	1.00	1.33	1.67	1.67	2.33	4.00	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
15+20+25+25+42+42	1.07	1.42	1.78	1.78	2.98 *	2.98 *	12.00 3.50 - 13.80	3.497 0.530 - 4.937	14.69	15.36	16.03	99
15+20+25+25+42+50	1.02	1.36	1.69	1.69	2.85 *	3.39 *	12.00 3.50 - 13.80	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+20+25+35+35+35	1.09	1.45	1.82	2.55	2.55	2.55	12.00 3.50 - 13.80	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+20+25+35+35+42	1.05	1.40	1.74	2.44	2.44	2.93 *	12.00 3.50 - 13.80	3.520 0.530 - 4.960	14.79	15.46	16.13	99
15+20+25+35+35+50	1.00	1.33	1.67	2.33	2.33	3.33 *	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+20+25+35+42+42	1.01	1.34	1.68	2.35	2.82 *	2.82 *	12.00 3.50 - 13.80	3.514 0.530 - 4.954	14.76	15.43	16.10	99
15+20+35+35+35+35	1.03	1.37	2.40	2.40	2.40	2.40	12.00 3.50 - 13.80	3.508 0.530 - 4.948	14.74	15.41	16.08	99
15+22+22+22+22+22	1.42	2.08	2.08	2.08	2.08	2.08	11.83 3.50 - 13.80	3.700 0.530 - 4.960	15.54	16.25	16.96	99
15+22+22+22+22+25	1.40	2.05	2.05	2.05	2.05	2.33	11.95 3.50 - 13.90	3.663 0.530 - 4.953	15.39	16.09	16.79	99
15+22+22+22+22+35	1.31	1.92	1.92	1.92	1.92	3.05	12.02 3.50 - 13.90	3.593 0.530 - 4.953	15.09	15.78	16.47	99
15+22+22+22+22+42	1.25	1.83	1.83	1.83	1.83	3.50 *	12.07 3.50 - 13.90	3.553 0.530 - 4.953	14.92	15.60	16.28	99
15+22+22+22+22+50	1.19	1.74	1.74	1.74	1.74	3.95 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+22+22+22+22+60	1.11	1.63	1.63	1.63	1.63	4.45	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+22+22+22+22+71	1.04	1.53	1.53	1.53	1.53	4.94	12.10 3.50 - 13.90	3.490 0.530 - 4.930	14.66	15.33	16.00	99
15+22+22+22+25+25	1.37	2.01	2.01	2.01	2.28	2.28	11.97 3.50 - 13.90	3.624 0.530 - 4.934	15.23	15.92	16.61	99
15+22+22+22+25+35	1.28	1.88	1.88	1.88	2.13	2.99	12.04 3.50 - 13.90	3.573 0.530 - 4.953	15.01	15.69	16.37	99
15+22+22+22+25+42	1.23	1.80	1.80	1.80	2.04	3.43 *	12.09 3.50 - 13.90	3.523 0.530 - 4.953	14.80	15.47	16.14	99
15+22+22+22+25+50	1.16	1.71	1.71	1.71	1.94	3.88 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+22+22+22+25+60	1.09	1.60	1.60	1.60	1.82	4.37	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+22+22+22+25+71	1.03	1.50	1.50	1.50	1.71	4.85	12.10 3.50 - 13.90	3.490 0.530 - 4.930	14.66	15.33	16.00	99
15+22+22+22+35+35	1.20	1.76	1.76	1.76	2.80	2.80	12.10 3.50 - 13.90	3.494 0.530 - 4.934	14.67	15.34	16.01	99
15+22+22+22+35+42	1.15	1.68	1.68	1.68	2.68	3.22 *	12.10 3.50 - 13.90	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+22+22+22+35+50	1.09	1.60	1.60	1.60	2.55	3.64 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+22+22+22+35+60	1.03	1.51	1.51	1.51	2.41	4.13	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+22+22+22+42+42	1.10	1.61	1.61	1.61	3.08 *	3.08 *	12.10 3.50 - 13.90	3.490 0.530 - 4.930	14.66	15.33	16.00	99
15+22+22+22+42+50	1.05	1.54	1.54	1.54	2.94 *	3.50 *	12.10 3.50 - 13.90	3.501 0.530 - 4.941	14.71	15.38	16.05	99
15+22+22+25+25+25	1.34	1.97	1.97	2.24	2.24	2.24	11.99 3.50 - 13.90	3.611 0.530 - 4.941	15.17	15.86	16.55	99
15+22+22+25+25+35	1.26	1.84	1.84	2.09	2.09	2.93	12.06 3.50 - 13.90	3.553 0.530 - 4.953	14.92	15.60	16.28	99
15+22+22+25+25+42	1.20	1.76	1.76	2.00	2.00	3.37 *	12.10 3.50 - 13.90	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+22+22+25+25+50	1.14	1.67	1.67	1.90	1.90	3.81 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+22+22+25+25+60	1.07	1.58	1.58	1.79	1.79	4.30	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+22+22+25+25+71	1.01	1.48	1.48	1.68	1.68	4.77	12.10 3.50 - 13.90	3.490 0.530 - 4.930	14.66	15.33	16.00	99
15+22+22+25+35+35	1.18	1.73	1.73	1.96	2.75	2.75	12.10 3.50 - 13.90	3.494 0.530 - 4.934	14.67	15.34	16.01	99
15+22+22+25+35+42	1.13	1.65	1.65	1.88	2.63	3.16 *	12.10 3.50 - 13.90	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+22+22+25+35+50	1.07	1.58	1.58	1.79	2.51	3.58 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+22+22+25+35+60	1.01	1.49	1.49	1.69	2.37	4.06	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+22+22+25+42+42	1.08	1.58	1.58	1.80	3.03 *	3.03 *	12.10 3.50 - 13.90	3.490 0.530 - 4.930	14.66	15.33	16.00	99
15+22+22+25+42+50	1.03	1.51	1.51	1.72	2.89 *	3.44 *	12.10 3.50 - 13.90	3.501 0.530 - 4.941	14.71	15.38	16.05	99
15+22+22+35+35+35	1.11	1.62	1.62	2.58	2.58	2.58	12.10 3.50 - 13.90	3.501 0.530 - 4.941	14.71	15.38	16.05	99
15+22+22+35+35+42	1.06	1.56	1.56	2.48	2.48	2.97 *	12.10 3.50 - 13.90	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+22+22+35+35+50	1.01	1.49	1.49	2.37	2.37	3.38 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+22+22+35+42+42	1.02	1.50	1.50	2.38	2.86 *	2.86 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+22+25+25+25+25	1.31	1.93	2.19	2.19	2.19	2.19	12.01 3.50 - 13.90	3.591 0.530 - 4.941	15.08	15.77	16.46	99
15+22+25+25+25+35	1.23	1.81	2.05	2.05	2.05	2.88	12.08 3.50 - 13.90	3.533 0.530 - 4.953	14.85	15.52	16.19	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
15+22+25+25+25+42	1.18	1.73	1.96	1.96	1.96	3.30 *	12.10 3.50 - 13.90	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+22+25+25+25+50	1.12	1.64	1.87	1.87	1.87	3.73 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+22+25+25+25+60	1.06	1.55	1.76	1.76	1.76	4.22	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+22+25+25+35+35	1.16	1.70	1.93	1.93	2.70	2.70	12.10 3.50 - 13.90	3.490 0.530 - 4.930	14.66	15.33	16.00	99
15+22+25+25+35+42	1.11	1.62	1.84	1.84	2.58	3.10 *	12.10 3.50 - 13.90	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+22+25+25+35+50	1.06	1.55	1.76	1.76	2.46	3.52 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+22+25+25+42+42	1.06	1.56	1.77	1.77	2.97 *	2.97 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+22+25+25+42+50	1.01	1.49	1.69	1.69	2.84 *	3.38 *	12.10 3.50 - 13.90	3.501 0.530 - 4.941	14.71	15.38	16.05	99
15+22+25+35+35+35	1.09	1.59	1.81	2.54	2.54	2.54	12.10 3.50 - 13.90	3.501 0.530 - 4.941	14.71	15.38	16.05	99
15+22+25+35+35+42	1.04	1.53	1.74	2.43	2.43	2.92 *	12.10 3.50 - 13.90	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+22+35+35+35+35	1.03	1.50	2.39	2.39	2.39	2.39	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+25+25+25+25+25	1.29	2.15	2.15	2.15	2.15	2.15	12.03 3.50 - 13.90	3.583 0.530 - 4.953	15.06	15.74	16.42	99
15+25+25+25+25+35	1.21	2.02	2.02	2.02	2.02	2.82	12.10 3.50 - 13.90	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+25+25+25+25+42	1.16	1.93	1.93	1.93	1.93	3.24 *	12.10 3.50 - 13.90	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+25+25+25+25+50	1.10	1.83	1.83	1.83	1.83	3.67 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+25+25+25+25+60	1.04	1.73	1.73	1.73	1.73	4.15	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+25+25+25+35+35	1.13	1.89	1.89	1.89	2.65	2.65	12.10 3.50 - 13.90	3.490 0.530 - 4.930	14.66	15.33	16.00	99
15+25+25+25+35+42	1.09	1.81	1.81	1.81	2.54	3.04 *	12.10 3.50 - 13.90	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+25+25+25+35+50	1.04	1.73	1.73	1.73	2.42	3.46 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+25+25+25+42+42	1.04	1.74	1.74	1.74	2.92 *	2.92 *	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
15+25+25+35+35+35	1.07	1.78	1.78	2.49	2.49	2.49	12.10 3.50 - 13.90	3.501 0.530 - 4.941	14.71	15.38	16.05	99
15+25+25+35+35+42	1.03	1.71	1.71	2.39	2.39	2.87 *	12.10 3.50 - 13.90	3.513 0.530 - 4.953	14.76	15.43	16.10	99
15+25+35+35+35+35	1.01	1.68	2.35	2.35	2.35	2.35	12.10 3.50 - 13.90	3.507 0.530 - 4.947	14.73	15.40	16.07	99
18+18+18+18+18+18	1.73	1.73	1.73	1.73	1.73	1.73	10.35 3.50 - 13.90	3.153 0.530 - 4.953	13.25	13.85	14.45	99
18+18+18+18+18+20	1.75	1.75	1.75	1.75	1.75	1.95	10.71 3.50 - 14.00	3.244 0.530 - 4.944	13.63	14.25	14.87	99
18+18+18+18+18+22	1.75	1.75	1.75	1.75	1.75	2.14	10.87 3.50 - 13.90	3.341 0.530 - 4.951	14.03	14.67	15.31	99
18+18+18+18+18+25	1.78	1.78	1.78	1.78	1.78	2.47	11.35 3.50 - 14.00	3.474 0.530 - 4.944	14.60	15.26	15.92	99
18+18+18+18+18+35	1.73	1.73	1.73	1.73	1.73	3.37	12.03 3.50 - 14.00	3.684 0.530 - 4.944	15.48	16.18	16.88	99
18+18+18+18+18+42	1.65	1.65	1.65	1.65	1.65	3.84 *	12.08 3.50 - 14.00	3.634 0.530 - 4.944	15.27	15.96	16.65	99
18+18+18+18+18+50	1.56	1.56	1.56	1.56	1.56	4.33 *	12.13 3.50 - 14.00	3.568 0.530 - 4.938	14.99	15.67	16.35	99
18+18+18+18+18+60	1.46	1.46	1.46	1.46	1.46	4.88	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+18+18+18+71	1.36	1.36	1.36	1.36	1.36	5.38	12.20 3.50 - 14.00	3.481 0.530 - 4.921	14.63	15.29	15.95	99
18+18+18+18+20+20	1.76	1.76	1.76	1.76	1.96	1.96	10.97 3.50 - 14.00	3.315 0.530 - 4.925	13.93	14.56	15.19	99
18+18+18+18+20+22	1.74	1.74	1.74	1.74	1.94	2.13	11.03 3.50 - 13.80	3.448 0.530 - 4.958	14.48	15.14	15.80	99
18+18+18+18+20+25	1.77	1.77	1.77	1.77	1.97	2.46	11.51 3.50 - 13.90	3.581 0.530 - 4.951	15.05	15.73	16.41	99
18+18+18+18+20+35	1.69	1.69	1.69	1.69	1.88	3.29	11.95 3.50 - 13.90	3.671 0.530 - 4.951	15.42	16.12	16.82	99
18+18+18+18+20+42	1.61	1.61	1.61	1.61	1.79	3.76 *	11.99 3.50 - 13.90	3.621 0.530 - 4.951	15.21	15.90	16.59	99
18+18+18+18+20+50	1.53	1.53	1.53	1.53	1.70	4.24 *	12.05 3.50 - 13.90	3.565 0.530 - 4.945	14.98	15.66	16.34	99
18+18+18+18+20+60	1.43	1.43	1.43	1.43	1.59	4.78	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+18+18+18+20+71	1.34	1.34	1.34	1.34	1.48	5.27	12.10 3.50 - 13.90	3.488 0.530 - 4.928	14.65	15.32	15.99	99
18+18+18+18+22+22	1.77	1.77	1.77	1.77	2.16	2.16	11.38 3.50 - 13.90	3.512 0.530 - 4.932	14.75	15.42	16.09	99
18+18+18+18+22+25	1.80	1.80	1.80	1.80	2.19	2.49	11.87 3.50 - 14.00	3.664 0.530 - 4.944	15.39	16.09	16.79	99
18+18+18+18+22+35	1.68	1.68	1.68	1.68	2.06	3.27	12.06 3.50 - 14.00	3.654 0.530 - 4.944	15.35	16.05	16.75	99
18+18+18+18+22+42	1.60	1.60	1.60	1.60	1.96	3.74 *	12.11 3.50 - 14.00	3.604 0.530 - 4.944	15.14	15.83	16.52	99



**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
18+18+18+18+22+50	1.52	1.52	1.52	1.52	1.86	4.22 *	12.16 3.50 - 14.00	3.538 0.530 - 4.938	14.86	15.54	16.22	99
18+18+18+18+22+60	1.43	1.43	1.43	1.43	1.74	4.75	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+18+18+22+71	1.33	1.33	1.33	1.33	1.63	5.25	12.20 3.50 - 14.00	3.481 0.530 - 4.921	14.63	15.29	15.95	99
18+18+18+18+25+25	1.80	1.80	1.80	1.80	2.50	2.50	12.20 3.50 - 14.00	3.485 0.530 - 4.925	14.64	15.31	15.98	99
18+18+18+18+25+35	1.65	1.65	1.65	1.65	2.29	3.20	12.08 3.50 - 14.00	3.634 0.530 - 4.944	15.27	15.96	16.65	99
18+18+18+18+25+42	1.57	1.57	1.57	1.57	2.18	3.67 *	12.13 3.50 - 14.00	3.584 0.530 - 4.944	15.06	15.74	16.42	99
18+18+18+18+25+50	1.49	1.49	1.49	1.49	2.07	4.14 *	12.18 3.50 - 14.00	3.518 0.530 - 4.938	14.78	15.45	16.12	99
18+18+18+18+25+60	1.40	1.40	1.40	1.40	1.94	4.66	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+18+18+25+71	1.31	1.31	1.31	1.31	1.82	5.16	12.20 3.50 - 14.00	3.481 0.530 - 4.921	14.63	15.29	15.95	99
18+18+18+18+35+35	1.54	1.54	1.54	1.54	2.99	2.99	12.15 3.50 - 14.00	3.545 0.530 - 4.925	14.89	15.57	16.25	99
18+18+18+18+35+42	1.47	1.47	1.47	1.47	2.86	3.44 *	12.19 3.50 - 14.00	3.514 0.530 - 4.944	14.76	15.43	16.10	99
18+18+18+18+35+50	1.40	1.40	1.40	1.40	2.72	3.89 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+18+18+35+60	1.31	1.31	1.31	1.31	2.56	4.38	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+18+18+35+71	1.23	1.23	1.23	1.23	2.40	4.87	12.20 3.50 - 14.00	3.481 0.530 - 4.921	14.63	15.29	15.95	99
18+18+18+18+42+42	1.41	1.41	1.41	1.41	3.28 *	3.28 *	12.20 3.50 - 14.00	3.485 0.530 - 4.925	14.64	15.31	15.98	99
18+18+18+18+42+50	1.34	1.34	1.34	1.34	3.12 *	3.72 *	12.20 3.50 - 14.00	3.492 0.530 - 4.932	14.67	15.34	16.01	99
18+18+18+18+42+60	1.26	1.26	1.26	1.26	2.94 *	4.21	12.20 3.50 - 14.00	3.492 0.530 - 4.932	14.67	15.34	16.01	99
18+18+18+18+50+50	1.28	1.28	1.28	1.28	3.55 *	3.55 *	12.20 3.50 - 14.00	3.475 0.530 - 4.915	14.60	15.26	15.92	99
18+18+18+20+20+20	1.77	1.77	1.77	1.97	1.97	1.97	11.23 3.50 - 14.00	3.422 0.530 - 4.932	14.38	15.03	15.68	99
18+18+18+20+20+22	1.73	1.73	1.73	1.93	1.93	2.12	11.18 3.50 - 13.70	3.545 0.530 - 4.965	14.89	15.57	16.25	99
18+18+18+20+20+25	1.77	1.77	1.77	1.96	1.96	2.45	11.67 3.50 - 13.80	3.678 0.530 - 4.958	15.45	16.15	16.85	99
18+18+18+20+20+35	1.65	1.65	1.65	1.84	1.84	3.22	11.86 3.50 - 13.80	3.668 0.530 - 4.958	15.41	16.11	16.81	99
18+18+18+20+20+42	1.58	1.58	1.58	1.75	1.75	3.68 *	11.91 3.50 - 13.80	3.618 0.530 - 4.958	15.20	15.89	16.58	99
18+18+18+20+20+50	1.50	1.50	1.50	1.66	1.66	4.15 *	11.96 3.50 - 13.80	3.552 0.530 - 4.952	14.92	15.60	16.28	99
18+18+18+20+20+60	1.40	1.40	1.40	1.56	1.56	4.68	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
18+18+18+20+20+71	1.31	1.31	1.31	1.45	1.45	5.16	12.00 3.50 - 13.80	3.495 0.530 - 4.935	14.68	15.35	16.02	99
18+18+18+20+22+22	1.76	1.76	1.76	1.96	2.15	2.15	11.54 3.50 - 13.80	3.619 0.530 - 4.939	15.20	15.89	16.58	99
18+18+18+20+22+25	1.77	1.77	1.77	1.97	2.17	2.46	11.91 3.50 - 13.90	3.711 0.530 - 4.951	15.59	16.30	17.01	99
18+18+18+20+22+35	1.64	1.64	1.64	1.83	2.01	3.20	11.97 3.50 - 13.90	3.641 0.530 - 4.951	15.29	15.99	16.69	99
18+18+18+20+22+42	1.57	1.57	1.57	1.74	1.92	3.66 *	12.02 3.50 - 13.90	3.591 0.530 - 4.951	15.08	15.77	16.46	99
18+18+18+20+22+50	1.49	1.49	1.49	1.65	1.82	4.13 *	12.07 3.50 - 13.90	3.535 0.530 - 4.945	14.85	15.52	16.19	99
18+18+18+20+22+60	1.40	1.40	1.40	1.55	1.71	4.65	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+18+18+20+22+71	1.30	1.30	1.30	1.45	1.59	5.14	12.10 3.50 - 13.90	3.488 0.530 - 4.928	14.65	15.32	15.99	99
18+18+18+20+25+25	1.73	1.73	1.73	1.92	2.41	2.41	11.93 3.50 - 13.90	3.672 0.530 - 4.932	15.43	16.13	16.83	99
18+18+18+20+25+35	1.61	1.61	1.61	1.79	2.24	3.13	11.99 3.50 - 13.90	3.621 0.530 - 4.951	15.21	15.90	16.59	99
18+18+18+20+25+42	1.54	1.54	1.54	1.71	2.13	3.59 *	12.04 3.50 - 13.90	3.571 0.530 - 4.951	15.00	15.68	16.36	99
18+18+18+20+25+50	1.46	1.46	1.46	1.62	2.03	4.06 *	12.09 3.50 - 13.90	3.515 0.530 - 4.945	14.77	15.44	16.11	99
18+18+18+20+25+60	1.37	1.37	1.37	1.52	1.90	4.57	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+18+18+20+25+71	1.28	1.28	1.28	1.42	1.78	5.05	12.10 3.50 - 13.90	3.488 0.530 - 4.928	14.65	15.32	15.99	99
18+18+18+20+35+35	1.51	1.51	1.51	1.68	2.93	2.93	12.06 3.50 - 13.90	3.532 0.530 - 4.932	14.84	15.51	16.18	99
18+18+18+20+35+42	1.44	1.44	1.44	1.60	2.80	3.37 *	12.10 3.50 - 13.90	3.511 0.530 - 4.951	14.75	15.42	16.09	99
18+18+18+20+35+50	1.37	1.37	1.37	1.52	2.66	3.81 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+18+18+20+35+60	1.29	1.29	1.29	1.43	2.51	4.30	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+18+18+20+35+71	1.21	1.21	1.21	1.34	2.35	4.77	12.10 3.50 - 13.90	3.488 0.530 - 4.928	14.65	15.32	15.99	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230	240		
18+18+18+20+42+42	1.38	1.38	1.38	1.53	3.22 *	3.22 *	12.10 3.50 - 13.90	3.492 0.530 - 4.932	14.67	15.34	16.01	99
18+18+18+20+42+50	1.31	1.31	1.31	1.46	3.06 *	3.64 *	12.10 3.50 - 13.90	3.499 0.530 - 4.939	14.70	15.37	16.04	99
18+18+18+20+42+60	1.24	1.24	1.24	1.38	2.89 *	4.13	12.10 3.50 - 13.90	3.499 0.530 - 4.939	14.70	15.37	16.04	99
18+18+18+20+50+50	1.25	1.25	1.25	1.39	3.48 *	3.48 *	12.10 3.50 - 13.90	3.482 0.530 - 4.922	14.63	15.29	15.95	99
18+18+18+22+22+22	1.79	1.79	1.79	2.18	2.18	2.18	11.90 3.50 - 13.90	3.709 0.530 - 4.939	15.58	16.29	17.00	99
18+18+18+22+22+25	1.76	1.76	1.76	2.15	2.15	2.44	12.02 3.50 - 14.00	3.694 0.530 - 4.944	15.51	16.22	16.93	99
18+18+18+22+22+35	1.64	1.64	1.64	2.00	2.00	3.18	12.09 3.50 - 14.00	3.624 0.530 - 4.944	15.23	15.92	16.61	99
18+18+18+22+22+42	1.56	1.56	1.56	1.91	1.91	3.64 *	12.13 3.50 - 14.00	3.574 0.530 - 4.944	15.02	15.70	16.38	99
18+18+18+22+22+50	1.48	1.48	1.48	1.81	1.81	4.12 *	12.19 3.50 - 14.00	3.508 0.530 - 4.938	14.74	15.41	16.08	99
18+18+18+22+22+60	1.39	1.39	1.39	1.70	1.70	4.63	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+18+22+22+71	1.30	1.30	1.30	1.59	1.59	5.13	12.20 3.50 - 14.00	3.481 0.530 - 4.921	14.63	15.29	15.95	99
18+18+18+22+25+25	1.72	1.72	1.72	2.10	2.39	2.39	12.04 3.50 - 14.00	3.655 0.530 - 4.925	15.35	16.05	16.75	99
18+18+18+22+25+35	1.60	1.60	1.60	1.96	2.23	3.12	12.11 3.50 - 14.00	3.604 0.530 - 4.944	15.14	15.83	16.52	99
18+18+18+22+25+42	1.53	1.53	1.53	1.87	2.12	3.57 *	12.15 3.50 - 14.00	3.554 0.530 - 4.944	14.93	15.61	16.29	99
18+18+18+22+25+50	1.45	1.45	1.45	1.78	2.02	4.04 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+18+22+25+60	1.36	1.36	1.36	1.67	1.89	4.55	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+18+22+25+71	1.28	1.28	1.28	1.56	1.77	5.04	12.20 3.50 - 14.00	3.481 0.530 - 4.921	14.63	15.29	15.95	99
18+18+18+22+35+35	1.50	1.50	1.50	1.83	2.92	2.92	12.17 3.50 - 14.00	3.515 0.530 - 4.925	14.77	15.44	16.11	99
18+18+18+22+35+42	1.44	1.44	1.44	1.75	2.79	3.35 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
18+18+18+22+35+50	1.36	1.36	1.36	1.67	2.65	3.79 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+18+22+35+60	1.28	1.28	1.28	1.57	2.50	4.28	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+18+22+42+42	1.37	1.37	1.37	1.68	3.20 *	3.20 *	12.20 3.50 - 14.00	3.481 0.530 - 4.921	14.63	15.29	15.95	99
18+18+18+22+42+50	1.31	1.31	1.31	1.60	3.05 *	3.63 *	12.20 3.50 - 14.00	3.492 0.530 - 4.932	14.67	15.34	16.01	99
18+18+18+22+42+60	1.23	1.23	1.23	1.51	2.88 *	4.11	12.20 3.50 - 14.00	3.492 0.530 - 4.932	14.67	15.34	16.01	99
18+18+18+22+50+50	1.25	1.25	1.25	1.53	3.47 *	3.47 *	12.20 3.50 - 14.00	3.475 0.530 - 4.915	14.60	15.26	15.92	99
18+18+18+25+25+25	1.68	1.68	1.68	2.34	2.34	2.34	12.06 3.50 - 14.00	3.642 0.530 - 4.932	15.29	15.99	16.69	99
18+18+18+25+25+35	1.57	1.57	1.57	2.18	2.18	3.05	12.13 3.50 - 14.00	3.584 0.530 - 4.944	15.06	15.74	16.42	99
18+18+18+25+25+42	1.50	1.50	1.50	2.08	2.08	3.50 *	12.17 3.50 - 14.00	3.534 0.530 - 4.944	14.85	15.52	16.19	99
18+18+18+25+25+50	1.43	1.43	1.43	1.98	1.98	3.96 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+18+25+25+60	1.34	1.34	1.34	1.86	1.86	4.46	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+18+25+25+71	1.25	1.25	1.25	1.74	1.74	4.95	12.20 3.50 - 14.00	3.481 0.530 - 4.921	14.63	15.29	15.95	99
18+18+18+25+35+35	1.47	1.47	1.47	2.05	2.86	2.86	12.19 3.50 - 14.00	3.495 0.530 - 4.925	14.68	15.35	16.02	99
18+18+18+25+35+42	1.41	1.41	1.41	1.96	2.74	3.28 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
18+18+18+25+35+50	1.34	1.34	1.34	1.86	2.60	3.72 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+18+25+35+60	1.26	1.26	1.26	1.75	2.45	4.21	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+18+25+42+42	1.35	1.35	1.35	1.87	3.14 *	3.14 *	12.20 3.50 - 14.00	3.481 0.530 - 4.921	14.63	15.29	15.95	99
18+18+18+25+42+50	1.28	1.28	1.28	1.78	3.00 *	3.57 *	12.20 3.50 - 14.00	3.492 0.530 - 4.932	14.67	15.34	16.01	99
18+18+18+25+50+50	1.23	1.23	1.23	1.70	3.41 *	3.41 *	12.20 3.50 - 14.00	3.492 0.530 - 4.932	14.67	15.34	16.01	99
18+18+18+35+35+35	1.38	1.38	1.38	2.69	2.69	2.69	12.20 3.50 - 14.00	3.492 0.530 - 4.932	14.67	15.34	16.01	99
18+18+18+35+35+42	1.32	1.32	1.32	2.57	2.57	3.09 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
18+18+18+35+35+50	1.26	1.26	1.26	2.45	2.45	3.51 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+18+35+42+42	1.27	1.27	1.27	2.47	2.96 *	2.96 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+18+42+42+42	1.22	1.22	1.22	2.85 *	2.85 *	2.85 *	12.20 3.50 - 14.00	3.492 0.530 - 4.932	14.67	15.34	16.01	99
18+18+20+20+20+20	1.78	1.78	1.98	1.98	1.98	1.98	11.48 3.50 - 14.00	3.506 0.530 - 4.926	14.73	15.40	16.07	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
18+18+20+20+20+22	1.73	1.73	1.92	1.92	1.92	2.11	11.34 3.50 - 13.60	3.652 0.530 - 4.972	15.34	16.04	16.74	99
18+18+20+20+20+25	1.74	1.74	1.94	1.94	1.94	2.42	11.71 3.50 - 13.70	3.725 0.530 - 4.965	15.65	16.36	17.07	99
18+18+20+20+20+35	1.62	1.62	1.80	1.80	1.80	3.14	11.77 3.50 - 13.70	3.655 0.530 - 4.965	15.35	16.05	16.75	99
18+18+20+20+20+42	1.54	1.54	1.71	1.71	1.71	3.60 *	11.82 3.50 - 13.70	3.605 0.530 - 4.965	15.14	15.83	16.52	99
18+18+20+20+20+50	1.46	1.46	1.63	1.63	1.63	4.07 *	11.87 3.50 - 13.70	3.549 0.530 - 4.959	14.91	15.59	16.27	99
18+18+20+20+20+60	1.37	1.37	1.53	1.53	1.53	4.58	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
18+18+20+20+20+71	1.28	1.28	1.43	1.43	1.43	5.06	11.90 3.50 - 13.70	3.502 0.530 - 4.942	14.71	15.38	16.05	99
18+18+20+20+22+22	1.76	1.76	1.95	1.95	2.15	2.15	11.70 3.50 - 13.70	3.716 0.530 - 4.946	15.61	16.32	17.03	99
18+18+20+20+22+25	1.73	1.73	1.92	1.92	2.11	2.40	11.82 3.50 - 13.80	3.708 0.530 - 4.958	15.57	16.28	16.99	99
18+18+20+20+22+35	1.61	1.61	1.79	1.79	1.97	3.13	11.89 3.50 - 13.80	3.638 0.530 - 4.958	15.29	15.98	16.67	99
18+18+20+20+22+42	1.53	1.53	1.70	1.70	1.87	3.58 *	11.93 3.50 - 13.80	3.588 0.530 - 4.958	15.07	15.76	16.45	99
18+18+20+20+22+50	1.46	1.46	1.62	1.62	1.78	4.05 *	11.99 3.50 - 13.80	3.522 0.530 - 4.952	14.80	15.47	16.14	99
18+18+20+20+22+60	1.37	1.37	1.52	1.52	1.67	4.56	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
18+18+20+20+22+71	1.28	1.28	1.42	1.42	1.56	5.04	12.00 3.50 - 13.80	3.495 0.530 - 4.935	14.68	15.35	16.02	99
18+18+20+20+25+25	1.69	1.69	1.88	1.88	2.35	2.35	11.84 3.50 - 13.80	3.669 0.530 - 4.939	15.41	16.11	16.81	99
18+18+20+20+25+35	1.58	1.58	1.75	1.75	2.19	3.07	11.91 3.50 - 13.80	3.618 0.530 - 4.958	15.20	15.89	16.58	99
18+18+20+20+25+42	1.50	1.50	1.67	1.67	2.09	3.51 *	11.95 3.50 - 13.80	3.568 0.530 - 4.958	14.99	15.67	16.35	99
18+18+20+20+25+50	1.43	1.43	1.59	1.59	1.99	3.97 *	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
18+18+20+20+25+60	1.34	1.34	1.49	1.49	1.86	4.47	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
18+18+20+20+25+71	1.26	1.26	1.40	1.40	1.74	4.95	12.00 3.50 - 13.80	3.495 0.530 - 4.935	14.68	15.35	16.02	99
18+18+20+20+35+35	1.48	1.48	1.64	1.64	2.87	2.87	11.97 3.50 - 13.80	3.529 0.530 - 4.939	14.83	15.50	16.17	99
18+18+20+20+35+42	1.41	1.41	1.57	1.57	2.75	3.29 *	12.00 3.50 - 13.80	3.518 0.530 - 4.958	14.78	15.45	16.12	99
18+18+20+20+35+50	1.34	1.34	1.49	1.49	2.61	3.73 *	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
18+18+20+20+35+60	1.26	1.26	1.40	1.40	2.46	4.21	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
18+18+20+20+42+42	1.35	1.35	1.50	1.50	3.15 *	3.15 *	12.00 3.50 - 13.80	3.495 0.530 - 4.935	14.68	15.35	16.02	99
18+18+20+20+42+50	1.29	1.29	1.43	1.43	3.00 *	3.57 *	12.00 3.50 - 13.80	3.506 0.530 - 4.946	14.73	15.40	16.07	99
18+18+20+20+42+60	1.21	1.21	1.35	1.35	2.83 *	4.04	12.00 3.50 - 13.80	3.506 0.530 - 4.946	14.73	15.40	16.07	99
18+18+20+20+50+50	1.23	1.23	1.36	1.36	3.41 *	3.41 *	12.00 3.50 - 13.80	3.489 0.530 - 4.929	14.65	15.32	15.99	99
18+18+20+22+22+25	1.70	1.70	1.89	2.08	2.08	2.37	11.83 3.50 - 13.80	3.686 0.530 - 4.946	15.49	16.19	16.89	99
18+18+20+22+22+35	1.60	1.60	1.78	1.96	1.96	3.11	12.00 3.50 - 13.90	3.621 0.530 - 4.951	15.21	15.90	16.59	99
18+18+20+22+22+42	1.53	1.53	1.70	1.87	1.87	3.56 *	12.05 3.50 - 13.90	3.571 0.530 - 4.951	15.00	15.68	16.36	99
18+18+20+22+22+50	1.45	1.45	1.61	1.77	1.77	4.03 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+18+20+22+22+60	1.36	1.36	1.51	1.66	1.66	4.54	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+18+20+22+22+71	1.27	1.27	1.42	1.56	1.56	5.02	12.10 3.50 - 13.90	3.488 0.530 - 4.928	14.65	15.32	15.99	99
18+18+20+22+25+25	1.68	1.68	1.87	2.05	2.33	2.33	11.95 3.50 - 13.90	3.642 0.530 - 4.932	15.29	15.99	16.69	99
18+18+20+22+25+35	1.57	1.57	1.74	1.92	2.18	3.05	12.02 3.50 - 13.90	3.591 0.530 - 4.951	15.08	15.77	16.46	99
18+18+20+22+25+42	1.50	1.50	1.66	1.83	2.08	3.50 *	12.07 3.50 - 13.90	3.551 0.530 - 4.951	14.92	15.60	16.28	99
18+18+20+22+25+50	1.42	1.42	1.58	1.74	1.98	3.95 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+18+20+22+25+60	1.34	1.34	1.48	1.63	1.86	4.45	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+18+20+22+25+71	1.25	1.25	1.39	1.53	1.74	4.94	12.10 3.50 - 13.90	3.488 0.530 - 4.928	14.65	15.32	15.99	99
18+18+20+22+35+35	1.47	1.47	1.63	1.80	2.86	2.86	12.09 3.50 - 13.90	3.502 0.530 - 4.932	14.71	15.38	16.05	99
18+18+20+22+35+42	1.41	1.41	1.56	1.72	2.73	3.28 *	12.10 3.50 - 13.90	3.511 0.530 - 4.951	14.75	15.42	16.09	99
18+18+20+22+35+50	1.34	1.34	1.48	1.63	2.60	3.71 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+18+20+22+35+60	1.26	1.26	1.40	1.54	2.45	4.20	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
18+18+20+22+42+42	1.34	1.34	1.49	1.64	3.14 *	3.14 *	12.10 3.50 - 13.90	3.488 0.530 - 4.928	14.65	15.32	15.99	99
18+18+20+22+42+50	1.28	1.28	1.42	1.57	2.99 *	3.56 *	12.10 3.50 - 13.90	3.499 0.530 - 4.939	14.70	15.37	16.04	99
18+18+20+22+42+60	1.21	1.21	1.34	1.48	2.82 *	4.03	12.10 3.50 - 13.90	3.499 0.530 - 4.939	14.70	15.37	16.04	99
18+18+20+22+50+50	1.22	1.22	1.36	1.50	3.40 *	3.40 *	12.10 3.50 - 13.90	3.482 0.530 - 4.922	14.63	15.29	15.95	99
18+18+20+25+25+25	1.64	1.64	1.83	2.28	2.28	2.28	11.97 3.50 - 13.90	3.629 0.530 - 4.939	15.25	15.94	16.63	99
18+18+20+25+25+35	1.54	1.54	1.71	2.13	2.13	2.99	12.04 3.50 - 13.90	3.571 0.530 - 4.951	15.00	15.68	16.36	99
18+18+20+25+25+42	1.47	1.47	1.63	2.04	2.04	3.43 *	12.09 3.50 - 13.90	3.521 0.530 - 4.951	14.79	15.46	16.13	99
18+18+20+25+25+50	1.40	1.40	1.55	1.94	1.94	3.88 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+18+20+25+25+60	1.31	1.31	1.46	1.82	1.82	4.37	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+18+20+25+25+71	1.23	1.23	1.37	1.71	1.71	4.85	12.10 3.50 - 13.90	3.488 0.530 - 4.928	14.65	15.32	15.99	99
18+18+20+25+35+35	1.44	1.44	1.60	2.00	2.80	2.80	12.10 3.50 - 13.90	3.492 0.530 - 4.932	14.67	15.34	16.01	99
18+18+20+25+35+42	1.38	1.38	1.53	1.91	2.68	3.22 *	12.10 3.50 - 13.90	3.511 0.530 - 4.951	14.75	15.42	16.09	99
18+18+20+25+35+50	1.31	1.31	1.46	1.82	2.55	3.64 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+18+20+25+35+60	1.24	1.24	1.38	1.72	2.41	4.13	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+18+20+25+42+42	1.32	1.32	1.47	1.83	3.08 *	3.08 *	12.10 3.50 - 13.90	3.488 0.530 - 4.928	14.65	15.32	15.99	99
18+18+20+25+42+50	1.26	1.26	1.40	1.75	2.94 *	3.50 *	12.10 3.50 - 13.90	3.499 0.530 - 4.939	14.70	15.37	16.04	99
18+18+20+35+35+35	1.35	1.35	1.50	2.63	2.63	2.63	12.10 3.50 - 13.90	3.499 0.530 - 4.939	14.70	15.37	16.04	99
18+18+20+35+35+42	1.30	1.30	1.44	2.52	2.52	3.03 *	12.10 3.50 - 13.90	3.511 0.530 - 4.951	14.75	15.42	16.09	99
18+18+20+35+35+50	1.24	1.24	1.38	2.41	2.41	3.44 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+18+20+35+42+42	1.24	1.24	1.38	2.42	2.90 *	2.90 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+18+22+22+22+22	1.73	1.73	2.12	2.12	2.12	2.12	11.93 3.50 - 13.90	3.679 0.530 - 4.939	15.46	16.16	16.86	99
18+18+22+22+22+25	1.71	1.71	2.09	2.09	2.09	2.37	12.05 3.50 - 14.00	3.664 0.530 - 4.944	15.39	16.09	16.79	99
18+18+22+22+22+35	1.59	1.59	1.94	1.94	1.94	3.09	12.11 3.50 - 14.00	3.594 0.530 - 4.944	15.09	15.78	16.47	99
18+18+22+22+22+42	1.52	1.52	1.86	1.86	1.86	3.55 *	12.16 3.50 - 14.00	3.544 0.530 - 4.944	14.88	15.56	16.24	99
18+18+22+22+22+50	1.44	1.44	1.77	1.77	1.77	4.01 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+22+22+22+60	1.36	1.36	1.66	1.66	1.66	4.52	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+22+22+22+71	1.27	1.27	1.55	1.55	1.55	5.01	12.20 3.50 - 14.00	3.481 0.530 - 4.921	14.63	15.29	15.95	99
18+18+22+22+25+25	1.67	1.67	2.04	2.04	2.32	2.32	12.07 3.50 - 14.00	3.625 0.530 - 4.925	15.23	15.92	16.61	99
18+18+22+22+25+35	1.56	1.56	1.91	1.91	2.17	3.03	12.13 3.50 - 14.00	3.574 0.530 - 4.944	15.02	15.70	16.38	99
18+18+22+22+25+42	1.49	1.49	1.82	1.82	2.07	3.48 *	12.18 3.50 - 14.00	3.524 0.530 - 4.944	14.81	15.48	16.15	99
18+18+22+22+25+50	1.42	1.42	1.73	1.73	1.97	3.94 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+22+22+25+60	1.33	1.33	1.63	1.63	1.85	4.44	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+22+22+25+71	1.25	1.25	1.53	1.53	1.73	4.92	12.20 3.50 - 14.00	3.481 0.530 - 4.921	14.63	15.29	15.95	99
18+18+22+22+35+35	1.46	1.46	1.79	1.79	2.85	2.85	12.20 3.50 - 14.00	3.485 0.530 - 4.925	14.64	15.31	15.98	99
18+18+22+22+35+42	1.40	1.40	1.71	1.71	2.72	3.26 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
18+18+22+22+35+50	1.33	1.33	1.63	1.63	2.59	3.70 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+22+22+35+60	1.25	1.25	1.53	1.53	2.44	4.18	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+22+22+42+42	1.34	1.34	1.64	1.64	3.12 *	3.12 *	12.20 3.50 - 14.00	3.481 0.530 - 4.921	14.63	15.29	15.95	99
18+18+22+22+42+50	1.28	1.28	1.56	1.56	2.98 *	3.55 *	12.20 3.50 - 14.00	3.492 0.530 - 4.932	14.67	15.34	16.01	99
18+18+22+22+50+50	1.22	1.22	1.49	1.49	3.39 *	3.39 *	12.20 3.50 - 14.00	3.492 0.530 - 4.932	14.67	15.34	16.01	99
18+18+22+25+25+25	1.64	1.64	2.00	2.27	2.27	2.27	12.09 3.50 - 14.00	3.612 0.530 - 4.932	15.17	15.86	16.55	99
18+18+22+25+25+35	1.53	1.53	1.87	2.12	2.12	2.97	12.15 3.50 - 14.00	3.554 0.530 - 4.944	14.93	15.61	16.29	99
18+18+22+25+25+42	1.46	1.46	1.79	2.03	2.03	3.42 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
18+18+22+25+25+50	1.39	1.39	1.70	1.93	1.93	3.86 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
18+18+22+25+25+60	1.31	1.31	1.60	1.82	1.82	4.36	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+22+25+25+71	1.23	1.23	1.50	1.70	1.70	4.84	12.20 3.50 - 14.00	3.481 0.530 - 4.921	14.63	15.29	15.95	99
18+18+22+25+35+35	1.44	1.44	1.75	1.99	2.79	2.79	12.20 3.50 - 14.00	3.485 0.530 - 4.925	14.64	15.31	15.98	99
18+18+22+25+35+42	1.37	1.37	1.68	1.91	2.67	3.20 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
18+18+22+25+35+50	1.31	1.31	1.60	1.82	2.54	3.63 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+22+25+35+60	1.23	1.23	1.51	1.71	2.40	4.11	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+22+25+42+42	1.31	1.31	1.61	1.83	3.07 *	3.07 *	12.20 3.50 - 14.00	3.481 0.530 - 4.921	14.63	15.29	15.95	99
18+18+22+25+42+50	1.25	1.25	1.53	1.74	2.93 *	3.49 *	12.20 3.50 - 14.00	3.492 0.530 - 4.932	14.67	15.34	16.01	99
18+18+22+35+35+35	1.35	1.35	1.65	2.62	2.62	2.62	12.20 3.50 - 14.00	3.492 0.530 - 4.932	14.67	15.34	16.01	99
18+18+22+35+35+42	1.29	1.29	1.58	2.51	2.51	3.01 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
18+18+22+35+35+50	1.23	1.23	1.51	2.40	2.40	3.43 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+22+35+42+42	1.24	1.24	1.52	2.41	2.89 *	2.89 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+25+25+25+25	1.60	1.60	2.23	2.23	2.23	2.23	12.11 3.50 - 14.00	3.592 0.530 - 4.932	15.09	15.78	16.47	99
18+18+25+25+25+35	1.50	1.50	2.08	2.08	2.08	2.92	12.17 3.50 - 14.00	3.534 0.530 - 4.944	14.85	15.52	16.19	99
18+18+25+25+25+42	1.44	1.44	1.99	1.99	1.99	3.35 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
18+18+25+25+25+50	1.36	1.36	1.89	1.89	1.89	3.79 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+25+25+25+60	1.28	1.28	1.78	1.78	1.78	4.28	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+25+25+35+35	1.41	1.41	1.96	1.96	2.74	2.74	12.20 3.50 - 14.00	3.481 0.530 - 4.921	14.63	15.29	15.95	99
18+18+25+25+35+42	1.35	1.35	1.87	1.87	2.62	3.14 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
18+18+25+25+35+50	1.28	1.28	1.78	1.78	2.50	3.57 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+25+25+42+42	1.29	1.29	1.79	1.79	3.01 *	3.01 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+25+25+42+50	1.23	1.23	1.71	1.71	2.88 *	3.43 *	12.20 3.50 - 14.00	3.492 0.530 - 4.932	14.67	15.34	16.01	99
18+18+25+35+35+35	1.32	1.32	1.84	2.57	2.57	2.57	12.20 3.50 - 14.00	3.492 0.530 - 4.932	14.67	15.34	16.01	99
18+18+25+35+35+42	1.27	1.27	1.76	2.47	2.47	2.96 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
18+18+25+35+42+42	1.22	1.22	1.69	2.37	2.85 *	2.85 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+18+35+35+35+35	1.25	1.25	2.43	2.43	2.43	2.43	12.20 3.50 - 14.00	3.492 0.530 - 4.932	14.67	15.34	16.01	99
18+20+20+20+20+20	1.79	1.99	1.99	1.99	1.99	1.99	11.74 3.50 - 14.00	3.624 0.530 - 4.944	15.23	15.92	16.61	99
18+20+20+20+20+22	1.73	1.92	1.92	1.92	1.92	2.11	11.50 3.50 - 13.50	3.749 0.530 - 4.979	15.74	16.46	17.18	99
18+20+20+20+20+25	1.70	1.89	1.89	1.89	1.89	2.36	11.62 3.50 - 13.60	3.722 0.530 - 4.972	15.64	16.35	17.06	99
18+20+20+20+20+35	1.58	1.76	1.76	1.76	1.76	3.08	11.69 3.50 - 13.60	3.652 0.530 - 4.972	15.34	16.04	16.74	99
18+20+20+20+20+42	1.51	1.68	1.68	1.68	1.68	3.52 *	11.73 3.50 - 13.60	3.602 0.530 - 4.972	15.13	15.82	16.51	99
18+20+20+20+20+50	1.43	1.59	1.59	1.59	1.59	3.98 *	11.79 3.50 - 13.60	3.536 0.530 - 4.966	14.85	15.53	16.21	99
18+20+20+20+20+60	1.34	1.49	1.49	1.49	1.49	4.48	11.80 3.50 - 13.60	3.526 0.530 - 4.966	14.82	15.49	16.16	99
18+20+20+20+20+71	1.26	1.40	1.40	1.40	1.40	4.96	11.80 3.50 - 13.60	3.509 0.530 - 4.949	14.74	15.41	16.08	99
18+20+20+20+22+25	1.67	1.86	1.86	1.86	2.05	2.33	11.63 3.50 - 13.60	3.693 0.530 - 4.953	15.51	16.22	16.93	99
18+20+20+20+22+35	1.57	1.75	1.75	1.75	1.92	3.06	11.80 3.50 - 13.70	3.635 0.530 - 4.965	15.27	15.96	16.65	99
18+20+20+20+22+42	1.50	1.67	1.67	1.67	1.84	3.50 *	11.85 3.50 - 13.70	3.585 0.530 - 4.965	15.06	15.74	16.42	99
18+20+20+20+22+50	1.43	1.59	1.59	1.59	1.75	3.97 *	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
18+20+20+20+22+60	1.34	1.49	1.49	1.49	1.64	4.46	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
18+20+20+20+22+71	1.25	1.39	1.39	1.39	1.53	4.94	11.90 3.50 - 13.70	3.502 0.530 - 4.942	14.71	15.38	16.05	99
18+20+20+20+25+25	1.65	1.84	1.84	1.84	2.29	2.29	11.75 3.50 - 13.70	3.656 0.530 - 4.946	15.36	16.06	16.76	99
18+20+20+20+25+35	1.54	1.71	1.71	1.71	2.14	3.00	11.82 3.50 - 13.70	3.605 0.530 - 4.965	15.14	15.83	16.52	99
18+20+20+20+25+42	1.47	1.64	1.64	1.64	2.05	3.44 *	11.87 3.50 - 13.70	3.565 0.530 - 4.965	14.98	15.66	16.34	99
18+20+20+20+25+50	1.40	1.56	1.56	1.56	1.94	3.89 *	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
18+20+20+20+25+60	1.31	1.46	1.46	1.46	1.83	4.38	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
18+20+20+20+25+71	1.23	1.37	1.37	1.37	1.71	4.86	11.90 3.50 - 13.70	3.502 0.530 - 4.942	14.71	15.38	16.05	99
18+20+20+20+35+35	1.45	1.61	1.61	1.61	2.81	2.81	11.89 3.50 - 13.70	3.516 0.530 - 4.946	14.77	15.44	16.11	99
18+20+20+20+35+42	1.38	1.54	1.54	1.54	2.69	3.22 *	11.90 3.50 - 13.70	3.525 0.530 - 4.965	14.81	15.48	16.15	99
18+20+20+20+35+50	1.31	1.46	1.46	1.46	2.56	3.65 *	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
18+20+20+20+35+60	1.24	1.38	1.38	1.38	2.41	4.13	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
18+20+20+20+42+42	1.32	1.47	1.47	1.47	3.09 *	3.09 *	11.90 3.50 - 13.70	3.502 0.530 - 4.942	14.71	15.38	16.05	99
18+20+20+20+42+50	1.26	1.40	1.40	1.40	2.94 *	3.50 *	11.90 3.50 - 13.70	3.513 0.530 - 4.953	14.76	15.43	16.10	99
18+20+20+20+42+60	1.19	1.32	1.32	1.32	2.78 *	3.97	11.90 3.50 - 13.70	3.513 0.530 - 4.953	14.76	15.43	16.10	99
18+20+20+20+50+50	1.20	1.34	1.34	1.34	3.34 *	3.34 *	11.90 3.50 - 13.70	3.496 0.530 - 4.936	14.68	15.35	16.02	99
18+20+20+22+22+22	1.70	1.89	1.89	2.08	2.08	2.08	11.73 3.50 - 13.70	3.693 0.530 - 4.953	15.51	16.22	16.93	99
18+20+20+22+22+25	1.68	1.87	1.87	2.05	2.05	2.33	11.85 3.50 - 13.80	3.678 0.530 - 4.958	15.45	16.15	16.85	99
18+20+20+22+22+35	1.56	1.74	1.74	1.91	1.91	3.04	11.91 3.50 - 13.80	3.608 0.530 - 4.958	15.16	15.85	16.54	99
18+20+20+22+22+42	1.50	1.66	1.66	1.83	1.83	3.49 *	11.96 3.50 - 13.80	3.558 0.530 - 4.958	14.95	15.63	16.31	99
18+20+20+22+22+50	1.42	1.58	1.58	1.74	1.74	3.95 *	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
18+20+20+22+22+60	1.33	1.48	1.48	1.63	1.63	4.44	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
18+20+20+22+22+71	1.25	1.39	1.39	1.53	1.53	4.92	12.00 3.50 - 13.80	3.495 0.530 - 4.935	14.68	15.35	16.02	99
18+20+20+22+25+25	1.64	1.83	1.83	2.01	2.28	2.28	11.87 3.50 - 13.80	3.639 0.530 - 4.939	15.29	15.98	16.67	99
18+20+20+22+25+35	1.53	1.70	1.70	1.87	2.13	2.98	11.93 3.50 - 13.80	3.588 0.530 - 4.958	15.07	15.76	16.45	99
18+20+20+22+25+42	1.47	1.63	1.63	1.79	2.04	3.42 *	11.98 3.50 - 13.80	3.538 0.530 - 4.958	14.86	15.54	16.22	99
18+20+20+22+25+50	1.39	1.55	1.55	1.70	1.94	3.87 *	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
18+20+20+22+25+60	1.31	1.45	1.45	1.60	1.82	4.36	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
18+20+20+22+25+71	1.23	1.36	1.36	1.50	1.70	4.84	12.00 3.50 - 13.80	3.495 0.530 - 4.935	14.68	15.35	16.02	99
18+20+20+22+35+35	1.44	1.60	1.60	1.76	2.80	2.80	12.00 3.50 - 13.80	3.499 0.530 - 4.939	14.70	15.37	16.04	99
18+20+20+22+35+42	1.38	1.53	1.53	1.68	2.68	3.21 *	12.00 3.50 - 13.80	3.518 0.530 - 4.958	14.78	15.45	16.12	99
18+20+20+22+35+50	1.31	1.45	1.45	1.60	2.55	3.64 *	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
18+20+20+22+35+60	1.23	1.37	1.37	1.51	2.40	4.11	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
18+20+20+22+42+42	1.32	1.46	1.46	1.61	3.07 *	3.07 *	12.00 3.50 - 13.80	3.495 0.530 - 4.935	14.68	15.35	16.02	99
18+20+20+22+42+50	1.26	1.40	1.40	1.53	2.93 *	3.49 *	12.00 3.50 - 13.80	3.506 0.530 - 4.946	14.73	15.40	16.07	99
18+20+20+22+50+50	1.20	1.33	1.33	1.47	3.33 *	3.33 *	12.00 3.50 - 13.80	3.506 0.530 - 4.946	14.73	15.40	16.07	99
18+20+20+25+25+25	1.61	1.79	1.79	2.23	2.23	2.23	11.89 3.50 - 13.80	3.626 0.530 - 4.946	15.23	15.92	16.61	99
18+20+20+25+25+35	1.50	1.67	1.67	2.09	2.09	2.92	11.95 3.50 - 13.80	3.568 0.530 - 4.958	14.99	15.67	16.35	99
18+20+20+25+25+42	1.44	1.60	1.60	2.00	2.00	3.36 *	12.00 3.50 - 13.80	3.518 0.530 - 4.958	14.78	15.45	16.12	99
18+20+20+25+25+50	1.37	1.52	1.52	1.90	1.90	3.80 *	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
18+20+20+25+25+60	1.29	1.43	1.43	1.79	1.79	4.29	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
18+20+20+25+25+71	1.21	1.34	1.34	1.68	1.68	4.76	12.00 3.50 - 13.80	3.495 0.530 - 4.935	14.68	15.35	16.02	99
18+20+20+25+35+35	1.41	1.57	1.57	1.96	2.75	2.75	12.00 3.50 - 13.80	3.499 0.530 - 4.939	14.70	15.37	16.04	99
18+20+20+25+35+42	1.35	1.50	1.50	1.88	2.63	3.15 *	12.00 3.50 - 13.80	3.518 0.530 - 4.958	14.78	15.45	16.12	99
18+20+20+25+35+50	1.29	1.43	1.43	1.79	2.50	3.57 *	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
18+20+20+25+35+60	1.21	1.35	1.35	1.69	2.36	4.04	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
18+20+20+25+42+42	1.29	1.44	1.44	1.80	3.02 *	3.02 *	12.00 3.50 - 13.80	3.495 0.530 - 4.935	14.68	15.35	16.02	99
18+20+20+25+42+50	1.23	1.37	1.37	1.71	2.88 *	3.43 *	12.00 3.50 - 13.80	3.506 0.530 - 4.946	14.73	15.40	16.07	99
18+20+20+35+35+35	1.33	1.47	1.47	2.58	2.58	2.58	12.00 3.50 - 13.80	3.506 0.530 - 4.946	14.73	15.40	16.07	99
18+20+20+35+35+42	1.27	1.41	1.41	2.47	2.47	2.96 *	12.00 3.50 - 13.80	3.518 0.530 - 4.958	14.78	15.45	16.12	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
18+20+20+35+35+50	1.21	1.35	1.35	2.36	2.36	3.37 *	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
18+20+20+35+42+42	1.22	1.36	1.36	2.37	2.85 *	2.85 *	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
18+20+22+22+22+22	1.69	1.88	2.07	2.07	2.07	2.07	11.84 3.50 - 13.80	3.676 0.530 - 4.946	15.44	16.14	16.84	99
18+20+22+22+22+25	1.67	1.85	2.04	2.04	2.04	2.32	11.96 3.50 - 13.90	3.661 0.530 - 4.951	15.38	16.08	16.78	99
18+20+22+22+22+35	1.56	1.73	1.90	1.90	1.90	3.03	12.03 3.50 - 13.90	3.591 0.530 - 4.951	15.08	15.77	16.46	99
18+20+22+22+22+42	1.49	1.65	1.82	1.82	1.82	3.47 *	12.07 3.50 - 13.90	3.541 0.530 - 4.951	14.87	15.55	16.23	99
18+20+22+22+22+50	1.41	1.57	1.73	1.73	1.73	3.93 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+20+22+22+22+60	1.33	1.48	1.62	1.62	1.62	4.43	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+20+22+22+22+71	1.24	1.38	1.52	1.52	1.52	4.91	12.10 3.50 - 13.90	3.488 0.530 - 4.928	14.65	15.32	15.99	99
18+20+22+22+25+25	1.63	1.82	2.00	2.00	2.27	2.27	11.98 3.50 - 13.90	3.622 0.530 - 4.932	15.22	15.91	16.60	99
18+20+22+22+25+35	1.53	1.70	1.87	1.87	2.12	2.97	12.05 3.50 - 13.90	3.571 0.530 - 4.951	15.00	15.68	16.36	99
18+20+22+22+25+42	1.46	1.62	1.79	1.79	2.03	3.41 *	12.09 3.50 - 13.90	3.521 0.530 - 4.951	14.79	15.46	16.13	99
18+20+22+22+25+50	1.39	1.54	1.70	1.70	1.93	3.85 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+20+22+22+25+60	1.30	1.45	1.59	1.59	1.81	4.35	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+20+22+22+25+71	1.22	1.36	1.50	1.50	1.70	4.83	12.10 3.50 - 13.90	3.488 0.530 - 4.928	14.65	15.32	15.99	99
18+20+22+22+35+35	1.43	1.59	1.75	1.75	2.79	2.79	12.10 3.50 - 13.90	3.492 0.530 - 4.932	14.67	15.34	16.01	99
18+20+22+22+35+42	1.37	1.52	1.67	1.67	2.66	3.20 *	12.10 3.50 - 13.90	3.511 0.530 - 4.951	14.75	15.42	16.09	99
18+20+22+22+35+50	1.30	1.45	1.59	1.59	2.54	3.62 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+20+22+22+35+60	1.23	1.37	1.50	1.50	2.39	4.10	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+20+22+22+42+42	1.31	1.46	1.60	1.60	3.06 *	3.06 *	12.10 3.50 - 13.90	3.488 0.530 - 4.928	14.65	15.32	15.99	99
18+20+22+22+42+50	1.25	1.39	1.53	1.53	2.92 *	3.48 *	12.10 3.50 - 13.90	3.499 0.530 - 4.939	14.70	15.37	16.04	99
18+20+22+25+25+25	1.60	1.78	1.96	2.22	2.22	2.22	12.00 3.50 - 13.90	3.609 0.530 - 4.939	15.16	15.85	16.54	99
18+20+22+25+25+35	1.50	1.66	1.83	2.08	2.08	2.91	12.07 3.50 - 13.90	3.551 0.530 - 4.951	14.92	15.60	16.28	99
18+20+22+25+25+42	1.43	1.59	1.75	1.99	1.99	3.34 *	12.10 3.50 - 13.90	3.511 0.530 - 4.951	14.75	15.42	16.09	99
18+20+22+25+25+50	1.36	1.51	1.66	1.89	1.89	3.78 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+20+22+25+25+60	1.28	1.42	1.57	1.78	1.78	4.27	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+20+22+25+35+35	1.41	1.56	1.72	1.95	2.73	2.73	12.10 3.50 - 13.90	3.488 0.530 - 4.928	14.65	15.32	15.99	99
18+20+22+25+35+42	1.34	1.49	1.64	1.87	2.61	3.14 *	12.10 3.50 - 13.90	3.511 0.530 - 4.951	14.75	15.42	16.09	99
18+20+22+25+35+50	1.28	1.42	1.57	1.78	2.49	3.56 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+20+22+25+35+60	1.21	1.34	1.48	1.68	2.35	4.03	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+20+22+25+42+42	1.29	1.43	1.58	1.79	3.01 *	3.01 *	12.10 3.50 - 13.90	3.488 0.530 - 4.928	14.65	15.32	15.99	99
18+20+22+25+42+50	1.23	1.37	1.50	1.71	2.87 *	3.42 *	12.10 3.50 - 13.90	3.499 0.530 - 4.939	14.70	15.37	16.04	99
18+20+22+35+35+35	1.32	1.47	1.61	2.57	2.57	2.57	12.10 3.50 - 13.90	3.499 0.530 - 4.939	14.70	15.37	16.04	99
18+20+22+35+35+42	1.27	1.41	1.55	2.46	2.46	2.95 *	12.10 3.50 - 13.90	3.511 0.530 - 4.951	14.75	15.42	16.09	99
18+20+22+35+35+50	1.21	1.34	1.48	2.35	2.35	3.36 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+20+22+35+42+42	1.22	1.35	1.49	2.37	2.84 *	2.84 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+20+25+25+25+25	1.57	1.74	2.18	2.18	2.18	2.18	12.02 3.50 - 13.90	3.579 0.530 - 4.939	15.04	15.72	16.40	99
18+20+25+25+25+35	1.47	1.63	2.04	2.04	2.04	2.86	12.09 3.50 - 13.90	3.521 0.530 - 4.951	14.79	15.46	16.13	99
18+20+25+25+25+42	1.41	1.56	1.95	1.95	1.95	3.28 *	12.10 3.50 - 13.90	3.511 0.530 - 4.951	14.75	15.42	16.09	99
18+20+25+25+25+50	1.34	1.48	1.86	1.86	1.86	3.71 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+20+25+25+25+60	1.26	1.40	1.75	1.75	1.75	4.20	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
18+20+25+25+35+35	1.38	1.53	1.91	1.91	2.68	2.68	12.10 3.50 - 13.90	3.488 0.530 - 4.928	14.65	15.32	15.99	99
18+20+25+25+35+42	1.32	1.47	1.83	1.83	2.57	3.08 *	12.10 3.50 - 13.90	3.511 0.530 - 4.951	14.75	15.42	16.09	99
18+20+25+25+35+50	1.26	1.40	1.75	1.75	2.45	3.50 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230	240		
18+20+25+25+42+42	1.27	1.41	1.76	1.76	2.95 *	2.95 *	12.10 3.50 - 13.90	3.505 - 4.945	14.72	15.39	16.06	99
18+20+25+25+42+50	1.21	1.34	1.68	1.68	2.82 *	3.36 *	12.10 3.50 - 13.90	3.499 - 4.939	14.70	15.37	16.04	99
18+20+25+35+35+35	1.30	1.44	1.80	2.52	2.52	2.52	12.10 3.50 - 13.90	3.499 - 4.939	14.70	15.37	16.04	99
18+20+25+35+35+42	1.24	1.38	1.73	2.42	2.42	2.90 *	12.10 3.50 - 13.90	3.511 - 4.951	14.75	15.42	16.09	99
18+20+35+35+35+35	1.22	1.36	2.38	2.38	2.38	2.38	12.10 3.50 - 13.90	3.505 - 4.945	14.72	15.39	16.06	99
18+22+22+22+22+22	1.68	2.05	2.05	2.05	2.05	2.05	11.95 3.50 - 13.90	3.661 - 4.951	15.38	16.08	16.78	99
18+22+22+22+22+25	1.66	2.03	2.03	2.03	2.03	2.30	12.07 3.50 - 14.00	3.634 - 4.944	15.27	15.96	16.65	99
18+22+22+22+22+35	1.55	1.89	1.89	1.89	1.89	3.01	12.14 3.50 - 14.00	3.564 - 4.944	14.97	15.65	16.33	99
18+22+22+22+22+42	1.48	1.81	1.81	1.81	1.81	3.46 *	12.19 3.50 - 14.00	3.514 - 4.944	14.76	15.43	16.10	99
18+22+22+22+22+50	1.41	1.72	1.72	1.72	1.72	3.91 *	12.20 3.50 - 14.00	3.498 - 4.938	14.69	15.36	16.03	99
18+22+22+22+22+60	1.32	1.62	1.62	1.62	1.62	4.41	12.20 3.50 - 14.00	3.498 - 4.938	14.69	15.36	16.03	99
18+22+22+22+22+71	1.24	1.52	1.52	1.52	1.52	4.89	12.20 3.50 - 14.00	3.481 - 4.921	14.63	15.29	15.95	99
18+22+22+22+25+25	1.62	1.98	1.98	1.98	2.26	2.26	12.09 3.50 - 14.00	3.595 - 4.925	15.10	15.79	16.48	99
18+22+22+22+25+35	1.52	1.86	1.86	1.86	2.11	2.96	12.16 3.50 - 14.00	3.544 - 4.944	14.88	15.56	16.24	99
18+22+22+22+25+42	1.45	1.78	1.78	1.78	2.02	3.39 *	12.20 3.50 - 14.00	3.504 - 4.944	14.72	15.39	16.06	99
18+22+22+22+25+50	1.38	1.69	1.69	1.69	1.92	3.84 *	12.20 3.50 - 14.00	3.498 - 4.938	14.69	15.36	16.03	99
18+22+22+22+25+60	1.30	1.59	1.59	1.59	1.80	4.33	12.20 3.50 - 14.00	3.498 - 4.938	14.69	15.36	16.03	99
18+22+22+22+25+71	1.22	1.49	1.49	1.49	1.69	4.81	12.20 3.50 - 14.00	3.481 - 4.921	14.63	15.29	15.95	99
18+22+22+22+35+35	1.43	1.74	1.74	1.74	2.77	2.77	12.20 3.50 - 14.00	3.485 - 4.925	14.64	15.31	15.98	99
18+22+22+22+35+42	1.36	1.67	1.67	1.67	2.65	3.18 *	12.20 3.50 - 14.00	3.504 - 4.944	14.72	15.39	16.06	99
18+22+22+22+35+50	1.30	1.59	1.59	1.59	2.53	3.61 *	12.20 3.50 - 14.00	3.498 - 4.938	14.69	15.36	16.03	99
18+22+22+22+35+60	1.23	1.50	1.50	1.50	2.39	4.09	12.20 3.50 - 14.00	3.498 - 4.938	14.69	15.36	16.03	99
18+22+22+22+42+42	1.31	1.60	1.60	1.60	3.05 *	3.05 *	12.20 3.50 - 14.00	3.481 - 4.921	14.63	15.29	15.95	99
18+22+22+22+42+50	1.25	1.53	1.53	1.53	2.91 *	3.47 *	12.20 3.50 - 14.00	3.492 - 4.932	14.67	15.34	16.01	99
18+22+22+25+25+25	1.59	1.94	1.94	2.21	2.21	2.21	12.11 3.50 - 14.00	3.582 - 4.932	15.05	15.73	16.41	99
18+22+22+25+25+35	1.49	1.82	1.82	2.07	2.07	2.90	12.18 3.50 - 14.00	3.524 - 4.944	14.81	15.48	16.15	99
18+22+22+25+25+42	1.43	1.74	1.74	1.98	1.98	3.33 *	12.20 3.50 - 14.00	3.504 - 4.944	14.72	15.39	16.06	99
18+22+22+25+25+50	1.36	1.66	1.66	1.88	1.88	3.77 *	12.20 3.50 - 14.00	3.498 - 4.938	14.69	15.36	16.03	99
18+22+22+25+25+60	1.28	1.56	1.56	1.77	1.77	4.26	12.20 3.50 - 14.00	3.498 - 4.938	14.69	15.36	16.03	99
18+22+22+25+35+35	1.40	1.71	1.71	1.94	2.72	2.72	12.20 3.50 - 14.00	3.481 - 4.921	14.63	15.29	15.95	99
18+22+22+25+35+42	1.34	1.64	1.64	1.86	2.60	3.12 *	12.20 3.50 - 14.00	3.504 - 4.944	14.72	15.39	16.06	99
18+22+22+25+35+50	1.28	1.56	1.56	1.77	2.48	3.55 *	12.20 3.50 - 14.00	3.498 - 4.938	14.69	15.36	16.03	99
18+22+22+25+42+42	1.28	1.57	1.57	1.78	3.00 *	3.00 *	12.20 3.50 - 14.00	3.498 - 4.938	14.69	15.36	16.03	99
18+22+22+25+42+50	1.23	1.50	1.50	1.70	2.86 *	3.41 *	12.20 3.50 - 14.00	3.492 - 4.932	14.67	15.34	16.01	99
18+22+22+35+35+35	1.31	1.61	1.61	2.56	2.56	2.56	12.20 3.50 - 14.00	3.492 - 4.932	14.67	15.34	16.01	99
18+22+22+35+35+42	1.26	1.54	1.54	2.45	2.45	2.94 *	12.20 3.50 - 14.00	3.504 - 4.944	14.72	15.39	16.06	99
18+22+25+25+25+25	1.56	1.91	2.17	2.17	2.17	2.17	12.13 3.50 - 14.00	3.568 - 4.938	14.99	15.67	16.35	99
18+22+25+25+25+35	1.46	1.79	2.03	2.03	2.03	2.85	12.20 3.50 - 14.00	3.504 - 4.944	14.72	15.39	16.06	99
18+22+25+25+25+42	1.40	1.71	1.94	1.94	1.94	3.26 *	12.20 3.50 - 14.00	3.504 - 4.944	14.72	15.39	16.06	99
18+22+25+25+25+50	1.33	1.63	1.85	1.85	1.85	3.70 *	12.20 3.50 - 14.00	3.498 - 4.938	14.69	15.36	16.03	99
18+22+25+25+25+60	1.25	1.53	1.74	1.74	1.74	4.18	12.20 3.50 - 14.00	3.498 - 4.938	14.69	15.36	16.03	99
18+22+25+25+35+35	1.37	1.68	1.91	1.91	2.67	2.67	12.20 3.50 - 14.00	3.481 - 4.921	14.63	15.29	15.95	99
18+22+25+25+35+42	1.31	1.61	1.83	1.83	2.56	3.07 *	12.20 3.50 - 14.00	3.504 - 4.944	14.72	15.39	16.06	99
18+22+25+25+35+50	1.25	1.53	1.74	1.74	2.44	3.49 *	12.20 3.50 - 14.00	3.498 - 4.938	14.69	15.36	16.03	99



**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
18+22+25+25+42+42	1.26	1.54	1.75	1.75	2.94 *	2.94 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+22+25+35+35+35	1.29	1.58	1.79	2.51	2.51	2.51	12.20 3.50 - 14.00	3.492 0.530 - 4.932	14.67	15.34	16.01	99
18+22+25+35+35+42	1.24	1.52	1.72	2.41	2.41	2.89 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
18+22+35+35+35+35	1.22	1.49	2.37	2.37	2.37	2.37	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+25+25+25+25+25	1.53	2.12	2.12	2.12	2.12	2.12	12.15 3.50 - 14.00	3.554 0.530 - 4.944	14.93	15.61	16.29	99
18+25+25+25+25+35	1.44	1.99	1.99	1.99	1.99	2.79	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
18+25+25+25+25+42	1.37	1.91	1.91	1.91	1.91	3.20 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
18+25+25+25+25+50	1.31	1.82	1.82	1.82	1.82	3.63 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+25+25+25+25+60	1.23	1.71	1.71	1.71	1.71	4.11	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+25+25+25+35+35	1.35	1.87	1.87	1.87	2.62	2.62	12.20 3.50 - 14.00	3.481 0.530 - 4.921	14.63	15.29	15.95	99
18+25+25+25+35+42	1.29	1.79	1.79	1.79	2.51	3.01 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
18+25+25+25+35+50	1.23	1.71	1.71	1.71	2.40	3.43 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+25+25+25+42+42	1.24	1.72	1.72	1.72	2.89 *	2.89 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
18+25+25+35+35+35	1.27	1.76	1.76	2.47	2.47	2.47	12.20 3.50 - 14.00	3.492 0.530 - 4.932	14.67	15.34	16.01	99
18+25+25+35+35+42	1.22	1.69	1.69	2.37	2.37	2.85 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
20+20+20+20+20+20	2.00	2.00	2.00	2.00	2.00	2.00	12.00 3.50 - 14.00	3.708 0.530 - 4.938	15.57	16.28	16.99	99
20+20+20+20+20+25	1.83	1.83	1.83	1.83	1.83	2.29	11.43 3.50 - 13.40	3.726 0.530 - 4.986	15.65	16.36	17.07	99
20+20+20+20+20+35	1.72	1.72	1.72	1.72	1.72	3.01	11.60 3.50 - 13.50	3.649 0.530 - 4.979	15.33	16.03	16.73	99
20+20+20+20+20+42	1.64	1.64	1.64	1.64	1.64	3.45 *	11.65 3.50 - 13.50	3.599 0.530 - 4.979	15.12	15.81	16.50	99
20+20+20+20+20+50	1.56	1.56	1.56	1.56	1.56	3.90 *	11.70 3.50 - 13.50	3.533 0.530 - 4.973	14.85	15.52	16.19	99
20+20+20+20+20+60	1.46	1.46	1.46	1.46	1.46	4.39	11.70 3.50 - 13.50	3.533 0.530 - 4.973	14.85	15.52	16.19	99
20+20+20+20+20+71	1.37	1.37	1.37	1.37	1.37	4.86	11.70 3.50 - 13.50	3.516 0.530 - 4.956	14.77	15.44	16.11	99
20+20+20+20+22+22	1.86	1.86	1.86	1.86	2.05	2.05	11.53 3.50 - 13.50	3.700 0.530 - 4.960	15.54	16.25	16.96	99
20+20+20+20+22+25	1.83	1.83	1.83	1.83	2.02	2.29	11.65 3.50 - 13.60	3.692 0.530 - 4.972	15.51	16.21	16.91	99
20+20+20+20+22+35	1.71	1.71	1.71	1.71	1.88	2.99	11.71 3.50 - 13.60	3.622 0.530 - 4.972	15.22	15.91	16.60	99
20+20+20+20+22+42	1.63	1.63	1.63	1.63	1.80	3.43 *	11.76 3.50 - 13.60	3.572 0.530 - 4.972	15.01	15.69	16.37	99
20+20+20+20+22+50	1.55	1.55	1.55	1.55	1.71	3.88 *	11.80 3.50 - 13.60	3.526 0.530 - 4.966	14.82	15.49	16.16	99
20+20+20+20+22+60	1.46	1.46	1.46	1.46	1.60	4.37	11.80 3.50 - 13.60	3.526 0.530 - 4.966	14.82	15.49	16.16	99
20+20+20+20+22+71	1.36	1.36	1.36	1.36	1.50	4.84	11.80 3.50 - 13.60	3.509 0.530 - 4.949	14.74	15.41	16.08	99
20+20+20+20+25+25	1.80	1.80	1.80	1.80	2.24	2.24	11.67 3.50 - 13.60	3.653 0.530 - 4.953	15.34	16.04	16.74	99
20+20+20+20+25+35	1.68	1.68	1.68	1.68	2.09	2.93	11.73 3.50 - 13.60	3.602 0.530 - 4.972	15.13	15.82	16.51	99
20+20+20+20+25+42	1.60	1.60	1.60	1.60	2.00	3.37 *	11.78 3.50 - 13.60	3.552 0.530 - 4.972	14.92	15.60	16.28	99
20+20+20+20+25+50	1.52	1.52	1.52	1.52	1.90	3.81 *	11.80 3.50 - 13.60	3.526 0.530 - 4.966	14.82	15.49	16.16	99
20+20+20+20+25+60	1.43	1.43	1.43	1.43	1.79	4.29	11.80 3.50 - 13.60	3.526 0.530 - 4.966	14.82	15.49	16.16	99
20+20+20+20+25+71	1.34	1.34	1.34	1.34	1.68	4.76	11.80 3.50 - 13.60	3.509 0.530 - 4.949	14.74	15.41	16.08	99
20+20+20+20+35+35	1.57	1.57	1.57	1.57	2.75	2.75	11.80 3.50 - 13.60	3.513 0.530 - 4.953	14.76	15.43	16.10	99
20+20+20+20+35+42	1.50	1.50	1.50	1.50	2.63	3.16 *	11.80 3.50 - 13.60	3.532 0.530 - 4.972	14.84	15.51	16.18	99
20+20+20+20+35+50	1.43	1.43	1.43	1.43	2.50	3.58 *	11.80 3.50 - 13.60	3.526 0.530 - 4.966	14.82	15.49	16.16	99
20+20+20+20+35+60	1.35	1.35	1.35	1.35	2.36	4.05	11.80 3.50 - 13.60	3.526 0.530 - 4.966	14.82	15.49	16.16	99
20+20+20+20+42+42	1.44	1.44	1.44	1.44	3.02 *	3.02 *	11.80 3.50 - 13.60	3.509 0.530 - 4.949	14.74	15.41	16.08	99
20+20+20+20+42+50	1.37	1.37	1.37	1.37	2.88 *	3.43 *	11.80 3.50 - 13.60	3.520 0.530 - 4.960	14.79	15.46	16.13	99
20+20+20+20+50+50	1.31	1.31	1.31	1.31	3.28 *	3.28 *	11.80 3.50 - 13.60	3.520 0.530 - 4.960	14.79	15.46	16.13	99
20+20+20+22+22+22	1.85	1.85	1.85	2.03	2.03	2.03	11.64 3.50 - 13.60	3.690 0.530 - 4.960	15.51	16.21	16.91	99
20+20+20+22+22+25	1.82	1.82	1.82	2.01	2.01	2.28	11.76 3.50 - 13.70	3.675 0.530 - 4.965	15.44	16.14	16.84	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
20+20+20+22+22+35	1.70	1.70	1.70	1.87	1.87	2.98	11.83 3.50 - 13.70	3.605 0.530 - 4.965	15.14	15.83	16.52	99
20+20+20+22+22+42	1.63	1.63	1.63	1.79	1.79	3.41 *	11.87 3.50 - 13.70	3.555 0.530 - 4.965	14.93	15.61	16.29	99
20+20+20+22+22+50	1.55	1.55	1.55	1.70	1.70	3.86 *	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
20+20+20+22+22+60	1.45	1.45	1.45	1.60	1.60	4.35	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
20+20+20+22+22+71	1.36	1.36	1.36	1.50	1.50	4.83	11.90 3.50 - 13.70	3.502 0.530 - 4.942	14.71	15.38	16.05	99
20+20+20+22+25+25	1.78	1.78	1.78	1.96	2.23	2.23	11.78 3.50 - 13.70	3.636 0.530 - 4.946	15.28	15.97	16.66	99
20+20+20+22+25+35	1.67	1.67	1.67	1.84	2.09	2.92	11.85 3.50 - 13.70	3.585 0.530 - 4.965	15.06	15.74	16.42	99
20+20+20+22+25+42	1.60	1.60	1.60	1.76	1.99	3.35 *	11.89 3.50 - 13.70	3.535 0.530 - 4.965	14.85	15.52	16.19	99
20+20+20+22+25+50	1.52	1.52	1.52	1.67	1.89	3.79 *	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
20+20+20+22+25+60	1.43	1.43	1.43	1.57	1.78	4.28	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
20+20+20+22+25+71	1.34	1.34	1.34	1.47	1.67	4.75	11.90 3.50 - 13.70	3.502 0.530 - 4.942	14.71	15.38	16.05	99
20+20+20+22+35+35	1.57	1.57	1.57	1.72	2.74	2.74	11.90 3.50 - 13.70	3.506 0.530 - 4.946	14.73	15.40	16.07	99
20+20+20+22+35+42	1.50	1.50	1.50	1.65	2.62	3.14 *	11.90 3.50 - 13.70	3.525 0.530 - 4.965	14.81	15.48	16.15	99
20+20+20+22+35+50	1.43	1.43	1.43	1.57	2.49	3.56 *	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
20+20+20+22+35+60	1.34	1.34	1.34	1.48	2.35	4.03	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
20+20+20+22+42+42	1.43	1.43	1.43	1.58	3.01 *	3.01 *	11.90 3.50 - 13.70	3.502 0.530 - 4.942	14.71	15.38	16.05	99
20+20+20+22+42+50	1.37	1.37	1.37	1.50	2.87 *	3.42 *	11.90 3.50 - 13.70	3.513 0.530 - 4.953	14.76	15.43	16.10	99
20+20+20+25+25+25	1.75	1.75	1.75	2.19	2.19	2.19	11.80 3.50 - 13.70	3.623 0.530 - 4.953	15.22	15.91	16.60	99
20+20+20+25+25+35	1.64	1.64	1.64	2.05	2.05	2.87	11.87 3.50 - 13.70	3.565 0.530 - 4.965	14.98	15.66	16.34	99
20+20+20+25+25+42	1.57	1.57	1.57	1.96	1.96	3.29 *	11.90 3.50 - 13.70	3.525 0.530 - 4.965	14.81	15.48	16.15	99
20+20+20+25+25+50	1.49	1.49	1.49	1.86	1.86	3.72 *	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
20+20+20+25+25+60	1.40	1.40	1.40	1.75	1.75	4.20	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
20+20+20+25+35+35	1.54	1.54	1.54	1.92	2.69	2.69	11.90 3.50 - 13.70	3.502 0.530 - 4.942	14.71	15.38	16.05	99
20+20+20+25+35+42	1.47	1.47	1.47	1.84	2.57	3.09 *	11.90 3.50 - 13.70	3.525 0.530 - 4.965	14.81	15.48	16.15	99
20+20+20+25+35+50	1.40	1.40	1.40	1.75	2.45	3.50 *	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
20+20+20+25+35+60	1.32	1.32	1.32	1.65	2.31	3.97	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
20+20+20+25+42+42	1.41	1.41	1.41	1.76	2.96 *	2.96 *	11.90 3.50 - 13.70	3.502 0.530 - 4.942	14.71	15.38	16.05	99
20+20+20+25+42+50	1.34	1.34	1.34	1.68	2.82 *	3.36 *	11.90 3.50 - 13.70	3.513 0.530 - 4.953	14.76	15.43	16.10	99
20+20+20+35+35+35	1.44	1.44	1.44	2.52	2.52	2.52	11.90 3.50 - 13.70	3.513 0.530 - 4.953	14.76	15.43	16.10	99
20+20+20+35+35+42	1.38	1.38	1.38	2.42	2.42	2.91 *	11.90 3.50 - 13.70	3.525 0.530 - 4.965	14.81	15.48	16.15	99
20+20+20+35+35+50	1.32	1.32	1.32	2.31	2.31	3.31 *	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
20+20+20+35+42+42	1.33	1.33	1.33	2.33	2.79 *	2.79 *	11.90 3.50 - 13.70	3.519 0.530 - 4.959	14.78	15.45	16.12	99
20+20+22+22+22+22	1.84	1.84	2.02	2.02	2.02	2.02	11.75 3.50 - 13.70	3.663 0.530 - 4.953	15.39	16.09	16.79	99
20+20+22+22+22+25	1.81	1.81	1.99	1.99	1.99	2.27	11.87 3.50 - 13.80	3.648 0.530 - 4.958	15.32	16.02	16.72	99
20+20+22+22+22+35	1.69	1.69	1.86	1.86	1.86	2.96	11.94 3.50 - 13.80	3.578 0.530 - 4.958	15.03	15.71	16.39	99
20+20+22+22+22+42	1.62	1.62	1.78	1.78	1.78	3.40 *	11.99 3.50 - 13.80	3.528 0.530 - 4.958	14.82	15.49	16.16	99
20+20+22+22+22+50	1.54	1.54	1.69	1.69	1.69	3.85 *	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
20+20+22+22+22+60	1.45	1.45	1.59	1.59	1.59	4.34	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
20+20+22+22+22+71	1.36	1.36	1.49	1.49	1.49	4.81	12.00 3.50 - 13.80	3.495 0.530 - 4.935	14.68	15.35	16.02	99
20+20+22+22+25+25	1.77	1.77	1.95	1.95	2.22	2.22	11.89 3.50 - 13.80	3.609 0.530 - 4.939	15.16	15.85	16.54	99
20+20+22+22+25+35	1.66	1.66	1.83	1.83	2.08	2.91	11.96 3.50 - 13.80	3.558 0.530 - 4.958	14.95	15.63	16.31	99
20+20+22+22+25+42	1.59	1.59	1.75	1.75	1.99	3.34 *	12.00 3.50 - 13.80	3.518 0.530 - 4.958	14.78	15.45	16.12	99
20+20+22+22+25+50	1.51	1.51	1.66	1.66	1.89	3.77 *	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
20+20+22+22+25+60	1.42	1.42	1.56	1.56	1.78	4.26	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
20+20+22+22+25+71	1.33	1.33	1.47	1.47	1.67	4.73	12.00 3.50 - 13.80	3.495 0.530 - 4.935	14.68	15.35	16.02	99
20+20+22+22+35+35	1.56	1.56	1.71	1.71	2.73	2.73	12.00 3.50 - 13.80	3.499 0.530 - 4.939	14.70	15.37	16.04	99
20+20+22+22+35+42	1.49	1.49	1.64	1.64	2.61	3.13 *	12.00 3.50 - 13.80	3.518 0.530 - 4.958	14.78	15.45	16.12	99
20+20+22+22+35+50	1.42	1.42	1.56	1.56	2.49	3.55 *	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
20+20+22+22+35+60	1.34	1.34	1.47	1.47	2.35	4.02	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
20+20+22+22+42+42	1.43	1.43	1.57	1.57	3.00 *	3.00 *	12.00 3.50 - 13.80	3.495 0.530 - 4.935	14.68	15.35	16.02	99
20+20+22+22+42+50	1.36	1.36	1.50	1.50	2.86 *	3.41 *	12.00 3.50 - 13.80	3.506 0.530 - 4.946	14.73	15.40	16.07	99
20+20+22+25+25+25	1.74	1.74	1.91	2.17	2.17	2.17	11.91 3.50 - 13.80	3.596 0.530 - 4.946	15.10	15.79	16.48	99
20+20+22+25+25+35	1.63	1.63	1.79	2.04	2.04	2.85	11.98 3.50 - 13.80	3.538 0.530 - 4.958	14.86	15.54	16.22	99
20+20+22+25+25+42	1.56	1.56	1.71	1.95	1.95	3.27 *	12.00 3.50 - 13.80	3.518 0.530 - 4.958	14.78	15.45	16.12	99
20+20+22+25+25+50	1.48	1.48	1.63	1.85	1.85	3.70 *	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
20+20+22+25+25+60	1.40	1.40	1.53	1.74	1.74	4.19	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
20+20+22+25+35+35	1.53	1.53	1.68	1.91	2.68	2.68	12.00 3.50 - 13.80	3.495 0.530 - 4.935	14.68	15.35	16.02	99
20+20+22+25+35+42	1.46	1.46	1.61	1.83	2.56	3.07 *	12.00 3.50 - 13.80	3.518 0.530 - 4.958	14.78	15.45	16.12	99
20+20+22+25+35+50	1.40	1.40	1.53	1.74	2.44	3.49 *	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
20+20+22+25+42+42	1.40	1.40	1.54	1.75	2.95 *	2.95 *	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
20+20+22+25+42+50	1.34	1.34	1.47	1.68	2.82 *	3.35 *	12.00 3.50 - 13.80	3.506 0.530 - 4.946	14.73	15.40	16.07	99
20+20+22+35+35+35	1.44	1.44	1.58	2.51	2.51	2.51	12.00 3.50 - 13.80	3.506 0.530 - 4.946	14.73	15.40	16.07	99
20+20+22+35+35+42	1.38	1.38	1.52	2.41	2.41	2.90 *	12.00 3.50 - 13.80	3.518 0.530 - 4.958	14.78	15.45	16.12	99
20+20+25+25+25+25	1.70	1.70	2.13	2.13	2.13	2.13	11.93 3.50 - 13.80	3.582 0.530 - 4.952	15.05	15.73	16.41	99
20+20+25+25+25+35	1.60	1.60	2.00	2.00	2.00	2.80	12.00 3.50 - 13.80	3.518 0.530 - 4.958	14.78	15.45	16.12	99
20+20+25+25+25+42	1.53	1.53	1.91	1.91	1.91	3.21 *	12.00 3.50 - 13.80	3.518 0.530 - 4.958	14.78	15.45	16.12	99
20+20+25+25+25+50	1.45	1.45	1.82	1.82	1.82	3.64 *	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
20+20+25+25+25+60	1.37	1.37	1.71	1.71	1.71	4.11	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
20+20+25+25+35+35	1.50	1.50	1.88	1.88	2.63	2.63	12.00 3.50 - 13.80	3.495 0.530 - 4.935	14.68	15.35	16.02	99
20+20+25+25+35+42	1.44	1.44	1.80	1.80	2.51	3.02 *	12.00 3.50 - 13.80	3.518 0.530 - 4.958	14.78	15.45	16.12	99
20+20+25+25+35+50	1.37	1.37	1.71	1.71	2.40	3.43 *	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
20+20+25+25+42+42	1.38	1.38	1.72	1.72	2.90 *	2.90 *	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
20+20+25+35+35+35	1.41	1.41	1.76	2.47	2.47	2.47	12.00 3.50 - 13.80	3.506 0.530 - 4.946	14.73	15.40	16.07	99
20+20+25+35+35+42	1.36	1.36	1.69	2.37	2.37	2.85 *	12.00 3.50 - 13.80	3.518 0.530 - 4.958	14.78	15.45	16.12	99
20+20+35+35+35+35	1.33	1.33	2.33	2.33	2.33	2.33	12.00 3.50 - 13.80	3.512 0.530 - 4.952	14.75	15.42	16.09	99
20+22+22+22+22+22	1.83	2.01	2.01	2.01	2.01	2.01	11.87 3.50 - 13.80	3.658 0.530 - 4.958	15.36	16.06	16.76	99
20+22+22+22+22+25	1.80	1.98	1.98	1.98	1.98	2.25	11.99 3.50 - 13.90	3.631 0.530 - 4.951	15.26	15.95	16.64	99
20+22+22+22+22+35	1.69	1.85	1.85	1.85	1.85	2.95	12.05 3.50 - 13.90	3.561 0.530 - 4.951	14.96	15.64	16.32	99
20+22+22+22+22+42	1.61	1.77	1.77	1.77	1.77	3.39 *	12.10 3.50 - 13.90	3.511 0.530 - 4.951	14.75	15.42	16.09	99
20+22+22+22+22+50	1.53	1.68	1.68	1.68	1.68	3.83 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
20+22+22+22+22+60	1.44	1.58	1.58	1.58	1.58	4.32	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
20+22+22+22+22+71	1.35	1.49	1.49	1.49	1.49	4.80	12.10 3.50 - 13.90	3.488 0.530 - 4.928	14.65	15.32	15.99	99
20+22+22+22+25+25	1.77	1.94	1.94	1.94	2.21	2.21	12.01 3.50 - 13.90	3.592 0.530 - 4.932	15.09	15.78	16.47	99
20+22+22+22+25+35	1.65	1.82	1.82	1.82	2.07	2.89	12.07 3.50 - 13.90	3.541 0.530 - 4.951	14.87	15.55	16.23	99
20+22+22+22+25+42	1.58	1.74	1.74	1.74	1.98	3.32 *	12.10 3.50 - 13.90	3.511 0.530 - 4.951	14.75	15.42	16.09	99
20+22+22+22+25+50	1.50	1.65	1.65	1.65	1.88	3.76 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
20+22+22+22+25+60	1.42	1.56	1.56	1.56	1.77	4.25	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
20+22+22+22+35+35	1.55	1.71	1.71	1.71	2.71	2.71	12.10 3.50 - 13.90	3.488 0.530 - 4.928	14.65	15.32	15.99	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
20+22+22+22+35+42	1.48	1.63	1.63	1.63	2.60	3.12 *	12.10 3.50 - 13.90	3.511 0.530 - 4.951	14.75	15.42	16.09	99
20+22+22+22+35+50	1.42	1.56	1.56	1.56	2.48	3.54 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
20+22+22+22+42+42	1.42	1.57	1.57	1.57	2.99 *	2.99 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
20+22+22+22+42+50	1.36	1.50	1.50	1.50	2.86 *	3.40 *	12.10 3.50 - 13.90	3.499 0.530 - 4.939	14.70	15.37	16.04	99
20+22+22+25+25+25	1.73	1.90	1.90	2.16	2.16	2.16	12.03 3.50 - 13.90	3.579 0.530 - 4.939	15.04	15.72	16.40	99
20+22+22+25+25+35	1.62	1.79	1.79	2.03	2.03	2.84	12.09 3.50 - 13.90	3.521 0.530 - 4.951	14.79	15.46	16.13	99
20+22+22+25+25+42	1.55	1.71	1.71	1.94	1.94	3.26 *	12.10 3.50 - 13.90	3.511 0.530 - 4.951	14.75	15.42	16.09	99
20+22+22+25+25+50	1.48	1.62	1.62	1.84	1.84	3.69 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
20+22+22+25+25+60	1.39	1.53	1.53	1.74	1.74	4.17	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
20+22+22+25+35+35	1.52	1.67	1.67	1.90	2.66	2.66	12.10 3.50 - 13.90	3.488 0.530 - 4.928	14.65	15.32	15.99	99
20+22+22+25+35+42	1.46	1.60	1.60	1.82	2.55	3.06 *	12.10 3.50 - 13.90	3.511 0.530 - 4.951	14.75	15.42	16.09	99
20+22+22+25+35+50	1.39	1.53	1.53	1.74	2.43	3.48 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
20+22+22+25+42+42	1.40	1.54	1.54	1.75	2.94 *	2.94 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
20+22+22+35+35+35	1.43	1.58	1.58	2.51	2.51	2.51	12.10 3.50 - 13.90	3.499 0.530 - 4.939	14.70	15.37	16.04	99
20+22+22+35+35+42	1.38	1.51	1.51	2.41	2.41	2.89 *	12.10 3.50 - 13.90	3.511 0.530 - 4.951	14.75	15.42	16.09	99
20+22+25+25+25+25	1.70	1.87	2.12	2.12	2.12	2.12	12.05 3.50 - 13.90	3.565 0.530 - 4.945	14.98	15.66	16.34	99
20+22+25+25+25+35	1.59	1.75	1.99	1.99	1.99	2.79	12.10 3.50 - 13.90	3.511 0.530 - 4.951	14.75	15.42	16.09	99
20+22+25+25+25+42	1.52	1.67	1.90	1.90	1.90	3.20 *	12.10 3.50 - 13.90	3.511 0.530 - 4.951	14.75	15.42	16.09	99
20+22+25+25+25+50	1.45	1.59	1.81	1.81	1.81	3.62 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
20+22+25+25+25+60	1.37	1.50	1.71	1.71	1.71	4.10	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
20+22+25+25+35+35	1.49	1.64	1.87	1.87	2.61	2.61	12.10 3.50 - 13.90	3.488 0.530 - 4.928	14.65	15.32	15.99	99
20+22+25+25+35+42	1.43	1.58	1.79	1.79	2.51	3.01 *	12.10 3.50 - 13.90	3.511 0.530 - 4.951	14.75	15.42	16.09	99
20+22+25+25+35+50	1.37	1.50	1.71	1.71	2.39	3.42 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
20+22+25+25+42+42	1.38	1.51	1.72	1.72	2.89 *	2.89 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
20+22+25+35+35+35	1.41	1.55	1.76	2.46	2.46	2.46	12.10 3.50 - 13.90	3.499 0.530 - 4.939	14.70	15.37	16.04	99
20+22+25+35+35+42	1.35	1.49	1.69	2.37	2.37	2.84 *	12.10 3.50 - 13.90	3.511 0.530 - 4.951	14.75	15.42	16.09	99
20+25+25+25+25+25	1.66	2.08	2.08	2.08	2.08	2.08	12.07 3.50 - 13.90	3.545 0.530 - 4.945	14.89	15.57	16.25	99
20+25+25+25+25+35	1.56	1.95	1.95	1.95	1.95	2.73	12.10 3.50 - 13.90	3.511 0.530 - 4.951	14.75	15.42	16.09	99
20+25+25+25+25+42	1.49	1.87	1.87	1.87	1.87	3.14 *	12.10 3.50 - 13.90	3.511 0.530 - 4.951	14.75	15.42	16.09	99
20+25+25+25+25+50	1.42	1.78	1.78	1.78	1.78	3.56 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
20+25+25+25+25+60	1.34	1.68	1.68	1.68	1.68	4.03	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
20+25+25+25+35+35	1.47	1.83	1.83	1.83	2.57	2.57	12.10 3.50 - 13.90	3.488 0.530 - 4.928	14.65	15.32	15.99	99
20+25+25+25+35+42	1.41	1.76	1.76	1.76	2.46	2.95 *	12.10 3.50 - 13.90	3.511 0.530 - 4.951	14.75	15.42	16.09	99
20+25+25+25+35+50	1.34	1.68	1.68	1.68	2.35	3.36 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
20+25+25+25+42+42	1.35	1.69	1.69	1.69	2.84 *	2.84 *	12.10 3.50 - 13.90	3.505 0.530 - 4.945	14.72	15.39	16.06	99
20+25+25+35+35+35	1.38	1.73	1.73	2.42	2.42	2.42	12.10 3.50 - 13.90	3.499 0.530 - 4.939	14.70	15.37	16.04	99
22+22+22+22+22+22	2.00	2.00	2.00	2.00	2.00	2.00	11.98 3.50 - 13.90	3.641 0.530 - 4.951	15.29	15.99	16.69	99
22+22+22+22+22+25	1.97	1.97	1.97	1.97	1.97	2.24	12.10 3.50 - 14.00	3.614 0.530 - 4.944	15.18	15.87	16.56	99
22+22+22+22+22+35	1.85	1.85	1.85	1.85	1.85	2.94	12.17 3.50 - 14.00	3.544 0.530 - 4.944	14.88	15.56	16.24	99
22+22+22+22+22+42	1.77	1.77	1.77	1.77	1.77	3.37 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
22+22+22+22+22+50	1.68	1.68	1.68	1.68	1.68	3.81 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
22+22+22+22+22+60	1.58	1.58	1.58	1.58	1.58	4.31	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
22+22+22+22+25+25	1.93	1.93	1.93	1.93	2.20	2.20	12.12 3.50 - 14.00	3.561 0.530 - 4.921	14.96	15.64	16.32	99
22+22+22+22+25+35	1.81	1.81	1.81	1.81	2.06	2.88	12.19 3.50 - 14.00	3.514 0.530 - 4.944	14.76	15.43	16.10	99

**MXZ-6F122VF COOLING**

Indoor units combination	Cooling capacity (kW)							Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total		220	230	240	
22+22+22+22+25+42	1.73	1.73	1.73	1.73	1.97	3.31 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
22+22+22+22+25+50	1.65	1.65	1.65	1.65	1.87	3.74 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
22+22+22+22+25+60	1.55	1.55	1.55	1.55	1.76	4.23	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
22+22+22+22+35+35	1.70	1.70	1.70	1.70	2.70	2.70	12.20 3.50 - 14.00	3.481 0.530 - 4.921	14.63	15.29	15.95	99
22+22+22+22+35+42	1.63	1.63	1.63	1.63	2.59	3.11 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
22+22+22+22+35+50	1.55	1.55	1.55	1.55	2.47	3.53 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
22+22+22+22+42+42	1.56	1.56	1.56	1.56	2.98 *	2.98 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
22+22+22+22+42+50	1.49	1.49	1.49	1.49	2.85 *	3.39 *	12.20 3.50 - 14.00	3.492 0.530 - 4.932	14.67	15.34	16.01	99
22+22+22+25+25+25	1.89	1.89	1.89	2.15	2.15	2.15	12.14 3.50 - 14.00	3.552 0.530 - 4.932	14.92	15.60	16.28	99
22+22+22+25+25+35	1.78	1.78	1.78	2.02	2.02	2.83	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
22+22+22+25+25+42	1.70	1.70	1.70	1.93	1.93	3.24 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
22+22+22+25+25+50	1.62	1.62	1.62	1.84	1.84	3.67 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
22+22+22+25+25+60	1.53	1.53	1.53	1.73	1.73	4.16	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
22+22+22+25+35+35	1.67	1.67	1.67	1.89	2.65	2.65	12.20 3.50 - 14.00	3.481 0.530 - 4.921	14.63	15.29	15.95	99
22+22+22+25+35+42	1.60	1.60	1.60	1.82	2.54	3.05 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
22+22+22+25+35+50	1.53	1.53	1.53	1.73	2.43	3.47 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
22+22+22+25+42+42	1.53	1.53	1.53	1.74	2.93 *	2.93 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
22+22+22+35+35+35	1.57	1.57	1.57	2.50	2.50	2.50	12.20 3.50 - 14.00	3.492 0.530 - 4.932	14.67	15.34	16.01	99
22+22+22+35+35+42	1.51	1.51	1.51	2.40	2.40	2.88 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
22+22+25+25+25+25	1.86	1.86	2.11	2.11	2.11	2.11	12.16 3.50 - 14.00	3.538 0.530 - 4.938	14.86	15.54	16.22	99
22+22+25+25+25+35	1.74	1.74	1.98	1.98	1.98	2.77	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
22+22+25+25+25+42	1.67	1.67	1.89	1.89	1.89	3.18 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
22+22+25+25+25+50	1.59	1.59	1.80	1.80	1.80	3.61 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
22+22+25+25+25+60	1.50	1.50	1.70	1.70	1.70	4.09	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
22+22+25+25+35+35	1.64	1.64	1.86	1.86	2.60	2.60	12.20 3.50 - 14.00	3.481 0.530 - 4.921	14.63	15.29	15.95	99
22+22+25+25+35+42	1.57	1.57	1.78	1.78	2.50	3.00 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
22+22+25+25+35+50	1.50	1.50	1.70	1.70	2.39	3.41 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
22+22+25+25+42+42	1.51	1.51	1.71	1.71	2.88 *	2.88 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
22+22+25+35+35+35	1.54	1.54	1.75	2.45	2.45	2.45	12.20 3.50 - 14.00	3.492 0.530 - 4.932	14.67	15.34	16.01	99
22+25+25+25+25+25	1.82	2.07	2.07	2.07	2.07	2.07	12.18 3.50 - 14.00	3.524 0.530 - 4.944	14.81	15.48	16.15	99
22+25+25+25+25+35	1.71	1.94	1.94	1.94	1.94	2.72	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
22+25+25+25+25+42	1.64	1.86	1.86	1.86	1.86	3.12 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
22+25+25+25+25+50	1.56	1.77	1.77	1.77	1.77	3.55 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
22+25+25+25+35+35	1.61	1.83	1.83	1.83	2.56	2.56	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
22+25+25+25+35+42	1.54	1.75	1.75	1.75	2.45	2.94 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
22+25+25+35+35+35	1.52	1.72	1.72	2.41	2.41	2.41	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
25+25+25+25+25+25	2.03	2.03	2.03	2.03	2.03	2.03	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
25+25+25+25+25+35	1.91	1.91	1.91	1.91	1.91	2.67	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
25+25+25+25+25+42	1.83	1.83	1.83	1.83	1.83	3.07 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
25+25+25+25+25+50	1.74	1.74	1.74	1.74	1.74	3.49 *	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
25+25+25+25+35+35	1.79	1.79	1.79	1.79	2.51	2.51	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99
25+25+25+25+35+42	1.72	1.72	1.72	1.72	2.41	2.89 *	12.20 3.50 - 14.00	3.504 0.530 - 4.944	14.72	15.39	16.06	99
25+25+25+35+35+35	1.69	1.69	1.69	2.37	2.37	2.37	12.20 3.50 - 14.00	3.498 0.530 - 4.938	14.69	15.36	16.03	99

\* In case of MSZ-AP42/50VG or SLZ-M50FA, Rated capacity is lower than another model.

Total connect indoor unit	
3 or more units	
MSZ-AP42VG	90%
MSZ-AP50VG	80%
SLZ-M50FA	70%

ex.) MSZ-LN18VG2 + MSZ-LN25VG2 + MSZ-AP42VG

- MSZ-LN18VG2 : Rated capacity is 1.74kW
- MSZ-LN25VG2 : Rated capacity is 2.41kW
- MSZ-AP42VG : Rated capacity is 3.65kW (=4.05\*0.9)

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)							Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total		220	230	240	
15	1.70	-	-	-	-	-	1.70 1.70 - 3.20	0.850 - 1.450	3.57	3.73	3.89	99
18	3.30	-	-	-	-	-	3.30 1.70 - 4.60	1.100 0.850 - 1.570	4.62	4.83	5.04	99
20	2.20	-	-	-	-	-	2.20 1.70 - 3.40	1.040 0.850 - 1.450	4.37	4.57	4.77	99
22	3.30	-	-	-	-	-	3.30 1.70 - 4.80	1.100 0.850 - 1.620	4.62	4.83	5.04	99
25	3.60	-	-	-	-	-	3.60 1.70 - 5.10	1.200 0.850 - 1.670	5.04	5.27	5.50	99
35	4.00	-	-	-	-	-	4.00 1.70 - 5.60	1.250 0.850 - 1.760	5.25	5.49	5.73	99
42	5.40	-	-	-	-	-	5.40 1.70 - 6.50	1.770 0.850 - 2.020	7.43	7.77	8.11	99
50	7.20	-	-	-	-	-	7.20 1.70 - 7.50	2.290 0.850 - 2.800	9.62	10.06	10.50	99
60	7.90	-	-	-	-	-	7.90 1.70 - 8.90	2.290 0.850 - 3.340	9.62	10.06	10.50	99
71	8.60	-	-	-	-	-	8.60 1.70 - 9.70	2.480 0.850 - 3.710	10.42	10.89	11.36	99
15+15	1.70	1.70	-	-	-	-	3.40 2.70 - 5.30	0.940 0.850 - 3.350	3.95	4.13	4.31	99
15+18	2.18	2.62	-	-	-	-	4.80 2.80 - 6.80	1.306 0.850 - 2.866	5.49	5.74	5.99	99
15+20	2.57	3.43	-	-	-	-	6.00 2.80 - 7.80	1.567 0.850 - 2.557	6.58	6.88	7.18	99
15+22	2.39	3.51	-	-	-	-	5.90 2.80 - 8.00	1.574 0.850 - 2.604	6.61	6.91	7.21	99
15+25	1.61	2.69	-	-	-	-	4.30 2.70 - 7.00	1.187 0.850 - 3.147	4.98	5.21	5.44	99
15+35	2.13	4.97	-	-	-	-	7.10 2.80 - 9.35	1.997 0.850 - 2.847	8.39	8.77	9.15	99
15+42	1.95	5.45	-	-	-	-	7.40 2.80 - 9.70	2.087 0.850 - 3.047	8.77	9.17	9.57	99
15+50	1.78	5.92	-	-	-	-	7.70 2.80 - 10.10	2.191 0.850 - 3.271	9.20	9.62	10.04	99
15+60	1.80	7.20	-	-	-	-	9.00 2.80 - 11.20	2.671 0.850 - 3.561	11.22	11.73	12.24	99
15+71	1.94	9.16	-	-	-	-	11.10 2.80 - 12.50	3.364 0.850 - 3.774	14.13	14.77	15.41	99
18+18	3.25	3.25	-	-	-	-	6.50 2.80 - 8.30	1.678 0.850 - 2.388	7.05	7.37	7.69	99
18+20	2.61	2.89	-	-	-	-	5.50 2.80 - 7.70	1.438 0.850 - 2.768	6.05	6.32	6.59	99
18+22	1.94	2.37	-	-	-	-	4.30 2.70 - 7.00	1.185 0.850 - 3.145	4.97	5.20	5.43	99
18+25	2.55	3.55	-	-	-	-	6.10 2.80 - 8.00	1.558 0.850 - 2.588	6.54	6.84	7.14	99
18+35	2.48	4.82	-	-	-	-	7.30 2.80 - 9.50	2.028 0.850 - 2.928	8.52	8.91	9.30	99
18+42	2.28	5.32	-	-	-	-	7.60 2.80 - 9.90	2.128 0.850 - 3.128	8.94	9.35	9.76	99
18+50	2.09	5.81	-	-	-	-	7.90 2.80 - 10.30	2.222 0.850 - 3.342	9.34	9.76	10.18	99
18+60	2.26	7.54	-	-	-	-	9.80 2.80 - 11.60	2.912 0.850 - 3.642	12.23	12.79	13.35	99
18+71	2.27	8.93	-	-	-	-	11.20 2.80 - 12.60	3.295 0.850 - 3.715	13.84	14.47	15.10	99
20+20	2.20	2.20	-	-	-	-	4.40 2.70 - 7.00	1.159 0.850 - 3.119	4.87	5.09	5.31	99
20+22	2.52	2.78	-	-	-	-	5.30 2.80 - 7.70	1.452 0.850 - 2.782	6.10	6.38	6.66	99
20+25	2.93	3.67	-	-	-	-	6.60 2.80 - 8.50	1.745 0.850 - 2.475	7.33	7.66	7.99	99
20+35	2.65	4.65	-	-	-	-	7.30 2.80 - 9.60	2.065 0.850 - 2.985	8.68	9.07	9.46	99
20+42	2.45	5.15	-	-	-	-	7.60 2.80 - 10.00	2.155 0.850 - 3.185	9.05	9.46	9.87	99
20+50	2.26	5.64	-	-	-	-	7.90 2.80 - 10.40	2.259 0.850 - 3.409	9.49	9.92	10.35	99
20+60	2.55	7.65	-	-	-	-	10.20 2.80 - 11.90	3.089 0.850 - 3.709	12.98	13.57	14.16	99
20+71	2.44	8.66	-	-	-	-	11.10 2.80 - 12.60	3.262 0.850 - 3.682	13.71	14.33	14.95	99
22+22	3.25	3.25	-	-	-	-	6.50 2.80 - 8.30	1.676 0.850 - 2.386	7.04	7.36	7.68	99
22+25	3.23	3.67	-	-	-	-	6.90 2.80 - 8.80	1.838 0.850 - 2.618	7.72	8.07	8.42	99
22+35	2.89	4.61	-	-	-	-	7.50 2.80 - 9.70	2.078 0.850 - 3.038	8.73	9.13	9.53	99
22+42	2.68	5.12	-	-	-	-	7.80 2.80 - 10.10	2.178 0.850 - 3.238	9.15	9.57	9.99	99
22+50	2.60	5.90	-	-	-	-	8.50 2.80 - 10.70	2.422 0.850 - 3.462	10.18	10.64	11.10	99
22+60	2.87	7.83	-	-	-	-	10.70 2.80 - 12.20	3.242 0.850 - 3.762	13.62	14.24	14.86	99
22+71	2.67	8.63	-	-	-	-	11.30 2.80 - 12.70	3.205 0.850 - 3.645	13.47	14.08	14.69	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
25+25	3.60	3.60	-	-	-	-	7.20 2.80 - 9.35	1.969 0.850 - 2.819	8.27	8.65	9.03	99	
25+35	3.17	4.43	-	-	-	-	7.60 2.80 - 9.90	2.128 0.850 - 3.128	8.94	9.35	9.76	99	
25+42	2.95	4.95	-	-	-	-	7.90 2.80 - 10.20	2.218 0.850 - 3.318	9.32	9.74	10.16	99	
25+50	3.03	6.07	-	-	-	-	9.10 2.80 - 11.20	2.662 0.850 - 3.552	11.18	11.69	12.20	99	
25+60	3.29	7.91	-	-	-	-	11.20 2.80 - 12.50	3.392 0.850 - 3.802	14.25	14.90	15.55	99	
25+71	2.94	8.36	-	-	-	-	11.30 2.80 - 12.70	3.145 0.850 - 3.585	13.21	13.81	14.41	99	
35+35	4.00	4.00	-	-	-	-	8.00 2.80 - 10.40	2.239 0.850 - 3.389	9.40	9.83	10.26	99	
35+42	4.36	5.24	-	-	-	-	9.60 2.80 - 11.50	2.838 0.850 - 3.618	11.92	12.46	13.00	99	
35+50	4.61	6.59	-	-	-	-	11.20 2.80 - 12.50	3.392 0.850 - 3.802	14.25	14.90	15.55	99	
35+60	4.16	7.14	-	-	-	-	11.30 2.80 - 12.70	3.182 0.850 - 3.622	13.36	13.97	14.58	99	
35+71	3.73	7.57	-	-	-	-	11.30 2.80 - 12.90	3.055 0.850 - 3.505	12.84	13.42	14.00	99	
42+42	5.60	5.60	-	-	-	-	11.20 2.80 - 12.50	3.399 0.850 - 3.809	14.28	14.93	15.58	99	
42+50	5.16	6.14	-	-	-	-	11.30 2.80 - 12.70	3.246 0.850 - 3.676	13.64	14.26	14.88	99	
42+71	4.20	7.10	-	-	-	-	11.30 2.80 - 12.90	3.046 0.850 - 3.496	12.80	13.38	13.96	99	
50+50	5.65	5.65	-	-	-	-	11.30 2.80 - 12.80	3.063 0.850 - 3.513	12.87	13.45	14.03	99	
50+60	5.14	6.16	-	-	-	-	11.30 2.80 - 12.90	3.056 0.850 - 3.506	12.84	13.42	14.00	99	
50+71	4.67	6.63	-	-	-	-	11.30 2.80 - 13.00	3.009 0.850 - 3.469	12.64	13.21	13.78	99	
60+60	5.65	5.65	-	-	-	-	11.30 2.80 - 13.00	3.013 0.850 - 3.473	12.65	13.23	13.81	99	
60+71	5.18	6.12	-	-	-	-	11.30 2.90 - 13.00	2.952 0.850 - 3.412	12.40	12.96	13.52	99	
71+71	5.65	5.65	-	-	-	-	11.30 2.90 - 13.00	2.906 0.850 - 3.366	12.21	12.76	13.31	99	
15+15+15	1.70	1.70	1.70	-	-	-	5.10 3.10 - 8.90	1.040 0.850 - 3.900	4.37	4.57	4.77	99	
15+15+18	2.00	2.00	2.40	-	-	-	6.40 3.10 - 10.10	1.499 0.850 - 4.009	6.29	6.58	6.87	99	
15+15+20	2.25	2.25	3.00	-	-	-	7.50 3.20 - 10.90	1.780 0.850 - 4.050	7.48	7.82	8.16	99	
15+15+22	2.45	2.45	3.60	-	-	-	8.50 3.20 - 11.70	2.067 0.850 - 4.097	8.69	9.08	9.47	99	
15+15+25	2.48	2.48	4.14	-	-	-	9.10 3.20 - 12.20	2.200 0.850 - 4.230	9.24	9.66	10.08	99	
15+15+35	2.10	2.10	4.90	-	-	-	9.10 3.20 - 12.20	2.200 0.850 - 4.230	9.24	9.66	10.08	99	
15+15+42	2.15	2.15	6.01	-	-	-	10.30 3.20 - 13.20	2.730 0.850 - 4.210	11.47	11.99	12.51	99	
15+15+50	2.03	2.03	6.75	-	-	-	10.80 3.20 - 13.70	3.054 0.850 - 4.334	12.83	13.41	13.99	99	
15+15+60	1.87	1.87	7.47	-	-	-	11.20 3.20 - 14.00	3.304 0.850 - 4.534	13.88	14.51	15.14	99	
15+15+71	1.72	1.72	8.15	-	-	-	11.60 3.20 - 14.40	3.567 0.850 - 4.737	14.99	15.67	16.35	99	
15+18+18	2.35	2.82	2.82	-	-	-	8.00 3.20 - 11.30	1.901 0.850 - 4.051	7.99	8.35	8.71	99	
15+18+20	2.60	3.12	3.47	-	-	-	9.20 3.20 - 12.10	2.191 0.850 - 4.111	9.20	9.62	10.04	99	
15+18+22	2.48	2.98	3.64	-	-	-	9.10 3.20 - 12.20	2.198 0.850 - 4.228	9.23	9.65	10.07	99	
15+18+25	1.97	2.36	3.28	-	-	-	7.60 3.10 - 11.20	1.761 0.850 - 4.481	7.39	7.73	8.07	99	
15+18+35	2.18	2.62	5.10	-	-	-	9.90 3.20 - 12.80	2.461 0.850 - 4.151	10.34	10.81	11.28	99	
15+18+42	2.14	2.57	5.99	-	-	-	10.70 3.20 - 13.50	2.921 0.850 - 4.231	12.27	12.83	13.39	99	
15+18+50	1.99	2.39	6.63	-	-	-	11.00 3.20 - 13.80	3.115 0.850 - 4.385	13.09	13.68	14.27	99	
15+18+60	1.84	2.21	7.35	-	-	-	11.40 3.20 - 14.10	3.375 0.850 - 4.585	14.18	14.82	15.46	99	
15+18+71	1.72	2.06	8.12	-	-	-	11.90 3.20 - 14.50	3.628 0.850 - 4.788	15.24	15.93	16.62	99	
15+20+20	2.51	3.35	3.35	-	-	-	9.20 3.20 - 12.20	2.172 0.850 - 4.202	9.13	9.54	9.95	99	
15+20+22	2.08	2.77	3.05	-	-	-	7.90 3.20 - 11.50	1.925 0.850 - 4.405	8.08	8.45	8.82	99	
15+20+25	1.60	2.13	2.67	-	-	-	6.40 3.10 - 10.50	1.488 0.850 - 4.658	6.25	6.53	6.81	99	
15+20+35	2.14	2.86	5.00	-	-	-	10.00 3.20 - 13.00	2.598 0.850 - 4.178	10.91	11.41	11.91	99	
15+20+42	2.08	2.78	5.84	-	-	-	10.70 3.20 - 13.60	2.978 0.850 - 4.278	12.51	13.08	13.65	99	



**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)		220	230	240	
15+20+50	1.94	2.59	6.47	-	-	-	11.00 3.20 - 13.80	3.172 0.850 - 4.432	13.32	13.93	14.54	99
15+20+60	1.80	2.40	7.20	-	-	-	11.40 3.20 - 14.20	3.432 0.850 - 4.632	14.41	15.07	15.73	99
15+20+71	1.67	2.23	7.90	-	-	-	11.80 3.20 - 14.50	3.675 0.850 - 4.795	15.44	16.14	16.84	99
15+22+22	1.75	2.57	2.57	-	-	-	6.90 3.10 - 10.80	1.609 0.850 - 4.549	6.76	7.07	7.38	99
15+22+25	1.84	2.70	3.06	-	-	-	7.60 3.10 - 11.20	1.761 0.850 - 4.481	7.39	7.73	8.07	99
15+22+35	2.17	3.18	5.06	-	-	-	10.40 3.20 - 13.20	2.721 0.850 - 4.201	11.43	11.95	12.47	99
15+22+42	2.07	3.04	5.79	-	-	-	10.90 3.20 - 13.60	3.021 0.850 - 4.311	12.69	13.27	13.85	99
15+22+50	1.93	2.83	6.44	-	-	-	11.20 3.20 - 13.90	3.215 0.850 - 4.465	13.51	14.12	14.73	99
15+22+60	1.79	2.63	7.18	-	-	-	11.60 3.20 - 14.20	3.475 0.850 - 4.665	14.60	15.26	15.92	99
15+22+71	1.67	2.44	7.89	-	-	-	12.00 3.20 - 14.50	3.698 0.850 - 4.758	15.53	16.24	16.95	99
15+25+25	2.12	3.54	3.54	-	-	-	9.20 3.20 - 12.20	2.172 0.850 - 4.202	9.13	9.54	9.95	99
15+25+35	2.14	3.57	4.99	-	-	-	10.70 3.20 - 13.50	2.921 0.850 - 4.231	12.27	12.83	13.39	99
15+25+42	2.01	3.35	5.63	-	-	-	11.00 3.20 - 13.70	3.101 0.850 - 4.371	13.03	13.62	14.21	99
15+25+50	1.88	3.14	6.28	-	-	-	11.30 3.20 - 14.00	3.295 0.850 - 4.525	13.84	14.47	15.10	99
15+25+60	1.76	2.93	7.02	-	-	-	11.70 3.20 - 14.30	3.545 0.850 - 4.725	14.89	15.57	16.25	99
15+25+71	1.65	2.75	7.80	-	-	-	12.20 3.20 - 14.60	3.728 0.850 - 4.708	15.66	16.37	17.08	99
15+35+35	1.96	4.57	4.57	-	-	-	11.10 3.20 - 13.80	3.152 0.850 - 4.412	13.24	13.84	14.44	99
15+35+42	1.86	4.34	5.20	-	-	-	11.40 3.20 - 14.10	3.351 0.850 - 4.571	14.08	14.72	15.36	99
15+35+50	1.76	4.10	5.85	-	-	-	11.70 3.20 - 14.30	3.545 0.850 - 4.725	14.89	15.57	16.25	99
15+35+60	1.65	3.85	6.60	-	-	-	12.10 3.20 - 14.60	3.735 0.850 - 4.745	15.69	16.40	17.11	99
15+35+71	1.57	3.67	7.45	-	-	-	12.70 3.20 - 14.70	3.848 0.850 - 4.538	16.17	16.90	17.63	99
15+42+42	1.77	4.96	4.96	-	-	-	11.70 3.20 - 14.30	3.512 0.850 - 4.692	14.75	15.42	16.09	99
15+42+50	1.68	4.71	5.61	-	-	-	12.00 3.20 - 14.50	3.689 0.850 - 4.789	15.50	16.20	16.90	99
15+42+60	1.60	4.49	6.41	-	-	-	12.50 3.20 - 14.70	3.809 0.850 - 4.619	16.00	16.73	17.46	99
15+42+71	1.52	4.25	7.18	-	-	-	12.95 3.20 - 14.84	3.882 0.850 - 4.452	16.31	17.05	17.79	99
15+50+50	1.62	5.39	5.39	-	-	-	12.40 3.20 - 14.60	3.776 0.850 - 4.636	15.86	16.58	17.30	99
15+50+60	1.55	5.16	6.19	-	-	-	12.90 3.20 - 14.80	3.909 0.850 - 4.489	16.42	17.17	17.92	99
15+50+71	1.45	4.83	6.87	-	-	-	13.15 3.20 - 15.01	3.812 0.850 - 4.472	16.01	16.74	17.47	99
15+60+60	1.46	5.84	5.84	-	-	-	13.13 3.20 - 14.99	3.826 0.850 - 4.476	16.07	16.80	17.53	99
15+60+71	1.38	5.51	6.52	-	-	-	13.40 3.20 - 15.22	3.705 0.850 - 4.475	15.56	16.27	16.98	99
15+71+71	1.29	6.11	6.11	-	-	-	13.50 3.20 - 15.30	3.669 0.850 - 4.489	15.41	16.11	16.81	99
18+18+18	3.23	3.23	3.23	-	-	-	9.70 3.20 - 12.54	2.293 0.850 - 4.093	9.63	10.07	10.51	99
18+18+20	2.80	2.80	3.11	-	-	-	8.70 3.20 - 11.90	2.042 0.850 - 4.292	8.58	8.97	9.36	99
18+18+22	2.36	2.36	2.88	-	-	-	7.60 3.10 - 11.20	1.759 0.850 - 4.479	7.39	7.73	8.07	99
18+18+25	2.10	2.10	2.91	-	-	-	7.10 3.10 - 10.80	1.612 0.850 - 4.552	6.77	7.08	7.39	99
18+18+35	2.64	2.64	5.13	-	-	-	10.40 3.20 - 13.10	2.652 0.850 - 4.182	11.14	11.65	12.16	99
18+18+42	2.52	2.52	5.87	-	-	-	10.90 3.20 - 13.60	2.992 0.850 - 4.282	12.57	13.14	13.71	99
18+18+50	2.34	2.34	6.51	-	-	-	11.20 3.20 - 13.90	3.186 0.850 - 4.436	13.38	13.99	14.60	99
18+18+60	2.18	2.18	7.25	-	-	-	11.60 3.20 - 14.20	3.436 0.850 - 4.636	14.43	15.09	15.75	99
18+18+71	2.04	2.04	8.03	-	-	-	12.10 3.20 - 14.50	3.669 0.850 - 4.769	15.41	16.11	16.81	99
18+20+20	2.39	2.66	2.66	-	-	-	7.70 3.10 - 11.20	1.733 0.850 - 4.453	7.28	7.61	7.94	99
18+20+22	1.92	2.13	2.35	-	-	-	6.40 3.10 - 10.50	1.486 0.850 - 4.656	6.25	6.53	6.81	99
18+20+25	2.31	2.57	3.21	-	-	-	8.10 3.20 - 11.50	1.909 0.850 - 4.389	8.02	8.38	8.74	99
18+20+35	2.59	2.88	5.03	-	-	-	10.50 3.20 - 13.30	2.789 0.850 - 4.209	11.72	12.25	12.78	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)		220	230	240	
18+20+42	2.45	2.73	5.72	-	-	-	10.90 3.20 - 13.70	3.049 0.850 - 4.329	12.81	13.39	13.97	99
18+20+50	2.29	2.55	6.36	-	-	-	11.20 3.20 - 13.90	3.243 0.850 - 4.483	13.62	14.24	14.86	99
18+20+60	2.13	2.37	7.10	-	-	-	11.60 3.20 - 14.30	3.493 0.850 - 4.683	14.67	15.34	16.01	99
18+20+71	2.00	2.22	7.88	-	-	-	12.10 3.20 - 14.60	3.706 0.850 - 4.736	15.57	16.28	16.99	99
18+22+22	2.21	2.70	2.70	-	-	-	7.60 3.10 - 11.20	1.740 0.850 - 4.460	7.31	7.64	7.97	99
18+22+25	2.58	3.15	3.58	-	-	-	9.30 3.20 - 12.20	2.182 0.850 - 4.212	9.16	9.58	10.00	99
18+22+35	2.59	3.17	5.04	-	-	-	10.80 3.20 - 13.50	2.912 0.850 - 4.222	12.23	12.79	13.35	99
18+22+42	2.44	2.98	5.69	-	-	-	11.10 3.20 - 13.70	3.092 0.850 - 4.362	12.99	13.58	14.17	99
18+22+50	2.28	2.79	6.33	-	-	-	11.40 3.20 - 14.00	3.286 0.850 - 4.516	13.80	14.43	15.06	99
18+22+60	2.12	2.60	7.08	-	-	-	11.80 3.20 - 14.30	3.536 0.850 - 4.716	14.85	15.53	16.21	99
18+22+71	1.99	2.44	7.87	-	-	-	12.30 3.20 - 14.60	3.719 0.850 - 4.699	15.62	16.33	17.04	99
18+25+25	2.65	3.68	3.68	-	-	-	10.00 3.20 - 12.80	2.433 0.850 - 4.123	10.23	10.69	11.15	99
18+25+35	2.52	3.49	4.89	-	-	-	10.90 3.20 - 13.60	2.992 0.850 - 4.282	12.57	13.14	13.71	99
18+25+42	2.37	3.29	5.53	-	-	-	11.20 3.20 - 13.80	3.162 0.850 - 4.422	13.29	13.89	14.49	99
18+25+50	2.23	3.09	6.18	-	-	-	11.50 3.20 - 14.10	3.366 0.850 - 4.576	14.14	14.78	15.42	99
18+25+60	2.08	2.89	6.93	-	-	-	11.90 3.20 - 14.40	3.616 0.850 - 4.776	15.19	15.88	16.57	99
18+25+71	1.96	2.72	7.72	-	-	-	12.40 3.20 - 14.60	3.759 0.850 - 4.649	15.79	16.51	17.23	99
18+35+35	2.31	4.49	4.49	-	-	-	11.30 3.20 - 13.90	3.223 0.850 - 4.463	13.53	14.15	14.77	99
18+35+42	2.20	4.27	5.13	-	-	-	11.60 3.20 - 14.20	3.422 0.850 - 4.622	14.38	15.03	15.68	99
18+35+50	2.08	4.04	5.78	-	-	-	11.90 3.20 - 14.40	3.616 0.850 - 4.776	15.19	15.88	16.57	99
18+35+60	1.98	3.84	6.58	-	-	-	12.40 3.20 - 14.60	3.766 0.850 - 4.686	15.82	16.54	17.26	99
18+35+71	1.87	3.64	7.39	-	-	-	12.90 3.20 - 14.80	3.879 0.850 - 4.479	16.30	17.04	17.78	99
18+42+42	2.10	4.90	4.90	-	-	-	11.90 3.20 - 14.40	3.573 0.850 - 4.743	15.01	15.69	16.37	99
18+42+50	2.00	4.66	5.55	-	-	-	12.20 3.20 - 14.60	3.720 0.850 - 4.730	15.63	16.34	17.05	99
18+42+60	1.91	4.45	6.35	-	-	-	12.70 3.20 - 14.70	3.840 0.850 - 4.560	16.13	16.86	17.59	99
18+42+71	1.80	4.21	7.12	-	-	-	13.13 3.20 - 14.90	3.843 0.850 - 4.453	16.15	16.88	17.61	99
18+50+50	1.92	5.34	5.34	-	-	-	12.60 3.20 - 14.70	3.797 0.850 - 4.577	15.95	16.68	17.41	99
18+50+60	1.84	5.10	6.12	-	-	-	13.05 3.20 - 14.84	3.890 0.850 - 4.460	16.34	17.08	17.82	99
18+50+71	1.73	4.79	6.81	-	-	-	13.33 3.20 - 15.07	3.773 0.850 - 4.473	15.85	16.57	17.29	99
18+60+60	1.73	5.78	5.78	-	-	-	13.30 3.20 - 15.05	3.787 0.850 - 4.477	15.91	16.63	17.35	99
18+60+71	1.64	5.47	6.47	-	-	-	13.58 3.20 - 15.28	3.666 0.850 - 4.476	15.40	16.10	16.80	99
18+71+71	1.53	6.04	6.04	-	-	-	13.60 3.20 - 15.30	3.660 0.850 - 4.480	15.37	16.07	16.77	99
20+20+20	2.20	2.20	2.20	-	-	-	6.60 3.10 - 10.50	1.434 0.850 - 4.604	6.03	6.30	6.57	99
20+20+22	2.39	2.39	2.63	-	-	-	7.40 3.10 - 11.20	1.773 0.850 - 4.493	7.45	7.79	8.13	99
20+20+25	2.80	2.80	3.50	-	-	-	9.10 3.20 - 12.20	2.196 0.850 - 4.226	9.22	9.64	10.06	99
20+20+35	2.83	2.83	4.95	-	-	-	10.60 3.20 - 13.50	2.926 0.850 - 4.236	12.29	12.85	13.41	99
20+20+42	2.66	2.66	5.58	-	-	-	10.90 3.20 - 13.70	3.106 0.850 - 4.376	13.05	13.64	14.23	99
20+20+50	2.49	2.49	6.22	-	-	-	11.20 3.20 - 14.00	3.300 0.850 - 4.530	13.86	14.49	15.12	99
20+20+60	2.32	2.32	6.96	-	-	-	11.60 3.20 - 14.30	3.550 0.850 - 4.730	14.91	15.59	16.27	99
20+20+71	2.18	2.18	7.74	-	-	-	12.10 3.20 - 14.60	3.733 0.850 - 4.713	15.68	16.39	17.10	99
20+22+22	2.66	2.92	2.92	-	-	-	8.50 3.20 - 11.90	2.037 0.850 - 4.287	8.56	8.95	9.34	99
20+22+25	2.93	3.22	3.66	-	-	-	9.80 3.20 - 12.60	2.399 0.850 - 4.139	10.08	10.54	11.00	99
20+22+35	2.81	3.09	4.91	-	-	-	10.80 3.20 - 13.60	2.969 0.850 - 4.269	12.47	13.04	13.61	99
20+22+42	2.64	2.91	5.55	-	-	-	11.10 3.20 - 13.80	3.149 0.850 - 4.409	13.23	13.83	14.43	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
20+22+50	2.48	2.73	6.20	-	-	-	11.40 3.20 - 14.10	3.343 0.850 - 4.563	14.04	14.68	15.32	99
20+22+60	2.31	2.55	6.94	-	-	-	11.80 3.20 - 14.40	3.593 0.850 - 4.763	15.09	15.78	16.47	99
20+22+71	2.18	2.39	7.73	-	-	-	12.30 3.20 - 14.60	3.756 0.850 - 4.676	15.78	16.50	17.22	99
20+25+25	2.89	3.61	3.61	-	-	-	10.10 3.20 - 13.00	2.570 0.850 - 4.150	10.80	11.29	11.78	99
20+25+35	2.73	3.41	4.77	-	-	-	10.90 3.20 - 13.70	3.049 0.850 - 4.329	12.81	13.39	13.97	99
20+25+42	2.57	3.22	5.41	-	-	-	11.20 3.20 - 13.90	3.219 0.850 - 4.469	13.53	14.14	14.75	99
20+25+50	2.42	3.03	6.05	-	-	-	11.50 3.20 - 14.20	3.423 0.850 - 4.623	14.38	15.03	15.68	99
20+25+60	2.27	2.83	6.80	-	-	-	11.90 3.20 - 14.50	3.673 0.850 - 4.823	15.43	16.13	16.83	99
20+25+71	2.14	2.67	7.59	-	-	-	12.40 3.20 - 14.70	3.786 0.850 - 4.626	15.91	16.63	17.35	99
20+35+35	2.51	4.39	4.39	-	-	-	11.30 3.20 - 14.00	3.280 0.850 - 4.510	13.77	14.40	15.03	99
20+35+42	2.39	4.19	5.02	-	-	-	11.60 3.20 - 14.20	3.479 0.850 - 4.669	14.62	15.28	15.94	99
20+35+50	2.27	3.97	5.67	-	-	-	11.90 3.20 - 14.50	3.673 0.850 - 4.823	15.43	16.13	16.83	99
20+35+60	2.16	3.77	6.47	-	-	-	12.40 3.20 - 14.60	3.793 0.850 - 4.653	15.94	16.66	17.38	99
20+35+71	2.05	3.58	7.27	-	-	-	12.90 3.20 - 14.80	3.906 0.850 - 4.456	16.40	17.15	17.90	99
20+42+42	2.29	4.81	4.81	-	-	-	11.90 3.20 - 14.50	3.630 0.850 - 4.790	15.25	15.94	16.63	99
20+42+50	2.18	4.58	5.45	-	-	-	12.20 3.20 - 14.60	3.747 0.850 - 4.697	15.74	16.46	17.18	99
20+42+71	1.97	4.13	6.98	-	-	-	13.08 3.20 - 14.95	3.857 0.850 - 4.477	16.20	16.94	17.68	99
20+50+50	2.10	5.25	5.25	-	-	-	12.60 3.20 - 14.70	3.834 0.850 - 4.554	16.11	16.84	17.57	99
20+50+60	2.00	5.00	6.00	-	-	-	13.00 3.20 - 14.88	3.877 0.850 - 4.477	16.29	17.03	17.77	99
20+50+71	1.88	4.71	6.69	-	-	-	13.28 3.20 - 15.11	3.760 0.850 - 4.480	15.79	16.51	17.23	99
20+60+60	1.89	5.68	5.68	-	-	-	13.25 3.20 - 15.09	3.774 0.850 - 4.484	15.85	16.57	17.29	99
20+60+71	1.79	5.36	6.35	-	-	-	13.50 3.20 - 15.30	3.663 0.850 - 4.483	15.39	16.09	16.79	99
20+71+71	1.67	5.92	5.92	-	-	-	13.50 3.20 - 15.30	3.667 0.850 - 4.487	15.40	16.10	16.80	99
22+22+22	3.23	3.23	3.23	-	-	-	9.70 3.20 - 12.54	2.291 0.850 - 4.091	9.62	10.06	10.50	99
22+22+25	3.22	3.22	3.66	-	-	-	10.10 3.20 - 12.90	2.522 0.850 - 4.152	10.60	11.08	11.56	99
22+22+35	3.06	3.06	4.87	-	-	-	11.00 3.20 - 13.60	3.012 0.850 - 4.302	12.65	13.23	13.81	99
22+22+42	2.87	2.87	5.47	-	-	-	11.20 3.20 - 13.90	3.192 0.850 - 4.442	13.41	14.02	14.63	99
22+22+50	2.71	2.71	6.17	-	-	-	11.60 3.20 - 14.10	3.386 0.850 - 4.596	14.22	14.87	15.52	99
22+22+60	2.54	2.54	6.92	-	-	-	12.00 3.20 - 14.50	3.636 0.850 - 4.796	15.28	15.97	16.66	99
22+22+71	2.39	2.39	7.72	-	-	-	12.50 3.20 - 14.60	3.769 0.850 - 4.629	15.83	16.55	17.27	99
22+25+25	3.21	3.65	3.65	-	-	-	10.50 3.20 - 13.20	2.693 0.850 - 4.173	11.32	11.83	12.34	99
22+25+35	2.98	3.38	4.74	-	-	-	11.10 3.20 - 13.70	3.092 0.850 - 4.362	12.99	13.58	14.17	99
22+25+42	2.82	3.20	5.38	-	-	-	11.40 3.20 - 14.00	3.262 0.850 - 4.502	13.71	14.33	14.95	99
22+25+50	2.65	3.02	6.03	-	-	-	11.70 3.20 - 14.20	3.466 0.850 - 4.656	14.56	15.22	15.88	99
22+25+60	2.49	2.83	6.79	-	-	-	12.10 3.20 - 14.50	3.686 0.850 - 4.786	15.49	16.19	16.89	99
22+25+71	2.35	2.67	7.58	-	-	-	12.60 3.20 - 14.70	3.799 0.850 - 4.579	15.95	16.68	17.41	99
22+35+35	2.75	4.38	4.38	-	-	-	11.50 3.20 - 14.10	3.323 0.850 - 4.543	13.96	14.59	15.22	99
22+35+42	2.62	4.17	5.01	-	-	-	11.80 3.20 - 14.30	3.522 0.850 - 4.702	14.80	15.47	16.14	99
22+35+50	2.49	3.96	5.65	-	-	-	12.10 3.20 - 14.50	3.686 0.850 - 4.786	15.49	16.19	16.89	99
22+35+60	2.37	3.77	6.46	-	-	-	12.60 3.20 - 14.70	3.806 0.850 - 4.616	15.98	16.71	17.44	99
22+35+71	2.24	3.57	7.24	-	-	-	13.05 3.20 - 14.84	3.879 0.850 - 4.449	16.30	17.04	17.78	99
22+42+42	2.49	4.75	4.75	-	-	-	12.00 3.20 - 14.50	3.663 0.850 - 4.783	15.39	16.09	16.79	99
22+42+50	2.39	4.57	5.44	-	-	-	12.40 3.20 - 14.60	3.770 0.850 - 4.660	15.84	16.56	17.28	99
22+42+60	2.29	4.37	6.24	-	-	-	12.90 3.20 - 14.80	3.890 0.850 - 4.490	16.34	17.08	17.82	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
22+42+71	2.16	4.12	6.96	-	-	-	13.23 3.20 - 14.99	3.813 0.850 - 4.463	16.02	16.75	17.48	99
22+50+60	2.19	4.98	5.98	-	-	-	13.15 3.20 - 14.93	3.847 0.850 - 4.457	16.17	16.90	17.63	99
22+50+71	2.07	4.70	6.67	-	-	-	13.43 3.20 - 15.15	3.733 0.850 - 4.483	15.68	16.39	17.10	99
22+60+60	2.08	5.66	5.66	-	-	-	13.40 3.20 - 15.13	3.747 0.850 - 4.477	15.74	16.46	17.18	99
22+60+71	1.96	5.33	6.31	-	-	-	13.60 3.20 - 15.30	3.656 0.850 - 4.476	15.36	16.06	16.76	99
22+71+71	1.82	5.89	5.89	-	-	-	13.60 3.20 - 15.30	3.660 0.850 - 4.480	15.37	16.07	16.77	99
25+25+25	3.60	3.60	3.60	-	-	-	10.80 3.20 - 13.50	2.874 0.850 - 4.184	12.07	12.62	13.17	99
25+25+35	3.29	3.29	4.61	-	-	-	11.20 3.20 - 13.80	3.162 0.850 - 4.422	13.29	13.89	14.49	99
25+25+42	3.13	3.13	5.25	-	-	-	11.50 3.20 - 14.10	3.342 0.850 - 4.562	14.04	14.68	15.32	99
25+25+50	2.95	2.95	5.90	-	-	-	11.80 3.20 - 14.30	3.536 0.850 - 4.716	14.85	15.53	16.21	99
25+25+60	2.77	2.77	6.65	-	-	-	12.20 3.20 - 14.60	3.726 0.850 - 4.736	15.65	16.36	17.07	99
25+25+71	2.64	2.64	7.51	-	-	-	12.80 3.20 - 14.70	3.839 0.850 - 4.529	16.13	16.86	17.59	99
25+35+35	3.05	4.27	4.27	-	-	-	11.60 3.20 - 14.20	3.403 0.850 - 4.603	14.30	14.95	15.60	99
25+35+42	2.92	4.08	4.90	-	-	-	11.90 3.20 - 14.40	3.592 0.850 - 4.762	15.09	15.78	16.47	99
25+35+50	2.77	3.88	5.55	-	-	-	12.20 3.20 - 14.60	3.726 0.850 - 4.736	15.65	16.36	17.07	99
25+35+60	2.65	3.70	6.35	-	-	-	12.70 3.20 - 14.70	3.846 0.850 - 4.566	16.16	16.89	17.62	99
25+35+71	2.51	3.51	7.12	-	-	-	13.13 3.20 - 14.90	3.849 0.850 - 4.459	16.17	16.90	17.63	99
25+42+42	2.80	4.70	4.70	-	-	-	12.20 3.20 - 14.60	3.703 0.850 - 4.733	15.55	16.26	16.97	99
25+42+50	2.69	4.52	5.38	-	-	-	12.60 3.20 - 14.70	3.800 0.850 - 4.610	15.96	16.69	17.42	99
25+42+60	2.56	4.31	6.16	-	-	-	13.03 3.20 - 14.82	3.900 0.850 - 4.460	16.39	17.13	17.87	99
25+42+71	2.41	4.05	6.84	-	-	-	13.30 3.20 - 15.05	3.783 0.850 - 4.473	15.89	16.61	17.33	99
25+50+50	2.60	5.20	5.20	-	-	-	13.00 3.20 - 14.80	3.887 0.850 - 4.467	16.33	17.07	17.81	99
25+50+60	2.45	4.90	5.88	-	-	-	13.23 3.20 - 14.99	3.830 0.850 - 4.480	16.09	16.82	17.55	99
25+50+71	2.31	4.62	6.57	-	-	-	13.50 3.20 - 15.22	3.713 0.850 - 4.483	15.60	16.31	17.02	99
25+60+60	2.32	5.58	5.58	-	-	-	13.48 3.20 - 15.20	3.727 0.850 - 4.487	15.66	16.37	17.08	99
25+60+71	2.18	5.23	6.19	-	-	-	13.60 3.20 - 15.30	3.656 0.850 - 4.476	15.36	16.06	16.76	99
25+71+71	2.04	5.78	5.78	-	-	-	13.60 3.20 - 15.30	3.660 0.850 - 4.480	15.37	16.07	16.77	99
35+35+35	4.00	4.00	4.00	-	-	-	12.00 3.20 - 14.50	3.634 0.850 - 4.784	15.27	15.96	16.65	99
35+35+42	3.84	3.84	4.61	-	-	-	12.30 3.20 - 14.60	3.752 0.850 - 4.702	15.76	16.48	17.20	99
35+35+50	3.70	3.70	5.29	-	-	-	12.70 3.20 - 14.70	3.846 0.850 - 4.566	16.16	16.89	17.62	99
35+35+60	3.53	3.53	6.05	-	-	-	13.10 3.20 - 14.88	3.876 0.850 - 4.476	16.28	17.02	17.76	99
35+35+71	3.32	3.32	6.74	-	-	-	13.38 3.20 - 15.11	3.759 0.850 - 4.479	15.79	16.51	17.23	99
35+42+42	3.74	4.48	4.48	-	-	-	12.70 3.20 - 14.70	3.823 0.850 - 4.573	16.06	16.79	17.52	99
35+42+50	3.59	4.31	5.13	-	-	-	13.03 3.20 - 14.82	3.900 0.850 - 4.460	16.39	17.13	17.87	99
35+42+60	3.39	4.07	5.82	-	-	-	13.28 3.20 - 15.03	3.810 0.850 - 4.480	16.00	16.73	17.46	99
35+42+71	3.20	3.85	6.50	-	-	-	13.55 3.20 - 15.26	3.693 0.850 - 4.493	15.51	16.22	16.93	99
35+50+50	3.43	4.90	4.90	-	-	-	13.23 3.20 - 14.99	3.817 0.850 - 4.467	16.03	16.76	17.49	99
35+50+60	3.25	4.65	5.58	-	-	-	13.48 3.20 - 15.20	3.740 0.850 - 4.500	15.72	16.43	17.14	99
35+50+71	3.05	4.36	6.19	-	-	-	13.60 3.20 - 15.30	3.673 0.850 - 4.493	15.43	16.13	16.83	99
35+60+60	3.07	5.26	5.26	-	-	-	13.60 3.20 - 15.30	3.677 0.850 - 4.497	15.45	16.15	16.85	99
35+60+71	2.87	4.92	5.82	-	-	-	13.60 3.20 - 15.30	3.656 0.850 - 4.476	15.36	16.06	16.76	99
35+71+71	2.69	5.46	5.46	-	-	-	13.60 3.20 - 15.30	3.660 0.850 - 4.480	15.37	16.07	16.77	99
42+42+42	4.33	4.33	4.33	-	-	-	13.00 3.20 - 14.80	3.884 0.850 - 4.434	16.32	17.06	17.80	99
42+42+50	4.14	4.14	4.93	-	-	-	13.20 3.20 - 14.97	3.834 0.850 - 4.474	16.11	16.84	17.57	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
42+42+60	3.92	3.92	5.60	-	-	-	13.45 3.20 - 15.18	3.744 0.850 - 4.494	15.73	16.44	17.15	99
42+42+71	3.69	3.69	6.23	-	-	-	13.60 3.20 - 15.30	3.667 0.850 - 4.487	15.40	16.10	16.80	99
42+50+50	3.96	4.72	4.72	-	-	-	13.40 3.20 - 15.13	3.741 0.850 - 4.471	15.72	16.43	17.14	99
42+50+60	3.76	4.47	5.37	-	-	-	13.60 3.20 - 15.30	3.684 0.850 - 4.504	15.48	16.18	16.88	99
42+50+71	3.50	4.17	5.92	-	-	-	13.60 3.20 - 15.30	3.667 0.850 - 4.487	15.40	16.10	16.80	99
42+60+60	3.53	5.04	5.04	-	-	-	13.60 3.20 - 15.30	3.671 0.850 - 4.491	15.42	16.12	16.82	99
42+60+71	3.30	4.72	5.58	-	-	-	13.60 3.20 - 15.30	3.650 0.850 - 4.470	15.33	16.03	16.73	99
50+50+50	4.53	4.53	4.53	-	-	-	13.60 3.20 - 15.30	3.654 0.850 - 4.474	15.35	16.05	16.75	99
50+50+60	4.25	4.25	5.10	-	-	-	13.60 3.20 - 15.30	3.684 0.850 - 4.504	15.48	16.18	16.88	99
50+50+71	3.98	3.98	5.65	-	-	-	13.60 3.20 - 15.30	3.667 0.850 - 4.487	15.40	16.10	16.80	99
50+60+60	4.00	4.80	4.80	-	-	-	13.60 3.20 - 15.30	3.671 0.850 - 4.491	15.42	16.12	16.82	99
60+60+60	4.53	4.53	4.53	-	-	-	13.60 3.20 - 15.30	3.650 0.850 - 4.470	15.33	16.03	16.73	99
15+15+15+15	1.70	1.70	1.70	1.70	-	-	6.80 3.10 - 9.90	1.353 0.850 - 3.083	5.68	5.94	6.20	99
15+15+15+18	1.86	1.86	1.86	2.23	-	-	7.80 3.10 - 11.20	1.902 0.850 - 3.422	7.99	8.35	8.71	99
15+15+15+20	2.05	2.05	2.05	2.74	-	-	8.90 3.10 - 12.00	2.203 0.850 - 3.583	9.26	9.68	10.10	99
15+15+15+22	2.17	2.17	2.17	3.19	-	-	9.70 3.20 - 12.80	2.520 0.850 - 3.760	10.59	11.07	11.55	99
15+15+15+25	2.42	2.42	2.42	4.04	-	-	11.30 3.20 - 14.10	2.983 0.850 - 4.003	12.53	13.10	13.67	99
15+15+15+35	2.29	2.29	2.29	5.34	-	-	12.20 3.20 - 14.90	3.293 0.850 - 4.173	13.83	14.46	15.09	99
15+15+15+42	2.10	2.10	2.10	5.89	-	-	12.20 3.20 - 14.90	3.293 0.850 - 4.173	13.83	14.46	15.09	99
15+15+15+50	1.96	1.96	1.96	6.53	-	-	12.40 3.20 - 15.00	3.397 0.850 - 4.437	14.27	14.92	15.57	99
15+15+15+60	1.80	1.80	1.80	7.20	-	-	12.60 3.20 - 15.00	3.477 0.850 - 4.637	14.61	15.27	15.93	99
15+15+15+71	1.66	1.66	1.66	7.83	-	-	12.80 3.20 - 15.00	3.490 0.850 - 4.620	14.66	15.33	16.00	99
15+15+18+18	2.14	2.14	2.56	2.56	-	-	9.40 3.20 - 12.40	2.344 0.850 - 3.644	9.84	10.29	10.74	99
15+15+18+20	2.29	2.29	2.75	3.06	-	-	10.40 3.20 - 13.20	2.664 0.850 - 3.824	11.19	11.70	12.21	99
15+15+18+22	2.42	2.42	2.91	3.55	-	-	11.30 3.20 - 14.10	2.981 0.850 - 4.001	12.52	13.09	13.66	99
15+15+18+25	2.53	2.53	3.03	4.21	-	-	12.30 3.20 - 14.90	3.284 0.850 - 4.164	13.79	14.42	15.05	99
15+15+18+35	2.22	2.22	2.67	5.19	-	-	12.30 3.20 - 14.90	3.284 0.850 - 4.164	13.79	14.42	15.05	99
15+15+18+42	2.07	2.07	2.48	5.79	-	-	12.40 3.20 - 14.90	3.314 0.850 - 4.244	13.92	14.55	15.18	99
15+15+18+50	1.93	1.93	2.31	6.43	-	-	12.60 3.20 - 15.00	3.428 0.850 - 4.548	14.40	15.05	15.70	99
15+15+18+60	1.78	1.78	2.13	7.11	-	-	12.80 3.20 - 15.00	3.478 0.850 - 4.628	14.61	15.27	15.93	99
15+15+18+71	1.64	1.64	1.97	7.76	-	-	13.00 3.20 - 15.00	3.491 0.850 - 4.611	14.66	15.33	16.00	99
15+15+20+20	2.44	2.44	3.26	3.26	-	-	11.40 3.20 - 14.10	2.955 0.850 - 3.975	12.42	12.98	13.54	99
15+15+20+22	2.52	2.52	3.36	3.70	-	-	12.10 3.20 - 14.90	3.298 0.850 - 4.178	13.85	14.48	15.11	99
15+15+20+25	2.44	2.44	3.25	4.07	-	-	12.20 3.20 - 14.90	3.291 0.850 - 4.171	13.82	14.45	15.08	99
15+15+20+35	2.15	2.15	2.87	5.02	-	-	12.20 3.20 - 14.90	3.291 0.850 - 4.171	13.82	14.45	15.08	99
15+15+20+42	2.01	2.01	2.67	5.62	-	-	12.30 3.20 - 14.90	3.351 0.850 - 4.331	14.08	14.72	15.36	99
15+15+20+50	1.88	1.88	2.50	6.25	-	-	12.50 3.20 - 15.00	3.465 0.850 - 4.635	14.56	15.22	15.88	99
15+15+20+60	1.73	1.73	2.31	6.93	-	-	12.70 3.20 - 15.00	3.495 0.850 - 4.635	14.68	15.35	16.02	99
15+15+20+71	1.60	1.60	2.13	7.57	-	-	12.90 3.20 - 15.00	3.498 0.850 - 4.618	14.69	15.36	16.03	99
15+15+22+22	2.47	2.47	3.63	3.63	-	-	12.20 3.20 - 14.90	3.272 0.850 - 4.152	13.75	14.37	14.99	99
15+15+22+25	2.40	2.40	3.51	3.99	-	-	12.30 3.20 - 14.90	3.284 0.850 - 4.164	13.79	14.42	15.05	99
15+15+22+35	2.12	2.12	3.11	4.95	-	-	12.30 3.20 - 14.90	3.284 0.850 - 4.164	13.79	14.42	15.05	99
15+15+22+42	1.99	1.99	2.93	5.59	-	-	12.50 3.20 - 15.00	3.374 0.850 - 4.404	14.18	14.82	15.46	99
15+15+22+50	1.85	1.85	2.72	6.18	-	-	12.60 3.20 - 15.00	3.468 0.850 - 4.628	14.57	15.23	15.89	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)		220	230	240	
15+15+22+60	1.71	1.71	2.51	6.86	-	-	12.80 3.20 - 15.00	3.488 0.850 - 4.628	14.65	15.32	15.99	99
15+15+22+71	1.59	1.59	2.33	7.50	-	-	13.00 3.20 - 15.01	3.491 0.850 - 4.601	14.66	15.33	16.00	99
15+15+25+25	2.31	2.31	3.84	3.84	-	-	12.30 3.20 - 14.90	3.265 0.850 - 4.145	13.72	14.34	14.96	99
15+15+25+35	2.07	2.07	3.44	4.82	-	-	12.40 3.20 - 14.90	3.314 0.850 - 4.244	13.92	14.55	15.18	99
15+15+25+42	1.93	1.93	3.22	5.41	-	-	12.50 3.20 - 15.00	3.424 0.850 - 4.514	14.39	15.04	15.69	99
15+15+25+50	1.81	1.81	3.02	6.05	-	-	12.70 3.20 - 15.00	3.468 0.850 - 4.628	14.57	15.23	15.89	99
15+15+25+60	1.68	1.68	2.80	6.73	-	-	12.90 3.20 - 15.00	3.498 0.850 - 4.628	14.69	15.36	16.03	99
15+15+25+71	1.55	1.55	2.58	7.33	-	-	13.00 3.20 - 15.01	3.491 0.850 - 4.581	14.66	15.33	16.00	99
15+15+35+35	1.89	1.89	4.41	4.41	-	-	12.60 3.20 - 15.00	3.445 0.850 - 4.615	14.47	15.13	15.79	99
15+15+35+42	1.78	1.78	4.15	4.99	-	-	12.70 3.20 - 15.00	3.484 0.850 - 4.634	14.63	15.30	15.97	99
15+15+35+50	1.68	1.68	3.93	5.61	-	-	12.90 3.20 - 15.00	3.498 0.850 - 4.628	14.69	15.36	16.03	99
15+15+35+60	1.56	1.56	3.64	6.24	-	-	13.00 3.20 - 15.01	3.508 0.850 - 4.608	14.74	15.41	16.08	99
15+15+35+71	1.43	1.43	3.35	6.79	-	-	13.00 3.20 - 15.03	3.491 0.850 - 4.541	14.66	15.33	16.00	99
15+15+42+42	1.70	1.70	4.75	4.75	-	-	12.90 3.20 - 15.00	3.485 0.850 - 4.615	14.64	15.31	15.98	99
15+15+42+60	1.48	1.48	4.14	5.91	-	-	13.00 3.20 - 15.03	3.502 0.850 - 4.572	14.71	15.38	16.05	99
15+15+42+71	1.36	1.36	3.82	6.45	-	-	13.00 3.20 - 15.05	3.485 0.850 - 4.495	14.64	15.31	15.98	99
15+15+50+50	1.50	1.50	5.00	5.00	-	-	13.00 3.20 - 15.02	3.489 0.850 - 4.559	14.65	15.32	15.99	99
15+15+50+60	1.39	1.39	4.64	5.57	-	-	13.00 3.20 - 15.04	3.502 0.850 - 4.532	14.71	15.38	16.05	99
15+15+50+71	1.29	1.29	4.30	6.11	-	-	13.00 3.20 - 15.06	3.485 0.850 - 4.465	14.64	15.31	15.98	99
15+15+60+60	1.30	1.30	5.20	5.20	-	-	13.00 3.20 - 15.06	3.489 0.850 - 4.469	14.65	15.32	15.99	99
15+15+60+71	1.21	1.21	4.84	5.73	-	-	13.00 3.20 - 15.09	3.468 0.850 - 4.398	14.57	15.23	15.89	99
15+15+71+71	1.13	1.13	5.37	5.37	-	-	13.00 3.20 - 15.10	3.472 0.850 - 4.372	14.59	15.25	15.91	99
15+18+18+18	2.37	2.84	2.84	2.84	-	-	10.90 3.20 - 13.70	2.776 0.850 - 3.876	11.66	12.19	12.72	99
15+18+18+20	2.51	3.02	3.02	3.35	-	-	11.90 3.20 - 14.50	3.115 0.850 - 4.075	13.09	13.68	14.27	99
15+18+18+22	2.53	3.03	3.03	3.71	-	-	12.30 3.20 - 14.90	3.282 0.850 - 4.162	13.78	14.41	15.04	99
15+18+18+25	2.45	2.94	2.94	4.08	-	-	12.40 3.20 - 14.90	3.275 0.850 - 4.155	13.75	14.38	15.01	99
15+18+18+35	2.16	2.60	2.60	5.05	-	-	12.40 3.20 - 14.90	3.275 0.850 - 4.155	13.75	14.38	15.01	99
15+18+18+42	2.02	2.42	2.42	5.65	-	-	12.50 3.20 - 14.90	3.355 0.850 - 4.355	14.09	14.73	15.37	99
15+18+18+50	1.89	2.26	2.26	6.29	-	-	12.70 3.20 - 15.00	3.449 0.850 - 4.619	14.49	15.15	15.81	99
15+18+18+60	1.74	2.09	2.09	6.97	-	-	12.90 3.20 - 15.00	3.479 0.850 - 4.619	14.62	15.28	15.94	99
15+18+20+20	2.55	3.06	3.40	3.40	-	-	12.40 3.20 - 14.90	3.252 0.850 - 4.132	13.66	14.28	14.90	99
15+18+20+22	2.44	2.93	3.25	3.58	-	-	12.20 3.20 - 14.90	3.289 0.850 - 4.169	13.81	14.44	15.07	99
15+18+20+25	2.37	2.84	3.15	3.94	-	-	12.30 3.20 - 14.90	3.282 0.850 - 4.162	13.78	14.41	15.04	99
15+18+20+35	2.10	2.52	2.80	4.89	-	-	12.30 3.20 - 14.90	3.282 0.850 - 4.162	13.78	14.41	15.04	99
15+18+20+42	1.97	2.37	2.63	5.53	-	-	12.50 3.20 - 15.00	3.392 0.850 - 4.432	14.25	14.90	15.55	99
15+18+20+50	1.85	2.22	2.47	6.17	-	-	12.70 3.20 - 15.00	3.466 0.850 - 4.626	14.56	15.22	15.88	99
15+18+20+60	1.71	2.05	2.28	6.85	-	-	12.90 3.20 - 15.00	3.486 0.850 - 4.626	14.64	15.31	15.98	99
15+18+20+71	1.57	1.89	2.10	7.44	-	-	13.00 3.20 - 15.01	3.489 0.850 - 4.589	14.65	15.32	15.99	99
15+18+22+22	2.40	2.88	3.51	3.51	-	-	12.30 3.20 - 14.90	3.263 0.850 - 4.143	13.71	14.33	14.95	99
15+18+22+25	2.33	2.79	3.41	3.88	-	-	12.40 3.20 - 14.90	3.275 0.850 - 4.155	13.75	14.38	15.01	99
15+18+22+35	2.08	2.50	3.06	4.86	-	-	12.50 3.20 - 14.90	3.305 0.850 - 4.235	13.88	14.51	15.14	99
15+18+22+42	1.95	2.34	2.86	5.46	-	-	12.60 3.20 - 15.00	3.415 0.850 - 4.505	14.35	15.00	15.65	99
15+18+22+50	1.83	2.19	2.68	6.10	-	-	12.80 3.20 - 15.00	3.459 0.850 - 4.619	14.53	15.19	15.85	99
15+18+22+60	1.70	2.03	2.49	6.78	-	-	13.00 3.20 - 15.00	3.489 0.850 - 4.619	14.65	15.32	15.99	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
15+18+22+71	1.56	1.87	2.29	7.38	-	-	13.10 3.20 - 15.01	3.482 0.850 - 4.572	14.63	15.29	15.95	99
15+18+25+25	2.24	2.69	3.73	3.73	-	-	12.40 3.20 - 14.90	3.256 0.850 - 4.136	13.68	14.30	14.92	99
15+18+25+35	2.02	2.42	3.36	4.70	-	-	12.50 3.20 - 14.90	3.355 0.850 - 4.355	14.09	14.73	15.37	99
15+18+25+42	1.91	2.29	3.18	5.33	-	-	12.70 3.20 - 15.00	3.455 0.850 - 4.625	14.51	15.17	15.83	99
15+18+25+50	1.79	2.15	2.99	5.97	-	-	12.90 3.20 - 15.00	3.469 0.850 - 4.619	14.57	15.23	15.89	99
15+18+25+60	1.67	2.00	2.78	6.66	-	-	13.10 3.20 - 15.00	3.499 0.850 - 4.619	14.70	15.37	16.04	99
15+18+25+71	1.52	1.83	2.54	7.21	-	-	13.10 3.20 - 15.02	3.482 0.850 - 4.562	14.63	15.29	15.95	99
15+18+35+35	1.86	2.24	4.35	4.35	-	-	12.80 3.20 - 15.00	3.446 0.850 - 4.606	14.47	15.13	15.79	99
15+18+35+42	1.76	2.11	4.10	4.93	-	-	12.90 3.20 - 15.00	3.485 0.850 - 4.625	14.64	15.31	15.98	99
15+18+35+50	1.67	2.00	3.89	5.55	-	-	13.10 3.20 - 15.00	3.499 0.850 - 4.619	14.70	15.37	16.04	99
15+18+35+60	1.54	1.84	3.58	6.14	-	-	13.10 3.20 - 15.02	3.499 0.850 - 4.579	14.70	15.37	16.04	99
15+18+35+71	1.41	1.70	3.30	6.69	-	-	13.10 3.20 - 15.04	3.482 0.850 - 4.512	14.63	15.29	15.95	99
15+18+42+42	1.67	2.00	4.67	4.67	-	-	13.00 3.20 - 15.00	3.476 0.850 - 4.606	14.61	15.27	15.93	99
15+18+42+50	1.57	1.89	4.40	5.24	-	-	13.10 3.20 - 15.01	3.493 0.850 - 4.593	14.67	15.34	16.01	99
15+18+42+60	1.46	1.75	4.08	5.82	-	-	13.10 3.20 - 15.03	3.493 0.850 - 4.543	14.67	15.34	16.01	99
15+18+42+71	1.35	1.62	3.77	6.37	-	-	13.10 3.20 - 15.05	3.476 0.850 - 4.476	14.61	15.27	15.93	99
15+18+50+50	1.48	1.77	4.92	4.92	-	-	13.10 3.20 - 15.03	3.480 0.850 - 4.540	14.62	15.28	15.94	99
15+18+50+60	1.37	1.65	4.58	5.50	-	-	13.10 3.20 - 15.05	3.493 0.850 - 4.503	14.67	15.34	16.01	99
15+18+50+71	1.28	1.53	4.25	6.04	-	-	13.10 3.20 - 15.07	3.476 0.850 - 4.436	14.61	15.27	15.93	99
15+18+60+60	1.28	1.54	5.14	5.14	-	-	13.10 3.20 - 15.07	3.480 0.850 - 4.450	14.62	15.28	15.94	99
15+18+60+71	1.20	1.44	4.79	5.67	-	-	13.10 3.20 - 15.09	3.459 0.850 - 4.379	14.53	15.19	15.85	99
15+18+71+71	1.12	1.35	5.31	5.31	-	-	13.10 3.20 - 15.10	3.463 0.850 - 4.363	14.55	15.21	15.87	99
15+20+20+20	2.48	3.31	3.31	3.31	-	-	12.40 3.20 - 14.90	3.237 0.850 - 4.117	13.60	14.22	14.84	99
15+20+20+22	2.36	3.14	3.14	3.46	-	-	12.10 3.20 - 14.90	3.296 0.850 - 4.176	13.85	14.48	15.11	99
15+20+20+25	2.29	3.05	3.05	3.81	-	-	12.20 3.20 - 14.90	3.289 0.850 - 4.169	13.81	14.44	15.07	99
15+20+20+35	2.05	2.73	2.73	4.78	-	-	12.30 3.20 - 14.90	3.319 0.850 - 4.249	13.95	14.58	15.21	99
15+20+20+42	1.92	2.56	2.56	5.37	-	-	12.40 3.20 - 15.00	3.429 0.850 - 4.519	14.41	15.06	15.71	99
15+20+20+50	1.80	2.40	2.40	6.00	-	-	12.60 3.20 - 15.00	3.473 0.850 - 4.633	14.59	15.25	15.91	99
15+20+20+60	1.67	2.23	2.23	6.68	-	-	12.80 3.20 - 15.00	3.503 0.850 - 4.633	14.71	15.38	16.05	99
15+20+20+71	1.54	2.05	2.05	7.27	-	-	12.90 3.20 - 15.01	3.496 0.850 - 4.586	14.68	15.35	16.02	99
15+20+22+22	2.32	3.09	3.40	3.40	-	-	12.20 3.20 - 14.90	3.270 0.850 - 4.150	13.74	14.36	14.98	99
15+20+22+25	2.25	3.00	3.30	3.75	-	-	12.30 3.20 - 14.90	3.282 0.850 - 4.162	13.78	14.41	15.04	99
15+20+22+35	2.02	2.70	2.97	4.72	-	-	12.40 3.20 - 14.90	3.342 0.850 - 4.322	14.04	14.68	15.32	99
15+20+22+42	1.91	2.55	2.80	5.35	-	-	12.60 3.20 - 15.00	3.452 0.850 - 4.592	14.50	15.16	15.82	99
15+20+22+50	1.78	2.37	2.61	5.93	-	-	12.70 3.20 - 15.00	3.476 0.850 - 4.626	14.61	15.27	15.93	99
15+20+22+60	1.65	2.21	2.43	6.62	-	-	12.90 3.20 - 15.00	3.496 0.850 - 4.626	14.68	15.35	16.02	99
15+20+22+71	1.52	2.03	2.23	7.21	-	-	13.00 3.20 - 15.02	3.489 0.850 - 4.569	14.65	15.32	15.99	99
15+20+25+25	2.17	2.89	3.62	3.62	-	-	12.30 3.20 - 14.90	3.263 0.850 - 4.143	13.71	14.33	14.95	99
15+20+25+35	1.97	2.63	3.29	4.61	-	-	12.50 3.20 - 15.00	3.392 0.850 - 4.432	14.25	14.90	15.55	99
15+20+25+42	1.85	2.47	3.09	5.19	-	-	12.60 3.20 - 15.00	3.472 0.850 - 4.632	14.59	15.25	15.91	99
15+20+25+50	1.75	2.33	2.91	5.82	-	-	12.80 3.20 - 15.00	3.486 0.850 - 4.626	14.64	15.31	15.98	99
15+20+25+60	1.63	2.17	2.71	6.50	-	-	13.00 3.20 - 15.00	3.506 0.850 - 4.626	14.73	15.40	16.07	99
15+20+25+71	1.49	1.98	2.48	7.05	-	-	13.00 3.20 - 15.02	3.489 0.850 - 4.559	14.65	15.32	15.99	99
15+20+35+35	1.81	2.42	4.23	4.23	-	-	12.70 3.20 - 15.00	3.453 0.850 - 4.613	14.50	15.16	15.82	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)		220	230	240	
15+20+35+42	1.71	2.29	4.00	4.80	-	-	12.80 3.20 - 15.00	3.492 0.850 - 4.632	14.67	15.34	16.01	99
15+20+35+50	1.63	2.17	3.79	5.42	-	-	13.00 3.20 - 15.00	3.506 0.850 - 4.626	14.73	15.40	16.07	99
15+20+35+60	1.50	2.00	3.50	6.00	-	-	13.00 3.20 - 15.02	3.506 0.850 - 4.576	14.73	15.40	16.07	99
15+20+35+71	1.38	1.84	3.23	6.55	-	-	13.00 3.20 - 15.04	3.489 0.850 - 4.509	14.65	15.32	15.99	99
15+20+42+42	1.64	2.18	4.59	4.59	-	-	13.00 3.20 - 15.00	3.493 0.850 - 4.613	14.67	15.34	16.01	99
15+20+42+50	1.54	2.05	4.30	5.12	-	-	13.00 3.20 - 15.01	3.500 0.850 - 4.590	14.70	15.37	16.04	99
15+20+42+60	1.42	1.90	3.99	5.69	-	-	13.00 3.20 - 15.04	3.500 0.850 - 4.540	14.70	15.37	16.04	99
15+20+42+71	1.32	1.76	3.69	6.24	-	-	13.00 3.20 - 15.06	3.483 0.850 - 4.473	14.63	15.30	15.97	99
15+20+50+50	1.44	1.93	4.81	4.81	-	-	13.00 3.20 - 15.03	3.487 0.850 - 4.537	14.64	15.31	15.98	99
15+20+50+60	1.34	1.79	4.48	5.38	-	-	13.00 3.20 - 15.05	3.500 0.850 - 4.510	14.70	15.37	16.04	99
15+20+50+71	1.25	1.67	4.17	5.92	-	-	13.00 3.20 - 15.08	3.483 0.850 - 4.443	14.63	15.30	15.97	99
15+20+60+60	1.26	1.68	5.03	5.03	-	-	13.00 3.20 - 15.07	3.487 0.850 - 4.447	14.64	15.31	15.98	99
15+20+60+71	1.17	1.57	4.70	5.56	-	-	13.00 3.20 - 15.10	3.466 0.850 - 4.376	14.56	15.22	15.88	99
15+20+71+71	1.10	1.47	5.21	5.21	-	-	13.00 3.20 - 15.10	3.470 0.850 - 4.370	14.58	15.24	15.90	99
15+22+22+22	2.28	3.34	3.34	3.34	-	-	12.30 3.20 - 14.90	3.244 0.850 - 4.124	13.63	14.25	14.87	99
15+22+22+25	2.21	3.25	3.25	3.69	-	-	12.40 3.20 - 14.90	3.275 0.850 - 4.155	13.75	14.38	15.01	99
15+22+22+35	2.01	2.95	2.95	4.69	-	-	12.60 3.20 - 15.00	3.365 0.850 - 4.395	14.14	14.78	15.42	99
15+22+22+42	1.89	2.77	2.77	5.28	-	-	12.70 3.20 - 15.00	3.455 0.850 - 4.625	14.51	15.17	15.83	99
15+22+22+50	1.78	2.60	2.60	5.92	-	-	12.90 3.20 - 15.00	3.469 0.850 - 4.619	14.57	15.23	15.89	99
15+22+22+60	1.65	2.42	2.42	6.61	-	-	13.10 3.20 - 15.00	3.499 0.850 - 4.619	14.70	15.37	16.04	99
15+22+22+71	1.51	2.22	2.22	7.15	-	-	13.10 3.20 - 15.02	3.482 0.850 - 4.552	14.63	15.29	15.95	99
15+22+25+25	2.14	3.14	3.56	3.56	-	-	12.40 3.20 - 14.90	3.256 0.850 - 4.136	13.68	14.30	14.92	99
15+22+25+35	1.95	2.86	3.25	4.55	-	-	12.60 3.20 - 15.00	3.415 0.850 - 4.505	14.35	15.00	15.65	99
15+22+25+42	1.85	2.71	3.08	5.17	-	-	12.80 3.20 - 15.00	3.465 0.850 - 4.625	14.56	15.22	15.88	99
15+22+25+50	1.73	2.53	2.88	5.76	-	-	12.90 3.20 - 15.00	3.479 0.850 - 4.619	14.62	15.28	15.94	99
15+22+25+71	1.48	2.17	2.46	6.99	-	-	13.10 3.20 - 15.03	3.499 0.850 - 4.559	14.70	15.37	16.04	99
15+22+35+35	1.79	2.63	4.19	4.19	-	-	12.80 3.20 - 15.00	3.456 0.850 - 4.606	14.52	15.18	15.84	99
15+22+35+42	1.71	2.51	3.99	4.79	-	-	13.00 3.20 - 15.00	3.495 0.850 - 4.625	14.68	15.35	16.02	99
15+22+35+60	1.49	2.18	3.47	5.95	-	-	13.10 3.20 - 15.03	3.499 0.850 - 4.569	14.70	15.37	16.04	99
15+22+35+71	1.37	2.02	3.21	6.50	-	-	13.10 3.20 - 15.05	3.482 0.850 - 4.492	14.63	15.29	15.95	99
15+22+42+42	1.62	2.38	4.55	4.55	-	-	13.10 3.20 - 15.00	3.486 0.850 - 4.606	14.64	15.31	15.98	99
15+22+42+50	1.52	2.23	4.27	5.08	-	-	13.10 3.20 - 15.02	3.493 0.850 - 4.573	14.67	15.34	16.01	99
15+22+42+60	1.41	2.07	3.96	5.65	-	-	13.10 3.20 - 15.04	3.493 0.850 - 4.523	14.67	15.34	16.01	99
15+22+42+71	1.31	1.92	3.67	6.20	-	-	13.10 3.20 - 15.06	3.476 0.850 - 4.456	14.61	15.27	15.93	99
15+22+50+50	1.43	2.10	4.78	4.78	-	-	13.10 3.20 - 15.04	3.480 0.850 - 4.520	14.62	15.28	15.94	99
15+22+50+60	1.34	1.96	4.46	5.35	-	-	13.10 3.20 - 15.06	3.493 0.850 - 4.493	14.67	15.34	16.01	99
15+22+50+71	1.24	1.82	4.15	5.89	-	-	13.10 3.20 - 15.08	3.476 0.850 - 4.426	14.61	15.27	15.93	99
15+22+60+60	1.25	1.84	5.01	5.01	-	-	13.10 3.20 - 15.08	3.480 0.850 - 4.430	14.62	15.28	15.94	99
15+22+60+71	1.17	1.72	4.68	5.54	-	-	13.10 3.20 - 15.10	3.459 0.850 - 4.359	14.53	15.19	15.85	99
15+22+71+71	1.10	1.61	5.20	5.20	-	-	13.10 3.20 - 15.10	3.463 0.850 - 4.363	14.55	15.21	15.87	99
15+25+25+25	2.08	3.47	3.47	3.47	-	-	12.50 3.20 - 14.90	3.267 0.850 - 4.197	13.73	14.35	14.97	99
15+25+25+35	1.91	3.18	3.18	4.45	-	-	12.70 3.20 - 15.00	3.455 0.850 - 4.625	14.51	15.17	15.83	99
15+25+25+42	1.79	2.99	2.99	5.02	-	-	12.80 3.20 - 15.00	3.475 0.850 - 4.625	14.60	15.26	15.92	99
15+25+25+50	1.70	2.83	2.83	5.65	-	-	13.00 3.20 - 15.00	3.489 0.850 - 4.619	14.65	15.32	15.99	99



**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
15+25+25+60	1.57	2.62	2.62	6.29	-	-	13.10 3.20 - 15.01	3.499 0.850 - 4.599	14.70	15.37	16.04	99
15+25+25+71	1.44	2.41	2.41	6.84	-	-	13.10 3.20 - 15.03	3.482 0.850 - 4.532	14.63	15.29	15.95	99
15+25+35+35	1.76	2.93	4.10	4.10	-	-	12.90 3.20 - 15.00	3.466 0.850 - 4.606	14.56	15.22	15.88	99
15+25+35+42	1.67	2.78	3.89	4.67	-	-	13.00 3.20 - 15.00	3.495 0.850 - 4.625	14.68	15.35	16.02	99
15+25+35+50	1.57	2.62	3.67	5.24	-	-	13.10 3.20 - 15.01	3.499 0.850 - 4.599	14.70	15.37	16.04	99
15+25+35+60	1.46	2.43	3.40	5.82	-	-	13.10 3.20 - 15.03	3.499 0.850 - 4.549	14.70	15.37	16.04	99
15+25+35+71	1.35	2.24	3.14	6.37	-	-	13.10 3.20 - 15.05	3.482 0.850 - 4.482	14.63	15.29	15.95	99
15+25+42+42	1.58	2.64	4.44	4.44	-	-	13.10 3.20 - 15.01	3.486 0.850 - 4.586	14.64	15.31	15.98	99
15+25+42+50	1.49	2.48	4.17	4.96	-	-	13.10 3.20 - 15.03	3.493 0.850 - 4.563	14.67	15.34	16.01	99
15+25+42+60	1.38	2.31	3.87	5.54	-	-	13.10 3.20 - 15.05	3.493 0.850 - 4.513	14.67	15.34	16.01	99
15+25+42+71	1.28	2.14	3.60	6.08	-	-	13.10 3.20 - 15.07	3.476 0.850 - 4.446	14.61	15.27	15.93	99
15+25+50+50	1.40	2.34	4.68	4.68	-	-	13.10 3.20 - 15.04	3.480 0.850 - 4.510	14.62	15.28	15.94	99
15+25+50+60	1.31	2.18	4.37	5.24	-	-	13.10 3.20 - 15.06	3.493 0.850 - 4.473	14.67	15.34	16.01	99
15+25+50+71	1.22	2.03	4.07	5.78	-	-	13.10 3.20 - 15.09	3.476 0.850 - 4.406	14.61	15.27	15.93	99
15+25+60+60	1.23	2.05	4.91	4.91	-	-	13.10 3.20 - 15.08	3.480 0.850 - 4.420	14.62	15.28	15.94	99
15+25+60+71	1.15	1.92	4.60	5.44	-	-	13.10 3.20 - 15.10	3.459 0.850 - 4.359	14.53	15.19	15.85	99
15+35+35+35	1.64	3.82	3.82	3.82	-	-	13.10 3.20 - 15.00	3.463 0.850 - 4.583	14.55	15.21	15.87	99
15+35+35+42	1.55	3.61	3.61	4.33	-	-	13.10 3.20 - 15.01	3.505 0.850 - 4.595	14.72	15.39	16.06	99
15+35+35+50	1.46	3.40	3.40	4.85	-	-	13.10 3.20 - 15.03	3.499 0.850 - 4.549	14.70	15.37	16.04	99
15+35+35+60	1.36	3.16	3.16	5.42	-	-	13.10 3.20 - 15.05	3.499 0.850 - 4.509	14.70	15.37	16.04	99
15+35+35+71	1.26	2.94	2.94	5.96	-	-	13.10 3.20 - 15.08	3.482 0.850 - 4.442	14.63	15.29	15.95	99
15+35+42+42	1.47	3.42	4.11	4.11	-	-	13.10 3.20 - 15.03	3.486 0.850 - 4.546	14.64	15.31	15.98	99
15+35+42+50	1.38	3.23	3.87	4.61	-	-	13.10 3.20 - 15.05	3.493 0.850 - 4.513	14.67	15.34	16.01	99
15+35+42+60	1.29	3.02	3.62	5.17	-	-	13.10 3.20 - 15.07	3.493 0.850 - 4.463	14.67	15.34	16.01	99
15+35+42+71	1.21	2.81	3.38	5.71	-	-	13.10 3.20 - 15.09	3.476 0.850 - 4.396	14.61	15.27	15.93	99
15+35+50+50	1.31	3.06	4.37	4.37	-	-	13.10 3.20 - 15.06	3.480 0.850 - 4.460	14.62	15.28	15.94	99
15+35+50+60	1.23	2.87	4.09	4.91	-	-	13.10 3.20 - 15.08	3.493 0.850 - 4.433	14.67	15.34	16.01	99
15+35+50+71	1.15	2.68	3.83	5.44	-	-	13.10 3.20 - 15.10	3.476 0.850 - 4.376	14.61	15.27	15.93	99
15+35+60+60	1.16	2.70	4.62	4.62	-	-	13.10 3.20 - 15.10	3.480 0.850 - 4.380	14.62	15.28	15.94	99
15+42+42+42	1.39	3.90	3.90	3.90	-	-	13.10 3.20 - 15.04	3.459 0.850 - 4.479	14.53	15.19	15.85	99
15+42+42+50	1.32	3.69	3.69	4.40	-	-	13.10 3.20 - 15.06	3.487 0.850 - 4.477	14.64	15.31	15.98	99
15+42+42+60	1.24	3.46	3.46	4.94	-	-	13.10 3.20 - 15.08	3.487 0.850 - 4.427	14.64	15.31	15.98	99
15+42+42+71	1.16	3.24	3.24	5.47	-	-	13.10 3.20 - 15.10	3.470 0.850 - 4.370	14.58	15.24	15.90	99
15+42+50+50	1.25	3.50	4.17	4.17	-	-	13.10 3.20 - 15.08	3.474 0.850 - 4.424	14.60	15.26	15.92	99
15+42+50+60	1.18	3.29	3.92	4.71	-	-	13.10 3.20 - 15.10	3.487 0.850 - 4.387	14.64	15.31	15.98	99
15+42+50+71	1.10	3.09	3.68	5.23	-	-	13.10 3.20 - 15.10	3.470 0.850 - 4.370	14.58	15.24	15.90	99
15+42+60+60	1.11	3.11	4.44	4.44	-	-	13.10 3.20 - 15.10	3.474 0.850 - 4.374	14.60	15.26	15.92	99
15+50+50+50	1.19	3.97	3.97	3.97	-	-	13.10 3.20 - 15.09	3.453 0.850 - 4.363	14.50	15.16	15.82	99
15+50+50+60	1.12	3.74	3.74	4.49	-	-	13.10 3.20 - 15.10	3.487 0.850 - 4.387	14.64	15.31	15.98	99
18+18+18+18	3.10	3.10	3.10	3.10	-	-	12.40 3.20 - 14.90	3.240 0.850 - 4.120	13.61	14.23	14.85	99
18+18+18+20	3.04	3.04	3.04	3.38	-	-	12.50 3.20 - 14.90	3.266 0.850 - 4.146	13.72	14.34	14.96	99
18+18+18+22	2.94	2.94	2.94	3.59	-	-	12.40 3.20 - 14.90	3.273 0.850 - 4.153	13.75	14.37	14.99	99
18+18+18+25	2.85	2.85	2.85	3.96	-	-	12.50 3.20 - 14.90	3.266 0.850 - 4.146	13.72	14.34	14.96	99
18+18+18+35	2.53	2.53	2.53	4.92	-	-	12.50 3.20 - 14.90	3.286 0.850 - 4.186	13.80	14.43	15.06	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
18+18+18+42	2.38	2.38	2.38	5.56	-	-	12.70 3.20 - 15.00	3.386 0.850 - 4.456	14.22	14.87	15.52	99
18+18+18+50	2.23	2.23	2.23	6.20	-	-	12.90 3.20 - 15.00	3.450 0.850 - 4.610	14.49	15.15	15.81	99
18+18+18+60	2.07	2.07	2.07	6.89	-	-	13.10 3.20 - 15.00	3.480 0.850 - 4.610	14.62	15.28	15.94	99
18+18+18+71	1.90	1.90	1.90	7.50	-	-	13.20 3.20 - 15.01	3.473 0.850 - 4.573	14.59	15.25	15.91	99
18+18+20+20	2.96	2.96	3.29	3.29	-	-	12.50 3.20 - 14.90	3.247 0.850 - 4.127	13.64	14.26	14.88	99
18+18+20+22	2.84	2.84	3.15	3.47	-	-	12.30 3.20 - 14.90	3.280 0.850 - 4.160	13.77	14.40	15.03	99
18+18+20+25	2.76	2.76	3.06	3.83	-	-	12.40 3.20 - 14.90	3.273 0.850 - 4.153	13.75	14.37	14.99	99
18+18+20+35	2.47	2.47	2.75	4.81	-	-	12.50 3.20 - 14.90	3.323 0.850 - 4.273	13.96	14.59	15.22	99
18+18+20+42	2.33	2.33	2.59	5.44	-	-	12.70 3.20 - 15.00	3.423 0.850 - 4.543	14.38	15.03	15.68	99
18+18+20+50	2.17	2.17	2.42	6.04	-	-	12.80 3.20 - 15.00	3.467 0.850 - 4.617	14.57	15.23	15.89	99
18+18+20+60	2.02	2.02	2.24	6.72	-	-	13.00 3.20 - 15.00	3.487 0.850 - 4.617	14.64	15.31	15.98	99
18+18+20+71	1.86	1.86	2.06	7.32	-	-	13.10 3.20 - 15.01	3.480 0.850 - 4.570	14.62	15.28	15.94	99
18+18+22+22	2.79	2.79	3.41	3.41	-	-	12.40 3.20 - 14.90	3.254 0.850 - 4.134	13.67	14.29	14.91	99
18+18+22+25	2.71	2.71	3.31	3.77	-	-	12.50 3.20 - 14.90	3.266 0.850 - 4.146	13.72	14.34	14.96	99
18+18+22+35	2.44	2.44	2.98	4.74	-	-	12.60 3.20 - 14.90	3.346 0.850 - 4.346	14.05	14.69	15.33	99
18+18+22+42	2.30	2.30	2.82	5.38	-	-	12.80 3.20 - 15.00	3.446 0.850 - 4.616	14.47	15.13	15.79	99
18+18+22+50	2.17	2.17	2.65	6.02	-	-	13.00 3.20 - 15.00	3.460 0.850 - 4.610	14.54	15.20	15.86	99
18+18+22+60	2.01	2.01	2.46	6.71	-	-	13.20 3.20 - 15.00	3.490 0.850 - 4.610	14.66	15.33	16.00	99
18+18+22+71	1.84	1.84	2.25	7.27	-	-	13.20 3.20 - 15.02	3.473 0.850 - 4.553	14.59	15.25	15.91	99
18+18+25+25	2.62	2.62	3.63	3.63	-	-	12.50 3.20 - 14.90	3.247 0.850 - 4.127	13.64	14.26	14.88	99
18+18+25+35	2.38	2.38	3.31	4.63	-	-	12.70 3.20 - 15.00	3.386 0.850 - 4.456	14.22	14.87	15.52	99
18+18+25+42	2.25	2.25	3.13	5.26	-	-	12.90 3.20 - 15.00	3.456 0.850 - 4.616	14.52	15.18	15.84	99
18+18+25+50	2.11	2.11	2.93	5.86	-	-	13.00 3.20 - 15.00	3.470 0.850 - 4.610	14.58	15.24	15.90	99
18+18+25+60	1.96	1.96	2.73	6.55	-	-	13.20 3.20 - 15.00	3.490 0.850 - 4.610	14.66	15.33	16.00	99
18+18+25+71	1.80	1.80	2.50	7.10	-	-	13.20 3.20 - 15.03	3.473 0.850 - 4.543	14.59	15.25	15.91	99
18+18+35+35	2.19	2.19	4.26	4.26	-	-	12.90 3.20 - 15.00	3.447 0.850 - 4.597	14.48	15.14	15.80	99
18+18+35+42	2.09	2.09	4.06	4.87	-	-	13.10 3.20 - 15.00	3.476 0.850 - 4.616	14.61	15.27	15.93	99
18+18+35+50	1.96	1.96	3.82	5.45	-	-	13.20 3.20 - 15.00	3.490 0.850 - 4.610	14.66	15.33	16.00	99
18+18+35+60	1.81	1.81	3.53	6.05	-	-	13.20 3.20 - 15.02	3.490 0.850 - 4.560	14.66	15.33	16.00	99
18+18+35+71	1.67	1.67	3.25	6.60	-	-	13.20 3.20 - 15.05	3.473 0.850 - 4.493	14.59	15.25	15.91	99
18+18+42+42	1.98	1.98	4.62	4.62	-	-	13.20 3.20 - 15.00	3.477 0.850 - 4.597	14.61	15.27	15.93	99
18+18+42+50	1.86	1.86	4.33	5.16	-	-	13.20 3.20 - 15.02	3.484 0.850 - 4.564	14.63	15.30	15.97	99
18+18+42+60	1.72	1.72	4.02	5.74	-	-	13.20 3.20 - 15.04	3.484 0.850 - 4.524	14.63	15.30	15.97	99
18+18+42+71	1.59	1.59	3.72	6.29	-	-	13.20 3.20 - 15.06	3.467 0.850 - 4.457	14.57	15.23	15.89	99
18+18+50+50	1.75	1.75	4.85	4.85	-	-	13.20 3.20 - 15.03	3.471 0.850 - 4.521	14.58	15.24	15.90	99
18+18+50+60	1.63	1.63	4.52	5.42	-	-	13.20 3.20 - 15.05	3.484 0.850 - 4.484	14.63	15.30	15.97	99
18+18+50+71	1.51	1.51	4.20	5.97	-	-	13.20 3.20 - 15.08	3.467 0.850 - 4.417	14.57	15.23	15.89	99
18+18+60+60	1.52	1.52	5.08	5.08	-	-	13.20 3.20 - 15.08	3.471 0.850 - 4.431	14.58	15.24	15.90	99
18+18+60+71	1.42	1.42	4.74	5.61	-	-	13.20 3.20 - 15.10	3.450 0.850 - 4.350	14.49	15.15	15.81	99
18+18+71+71	1.33	1.33	5.27	5.27	-	-	13.20 3.20 - 15.10	3.454 0.850 - 4.354	14.51	15.17	15.83	99
18+20+20+20	2.88	3.21	3.21	3.21	-	-	12.50 3.20 - 14.90	3.228 0.850 - 4.108	13.56	14.18	14.80	99
18+20+20+22	2.75	3.05	3.05	3.36	-	-	12.20 3.20 - 14.90	3.287 0.850 - 4.167	13.81	14.44	15.07	99
18+20+20+25	2.67	2.96	2.96	3.70	-	-	12.30 3.20 - 14.90	3.280 0.850 - 4.160	13.77	14.40	15.03	99
18+20+20+35	2.40	2.67	2.67	4.67	-	-	12.40 3.20 - 14.90	3.360 0.850 - 4.360	14.12	14.76	15.40	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
18+20+20+42	2.27	2.52	2.52	5.29	-	-	12.60 3.20 - 15.00	3.460 0.850 - 4.630	14.54	15.20	15.86	99
18+20+20+50	2.13	2.37	2.37	5.93	-	-	12.80 3.20 - 15.00	3.474 0.850 - 4.624	14.60	15.26	15.92	99
18+20+20+60	1.98	2.20	2.20	6.61	-	-	13.00 3.20 - 15.00	3.504 0.850 - 4.624	14.72	15.39	16.06	99
18+20+20+71	1.81	2.02	2.02	7.16	-	-	13.00 3.20 - 15.02	3.487 0.850 - 4.567	14.64	15.31	15.98	99
18+20+22+22	2.70	3.00	3.30	3.30	-	-	12.30 3.20 - 14.90	3.261 0.850 - 4.141	13.70	14.32	14.94	99
18+20+22+25	2.63	2.92	3.21	3.65	-	-	12.40 3.20 - 14.90	3.273 0.850 - 4.153	13.75	14.37	14.99	99
18+20+22+35	2.39	2.65	2.92	4.64	-	-	12.60 3.20 - 15.00	3.383 0.850 - 4.423	14.21	14.86	15.51	99
18+20+22+42	2.24	2.49	2.74	5.23	-	-	12.70 3.20 - 15.00	3.463 0.850 - 4.623	14.55	15.21	15.87	99
18+20+22+50	2.11	2.35	2.58	5.86	-	-	12.90 3.20 - 15.00	3.477 0.850 - 4.617	14.61	15.27	15.93	99
18+20+22+60	1.97	2.18	2.40	6.55	-	-	13.10 3.20 - 15.00	3.497 0.850 - 4.617	14.69	15.36	16.03	99
18+20+22+71	1.80	2.00	2.20	7.10	-	-	13.10 3.20 - 15.02	3.480 0.850 - 4.550	14.62	15.28	15.94	99
18+20+25+25	2.54	2.82	3.52	3.52	-	-	12.40 3.20 - 14.90	3.254 0.850 - 4.134	13.67	14.29	14.91	99
18+20+25+35	2.33	2.59	3.24	4.54	-	-	12.70 3.20 - 15.00	3.423 0.850 - 4.543	14.38	15.03	15.68	99
18+20+25+42	2.19	2.44	3.05	5.12	-	-	12.80 3.20 - 15.00	3.463 0.850 - 4.623	14.55	15.21	15.87	99
18+20+25+50	2.07	2.30	2.88	5.75	-	-	13.00 3.20 - 15.00	3.477 0.850 - 4.617	14.61	15.27	15.93	99
18+20+25+60	1.92	2.13	2.66	6.39	-	-	13.10 3.20 - 15.01	3.497 0.850 - 4.607	14.69	15.36	16.03	99
18+20+25+71	1.76	1.96	2.44	6.94	-	-	13.10 3.20 - 15.03	3.480 0.850 - 4.540	14.62	15.28	15.94	99
18+20+35+35	2.15	2.39	4.18	4.18	-	-	12.90 3.20 - 15.00	3.454 0.850 - 4.604	14.51	15.17	15.83	99
18+20+35+42	2.03	2.26	3.96	4.75	-	-	13.00 3.20 - 15.00	3.493 0.850 - 4.623	14.67	15.34	16.01	99
18+20+35+50	1.92	2.13	3.73	5.33	-	-	13.10 3.20 - 15.01	3.497 0.850 - 4.607	14.69	15.36	16.03	99
18+20+35+60	1.77	1.97	3.45	5.91	-	-	13.10 3.20 - 15.03	3.497 0.850 - 4.557	14.69	15.36	16.03	99
18+20+35+71	1.64	1.82	3.18	6.46	-	-	13.10 3.20 - 15.05	3.480 0.850 - 4.490	14.62	15.28	15.94	99
18+20+42+50	1.81	2.02	4.23	5.04	-	-	13.10 3.20 - 15.02	3.484 0.850 - 4.554	14.63	15.30	15.97	99
18+20+42+60	1.68	1.87	3.93	5.61	-	-	13.10 3.20 - 15.04	3.491 0.850 - 4.521	14.66	15.33	16.00	99
18+20+42+71	1.56	1.74	3.64	6.16	-	-	13.10 3.20 - 15.06	3.474 0.850 - 4.454	14.60	15.26	15.92	99
18+20+50+50	1.71	1.90	4.75	4.75	-	-	13.10 3.20 - 15.04	3.478 0.850 - 4.518	14.61	15.27	15.93	99
18+20+50+60	1.59	1.77	4.43	5.31	-	-	13.10 3.20 - 15.06	3.491 0.850 - 4.481	14.66	15.33	16.00	99
18+20+50+71	1.48	1.65	4.12	5.85	-	-	13.10 3.20 - 15.08	3.474 0.850 - 4.414	14.60	15.26	15.92	99
18+20+60+60	1.49	1.66	4.97	4.97	-	-	13.10 3.20 - 15.08	3.478 0.850 - 4.428	14.61	15.27	15.93	99
18+20+60+71	1.40	1.55	4.65	5.50	-	-	13.10 3.20 - 15.10	3.457 0.850 - 4.357	14.52	15.18	15.84	99
18+20+71+71	1.31	1.46	5.17	5.17	-	-	13.10 3.20 - 15.10	3.461 0.850 - 4.361	14.54	15.20	15.86	99
18+22+22+22	2.66	3.25	3.25	3.25	-	-	12.40 3.20 - 14.90	3.235 0.850 - 4.115	13.59	14.21	14.83	99
18+22+22+25	2.59	3.16	3.16	3.59	-	-	12.50 3.20 - 14.90	3.266 0.850 - 4.146	13.72	14.34	14.96	99
18+22+22+35	2.36	2.88	2.88	4.58	-	-	12.70 3.20 - 15.00	3.406 0.850 - 4.496	14.31	14.96	15.61	99
18+22+22+42	2.23	2.73	2.73	5.21	-	-	12.90 3.20 - 15.00	3.456 0.850 - 4.616	14.52	15.18	15.84	99
18+22+22+50	2.09	2.55	2.55	5.80	-	-	13.00 3.20 - 15.00	3.470 0.850 - 4.610	14.58	15.24	15.90	99
18+22+22+71	1.79	2.18	2.18	7.05	-	-	13.20 3.20 - 15.03	3.490 0.850 - 4.550	14.66	15.33	16.00	99
18+22+25+25	2.52	3.08	3.50	3.50	-	-	12.60 3.20 - 14.90	3.277 0.850 - 4.207	13.76	14.39	15.02	99
18+22+25+35	2.30	2.82	3.20	4.48	-	-	12.80 3.20 - 15.00	3.446 0.850 - 4.616	14.47	15.13	15.79	99
18+22+25+42	2.17	2.65	3.01	5.06	-	-	12.90 3.20 - 15.00	3.466 0.850 - 4.616	14.56	15.22	15.88	99
18+22+25+50	2.05	2.51	2.85	5.70	-	-	13.10 3.20 - 15.00	3.480 0.850 - 4.610	14.62	15.28	15.94	99
18+22+25+60	1.90	2.32	2.64	6.34	-	-	13.20 3.20 - 15.01	3.490 0.850 - 4.590	14.66	15.33	16.00	99
18+22+25+71	1.75	2.14	2.43	6.89	-	-	13.20 3.20 - 15.03	3.473 0.850 - 4.523	14.59	15.25	15.91	99
18+22+35+35	2.13	2.60	4.14	4.14	-	-	13.00 3.20 - 15.00	3.457 0.850 - 4.597	14.52	15.18	15.84	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)		220	230	240	
18+22+35+42	2.02	2.46	3.92	4.70	-	-	13.10 3.20 - 15.00	3.486 0.850 - 4.616	14.64	15.31	15.98	99
18+22+35+50	1.90	2.32	3.70	5.28	-	-	13.20 3.20 - 15.01	3.490 0.850 - 4.590	14.66	15.33	16.00	99
18+22+35+60	1.76	2.15	3.42	5.87	-	-	13.20 3.20 - 15.03	3.490 0.850 - 4.540	14.66	15.33	16.00	99
18+22+35+71	1.63	1.99	3.16	6.42	-	-	13.20 3.20 - 15.05	3.473 0.850 - 4.473	14.59	15.25	15.91	99
18+22+42+42	1.92	2.34	4.47	4.47	-	-	13.20 3.20 - 15.01	3.477 0.850 - 4.577	14.61	15.27	15.93	99
18+22+42+50	1.80	2.20	4.20	5.00	-	-	13.20 3.20 - 15.03	3.484 0.850 - 4.554	14.63	15.30	15.97	99
18+22+42+60	1.67	2.05	3.90	5.58	-	-	13.20 3.20 - 15.05	3.484 0.850 - 4.504	14.63	15.30	15.97	99
18+22+42+71	1.55	1.90	3.62	6.13	-	-	13.20 3.20 - 15.07	3.467 0.850 - 4.437	14.57	15.23	15.89	99
18+22+50+50	1.70	2.07	4.71	4.71	-	-	13.20 3.20 - 15.04	3.471 0.850 - 4.501	14.58	15.24	15.90	99
18+22+50+60	1.58	1.94	4.40	5.28	-	-	13.20 3.20 - 15.06	3.484 0.850 - 4.464	14.63	15.30	15.97	99
18+22+50+71	1.48	1.80	4.10	5.82	-	-	13.20 3.20 - 15.09	3.467 0.850 - 4.397	14.57	15.23	15.89	99
18+22+60+60	1.49	1.82	4.95	4.95	-	-	13.20 3.20 - 15.08	3.471 0.850 - 4.411	14.58	15.24	15.90	99
18+22+60+71	1.39	1.70	4.63	5.48	-	-	13.20 3.20 - 15.10	3.450 0.850 - 4.350	14.49	15.15	15.81	99
18+25+25+25	2.44	3.39	3.39	3.39	-	-	12.60 3.20 - 14.90	3.304 0.850 - 4.304	13.88	14.51	15.14	99
18+25+25+35	2.25	3.13	3.13	4.38	-	-	12.90 3.20 - 15.00	3.456 0.850 - 4.616	14.52	15.18	15.84	99
18+25+25+42	2.13	2.95	2.95	4.96	-	-	13.00 3.20 - 15.00	3.476 0.850 - 4.616	14.61	15.27	15.93	99
18+25+25+50	2.01	2.80	2.80	5.59	-	-	13.20 3.20 - 15.00	3.490 0.850 - 4.610	14.66	15.33	16.00	99
18+25+25+60	1.86	2.58	2.58	6.19	-	-	13.20 3.20 - 15.02	3.490 0.850 - 4.570	14.66	15.33	16.00	99
18+25+25+71	1.71	2.37	2.37	6.74	-	-	13.20 3.20 - 15.04	3.473 0.850 - 4.503	14.59	15.25	15.91	99
18+25+35+35	2.09	2.90	4.06	4.06	-	-	13.10 3.20 - 15.00	3.457 0.850 - 4.597	14.52	15.18	15.84	99
18+25+35+42	1.98	2.75	3.85	4.62	-	-	13.20 3.20 - 15.00	3.496 0.850 - 4.616	14.68	15.35	16.02	99
18+25+35+50	1.86	2.58	3.61	5.16	-	-	13.20 3.20 - 15.02	3.490 0.850 - 4.570	14.66	15.33	16.00	99
18+25+35+60	1.72	2.39	3.35	5.74	-	-	13.20 3.20 - 15.04	3.490 0.850 - 4.530	14.66	15.33	16.00	99
18+25+35+71	1.59	2.21	3.10	6.29	-	-	13.20 3.20 - 15.06	3.473 0.850 - 4.463	14.59	15.25	15.91	99
18+25+42+42	1.87	2.60	4.37	4.37	-	-	13.20 3.20 - 15.01	3.477 0.850 - 4.567	14.61	15.27	15.93	99
18+25+42+50	1.76	2.44	4.11	4.89	-	-	13.20 3.20 - 15.03	3.484 0.850 - 4.534	14.63	15.30	15.97	99
18+25+42+60	1.64	2.28	3.82	5.46	-	-	13.20 3.20 - 15.05	3.484 0.850 - 4.494	14.63	15.30	15.97	99
18+25+42+71	1.52	2.12	3.55	6.01	-	-	13.20 3.20 - 15.08	3.467 0.850 - 4.427	14.57	15.23	15.89	99
18+25+50+50	1.66	2.31	4.62	4.62	-	-	13.20 3.20 - 15.05	3.471 0.850 - 4.481	14.58	15.24	15.90	99
18+25+50+60	1.55	2.16	4.31	5.18	-	-	13.20 3.20 - 15.07	3.484 0.850 - 4.454	14.63	15.30	15.97	99
18+25+50+71	1.45	2.01	4.02	5.71	-	-	13.20 3.20 - 15.09	3.467 0.850 - 4.387	14.57	15.23	15.89	99
18+25+60+60	1.46	2.02	4.86	4.86	-	-	13.20 3.20 - 15.09	3.471 0.850 - 4.391	14.58	15.24	15.90	99
18+25+60+71	1.37	1.90	4.55	5.39	-	-	13.20 3.20 - 15.10	3.450 0.850 - 4.350	14.49	15.15	15.81	99
18+35+35+35	1.93	3.76	3.76	3.76	-	-	13.20 3.20 - 15.01	3.454 0.850 - 4.564	14.51	15.17	15.83	99
18+35+35+42	1.83	3.55	3.55	4.26	-	-	13.20 3.20 - 15.02	3.496 0.850 - 4.566	14.68	15.35	16.02	99
18+35+35+50	1.72	3.35	3.35	4.78	-	-	13.20 3.20 - 15.04	3.490 0.850 - 4.530	14.66	15.33	16.00	99
18+35+35+60	1.61	3.12	3.12	5.35	-	-	13.20 3.20 - 15.06	3.490 0.850 - 4.480	14.66	15.33	16.00	99
18+35+35+71	1.49	2.91	2.91	5.89	-	-	13.20 3.20 - 15.08	3.473 0.850 - 4.413	14.59	15.25	15.91	99
18+35+42+42	1.73	3.37	4.05	4.05	-	-	13.20 3.20 - 15.04	3.477 0.850 - 4.517	14.61	15.27	15.93	99
18+35+42+50	1.64	3.19	3.82	4.55	-	-	13.20 3.20 - 15.05	3.484 0.850 - 4.494	14.63	15.30	15.97	99
18+35+42+60	1.53	2.98	3.58	5.11	-	-	13.20 3.20 - 15.07	3.484 0.850 - 4.444	14.63	15.30	15.97	99
18+35+42+71	1.43	2.78	3.34	5.65	-	-	13.20 3.20 - 15.10	3.467 0.850 - 4.377	14.57	15.23	15.89	99
18+35+50+50	1.55	3.02	4.31	4.31	-	-	13.20 3.20 - 15.07	3.471 0.850 - 4.441	14.58	15.24	15.90	99
18+35+50+60	1.46	2.83	4.05	4.86	-	-	13.20 3.20 - 15.09	3.484 0.850 - 4.404	14.63	15.30	15.97	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
18+35+50+71	1.37	2.66	3.79	5.39	-	-	13.20 3.20 - 15.10	3.467 0.850 - 4.367	14.57	15.23	15.89	99
18+35+60+60	1.37	2.67	4.58	4.58	-	-	13.20 3.20 - 15.10	3.471 0.850 - 4.371	14.58	15.24	15.90	99
18+42+42+42	1.65	3.85	3.85	3.85	-	-	13.20 3.20 - 15.05	3.450 0.850 - 4.460	14.49	15.15	15.81	99
18+42+42+50	1.56	3.65	3.65	4.34	-	-	13.20 3.20 - 15.07	3.478 0.850 - 4.448	14.61	15.27	15.93	99
18+42+42+60	1.47	3.42	3.42	4.89	-	-	13.20 3.20 - 15.09	3.478 0.850 - 4.408	14.61	15.27	15.93	99
18+42+42+71	1.37	3.20	3.20	5.42	-	-	13.20 3.20 - 15.10	3.461 0.850 - 4.361	14.54	15.20	15.86	99
18+42+50+50	1.49	3.47	4.13	4.13	-	-	13.20 3.20 - 15.08	3.465 0.850 - 4.405	14.56	15.22	15.88	99
18+42+50+60	1.40	3.26	3.88	4.66	-	-	13.20 3.20 - 15.10	3.478 0.850 - 4.378	14.61	15.27	15.93	99
18+42+60+60	1.32	3.08	4.40	4.40	-	-	13.20 3.20 - 15.10	3.461 0.850 - 4.361	14.54	15.20	15.86	99
18+50+50+50	1.41	3.93	3.93	3.93	-	-	13.20 3.20 - 15.10	3.444 0.850 - 4.344	14.47	15.13	15.79	99
18+50+50+60	1.33	3.71	3.71	4.45	-	-	13.20 3.20 - 15.10	3.478 0.850 - 4.378	14.61	15.27	15.93	99
20+20+20+20	3.13	3.13	3.13	3.13	-	-	12.50 3.20 - 14.90	3.231 0.850 - 4.111	13.57	14.19	14.81	99
20+20+20+22	2.95	2.95	2.95	3.25	-	-	12.10 3.20 - 14.90	3.294 0.850 - 4.174	13.84	14.47	15.10	99
20+20+20+25	2.87	2.87	2.87	3.59	-	-	12.20 3.20 - 14.90	3.287 0.850 - 4.167	13.81	14.44	15.07	99
20+20+20+35	2.61	2.61	2.61	4.57	-	-	12.40 3.20 - 15.00	3.397 0.850 - 4.437	14.27	14.92	15.57	99
20+20+20+42	2.45	2.45	2.45	5.15	-	-	12.50 3.20 - 15.00	3.477 0.850 - 4.637	14.61	15.27	15.93	99
20+20+20+50	2.31	2.31	2.31	5.77	-	-	12.70 3.20 - 15.00	3.491 0.850 - 4.631	14.66	15.33	16.00	99
20+20+20+60	2.15	2.15	2.15	6.45	-	-	12.90 3.20 - 15.00	3.511 0.850 - 4.631	14.75	15.42	16.09	99
20+20+20+71	1.97	1.97	1.97	6.99	-	-	12.90 3.20 - 15.02	3.494 0.850 - 4.564	14.67	15.34	16.01	99
20+20+22+22	2.90	2.90	3.20	3.20	-	-	12.20 3.20 - 14.90	3.268 0.850 - 4.148	13.73	14.35	14.97	99
20+20+22+25	2.83	2.83	3.11	3.53	-	-	12.30 3.20 - 14.90	3.280 0.850 - 4.160	13.77	14.40	15.03	99
20+20+22+35	2.58	2.58	2.84	4.51	-	-	12.50 3.20 - 15.00	3.420 0.850 - 4.510	14.37	15.02	15.67	99
20+20+22+42	2.44	2.44	2.69	5.13	-	-	12.70 3.20 - 15.00	3.470 0.850 - 4.630	14.58	15.24	15.90	99
20+20+22+50	2.29	2.29	2.51	5.71	-	-	12.80 3.20 - 15.00	3.484 0.850 - 4.624	14.63	15.30	15.97	99
20+20+22+71	1.95	1.95	2.15	6.94	-	-	13.00 3.20 - 15.03	3.504 0.850 - 4.564	14.72	15.39	16.06	99
20+20+25+25	2.76	2.76	3.44	3.44	-	-	12.40 3.20 - 14.90	3.291 0.850 - 4.221	13.82	14.45	15.08	99
20+20+25+35	2.52	2.52	3.15	4.41	-	-	12.60 3.20 - 15.00	3.460 0.850 - 4.630	14.54	15.20	15.86	99
20+20+25+42	2.37	2.37	2.97	4.99	-	-	12.70 3.20 - 15.00	3.480 0.850 - 4.630	14.62	15.28	15.94	99
20+20+25+50	2.24	2.24	2.80	5.61	-	-	12.90 3.20 - 15.00	3.494 0.850 - 4.624	14.67	15.34	16.01	99
20+20+25+60	2.08	2.08	2.60	6.24	-	-	13.00 3.20 - 15.01	3.504 0.850 - 4.604	14.72	15.39	16.06	99
20+20+25+71	1.91	1.91	2.39	6.79	-	-	13.00 3.20 - 15.03	3.487 0.850 - 4.537	14.64	15.31	15.98	99
20+20+35+35	2.33	2.33	4.07	4.07	-	-	12.80 3.20 - 15.00	3.471 0.850 - 4.611	14.58	15.24	15.90	99
20+20+35+42	2.21	2.21	3.86	4.63	-	-	12.90 3.20 - 15.00	3.500 0.850 - 4.630	14.70	15.37	16.04	99
20+20+35+50	2.08	2.08	3.64	5.20	-	-	13.00 3.20 - 15.01	3.504 0.850 - 4.604	14.72	15.39	16.06	99
20+20+35+60	1.93	1.93	3.37	5.78	-	-	13.00 3.20 - 15.03	3.504 0.850 - 4.554	14.72	15.39	16.06	99
20+20+35+71	1.78	1.78	3.12	6.32	-	-	13.00 3.20 - 15.05	3.487 0.850 - 4.487	14.64	15.31	15.98	99
20+20+42+42	2.10	2.10	4.40	4.40	-	-	13.00 3.20 - 15.01	3.491 0.850 - 4.591	14.66	15.33	16.00	99
20+20+42+50	1.97	1.97	4.14	4.92	-	-	13.00 3.20 - 15.03	3.498 0.850 - 4.568	14.69	15.36	16.03	99
20+20+42+60	1.83	1.83	3.85	5.49	-	-	13.00 3.20 - 15.05	3.498 0.850 - 4.518	14.69	15.36	16.03	99
20+20+42+71	1.70	1.70	3.57	6.03	-	-	13.00 3.20 - 15.07	3.481 0.850 - 4.451	14.63	15.29	15.95	99
20+20+50+50	1.86	1.86	4.64	4.64	-	-	13.00 3.20 - 15.04	3.485 0.850 - 4.515	14.64	15.31	15.98	99
20+20+50+60	1.73	1.73	4.33	5.20	-	-	13.00 3.20 - 15.06	3.498 0.850 - 4.478	14.69	15.36	16.03	99
20+20+50+71	1.61	1.61	4.04	5.73	-	-	13.00 3.20 - 15.09	3.481 0.850 - 4.411	14.63	15.29	15.95	99
20+20+60+60	1.63	1.63	4.88	4.88	-	-	13.00 3.20 - 15.08	3.485 0.850 - 4.425	14.64	15.31	15.98	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
20+20+60+71	1.52	1.52	4.56	5.40	-	-	13.00 3.20 - 15.10	3.464 0.850 - 4.364	14.55	15.21	15.87	99
20+22+22+22	2.86	3.15	3.15	3.15	-	-	12.30 3.20 - 14.90	3.238 0.850 - 4.118	13.60	14.22	14.84	99
20+22+22+25	2.79	3.07	3.07	3.48	-	-	12.40 3.20 - 14.90	3.293 0.850 - 4.193	13.83	14.46	15.09	99
20+22+22+35	2.57	2.82	2.82	4.49	-	-	12.70 3.20 - 15.00	3.443 0.850 - 4.583	14.46	15.12	15.78	99
20+22+22+42	2.42	2.66	2.66	5.07	-	-	12.80 3.20 - 15.00	3.473 0.850 - 4.623	14.59	15.25	15.91	99
20+22+22+50	2.28	2.51	2.51	5.70	-	-	13.00 3.20 - 15.00	3.487 0.850 - 4.617	14.64	15.31	15.98	99
20+22+22+60	2.11	2.32	2.32	6.34	-	-	13.10 3.20 - 15.01	3.497 0.850 - 4.597	14.69	15.36	16.03	99
20+22+22+71	1.94	2.13	2.13	6.89	-	-	13.10 3.20 - 15.03	3.480 0.850 - 4.530	14.62	15.28	15.94	99
20+22+25+25	2.72	2.99	3.40	3.40	-	-	12.50 3.20 - 14.90	3.314 0.850 - 4.294	13.92	14.55	15.18	99
20+22+25+35	2.49	2.74	3.11	4.36	-	-	12.70 3.20 - 15.00	3.463 0.850 - 4.623	14.55	15.21	15.87	99
20+22+25+42	2.37	2.60	2.96	4.97	-	-	12.90 3.20 - 15.00	3.473 0.850 - 4.623	14.59	15.25	15.91	99
20+22+25+50	2.22	2.44	2.78	5.56	-	-	13.00 3.20 - 15.00	3.487 0.850 - 4.617	14.64	15.31	15.98	99
20+22+25+60	2.06	2.27	2.58	6.19	-	-	13.10 3.20 - 15.01	3.497 0.850 - 4.587	14.69	15.36	16.03	99
20+22+25+71	1.90	2.09	2.37	6.74	-	-	13.10 3.20 - 15.04	3.480 0.850 - 4.520	14.62	15.28	15.94	99
20+22+35+35	2.30	2.53	4.03	4.03	-	-	12.90 3.20 - 15.00	3.464 0.850 - 4.604	14.55	15.21	15.87	99
20+22+35+42	2.20	2.42	3.85	4.62	-	-	13.10 3.20 - 15.00	3.503 0.850 - 4.623	14.71	15.38	16.05	99
20+22+35+50	2.06	2.27	3.61	5.16	-	-	13.10 3.20 - 15.01	3.497 0.850 - 4.587	14.69	15.36	16.03	99
20+22+35+60	1.91	2.10	3.35	5.74	-	-	13.10 3.20 - 15.04	3.497 0.850 - 4.537	14.69	15.36	16.03	99
20+22+35+71	1.77	1.95	3.10	6.28	-	-	13.10 3.20 - 15.06	3.480 0.850 - 4.470	14.62	15.28	15.94	99
20+22+42+42	2.08	2.29	4.37	4.37	-	-	13.10 3.20 - 15.01	3.484 0.850 - 4.574	14.63	15.30	15.97	99
20+22+42+50	1.96	2.15	4.11	4.89	-	-	13.10 3.20 - 15.03	3.491 0.850 - 4.551	14.66	15.33	16.00	99
20+22+42+60	1.82	2.00	3.82	5.46	-	-	13.10 3.20 - 15.05	3.491 0.850 - 4.501	14.66	15.33	16.00	99
20+22+42+71	1.69	1.86	3.55	6.00	-	-	13.10 3.20 - 15.07	3.474 0.850 - 4.434	14.60	15.26	15.92	99
20+22+50+50	1.85	2.03	4.61	4.61	-	-	13.10 3.20 - 15.05	3.478 0.850 - 4.498	14.61	15.27	15.93	99
20+22+50+60	1.72	1.90	4.31	5.17	-	-	13.10 3.20 - 15.07	3.491 0.850 - 4.461	14.66	15.33	16.00	99
20+22+50+71	1.61	1.77	4.02	5.71	-	-	13.10 3.20 - 15.09	3.474 0.850 - 4.394	14.60	15.26	15.92	99
20+22+60+60	1.62	1.78	4.85	4.85	-	-	13.10 3.20 - 15.09	3.478 0.850 - 4.408	14.61	15.27	15.93	99
20+22+60+71	1.51	1.67	4.54	5.38	-	-	13.10 3.20 - 15.10	3.457 0.850 - 4.357	14.52	15.18	15.84	99
20+25+25+25	2.65	3.32	3.32	3.32	-	-	12.60 3.20 - 15.00	3.341 0.850 - 4.381	14.03	14.67	15.31	99
20+25+25+35	2.44	3.05	3.05	4.27	-	-	12.80 3.20 - 15.00	3.463 0.850 - 4.623	14.55	15.21	15.87	99
20+25+25+42	2.30	2.88	2.88	4.84	-	-	12.90 3.20 - 15.00	3.483 0.850 - 4.623	14.63	15.30	15.97	99
20+25+25+50	2.18	2.73	2.73	5.46	-	-	13.10 3.20 - 15.00	3.497 0.850 - 4.617	14.69	15.36	16.03	99
20+25+25+60	2.02	2.52	2.52	6.05	-	-	13.10 3.20 - 15.02	3.497 0.850 - 4.567	14.69	15.36	16.03	99
20+25+25+71	1.86	2.32	2.32	6.60	-	-	13.10 3.20 - 15.04	3.480 0.850 - 4.500	14.62	15.28	15.94	99
20+25+35+35	2.26	2.83	3.96	3.96	-	-	13.00 3.20 - 15.00	3.474 0.850 - 4.604	14.60	15.26	15.92	99
20+25+35+50	2.02	2.52	3.53	5.04	-	-	13.10 3.20 - 15.02	3.503 0.850 - 4.573	14.71	15.38	16.05	99
20+25+35+60	1.87	2.34	3.28	5.61	-	-	13.10 3.20 - 15.04	3.497 0.850 - 4.527	14.69	15.36	16.03	99
20+25+35+71	1.74	2.17	3.04	6.16	-	-	13.10 3.20 - 15.06	3.480 0.850 - 4.460	14.62	15.28	15.94	99
20+25+42+42	2.03	2.54	4.27	4.27	-	-	13.10 3.20 - 15.02	3.484 0.850 - 4.564	14.63	15.30	15.97	99
20+25+42+50	1.91	2.39	4.02	4.78	-	-	13.10 3.20 - 15.04	3.491 0.850 - 4.531	14.66	15.33	16.00	99
20+25+42+60	1.78	2.23	3.74	5.35	-	-	13.10 3.20 - 15.06	3.491 0.850 - 4.491	14.66	15.33	16.00	99
20+25+42+71	1.66	2.07	3.48	5.89	-	-	13.10 3.20 - 15.08	3.474 0.850 - 4.424	14.60	15.26	15.92	99
20+25+50+50	1.81	2.26	4.52	4.52	-	-	13.10 3.20 - 15.05	3.478 0.850 - 4.488	14.61	15.27	15.93	99
20+25+50+60	1.69	2.11	4.23	5.07	-	-	13.10 3.20 - 15.07	3.491 0.850 - 4.451	14.66	15.33	16.00	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
20+25+50+71	1.58	1.97	3.95	5.60	-	-	13.10 3.20 - 15.10	3.474 0.850 - 4.384	14.60	15.26	15.92	99
20+25+60+60	1.59	1.98	4.76	4.76	-	-	13.10 3.20 - 15.09	3.478 0.850 - 4.388	14.61	15.27	15.93	99
20+25+60+71	1.49	1.86	4.47	5.28	-	-	13.10 3.20 - 15.10	3.457 0.850 - 4.357	14.52	15.18	15.84	99
20+35+35+35	2.10	3.67	3.67	3.67	-	-	13.10 3.20 - 15.01	3.461 0.850 - 4.561	14.54	15.20	15.86	99
20+35+35+42	1.98	3.47	3.47	4.17	-	-	13.10 3.20 - 15.03	3.503 0.850 - 4.573	14.71	15.38	16.05	99
20+35+35+50	1.87	3.28	3.28	4.68	-	-	13.10 3.20 - 15.04	3.497 0.850 - 4.527	14.69	15.36	16.03	99
20+35+35+60	1.75	3.06	3.06	5.24	-	-	13.10 3.20 - 15.06	3.497 0.850 - 4.477	14.69	15.36	16.03	99
20+35+35+71	1.63	2.85	2.85	5.78	-	-	13.10 3.20 - 15.09	3.480 0.850 - 4.410	14.62	15.28	15.94	99
20+35+42+42	1.88	3.30	3.96	3.96	-	-	13.10 3.20 - 15.04	3.484 0.850 - 4.514	14.63	15.30	15.97	99
20+35+42+50	1.78	3.12	3.74	4.46	-	-	13.10 3.20 - 15.06	3.491 0.850 - 4.491	14.66	15.33	16.00	99
20+35+42+60	1.67	2.92	3.50	5.01	-	-	13.10 3.20 - 15.08	3.491 0.850 - 4.441	14.66	15.33	16.00	99
20+35+42+71	1.56	2.73	3.28	5.54	-	-	13.10 3.20 - 15.10	3.474 0.850 - 4.374	14.60	15.26	15.92	99
20+35+50+50	1.69	2.96	4.23	4.23	-	-	13.10 3.20 - 15.07	3.478 0.850 - 4.438	14.61	15.27	15.93	99
20+35+50+60	1.59	2.78	3.97	4.76	-	-	13.10 3.20 - 15.09	3.491 0.850 - 4.401	14.66	15.33	16.00	99
20+35+50+71	1.49	2.61	3.72	5.28	-	-	13.10 3.20 - 15.10	3.474 0.850 - 4.374	14.60	15.26	15.92	99
20+35+60+60	1.50	2.62	4.49	4.49	-	-	13.10 3.20 - 15.10	3.478 0.850 - 4.378	14.61	15.27	15.93	99
20+42+42+42	1.79	3.77	3.77	3.77	-	-	13.10 3.20 - 15.05	3.457 0.850 - 4.457	14.52	15.18	15.84	99
20+42+42+50	1.70	3.57	3.57	4.25	-	-	13.10 3.20 - 15.07	3.485 0.850 - 4.445	14.64	15.31	15.98	99
20+42+42+60	1.60	3.35	3.35	4.79	-	-	13.10 3.20 - 15.09	3.485 0.850 - 4.405	14.64	15.31	15.98	99
20+42+42+71	1.50	3.14	3.14	5.31	-	-	13.10 3.20 - 15.10	3.468 0.850 - 4.368	14.57	15.23	15.89	99
20+42+50+50	1.62	3.40	4.04	4.04	-	-	13.10 3.20 - 15.09	3.472 0.850 - 4.402	14.59	15.25	15.91	99
20+42+50+60	1.52	3.20	3.81	4.57	-	-	13.10 3.20 - 15.10	3.485 0.850 - 4.385	14.64	15.31	15.98	99
20+50+50+50	1.54	3.85	3.85	3.85	-	-	13.10 3.20 - 15.10	3.468 0.850 - 4.368	14.57	15.23	15.89	99
20+50+50+60	1.46	3.64	3.64	4.37	-	-	13.10 3.20 - 15.10	3.485 0.850 - 4.385	14.64	15.31	15.98	99
22+22+22+22	3.10	3.10	3.10	3.10	-	-	12.40 3.20 - 14.90	3.238 0.850 - 4.118	13.60	14.22	14.84	99
22+22+22+25	3.05	3.05	3.05	3.46	-	-	12.60 3.20 - 14.90	3.316 0.850 - 4.266	13.93	14.56	15.19	99
22+22+22+35	2.79	2.79	2.79	4.44	-	-	12.80 3.20 - 15.00	3.446 0.850 - 4.616	14.47	15.13	15.79	99
22+22+22+42	2.65	2.65	2.65	5.06	-	-	13.00 3.20 - 15.00	3.466 0.850 - 4.616	14.56	15.22	15.88	99
22+22+22+50	2.48	2.48	2.48	5.65	-	-	13.10 3.20 - 15.00	3.480 0.850 - 4.610	14.62	15.28	15.94	99
22+22+22+60	2.30	2.30	2.30	6.29	-	-	13.20 3.20 - 15.01	3.490 0.850 - 4.580	14.66	15.33	16.00	99
22+22+22+71	2.12	2.12	2.12	6.84	-	-	13.20 3.20 - 15.04	3.473 0.850 - 4.513	14.59	15.25	15.91	99
22+22+25+25	2.97	2.97	3.38	3.38	-	-	12.70 3.20 - 15.00	3.337 0.850 - 4.367	14.02	14.66	15.30	99
22+22+25+35	2.73	2.73	3.10	4.34	-	-	12.90 3.20 - 15.00	3.456 0.850 - 4.616	14.52	15.18	15.84	99
22+22+25+42	2.58	2.58	2.93	4.92	-	-	13.00 3.20 - 15.00	3.476 0.850 - 4.616	14.61	15.27	15.93	99
22+22+25+50	2.44	2.44	2.77	5.55	-	-	13.20 3.20 - 15.00	3.490 0.850 - 4.610	14.66	15.33	16.00	99
22+22+25+60	2.25	2.25	2.56	6.14	-	-	13.20 3.20 - 15.02	3.490 0.850 - 4.570	14.66	15.33	16.00	99
22+22+25+71	2.07	2.07	2.36	6.69	-	-	13.20 3.20 - 15.04	3.473 0.850 - 4.503	14.59	15.25	15.91	99
22+22+35+35	2.53	2.53	4.02	4.02	-	-	13.10 3.20 - 15.00	3.467 0.850 - 4.597	14.57	15.23	15.89	99
22+22+35+42	2.40	2.40	3.82	4.58	-	-	13.20 3.20 - 15.00	3.496 0.850 - 4.616	14.68	15.35	16.02	99
22+22+35+50	2.25	2.25	3.58	5.12	-	-	13.20 3.20 - 15.02	3.490 0.850 - 4.570	14.66	15.33	16.00	99
22+22+35+60	2.09	2.09	3.32	5.70	-	-	13.20 3.20 - 15.04	3.490 0.850 - 4.520	14.66	15.33	16.00	99
22+22+35+71	1.94	1.94	3.08	6.25	-	-	13.20 3.20 - 15.06	3.473 0.850 - 4.453	14.59	15.25	15.91	99
22+22+42+42	2.27	2.27	4.33	4.33	-	-	13.20 3.20 - 15.02	3.477 0.850 - 4.557	14.61	15.27	15.93	99
22+22+42+50	2.14	2.14	4.08	4.85	-	-	13.20 3.20 - 15.03	3.484 0.850 - 4.534	14.63	15.30	15.97	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
22+22+42+60	1.99	1.99	3.80	5.42	-	-	13.20 3.20 - 15.05	3.484 0.850 - 4.484	14.63	15.30	15.97	99
22+22+42+71	1.85	1.85	3.53	5.97	-	-	13.20 3.20 - 15.08	3.467 0.850 - 4.417	14.57	15.23	15.89	99
22+22+50+50	2.02	2.02	4.58	4.58	-	-	13.20 3.20 - 15.05	3.471 0.850 - 4.481	14.58	15.24	15.90	99
22+22+50+60	1.89	1.89	4.29	5.14	-	-	13.20 3.20 - 15.07	3.484 0.850 - 4.444	14.63	15.30	15.97	99
22+22+50+71	1.76	1.76	4.00	5.68	-	-	13.20 3.20 - 15.09	3.467 0.850 - 4.377	14.57	15.23	15.89	99
22+22+60+60	1.77	1.77	4.83	4.83	-	-	13.20 3.20 - 15.09	3.471 0.850 - 4.391	14.58	15.24	15.90	99
22+22+60+71	1.66	1.66	4.53	5.36	-	-	13.20 3.20 - 15.10	3.450 0.850 - 4.350	14.49	15.15	15.81	99
22+25+25+25	2.88	3.27	3.27	3.27	-	-	12.70 3.20 - 15.00	3.364 0.850 - 4.454	14.13	14.77	15.41	99
22+25+25+35	2.65	3.01	3.01	4.22	-	-	12.90 3.20 - 15.00	3.466 0.850 - 4.616	14.56	15.22	15.88	99
22+25+25+42	2.53	2.87	2.87	4.83	-	-	13.10 3.20 - 15.00	3.486 0.850 - 4.616	14.64	15.31	15.98	99
22+25+25+60	2.20	2.50	2.50	6.00	-	-	13.20 3.20 - 15.03	3.490 0.850 - 4.560	14.66	15.33	16.00	99
22+25+25+71	2.03	2.31	2.31	6.55	-	-	13.20 3.20 - 15.05	3.473 0.850 - 4.483	14.59	15.25	15.91	99
22+25+35+35	2.46	2.80	3.92	3.92	-	-	13.10 3.20 - 15.00	3.467 0.850 - 4.597	14.57	15.23	15.89	99
22+25+35+42	2.34	2.66	3.73	4.47	-	-	13.20 3.20 - 15.01	3.496 0.850 - 4.596	14.68	15.35	16.02	99
22+25+35+50	2.20	2.50	3.50	5.00	-	-	13.20 3.20 - 15.03	3.490 0.850 - 4.560	14.66	15.33	16.00	99
22+25+35+60	2.05	2.32	3.25	5.58	-	-	13.20 3.20 - 15.05	3.490 0.850 - 4.510	14.66	15.33	16.00	99
22+25+35+71	1.90	2.16	3.02	6.13	-	-	13.20 3.20 - 15.07	3.473 0.850 - 4.443	14.59	15.25	15.91	99
22+25+42+42	2.22	2.52	4.23	4.23	-	-	13.20 3.20 - 15.02	3.477 0.850 - 4.547	14.61	15.27	15.93	99
22+25+42+50	2.09	2.37	3.99	4.75	-	-	13.20 3.20 - 15.04	3.484 0.850 - 4.514	14.63	15.30	15.97	99
22+25+42+60	1.95	2.21	3.72	5.32	-	-	13.20 3.20 - 15.06	3.484 0.850 - 4.474	14.63	15.30	15.97	99
22+25+42+71	1.82	2.06	3.47	5.86	-	-	13.20 3.20 - 15.08	3.467 0.850 - 4.407	14.57	15.23	15.89	99
22+25+50+50	1.98	2.24	4.49	4.49	-	-	13.20 3.20 - 15.06	3.471 0.850 - 4.471	14.58	15.24	15.90	99
22+25+50+60	1.85	2.10	4.20	5.04	-	-	13.20 3.20 - 15.08	3.484 0.850 - 4.434	14.63	15.30	15.97	99
22+25+50+71	1.73	1.96	3.93	5.58	-	-	13.20 3.20 - 15.10	3.467 0.850 - 4.367	14.57	15.23	15.89	99
22+25+60+60	1.74	1.98	4.74	4.74	-	-	13.20 3.20 - 15.10	3.471 0.850 - 4.371	14.58	15.24	15.90	99
22+25+60+71	1.63	1.85	4.45	5.27	-	-	13.20 3.20 - 15.10	3.450 0.850 - 4.350	14.49	15.15	15.81	99
22+35+35+35	2.29	3.64	3.64	3.64	-	-	13.20 3.20 - 15.01	3.454 0.850 - 4.544	14.51	15.17	15.83	99
22+35+35+42	2.17	3.45	3.45	4.14	-	-	13.20 3.20 - 15.03	3.496 0.850 - 4.556	14.68	15.35	16.02	99
22+35+35+50	2.05	3.25	3.25	4.65	-	-	13.20 3.20 - 15.05	3.490 0.850 - 4.510	14.66	15.33	16.00	99
22+35+35+60	1.91	3.04	3.04	5.21	-	-	13.20 3.20 - 15.07	3.490 0.850 - 4.460	14.66	15.33	16.00	99
22+35+35+71	1.78	2.83	2.83	5.75	-	-	13.20 3.20 - 15.09	3.473 0.850 - 4.393	14.59	15.25	15.91	99
22+35+42+42	2.06	3.28	3.93	3.93	-	-	13.20 3.20 - 15.04	3.477 0.850 - 4.497	14.61	15.27	15.93	99
22+35+42+50	1.95	3.10	3.72	4.43	-	-	13.20 3.20 - 15.06	3.484 0.850 - 4.474	14.63	15.30	15.97	99
22+35+42+60	1.83	2.91	3.49	4.98	-	-	13.20 3.20 - 15.08	3.484 0.850 - 4.424	14.63	15.30	15.97	99
22+35+42+71	1.71	2.72	3.26	5.51	-	-	13.20 3.20 - 15.10	3.467 0.850 - 4.367	14.57	15.23	15.89	99
22+35+50+50	1.85	2.94	4.20	4.20	-	-	13.20 3.20 - 15.08	3.471 0.850 - 4.421	14.58	15.24	15.90	99
22+35+50+60	1.74	2.77	3.95	4.74	-	-	13.20 3.20 - 15.10	3.484 0.850 - 4.384	14.63	15.30	15.97	99
22+35+50+71	1.63	2.60	3.71	5.27	-	-	13.20 3.20 - 15.10	3.467 0.850 - 4.367	14.57	15.23	15.89	99
22+35+60+60	1.64	2.61	4.47	4.47	-	-	13.20 3.20 - 15.10	3.471 0.850 - 4.371	14.58	15.24	15.90	99
22+42+42+42	1.96	3.75	3.75	3.75	-	-	13.20 3.20 - 15.06	3.450 0.850 - 4.440	14.49	15.15	15.81	99
22+42+42+50	1.86	3.55	3.55	4.23	-	-	13.20 3.20 - 15.08	3.478 0.850 - 4.438	14.61	15.27	15.93	99
22+42+42+60	1.75	3.34	3.34	4.77	-	-	13.20 3.20 - 15.10	3.478 0.850 - 4.388	14.61	15.27	15.93	99
22+42+42+71	1.64	3.13	3.13	5.29	-	-	13.20 3.20 - 15.10	3.461 0.850 - 4.361	14.54	15.20	15.86	99
22+42+50+50	1.77	3.38	4.02	4.02	-	-	13.20 3.20 - 15.09	3.465 0.850 - 4.385	14.56	15.22	15.88	99



**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
22+42+50+60	1.67	3.19	3.79	4.55	-	-	13.20 3.20 - 15.10	3.478 0.850 - 4.378	14.61	15.27	15.93	99
22+50+50+50	1.69	3.84	3.84	3.84	-	-	13.20 3.20 - 15.10	3.461 0.850 - 4.361	14.54	15.20	15.86	99
25+25+25+25	3.20	3.20	3.20	3.20	-	-	12.80 3.20 - 15.00	3.428 0.850 - 4.598	14.40	15.05	15.70	99
25+25+25+35	2.95	2.95	2.95	4.14	-	-	13.00 3.20 - 15.00	3.476 0.850 - 4.616	14.61	15.27	15.93	99
25+25+25+42	2.80	2.80	2.80	4.70	-	-	13.10 3.20 - 15.00	3.486 0.850 - 4.616	14.64	15.31	15.98	99
25+25+25+50	2.64	2.64	2.64	5.28	-	-	13.20 3.20 - 15.01	3.490 0.850 - 4.590	14.66	15.33	16.00	99
25+25+25+60	2.44	2.44	2.44	5.87	-	-	13.20 3.20 - 15.03	3.490 0.850 - 4.540	14.66	15.33	16.00	99
25+25+25+71	2.26	2.26	2.26	6.42	-	-	13.20 3.20 - 15.05	3.473 0.850 - 4.473	14.59	15.25	15.91	99
25+25+35+35	2.75	2.75	3.85	3.85	-	-	13.20 3.20 - 15.00	3.477 0.850 - 4.597	14.61	15.27	15.93	99
25+25+35+42	2.60	2.60	3.64	4.37	-	-	13.20 3.20 - 15.01	3.496 0.850 - 4.586	14.68	15.35	16.02	99
25+25+35+50	2.44	2.44	3.42	4.89	-	-	13.20 3.20 - 15.03	3.490 0.850 - 4.540	14.66	15.33	16.00	99
25+25+35+60	2.28	2.28	3.19	5.46	-	-	13.20 3.20 - 15.05	3.490 0.850 - 4.500	14.66	15.33	16.00	99
25+25+35+71	2.12	2.12	2.96	6.01	-	-	13.20 3.20 - 15.08	3.473 0.850 - 4.433	14.59	15.25	15.91	99
25+25+42+42	2.46	2.46	4.14	4.14	-	-	13.20 3.20 - 15.03	3.477 0.850 - 4.537	14.61	15.27	15.93	99
25+25+42+50	2.32	2.32	3.90	4.65	-	-	13.20 3.20 - 15.05	3.484 0.850 - 4.504	14.63	15.30	15.97	99
25+25+42+60	2.17	2.17	3.65	5.21	-	-	13.20 3.20 - 15.07	3.484 0.850 - 4.454	14.63	15.30	15.97	99
25+25+42+71	2.02	2.02	3.40	5.75	-	-	13.20 3.20 - 15.09	3.467 0.850 - 4.387	14.57	15.23	15.89	99
25+25+50+50	2.20	2.20	4.40	4.40	-	-	13.20 3.20 - 15.06	3.471 0.850 - 4.451	14.58	15.24	15.90	99
25+25+50+60	2.06	2.06	4.13	4.95	-	-	13.20 3.20 - 15.08	3.484 0.850 - 4.424	14.63	15.30	15.97	99
25+25+50+71	1.93	1.93	3.86	5.48	-	-	13.20 3.20 - 15.10	3.467 0.850 - 4.367	14.57	15.23	15.89	99
25+25+60+60	1.94	1.94	4.66	4.66	-	-	13.20 3.20 - 15.10	3.471 0.850 - 4.371	14.58	15.24	15.90	99
25+35+35+35	2.54	3.55	3.55	3.55	-	-	13.20 3.20 - 15.02	3.450 0.850 - 4.520	14.49	15.15	15.81	99
25+35+35+42	2.41	3.37	3.37	4.05	-	-	13.20 3.20 - 15.04	3.496 0.850 - 4.536	14.68	15.35	16.02	99
25+35+35+50	2.28	3.19	3.19	4.55	-	-	13.20 3.20 - 15.05	3.490 0.850 - 4.500	14.66	15.33	16.00	99
25+35+35+60	2.13	2.98	2.98	5.11	-	-	13.20 3.20 - 15.07	3.490 0.850 - 4.450	14.66	15.33	16.00	99
25+35+35+71	1.99	2.78	2.78	5.65	-	-	13.20 3.20 - 15.10	3.473 0.850 - 4.383	14.59	15.25	15.91	99
25+35+42+42	2.29	3.21	3.85	3.85	-	-	13.20 3.20 - 15.05	3.477 0.850 - 4.487	14.61	15.27	15.93	99
25+35+42+50	2.17	3.04	3.65	4.34	-	-	13.20 3.20 - 15.07	3.484 0.850 - 4.454	14.63	15.30	15.97	99
25+35+42+60	2.04	2.85	3.42	4.89	-	-	13.20 3.20 - 15.09	3.484 0.850 - 4.414	14.63	15.30	15.97	99
25+35+42+71	1.91	2.67	3.20	5.42	-	-	13.20 3.20 - 15.10	3.467 0.850 - 4.367	14.57	15.23	15.89	99
25+35+50+50	2.06	2.89	4.13	4.13	-	-	13.20 3.20 - 15.08	3.471 0.850 - 4.411	14.58	15.24	15.90	99
25+35+50+60	1.94	2.72	3.88	4.66	-	-	13.20 3.20 - 15.10	3.484 0.850 - 4.384	14.63	15.30	15.97	99
25+35+60+60	1.83	2.57	4.40	4.40	-	-	13.20 3.20 - 15.10	3.467 0.850 - 4.367	14.57	15.23	15.89	99
25+42+42+42	2.19	3.67	3.67	3.67	-	-	13.20 3.20 - 15.06	3.450 0.850 - 4.430	14.49	15.15	15.81	99
25+42+42+50	2.08	3.49	3.49	4.15	-	-	13.20 3.20 - 15.08	3.478 0.850 - 4.418	14.61	15.27	15.93	99
25+42+42+60	1.95	3.28	3.28	4.69	-	-	13.20 3.20 - 15.10	3.478 0.850 - 4.378	14.61	15.27	15.93	99
25+42+42+71	1.83	3.08	3.08	5.21	-	-	13.20 3.20 - 15.10	3.461 0.850 - 4.361	14.54	15.20	15.86	99
25+42+50+50	1.98	3.32	3.95	3.95	-	-	13.20 3.20 - 15.10	3.465 0.850 - 4.365	14.56	15.22	15.88	99
25+42+50+60	1.86	3.13	3.73	4.47	-	-	13.20 3.20 - 15.10	3.478 0.850 - 4.378	14.61	15.27	15.93	99
25+50+50+50	1.89	3.77	3.77	3.77	-	-	13.20 3.20 - 15.10	3.461 0.850 - 4.361	14.54	15.20	15.86	99
35+35+35+35	3.30	3.30	3.30	3.30	-	-	13.20 3.20 - 15.04	3.478 0.850 - 4.508	14.61	15.27	15.93	99
35+35+35+42	3.14	3.14	3.14	3.77	-	-	13.20 3.20 - 15.06	3.496 0.850 - 4.496	14.68	15.35	16.02	99
35+35+35+50	2.98	2.98	2.98	4.26	-	-	13.20 3.20 - 15.07	3.490 0.850 - 4.450	14.66	15.33	16.00	99
35+35+35+60	2.80	2.80	2.80	4.80	-	-	13.20 3.20 - 15.09	3.490 0.850 - 4.400	14.66	15.33	16.00	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
35+35+35+71	2.63	2.63	2.63	5.33	-	-	13.20 3.20 - 15.10	3.473 0.850 - 4.373	14.59	15.25	15.91	99
35+35+42+42	3.00	3.00	3.60	3.60	-	-	13.20 3.20 - 15.07	3.477 0.850 - 4.437	14.61	15.27	15.93	99
35+35+42+50	2.85	2.85	3.42	4.07	-	-	13.20 3.20 - 15.09	3.484 0.850 - 4.414	14.63	15.30	15.97	99
35+35+42+60	2.69	2.69	3.22	4.60	-	-	13.20 3.20 - 15.10	3.484 0.850 - 4.384	14.63	15.30	15.97	99
35+35+50+50	2.72	2.72	3.88	3.88	-	-	13.20 3.20 - 15.10	3.467 0.850 - 4.367	14.57	15.23	15.89	99
35+35+50+60	2.57	2.57	3.67	4.40	-	-	13.20 3.20 - 15.10	3.484 0.850 - 4.384	14.63	15.30	15.97	99
35+42+42+42	2.87	3.44	3.44	3.44	-	-	13.20 3.20 - 15.09	3.467 0.850 - 4.397	14.57	15.23	15.89	99
35+42+42+50	2.73	3.28	3.28	3.91	-	-	13.20 3.20 - 15.10	3.478 0.850 - 4.378	14.61	15.27	15.93	99
35+42+42+60	2.58	3.10	3.10	4.42	-	-	13.20 3.20 - 15.10	3.478 0.850 - 4.378	14.61	15.27	15.93	99
35+42+50+50	2.61	3.13	3.73	3.73	-	-	13.20 3.20 - 15.10	3.461 0.850 - 4.361	14.54	15.20	15.86	99
42+42+42+42	3.30	3.30	3.30	3.30	-	-	13.20 3.20 - 15.10	3.478 0.850 - 4.378	14.61	15.27	15.93	99
42+42+42+50	3.15	3.15	3.15	3.75	-	-	13.20 3.20 - 15.10	3.472 0.850 - 4.372	14.59	15.25	15.91	99
15+15+15+15+15	1.70	1.70	1.70	1.70	1.70	-	8.50 3.40 - 13.80	1.782 0.850 - 4.972	7.49	7.83	8.17	99
15+15+15+15+18	1.73	1.73	1.73	1.73	2.07	-	8.98 3.42 - 14.16	2.115 0.850 - 4.975	8.89	9.29	9.69	99
15+15+15+15+20	1.82	1.82	1.82	1.82	2.43	-	9.73 3.43 - 14.40	2.306 0.850 - 4.936	9.69	10.13	10.57	99
15+15+15+15+22	1.88	1.88	1.88	1.88	2.76	-	10.29 3.45 - 14.64	2.513 0.850 - 4.923	10.56	11.04	11.52	99
15+15+15+15+25	2.01	2.01	2.01	2.01	3.34	-	11.37 3.47 - 15.00	2.796 0.850 - 4.876	11.75	12.28	12.81	99
15+15+15+15+35	1.86	1.86	1.86	1.86	4.35	-	11.80 3.45 - 15.25	3.066 0.850 - 5.006	12.88	13.47	14.06	99
15+15+15+15+42	1.63	1.63	1.63	1.63	4.56	-	11.08 3.42 - 15.04	2.926 0.850 - 5.126	12.29	12.85	13.41	99
15+15+15+15+50	1.77	1.77	1.77	1.77	5.91	-	13.00 3.50 - 15.60	3.280 0.850 - 4.800	13.77	14.40	15.03	99
15+15+15+15+60	1.63	1.63	1.63	1.63	6.50	-	13.00 3.50 - 15.60	3.270 0.850 - 4.800	13.74	14.36	14.98	99
15+15+15+15+71	1.49	1.49	1.49	1.49	7.05	-	13.00 3.50 - 15.60	3.253 0.850 - 4.783	13.67	14.29	14.91	99
15+15+15+18+18	1.86	1.86	1.86	2.24	2.24	-	10.06 3.44 - 14.52	2.387 0.850 - 4.907	10.02	10.48	10.94	99
15+15+15+18+20	1.95	1.95	1.95	2.34	2.60	-	10.81 3.45 - 14.76	2.587 0.850 - 4.887	10.87	11.36	11.85	99
15+15+15+18+22	2.01	2.01	2.01	2.41	2.94	-	11.37 3.47 - 15.00	2.794 0.850 - 4.874	11.74	12.27	12.80	99
15+15+15+18+25	2.12	2.12	2.12	2.55	3.54	-	12.45 3.49 - 15.36	3.077 0.850 - 4.827	12.92	13.51	14.10	99
15+15+15+18+35	1.71	1.71	1.71	2.05	3.99	-	11.18 3.42 - 15.04	2.917 0.850 - 5.117	12.25	12.81	13.37	99
15+15+15+18+42	1.70	1.70	1.70	2.04	4.76	-	11.90 3.45 - 15.25	3.057 0.850 - 4.997	12.85	13.43	14.01	99
15+15+15+18+50	1.74	1.74	1.74	2.09	5.80	-	13.10 3.50 - 15.60	3.271 0.850 - 4.791	13.75	14.37	14.99	99
15+15+15+18+60	1.60	1.60	1.60	1.92	6.39	-	13.10 3.50 - 15.60	3.261 0.850 - 4.791	13.70	14.32	14.94	99
15+15+15+18+71	1.47	1.47	1.47	1.76	6.94	-	13.10 3.50 - 15.60	3.244 0.850 - 4.774	13.63	14.25	14.87	99
15+15+15+20+20	2.02	2.02	2.02	2.70	2.70	-	11.47 3.47 - 15.00	2.768 0.850 - 4.848	11.63	12.16	12.69	99
15+15+15+20+22	2.06	2.06	2.06	2.74	3.01	-	11.92 3.48 - 15.24	3.001 0.850 - 4.851	12.61	13.18	13.75	99
15+15+15+20+25	2.17	2.17	2.17	2.89	3.61	-	13.00 3.50 - 15.60	3.284 0.850 - 4.804	13.79	14.42	15.05	99
15+15+15+20+35	1.59	1.59	1.59	2.12	3.71	-	10.60 3.40 - 14.90	2.834 0.850 - 5.204	11.91	12.45	12.99	99
15+15+15+20+42	1.72	1.72	1.72	2.30	4.82	-	12.28 3.47 - 15.39	3.154 0.850 - 4.924	13.25	13.85	14.45	99
15+15+15+20+50	1.70	1.70	1.70	2.26	5.65	-	13.00 3.50 - 15.60	3.278 0.850 - 4.798	13.77	14.40	15.03	99
15+15+15+20+60	1.56	1.56	1.56	2.08	6.24	-	13.00 3.50 - 15.60	3.268 0.850 - 4.798	13.73	14.35	14.97	99
15+15+15+20+71	1.43	1.43	1.43	1.91	6.79	-	13.00 3.50 - 15.60	3.251 0.850 - 4.781	13.66	14.28	14.90	99
15+15+15+22+22	2.14	2.14	2.14	3.13	3.13	-	12.67 3.49 - 15.48	3.165 0.850 - 4.795	13.30	13.90	14.50	99
15+15+15+22+25	2.06	2.06	2.06	3.02	3.43	-	12.62 3.48 - 15.46	3.187 0.850 - 4.877	13.39	14.00	14.61	99
15+15+15+22+35	1.64	1.64	1.64	2.41	3.84	-	11.18 3.42 - 15.04	2.917 0.850 - 5.117	12.25	12.81	13.37	99
15+15+15+22+42	1.77	1.77	1.77	2.60	4.96	-	12.86 3.49 - 15.53	3.237 0.850 - 4.837	13.60	14.22	14.84	99
15+15+15+22+50	1.68	1.68	1.68	2.46	5.60	-	13.10 3.50 - 15.60	3.271 0.850 - 4.791	13.75	14.37	14.99	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
15+15+15+22+60	1.55	1.55	1.55	2.27	6.19	-	13.10 3.50 - 15.60	0.850	3.261 - 4.791	13.70	14.32	14.94	99
15+15+15+22+71	1.42	1.42	1.42	2.09	6.74	-	13.10 3.50 - 15.60	0.850	3.244 - 4.774	13.63	14.25	14.87	99
15+15+15+25+25	1.88	1.88	1.88	3.13	3.13	-	11.90 3.45 - 15.25	0.850	3.038 - 4.978	12.76	13.34	13.92	99
15+15+15+25+35	1.70	1.70	1.70	2.83	3.97	-	11.90 3.45 - 15.25	0.850	3.057 - 4.997	12.85	13.43	14.01	99
15+15+15+25+42	1.75	1.75	1.75	2.92	4.91	-	13.10 3.50 - 15.60	0.850	3.277 - 4.797	13.76	14.39	15.02	99
15+15+15+25+50	1.64	1.64	1.64	2.73	5.46	-	13.10 3.50 - 15.60	0.850	3.261 - 4.791	13.70	14.32	14.94	99
15+15+15+25+60	1.51	1.51	1.51	2.52	6.05	-	13.10 3.50 - 15.60	0.850	3.261 - 4.791	13.70	14.32	14.94	99
15+15+15+25+71	1.39	1.39	1.39	2.32	6.60	-	13.10 3.50 - 15.60	0.850	3.244 - 4.774	13.63	14.25	14.87	99
15+15+15+35+35	1.71	1.71	1.71	3.99	3.99	-	13.10 3.50 - 15.60	0.850	3.258 - 4.778	13.69	14.31	14.93	99
15+15+15+35+50	1.51	1.51	1.51	3.53	5.04	-	13.10 3.50 - 15.60	0.850	3.267 - 4.797	13.73	14.35	14.97	99
15+15+15+35+60	1.40	1.40	1.40	3.28	5.61	-	13.10 3.50 - 15.60	0.850	3.261 - 4.791	13.70	14.32	14.94	99
15+15+15+35+71	1.30	1.30	1.30	3.04	6.16	-	13.10 3.50 - 15.60	0.850	3.234 - 4.774	13.58	14.20	14.82	99
15+15+15+42+42	1.52	1.52	1.52	4.27	4.27	-	13.10 3.50 - 15.60	0.850	3.248 - 4.778	13.64	14.26	14.88	99
15+15+15+42+50	1.43	1.43	1.43	4.02	4.78	-	13.10 3.50 - 15.60	0.850	3.255 - 4.785	13.68	14.30	14.92	99
15+15+15+42+60	1.34	1.34	1.34	3.74	5.35	-	13.10 3.50 - 15.60	0.850	3.255 - 4.785	13.68	14.30	14.92	99
15+15+15+42+71	1.24	1.24	1.24	3.48	5.89	-	13.10 3.50 - 15.60	0.850	3.228 - 4.768	13.56	14.18	14.80	99
15+15+15+50+50	1.36	1.36	1.36	4.52	4.52	-	13.10 3.50 - 15.60	0.850	3.242 - 4.772	13.62	14.24	14.86	99
15+15+15+50+60	1.27	1.27	1.27	4.23	5.07	-	13.10 3.50 - 15.60	0.850	3.245 - 4.785	13.63	14.25	14.87	99
15+15+15+50+71	1.18	1.18	1.18	3.95	5.60	-	13.10 3.50 - 15.60	0.850	3.228 - 4.768	13.56	14.18	14.80	99
15+15+15+60+60	1.19	1.19	1.19	4.76	4.76	-	13.10 3.50 - 15.60	0.850	3.232 - 4.772	13.57	14.19	14.81	99
15+15+15+60+71	1.12	1.12	1.12	4.47	5.28	-	13.10 3.50 - 15.60	0.850	3.211 - 4.751	13.49	14.10	14.71	99
15+15+18+18+18	1.99	1.99	2.39	2.39	2.39	-	11.14 3.46 - 14.88	0.850	2.645 - 4.835	11.11	11.62	12.13	99
15+15+18+18+20	2.07	2.07	2.49	2.49	2.77	-	11.89 3.47 - 15.12	0.850	2.878 - 4.838	12.09	12.64	13.19	99
15+15+18+18+22	2.12	2.12	2.55	2.55	3.11	-	12.45 3.49 - 15.36	0.850	3.075 - 4.825	12.91	13.50	14.09	99
15+15+18+18+25	2.14	2.14	2.56	2.56	3.56	-	12.96 3.49 - 15.53	0.850	3.228 - 4.828	13.56	14.18	14.80	99
15+15+18+18+35	1.64	1.64	1.97	1.97	3.83	-	11.04 3.41 - 14.97	0.850	2.868 - 5.148	12.05	12.60	13.15	99
15+15+18+18+42	1.77	1.77	2.12	2.12	4.95	-	12.72 3.48 - 15.46	0.850	3.178 - 4.868	13.35	13.96	14.57	99
15+15+18+18+50	1.71	1.71	2.05	2.05	5.69	-	13.20 3.50 - 15.60	0.850	3.262 - 4.782	13.71	14.33	14.95	99
15+15+18+18+60	1.57	1.57	1.89	1.89	6.29	-	13.20 3.50 - 15.60	0.850	3.252 - 4.782	13.66	14.28	14.90	99
15+15+18+18+71	1.45	1.45	1.73	1.73	6.84	-	13.20 3.50 - 15.60	0.850	3.235 - 4.765	13.59	14.21	14.83	99
15+15+18+20+20	2.14	2.14	2.57	2.85	2.85	-	12.55 3.49 - 15.36	0.850	3.049 - 4.799	12.81	13.39	13.97	99
15+15+18+20+22	2.17	2.17	2.60	2.89	3.18	-	13.00 3.50 - 15.60	0.850	3.282 - 4.802	13.78	14.41	15.04	99
15+15+18+20+25	2.00	2.00	2.40	2.66	3.33	-	12.38 3.47 - 15.39	0.850	3.145 - 4.915	13.21	13.81	14.41	99
15+15+18+20+35	1.66	1.66	2.00	2.22	3.88	-	11.42 3.43 - 15.11	0.850	2.965 - 5.075	12.45	13.02	13.59	99
15+15+18+20+42	1.79	1.79	2.14	2.38	5.00	-	13.10 3.50 - 15.60	0.850	3.275 - 4.795	13.75	14.38	15.01	99
15+15+18+20+50	1.67	1.67	2.00	2.22	5.55	-	13.10 3.50 - 15.60	0.850	3.259 - 4.789	13.69	14.31	14.93	99
15+15+18+20+60	1.54	1.54	1.84	2.05	6.14	-	13.10 3.50 - 15.60	0.850	3.259 - 4.789	13.69	14.31	14.93	99
15+15+18+20+71	1.41	1.41	1.70	1.88	6.69	-	13.10 3.50 - 15.60	0.850	3.242 - 4.772	13.62	14.24	14.86	99
15+15+18+22+22	2.06	2.06	2.47	3.02	3.02	-	12.62 3.48 - 15.46	0.850	3.166 - 4.856	13.30	13.90	14.50	99
15+15+18+22+25	1.89	1.89	2.27	2.78	3.16	-	12.00 3.45 - 15.25	0.850	3.048 - 4.988	12.81	13.39	13.97	99
15+15+18+22+35	1.71	1.71	2.06	2.51	4.00	-	12.00 3.45 - 15.25	0.850	3.048 - 4.988	12.81	13.39	13.97	99
15+15+18+22+42	1.77	1.77	2.12	2.59	4.95	-	13.20 3.50 - 15.60	0.850	3.268 - 4.788	13.73	14.35	14.97	99
15+15+18+22+50	1.65	1.65	1.98	2.42	5.50	-	13.20 3.50 - 15.60	0.850	3.252 - 4.782	13.66	14.28	14.90	99
15+15+18+22+60	1.52	1.52	1.83	2.23	6.09	-	13.20 3.50 - 15.60	0.850	3.252 - 4.782	13.66	14.28	14.90	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
15+15+18+22+71	1.40	1.40	1.69	2.06	6.65	-	13.20 3.50 - 15.60	3.235 0.850 - 4.765	13.59	14.21	14.83	99	
15+15+18+25+25	1.73	1.73	2.07	2.88	2.88	-	11.28 3.42 - 15.04	2.889 0.850 - 5.089	12.14	12.69	13.24	99	
15+15+18+25+35	1.77	1.77	2.12	2.94	4.12	-	12.72 3.48 - 15.46	3.178 0.850 - 4.868	13.35	13.96	14.57	99	
15+15+18+25+42	1.72	1.72	2.07	2.87	4.82	-	13.20 3.50 - 15.60	3.268 0.850 - 4.788	13.73	14.35	14.97	99	
15+15+18+25+50	1.61	1.61	1.93	2.68	5.37	-	13.20 3.50 - 15.60	3.252 0.850 - 4.782	13.66	14.28	14.90	99	
15+15+18+25+60	1.49	1.49	1.79	2.48	5.95	-	13.20 3.50 - 15.60	3.252 0.850 - 4.782	13.66	14.28	14.90	99	
15+15+18+25+71	1.38	1.38	1.65	2.29	6.51	-	13.20 3.50 - 15.60	3.235 0.850 - 4.765	13.59	14.21	14.83	99	
15+15+18+35+35	1.68	1.68	2.01	3.92	3.92	-	13.20 3.50 - 15.60	3.239 0.850 - 4.769	13.60	14.22	14.84	99	
15+15+18+35+42	1.58	1.58	1.90	3.70	4.44	-	13.20 3.50 - 15.60	3.258 0.850 - 4.788	13.69	14.31	14.93	99	
15+15+18+35+50	1.49	1.49	1.79	3.47	4.96	-	13.20 3.50 - 15.60	3.252 0.850 - 4.782	13.66	14.28	14.90	99	
15+15+18+35+60	1.38	1.38	1.66	3.23	5.54	-	13.20 3.50 - 15.60	3.252 0.850 - 4.782	13.66	14.28	14.90	99	
15+15+18+35+71	1.29	1.29	1.54	3.00	6.09	-	13.20 3.50 - 15.60	3.225 0.850 - 4.765	13.54	14.16	14.78	99	
15+15+18+42+42	1.50	1.50	1.80	4.20	4.20	-	13.20 3.50 - 15.60	3.239 0.850 - 4.769	13.60	14.22	14.84	99	
15+15+18+42+50	1.41	1.41	1.70	3.96	4.71	-	13.20 3.50 - 15.60	3.246 0.850 - 4.776	13.64	14.26	14.88	99	
15+15+18+42+60	1.32	1.32	1.58	3.70	5.28	-	13.20 3.50 - 15.60	3.246 0.850 - 4.776	13.64	14.26	14.88	99	
15+15+18+42+71	1.23	1.23	1.48	3.44	5.82	-	13.20 3.50 - 15.60	3.219 0.850 - 4.759	13.53	14.14	14.75	99	
15+15+18+50+50	1.34	1.34	1.61	4.46	4.46	-	13.20 3.50 - 15.60	3.233 0.850 - 4.763	13.58	14.20	14.82	99	
15+15+18+50+60	1.25	1.25	1.50	4.18	5.01	-	13.20 3.50 - 15.60	3.236 0.850 - 4.776	13.59	14.21	14.83	99	
15+15+18+50+71	1.17	1.17	1.41	3.91	5.55	-	13.20 3.50 - 15.60	3.219 0.850 - 4.759	13.53	14.14	14.75	99	
15+15+18+60+60	1.18	1.18	1.41	4.71	4.71	-	13.20 3.50 - 15.60	3.223 0.850 - 4.763	13.53	14.15	14.77	99	
15+15+18+60+71	1.11	1.11	1.33	4.42	5.24	-	13.20 3.50 - 15.60	3.202 0.850 - 4.742	13.45	14.06	14.67	99	
15+15+20+20+20	2.20	2.20	2.93	2.93	2.93	-	13.20 3.50 - 15.60	3.226 0.850 - 4.746	13.55	14.17	14.79	99	
15+15+20+20+22	2.03	2.03	2.70	2.70	2.97	-	12.42 3.48 - 15.46	3.199 0.850 - 4.889	13.44	14.05	14.66	99	
15+15+20+20+25	1.86	1.86	2.48	2.48	3.11	-	11.80 3.45 - 15.25	3.062 0.850 - 5.002	12.87	13.45	14.03	99	
15+15+20+20+35	1.69	1.69	2.25	2.25	3.93	-	11.80 3.45 - 15.25	3.062 0.850 - 5.002	12.87	13.45	14.03	99	
15+15+20+20+42	1.74	1.74	2.32	2.32	4.88	-	13.00 3.50 - 15.60	3.282 0.850 - 4.802	13.78	14.41	15.04	99	
15+15+20+20+50	1.63	1.63	2.17	2.17	5.42	-	13.00 3.50 - 15.60	3.266 0.850 - 4.796	13.72	14.34	14.96	99	
15+15+20+20+60	1.50	1.50	2.00	2.00	6.00	-	13.00 3.50 - 15.60	3.266 0.850 - 4.796	13.72	14.34	14.96	99	
15+15+20+20+71	1.38	1.38	1.84	1.84	6.55	-	13.00 3.50 - 15.60	3.249 0.850 - 4.779	13.65	14.27	14.89	99	
15+15+20+22+22	1.92	1.92	2.56	2.82	2.82	-	12.04 3.46 - 15.32	3.083 0.850 - 4.943	12.95	13.54	14.13	99	
15+15+20+22+25	1.77	1.77	2.35	2.59	2.94	-	11.42 3.43 - 15.11	2.965 0.850 - 5.075	12.45	13.02	13.59	99	
15+15+20+22+35	1.74	1.74	2.31	2.55	4.05	-	12.38 3.47 - 15.39	3.145 0.850 - 4.915	13.21	13.81	14.41	99	
15+15+20+22+42	1.72	1.72	2.30	2.53	4.83	-	13.10 3.50 - 15.60	3.275 0.850 - 4.795	13.75	14.38	15.01	99	
15+15+20+22+60	1.49	1.49	1.98	2.18	5.95	-	13.10 3.50 - 15.60	3.259 0.850 - 4.789	13.69	14.31	14.93	99	
15+15+20+22+71	1.37	1.37	1.83	2.02	6.50	-	13.10 3.50 - 15.60	3.242 0.850 - 4.772	13.62	14.24	14.86	99	
15+15+20+25+25	1.61	1.61	2.14	2.68	2.68	-	10.70 3.40 - 14.90	2.806 0.850 - 5.176	11.78	12.32	12.86	99	
15+15+20+25+35	1.79	1.79	2.38	2.98	4.17	-	13.10 3.50 - 15.60	3.275 0.850 - 4.795	13.75	14.38	15.01	99	
15+15+20+25+42	1.68	1.68	2.24	2.80	4.70	-	13.10 3.50 - 15.60	3.275 0.850 - 4.795	13.75	14.38	15.01	99	
15+15+20+25+50	1.57	1.57	2.10	2.62	5.24	-	13.10 3.50 - 15.60	3.259 0.850 - 4.789	13.69	14.31	14.93	99	
15+15+20+25+60	1.46	1.46	1.94	2.43	5.82	-	13.10 3.50 - 15.60	3.259 0.850 - 4.789	13.69	14.31	14.93	99	
15+15+20+25+71	1.35	1.35	1.79	2.24	6.37	-	13.10 3.50 - 15.60	3.242 0.850 - 4.772	13.62	14.24	14.86	99	
15+15+20+35+35	1.64	1.64	2.18	3.82	3.82	-	13.10 3.50 - 15.60	3.246 0.850 - 4.776	13.64	14.26	14.88	99	
15+15+20+35+42	1.55	1.55	2.06	3.61	4.33	-	13.10 3.50 - 15.60	3.265 0.850 - 4.795	13.72	14.34	14.96	99	
15+15+20+35+50	1.46	1.46	1.94	3.40	4.85	-	13.10 3.50 - 15.60	3.259 0.850 - 4.789	13.69	14.31	14.93	99	

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
15+15+20+35+60	1.36	1.36	1.81	3.16	5.42	-	13.10 3.50 - 15.60	3.259 0.850 - 4.789	13.69	14.31	14.93	99
15+15+20+35+71	1.26	1.26	1.68	2.94	5.96	-	13.10 3.50 - 15.60	3.232 0.850 - 4.772	13.57	14.19	14.81	99
15+15+20+42+42	1.47	1.47	1.96	4.11	4.11	-	13.10 3.50 - 15.60	3.246 0.850 - 4.776	13.64	14.26	14.88	99
15+15+20+42+50	1.38	1.38	1.85	3.87	4.61	-	13.10 3.50 - 15.60	3.253 0.850 - 4.783	13.67	14.29	14.91	99
15+15+20+42+60	1.29	1.29	1.72	3.62	5.17	-	13.10 3.50 - 15.60	3.243 0.850 - 4.783	13.62	14.24	14.86	99
15+15+20+42+71	1.21	1.21	1.61	3.38	5.71	-	13.10 3.50 - 15.60	3.226 0.850 - 4.766	13.55	14.17	14.79	99
15+15+20+50+50	1.31	1.31	1.75	4.37	4.37	-	13.10 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
15+15+20+50+60	1.23	1.23	1.64	4.09	4.91	-	13.10 3.50 - 15.60	3.243 0.850 - 4.783	13.62	14.24	14.86	99
15+15+20+50+71	1.15	1.15	1.53	3.83	5.44	-	13.10 3.50 - 15.60	3.226 0.850 - 4.766	13.55	14.17	14.79	99
15+15+20+60+60	1.16	1.16	1.54	4.62	4.62	-	13.10 3.50 - 15.60	3.230 0.850 - 4.770	13.57	14.19	14.81	99
15+15+22+22+22	1.82	1.82	2.67	2.67	2.67	-	11.66 3.44 - 15.18	2.959 0.850 - 4.989	12.43	13.00	13.57	99
15+15+22+22+25	1.67	1.67	2.45	2.45	2.79	-	11.04 3.41 - 14.97	2.868 0.850 - 5.148	12.05	12.60	13.15	99
15+15+22+22+35	1.78	1.78	2.62	2.62	4.16	-	12.96 3.49 - 15.53	3.228 0.850 - 4.828	13.56	14.18	14.80	99
15+15+22+22+42	1.71	1.71	2.50	2.50	4.78	-	13.20 3.50 - 15.60	3.268 0.850 - 4.788	13.73	14.35	14.97	99
15+15+22+22+50	1.60	1.60	2.34	2.34	5.32	-	13.20 3.50 - 15.60	3.252 0.850 - 4.782	13.66	14.28	14.90	99
15+15+22+22+60	1.48	1.48	2.17	2.17	5.91	-	13.20 3.50 - 15.60	3.252 0.850 - 4.782	13.66	14.28	14.90	99
15+15+22+22+71	1.37	1.37	2.00	2.00	6.46	-	13.20 3.50 - 15.60	3.235 0.850 - 4.765	13.59	14.21	14.83	99
15+15+22+25+25	1.66	1.66	2.43	2.76	2.76	-	11.28 3.42 - 15.04	2.889 0.850 - 5.089	12.14	12.69	13.24	99
15+15+22+25+35	1.77	1.77	2.59	2.95	4.13	-	13.20 3.50 - 15.60	3.268 0.850 - 4.788	13.73	14.35	14.97	99
15+15+22+25+42	1.66	1.66	2.44	2.77	4.66	-	13.20 3.50 - 15.60	3.258 0.850 - 4.788	13.69	14.31	14.93	99
15+15+22+25+50	1.56	1.56	2.29	2.60	5.20	-	13.20 3.50 - 15.60	3.252 0.850 - 4.782	13.66	14.28	14.90	99
15+15+22+25+60	1.45	1.45	2.12	2.41	5.78	-	13.20 3.50 - 15.60	3.252 0.850 - 4.782	13.66	14.28	14.90	99
15+15+22+25+71	1.34	1.34	1.96	2.23	6.33	-	13.20 3.50 - 15.60	3.235 0.850 - 4.765	13.59	14.21	14.83	99
15+15+22+35+42	1.53	1.53	2.25	3.58	4.30	-	13.20 3.50 - 15.60	3.239 0.850 - 4.769	13.60	14.22	14.84	99
15+15+22+35+50	1.45	1.45	2.12	3.37	4.82	-	13.20 3.50 - 15.60	3.252 0.850 - 4.782	13.66	14.28	14.90	99
15+15+22+35+60	1.35	1.35	1.98	3.14	5.39	-	13.20 3.50 - 15.60	3.252 0.850 - 4.782	13.66	14.28	14.90	99
15+15+22+35+71	1.25	1.25	1.84	2.92	5.93	-	13.20 3.50 - 15.60	3.225 0.850 - 4.765	13.54	14.16	14.78	99
15+15+22+42+42	1.46	1.46	2.14	4.08	4.08	-	13.20 3.50 - 15.60	3.239 0.850 - 4.769	13.60	14.22	14.84	99
15+15+22+42+50	1.38	1.38	2.02	3.85	4.58	-	13.20 3.50 - 15.60	3.246 0.850 - 4.776	13.64	14.26	14.88	99
15+15+22+42+60	1.29	1.29	1.89	3.60	5.14	-	13.20 3.50 - 15.60	3.236 0.850 - 4.776	13.59	14.21	14.83	99
15+15+22+42+71	1.20	1.20	1.76	3.36	5.68	-	13.20 3.50 - 15.60	3.219 0.850 - 4.759	13.53	14.14	14.75	99
15+15+22+50+50	1.30	1.30	1.91	4.34	4.34	-	13.20 3.50 - 15.60	3.223 0.850 - 4.763	13.53	14.15	14.77	99
15+15+22+50+60	1.22	1.22	1.79	4.07	4.89	-	13.20 3.50 - 15.60	3.236 0.850 - 4.776	13.59	14.21	14.83	99
15+15+22+50+71	1.14	1.14	1.68	3.82	5.42	-	13.20 3.50 - 15.60	3.219 0.850 - 4.759	13.53	14.14	14.75	99
15+15+22+60+60	1.15	1.15	1.69	4.60	4.60	-	13.20 3.50 - 15.60	3.223 0.850 - 4.763	13.53	14.15	14.77	99
15+15+25+25+25	1.71	1.71	2.86	2.86	2.86	-	12.00 3.45 - 15.25	3.002 0.850 - 4.942	12.61	13.18	13.75	99
15+15+25+25+35	1.72	1.72	2.87	2.87	4.02	-	13.20 3.50 - 15.60	3.268 0.850 - 4.788	13.73	14.35	14.97	99
15+15+25+25+50	1.52	1.52	2.54	2.54	5.08	-	13.20 3.50 - 15.60	3.258 0.850 - 4.788	13.69	14.31	14.93	99
15+15+25+25+60	1.41	1.41	2.36	2.36	5.66	-	13.20 3.50 - 15.60	3.252 0.850 - 4.782	13.66	14.28	14.90	99
15+15+25+25+71	1.31	1.31	2.19	2.19	6.21	-	13.20 3.50 - 15.60	3.225 0.850 - 4.765	13.54	14.16	14.78	99
15+15+25+35+35	1.58	1.58	2.64	3.70	3.70	-	13.20 3.50 - 15.60	3.239 0.850 - 4.769	13.60	14.22	14.84	99
15+15+25+35+42	1.50	1.50	2.50	3.50	4.20	-	13.20 3.50 - 15.60	3.258 0.850 - 4.788	13.69	14.31	14.93	99
15+15+25+35+50	1.41	1.41	2.36	3.30	4.71	-	13.20 3.50 - 15.60	3.252 0.850 - 4.782	13.66	14.28	14.90	99
15+15+25+35+60	1.32	1.32	2.20	3.08	5.28	-	13.20 3.50 - 15.60	3.252 0.850 - 4.782	13.66	14.28	14.90	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
15+15+25+35+71	1.23	1.23	2.05	2.87	5.82	-	13.20 3.50 - 15.60	3.225 0.850 - 4.765	13.54	14.16	14.78	99	
15+15+25+42+42	1.42	1.42	2.37	3.99	3.99	-	13.20 3.50 - 15.60	3.239 0.850 - 4.769	13.60	14.22	14.84	99	
15+15+25+42+50	1.35	1.35	2.24	3.77	4.49	-	13.20 3.50 - 15.60	3.246 0.850 - 4.776	13.64	14.26	14.88	99	
15+15+25+42+60	1.26	1.26	2.10	3.53	5.04	-	13.20 3.50 - 15.60	3.236 0.850 - 4.776	13.59	14.21	14.83	99	
15+15+25+42+71	1.18	1.18	1.96	3.30	5.58	-	13.20 3.50 - 15.60	3.219 0.850 - 4.759	13.53	14.14	14.75	99	
15+15+25+50+50	1.28	1.28	2.13	4.26	4.26	-	13.20 3.50 - 15.60	3.223 0.850 - 4.763	13.53	14.15	14.77	99	
15+15+25+50+60	1.20	1.20	2.00	4.00	4.80	-	13.20 3.50 - 15.60	3.236 0.850 - 4.776	13.59	14.21	14.83	99	
15+15+25+50+71	1.13	1.13	1.88	3.75	5.33	-	13.20 3.50 - 15.60	3.219 0.850 - 4.759	13.53	14.14	14.75	99	
15+15+25+60+60	1.13	1.13	1.89	4.53	4.53	-	13.20 3.50 - 15.60	3.223 0.850 - 4.763	13.53	14.15	14.77	99	
15+15+35+35+35	1.47	1.47	3.42	3.42	3.42	-	13.20 3.50 - 15.60	3.212 0.850 - 4.742	13.50	14.11	14.72	99	
15+15+35+35+42	1.39	1.39	3.25	3.25	3.90	-	13.20 3.50 - 15.60	3.258 0.850 - 4.788	13.69	14.31	14.93	99	
15+15+35+35+50	1.32	1.32	3.08	3.08	4.40	-	13.20 3.50 - 15.60	3.252 0.850 - 4.782	13.66	14.28	14.90	99	
15+15+35+35+60	1.24	1.24	2.89	2.89	4.95	-	13.20 3.50 - 15.60	3.242 0.850 - 4.782	13.62	14.24	14.86	99	
15+15+35+35+71	1.16	1.16	2.70	2.70	5.48	-	13.20 3.50 - 15.60	3.225 0.850 - 4.765	13.54	14.16	14.78	99	
15+15+35+42+42	1.33	1.33	3.10	3.72	3.72	-	13.20 3.50 - 15.60	3.239 0.850 - 4.769	13.60	14.22	14.84	99	
15+15+35+42+50	1.26	1.26	2.94	3.53	4.20	-	13.20 3.50 - 15.60	3.236 0.850 - 4.776	13.59	14.21	14.83	99	
15+15+35+42+60	1.19	1.19	2.77	3.32	4.74	-	13.20 3.50 - 15.60	3.236 0.850 - 4.776	13.59	14.21	14.83	99	
15+15+35+42+71	1.11	1.11	2.60	3.11	5.27	-	13.20 3.50 - 15.60	3.219 0.850 - 4.759	13.53	14.14	14.75	99	
15+15+35+50+50	1.20	1.20	2.80	4.00	4.00	-	13.20 3.50 - 15.60	3.223 0.850 - 4.763	13.53	14.15	14.77	99	
15+15+35+50+60	1.13	1.13	2.64	3.77	4.53	-	13.20 3.50 - 15.60	3.236 0.850 - 4.776	13.59	14.21	14.83	99	
15+15+42+42+42	1.27	1.27	3.55	3.55	3.55	-	13.20 3.50 - 15.60	3.219 0.850 - 4.759	13.53	14.14	14.75	99	
15+15+42+42+50	1.21	1.21	3.38	3.38	4.02	-	13.20 3.50 - 15.60	3.230 0.850 - 4.770	13.57	14.19	14.81	99	
15+15+42+42+60	1.14	1.14	3.19	3.19	4.55	-	13.20 3.50 - 15.60	3.230 0.850 - 4.770	13.57	14.19	14.81	99	
15+15+42+50+50	1.15	1.15	3.22	3.84	3.84	-	13.20 3.50 - 15.60	3.213 0.850 - 4.753	13.50	14.11	14.72	99	
15+15+50+50+50	1.10	1.10	3.67	3.67	3.67	-	13.20 3.50 - 15.60	3.230 0.850 - 4.770	13.57	14.19	14.81	99	
15+18+18+18+18	2.11	2.53	2.53	2.53	2.53	-	12.22 3.48 - 15.24	2.960 0.850 - 4.810	12.43	13.00	13.57	99	
15+18+18+18+20	2.19	2.62	2.62	2.62	2.91	-	12.97 3.49 - 15.48	3.159 0.850 - 4.789	13.27	13.87	14.47	99	
15+18+18+18+22	2.14	2.56	2.56	2.56	3.13	-	12.96 3.49 - 15.53	3.226 0.850 - 4.826	13.55	14.17	14.79	99	
15+18+18+18+25	1.97	2.36	2.36	2.36	3.28	-	12.34 3.46 - 15.32	3.079 0.850 - 4.939	12.93	13.52	14.11	99	
15+18+18+18+35	1.71	2.05	2.05	2.05	3.99	-	11.86 3.44 - 15.18	2.989 0.850 - 5.019	12.56	13.13	13.70	99	
15+18+18+18+42	1.80	2.16	2.16	2.16	5.03	-	13.30 3.50 - 15.60	3.259 0.850 - 4.779	13.69	14.31	14.93	99	
15+18+18+18+50	1.68	2.01	2.01	2.01	5.59	-	13.30 3.50 - 15.60	3.243 0.850 - 4.773	13.62	14.24	14.86	99	
15+18+18+18+60	1.55	1.86	1.86	1.86	6.19	-	13.30 3.50 - 15.60	3.243 0.850 - 4.773	13.62	14.24	14.86	99	
15+18+18+18+71	1.43	1.71	1.71	1.71	6.75	-	13.30 3.50 - 15.60	3.226 0.850 - 4.756	13.55	14.17	14.79	99	
15+18+18+20+20	2.15	2.58	2.58	2.87	2.87	-	13.06 3.49 - 15.53	3.200 0.850 - 4.800	13.44	14.05	14.66	99	
15+18+18+20+22	2.00	2.40	2.40	2.66	2.93	-	12.38 3.47 - 15.39	3.143 0.850 - 4.913	13.20	13.80	14.40	99	
15+18+18+20+25	1.84	2.21	2.21	2.45	3.06	-	11.76 3.44 - 15.18	2.996 0.850 - 5.026	12.59	13.16	13.73	99	
15+18+18+20+35	1.73	2.08	2.08	2.31	4.04	-	12.24 3.46 - 15.32	3.086 0.850 - 4.946	12.96	13.55	14.14	99	
15+18+18+20+42	1.75	2.10	2.10	2.34	4.91	-	13.20 3.50 - 15.60	3.266 0.850 - 4.786	13.72	14.34	14.96	99	
15+18+18+20+50	1.64	1.96	1.96	2.18	5.45	-	13.20 3.50 - 15.60	3.250 0.850 - 4.780	13.65	14.27	14.89	99	
15+18+18+20+60	1.51	1.81	1.81	2.02	6.05	-	13.20 3.50 - 15.60	3.250 0.850 - 4.780	13.65	14.27	14.89	99	
15+18+18+20+71	1.39	1.67	1.67	1.86	6.60	-	13.20 3.50 - 15.60	3.233 0.850 - 4.763	13.58	14.20	14.82	99	
15+18+18+22+22	1.89	2.27	2.27	2.78	2.78	-	12.00 3.45 - 15.25	3.027 0.850 - 4.967	12.71	13.29	13.87	99	
15+18+18+22+25	1.74	2.09	2.09	2.55	2.90	-	11.38 3.42 - 15.04	2.899 0.850 - 5.099	12.18	12.73	13.28	99	

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
15+18+18+22+35	1.78	2.14	2.14	2.61	4.15	-	12.82 3.48 - 15.46	3.169 0.850 - 4.859	13.31	13.92	14.53	99	
15+18+18+22+42	1.73	2.08	2.08	2.54	4.86	-	13.30 3.50 - 15.60	3.259 0.850 - 4.779	13.69	14.31	14.93	99	
15+18+18+22+50	1.62	1.95	1.95	2.38	5.41	-	13.30 3.50 - 15.60	3.243 0.850 - 4.773	13.62	14.24	14.86	99	
15+18+18+22+60	1.50	1.80	1.80	2.20	6.00	-	13.30 3.50 - 15.60	3.243 0.850 - 4.773	13.62	14.24	14.86	99	
15+18+18+22+71	1.39	1.66	1.66	2.03	6.56	-	13.30 3.50 - 15.60	3.226 0.850 - 4.756	13.55	14.17	14.79	99	
15+18+18+25+25	1.65	1.99	1.99	2.76	2.76	-	11.14 3.41 - 14.97	2.840 0.850 - 5.120	11.93	12.47	13.01	99	
15+18+18+25+35	1.80	2.16	2.16	3.00	4.19	-	13.30 3.50 - 15.60	3.259 0.850 - 4.779	13.69	14.31	14.93	99	
15+18+18+25+42	1.69	2.03	2.03	2.82	4.73	-	13.30 3.50 - 15.60	3.249 0.850 - 4.779	13.65	14.27	14.89	99	
15+18+18+25+50	1.58	1.90	1.90	2.64	5.28	-	13.30 3.50 - 15.60	3.243 0.850 - 4.773	13.62	14.24	14.86	99	
15+18+18+25+60	1.47	1.76	1.76	2.44	5.87	-	13.30 3.50 - 15.60	3.243 0.850 - 4.773	13.62	14.24	14.86	99	
15+18+18+25+71	1.36	1.63	1.63	2.26	6.42	-	13.30 3.50 - 15.60	3.226 0.850 - 4.756	13.55	14.17	14.79	99	
15+18+18+35+35	1.65	1.98	1.98	3.85	3.85	-	13.30 3.50 - 15.60	3.230 0.850 - 4.760	13.57	14.19	14.81	99	
15+18+18+35+42	1.56	1.87	1.87	3.64	4.36	-	13.30 3.50 - 15.60	3.249 0.850 - 4.779	13.65	14.27	14.89	99	
15+18+18+35+50	1.47	1.76	1.76	3.42	4.89	-	13.30 3.50 - 15.60	3.243 0.850 - 4.773	13.62	14.24	14.86	99	
15+18+18+35+60	1.37	1.64	1.64	3.19	5.47	-	13.30 3.50 - 15.60	3.243 0.850 - 4.773	13.62	14.24	14.86	99	
15+18+18+35+71	1.27	1.52	1.52	2.96	6.01	-	13.30 3.50 - 15.60	3.216 0.850 - 4.756	13.51	14.12	14.73	99	
15+18+18+42+42	1.48	1.77	1.77	4.14	4.14	-	13.30 3.50 - 15.60	3.230 0.850 - 4.760	13.57	14.19	14.81	99	
15+18+18+42+50	1.40	1.67	1.67	3.91	4.65	-	13.30 3.50 - 15.60	3.237 0.850 - 4.767	13.60	14.22	14.84	99	
15+18+18+42+60	1.30	1.56	1.56	3.65	5.22	-	13.30 3.50 - 15.60	3.227 0.850 - 4.767	13.55	14.17	14.79	99	
15+18+18+42+71	1.22	1.46	1.46	3.41	5.76	-	13.30 3.50 - 15.60	3.210 0.850 - 4.750	13.49	14.10	14.71	99	
15+18+18+50+50	1.32	1.59	1.59	4.40	4.40	-	13.30 3.50 - 15.60	3.214 0.850 - 4.754	13.51	14.12	14.73	99	
15+18+18+50+60	1.24	1.49	1.49	4.13	4.96	-	13.30 3.50 - 15.60	3.227 0.850 - 4.767	13.55	14.17	14.79	99	
15+18+18+50+71	1.16	1.39	1.39	3.87	5.49	-	13.30 3.50 - 15.60	3.210 0.850 - 4.750	13.49	14.10	14.71	99	
15+18+18+60+60	1.17	1.40	1.40	4.67	4.67	-	13.30 3.50 - 15.60	3.214 0.850 - 4.754	13.51	14.12	14.73	99	
15+18+20+20+20	2.03	2.43	2.71	2.71	2.71	-	12.58 3.47 - 15.39	3.083 0.850 - 4.853	12.95	13.54	14.13	99	
15+18+20+20+22	1.86	2.24	2.48	2.48	2.73	-	11.80 3.45 - 15.25	3.060 0.850 - 5.000	12.86	13.44	14.02	99	
15+18+20+20+25	1.71	2.05	2.28	2.28	2.85	-	11.18 3.42 - 15.04	2.913 0.850 - 5.113	12.23	12.79	13.35	99	
15+18+20+20+35	1.75	2.10	2.34	2.34	4.09	-	12.62 3.48 - 15.46	3.183 0.850 - 4.873	13.37	13.98	14.59	99	
15+18+20+20+42	1.71	2.05	2.28	2.28	4.78	-	13.10 3.50 - 15.60	3.273 0.850 - 4.793	13.75	14.37	14.99	99	
15+18+20+20+50	1.60	1.92	2.13	2.13	5.33	-	13.10 3.50 - 15.60	3.257 0.850 - 4.787	13.68	14.30	14.92	99	
15+18+20+20+60	1.48	1.77	1.97	1.97	5.91	-	13.10 3.50 - 15.60	3.257 0.850 - 4.787	13.68	14.30	14.92	99	
15+18+20+20+71	1.36	1.64	1.82	1.82	6.46	-	13.10 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99	
15+18+20+22+22	1.77	2.12	2.35	2.59	2.59	-	11.42 3.43 - 15.11	2.944 0.850 - 5.054	12.37	12.93	13.49	99	
15+18+20+22+25	1.62	1.94	2.16	2.38	2.70	-	10.80 3.40 - 14.90	2.816 0.850 - 5.186	11.83	12.37	12.91	99	
15+18+20+22+35	1.80	2.16	2.40	2.64	4.20	-	13.20 3.50 - 15.60	3.266 0.850 - 4.786	13.72	14.34	14.96	99	
15+18+20+22+42	1.69	2.03	2.26	2.48	4.74	-	13.20 3.50 - 15.60	3.266 0.850 - 4.786	13.72	14.34	14.96	99	
15+18+20+22+50	1.58	1.90	2.11	2.32	5.28	-	13.20 3.50 - 15.60	3.250 0.850 - 4.780	13.65	14.27	14.89	99	
15+18+20+22+60	1.47	1.76	1.96	2.15	5.87	-	13.20 3.50 - 15.60	3.250 0.850 - 4.780	13.65	14.27	14.89	99	
15+18+20+22+71	1.36	1.63	1.81	1.99	6.42	-	13.20 3.50 - 15.60	3.233 0.850 - 4.763	13.58	14.20	14.82	99	
15+18+20+25+25	1.68	2.01	2.24	2.80	2.80	-	11.52 3.43 - 15.11	2.937 0.850 - 5.047	12.34	12.90	13.46	99	
15+18+20+25+35	1.75	2.10	2.34	2.92	4.09	-	13.20 3.50 - 15.60	3.266 0.850 - 4.786	13.72	14.34	14.96	99	
15+18+20+25+42	1.65	1.98	2.20	2.75	4.62	-	13.20 3.50 - 15.60	3.256 0.850 - 4.786	13.68	14.30	14.92	99	
15+18+20+25+50	1.55	1.86	2.06	2.58	5.16	-	13.20 3.50 - 15.60	3.250 0.850 - 4.780	13.65	14.27	14.89	99	
15+18+20+25+60	1.43	1.72	1.91	2.39	5.74	-	13.20 3.50 - 15.60	3.250 0.850 - 4.780	13.65	14.27	14.89	99	

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
15+18+20+25+71	1.33	1.59	1.77	2.21	6.29	-	13.20 3.50 - 15.60	0.850	3.233 - 4.763	13.58	14.20	14.82	99
15+18+20+35+35	1.61	1.93	2.15	3.76	3.76	-	13.20 3.50 - 15.60	0.850	3.237 - 4.767	13.60	14.22	14.84	99
15+18+20+35+42	1.52	1.83	2.03	3.55	4.26	-	13.20 3.50 - 15.60	0.850	3.256 - 4.786	13.68	14.30	14.92	99
15+18+20+35+50	1.43	1.72	1.91	3.35	4.78	-	13.20 3.50 - 15.60	0.850	3.250 - 4.780	13.65	14.27	14.89	99
15+18+20+35+60	1.34	1.61	1.78	3.12	5.35	-	13.20 3.50 - 15.60	0.850	3.250 - 4.780	13.65	14.27	14.89	99
15+18+20+35+71	1.25	1.49	1.66	2.91	5.89	-	13.20 3.50 - 15.60	0.850	3.223 - 4.763	13.53	14.15	14.77	99
15+18+20+42+42	1.45	1.73	1.93	4.05	4.05	-	13.20 3.50 - 15.60	0.850	3.237 - 4.767	13.60	14.22	14.84	99
15+18+20+42+50	1.37	1.64	1.82	3.82	4.55	-	13.20 3.50 - 15.60	0.850	3.244 - 4.774	13.63	14.25	14.87	99
15+18+20+42+60	1.28	1.53	1.70	3.58	5.11	-	13.20 3.50 - 15.60	0.850	3.234 - 4.774	13.58	14.20	14.82	99
15+18+20+42+71	1.19	1.43	1.59	3.34	5.65	-	13.20 3.50 - 15.60	0.850	3.217 - 4.757	13.52	14.13	14.74	99
15+18+20+50+50	1.29	1.55	1.73	4.31	4.31	-	13.20 3.50 - 15.60	0.850	3.221 - 4.761	13.53	14.15	14.77	99
15+18+20+50+60	1.21	1.46	1.62	4.05	4.86	-	13.20 3.50 - 15.60	0.850	3.234 - 4.774	13.58	14.20	14.82	99
15+18+20+50+71	1.14	1.37	1.52	3.79	5.39	-	13.20 3.50 - 15.60	0.850	3.217 - 4.757	13.52	14.13	14.74	99
15+18+20+60+60	1.14	1.37	1.53	4.58	4.58	-	13.20 3.50 - 15.60	0.850	3.221 - 4.761	13.53	14.15	14.77	99
15+18+22+22+22	1.67	2.01	2.45	2.45	2.45	-	11.04 3.41 - 14.97	0.850	2.820 - 5.100	11.84	12.38	12.92	99
15+18+22+22+25	1.67	2.01	2.45	2.45	2.79	-	11.38 3.42 - 15.04	0.850	2.899 - 5.099	12.18	12.73	13.28	99
15+18+22+22+35	1.78	2.14	2.61	2.61	4.16	-	13.30 3.50 - 15.60	0.850	3.259 - 4.779	13.69	14.31	14.93	99
15+18+22+22+42	1.68	2.01	2.46	2.46	4.69	-	13.30 3.50 - 15.60	0.850	3.249 - 4.779	13.65	14.27	14.89	99
15+18+22+22+50	1.57	1.89	2.30	2.30	5.24	-	13.30 3.50 - 15.60	0.850	3.243 - 4.773	13.62	14.24	14.86	99
15+18+22+22+60	1.46	1.75	2.14	2.14	5.82	-	13.30 3.50 - 15.60	0.850	3.243 - 4.773	13.62	14.24	14.86	99
15+18+22+22+71	1.35	1.62	1.98	1.98	6.38	-	13.30 3.50 - 15.60	0.850	3.226 - 4.756	13.55	14.17	14.79	99
15+18+22+25+25	1.73	2.07	2.54	2.88	2.88	-	12.10 3.45 - 15.25	0.850	3.020 - 4.960	12.68	13.26	13.84	99
15+18+22+25+35	1.73	2.08	2.54	2.89	4.05	-	13.30 3.50 - 15.60	0.850	3.259 - 4.779	13.69	14.31	14.93	99
15+18+22+25+50	1.53	1.84	2.25	2.56	5.12	-	13.30 3.50 - 15.60	0.850	3.249 - 4.779	13.65	14.27	14.89	99
15+18+22+25+60	1.43	1.71	2.09	2.38	5.70	-	13.30 3.50 - 15.60	0.850	3.243 - 4.773	13.62	14.24	14.86	99
15+18+22+25+71	1.32	1.59	1.94	2.20	6.25	-	13.30 3.50 - 15.60	0.850	3.216 - 4.756	13.51	14.12	14.73	99
15+18+22+35+35	1.60	1.92	2.34	3.72	3.72	-	13.30 3.50 - 15.60	0.850	3.230 - 4.760	13.57	14.19	14.81	99
15+18+22+35+42	1.51	1.81	2.22	3.53	4.23	-	13.30 3.50 - 15.60	0.850	3.249 - 4.779	13.65	14.27	14.89	99
15+18+22+35+50	1.43	1.71	2.09	3.33	4.75	-	13.30 3.50 - 15.60	0.850	3.243 - 4.773	13.62	14.24	14.86	99
15+18+22+35+60	1.33	1.60	1.95	3.10	5.32	-	13.30 3.50 - 15.60	0.850	3.243 - 4.773	13.62	14.24	14.86	99
15+18+22+35+71	1.24	1.49	1.82	2.89	5.87	-	13.30 3.50 - 15.60	0.850	3.216 - 4.756	13.51	14.12	14.73	99
15+18+22+42+42	1.44	1.72	2.11	4.02	4.02	-	13.30 3.50 - 15.60	0.850	3.230 - 4.760	13.57	14.19	14.81	99
15+18+22+42+50	1.36	1.63	1.99	3.80	4.52	-	13.30 3.50 - 15.60	0.850	3.237 - 4.767	13.60	14.22	14.84	99
15+18+22+42+60	1.27	1.52	1.86	3.56	5.08	-	13.30 3.50 - 15.60	0.850	3.227 - 4.767	13.55	14.17	14.79	99
15+18+22+42+71	1.19	1.43	1.74	3.33	5.62	-	13.30 3.50 - 15.60	0.850	3.210 - 4.750	13.49	14.10	14.71	99
15+18+22+50+50	1.29	1.54	1.89	4.29	4.29	-	13.30 3.50 - 15.60	0.850	3.214 - 4.754	13.51	14.12	14.73	99
15+18+22+50+60	1.21	1.45	1.77	4.03	4.84	-	13.30 3.50 - 15.60	0.850	3.227 - 4.767	13.55	14.17	14.79	99
15+18+22+50+71	1.13	1.36	1.66	3.78	5.37	-	13.30 3.50 - 15.60	0.850	3.210 - 4.750	13.49	14.10	14.71	99
15+18+22+60+60	1.14	1.37	1.67	4.56	4.56	-	13.30 3.50 - 15.60	0.850	3.214 - 4.754	13.51	14.12	14.73	99
15+18+25+25+25	1.78	2.14	2.97	2.97	2.97	-	12.82 3.48 - 15.46	0.850	3.123 - 4.813	13.12	13.72	14.32	99
15+18+25+25+35	1.69	2.03	2.82	2.82	3.94	-	13.30 3.50 - 15.60	0.850	3.249 - 4.779	13.65	14.27	14.89	99
15+18+25+25+42	1.60	1.92	2.66	2.66	4.47	-	13.30 3.50 - 15.60	0.850	3.249 - 4.779	13.65	14.27	14.89	99
15+18+25+25+50	1.50	1.80	2.50	2.50	5.00	-	13.30 3.50 - 15.60	0.850	3.243 - 4.773	13.62	14.24	14.86	99
15+18+25+25+60	1.40	1.67	2.33	2.33	5.58	-	13.30 3.50 - 15.60	0.850	3.243 - 4.773	13.62	14.24	14.86	99



**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
15+18+25+25+71	1.30	1.55	2.16	2.16	6.13	-	13.30 3.50 - 15.60	3.216 0.850 - 4.756	13.51	14.12	14.73	99
15+18+25+35+35	1.56	1.87	2.60	3.64	3.64	-	13.30 3.50 - 15.60	3.230 0.850 - 4.760	13.57	14.19	14.81	99
15+18+25+35+42	1.48	1.77	2.46	3.45	4.14	-	13.30 3.50 - 15.60	3.249 0.850 - 4.779	13.65	14.27	14.89	99
15+18+25+35+50	1.40	1.67	2.33	3.26	4.65	-	13.30 3.50 - 15.60	3.243 0.850 - 4.773	13.62	14.24	14.86	99
15+18+25+35+60	1.30	1.56	2.17	3.04	5.22	-	13.30 3.50 - 15.60	3.233 0.850 - 4.773	13.58	14.20	14.82	99
15+18+25+35+71	1.22	1.46	2.03	2.84	5.76	-	13.30 3.50 - 15.60	3.216 0.850 - 4.756	13.51	14.12	14.73	99
15+18+25+42+42	1.40	1.69	2.34	3.93	3.93	-	13.30 3.50 - 15.60	3.230 0.850 - 4.760	13.57	14.19	14.81	99
15+18+25+42+50	1.33	1.60	2.22	3.72	4.43	-	13.30 3.50 - 15.60	3.237 0.850 - 4.767	13.60	14.22	14.84	99
15+18+25+42+60	1.25	1.50	2.08	3.49	4.99	-	13.30 3.50 - 15.60	3.227 0.850 - 4.767	13.55	14.17	14.79	99
15+18+25+42+71	1.17	1.40	1.94	3.27	5.52	-	13.30 3.50 - 15.60	3.210 0.850 - 4.750	13.49	14.10	14.71	99
15+18+25+50+50	1.26	1.52	2.10	4.21	4.21	-	13.30 3.50 - 15.60	3.214 0.850 - 4.754	13.51	14.12	14.73	99
15+18+25+50+60	1.19	1.43	1.98	3.96	4.75	-	13.30 3.50 - 15.60	3.227 0.850 - 4.767	13.55	14.17	14.79	99
15+18+25+50+71	1.11	1.34	1.86	3.72	5.28	-	13.30 3.50 - 15.60	3.210 0.850 - 4.750	13.49	14.10	14.71	99
15+18+25+60+60	1.12	1.34	1.87	4.48	4.48	-	13.30 3.50 - 15.60	3.214 0.850 - 4.754	13.51	14.12	14.73	99
15+18+35+35+35	1.45	1.73	3.37	3.37	3.37	-	13.30 3.50 - 15.60	3.203 0.850 - 4.733	13.46	14.07	14.68	99
15+18+35+35+42	1.38	1.65	3.21	3.21	3.85	-	13.30 3.50 - 15.60	3.249 0.850 - 4.779	13.65	14.27	14.89	99
15+18+35+35+50	1.30	1.56	3.04	3.04	4.35	-	13.30 3.50 - 15.60	3.233 0.850 - 4.773	13.58	14.20	14.82	99
15+18+35+35+60	1.22	1.47	2.86	2.86	4.90	-	13.30 3.50 - 15.60	3.233 0.850 - 4.773	13.58	14.20	14.82	99
15+18+35+35+71	1.15	1.38	2.68	2.68	5.43	-	13.30 3.50 - 15.60	3.216 0.850 - 4.756	13.51	14.12	14.73	99
15+18+35+42+42	1.31	1.58	3.06	3.68	3.68	-	13.30 3.50 - 15.60	3.220 0.850 - 4.760	13.53	14.14	14.75	99
15+18+35+42+50	1.25	1.50	2.91	3.49	4.16	-	13.30 3.50 - 15.60	3.227 0.850 - 4.767	13.55	14.17	14.79	99
15+18+35+42+60	1.17	1.41	2.74	3.29	4.69	-	13.30 3.50 - 15.60	3.227 0.850 - 4.767	13.55	14.17	14.79	99
15+18+35+50+50	1.19	1.43	2.77	3.96	3.96	-	13.30 3.50 - 15.60	3.210 0.850 - 4.750	13.49	14.10	14.71	99
15+18+35+50+60	1.12	1.34	2.62	3.74	4.48	-	13.30 3.50 - 15.60	3.227 0.850 - 4.767	13.55	14.17	14.79	99
15+18+42+42+42	1.25	1.51	3.51	3.51	3.51	-	13.30 3.50 - 15.60	3.210 0.850 - 4.750	13.49	14.10	14.71	99
15+18+42+42+50	1.19	1.43	3.34	3.34	3.98	-	13.30 3.50 - 15.60	3.221 0.850 - 4.761	13.53	14.15	14.77	99
15+18+42+42+60	1.13	1.35	3.16	3.16	4.51	-	13.30 3.50 - 15.60	3.221 0.850 - 4.761	13.53	14.15	14.77	99
15+18+42+50+50	1.14	1.37	3.19	3.80	3.80	-	13.30 3.50 - 15.60	3.204 0.850 - 4.744	13.46	14.07	14.68	99
15+20+20+20+20	1.91	2.55	2.55	2.55	2.55	-	12.10 3.45 - 15.25	3.021 0.850 - 4.961	12.69	13.27	13.85	99
15+20+20+20+22	1.74	2.31	2.31	2.31	2.54	-	11.22 3.43 - 15.11	2.977 0.850 - 5.087	12.50	13.07	13.64	99
15+20+20+20+25	1.59	2.12	2.12	2.12	2.65	-	10.60 3.40 - 14.90	2.830 0.850 - 5.200	11.89	12.43	12.97	99
15+20+20+20+35	1.77	2.36	2.36	2.36	4.14	-	13.00 3.50 - 15.60	3.280 0.850 - 4.800	13.77	14.40	15.03	99
15+20+20+20+42	1.67	2.22	2.22	2.22	4.67	-	13.00 3.50 - 15.60	3.280 0.850 - 4.800	13.77	14.40	15.03	99
15+20+20+20+50	1.56	2.08	2.08	2.08	5.20	-	13.00 3.50 - 15.60	3.264 0.850 - 4.794	13.71	14.33	14.95	99
15+20+20+20+60	1.44	1.93	1.93	1.93	5.78	-	13.00 3.50 - 15.60	3.264 0.850 - 4.794	13.71	14.33	14.95	99
15+20+20+20+71	1.34	1.78	1.78	1.78	6.32	-	13.00 3.50 - 15.60	3.247 0.850 - 4.777	13.64	14.26	14.88	99
15+20+20+22+22	1.64	2.19	2.19	2.41	2.41	-	10.84 3.41 - 14.97	2.861 0.850 - 5.141	12.01	12.56	13.11	99
15+20+20+22+25	1.64	2.19	2.19	2.41	2.74	-	11.18 3.42 - 15.04	2.913 0.850 - 5.113	12.23	12.79	13.35	99
15+20+20+22+35	1.75	2.34	2.34	2.57	4.09	-	13.10 3.50 - 15.60	3.273 0.850 - 4.793	13.75	14.37	14.99	99
15+20+20+22+42	1.65	2.20	2.20	2.42	4.62	-	13.10 3.50 - 15.60	3.263 0.850 - 4.793	13.71	14.33	14.95	99
15+20+20+22+50	1.55	2.06	2.06	2.27	5.16	-	13.10 3.50 - 15.60	3.257 0.850 - 4.787	13.68	14.30	14.92	99
15+20+20+22+60	1.43	1.91	1.91	2.10	5.74	-	13.10 3.50 - 15.60	3.257 0.850 - 4.787	13.68	14.30	14.92	99
15+20+20+22+71	1.33	1.77	1.77	1.95	6.28	-	13.10 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
15+20+20+25+25	1.70	2.27	2.27	2.83	2.83	-	11.90 3.45 - 15.25	3.034 0.850 - 4.974	12.74	13.32	13.90	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
15+20+20+25+35	1.71	2.28	2.28	2.85	3.99	-	13.10 3.50 - 15.60	3.273 0.850 - 4.793	13.75	14.37	14.99	99
15+20+20+25+50	1.51	2.02	2.02	2.52	5.04	-	13.10 3.50 - 15.60	3.263 0.850 - 4.793	13.71	14.33	14.95	99
15+20+20+25+60	1.40	1.87	1.87	2.34	5.61	-	13.10 3.50 - 15.60	3.257 0.850 - 4.787	13.68	14.30	14.92	99
15+20+20+25+71	1.30	1.74	1.74	2.17	6.16	-	13.10 3.50 - 15.60	3.230 0.850 - 4.770	13.57	14.19	14.81	99
15+20+20+35+35	1.57	2.10	2.10	3.67	3.67	-	13.10 3.50 - 15.60	3.244 0.850 - 4.774	13.63	14.25	14.87	99
15+20+20+35+42	1.49	1.98	1.98	3.47	4.17	-	13.10 3.50 - 15.60	3.263 0.850 - 4.793	13.71	14.33	14.95	99
15+20+20+35+50	1.40	1.87	1.87	3.28	4.68	-	13.10 3.50 - 15.60	3.257 0.850 - 4.787	13.68	14.30	14.92	99
15+20+20+35+60	1.31	1.75	1.75	3.06	5.24	-	13.10 3.50 - 15.60	3.257 0.850 - 4.787	13.68	14.30	14.92	99
15+20+20+35+71	1.22	1.63	1.63	2.85	5.78	-	13.10 3.50 - 15.60	3.230 0.850 - 4.770	13.57	14.19	14.81	99
15+20+20+42+42	1.41	1.88	1.88	3.96	3.96	-	13.10 3.50 - 15.60	3.244 0.850 - 4.774	13.63	14.25	14.87	99
15+20+20+42+50	1.34	1.78	1.78	3.74	4.46	-	13.10 3.50 - 15.60	3.251 0.850 - 4.781	13.66	14.28	14.90	99
15+20+20+42+60	1.25	1.67	1.67	3.50	5.01	-	13.10 3.50 - 15.60	3.241 0.850 - 4.781	13.61	14.23	14.85	99
15+20+20+42+71	1.17	1.56	1.56	3.28	5.54	-	13.10 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99
15+20+20+50+50	1.27	1.69	1.69	4.23	4.23	-	13.10 3.50 - 15.60	3.228 0.850 - 4.768	13.56	14.18	14.80	99
15+20+20+50+60	1.19	1.59	1.59	3.97	4.76	-	13.10 3.50 - 15.60	3.241 0.850 - 4.781	13.61	14.23	14.85	99
15+20+20+50+71	1.12	1.49	1.49	3.72	5.28	-	13.10 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99
15+20+20+60+60	1.12	1.50	1.50	4.49	4.49	-	13.10 3.50 - 15.60	3.228 0.850 - 4.768	13.56	14.18	14.80	99
15+20+22+22+22	1.62	2.17	2.38	2.38	2.38	-	10.94 3.41 - 14.97	2.827 0.850 - 5.107	11.88	12.42	12.96	99
15+20+22+22+25	1.70	2.26	2.49	2.49	2.83	-	11.76 3.44 - 15.18	2.996 0.850 - 5.026	12.59	13.16	13.73	99
15+20+22+22+35	1.74	2.32	2.55	2.55	4.05	-	13.20 3.50 - 15.60	3.266 0.850 - 4.786	13.72	14.34	14.96	99
15+20+22+22+42	1.64	2.18	2.40	2.40	4.58	-	13.20 3.50 - 15.60	3.256 0.850 - 4.786	13.68	14.30	14.92	99
15+20+22+22+50	1.53	2.05	2.25	2.25	5.12	-	13.20 3.50 - 15.60	3.250 0.850 - 4.780	13.65	14.27	14.89	99
15+20+22+22+60	1.42	1.90	2.09	2.09	5.70	-	13.20 3.50 - 15.60	3.250 0.850 - 4.780	13.65	14.27	14.89	99
15+20+22+22+71	1.32	1.76	1.94	1.94	6.25	-	13.20 3.50 - 15.60	3.233 0.850 - 4.763	13.58	14.20	14.82	99
15+20+22+25+25	1.75	2.33	2.57	2.92	2.92	-	12.48 3.47 - 15.39	3.117 0.850 - 4.887	13.09	13.69	14.29	99
15+20+22+25+35	1.69	2.26	2.48	2.82	3.95	-	13.20 3.50 - 15.60	3.266 0.850 - 4.786	13.72	14.34	14.96	99
15+20+22+25+42	1.60	2.13	2.34	2.66	4.47	-	13.20 3.50 - 15.60	3.256 0.850 - 4.786	13.68	14.30	14.92	99
15+20+22+25+50	1.50	2.00	2.20	2.50	5.00	-	13.20 3.50 - 15.60	3.250 0.850 - 4.780	13.65	14.27	14.89	99
15+20+22+25+60	1.39	1.86	2.05	2.32	5.58	-	13.20 3.50 - 15.60	3.250 0.850 - 4.780	13.65	14.27	14.89	99
15+20+22+25+71	1.29	1.73	1.90	2.16	6.13	-	13.20 3.50 - 15.60	3.223 0.850 - 4.763	13.53	14.15	14.77	99
15+20+22+35+35	1.56	2.08	2.29	3.64	3.64	-	13.20 3.50 - 15.60	3.237 0.850 - 4.767	13.60	14.22	14.84	99
15+20+22+35+42	1.48	1.97	2.17	3.45	4.14	-	13.20 3.50 - 15.60	3.256 0.850 - 4.786	13.68	14.30	14.92	99
15+20+22+35+50	1.39	1.86	2.05	3.25	4.65	-	13.20 3.50 - 15.60	3.250 0.850 - 4.780	13.65	14.27	14.89	99
15+20+22+35+60	1.30	1.74	1.91	3.04	5.21	-	13.20 3.50 - 15.60	3.240 0.850 - 4.780	13.61	14.23	14.85	99
15+20+22+35+71	1.21	1.62	1.78	2.83	5.75	-	13.20 3.50 - 15.60	3.223 0.850 - 4.763	13.53	14.15	14.77	99
15+20+22+42+42	1.40	1.87	2.06	3.93	3.93	-	13.20 3.50 - 15.60	3.237 0.850 - 4.767	13.60	14.22	14.84	99
15+20+22+42+50	1.33	1.77	1.95	3.72	4.43	-	13.20 3.50 - 15.60	3.244 0.850 - 4.774	13.63	14.25	14.87	99
15+20+22+42+60	1.25	1.66	1.83	3.49	4.98	-	13.20 3.50 - 15.60	3.234 0.850 - 4.774	13.58	14.20	14.82	99
15+20+22+42+71	1.16	1.55	1.71	3.26	5.51	-	13.20 3.50 - 15.60	3.217 0.850 - 4.757	13.52	14.13	14.74	99
15+20+22+50+50	1.26	1.68	1.85	4.20	4.20	-	13.20 3.50 - 15.60	3.221 0.850 - 4.761	13.53	14.15	14.77	99
15+20+22+50+60	1.19	1.58	1.74	3.95	4.74	-	13.20 3.50 - 15.60	3.234 0.850 - 4.774	13.58	14.20	14.82	99
15+20+22+50+71	1.11	1.48	1.63	3.71	5.27	-	13.20 3.50 - 15.60	3.217 0.850 - 4.757	13.52	14.13	14.74	99
15+20+22+60+60	1.12	1.49	1.64	4.47	4.47	-	13.20 3.50 - 15.60	3.221 0.850 - 4.761	13.53	14.15	14.77	99
15+20+25+25+25	1.80	2.40	3.00	3.00	3.00	-	13.20 3.50 - 15.60	3.220 0.850 - 4.740	13.53	14.14	14.75	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
15+20+25+25+35	1.65	2.20	2.75	2.75	3.85	-	13.20 3.50 - 15.60	3.256 0.850 - 4.786	13.68	14.30	14.92	99	
15+20+25+25+42	1.56	2.08	2.60	2.60	4.37	-	13.20 3.50 - 15.60	3.256 0.850 - 4.786	13.68	14.30	14.92	99	
15+20+25+25+50	1.47	1.96	2.44	2.44	4.89	-	13.20 3.50 - 15.60	3.250 0.850 - 4.780	13.65	14.27	14.89	99	
15+20+25+25+60	1.37	1.82	2.28	2.28	5.46	-	13.20 3.50 - 15.60	3.250 0.850 - 4.780	13.65	14.27	14.89	99	
15+20+25+25+71	1.27	1.69	2.12	2.12	6.01	-	13.20 3.50 - 15.60	3.223 0.850 - 4.763	13.53	14.15	14.77	99	
15+20+25+35+35	1.52	2.03	2.54	3.55	3.55	-	13.20 3.50 - 15.60	3.237 0.850 - 4.767	13.60	14.22	14.84	99	
15+20+25+35+42	1.45	1.93	2.41	3.37	4.05	-	13.20 3.50 - 15.60	3.256 0.850 - 4.786	13.68	14.30	14.92	99	
15+20+25+35+50	1.37	1.82	2.28	3.19	4.55	-	13.20 3.50 - 15.60	3.250 0.850 - 4.780	13.65	14.27	14.89	99	
15+20+25+35+60	1.28	1.70	2.13	2.98	5.11	-	13.20 3.50 - 15.60	3.240 0.850 - 4.780	13.61	14.23	14.85	99	
15+20+25+35+71	1.19	1.59	1.99	2.78	5.65	-	13.20 3.50 - 15.60	3.223 0.850 - 4.763	13.53	14.15	14.77	99	
15+20+25+42+42	1.38	1.83	2.29	3.85	3.85	-	13.20 3.50 - 15.60	3.237 0.850 - 4.767	13.60	14.22	14.84	99	
15+20+25+42+50	1.30	1.74	2.17	3.65	4.34	-	13.20 3.50 - 15.60	3.234 0.850 - 4.774	13.58	14.20	14.82	99	
15+20+25+42+60	1.22	1.63	2.04	3.42	4.89	-	13.20 3.50 - 15.60	3.234 0.850 - 4.774	13.58	14.20	14.82	99	
15+20+25+42+71	1.14	1.53	1.91	3.20	5.42	-	13.20 3.50 - 15.60	3.217 0.850 - 4.757	13.52	14.13	14.74	99	
15+20+25+50+50	1.24	1.65	2.06	4.13	4.13	-	13.20 3.50 - 15.60	3.221 0.850 - 4.761	13.53	14.15	14.77	99	
15+20+25+50+60	1.16	1.55	1.94	3.88	4.66	-	13.20 3.50 - 15.60	3.234 0.850 - 4.774	13.58	14.20	14.82	99	
15+20+25+60+60	1.10	1.47	1.83	4.40	4.40	-	13.20 3.50 - 15.60	3.217 0.850 - 4.757	13.52	14.13	14.74	99	
15+20+35+35+35	1.41	1.89	3.30	3.30	3.30	-	13.20 3.50 - 15.60	3.210 0.850 - 4.740	13.49	14.10	14.71	99	
15+20+35+35+42	1.35	1.80	3.14	3.14	3.77	-	13.20 3.50 - 15.60	3.256 0.850 - 4.786	13.68	14.30	14.92	99	
15+20+35+35+50	1.28	1.70	2.98	2.98	4.26	-	13.20 3.50 - 15.60	3.240 0.850 - 4.780	13.61	14.23	14.85	99	
15+20+35+35+60	1.20	1.60	2.80	2.80	4.80	-	13.20 3.50 - 15.60	3.240 0.850 - 4.780	13.61	14.23	14.85	99	
15+20+35+35+71	1.13	1.50	2.63	2.63	5.33	-	13.20 3.50 - 15.60	3.223 0.850 - 4.763	13.53	14.15	14.77	99	
15+20+35+42+42	1.29	1.71	3.00	3.60	3.60	-	13.20 3.50 - 15.60	3.227 0.850 - 4.767	13.55	14.17	14.79	99	
15+20+35+42+50	1.22	1.63	2.85	3.42	4.07	-	13.20 3.50 - 15.60	3.234 0.850 - 4.774	13.58	14.20	14.82	99	
15+20+35+42+60	1.15	1.53	2.69	3.22	4.60	-	13.20 3.50 - 15.60	3.234 0.850 - 4.774	13.58	14.20	14.82	99	
15+20+35+50+50	1.16	1.55	2.72	3.88	3.88	-	13.20 3.50 - 15.60	3.217 0.850 - 4.757	13.52	14.13	14.74	99	
15+20+35+50+60	1.10	1.47	2.57	3.67	4.40	-	13.20 3.50 - 15.60	3.234 0.850 - 4.774	13.58	14.20	14.82	99	
15+20+42+42+42	1.23	1.64	3.44	3.44	3.44	-	13.20 3.50 - 15.60	3.217 0.850 - 4.757	13.52	14.13	14.74	99	
15+20+42+42+50	1.17	1.56	3.28	3.28	3.91	-	13.20 3.50 - 15.60	3.228 0.850 - 4.768	13.56	14.18	14.80	99	
15+20+42+42+60	1.11	1.47	3.10	3.10	4.42	-	13.20 3.50 - 15.60	3.228 0.850 - 4.768	13.56	14.18	14.80	99	
15+20+42+50+50	1.12	1.49	3.13	3.73	3.73	-	13.20 3.50 - 15.60	3.211 0.850 - 4.751	13.49	14.10	14.71	99	
15+22+22+22+22	1.68	2.46	2.46	2.46	2.46	-	11.52 3.43 - 15.11	2.938 0.850 - 5.048	12.34	12.90	13.46	99	
15+22+22+22+25	1.75	2.56	2.56	2.56	2.91	-	12.34 3.46 - 15.32	3.079 0.850 - 4.939	12.93	13.52	14.11	99	
15+22+22+22+35	1.72	2.52	2.52	2.52	4.01	-	13.30 3.50 - 15.60	3.259 0.850 - 4.779	13.69	14.31	14.93	99	
15+22+22+22+42	1.62	2.38	2.38	2.38	4.54	-	13.30 3.50 - 15.60	3.249 0.850 - 4.779	13.65	14.27	14.89	99	
15+22+22+22+50	1.52	2.23	2.23	2.23	5.08	-	13.30 3.50 - 15.60	3.243 0.850 - 4.773	13.62	14.24	14.86	99	
15+22+22+22+60	1.41	2.08	2.08	2.08	5.66	-	13.30 3.50 - 15.60	3.243 0.850 - 4.773	13.62	14.24	14.86	99	
15+22+22+22+71	1.31	1.93	1.93	1.93	6.21	-	13.30 3.50 - 15.60	3.216 0.850 - 4.756	13.51	14.12	14.73	99	
15+22+22+25+25	1.80	2.64	2.64	3.00	3.00	-	13.06 3.49 - 15.53	3.200 0.850 - 4.800	13.44	14.05	14.66	99	
15+22+22+25+35	1.68	2.46	2.46	2.79	3.91	-	13.30 3.50 - 15.60	3.249 0.850 - 4.779	13.65	14.27	14.89	99	
15+22+22+25+42	1.58	2.32	2.32	2.64	4.43	-	13.30 3.50 - 15.60	3.249 0.850 - 4.779	13.65	14.27	14.89	99	
15+22+22+25+50	1.49	2.18	2.18	2.48	4.96	-	13.30 3.50 - 15.60	3.243 0.850 - 4.773	13.62	14.24	14.86	99	
15+22+22+25+60	1.39	2.03	2.03	2.31	5.54	-	13.30 3.50 - 15.60	3.243 0.850 - 4.773	13.62	14.24	14.86	99	
15+22+22+25+71	1.29	1.89	1.89	2.15	6.09	-	13.30 3.50 - 15.60	3.216 0.850 - 4.756	13.51	14.12	14.73	99	

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
15+22+22+35+35	1.55	2.27	2.27	3.61	3.61	-	13.30 3.50 - 15.60	3.230 0.850 - 4.760	13.57	14.19	14.81	99
15+22+22+35+42	1.47	2.15	2.15	3.42	4.11	-	13.30 3.50 - 15.60	3.249 0.850 - 4.779	13.65	14.27	14.89	99
15+22+22+35+50	1.39	2.03	2.03	3.23	4.62	-	13.30 3.50 - 15.60	3.243 0.850 - 4.773	13.62	14.24	14.86	99
15+22+22+35+60	1.30	1.90	1.90	3.02	5.18	-	13.30 3.50 - 15.60	3.233 0.850 - 4.773	13.58	14.20	14.82	99
15+22+22+35+71	1.21	1.77	1.77	2.82	5.72	-	13.30 3.50 - 15.60	3.216 0.850 - 4.756	13.51	14.12	14.73	99
15+22+22+42+42	1.40	2.05	2.05	3.91	3.91	-	13.30 3.50 - 15.60	3.230 0.850 - 4.760	13.57	14.19	14.81	99
15+22+22+42+50	1.32	1.94	1.94	3.70	4.40	-	13.30 3.50 - 15.60	3.227 0.850 - 4.767	13.55	14.17	14.79	99
15+22+22+42+60	1.24	1.82	1.82	3.47	4.96	-	13.30 3.50 - 15.60	3.227 0.850 - 4.767	13.55	14.17	14.79	99
15+22+22+42+71	1.16	1.70	1.70	3.25	5.49	-	13.30 3.50 - 15.60	3.210 0.850 - 4.750	13.49	14.10	14.71	99
15+22+22+50+50	1.25	1.84	1.84	4.18	4.18	-	13.30 3.50 - 15.60	3.214 0.850 - 4.754	13.51	14.12	14.73	99
15+22+22+50+60	1.18	1.73	1.73	3.93	4.72	-	13.30 3.50 - 15.60	3.227 0.850 - 4.767	13.55	14.17	14.79	99
15+22+22+50+71	1.11	1.63	1.63	3.69	5.25	-	13.30 3.50 - 15.60	3.210 0.850 - 4.750	13.49	14.10	14.71	99
15+22+22+60+60	1.11	1.63	1.63	4.46	4.46	-	13.30 3.50 - 15.60	3.214 0.850 - 4.754	13.51	14.12	14.73	99
15+22+25+25+25	1.78	2.61	2.97	2.97	2.97	-	13.30 3.50 - 15.60	3.213 0.850 - 4.733	13.50	14.11	14.72	99
15+22+25+25+42	1.55	2.27	2.58	2.58	4.33	-	13.30 3.50 - 15.60	3.249 0.850 - 4.779	13.65	14.27	14.89	99
15+22+25+25+50	1.46	2.14	2.43	2.43	4.85	-	13.30 3.50 - 15.60	3.243 0.850 - 4.773	13.62	14.24	14.86	99
15+22+25+25+60	1.36	1.99	2.26	2.26	5.43	-	13.30 3.50 - 15.60	3.243 0.850 - 4.773	13.62	14.24	14.86	99
15+22+25+25+71	1.26	1.85	2.10	2.10	5.98	-	13.30 3.50 - 15.60	3.216 0.850 - 4.756	13.51	14.12	14.73	99
15+22+25+35+35	1.51	2.22	2.52	3.53	3.53	-	13.30 3.50 - 15.60	3.230 0.850 - 4.760	13.57	14.19	14.81	99
15+22+25+35+42	1.44	2.11	2.39	3.35	4.02	-	13.30 3.50 - 15.60	3.249 0.850 - 4.779	13.65	14.27	14.89	99
15+22+25+35+50	1.36	1.99	2.26	3.17	4.52	-	13.30 3.50 - 15.60	3.243 0.850 - 4.773	13.62	14.24	14.86	99
15+22+25+35+60	1.27	1.86	2.12	2.96	5.08	-	13.30 3.50 - 15.60	3.233 0.850 - 4.773	13.58	14.20	14.82	99
15+22+25+35+71	1.19	1.74	1.98	2.77	5.62	-	13.30 3.50 - 15.60	3.216 0.850 - 4.756	13.51	14.12	14.73	99
15+22+25+42+42	1.37	2.00	2.28	3.83	3.83	-	13.30 3.50 - 15.60	3.230 0.850 - 4.760	13.57	14.19	14.81	99
15+22+25+42+50	1.30	1.90	2.16	3.63	4.32	-	13.30 3.50 - 15.60	3.227 0.850 - 4.767	13.55	14.17	14.79	99
15+22+25+42+60	1.22	1.78	2.03	3.41	4.87	-	13.30 3.50 - 15.60	3.227 0.850 - 4.767	13.55	14.17	14.79	99
15+22+25+42+71	1.14	1.67	1.90	3.19	5.40	-	13.30 3.50 - 15.60	3.210 0.850 - 4.750	13.49	14.10	14.71	99
15+22+25+50+50	1.23	1.81	2.05	4.10	4.10	-	13.30 3.50 - 15.60	3.214 0.850 - 4.754	13.51	14.12	14.73	99
15+22+25+50+60	1.16	1.70	1.93	3.87	4.64	-	13.30 3.50 - 15.60	3.227 0.850 - 4.767	13.55	14.17	14.79	99
15+22+35+35+35	1.40	2.06	3.28	3.28	3.28	-	13.30 3.50 - 15.60	3.220 0.850 - 4.750	13.53	14.14	14.75	99
15+22+35+35+42	1.34	1.96	3.12	3.12	3.75	-	13.30 3.50 - 15.60	3.249 0.850 - 4.779	13.65	14.27	14.89	99
15+22+35+35+50	1.27	1.86	2.96	2.96	4.24	-	13.30 3.50 - 15.60	3.233 0.850 - 4.773	13.58	14.20	14.82	99
15+22+35+35+60	1.19	1.75	2.79	2.79	4.78	-	13.30 3.50 - 15.60	3.233 0.850 - 4.773	13.58	14.20	14.82	99
15+22+35+35+71	1.12	1.64	2.62	2.62	5.31	-	13.30 3.50 - 15.60	3.216 0.850 - 4.756	13.51	14.12	14.73	99
15+22+35+42+42	1.28	1.88	2.98	3.58	3.58	-	13.30 3.50 - 15.60	3.220 0.850 - 4.760	13.53	14.14	14.75	99
15+22+35+42+50	1.22	1.78	2.84	3.41	4.05	-	13.30 3.50 - 15.60	3.227 0.850 - 4.767	13.55	14.17	14.79	99
15+22+35+42+60	1.15	1.68	2.68	3.21	4.59	-	13.30 3.50 - 15.60	3.227 0.850 - 4.767	13.55	14.17	14.79	99
15+22+35+50+50	1.16	1.70	2.71	3.87	3.87	-	13.30 3.50 - 15.60	3.210 0.850 - 4.750	13.49	14.10	14.71	99
15+22+42+42+42	1.22	1.80	3.43	3.43	3.43	-	13.30 3.50 - 15.60	3.227 0.850 - 4.767	13.55	14.17	14.79	99
15+22+42+42+50	1.17	1.71	3.27	3.27	3.89	-	13.30 3.50 - 15.60	3.221 0.850 - 4.761	13.53	14.15	14.77	99
15+22+42+50+50	1.11	1.63	3.12	3.72	3.72	-	13.30 3.50 - 15.60	3.221 0.850 - 4.761	13.53	14.15	14.77	99
15+25+25+25+25	1.73	2.89	2.89	2.89	2.89	-	13.30 3.50 - 15.60	3.241 0.850 - 4.761	13.61	14.23	14.85	99
15+25+25+25+35	1.60	2.66	2.66	2.66	3.72	-	13.30 3.50 - 15.60	3.249 0.850 - 4.779	13.65	14.27	14.89	99
15+25+25+25+42	1.51	2.52	2.52	2.52	4.23	-	13.30 3.50 - 15.60	3.249 0.850 - 4.779	13.65	14.27	14.89	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
15+25+25+25+50	1.43	2.38	2.38	2.38	4.75	-	13.30 3.50 - 15.60	3.243 0.850 - 4.773	13.62	14.24	14.86	99	
15+25+25+25+60	1.33	2.22	2.22	2.22	5.32	-	13.30 3.50 - 15.60	3.243 0.850 - 4.773	13.62	14.24	14.86	99	
15+25+25+25+71	1.24	2.07	2.07	2.07	5.87	-	13.30 3.50 - 15.60	3.216 0.850 - 4.756	13.51	14.12	14.73	99	
15+25+25+35+35	1.48	2.46	2.46	3.45	3.45	-	13.30 3.50 - 15.60	3.230 0.850 - 4.760	13.57	14.19	14.81	99	
15+25+25+35+42	1.40	2.34	2.34	3.28	3.93	-	13.30 3.50 - 15.60	3.249 0.850 - 4.779	13.65	14.27	14.89	99	
15+25+25+35+50	1.33	2.22	2.22	3.10	4.43	-	13.30 3.50 - 15.60	3.243 0.850 - 4.773	13.62	14.24	14.86	99	
15+25+25+35+60	1.25	2.08	2.08	2.91	4.99	-	13.30 3.50 - 15.60	3.233 0.850 - 4.773	13.58	14.20	14.82	99	
15+25+25+35+71	1.17	1.94	1.94	2.72	5.52	-	13.30 3.50 - 15.60	3.216 0.850 - 4.756	13.51	14.12	14.73	99	
15+25+25+42+42	1.34	2.23	2.23	3.75	3.75	-	13.30 3.50 - 15.60	3.230 0.850 - 4.760	13.57	14.19	14.81	99	
15+25+25+42+50	1.27	2.12	2.12	3.56	4.24	-	13.30 3.50 - 15.60	3.227 0.850 - 4.767	13.55	14.17	14.79	99	
15+25+25+42+60	1.19	1.99	1.99	3.34	4.78	-	13.30 3.50 - 15.60	3.227 0.850 - 4.767	13.55	14.17	14.79	99	
15+25+25+42+71	1.12	1.87	1.87	3.14	5.31	-	13.30 3.50 - 15.60	3.210 0.850 - 4.750	13.49	14.10	14.71	99	
15+25+25+50+50	1.21	2.02	2.02	4.03	4.03	-	13.30 3.50 - 15.60	3.214 0.850 - 4.754	13.51	14.12	14.73	99	
15+25+25+50+60	1.14	1.90	1.90	3.80	4.56	-	13.30 3.50 - 15.60	3.227 0.850 - 4.767	13.55	14.17	14.79	99	
15+25+35+35+35	1.38	2.29	3.21	3.21	3.21	-	13.30 3.50 - 15.60	3.220 0.850 - 4.750	13.53	14.14	14.75	99	
15+25+35+35+42	1.31	2.19	3.06	3.06	3.68	-	13.30 3.50 - 15.60	3.239 0.850 - 4.779	13.60	14.22	14.84	99	
15+25+35+35+50	1.25	2.08	2.91	2.91	4.16	-	13.30 3.50 - 15.60	3.233 0.850 - 4.773	13.58	14.20	14.82	99	
15+25+35+35+60	1.17	1.96	2.74	2.74	4.69	-	13.30 3.50 - 15.60	3.233 0.850 - 4.773	13.58	14.20	14.82	99	
15+25+35+42+42	1.25	2.09	2.93	3.51	3.51	-	13.30 3.50 - 15.60	3.216 0.850 - 4.756	13.51	14.12	14.73	99	
15+25+35+42+50	1.19	1.99	2.79	3.34	3.98	-	13.30 3.50 - 15.60	3.227 0.850 - 4.767	13.55	14.17	14.79	99	
15+25+35+42+60	1.13	1.88	2.63	3.16	4.51	-	13.30 3.50 - 15.60	3.227 0.850 - 4.767	13.55	14.17	14.79	99	
15+25+35+50+50	1.14	1.90	2.66	3.80	3.80	-	13.30 3.50 - 15.60	3.210 0.850 - 4.750	13.49	14.10	14.71	99	
15+25+42+42+42	1.20	2.00	3.37	3.37	3.37	-	13.30 3.50 - 15.60	3.227 0.850 - 4.767	13.55	14.17	14.79	99	
15+25+42+42+50	1.15	1.91	3.21	3.21	3.82	-	13.30 3.50 - 15.60	3.221 0.850 - 4.761	13.53	14.15	14.77	99	
15+35+35+35+35	1.29	3.00	3.00	3.00	3.00	-	13.30 3.50 - 15.60	3.221 0.850 - 4.761	13.53	14.15	14.77	99	
15+35+35+35+42	1.23	2.87	2.87	2.87	3.45	-	13.30 3.50 - 15.60	3.239 0.850 - 4.779	13.60	14.22	14.84	99	
15+35+35+35+50	1.17	2.74	2.74	2.74	3.91	-	13.30 3.50 - 15.60	3.233 0.850 - 4.773	13.58	14.20	14.82	99	
15+35+35+35+60	1.11	2.59	2.59	2.59	4.43	-	13.30 3.50 - 15.60	3.233 0.850 - 4.773	13.58	14.20	14.82	99	
15+35+35+42+42	1.18	2.75	2.75	3.31	3.31	-	13.30 3.50 - 15.60	3.216 0.850 - 4.756	13.51	14.12	14.73	99	
15+35+35+42+50	1.13	2.63	2.63	3.16	3.76	-	13.30 3.50 - 15.60	3.227 0.850 - 4.767	13.55	14.17	14.79	99	
15+35+42+42+42	1.13	2.64	3.17	3.17	3.17	-	13.30 3.50 - 15.60	3.227 0.850 - 4.767	13.55	14.17	14.79	99	
18+18+18+18+18	2.66	2.66	2.66	2.66	2.66	-	13.30 3.50 - 15.60	3.241 0.850 - 4.761	13.61	14.23	14.85	99	
18+18+18+18+20	2.53	2.53	2.53	2.53	2.81	-	12.92 3.48 - 15.46	3.160 0.850 - 4.850	13.28	13.88	14.48	99	
18+18+18+18+22	2.36	2.36	2.36	2.36	2.89	-	12.34 3.46 - 15.32	3.077 0.850 - 4.937	12.92	13.51	14.10	99	
18+18+18+18+25	2.17	2.17	2.17	2.17	3.02	-	11.72 3.43 - 15.11	2.940 0.850 - 5.050	12.35	12.91	13.47	99	
18+18+18+18+35	2.13	2.13	2.13	2.13	4.15	-	12.68 3.47 - 15.39	3.120 0.850 - 4.890	13.10	13.70	14.30	99	
18+18+18+18+42	2.12	2.12	2.12	2.12	4.94	-	13.40 3.50 - 15.60	3.250 0.850 - 4.770	13.65	14.27	14.89	99	
18+18+18+18+60	1.83	1.83	1.83	1.83	6.09	-	13.40 3.50 - 15.60	3.234 0.850 - 4.764	13.58	14.20	14.82	99	
18+18+18+18+71	1.69	1.69	1.69	1.69	6.65	-	13.40 3.50 - 15.60	3.217 0.850 - 4.747	13.52	14.13	14.74	99	
18+18+18+20+20	2.38	2.38	2.38	2.65	2.65	-	12.44 3.46 - 15.32	3.051 0.850 - 4.911	12.82	13.40	13.98	99	
18+18+18+20+22	2.21	2.21	2.21	2.45	2.70	-	11.76 3.44 - 15.18	2.994 0.850 - 5.024	12.58	13.15	13.72	99	
18+18+18+20+25	2.03	2.03	2.03	2.25	2.81	-	11.14 3.41 - 14.97	2.857 0.850 - 5.137	12.00	12.55	13.10	99	
18+18+18+20+35	2.16	2.16	2.16	2.40	4.19	-	13.06 3.49 - 15.53	3.217 0.850 - 4.817	13.52	14.13	14.74	99	
18+18+18+20+42	2.06	2.06	2.06	2.29	4.82	-	13.30 3.50 - 15.60	3.257 0.850 - 4.777	13.68	14.30	14.92	99	

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
18+18+18+20+50	1.93	1.93	1.93	2.15	5.36	-	13.30 3.50 - 15.60	3.241 0.850 - 4.771	13.61	14.23	14.85	99
18+18+18+20+60	1.79	1.79	1.79	1.99	5.96	-	13.30 3.50 - 15.60	3.241 0.850 - 4.771	13.61	14.23	14.85	99
18+18+18+20+71	1.65	1.65	1.65	1.83	6.51	-	13.30 3.50 - 15.60	3.224 0.850 - 4.754	13.54	14.16	14.78	99
18+18+18+22+22	2.09	2.09	2.09	2.55	2.55	-	11.38 3.42 - 15.04	2.878 0.850 - 5.078	12.09	12.64	13.19	99
18+18+18+22+25	2.00	2.00	2.00	2.45	2.78	-	11.24 3.41 - 14.97	2.850 0.850 - 5.130	11.98	12.52	13.06	99
18+18+18+22+35	2.17	2.17	2.17	2.66	4.23	-	13.40 3.50 - 15.60	3.250 0.850 - 4.770	13.65	14.27	14.89	99
18+18+18+22+42	2.04	2.04	2.04	2.50	4.77	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
18+18+18+22+50	1.91	1.91	1.91	2.34	5.32	-	13.40 3.50 - 15.60	3.234 0.850 - 4.764	13.58	14.20	14.82	99
18+18+18+22+60	1.77	1.77	1.77	2.17	5.91	-	13.40 3.50 - 15.60	3.234 0.850 - 4.764	13.58	14.20	14.82	99
18+18+18+22+71	1.64	1.64	1.64	2.01	6.47	-	13.40 3.50 - 15.60	3.217 0.850 - 4.747	13.52	14.13	14.74	99
18+18+18+25+25	2.07	2.07	2.07	2.88	2.88	-	11.96 3.44 - 15.18	2.961 0.850 - 4.991	12.43	13.00	13.57	99
18+18+18+25+35	2.12	2.12	2.12	2.94	4.11	-	13.40 3.50 - 15.60	3.250 0.850 - 4.770	13.65	14.27	14.89	99
18+18+18+25+42	1.99	1.99	1.99	2.77	4.65	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
18+18+18+25+50	1.87	1.87	1.87	2.60	5.19	-	13.40 3.50 - 15.60	3.234 0.850 - 4.764	13.58	14.20	14.82	99
18+18+18+25+60	1.74	1.74	1.74	2.41	5.78	-	13.40 3.50 - 15.60	3.234 0.850 - 4.764	13.58	14.20	14.82	99
18+18+18+25+71	1.61	1.61	1.61	2.23	6.34	-	13.40 3.50 - 15.60	3.217 0.850 - 4.747	13.52	14.13	14.74	99
18+18+18+35+35	1.95	1.95	1.95	3.78	3.78	-	13.40 3.50 - 15.60	3.221 0.850 - 4.751	13.53	14.15	14.77	99
18+18+18+35+42	1.84	1.84	1.84	3.58	4.30	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
18+18+18+35+50	1.74	1.74	1.74	3.37	4.82	-	13.40 3.50 - 15.60	3.234 0.850 - 4.764	13.58	14.20	14.82	99
18+18+18+35+60	1.62	1.62	1.62	3.15	5.40	-	13.40 3.50 - 15.60	3.234 0.850 - 4.764	13.58	14.20	14.82	99
18+18+18+35+71	1.51	1.51	1.51	2.93	5.95	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99
18+18+18+42+42	1.75	1.75	1.75	4.08	4.08	-	13.40 3.50 - 15.60	3.221 0.850 - 4.751	13.53	14.15	14.77	99
18+18+18+42+50	1.65	1.65	1.65	3.85	4.59	-	13.40 3.50 - 15.60	3.228 0.850 - 4.758	13.56	14.18	14.80	99
18+18+18+42+60	1.55	1.55	1.55	3.61	5.15	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
18+18+18+42+71	1.44	1.44	1.44	3.37	5.70	-	13.40 3.50 - 15.60	3.201 0.850 - 4.741	13.45	14.06	14.67	99
18+18+18+50+50	1.57	1.57	1.57	4.35	4.35	-	13.40 3.50 - 15.60	3.205 0.850 - 4.745	13.47	14.08	14.69	99
18+18+18+50+60	1.47	1.47	1.47	4.09	4.90	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
18+18+18+50+71	1.38	1.38	1.38	3.83	5.44	-	13.40 3.50 - 15.60	3.201 0.850 - 4.741	13.45	14.06	14.67	99
18+18+18+60+60	1.39	1.39	1.39	4.62	4.62	-	13.40 3.50 - 15.60	3.205 0.850 - 4.745	13.47	14.08	14.69	99
18+18+20+20+20	2.24	2.24	2.49	2.49	2.49	-	11.96 3.44 - 15.18	2.934 0.850 - 4.964	12.33	12.89	13.45	99
18+18+20+20+22	2.05	2.05	2.28	2.28	2.51	-	11.18 3.42 - 15.04	2.911 0.850 - 5.111	12.22	12.78	13.34	99
18+18+20+20+25	1.97	1.97	2.19	2.19	2.73	-	11.04 3.41 - 14.97	2.864 0.850 - 5.144	12.03	12.58	13.13	99
18+18+20+20+35	2.14	2.14	2.38	2.38	4.16	-	13.20 3.50 - 15.60	3.264 0.850 - 4.784	13.71	14.33	14.95	99
18+18+20+20+42	2.01	2.01	2.24	2.24	4.70	-	13.20 3.50 - 15.60	3.254 0.850 - 4.784	13.67	14.29	14.91	99
18+18+20+20+50	1.89	1.89	2.10	2.10	5.24	-	13.20 3.50 - 15.60	3.248 0.850 - 4.778	13.64	14.26	14.88	99
18+18+20+20+60	1.75	1.75	1.94	1.94	5.82	-	13.20 3.50 - 15.60	3.248 0.850 - 4.778	13.64	14.26	14.88	99
18+18+20+20+71	1.62	1.62	1.80	1.80	6.38	-	13.20 3.50 - 15.60	3.231 0.850 - 4.761	13.57	14.19	14.81	99
18+18+20+22+22	1.94	1.94	2.16	2.38	2.38	-	10.80 3.40 - 14.90	2.795 0.850 - 5.165	11.74	12.27	12.80	99
18+18+20+22+25	2.03	2.03	2.26	2.48	2.82	-	11.62 3.43 - 15.11	2.947 0.850 - 5.057	12.38	12.94	13.50	99
18+18+20+22+35	2.12	2.12	2.35	2.59	4.12	-	13.30 3.50 - 15.60	3.257 0.850 - 4.777	13.68	14.30	14.92	99
18+18+20+22+42	2.00	2.00	2.22	2.44	4.66	-	13.30 3.50 - 15.60	3.247 0.850 - 4.777	13.64	14.26	14.88	99
18+18+20+22+50	1.87	1.87	2.08	2.29	5.20	-	13.30 3.50 - 15.60	3.241 0.850 - 4.771	13.61	14.23	14.85	99
18+18+20+22+60	1.73	1.73	1.93	2.12	5.78	-	13.30 3.50 - 15.60	3.241 0.850 - 4.771	13.61	14.23	14.85	99
18+18+20+22+71	1.61	1.61	1.79	1.96	6.34	-	13.30 3.50 - 15.60	3.224 0.850 - 4.754	13.54	14.16	14.78	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
18+18+20+25+25	2.10	2.10	2.33	2.91	2.91	-	12.34 3.46 - 15.32	3.058 0.850 - 4.918	12.85	13.43	14.01	99
18+18+20+25+35	2.06	2.06	2.29	2.87	4.01	-	13.30 3.50 - 15.60	3.257 0.850 - 4.777	13.68	14.30	14.92	99
18+18+20+25+42	1.95	1.95	2.16	2.70	4.54	-	13.30 3.50 - 15.60	3.247 0.850 - 4.777	13.64	14.26	14.88	99
18+18+20+25+50	1.83	1.83	2.03	2.54	5.08	-	13.30 3.50 - 15.60	3.241 0.850 - 4.771	13.61	14.23	14.85	99
18+18+20+25+60	1.70	1.70	1.89	2.36	5.66	-	13.30 3.50 - 15.60	3.241 0.850 - 4.771	13.61	14.23	14.85	99
18+18+20+25+71	1.58	1.58	1.75	2.19	6.21	-	13.30 3.50 - 15.60	3.214 0.850 - 4.754	13.51	14.12	14.73	99
18+18+20+35+35	1.90	1.90	2.11	3.69	3.69	-	13.30 3.50 - 15.60	3.228 0.850 - 4.758	13.56	14.18	14.80	99
18+18+20+35+42	1.80	1.80	2.00	3.50	4.20	-	13.30 3.50 - 15.60	3.247 0.850 - 4.777	13.64	14.26	14.88	99
18+18+20+35+50	1.70	1.70	1.89	3.30	4.72	-	13.30 3.50 - 15.60	3.241 0.850 - 4.771	13.61	14.23	14.85	99
18+18+20+35+60	1.59	1.59	1.76	3.08	5.28	-	13.30 3.50 - 15.60	3.231 0.850 - 4.771	13.57	14.19	14.81	99
18+18+20+35+71	1.48	1.48	1.64	2.87	5.83	-	13.30 3.50 - 15.60	3.214 0.850 - 4.754	13.51	14.12	14.73	99
18+18+20+42+42	1.71	1.71	1.90	3.99	3.99	-	13.30 3.50 - 15.60	3.228 0.850 - 4.758	13.56	14.18	14.80	99
18+18+20+42+50	1.62	1.62	1.80	3.77	4.49	-	13.30 3.50 - 15.60	3.235 0.850 - 4.765	13.59	14.21	14.83	99
18+18+20+42+60	1.52	1.52	1.68	3.54	5.05	-	13.30 3.50 - 15.60	3.225 0.850 - 4.765	13.54	14.16	14.78	99
18+18+20+42+71	1.42	1.42	1.57	3.31	5.59	-	13.30 3.50 - 15.60	3.208 0.850 - 4.748	13.48	14.09	14.70	99
18+18+20+50+50	1.53	1.53	1.71	4.26	4.26	-	13.30 3.50 - 15.60	3.212 0.850 - 4.752	13.50	14.11	14.72	99
18+18+20+50+60	1.44	1.44	1.60	4.01	4.81	-	13.30 3.50 - 15.60	3.225 0.850 - 4.765	13.54	14.16	14.78	99
18+18+20+50+71	1.35	1.35	1.50	3.76	5.34	-	13.30 3.50 - 15.60	3.208 0.850 - 4.748	13.48	14.09	14.70	99
18+18+20+60+60	1.36	1.36	1.51	4.53	4.53	-	13.30 3.50 - 15.60	3.212 0.850 - 4.752	13.50	14.11	14.72	99
18+18+22+22+22	2.01	2.01	2.45	2.45	2.45	-	11.38 3.42 - 15.04	2.851 0.850 - 5.051	11.98	12.52	13.06	99
18+18+22+22+25	2.09	2.09	2.56	2.56	2.90	-	12.20 3.45 - 15.25	3.030 0.850 - 4.970	12.73	13.31	13.89	99
18+18+22+22+35	2.10	2.10	2.56	2.56	4.08	-	13.40 3.50 - 15.60	3.250 0.850 - 4.770	13.65	14.27	14.89	99
18+18+22+22+50	1.86	1.86	2.27	2.27	5.15	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
18+18+22+22+60	1.72	1.72	2.11	2.11	5.74	-	13.40 3.50 - 15.60	3.234 0.850 - 4.764	13.58	14.20	14.82	99
18+18+22+22+71	1.60	1.60	1.95	1.95	6.30	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99
18+18+22+25+25	2.15	2.15	2.63	2.99	2.99	-	12.92 3.48 - 15.46	3.141 0.850 - 4.831	13.19	13.79	14.39	99
18+18+22+25+35	2.04	2.04	2.50	2.84	3.97	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
18+18+22+25+42	1.93	1.93	2.36	2.68	4.50	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
18+18+22+25+50	1.81	1.81	2.22	2.52	5.04	-	13.40 3.50 - 15.60	3.234 0.850 - 4.764	13.58	14.20	14.82	99
18+18+22+25+60	1.69	1.69	2.06	2.34	5.62	-	13.40 3.50 - 15.60	3.234 0.850 - 4.764	13.58	14.20	14.82	99
18+18+22+25+71	1.57	1.57	1.91	2.18	6.18	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99
18+18+22+35+35	1.88	1.88	2.30	3.66	3.66	-	13.40 3.50 - 15.60	3.221 0.850 - 4.751	13.53	14.15	14.77	99
18+18+22+35+42	1.79	1.79	2.18	3.47	4.17	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
18+18+22+35+50	1.69	1.69	2.06	3.28	4.69	-	13.40 3.50 - 15.60	3.234 0.850 - 4.764	13.58	14.20	14.82	99
18+18+22+35+60	1.58	1.58	1.93	3.07	5.25	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99
18+18+22+35+71	1.47	1.47	1.80	2.86	5.80	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99
18+18+22+42+42	1.70	1.70	2.08	3.96	3.96	-	13.40 3.50 - 15.60	3.221 0.850 - 4.751	13.53	14.15	14.77	99
18+18+22+42+50	1.61	1.61	1.97	3.75	4.47	-	13.40 3.50 - 15.60	3.228 0.850 - 4.758	13.56	14.18	14.80	99
18+18+22+42+60	1.51	1.51	1.84	3.52	5.03	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
18+18+22+42+71	1.41	1.41	1.72	3.29	5.56	-	13.40 3.50 - 15.60	3.201 0.850 - 4.741	13.45	14.06	14.67	99
18+18+22+50+50	1.53	1.53	1.87	4.24	4.24	-	13.40 3.50 - 15.60	3.205 0.850 - 4.745	13.47	14.08	14.69	99
18+18+22+50+60	1.44	1.44	1.75	3.99	4.79	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
18+18+22+50+71	1.35	1.35	1.65	3.74	5.32	-	13.40 3.50 - 15.60	3.201 0.850 - 4.741	13.45	14.06	14.67	99
18+18+22+60+60	1.36	1.36	1.66	4.52	4.52	-	13.40 3.50 - 15.60	3.205 0.850 - 4.745	13.47	14.08	14.69	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
18+18+25+25+25	2.17	2.17	3.02	3.02	3.02	-	13.40 3.50 - 15.60	3.204 0.850 - 4.724	13.46	14.07	14.68	99	
18+18+25+25+35	1.99	1.99	2.77	2.77	3.88	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99	
18+18+25+25+42	1.88	1.88	2.62	2.62	4.40	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99	
18+18+25+25+50	1.77	1.77	2.46	2.46	4.93	-	13.40 3.50 - 15.60	3.234 0.850 - 4.764	13.58	14.20	14.82	99	
18+18+25+25+60	1.65	1.65	2.29	2.29	5.51	-	13.40 3.50 - 15.60	3.234 0.850 - 4.764	13.58	14.20	14.82	99	
18+18+25+25+71	1.54	1.54	2.13	2.13	6.06	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99	
18+18+25+35+35	1.84	1.84	2.56	3.58	3.58	-	13.40 3.50 - 15.60	3.221 0.850 - 4.751	13.53	14.15	14.77	99	
18+18+25+35+42	1.75	1.75	2.43	3.40	4.08	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99	
18+18+25+35+50	1.65	1.65	2.29	3.21	4.59	-	13.40 3.50 - 15.60	3.234 0.850 - 4.764	13.58	14.20	14.82	99	
18+18+25+35+60	1.55	1.55	2.15	3.01	5.15	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99	
18+18+25+35+71	1.44	1.44	2.01	2.81	5.70	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99	
18+18+25+42+42	1.66	1.66	2.31	3.88	3.88	-	13.40 3.50 - 15.60	3.221 0.850 - 4.751	13.53	14.15	14.77	99	
18+18+25+42+50	1.58	1.58	2.19	3.68	4.38	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99	
18+18+25+42+60	1.48	1.48	2.06	3.45	4.93	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99	
18+18+25+42+71	1.39	1.39	1.93	3.23	5.47	-	13.40 3.50 - 15.60	3.201 0.850 - 4.741	13.45	14.06	14.67	99	
18+18+25+50+50	1.50	1.50	2.08	4.16	4.16	-	13.40 3.50 - 15.60	3.205 0.850 - 4.745	13.47	14.08	14.69	99	
18+18+25+50+60	1.41	1.41	1.96	3.92	4.70	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99	
18+18+35+35+35	1.71	1.71	3.33	3.33	3.33	-	13.40 3.50 - 15.60	3.211 0.850 - 4.741	13.49	14.10	14.71	99	
18+18+35+35+42	1.63	1.63	3.17	3.17	3.80	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99	
18+18+35+35+50	1.55	1.55	3.01	3.01	4.29	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99	
18+18+35+35+60	1.45	1.45	2.83	2.83	4.84	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99	
18+18+35+35+71	1.36	1.36	2.65	2.65	5.38	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99	
18+18+35+42+42	1.56	1.56	3.03	3.63	3.63	-	13.40 3.50 - 15.60	3.211 0.850 - 4.751	13.49	14.10	14.71	99	
18+18+35+42+50	1.48	1.48	2.88	3.45	4.11	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99	
18+18+35+42+60	1.39	1.39	2.71	3.25	4.65	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99	
18+18+35+50+50	1.41	1.41	2.74	3.92	3.92	-	13.40 3.50 - 15.60	3.201 0.850 - 4.741	13.45	14.06	14.67	99	
18+18+42+42+42	1.49	1.49	3.47	3.47	3.47	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99	
18+18+42+42+50	1.42	1.42	3.31	3.31	3.94	-	13.40 3.50 - 15.60	3.212 0.850 - 4.752	13.50	14.11	14.72	99	
18+18+42+42+60	1.34	1.34	3.13	3.13	4.47	-	13.40 3.50 - 15.60	3.212 0.850 - 4.752	13.50	14.11	14.72	99	
18+18+42+50+50	1.36	1.36	3.16	3.76	3.76	-	13.40 3.50 - 15.60	3.195 0.850 - 4.735	13.42	14.03	14.64	99	
18+20+20+20+20	2.11	2.34	2.34	2.34	2.34	-	11.48 3.42 - 15.04	2.872 0.850 - 5.072	12.06	12.61	13.16	99	
18+20+20+20+22	1.91	2.12	2.12	2.12	2.33	-	10.60 3.40 - 14.90	2.828 0.850 - 5.198	11.88	12.42	12.96	99	
18+20+20+20+25	2.00	2.22	2.22	2.22	2.77	-	11.42 3.43 - 15.11	2.961 0.850 - 5.071	12.43	13.00	13.57	99	
18+20+20+20+35	2.09	2.32	2.32	2.32	4.06	-	13.10 3.50 - 15.60	3.271 0.850 - 4.791	13.75	14.37	14.99	99	
18+20+20+20+42	1.97	2.18	2.18	2.18	4.59	-	13.10 3.50 - 15.60	3.261 0.850 - 4.791	13.70	14.32	14.94	99	
18+20+20+20+50	1.84	2.05	2.05	2.05	5.12	-	13.10 3.50 - 15.60	3.255 0.850 - 4.785	13.68	14.30	14.92	99	
18+20+20+20+60	1.71	1.90	1.90	1.90	5.70	-	13.10 3.50 - 15.60	3.255 0.850 - 4.785	13.68	14.30	14.92	99	
18+20+20+20+71	1.58	1.76	1.76	1.76	6.24	-	13.10 3.50 - 15.60	3.238 0.850 - 4.768	13.60	14.22	14.84	99	
18+20+20+22+22	1.97	2.19	2.19	2.41	2.41	-	11.18 3.42 - 15.04	2.892 0.850 - 5.092	12.15	12.70	13.25	99	
18+20+20+22+25	2.06	2.29	2.29	2.51	2.86	-	12.00 3.45 - 15.25	3.044 0.850 - 4.984	12.79	13.37	13.95	99	
18+20+20+22+35	2.07	2.30	2.30	2.53	4.02	-	13.20 3.50 - 15.60	3.264 0.850 - 4.784	13.71	14.33	14.95	99	
18+20+20+22+50	1.83	2.03	2.03	2.23	5.08	-	13.20 3.50 - 15.60	3.254 0.850 - 4.784	13.67	14.29	14.91	99	
18+20+20+22+60	1.70	1.89	1.89	2.07	5.66	-	13.20 3.50 - 15.60	3.248 0.850 - 4.778	13.64	14.26	14.88	99	
18+20+20+22+71	1.57	1.75	1.75	1.92	6.21	-	13.20 3.50 - 15.60	3.221 0.850 - 4.761	13.53	14.15	14.77	99	



**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
18+20+20+25+25	2.12	2.36	2.36	2.94	2.94	-	12.72 3.48 - 15.46	3.155 0.850 - 4.845	13.26	13.86	14.46	99	
18+20+20+25+35	2.01	2.24	2.24	2.80	3.92	-	13.20 3.50 - 15.60	3.254 0.850 - 4.784	13.67	14.29	14.91	99	
18+20+20+25+42	1.90	2.11	2.11	2.64	4.44	-	13.20 3.50 - 15.60	3.254 0.850 - 4.784	13.67	14.29	14.91	99	
18+20+20+25+50	1.79	1.98	1.98	2.48	4.96	-	13.20 3.50 - 15.60	3.248 0.850 - 4.778	13.64	14.26	14.88	99	
18+20+20+25+60	1.66	1.85	1.85	2.31	5.54	-	13.20 3.50 - 15.60	3.248 0.850 - 4.778	13.64	14.26	14.88	99	
18+20+20+25+71	1.54	1.71	1.71	2.14	6.09	-	13.20 3.50 - 15.60	3.221 0.850 - 4.761	13.53	14.15	14.77	99	
18+20+20+35+35	1.86	2.06	2.06	3.61	3.61	-	13.20 3.50 - 15.60	3.235 0.850 - 4.765	13.59	14.21	14.83	99	
18+20+20+35+42	1.76	1.96	1.96	3.42	4.11	-	13.20 3.50 - 15.60	3.254 0.850 - 4.784	13.67	14.29	14.91	99	
18+20+20+35+50	1.66	1.85	1.85	3.23	4.62	-	13.20 3.50 - 15.60	3.248 0.850 - 4.778	13.64	14.26	14.88	99	
18+20+20+35+60	1.55	1.73	1.73	3.02	5.18	-	13.20 3.50 - 15.60	3.238 0.850 - 4.778	13.60	14.22	14.84	99	
18+20+20+35+71	1.45	1.61	1.61	2.82	5.71	-	13.20 3.50 - 15.60	3.221 0.850 - 4.761	13.53	14.15	14.77	99	
18+20+20+42+42	1.67	1.86	1.86	3.90	3.90	-	13.20 3.50 - 15.60	3.235 0.850 - 4.765	13.59	14.21	14.83	99	
18+20+20+42+50	1.58	1.76	1.76	3.70	4.40	-	13.20 3.50 - 15.60	3.242 0.850 - 4.772	13.62	14.24	14.86	99	
18+20+20+42+60	1.49	1.65	1.65	3.47	4.95	-	13.20 3.50 - 15.60	3.232 0.850 - 4.772	13.57	14.19	14.81	99	
18+20+20+42+71	1.39	1.54	1.54	3.24	5.48	-	13.20 3.50 - 15.60	3.215 0.850 - 4.755	13.51	14.12	14.73	99	
18+20+20+50+50	1.50	1.67	1.67	4.18	4.18	-	13.20 3.50 - 15.60	3.219 0.850 - 4.759	13.53	14.14	14.75	99	
18+20+20+50+60	1.41	1.57	1.57	3.93	4.71	-	13.20 3.50 - 15.60	3.232 0.850 - 4.772	13.57	14.19	14.81	99	
18+20+20+50+71	1.33	1.47	1.47	3.69	5.24	-	13.20 3.50 - 15.60	3.215 0.850 - 4.755	13.51	14.12	14.73	99	
18+20+20+60+60	1.33	1.48	1.48	4.45	4.45	-	13.20 3.50 - 15.60	3.219 0.850 - 4.759	13.53	14.14	14.75	99	
18+20+22+22+22	2.04	2.26	2.49	2.49	2.49	-	11.76 3.44 - 15.18	2.948 0.850 - 4.978	12.39	12.95	13.51	99	
18+20+22+22+25	2.12	2.35	2.59	2.59	2.94	-	12.58 3.47 - 15.39	3.127 0.850 - 4.897	13.13	13.73	14.33	99	
18+20+22+22+35	2.05	2.27	2.50	2.50	3.98	-	13.30 3.50 - 15.60	3.257 0.850 - 4.777	13.68	14.30	14.92	99	
18+20+22+22+42	1.93	2.15	2.36	2.36	4.50	-	13.30 3.50 - 15.60	3.247 0.850 - 4.777	13.64	14.26	14.88	99	
18+20+22+22+50	1.81	2.02	2.22	2.22	5.04	-	13.30 3.50 - 15.60	3.241 0.850 - 4.771	13.61	14.23	14.85	99	
18+20+22+22+60	1.69	1.87	2.06	2.06	5.62	-	13.30 3.50 - 15.60	3.241 0.850 - 4.771	13.61	14.23	14.85	99	
18+20+22+22+71	1.56	1.74	1.91	1.91	6.17	-	13.30 3.50 - 15.60	3.214 0.850 - 4.754	13.51	14.12	14.73	99	
18+20+22+25+25	2.18	2.42	2.66	3.02	3.02	-	13.30 3.50 - 15.60	3.238 0.850 - 4.758	13.60	14.22	14.84	99	
18+20+22+25+35	2.00	2.22	2.44	2.77	3.88	-	13.30 3.50 - 15.60	3.247 0.850 - 4.777	13.64	14.26	14.88	99	
18+20+22+25+42	1.89	2.09	2.30	2.62	4.40	-	13.30 3.50 - 15.60	3.247 0.850 - 4.777	13.64	14.26	14.88	99	
18+20+22+25+50	1.77	1.97	2.17	2.46	4.93	-	13.30 3.50 - 15.60	3.241 0.850 - 4.771	13.61	14.23	14.85	99	
18+20+22+25+60	1.65	1.83	2.02	2.29	5.50	-	13.30 3.50 - 15.60	3.241 0.850 - 4.771	13.61	14.23	14.85	99	
18+20+22+25+71	1.53	1.71	1.88	2.13	6.05	-	13.30 3.50 - 15.60	3.214 0.850 - 4.754	13.51	14.12	14.73	99	
18+20+22+35+35	1.84	2.05	2.25	3.58	3.58	-	13.30 3.50 - 15.60	3.228 0.850 - 4.758	13.56	14.18	14.80	99	
18+20+22+35+42	1.75	1.94	2.14	3.40	4.08	-	13.30 3.50 - 15.60	3.247 0.850 - 4.777	13.64	14.26	14.88	99	
18+20+22+35+50	1.65	1.83	2.02	3.21	4.59	-	13.30 3.50 - 15.60	3.241 0.850 - 4.771	13.61	14.23	14.85	99	
18+20+22+35+60	1.54	1.72	1.89	3.00	5.15	-	13.30 3.50 - 15.60	3.231 0.850 - 4.771	13.57	14.19	14.81	99	
18+20+22+35+71	1.44	1.60	1.76	2.80	5.69	-	13.30 3.50 - 15.60	3.214 0.850 - 4.754	13.51	14.12	14.73	99	
18+20+22+42+42	1.66	1.85	2.03	3.88	3.88	-	13.30 3.50 - 15.60	3.228 0.850 - 4.758	13.56	14.18	14.80	99	
18+20+22+42+50	1.58	1.75	1.93	3.68	4.38	-	13.30 3.50 - 15.60	3.225 0.850 - 4.765	13.54	14.16	14.78	99	
18+20+22+42+60	1.48	1.64	1.81	3.45	4.93	-	13.30 3.50 - 15.60	3.225 0.850 - 4.765	13.54	14.16	14.78	99	
18+20+22+42+71	1.38	1.54	1.69	3.23	5.46	-	13.30 3.50 - 15.60	3.208 0.850 - 4.748	13.48	14.09	14.70	99	
18+20+22+50+50	1.50	1.66	1.83	4.16	4.16	-	13.30 3.50 - 15.60	3.212 0.850 - 4.752	13.50	14.11	14.72	99	
18+20+22+50+60	1.41	1.56	1.72	3.91	4.69	-	13.30 3.50 - 15.60	3.225 0.850 - 4.765	13.54	14.16	14.78	99	
18+20+22+60+60	1.33	1.48	1.63	4.43	4.43	-	13.30 3.50 - 15.60	3.208 0.850 - 4.748	13.48	14.09	14.70	99	

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
18+20+25+25+25	2.12	2.35	2.94	2.94	2.94	-	13.30 3.50 - 15.60	0.850	3.211 - 4.731	13.49	14.10	14.71	99
18+20+25+25+35	1.95	2.16	2.70	2.70	3.78	-	13.30 3.50 - 15.60	0.850	3.247 - 4.777	13.64	14.26	14.88	99
18+20+25+25+42	1.84	2.05	2.56	2.56	4.30	-	13.30 3.50 - 15.60	0.850	3.247 - 4.777	13.64	14.26	14.88	99
18+20+25+25+50	1.73	1.93	2.41	2.41	4.82	-	13.30 3.50 - 15.60	0.850	3.241 - 4.771	13.61	14.23	14.85	99
18+20+25+25+60	1.62	1.80	2.25	2.25	5.39	-	13.30 3.50 - 15.60	0.850	3.241 - 4.771	13.61	14.23	14.85	99
18+20+25+25+71	1.51	1.67	2.09	2.09	5.94	-	13.30 3.50 - 15.60	0.850	3.214 - 4.754	13.51	14.12	14.73	99
18+20+25+35+35	1.80	2.00	2.50	3.50	3.50	-	13.30 3.50 - 15.60	0.850	3.228 - 4.758	13.56	14.18	14.80	99
18+20+25+35+42	1.71	1.90	2.38	3.33	3.99	-	13.30 3.50 - 15.60	0.850	3.247 - 4.777	13.64	14.26	14.88	99
18+20+25+35+50	1.62	1.80	2.25	3.15	4.49	-	13.30 3.50 - 15.60	0.850	3.241 - 4.771	13.61	14.23	14.85	99
18+20+25+35+60	1.52	1.68	2.10	2.95	5.05	-	13.30 3.50 - 15.60	0.850	3.231 - 4.771	13.57	14.19	14.81	99
18+20+25+35+71	1.42	1.57	1.97	2.75	5.59	-	13.30 3.50 - 15.60	0.850	3.214 - 4.754	13.51	14.12	14.73	99
18+20+25+42+42	1.63	1.81	2.26	3.80	3.80	-	13.30 3.50 - 15.60	0.850	3.228 - 4.758	13.56	14.18	14.80	99
18+20+25+42+50	1.54	1.72	2.15	3.60	4.29	-	13.30 3.50 - 15.60	0.850	3.225 - 4.765	13.54	14.16	14.78	99
18+20+25+42+60	1.45	1.61	2.02	3.39	4.84	-	13.30 3.50 - 15.60	0.850	3.225 - 4.765	13.54	14.16	14.78	99
18+20+25+42+71	1.36	1.51	1.89	3.17	5.37	-	13.30 3.50 - 15.60	0.850	3.208 - 4.748	13.48	14.09	14.70	99
18+20+25+50+50	1.47	1.63	2.04	4.08	4.08	-	13.30 3.50 - 15.60	0.850	3.212 - 4.752	13.50	14.11	14.72	99
18+20+25+50+60	1.38	1.54	1.92	3.84	4.61	-	13.30 3.50 - 15.60	0.850	3.225 - 4.765	13.54	14.16	14.78	99
18+20+35+35+35	1.67	1.86	3.26	3.26	3.26	-	13.30 3.50 - 15.60	0.850	3.218 - 4.748	13.52	14.13	14.74	99
18+20+35+35+42	1.60	1.77	3.10	3.10	3.72	-	13.30 3.50 - 15.60	0.850	3.247 - 4.777	13.64	14.26	14.88	99
18+20+35+35+50	1.52	1.68	2.95	2.95	4.21	-	13.30 3.50 - 15.60	0.850	3.231 - 4.771	13.57	14.19	14.81	99
18+20+35+35+60	1.43	1.58	2.77	2.77	4.75	-	13.30 3.50 - 15.60	0.850	3.231 - 4.771	13.57	14.19	14.81	99
18+20+35+35+71	1.34	1.49	2.60	2.60	5.28	-	13.30 3.50 - 15.60	0.850	3.214 - 4.754	13.51	14.12	14.73	99
18+20+35+42+42	1.52	1.69	2.96	3.56	3.56	-	13.30 3.50 - 15.60	0.850	3.218 - 4.758	13.52	14.13	14.74	99
18+20+35+42+50	1.45	1.61	2.82	3.39	4.03	-	13.30 3.50 - 15.60	0.850	3.225 - 4.765	13.54	14.16	14.78	99
18+20+35+42+60	1.37	1.52	2.66	3.19	4.56	-	13.30 3.50 - 15.60	0.850	3.225 - 4.765	13.54	14.16	14.78	99
18+20+35+50+50	1.38	1.54	2.69	3.84	3.84	-	13.30 3.50 - 15.60	0.850	3.208 - 4.748	13.48	14.09	14.70	99
18+20+42+42+42	1.46	1.62	3.41	3.41	3.41	-	13.30 3.50 - 15.60	0.850	3.225 - 4.765	13.54	14.16	14.78	99
18+20+42+42+50	1.39	1.55	3.25	3.25	3.87	-	13.30 3.50 - 15.60	0.850	3.219 - 4.759	13.53	14.14	14.75	99
18+20+42+50+50	1.33	1.48	3.10	3.69	3.69	-	13.30 3.50 - 15.60	0.850	3.219 - 4.759	13.53	14.14	14.75	99
18+22+22+22+22	2.10	2.56	2.56	2.56	2.56	-	12.34 3.46 - 15.32	0.850	3.059 - 4.919	12.85	13.43	14.01	99
18+22+22+22+25	2.17	2.66	2.66	2.66	3.02	-	13.16 3.49 - 15.53	0.850	3.210 - 4.810	13.49	14.10	14.71	99
18+22+22+22+35	2.03	2.48	2.48	2.48	3.94	-	13.40 3.50 - 15.60	0.850	3.240 - 4.770	13.61	14.23	14.85	99
18+22+22+22+42	1.91	2.34	2.34	2.34	4.47	-	13.40 3.50 - 15.60	0.850	3.240 - 4.770	13.61	14.23	14.85	99
18+22+22+22+50	1.80	2.20	2.20	2.20	5.00	-	13.40 3.50 - 15.60	0.850	3.234 - 4.764	13.58	14.20	14.82	99
18+22+22+22+60	1.68	2.05	2.05	2.05	5.58	-	13.40 3.50 - 15.60	0.850	3.234 - 4.764	13.58	14.20	14.82	99
18+22+22+22+71	1.56	1.90	1.90	1.90	6.14	-	13.40 3.50 - 15.60	0.850	3.207 - 4.747	13.47	14.08	14.69	99
18+22+22+25+25	2.15	2.63	2.63	2.99	2.99	-	13.40 3.50 - 15.60	0.850	3.231 - 4.751	13.57	14.19	14.81	99
18+22+22+25+42	1.87	2.29	2.29	2.60	4.36	-	13.40 3.50 - 15.60	0.850	3.240 - 4.770	13.61	14.23	14.85	99
18+22+22+25+50	1.76	2.15	2.15	2.45	4.89	-	13.40 3.50 - 15.60	0.850	3.234 - 4.764	13.58	14.20	14.82	99
18+22+22+25+60	1.64	2.01	2.01	2.28	5.47	-	13.40 3.50 - 15.60	0.850	3.234 - 4.764	13.58	14.20	14.82	99
18+22+22+25+71	1.53	1.87	1.87	2.12	6.02	-	13.40 3.50 - 15.60	0.850	3.207 - 4.747	13.47	14.08	14.69	99
18+22+22+35+35	1.83	2.23	2.23	3.55	3.55	-	13.40 3.50 - 15.60	0.850	3.221 - 4.751	13.53	14.15	14.77	99
18+22+22+35+42	1.74	2.12	2.12	3.37	4.05	-	13.40 3.50 - 15.60	0.850	3.240 - 4.770	13.61	14.23	14.85	99
18+22+22+35+50	1.64	2.01	2.01	3.19	4.56	-	13.40 3.50 - 15.60	0.850	3.234 - 4.764	13.58	14.20	14.82	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
18+22+22+35+60	1.54	1.88	1.88	2.99	5.12	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99
18+22+22+35+71	1.44	1.75	1.75	2.79	5.66	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99
18+22+22+42+42	1.65	2.02	2.02	3.85	3.85	-	13.40 3.50 - 15.60	3.221 0.850 - 4.751	13.53	14.15	14.77	99
18+22+22+42+50	1.57	1.91	1.91	3.65	4.35	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
18+22+22+42+60	1.47	1.80	1.80	3.43	4.90	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
18+22+22+42+71	1.38	1.68	1.68	3.22	5.44	-	13.40 3.50 - 15.60	3.201 0.850 - 4.741	13.45	14.06	14.67	99
18+22+22+50+50	1.49	1.82	1.82	4.14	4.14	-	13.40 3.50 - 15.60	3.205 0.850 - 4.745	13.47	14.08	14.69	99
18+22+22+50+60	1.40	1.71	1.71	3.90	4.67	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
18+22+25+25+25	2.10	2.56	2.91	2.91	2.91	-	13.40 3.50 - 15.60	3.221 0.850 - 4.741	13.53	14.15	14.77	99
18+22+25+25+35	1.93	2.36	2.68	2.68	3.75	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
18+22+25+25+42	1.83	2.23	2.54	2.54	4.26	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
18+22+25+25+50	1.72	2.11	2.39	2.39	4.79	-	13.40 3.50 - 15.60	3.234 0.850 - 4.764	13.58	14.20	14.82	99
18+22+25+25+60	1.61	1.97	2.23	2.23	5.36	-	13.40 3.50 - 15.60	3.234 0.850 - 4.764	13.58	14.20	14.82	99
18+22+25+25+71	1.50	1.83	2.08	2.08	5.91	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99
18+22+25+35+35	1.79	2.18	2.48	3.47	3.47	-	13.40 3.50 - 15.60	3.221 0.850 - 4.751	13.53	14.15	14.77	99
18+22+25+35+42	1.70	2.08	2.36	3.30	3.96	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
18+22+25+35+50	1.61	1.97	2.23	3.13	4.47	-	13.40 3.50 - 15.60	3.234 0.850 - 4.764	13.58	14.20	14.82	99
18+22+25+35+60	1.51	1.84	2.09	2.93	5.03	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99
18+22+25+35+71	1.41	1.72	1.96	2.74	5.56	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99
18+22+25+42+42	1.62	1.98	2.25	3.78	3.78	-	13.40 3.50 - 15.60	3.221 0.850 - 4.751	13.53	14.15	14.77	99
18+22+25+42+50	1.54	1.88	2.13	3.58	4.27	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
18+22+25+42+60	1.44	1.77	2.01	3.37	4.81	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
18+22+25+42+71	1.36	1.66	1.88	3.16	5.34	-	13.40 3.50 - 15.60	3.201 0.850 - 4.741	13.45	14.06	14.67	99
18+22+25+50+50	1.46	1.79	2.03	4.06	4.06	-	13.40 3.50 - 15.60	3.205 0.850 - 4.745	13.47	14.08	14.69	99
18+22+25+50+60	1.38	1.68	1.91	3.83	4.59	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
18+22+35+35+35	1.66	2.03	3.23	3.23	3.23	-	13.40 3.50 - 15.60	3.211 0.850 - 4.741	13.49	14.10	14.71	99
18+22+35+35+42	1.59	1.94	3.09	3.09	3.70	-	13.40 3.50 - 15.60	3.230 0.850 - 4.770	13.57	14.19	14.81	99
18+22+35+35+50	1.51	1.84	2.93	2.93	4.19	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99
18+22+35+35+60	1.42	1.73	2.76	2.76	4.73	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99
18+22+35+42+42	1.52	1.85	2.95	3.54	3.54	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99
18+22+35+42+50	1.44	1.77	2.81	3.37	4.01	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
18+22+35+42+60	1.36	1.67	2.65	3.18	4.54	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
18+22+35+50+50	1.38	1.68	2.68	3.83	3.83	-	13.40 3.50 - 15.60	3.201 0.850 - 4.741	13.45	14.06	14.67	99
18+22+42+42+42	1.45	1.78	3.39	3.39	3.39	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
18+22+42+42+50	1.39	1.69	3.23	3.23	3.85	-	13.40 3.50 - 15.60	3.212 0.850 - 4.752	13.50	14.11	14.72	99
18+25+25+25+25	2.04	2.84	2.84	2.84	2.84	-	13.40 3.50 - 15.60	3.222 0.850 - 4.752	13.53	14.15	14.77	99
18+25+25+25+35	1.88	2.62	2.62	2.62	3.66	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
18+25+25+25+42	1.79	2.48	2.48	2.48	4.17	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
18+25+25+25+50	1.69	2.34	2.34	2.34	4.69	-	13.40 3.50 - 15.60	3.234 0.850 - 4.764	13.58	14.20	14.82	99
18+25+25+25+60	1.58	2.19	2.19	2.19	5.25	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99
18+25+25+25+71	1.47	2.04	2.04	2.04	5.80	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99
18+25+25+35+35	1.75	2.43	2.43	3.40	3.40	-	13.40 3.50 - 15.60	3.221 0.850 - 4.751	13.53	14.15	14.77	99
18+25+25+35+42	1.66	2.31	2.31	3.23	3.88	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
18+25+25+35+50	1.58	2.19	2.19	3.07	4.38	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
18+25+25+35+60	1.48	2.06	2.06	2.88	4.93	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99	
18+25+25+35+71	1.39	1.93	1.93	2.70	5.47	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99	
18+25+25+42+42	1.59	2.20	2.20	3.70	3.70	-	13.40 3.50 - 15.60	3.211 0.850 - 4.751	13.49	14.10	14.71	99	
18+25+25+42+50	1.51	2.09	2.09	3.52	4.19	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99	
18+25+25+42+60	1.42	1.97	1.97	3.31	4.73	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99	
18+25+25+50+50	1.44	1.99	1.99	3.99	3.99	-	13.40 3.50 - 15.60	3.201 0.850 - 4.741	13.45	14.06	14.67	99	
18+25+25+50+60	1.36	1.88	1.88	3.76	4.52	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99	
18+25+35+35+35	1.63	2.26	3.17	3.17	3.17	-	13.40 3.50 - 15.60	3.211 0.850 - 4.741	13.49	14.10	14.71	99	
18+25+35+35+42	1.56	2.16	3.03	3.03	3.63	-	13.40 3.50 - 15.60	3.230 0.850 - 4.770	13.57	14.19	14.81	99	
18+25+35+35+50	1.48	2.06	2.88	2.88	4.11	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99	
18+25+35+35+60	1.39	1.94	2.71	2.71	4.65	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99	
18+25+35+42+42	1.49	2.07	2.90	3.47	3.47	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99	
18+25+35+42+50	1.42	1.97	2.76	3.31	3.94	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99	
18+25+35+42+60	1.34	1.86	2.61	3.13	4.47	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99	
18+25+35+50+50	1.36	1.88	2.63	3.76	3.76	-	13.40 3.50 - 15.60	3.201 0.850 - 4.741	13.45	14.06	14.67	99	
18+25+42+42+42	1.43	1.98	3.33	3.33	3.33	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99	
18+25+42+42+50	1.36	1.89	3.18	3.18	3.79	-	13.40 3.50 - 15.60	3.212 0.850 - 4.752	13.50	14.11	14.72	99	
18+35+35+35+35	1.53	2.97	2.97	2.97	2.97	-	13.40 3.50 - 15.60	3.212 0.850 - 4.752	13.50	14.11	14.72	99	
18+35+35+35+42	1.46	2.84	2.84	2.84	3.41	-	13.40 3.50 - 15.60	3.230 0.850 - 4.770	13.57	14.19	14.81	99	
18+35+35+35+50	1.39	2.71	2.71	2.71	3.87	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99	
18+35+35+42+42	1.40	2.73	2.73	3.27	3.27	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99	
18+35+35+42+50	1.34	2.61	2.61	3.13	3.72	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99	
18+35+42+42+42	1.35	2.62	3.14	3.14	3.14	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99	
20+20+20+20+20	2.20	2.20	2.20	2.20	2.20	-	11.00 3.40 - 14.90	2.782 0.850 - 5.152	11.69	12.22	12.75	99	
20+20+20+20+22	2.15	2.15	2.15	2.15	2.37	-	10.98 3.42 - 15.04	2.925 0.850 - 5.125	12.29	12.85	13.41	99	
20+20+20+20+25	2.25	2.25	2.25	2.25	2.81	-	11.80 3.45 - 15.25	3.058 0.850 - 4.998	12.85	13.43	14.01	99	
20+20+20+20+35	2.26	2.26	2.26	2.26	3.96	-	13.00 3.50 - 15.60	3.278 0.850 - 4.798	13.77	14.40	15.03	99	
20+20+20+20+50	2.00	2.00	2.00	2.00	5.00	-	13.00 3.50 - 15.60	3.268 0.850 - 4.798	13.73	14.35	14.97	99	
20+20+20+20+60	1.86	1.86	1.86	1.86	5.57	-	13.00 3.50 - 15.60	3.262 0.850 - 4.792	13.71	14.33	14.95	99	
20+20+20+20+71	1.72	1.72	1.72	1.72	6.11	-	13.00 3.50 - 15.60	3.235 0.850 - 4.775	13.59	14.21	14.83	99	
20+20+20+22+22	2.22	2.22	2.22	2.45	2.45	-	11.56 3.44 - 15.18	2.989 0.850 - 5.019	12.56	13.13	13.70	99	
20+20+20+22+25	2.31	2.31	2.31	2.55	2.89	-	12.38 3.47 - 15.39	3.141 0.850 - 4.911	13.19	13.79	14.39	99	
20+20+20+22+35	2.24	2.24	2.24	2.46	3.92	-	13.10 3.50 - 15.60	3.271 0.850 - 4.791	13.75	14.37	14.99	99	
20+20+20+22+42	2.11	2.11	2.11	2.32	4.44	-	13.10 3.50 - 15.60	3.261 0.850 - 4.791	13.70	14.32	14.94	99	
20+20+20+22+50	1.98	1.98	1.98	2.18	4.96	-	13.10 3.50 - 15.60	3.255 0.850 - 4.785	13.68	14.30	14.92	99	
20+20+20+22+60	1.85	1.85	1.85	2.03	5.54	-	13.10 3.50 - 15.60	3.255 0.850 - 4.785	13.68	14.30	14.92	99	
20+20+20+22+71	1.71	1.71	1.71	1.88	6.08	-	13.10 3.50 - 15.60	3.228 0.850 - 4.768	13.56	14.18	14.80	99	
20+20+20+25+25	2.38	2.38	2.38	2.98	2.98	-	13.10 3.50 - 15.60	3.252 0.850 - 4.772	13.66	14.28	14.90	99	
20+20+20+25+35	2.18	2.18	2.18	2.73	3.82	-	13.10 3.50 - 15.60	3.261 0.850 - 4.791	13.70	14.32	14.94	99	
20+20+20+25+42	2.06	2.06	2.06	2.58	4.33	-	13.10 3.50 - 15.60	3.261 0.850 - 4.791	13.70	14.32	14.94	99	
20+20+20+25+50	1.94	1.94	1.94	2.43	4.85	-	13.10 3.50 - 15.60	3.255 0.850 - 4.785	13.68	14.30	14.92	99	
20+20+20+25+60	1.81	1.81	1.81	2.26	5.42	-	13.10 3.50 - 15.60	3.255 0.850 - 4.785	13.68	14.30	14.92	99	
20+20+20+25+71	1.68	1.68	1.68	2.10	5.96	-	13.10 3.50 - 15.60	3.228 0.850 - 4.768	13.56	14.18	14.80	99	
20+20+20+35+35	2.02	2.02	2.02	3.53	3.53	-	13.10 3.50 - 15.60	3.242 0.850 - 4.772	13.62	14.24	14.86	99	

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
20+20+20+35+42	1.91	1.91	1.91	3.35	4.02	-	13.10 3.50 - 15.60	3.261 0.850 - 4.791	13.70	14.32	14.94	99
20+20+20+35+50	1.81	1.81	1.81	3.16	4.52	-	13.10 3.50 - 15.60	3.255 0.850 - 4.785	13.68	14.30	14.92	99
20+20+20+35+60	1.69	1.69	1.69	2.96	5.07	-	13.10 3.50 - 15.60	3.245 0.850 - 4.785	13.63	14.25	14.87	99
20+20+20+35+71	1.58	1.58	1.58	2.76	5.60	-	13.10 3.50 - 15.60	3.228 0.850 - 4.768	13.56	14.18	14.80	99
20+20+20+42+42	1.82	1.82	1.82	3.82	3.82	-	13.10 3.50 - 15.60	3.242 0.850 - 4.772	13.62	14.24	14.86	99
20+20+20+42+50	1.72	1.72	1.72	3.62	4.31	-	13.10 3.50 - 15.60	3.239 0.850 - 4.779	13.60	14.22	14.84	99
20+20+20+42+60	1.62	1.62	1.62	3.40	4.85	-	13.10 3.50 - 15.60	3.239 0.850 - 4.779	13.60	14.22	14.84	99
20+20+20+42+71	1.51	1.51	1.51	3.18	5.38	-	13.10 3.50 - 15.60	3.222 0.850 - 4.762	13.53	14.15	14.77	99
20+20+20+50+50	1.64	1.64	1.64	4.09	4.09	-	13.10 3.50 - 15.60	3.226 0.850 - 4.766	13.55	14.17	14.79	99
20+20+20+50+60	1.54	1.54	1.54	3.85	4.62	-	13.10 3.50 - 15.60	3.239 0.850 - 4.779	13.60	14.22	14.84	99
20+20+20+60+60	1.46	1.46	1.46	4.37	4.37	-	13.10 3.50 - 15.60	3.222 0.850 - 4.762	13.53	14.15	14.77	99
20+20+22+22+22	2.29	2.29	2.52	2.52	2.52	-	12.14 3.46 - 15.32	3.045 0.850 - 4.905	12.79	13.37	13.95	99
20+20+22+22+25	2.38	2.38	2.62	2.62	2.97	-	12.96 3.49 - 15.53	3.224 0.850 - 4.824	13.54	14.16	14.78	99
20+20+22+22+35	2.22	2.22	2.44	2.44	3.88	-	13.20 3.50 - 15.60	3.254 0.850 - 4.784	13.67	14.29	14.91	99
20+20+22+22+42	2.10	2.10	2.30	2.30	4.40	-	13.20 3.50 - 15.60	3.254 0.850 - 4.784	13.67	14.29	14.91	99
20+20+22+22+50	1.97	1.97	2.17	2.17	4.93	-	13.20 3.50 - 15.60	3.248 0.850 - 4.778	13.64	14.26	14.88	99
20+20+22+22+60	1.83	1.83	2.02	2.02	5.50	-	13.20 3.50 - 15.60	3.248 0.850 - 4.778	13.64	14.26	14.88	99
20+20+22+22+71	1.70	1.70	1.87	1.87	6.05	-	13.20 3.50 - 15.60	3.221 0.850 - 4.761	13.53	14.15	14.77	99
20+20+22+25+25	2.36	2.36	2.59	2.95	2.95	-	13.20 3.50 - 15.60	3.245 0.850 - 4.765	13.63	14.25	14.87	99
20+20+22+25+42	2.05	2.05	2.25	2.56	4.30	-	13.20 3.50 - 15.60	3.254 0.850 - 4.784	13.67	14.29	14.91	99
20+20+22+25+50	1.93	1.93	2.12	2.41	4.82	-	13.20 3.50 - 15.60	3.248 0.850 - 4.778	13.64	14.26	14.88	99
20+20+22+25+60	1.80	1.80	1.98	2.24	5.39	-	13.20 3.50 - 15.60	3.248 0.850 - 4.778	13.64	14.26	14.88	99
20+20+22+25+71	1.67	1.67	1.84	2.09	5.93	-	13.20 3.50 - 15.60	3.221 0.850 - 4.761	13.53	14.15	14.77	99
20+20+22+35+35	2.00	2.00	2.20	3.50	3.50	-	13.20 3.50 - 15.60	3.235 0.850 - 4.765	13.59	14.21	14.83	99
20+20+22+35+42	1.90	1.90	2.09	3.32	3.99	-	13.20 3.50 - 15.60	3.254 0.850 - 4.784	13.67	14.29	14.91	99
20+20+22+35+50	1.80	1.80	1.98	3.14	4.49	-	13.20 3.50 - 15.60	3.248 0.850 - 4.778	13.64	14.26	14.88	99
20+20+22+35+60	1.68	1.68	1.85	2.94	5.04	-	13.20 3.50 - 15.60	3.238 0.850 - 4.778	13.60	14.22	14.84	99
20+20+22+35+71	1.57	1.57	1.73	2.75	5.58	-	13.20 3.50 - 15.60	3.221 0.850 - 4.761	13.53	14.15	14.77	99
20+20+22+42+42	1.81	1.81	1.99	3.80	3.80	-	13.20 3.50 - 15.60	3.235 0.850 - 4.765	13.59	14.21	14.83	99
20+20+22+42+50	1.71	1.71	1.89	3.60	4.29	-	13.20 3.50 - 15.60	3.232 0.850 - 4.772	13.57	14.19	14.81	99
20+20+22+42+60	1.61	1.61	1.77	3.38	4.83	-	13.20 3.50 - 15.60	3.232 0.850 - 4.772	13.57	14.19	14.81	99
20+20+22+42+71	1.51	1.51	1.66	3.17	5.36	-	13.20 3.50 - 15.60	3.215 0.850 - 4.755	13.51	14.12	14.73	99
20+20+22+50+50	1.63	1.63	1.79	4.07	4.07	-	13.20 3.50 - 15.60	3.219 0.850 - 4.759	13.53	14.14	14.75	99
20+20+22+50+60	1.53	1.53	1.69	3.84	4.60	-	13.20 3.50 - 15.60	3.232 0.850 - 4.772	13.57	14.19	14.81	99
20+20+25+25+25	2.30	2.30	2.87	2.87	2.87	-	13.20 3.50 - 15.60	3.235 0.850 - 4.755	13.59	14.21	14.83	99
20+20+25+25+35	2.11	2.11	2.64	2.64	3.70	-	13.20 3.50 - 15.60	3.254 0.850 - 4.784	13.67	14.29	14.91	99
20+20+25+25+42	2.00	2.00	2.50	2.50	4.20	-	13.20 3.50 - 15.60	3.254 0.850 - 4.784	13.67	14.29	14.91	99
20+20+25+25+50	1.89	1.89	2.36	2.36	4.71	-	13.20 3.50 - 15.60	3.248 0.850 - 4.778	13.64	14.26	14.88	99
20+20+25+25+60	1.76	1.76	2.20	2.20	5.28	-	13.20 3.50 - 15.60	3.248 0.850 - 4.778	13.64	14.26	14.88	99
20+20+25+25+71	1.64	1.64	2.05	2.05	5.82	-	13.20 3.50 - 15.60	3.221 0.850 - 4.761	13.53	14.15	14.77	99
20+20+25+35+35	1.96	1.96	2.44	3.42	3.42	-	13.20 3.50 - 15.60	3.235 0.850 - 4.765	13.59	14.21	14.83	99
20+20+25+35+42	1.86	1.86	2.32	3.25	3.90	-	13.20 3.50 - 15.60	3.254 0.850 - 4.784	13.67	14.29	14.91	99
20+20+25+35+50	1.76	1.76	2.20	3.08	4.40	-	13.20 3.50 - 15.60	3.248 0.850 - 4.778	13.64	14.26	14.88	99
20+20+25+35+60	1.65	1.65	2.06	2.89	4.95	-	13.20 3.50 - 15.60	3.238 0.850 - 4.778	13.60	14.22	14.84	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
20+20+25+35+71	1.54	1.54	1.93	2.70	5.48	-	13.20 3.50 - 15.60	3.221 0.850 - 4.761	13.53	14.15	14.77	99
20+20+25+42+42	1.77	1.77	2.21	3.72	3.72	-	13.20 3.50 - 15.60	3.235 0.850 - 4.765	13.59	14.21	14.83	99
20+20+25+42+50	1.68	1.68	2.10	3.53	4.20	-	13.20 3.50 - 15.60	3.232 0.850 - 4.772	13.57	14.19	14.81	99
20+20+25+42+60	1.58	1.58	1.98	3.32	4.74	-	13.20 3.50 - 15.60	3.232 0.850 - 4.772	13.57	14.19	14.81	99
20+20+25+42+71	1.48	1.48	1.85	3.11	5.27	-	13.20 3.50 - 15.60	3.215 0.850 - 4.755	13.51	14.12	14.73	99
20+20+25+50+50	1.60	1.60	2.00	4.00	4.00	-	13.20 3.50 - 15.60	3.219 0.850 - 4.759	13.53	14.14	14.75	99
20+20+25+50+60	1.51	1.51	1.89	3.77	4.53	-	13.20 3.50 - 15.60	3.232 0.850 - 4.772	13.57	14.19	14.81	99
20+20+35+35+35	1.82	1.82	3.19	3.19	3.19	-	13.20 3.50 - 15.60	3.225 0.850 - 4.755	13.54	14.16	14.78	99
20+20+35+35+42	1.74	1.74	3.04	3.04	3.65	-	13.20 3.50 - 15.60	3.244 0.850 - 4.784	13.63	14.25	14.87	99
20+20+35+35+50	1.65	1.65	2.89	2.89	4.13	-	13.20 3.50 - 15.60	3.238 0.850 - 4.778	13.60	14.22	14.84	99
20+20+35+35+60	1.55	1.55	2.72	2.72	4.66	-	13.20 3.50 - 15.60	3.238 0.850 - 4.778	13.60	14.22	14.84	99
20+20+35+42+42	1.66	1.66	2.91	3.49	3.49	-	13.20 3.50 - 15.60	3.221 0.850 - 4.761	13.53	14.15	14.77	99
20+20+35+42+50	1.58	1.58	2.77	3.32	3.95	-	13.20 3.50 - 15.60	3.232 0.850 - 4.772	13.57	14.19	14.81	99
20+20+35+42+60	1.49	1.49	2.61	3.13	4.47	-	13.20 3.50 - 15.60	3.232 0.850 - 4.772	13.57	14.19	14.81	99
20+20+35+50+50	1.51	1.51	2.64	3.77	3.77	-	13.20 3.50 - 15.60	3.215 0.850 - 4.755	13.51	14.12	14.73	99
20+20+42+42+42	1.59	1.59	3.34	3.34	3.34	-	13.20 3.50 - 15.60	3.232 0.850 - 4.772	13.57	14.19	14.81	99
20+20+42+42+50	1.52	1.52	3.19	3.19	3.79	-	13.20 3.50 - 15.60	3.226 0.850 - 4.766	13.55	14.17	14.79	99
20+22+22+22+22	2.36	2.59	2.59	2.59	2.59	-	12.72 3.48 - 15.46	3.156 0.850 - 4.846	13.26	13.86	14.46	99
20+22+22+22+25	2.40	2.64	2.64	2.64	3.00	-	13.30 3.50 - 15.60	3.257 0.850 - 4.777	13.68	14.30	14.92	99
20+22+22+22+35	2.20	2.42	2.42	2.42	3.85	-	13.30 3.50 - 15.60	3.247 0.850 - 4.777	13.64	14.26	14.88	99
20+22+22+22+42	2.08	2.29	2.29	2.29	4.36	-	13.30 3.50 - 15.60	3.247 0.850 - 4.777	13.64	14.26	14.88	99
20+22+22+22+50	1.96	2.15	2.15	2.15	4.89	-	13.30 3.50 - 15.60	3.241 0.850 - 4.771	13.61	14.23	14.85	99
20+22+22+22+60	1.82	2.00	2.00	2.00	5.47	-	13.30 3.50 - 15.60	3.241 0.850 - 4.771	13.61	14.23	14.85	99
20+22+22+22+71	1.69	1.86	1.86	1.86	6.01	-	13.30 3.50 - 15.60	3.214 0.850 - 4.754	13.51	14.12	14.73	99
20+22+22+25+25	2.33	2.57	2.57	2.92	2.92	-	13.30 3.50 - 15.60	3.238 0.850 - 4.758	13.60	14.22	14.84	99
20+22+22+25+35	2.15	2.36	2.36	2.68	3.75	-	13.30 3.50 - 15.60	3.247 0.850 - 4.777	13.64	14.26	14.88	99
20+22+22+25+42	2.03	2.23	2.23	2.54	4.26	-	13.30 3.50 - 15.60	3.247 0.850 - 4.777	13.64	14.26	14.88	99
20+22+22+25+50	1.91	2.11	2.11	2.39	4.78	-	13.30 3.50 - 15.60	3.241 0.850 - 4.771	13.61	14.23	14.85	99
20+22+22+25+60	1.79	1.96	1.96	2.23	5.36	-	13.30 3.50 - 15.60	3.241 0.850 - 4.771	13.61	14.23	14.85	99
20+22+22+25+71	1.66	1.83	1.83	2.08	5.90	-	13.30 3.50 - 15.60	3.214 0.850 - 4.754	13.51	14.12	14.73	99
20+22+22+35+35	1.99	2.18	2.18	3.47	3.47	-	13.30 3.50 - 15.60	3.228 0.850 - 4.758	13.56	14.18	14.80	99
20+22+22+35+42	1.89	2.08	2.08	3.30	3.96	-	13.30 3.50 - 15.60	3.247 0.850 - 4.777	13.64	14.26	14.88	99
20+22+22+35+50	1.79	1.96	1.96	3.12	4.46	-	13.30 3.50 - 15.60	3.241 0.850 - 4.771	13.61	14.23	14.85	99
20+22+22+35+60	1.67	1.84	1.84	2.93	5.02	-	13.30 3.50 - 15.60	3.231 0.850 - 4.771	13.57	14.19	14.81	99
20+22+22+35+71	1.56	1.72	1.72	2.74	5.55	-	13.30 3.50 - 15.60	3.214 0.850 - 4.754	13.51	14.12	14.73	99
20+22+22+42+42	1.80	1.98	1.98	3.77	3.77	-	13.30 3.50 - 15.60	3.228 0.850 - 4.758	13.56	14.18	14.80	99
20+22+22+42+50	1.71	1.88	1.88	3.58	4.26	-	13.30 3.50 - 15.60	3.225 0.850 - 4.765	13.54	14.16	14.78	99
20+22+22+42+60	1.60	1.76	1.76	3.37	4.81	-	13.30 3.50 - 15.60	3.225 0.850 - 4.765	13.54	14.16	14.78	99
20+22+22+42+71	1.50	1.65	1.65	3.16	5.34	-	13.30 3.50 - 15.60	3.208 0.850 - 4.748	13.48	14.09	14.70	99
20+22+22+50+50	1.62	1.78	1.78	4.05	4.05	-	13.30 3.50 - 15.60	3.212 0.850 - 4.752	13.50	14.11	14.72	99
20+22+22+50+60	1.53	1.68	1.68	3.82	4.59	-	13.30 3.50 - 15.60	3.225 0.850 - 4.765	13.54	14.16	14.78	99
20+22+25+25+25	2.27	2.50	2.84	2.84	2.84	-	13.30 3.50 - 15.60	3.228 0.850 - 4.748	13.56	14.18	14.80	99
20+22+25+25+35	2.09	2.30	2.62	2.62	3.67	-	13.30 3.50 - 15.60	3.247 0.850 - 4.777	13.64	14.26	14.88	99
20+22+25+25+42	1.99	2.18	2.48	2.48	4.17	-	13.30 3.50 - 15.60	3.247 0.850 - 4.777	13.64	14.26	14.88	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
20+22+25+25+50	1.87	2.06	2.34	2.34	4.68	-	13.30 3.50 - 15.60	3.241 0.850 - 4.771	13.61	14.23	14.85	99
20+22+25+25+60	1.75	1.93	2.19	2.19	5.25	-	13.30 3.50 - 15.60	3.231 0.850 - 4.771	13.57	14.19	14.81	99
20+22+25+25+71	1.63	1.80	2.04	2.04	5.79	-	13.30 3.50 - 15.60	3.214 0.850 - 4.754	13.51	14.12	14.73	99
20+22+25+35+35	1.94	2.14	2.43	3.40	3.40	-	13.30 3.50 - 15.60	3.228 0.850 - 4.758	13.56	14.18	14.80	99
20+22+25+35+42	1.85	2.03	2.31	3.23	3.88	-	13.30 3.50 - 15.60	3.247 0.850 - 4.777	13.64	14.26	14.88	99
20+22+25+35+50	1.75	1.93	2.19	3.06	4.38	-	13.30 3.50 - 15.60	3.231 0.850 - 4.771	13.57	14.19	14.81	99
20+22+25+35+60	1.64	1.81	2.05	2.87	4.93	-	13.30 3.50 - 15.60	3.231 0.850 - 4.771	13.57	14.19	14.81	99
20+22+25+35+71	1.54	1.69	1.92	2.69	5.46	-	13.30 3.50 - 15.60	3.214 0.850 - 4.754	13.51	14.12	14.73	99
20+22+25+42+42	1.76	1.94	2.20	3.70	3.70	-	13.30 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
20+22+25+42+50	1.67	1.84	2.09	3.51	4.18	-	13.30 3.50 - 15.60	3.225 0.850 - 4.765	13.54	14.16	14.78	99
20+22+25+42+60	1.57	1.73	1.97	3.31	4.72	-	13.30 3.50 - 15.60	3.225 0.850 - 4.765	13.54	14.16	14.78	99
20+22+25+42+71	1.48	1.63	1.85	3.10	5.25	-	13.30 3.50 - 15.60	3.208 0.850 - 4.748	13.48	14.09	14.70	99
20+22+25+50+50	1.59	1.75	1.99	3.98	3.98	-	13.30 3.50 - 15.60	3.212 0.850 - 4.752	13.50	14.11	14.72	99
20+22+25+50+60	1.50	1.65	1.88	3.76	4.51	-	13.30 3.50 - 15.60	3.225 0.850 - 4.765	13.54	14.16	14.78	99
20+22+35+35+35	1.81	1.99	3.17	3.17	3.17	-	13.30 3.50 - 15.60	3.218 0.850 - 4.748	13.52	14.13	14.74	99
20+22+35+35+42	1.73	1.90	3.02	3.02	3.63	-	13.30 3.50 - 15.60	3.237 0.850 - 4.777	13.60	14.22	14.84	99
20+22+35+35+50	1.64	1.81	2.87	2.87	4.10	-	13.30 3.50 - 15.60	3.231 0.850 - 4.771	13.57	14.19	14.81	99
20+22+35+35+60	1.55	1.70	2.71	2.71	4.64	-	13.30 3.50 - 15.60	3.231 0.850 - 4.771	13.57	14.19	14.81	99
20+22+35+42+42	1.65	1.82	2.89	3.47	3.47	-	13.30 3.50 - 15.60	3.214 0.850 - 4.754	13.51	14.12	14.73	99
20+22+35+42+50	1.57	1.73	2.75	3.31	3.93	-	13.30 3.50 - 15.60	3.225 0.850 - 4.765	13.54	14.16	14.78	99
20+22+35+42+60	1.49	1.63	2.60	3.12	4.46	-	13.30 3.50 - 15.60	3.225 0.850 - 4.765	13.54	14.16	14.78	99
20+22+35+50+50	1.50	1.65	2.63	3.76	3.76	-	13.30 3.50 - 15.60	3.208 0.850 - 4.748	13.48	14.09	14.70	99
20+22+42+42+42	1.58	1.74	3.33	3.33	3.33	-	13.30 3.50 - 15.60	3.225 0.850 - 4.765	13.54	14.16	14.78	99
20+22+42+42+50	1.51	1.66	3.17	3.17	3.78	-	13.30 3.50 - 15.60	3.219 0.850 - 4.759	13.53	14.14	14.75	99
20+25+25+25+25	2.22	2.77	2.77	2.77	2.77	-	13.30 3.50 - 15.60	3.229 0.850 - 4.759	13.56	14.18	14.80	99
20+25+25+25+35	2.05	2.56	2.56	2.56	3.58	-	13.30 3.50 - 15.60	3.247 0.850 - 4.777	13.64	14.26	14.88	99
20+25+25+25+42	1.94	2.43	2.43	2.43	4.08	-	13.30 3.50 - 15.60	3.247 0.850 - 4.777	13.64	14.26	14.88	99
20+25+25+25+50	1.83	2.29	2.29	2.29	4.59	-	13.30 3.50 - 15.60	3.241 0.850 - 4.771	13.61	14.23	14.85	99
20+25+25+25+60	1.72	2.15	2.15	2.15	5.15	-	13.30 3.50 - 15.60	3.231 0.850 - 4.771	13.57	14.19	14.81	99
20+25+25+25+71	1.60	2.00	2.00	2.00	5.69	-	13.30 3.50 - 15.60	3.214 0.850 - 4.754	13.51	14.12	14.73	99
20+25+25+35+35	1.90	2.38	2.38	3.33	3.33	-	13.30 3.50 - 15.60	3.228 0.850 - 4.758	13.56	14.18	14.80	99
20+25+25+35+42	1.81	2.26	2.26	3.17	3.80	-	13.30 3.50 - 15.60	3.247 0.850 - 4.777	13.64	14.26	14.88	99
20+25+25+35+50	1.72	2.15	2.15	3.00	4.29	-	13.30 3.50 - 15.60	3.231 0.850 - 4.771	13.57	14.19	14.81	99
20+25+25+35+60	1.61	2.02	2.02	2.82	4.84	-	13.30 3.50 - 15.60	3.231 0.850 - 4.771	13.57	14.19	14.81	99
20+25+25+35+71	1.51	1.89	1.89	2.64	5.37	-	13.30 3.50 - 15.60	3.214 0.850 - 4.754	13.51	14.12	14.73	99
20+25+25+42+42	1.73	2.16	2.16	3.63	3.63	-	13.30 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
20+25+25+42+50	1.64	2.05	2.05	3.45	4.10	-	13.30 3.50 - 15.60	3.225 0.850 - 4.765	13.54	14.16	14.78	99
20+25+25+42+60	1.55	1.93	1.93	3.25	4.64	-	13.30 3.50 - 15.60	3.225 0.850 - 4.765	13.54	14.16	14.78	99
20+25+25+50+50	1.56	1.96	1.96	3.91	3.91	-	13.30 3.50 - 15.60	3.208 0.850 - 4.748	13.48	14.09	14.70	99
20+25+25+50+60	1.48	1.85	1.85	3.69	4.43	-	13.30 3.50 - 15.60	3.225 0.850 - 4.765	13.54	14.16	14.78	99
20+25+35+35+35	1.77	2.22	3.10	3.10	3.10	-	13.30 3.50 - 15.60	3.218 0.850 - 4.748	13.52	14.13	14.74	99
20+25+35+35+42	1.69	2.12	2.96	2.96	3.56	-	13.30 3.50 - 15.60	3.237 0.850 - 4.777	13.60	14.22	14.84	99
20+25+35+35+50	1.61	2.02	2.82	2.82	4.03	-	13.30 3.50 - 15.60	3.231 0.850 - 4.771	13.57	14.19	14.81	99
20+25+35+35+60	1.52	1.90	2.66	2.66	4.56	-	13.30 3.50 - 15.60	3.231 0.850 - 4.771	13.57	14.19	14.81	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
20+25+35+42+42	1.62	2.03	2.84	3.41	3.41	-	13.30 3.50 - 15.60	3.214 0.850 - 4.754	13.51	14.12	14.73	99
20+25+35+42+50	1.55	1.93	2.71	3.25	3.87	-	13.30 3.50 - 15.60	3.225 0.850 - 4.765	13.54	14.16	14.78	99
20+25+35+50+50	1.48	1.85	2.59	3.69	3.69	-	13.30 3.50 - 15.60	3.225 0.850 - 4.765	13.54	14.16	14.78	99
20+25+42+42+42	1.56	1.94	3.27	3.27	3.27	-	13.30 3.50 - 15.60	3.225 0.850 - 4.765	13.54	14.16	14.78	99
20+25+42+42+50	1.49	1.86	3.12	3.12	3.72	-	13.30 3.50 - 15.60	3.219 0.850 - 4.759	13.53	14.14	14.75	99
20+35+35+35+35	1.66	2.91	2.91	2.91	2.91	-	13.30 3.50 - 15.60	3.219 0.850 - 4.759	13.53	14.14	14.75	99
20+35+35+35+42	1.59	2.79	2.79	2.79	3.34	-	13.30 3.50 - 15.60	3.237 0.850 - 4.777	13.60	14.22	14.84	99
20+35+35+35+50	1.52	2.66	2.66	2.66	3.80	-	13.30 3.50 - 15.60	3.231 0.850 - 4.771	13.57	14.19	14.81	99
20+35+35+42+42	1.53	2.68	2.68	3.21	3.21	-	13.30 3.50 - 15.60	3.231 0.850 - 4.771	13.57	14.19	14.81	99
22+22+22+22+22	2.66	2.66	2.66	2.66	2.66	-	13.30 3.50 - 15.60	3.245 0.850 - 4.765	13.63	14.25	14.87	99
22+22+22+22+25	2.61	2.61	2.61	2.61	2.96	-	13.40 3.50 - 15.60	3.250 0.850 - 4.770	13.65	14.27	14.89	99
22+22+22+22+35	2.40	2.40	2.40	2.40	3.81	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
22+22+22+22+42	2.27	2.27	2.27	2.27	4.33	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
22+22+22+22+50	2.14	2.14	2.14	2.14	4.86	-	13.40 3.50 - 15.60	3.234 0.850 - 4.764	13.58	14.20	14.82	99
22+22+22+22+60	1.99	1.99	1.99	1.99	5.43	-	13.40 3.50 - 15.60	3.234 0.850 - 4.764	13.58	14.20	14.82	99
22+22+22+22+71	1.85	1.85	1.85	1.85	5.98	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99
22+22+22+25+25	2.54	2.54	2.54	2.89	2.89	-	13.40 3.50 - 15.60	3.231 0.850 - 4.751	13.57	14.19	14.81	99
22+22+22+25+35	2.34	2.34	2.34	2.66	3.72	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
22+22+22+25+42	2.22	2.22	2.22	2.52	4.23	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
22+22+22+25+50	2.09	2.09	2.09	2.38	4.75	-	13.40 3.50 - 15.60	3.234 0.850 - 4.764	13.58	14.20	14.82	99
22+22+22+25+60	1.95	1.95	1.95	2.22	5.32	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99
22+22+22+25+71	1.82	1.82	1.82	2.07	5.87	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99
22+22+22+35+35	2.17	2.17	2.17	3.45	3.45	-	13.40 3.50 - 15.60	3.221 0.850 - 4.751	13.53	14.15	14.77	99
22+22+22+35+42	2.06	2.06	2.06	3.28	3.94	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
22+22+22+35+50	1.95	1.95	1.95	3.11	4.44	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99
22+22+22+35+60	1.83	1.83	1.83	2.91	4.99	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99
22+22+22+35+71	1.71	1.71	1.71	2.73	5.53	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99
22+22+22+42+42	1.97	1.97	1.97	3.75	3.75	-	13.40 3.50 - 15.60	3.221 0.850 - 4.751	13.53	14.15	14.77	99
22+22+22+42+50	1.87	1.87	1.87	3.56	4.24	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
22+22+22+42+60	1.75	1.75	1.75	3.35	4.79	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
22+22+22+42+71	1.65	1.65	1.65	3.14	5.32	-	13.40 3.50 - 15.60	3.201 0.850 - 4.741	13.45	14.06	14.67	99
22+22+22+50+50	1.78	1.78	1.78	4.04	4.04	-	13.40 3.50 - 15.60	3.205 0.850 - 4.745	13.47	14.08	14.69	99
22+22+22+50+60	1.68	1.68	1.68	3.81	4.57	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
22+22+25+25+25	2.48	2.48	2.82	2.82	2.82	-	13.40 3.50 - 15.60	3.211 0.850 - 4.741	13.49	14.10	14.71	99
22+22+25+25+35	2.29	2.29	2.60	2.60	3.64	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
22+22+25+25+42	2.17	2.17	2.46	2.46	4.14	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
22+22+25+25+50	2.05	2.05	2.33	2.33	4.65	-	13.40 3.50 - 15.60	3.234 0.850 - 4.764	13.58	14.20	14.82	99
22+22+25+25+60	1.91	1.91	2.18	2.18	5.22	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99
22+22+25+25+71	1.79	1.79	2.03	2.03	5.77	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99
22+22+25+35+35	2.12	2.12	2.41	3.37	3.37	-	13.40 3.50 - 15.60	3.221 0.850 - 4.751	13.53	14.15	14.77	99
22+22+25+35+42	2.02	2.02	2.29	3.21	3.85	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
22+22+25+35+50	1.91	1.91	2.18	3.05	4.35	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99
22+22+25+35+60	1.80	1.80	2.04	2.86	4.90	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99
22+22+25+35+71	1.68	1.68	1.91	2.68	5.44	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99



**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
22+22+25+42+42	1.93	1.93	2.19	3.68	3.68	-	13.40 3.50 - 15.60	3.211 0.850 - 4.751	13.49	14.10	14.71	99
22+22+25+42+50	1.83	1.83	2.08	3.50	4.16	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
22+22+25+42+60	1.72	1.72	1.96	3.29	4.70	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
22+22+25+50+50	1.74	1.74	1.98	3.96	3.96	-	13.40 3.50 - 15.60	3.201 0.850 - 4.741	13.45	14.06	14.67	99
22+22+25+50+60	1.65	1.65	1.87	3.74	4.49	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
22+22+35+35+35	1.98	1.98	3.15	3.15	3.15	-	13.40 3.50 - 15.60	3.211 0.850 - 4.741	13.49	14.10	14.71	99
22+22+35+35+42	1.89	1.89	3.01	3.01	3.61	-	13.40 3.50 - 15.60	3.230 0.850 - 4.770	13.57	14.19	14.81	99
22+22+35+35+50	1.80	1.80	2.86	2.86	4.09	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99
22+22+35+35+60	1.69	1.69	2.70	2.70	4.62	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99
22+22+35+42+42	1.81	1.81	2.88	3.45	3.45	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99
22+22+35+42+50	1.72	1.72	2.74	3.29	3.92	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
22+22+35+50+50	1.65	1.65	2.62	3.74	3.74	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
22+22+42+42+42	1.73	1.73	3.31	3.31	3.31	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
22+22+42+42+50	1.66	1.66	3.16	3.16	3.76	-	13.40 3.50 - 15.60	3.212 0.850 - 4.752	13.50	14.11	14.72	99
22+25+25+25+35	2.23	2.54	2.54	2.54	3.55	-	13.40 3.50 - 15.60	3.222 0.850 - 4.752	13.53	14.15	14.77	99
22+25+25+25+42	2.12	2.41	2.41	2.41	4.05	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
22+25+25+25+50	2.01	2.28	2.28	2.28	4.56	-	13.40 3.50 - 15.60	3.234 0.850 - 4.764	13.58	14.20	14.82	99
22+25+25+25+60	1.88	2.13	2.13	2.13	5.12	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99
22+25+25+25+71	1.75	1.99	1.99	1.99	5.66	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99
22+25+25+35+35	2.08	2.36	2.36	3.30	3.30	-	13.40 3.50 - 15.60	3.221 0.850 - 4.751	13.53	14.15	14.77	99
22+25+25+35+42	1.98	2.25	2.25	3.15	3.78	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
22+25+25+35+50	1.88	2.13	2.13	2.99	4.27	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99
22+25+25+35+60	1.77	2.01	2.01	2.81	4.81	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99
22+25+25+35+71	1.66	1.88	1.88	2.63	5.34	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99
22+25+25+42+42	1.89	2.15	2.15	3.61	3.61	-	13.40 3.50 - 15.60	3.211 0.850 - 4.751	13.49	14.10	14.71	99
22+25+25+42+50	1.80	2.04	2.04	3.43	4.09	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
22+25+25+42+60	1.69	1.93	1.93	3.23	4.62	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
22+25+25+50+50	1.71	1.95	1.95	3.90	3.90	-	13.40 3.50 - 15.60	3.201 0.850 - 4.741	13.45	14.06	14.67	99
22+25+35+35+35	1.94	2.20	3.09	3.09	3.09	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
22+25+35+35+42	1.85	2.11	2.95	2.95	3.54	-	13.40 3.50 - 15.60	3.230 0.850 - 4.770	13.57	14.19	14.81	99
22+25+35+35+50	1.77	2.01	2.81	2.81	4.01	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99
22+25+35+35+60	1.67	1.89	2.65	2.65	4.54	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99
22+25+35+42+42	1.78	2.02	2.83	3.39	3.39	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99
22+25+35+42+50	1.69	1.93	2.70	3.23	3.85	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
22+25+42+42+42	1.70	1.94	3.25	3.25	3.25	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99
22+35+35+35+35	1.82	2.90	2.90	2.90	2.90	-	13.40 3.50 - 15.60	3.212 0.850 - 4.752	13.50	14.11	14.72	99
22+35+35+35+42	1.74	2.78	2.78	2.78	3.33	-	13.40 3.50 - 15.60	3.230 0.850 - 4.770	13.57	14.19	14.81	99
22+35+35+35+50	1.67	2.65	2.65	2.65	3.79	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99
22+35+35+42+42	1.68	2.66	2.66	3.20	3.20	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99
25+25+25+25+25	2.68	2.68	2.68	2.68	2.68	-	13.40 3.50 - 15.60	3.228 0.850 - 4.758	13.56	14.18	14.80	99
25+25+25+25+35	2.48	2.48	2.48	2.48	3.47	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
25+25+25+25+42	2.36	2.36	2.36	2.36	3.96	-	13.40 3.50 - 15.60	3.240 0.850 - 4.770	13.61	14.23	14.85	99
25+25+25+25+50	2.23	2.23	2.23	2.23	4.47	-	13.40 3.50 - 15.60	3.234 0.850 - 4.764	13.58	14.20	14.82	99
25+25+25+25+60	2.09	2.09	2.09	2.09	5.03	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
25+25+25+25+71	1.96	1.96	1.96	1.96	5.56	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99	
25+25+25+35+35	2.31	2.31	2.31	3.23	3.23	-	13.40 3.50 - 15.60	3.221 0.850 - 4.751	13.53	14.15	14.77	99	
25+25+25+35+42	2.20	2.20	2.20	3.09	3.70	-	13.40 3.50 - 15.60	3.230 0.850 - 4.770	13.57	14.19	14.81	99	
25+25+25+35+50	2.09	2.09	2.09	2.93	4.19	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99	
25+25+25+35+60	1.97	1.97	1.97	2.76	4.73	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99	
25+25+25+42+42	2.11	2.11	2.11	3.54	3.54	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99	
25+25+25+42+50	2.01	2.01	2.01	3.37	4.01	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99	
25+25+25+42+60	1.89	1.89	1.89	3.18	4.54	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99	
25+25+25+50+50	1.91	1.91	1.91	3.83	3.83	-	13.40 3.50 - 15.60	3.201 0.850 - 4.741	13.45	14.06	14.67	99	
25+25+35+35+35	2.16	2.16	3.03	3.03	3.03	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99	
25+25+35+35+42	2.07	2.07	2.90	2.90	3.47	-	13.40 3.50 - 15.60	3.230 0.850 - 4.770	13.57	14.19	14.81	99	
25+25+35+35+50	1.97	1.97	2.76	2.76	3.94	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99	
25+25+35+35+60	1.86	1.86	2.61	2.61	4.47	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99	
25+25+35+42+42	1.98	1.98	2.78	3.33	3.33	-	13.40 3.50 - 15.60	3.207 0.850 - 4.747	13.47	14.08	14.69	99	
25+25+35+42+50	1.89	1.89	2.65	3.18	3.79	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99	
25+25+42+42+42	1.90	1.90	3.20	3.20	3.20	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99	
25+35+35+35+35	2.03	2.84	2.84	2.84	2.84	-	13.40 3.50 - 15.60	3.212 0.850 - 4.752	13.50	14.11	14.72	99	
25+35+35+35+42	1.95	2.73	2.73	2.73	3.27	-	13.40 3.50 - 15.60	3.230 0.850 - 4.770	13.57	14.19	14.81	99	
25+35+35+35+50	1.86	2.61	2.61	2.61	3.72	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99	
25+35+35+42+42	1.87	2.62	2.62	3.14	3.14	-	13.40 3.50 - 15.60	3.224 0.850 - 4.764	13.54	14.16	14.78	99	
35+35+35+35+35	2.68	2.68	2.68	2.68	2.68	-	13.40 3.50 - 15.60	3.218 0.850 - 4.758	13.52	14.13	14.74	99	
15+15+15+15+15+15	1.83	1.83	1.83	1.83	1.83	1.83	11.00 3.50 - 15.90	2.270 0.850 - 5.170	9.54	9.97	10.40	99	
15+15+15+15+15+18	1.76	1.76	1.76	1.76	1.76	2.11	10.90 3.50 - 16.00	2.448 0.850 - 5.198	10.28	10.75	11.22	99	
15+15+15+15+15+20	1.78	1.78	1.78	1.78	1.78	2.38	11.30 3.50 - 16.10	2.539 0.850 - 5.189	10.67	11.15	11.63	99	
15+15+15+15+15+22	1.79	1.79	1.79	1.79	1.79	2.63	11.60 3.50 - 16.10	2.646 0.850 - 5.196	11.11	11.62	12.13	99	
15+15+15+15+15+25	1.83	1.83	1.83	1.83	1.83	3.05	12.20 3.50 - 16.20	2.799 0.850 - 5.189	11.76	12.29	12.82	99	
15+15+15+15+15+35	1.84	1.84	1.84	1.84	1.84	4.30	13.50 3.50 - 16.40	3.149 0.850 - 5.189	13.23	13.83	14.43	99	
15+15+15+15+15+42	1.73	1.73	1.73	1.73	1.73	4.85	13.50 3.50 - 16.05	2.949 0.850 - 5.189	12.39	12.95	13.51	99	
15+15+15+15+15+50	1.62	1.62	1.62	1.62	1.62	5.40	13.50 3.50 - 16.00	2.923 0.850 - 5.183	12.28	12.84	13.40	99	
15+15+15+15+15+60	1.50	1.50	1.50	1.50	1.50	6.00	13.50 3.50 - 16.20	3.033 0.850 - 5.183	12.74	13.32	13.90	99	
15+15+15+15+15+71	1.39	1.39	1.39	1.39	1.39	6.57	13.50 3.50 - 16.42	3.136 0.850 - 5.166	13.17	13.77	14.37	99	
15+15+15+15+18+18	1.80	1.80	1.80	1.80	2.16	2.16	11.50 3.50 - 16.10	2.570 0.850 - 5.170	10.80	11.29	11.78	99	
15+15+15+15+18+20	1.82	1.82	1.82	1.82	2.19	2.43	11.90 3.50 - 16.20	2.680 0.850 - 5.180	11.26	11.77	12.28	99	
15+15+15+15+18+22	1.83	1.83	1.83	1.83	2.20	2.68	12.20 3.50 - 16.20	2.797 0.850 - 5.187	11.75	12.28	12.81	99	
15+15+15+15+18+25	1.86	1.86	1.86	1.86	2.24	3.11	12.80 3.50 - 16.30	2.940 0.850 - 5.180	12.35	12.91	13.47	99	
15+15+15+15+18+35	1.81	1.81	1.81	1.81	2.17	4.21	13.60 3.50 - 16.25	3.050 0.850 - 5.180	12.81	13.39	13.97	99	
15+15+15+15+18+42	1.70	1.70	1.70	1.70	2.04	4.76	13.60 3.50 - 15.90	2.860 0.850 - 5.180	12.01	12.56	13.11	99	
15+15+15+15+18+50	1.59	1.59	1.59	1.59	1.91	5.31	13.60 3.50 - 16.06	2.944 0.850 - 5.174	12.37	12.93	13.49	99	
15+15+15+15+18+60	1.48	1.48	1.48	1.48	1.77	5.91	13.60 3.50 - 16.26	3.054 0.850 - 5.174	12.83	13.41	13.99	99	
15+15+15+15+18+71	1.37	1.37	1.37	1.37	1.64	6.48	13.60 3.50 - 16.48	3.157 0.850 - 5.157	13.26	13.86	14.46	99	
15+15+15+15+20+20	1.85	1.85	1.85	1.85	2.46	2.46	12.30 3.50 - 16.20	2.771 0.850 - 5.161	11.64	12.17	12.70	99	
15+15+15+15+20+22	1.82	1.82	1.82	1.82	2.43	2.67	12.40 3.50 - 16.30	2.904 0.850 - 5.194	12.20	12.75	13.30	99	
15+15+15+15+20+25	1.86	1.86	1.86	1.86	2.48	3.10	13.00 3.50 - 16.40	3.047 0.850 - 5.187	12.80	13.38	13.96	99	
15+15+15+15+20+35	1.76	1.76	1.76	1.76	2.35	4.11	13.50 3.50 - 16.15	3.007 0.850 - 5.187	12.64	13.21	13.78	99	

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
15+15+15+15+20+50	1.56	1.56	1.56	1.56	2.08	5.19	13.50 3.50 - 16.10	2.977 0.850 - 5.187	12.50	13.07	13.64	99
15+15+15+15+20+60	1.45	1.45	1.45	1.45	1.93	5.79	13.50 3.50 - 16.30	3.081 0.850 - 5.181	12.94	13.53	14.12	99
15+15+15+15+20+71	1.34	1.34	1.34	1.34	1.79	6.35	13.50 3.50 - 16.50	3.174 0.850 - 5.164	13.33	13.94	14.55	99
15+15+15+15+22+22	1.85	1.85	1.85	1.85	2.71	2.71	12.80 3.50 - 16.40	2.978 0.850 - 5.168	12.51	13.08	13.65	99
15+15+15+15+22+25	1.88	1.88	1.88	1.88	2.76	3.13	13.40 3.50 - 16.50	3.140 0.850 - 5.180	13.19	13.79	14.39	99
15+15+15+15+22+35	1.74	1.74	1.74	1.74	2.56	4.07	13.60 3.50 - 16.05	2.940 0.850 - 5.180	12.35	12.91	13.47	99
15+15+15+15+22+42	1.65	1.65	1.65	1.65	2.41	4.61	13.60 3.50 - 15.98	2.900 0.850 - 5.180	12.19	12.74	13.29	99
15+15+15+15+22+50	1.55	1.55	1.55	1.55	2.27	5.15	13.60 3.50 - 16.14	2.984 0.850 - 5.174	12.53	13.10	13.67	99
15+15+15+15+22+60	1.44	1.44	1.44	1.44	2.11	5.75	13.60 3.50 - 16.34	3.094 0.850 - 5.174	13.00	13.59	14.18	99
15+15+15+15+22+71	1.33	1.33	1.33	1.33	1.96	6.31	13.60 3.50 - 16.50	3.167 0.850 - 5.157	13.31	13.91	14.51	99
15+15+15+15+25+25	1.85	1.85	1.85	1.85	3.09	3.09	13.60 3.50 - 16.40	3.121 0.850 - 5.161	13.11	13.71	14.31	99
15+15+15+15+25+35	1.70	1.70	1.70	1.70	2.83	3.97	13.60 3.50 - 15.90	2.860 0.850 - 5.180	12.01	12.56	13.11	99
15+15+15+15+25+42	1.61	1.61	1.61	1.61	2.68	4.50	13.60 3.50 - 16.04	2.940 0.850 - 5.180	12.35	12.91	13.47	99
15+15+15+15+25+50	1.51	1.51	1.51	1.51	2.52	5.04	13.60 3.50 - 16.20	3.024 0.850 - 5.174	12.70	13.28	13.86	99
15+15+15+15+25+60	1.41	1.41	1.41	1.41	2.34	5.63	13.60 3.50 - 16.40	3.134 0.850 - 5.174	13.16	13.76	14.36	99
15+15+15+15+25+71	1.31	1.31	1.31	1.31	2.18	6.19	13.60 3.50 - 16.50	3.167 0.850 - 5.157	13.31	13.91	14.51	99
15+15+15+15+35+35	1.57	1.57	1.57	1.57	3.66	3.66	13.60 3.50 - 16.10	2.951 0.850 - 5.161	12.40	12.96	13.52	99
15+15+15+15+35+42	1.49	1.49	1.49	1.49	3.47	4.17	13.60 3.50 - 16.24	3.050 0.850 - 5.180	12.81	13.39	13.97	99
15+15+15+15+35+50	1.41	1.41	1.41	1.41	3.28	4.69	13.60 3.50 - 16.40	3.134 0.850 - 5.174	13.16	13.76	14.36	99
15+15+15+15+35+60	1.32	1.32	1.32	1.32	3.07	5.26	13.60 3.50 - 16.50	3.184 0.850 - 5.174	13.37	13.98	14.59	99
15+15+15+15+35+71	1.23	1.23	1.23	1.23	2.87	5.82	13.60 3.50 - 16.50	3.167 0.850 - 5.157	13.31	13.91	14.51	99
15+15+15+15+42+42	1.42	1.42	1.42	1.42	3.97	3.97	13.60 3.50 - 16.38	3.101 0.850 - 5.161	13.03	13.62	14.21	99
15+15+15+15+42+50	1.34	1.34	1.34	1.34	3.76	4.47	13.60 3.50 - 16.50	3.178 0.850 - 5.168	13.35	13.96	14.57	99
15+15+15+15+42+60	1.26	1.26	1.26	1.26	3.53	5.04	13.60 3.50 - 16.50	3.178 0.850 - 5.168	13.35	13.96	14.57	99
15+15+15+15+42+71	1.18	1.18	1.18	1.18	3.30	5.58	13.60 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
15+15+15+15+50+50	1.28	1.28	1.28	1.28	4.25	4.25	13.60 3.50 - 16.50	3.165 0.850 - 5.155	13.30	13.90	14.50	99
15+15+15+15+50+60	1.20	1.20	1.20	1.20	4.00	4.80	13.60 3.50 - 16.50	3.178 0.850 - 5.168	13.35	13.96	14.57	99
15+15+15+15+60+60	1.13	1.13	1.13	1.13	4.53	4.53	13.60 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
15+15+15+18+18+18	1.83	1.83	1.83	2.20	2.20	2.20	12.10 3.50 - 16.20	2.694 0.850 - 5.134	11.32	11.83	12.34	99
15+15+15+18+18+20	1.86	1.86	1.86	2.23	2.23	2.48	12.50 3.50 - 16.30	2.831 0.850 - 5.171	11.89	12.43	12.97	99
15+15+15+18+18+22	1.86	1.86	1.86	2.24	2.24	2.73	12.80 3.50 - 16.30	2.938 0.850 - 5.178	12.34	12.90	13.46	99
15+15+15+18+18+25	1.90	1.90	1.90	2.28	2.28	3.16	13.40 3.50 - 16.40	3.081 0.850 - 5.171	12.94	13.53	14.12	99
15+15+15+18+18+35	1.77	1.77	1.77	2.13	2.13	4.13	13.70 3.50 - 16.10	2.961 0.850 - 5.171	12.43	13.00	13.57	99
15+15+15+18+18+42	1.67	1.67	1.67	2.00	2.00	4.68	13.70 3.50 - 15.96	2.881 0.850 - 5.171	12.10	12.65	13.20	99
15+15+15+18+18+50	1.57	1.57	1.57	1.88	1.88	5.23	13.70 3.50 - 16.12	2.965 0.850 - 5.165	12.45	13.02	13.59	99
15+15+15+18+18+60	1.46	1.46	1.46	1.75	1.75	5.83	13.70 3.50 - 16.32	3.075 0.850 - 5.165	12.91	13.50	14.09	99
15+15+15+18+18+71	1.35	1.35	1.35	1.62	1.62	6.40	13.70 3.50 - 16.50	3.158 0.850 - 5.148	13.27	13.87	14.47	99
15+15+15+18+20+20	1.88	1.88	1.88	2.25	2.50	2.50	12.90 3.50 - 16.30	2.912 0.850 - 5.152	12.23	12.79	13.35	99
15+15+15+18+20+22	1.86	1.86	1.86	2.23	2.48	2.72	13.00 3.50 - 16.40	3.045 0.850 - 5.185	12.79	13.37	13.95	99
15+15+15+18+20+25	1.89	1.89	1.89	2.27	2.52	3.15	13.60 3.50 - 16.50	3.188 0.850 - 5.178	13.39	14.00	14.61	99
15+15+15+18+20+35	1.73	1.73	1.73	2.07	2.31	4.03	13.60 3.50 - 16.00	2.918 0.850 - 5.178	12.26	12.82	13.38	99
15+15+15+18+20+42	1.63	1.63	1.63	1.96	2.18	4.57	13.60 3.50 - 16.00	2.918 0.850 - 5.178	12.26	12.82	13.38	99
15+15+15+18+20+50	1.53	1.53	1.53	1.84	2.05	5.11	13.60 3.50 - 16.16	2.992 0.850 - 5.172	12.57	13.14	13.71	99
15+15+15+18+20+60	1.43	1.43	1.43	1.71	1.90	5.71	13.60 3.50 - 16.36	3.102 0.850 - 5.172	13.03	13.62	14.21	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
15+15+15+18+20+71	1.32	1.32	1.32	1.59	1.77	6.27	13.60 3.50 - 16.50	0.850	3.165 - 5.155	13.30	13.90	14.50	99
15+15+15+18+22+22	1.88	1.88	1.88	2.25	2.76	2.76	13.40 3.50 - 16.50	0.850	3.119 - 5.159	13.10	13.70	14.30	99
15+15+15+18+22+25	1.87	1.87	1.87	2.24	2.74	3.11	13.70 3.50 - 16.40	0.850	3.131 - 5.171	13.15	13.75	14.35	99
15+15+15+18+22+35	1.71	1.71	1.71	2.06	2.51	4.00	13.70 3.50 - 15.90	0.850	2.851 - 5.171	11.98	12.52	13.06	99
15+15+15+18+22+42	1.62	1.62	1.62	1.94	2.37	4.53	13.70 3.50 - 16.04	0.850	2.931 - 5.171	12.31	12.87	13.43	99
15+15+15+18+22+50	1.52	1.52	1.52	1.83	2.23	5.07	13.70 3.50 - 16.20	0.850	3.015 - 5.165	12.66	13.24	13.82	99
15+15+15+18+22+60	1.42	1.42	1.42	1.70	2.08	5.67	13.70 3.50 - 16.40	0.850	3.125 - 5.165	13.12	13.72	14.32	99
15+15+15+18+22+71	1.32	1.32	1.32	1.58	1.93	6.24	13.70 3.50 - 16.50	0.850	3.158 - 5.148	13.27	13.87	14.47	99
15+15+15+18+25+25	1.82	1.82	1.82	2.18	3.03	3.03	13.70 3.50 - 16.25	0.850	3.022 - 5.152	12.69	13.27	13.85	99
15+15+15+18+25+35	1.67	1.67	1.67	2.00	2.78	3.90	13.70 3.50 - 15.96	0.850	2.881 - 5.171	12.10	12.65	13.20	99
15+15+15+18+25+42	1.58	1.58	1.58	1.90	2.63	4.43	13.70 3.50 - 16.10	0.850	2.961 - 5.171	12.43	13.00	13.57	99
15+15+15+18+25+50	1.49	1.49	1.49	1.79	2.48	4.96	13.70 3.50 - 16.26	0.850	3.045 - 5.165	12.79	13.37	13.95	99
15+15+15+18+25+60	1.39	1.39	1.39	1.67	2.31	5.55	13.70 3.50 - 16.46	0.850	3.155 - 5.165	13.26	13.86	14.46	99
15+15+15+18+25+71	1.29	1.29	1.29	1.55	2.15	6.12	13.70 3.50 - 16.50	0.850	3.158 - 5.148	13.27	13.87	14.47	99
15+15+15+18+35+35	1.55	1.55	1.55	1.85	3.61	3.61	13.70 3.50 - 16.16	0.850	2.972 - 5.152	12.48	13.05	13.62	99
15+15+15+18+35+42	1.47	1.47	1.47	1.76	3.43	4.11	13.70 3.50 - 16.30	0.850	3.071 - 5.171	12.90	13.49	14.08	99
15+15+15+18+35+50	1.39	1.39	1.39	1.67	3.24	4.63	13.70 3.50 - 16.46	0.850	3.155 - 5.165	13.26	13.86	14.46	99
15+15+15+18+35+60	1.30	1.30	1.30	1.56	3.03	5.20	13.70 3.50 - 16.50	0.850	3.175 - 5.165	13.33	13.94	14.55	99
15+15+15+18+35+71	1.22	1.22	1.22	1.46	2.84	5.76	13.70 3.50 - 16.50	0.850	3.158 - 5.148	13.27	13.87	14.47	99
15+15+15+18+42+42	1.40	1.40	1.40	1.68	3.91	3.91	13.70 3.50 - 16.44	0.850	3.132 - 5.152	13.15	13.75	14.35	99
15+15+15+18+42+50	1.33	1.33	1.33	1.59	3.71	4.42	13.70 3.50 - 16.50	0.850	3.169 - 5.159	13.31	13.92	14.53	99
15+15+15+18+42+60	1.25	1.25	1.25	1.49	3.49	4.98	13.70 3.50 - 16.50	0.850	3.169 - 5.159	13.31	13.92	14.53	99
15+15+15+18+42+71	1.17	1.17	1.17	1.40	3.27	5.53	13.70 3.50 - 16.50	0.850	3.152 - 5.142	13.24	13.84	14.44	99
15+15+15+18+50+50	1.26	1.26	1.26	1.51	4.20	4.20	13.70 3.50 - 16.50	0.850	3.156 - 5.146	13.26	13.86	14.46	99
15+15+15+18+50+60	1.19	1.19	1.19	1.43	3.96	4.75	13.70 3.50 - 16.50	0.850	3.169 - 5.159	13.31	13.92	14.53	99
15+15+15+20+20+20	1.89	1.89	1.89	2.51	2.51	2.51	13.20 3.50 - 16.40	0.850	3.002 - 5.142	12.61	13.18	13.75	99
15+15+15+20+20+22	1.85	1.85	1.85	2.47	2.47	2.71	13.20 3.50 - 16.50	0.850	3.152 - 5.192	13.24	13.84	14.44	99
15+15+15+20+20+25	1.84	1.84	1.84	2.45	2.45	3.07	13.50 3.50 - 16.40	0.850	3.145 - 5.185	13.21	13.81	14.41	99
15+15+15+20+20+35	1.69	1.69	1.69	2.25	2.25	3.94	13.50 3.50 - 15.90	0.850	2.865 - 5.185	12.03	12.58	13.13	99
15+15+15+20+20+42	1.59	1.59	1.59	2.13	2.13	4.46	13.50 3.50 - 16.04	0.850	2.945 - 5.185	12.37	12.93	13.49	99
15+15+15+20+20+50	1.50	1.50	1.50	2.00	2.00	5.00	13.50 3.50 - 16.20	0.850	3.029 - 5.179	12.72	13.30	13.88	99
15+15+15+20+20+60	1.40	1.40	1.40	1.86	1.86	5.59	13.50 3.50 - 16.40	0.850	3.139 - 5.179	13.19	13.79	14.39	99
15+15+15+20+20+71	1.30	1.30	1.30	1.73	1.73	6.14	13.50 3.50 - 16.50	0.850	3.172 - 5.162	13.32	13.93	14.54	99
15+15+15+20+22+22	1.86	1.86	1.86	2.48	2.72	2.72	13.50 3.50 - 16.45	0.850	3.146 - 5.166	13.22	13.82	14.42	99
15+15+15+20+22+25	1.82	1.82	1.82	2.43	2.67	3.04	13.60 3.50 - 16.30	0.850	3.078 - 5.178	12.93	13.52	14.11	99
15+15+15+20+22+42	1.58	1.58	1.58	2.11	2.32	4.43	13.60 3.50 - 16.08	0.850	2.958 - 5.178	12.43	12.99	13.55	99
15+15+15+20+22+50	1.49	1.49	1.49	1.99	2.18	4.96	13.60 3.50 - 16.24	0.850	3.042 - 5.172	12.78	13.36	13.94	99
15+15+15+20+22+60	1.39	1.39	1.39	1.85	2.04	5.55	13.60 3.50 - 16.44	0.850	3.152 - 5.172	13.24	13.84	14.44	99
15+15+15+20+22+71	1.29	1.29	1.29	1.72	1.89	6.11	13.60 3.50 - 16.50	0.850	3.165 - 5.155	13.30	13.90	14.50	99
15+15+15+20+25+25	1.77	1.77	1.77	2.37	2.96	2.96	13.60 3.50 - 16.15	0.850	2.979 - 5.159	12.51	13.08	13.65	99
15+15+15+20+25+35	1.63	1.63	1.63	2.18	2.72	3.81	13.60 3.50 - 16.00	0.850	2.918 - 5.178	12.26	12.82	13.38	99
15+15+15+20+25+42	1.55	1.55	1.55	2.06	2.58	4.33	13.60 3.50 - 16.14	0.850	2.988 - 5.178	12.55	13.12	13.69	99
15+15+15+20+25+50	1.46	1.46	1.46	1.94	2.43	4.86	13.60 3.50 - 16.30	0.850	3.072 - 5.172	12.90	13.49	14.08	99
15+15+15+20+25+60	1.36	1.36	1.36	1.81	2.27	5.44	13.60 3.50 - 16.50	0.850	3.182 - 5.172	13.36	13.97	14.58	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
15+15+15+20+25+71	1.27	1.27	1.27	1.69	2.11	6.00	13.60 3.50 - 16.50	3.165 0.850 - 5.155	13.30	13.90	14.50	99	
15+15+15+20+35+35	1.51	1.51	1.51	2.01	3.53	3.53	13.60 3.50 - 16.20	3.009 0.850 - 5.159	12.64	13.21	13.78	99	
15+15+15+20+35+42	1.44	1.44	1.44	1.92	3.35	4.02	13.60 3.50 - 16.34	3.098 0.850 - 5.178	13.02	13.61	14.20	99	
15+15+15+20+35+50	1.36	1.36	1.36	1.81	3.17	4.53	13.60 3.50 - 16.50	3.182 0.850 - 5.172	13.36	13.97	14.58	99	
15+15+15+20+35+60	1.28	1.28	1.28	1.70	2.98	5.10	13.60 3.50 - 16.50	3.182 0.850 - 5.172	13.36	13.97	14.58	99	
15+15+15+20+35+71	1.19	1.19	1.19	1.59	2.78	5.65	13.60 3.50 - 16.50	3.165 0.850 - 5.155	13.30	13.90	14.50	99	
15+15+15+20+42+42	1.37	1.37	1.37	1.83	3.83	3.83	13.60 3.50 - 16.48	3.159 0.850 - 5.159	13.27	13.87	14.47	99	
15+15+15+20+42+50	1.30	1.30	1.30	1.73	3.64	4.33	13.60 3.50 - 16.50	3.176 0.850 - 5.166	13.34	13.95	14.56	99	
15+15+15+20+42+60	1.22	1.22	1.22	1.63	3.42	4.89	13.60 3.50 - 16.50	3.176 0.850 - 5.166	13.34	13.95	14.56	99	
15+15+15+20+42+71	1.15	1.15	1.15	1.53	3.21	5.42	13.60 3.50 - 16.50	3.159 0.850 - 5.149	13.27	13.87	14.47	99	
15+15+15+20+50+50	1.24	1.24	1.24	1.65	4.12	4.12	13.60 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99	
15+15+15+20+50+60	1.17	1.17	1.17	1.55	3.89	4.66	13.60 3.50 - 16.50	3.176 0.850 - 5.166	13.34	13.95	14.56	99	
15+15+15+22+22+22	1.84	1.84	1.84	2.70	2.70	2.70	13.60 3.50 - 16.35	3.079 0.850 - 5.149	12.93	13.52	14.11	99	
15+15+15+22+22+25	1.80	1.80	1.80	2.64	2.64	3.00	13.70 3.50 - 16.20	3.021 0.850 - 5.171	12.69	13.27	13.85	99	
15+15+15+22+22+35	1.66	1.66	1.66	2.43	2.43	3.87	13.70 3.50 - 15.98	2.891 0.850 - 5.171	12.15	12.70	13.25	99	
15+15+15+22+22+42	1.57	1.57	1.57	2.30	2.30	4.39	13.70 3.50 - 16.12	2.971 0.850 - 5.171	12.48	13.05	13.62	99	
15+15+15+22+22+50	1.48	1.48	1.48	2.17	2.17	4.93	13.70 3.50 - 16.28	3.055 0.850 - 5.165	12.84	13.42	14.00	99	
15+15+15+22+22+60	1.38	1.38	1.38	2.02	2.02	5.52	13.70 3.50 - 16.48	3.165 0.850 - 5.165	13.30	13.90	14.50	99	
15+15+15+22+22+71	1.28	1.28	1.28	1.88	1.88	6.08	13.70 3.50 - 16.50	3.158 0.850 - 5.148	13.27	13.87	14.47	99	
15+15+15+22+25+25	1.76	1.76	1.76	2.58	2.93	2.93	13.70 3.50 - 16.05	2.912 0.850 - 5.152	12.23	12.79	13.35	99	
15+15+15+22+25+35	1.62	1.62	1.62	2.37	2.70	3.78	13.70 3.50 - 16.04	2.931 0.850 - 5.171	12.31	12.87	13.43	99	
15+15+15+22+25+42	1.53	1.53	1.53	2.25	2.56	4.29	13.70 3.50 - 16.18	3.001 0.850 - 5.171	12.61	13.18	13.75	99	
15+15+15+22+25+50	1.45	1.45	1.45	2.12	2.41	4.82	13.70 3.50 - 16.34	3.085 0.850 - 5.165	12.96	13.55	14.14	99	
15+15+15+22+25+60	1.35	1.35	1.35	1.98	2.25	5.41	13.70 3.50 - 16.50	3.175 0.850 - 5.165	13.33	13.94	14.55	99	
15+15+15+22+25+71	1.26	1.26	1.26	1.85	2.10	5.97	13.70 3.50 - 16.50	3.158 0.850 - 5.148	13.27	13.87	14.47	99	
15+15+15+22+35+35	1.50	1.50	1.50	2.20	3.50	3.50	13.70 3.50 - 16.24	3.022 0.850 - 5.152	12.69	13.27	13.85	99	
15+15+15+22+35+42	1.43	1.43	1.43	2.09	3.33	4.00	13.70 3.50 - 16.38	3.111 0.850 - 5.171	13.07	13.66	14.25	99	
15+15+15+22+35+50	1.35	1.35	1.35	1.98	3.15	4.51	13.70 3.50 - 16.50	3.175 0.850 - 5.165	13.33	13.94	14.55	99	
15+15+15+22+35+60	1.27	1.27	1.27	1.86	2.96	5.07	13.70 3.50 - 16.50	3.175 0.850 - 5.165	13.33	13.94	14.55	99	
15+15+15+22+35+71	1.19	1.19	1.19	1.74	2.77	5.62	13.70 3.50 - 16.50	3.158 0.850 - 5.148	13.27	13.87	14.47	99	
15+15+15+22+42+42	1.36	1.36	1.36	2.00	3.81	3.81	13.70 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99	
15+15+15+22+42+50	1.29	1.29	1.29	1.90	3.62	4.31	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99	
15+15+15+22+42+60	1.22	1.22	1.22	1.78	3.40	4.86	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99	
15+15+15+22+42+71	1.14	1.14	1.14	1.67	3.20	5.40	13.70 3.50 - 16.50	3.152 0.850 - 5.142	13.24	13.84	14.44	99	
15+15+15+22+50+50	1.23	1.23	1.23	1.80	4.10	4.10	13.70 3.50 - 16.50	3.156 0.850 - 5.146	13.26	13.86	14.46	99	
15+15+15+22+50+60	1.16	1.16	1.16	1.70	3.87	4.64	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99	
15+15+15+25+25+25	1.71	1.71	1.71	2.85	2.85	2.85	13.70 3.50 - 15.90	2.822 0.850 - 5.142	11.85	12.39	12.93	99	
15+15+15+25+25+35	1.58	1.58	1.58	2.63	2.63	3.69	13.70 3.50 - 16.10	2.961 0.850 - 5.171	12.43	13.00	13.57	99	
15+15+15+25+25+42	1.50	1.50	1.50	2.50	2.50	4.20	13.70 3.50 - 16.24	3.041 0.850 - 5.171	12.78	13.36	13.94	99	
15+15+15+25+25+50	1.42	1.42	1.42	2.36	2.36	4.72	13.70 3.50 - 16.40	3.125 0.850 - 5.165	13.12	13.72	14.32	99	
15+15+15+25+25+60	1.33	1.33	1.33	2.21	2.21	5.30	13.70 3.50 - 16.50	3.175 0.850 - 5.165	13.33	13.94	14.55	99	
15+15+15+25+25+71	1.24	1.24	1.24	2.06	2.06	5.86	13.70 3.50 - 16.50	3.158 0.850 - 5.148	13.27	13.87	14.47	99	
15+15+15+25+35+35	1.47	1.47	1.47	2.45	3.43	3.43	13.70 3.50 - 16.30	3.052 0.850 - 5.152	12.82	13.40	13.98	99	
15+15+15+25+35+42	1.40	1.40	1.40	2.33	3.26	3.91	13.70 3.50 - 16.44	3.151 0.850 - 5.171	13.24	13.84	14.44	99	

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
15+15+15+25+35+50	1.33	1.33	1.33	2.21	3.09	4.42	13.70 3.50 - 16.50	3.175 0.850 - 5.165	13.33	13.94	14.55	99	
15+15+15+25+35+60	1.25	1.25	1.25	2.08	2.91	4.98	13.70 3.50 - 16.50	3.175 0.850 - 5.165	13.33	13.94	14.55	99	
15+15+15+25+35+71	1.17	1.17	1.17	1.95	2.72	5.53	13.70 3.50 - 16.50	3.158 0.850 - 5.148	13.27	13.87	14.47	99	
15+15+15+25+42+42	1.33	1.33	1.33	2.22	3.74	3.74	13.70 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99	
15+15+15+25+42+50	1.27	1.27	1.27	2.11	3.55	4.23	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99	
15+15+15+25+42+60	1.19	1.19	1.19	1.99	3.35	4.78	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99	
15+15+15+25+50+50	1.21	1.21	1.21	2.01	4.03	4.03	13.70 3.50 - 16.50	3.152 0.850 - 5.142	13.24	13.84	14.44	99	
15+15+15+25+50+60	1.14	1.14	1.14	1.90	3.81	4.57	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99	
15+15+15+35+35+35	1.37	1.37	1.37	3.20	3.20	3.20	13.70 3.50 - 16.50	3.152 0.850 - 5.142	13.24	13.84	14.44	99	
15+15+15+35+35+42	1.31	1.31	1.31	3.05	3.05	3.66	13.70 3.50 - 16.50	3.181 0.850 - 5.171	13.36	13.97	14.58	99	
15+15+15+35+35+50	1.25	1.25	1.25	2.91	2.91	4.15	13.70 3.50 - 16.50	3.175 0.850 - 5.165	13.33	13.94	14.55	99	
15+15+15+35+35+60	1.17	1.17	1.17	2.74	2.74	4.70	13.70 3.50 - 16.50	3.175 0.850 - 5.165	13.33	13.94	14.55	99	
15+15+15+35+42+42	1.25	1.25	1.25	2.92	3.51	3.51	13.70 3.50 - 16.50	3.158 0.850 - 5.148	13.27	13.87	14.47	99	
15+15+15+35+42+50	1.19	1.19	1.19	2.79	3.35	3.98	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99	
15+15+15+35+50+50	1.14	1.14	1.14	2.66	3.81	3.81	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99	
15+15+15+42+42+42	1.20	1.20	1.20	3.36	3.36	3.36	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99	
15+15+15+42+42+50	1.15	1.15	1.15	3.21	3.21	3.83	13.70 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99	
15+15+18+18+18+18	1.87	1.87	2.24	2.24	2.24	2.24	12.70 3.50 - 16.30	2.863 0.850 - 5.153	12.02	12.57	13.12	99	
15+15+18+18+18+20	1.89	1.89	2.27	2.27	2.27	2.52	13.10 3.50 - 16.40	2.972 0.850 - 5.162	12.48	13.05	13.62	99	
15+15+18+18+18+22	1.90	1.90	2.28	2.28	2.28	2.78	13.40 3.50 - 16.40	3.079 0.850 - 5.169	12.93	13.52	14.11	99	
15+15+18+18+18+25	1.90	1.90	2.28	2.28	2.28	3.17	13.80 3.50 - 16.45	3.142 0.850 - 5.162	13.20	13.80	14.40	99	
15+15+18+18+18+35	1.74	1.74	2.09	2.09	2.09	4.06	13.80 3.50 - 15.95	2.872 0.850 - 5.162	12.06	12.61	13.16	99	
15+15+18+18+18+42	1.64	1.64	1.97	1.97	1.97	4.60	13.80 3.50 - 16.02	2.912 0.850 - 5.162	12.23	12.79	13.35	99	
15+15+18+18+18+50	1.54	1.54	1.85	1.85	1.85	5.15	13.80 3.50 - 16.18	2.986 0.850 - 5.156	12.54	13.11	13.68	99	
15+15+18+18+18+60	1.44	1.44	1.73	1.73	1.73	5.75	13.80 3.50 - 16.38	3.096 0.850 - 5.156	13.01	13.60	14.19	99	
15+15+18+18+18+71	1.34	1.34	1.60	1.60	1.60	6.32	13.80 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99	
15+15+18+18+20+20	1.91	1.91	2.29	2.29	2.55	2.55	13.50 3.50 - 16.40	3.053 0.850 - 5.143	12.83	13.41	13.99	99	
15+15+18+18+20+22	1.89	1.89	2.27	2.27	2.52	2.77	13.60 3.50 - 16.50	3.186 0.850 - 5.176	13.38	13.99	14.60	99	
15+15+18+18+20+25	1.85	1.85	2.22	2.22	2.47	3.09	13.70 3.50 - 16.35	3.099 0.850 - 5.169	13.02	13.61	14.20	99	
15+15+18+18+20+35	1.70	1.70	2.04	2.04	2.26	3.96	13.70 3.50 - 15.92	2.859 0.850 - 5.169	12.01	12.56	13.11	99	
15+15+18+18+20+42	1.61	1.61	1.93	1.93	2.14	4.50	13.70 3.50 - 16.06	2.939 0.850 - 5.169	12.35	12.91	13.47	99	
15+15+18+18+20+50	1.51	1.51	1.81	1.81	2.01	5.04	13.70 3.50 - 16.22	3.023 0.850 - 5.163	12.70	13.28	13.86	99	
15+15+18+18+20+60	1.41	1.41	1.69	1.69	1.88	5.63	13.70 3.50 - 16.42	3.133 0.850 - 5.163	13.16	13.76	14.36	99	
15+15+18+18+20+71	1.31	1.31	1.57	1.57	1.75	6.20	13.70 3.50 - 16.50	3.156 0.850 - 5.146	13.26	13.86	14.46	99	
15+15+18+18+22+22	1.87	1.87	2.24	2.24	2.74	2.74	13.70 3.50 - 16.40	3.110 0.850 - 5.150	13.07	13.66	14.25	99	
15+15+18+18+22+25	1.83	1.83	2.20	2.20	2.69	3.05	13.80 3.50 - 16.25	3.032 0.850 - 5.162	12.74	13.32	13.90	99	
15+15+18+18+22+35	1.68	1.68	2.02	2.02	2.47	3.93	13.80 3.50 - 15.96	2.872 0.850 - 5.162	12.06	12.61	13.16	99	
15+15+18+18+22+42	1.59	1.59	1.91	1.91	2.34	4.46	13.80 3.50 - 16.10	2.952 0.850 - 5.162	12.40	12.96	13.52	99	
15+15+18+18+22+50	1.50	1.50	1.80	1.80	2.20	5.00	13.80 3.50 - 16.26	3.036 0.850 - 5.156	12.75	13.33	13.91	99	
15+15+18+18+22+60	1.40	1.40	1.68	1.68	2.05	5.59	13.80 3.50 - 16.46	3.146 0.850 - 5.156	13.22	13.82	14.42	99	
15+15+18+18+22+71	1.30	1.30	1.56	1.56	1.91	6.16	13.80 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99	
15+15+18+18+25+25	1.78	1.78	2.14	2.14	2.97	2.97	13.80 3.50 - 16.10	2.933 0.850 - 5.143	12.32	12.88	13.44	99	
15+15+18+18+25+35	1.64	1.64	1.97	1.97	2.74	3.83	13.80 3.50 - 16.02	2.912 0.850 - 5.162	12.23	12.79	13.35	99	
15+15+18+18+25+42	1.56	1.56	1.87	1.87	2.59	4.36	13.80 3.50 - 16.16	2.982 0.850 - 5.162	12.53	13.10	13.67	99	

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
15+15+18+18+25+50	1.47	1.47	1.76	1.76	2.45	4.89	13.80 3.50 - 16.32	3.066 0.850 - 5.156	12.88	13.47	14.06	99
15+15+18+18+25+60	1.37	1.37	1.65	1.65	2.28	5.48	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+18+18+25+71	1.28	1.28	1.53	1.53	2.13	6.05	13.80 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
15+15+18+18+35+35	1.52	1.52	1.83	1.83	3.55	3.55	13.80 3.50 - 16.22	3.003 0.850 - 5.143	12.62	13.19	13.76	99
15+15+18+18+35+42	1.45	1.45	1.74	1.74	3.38	4.05	13.80 3.50 - 16.36	3.092 0.850 - 5.162	12.99	13.58	14.17	99
15+15+18+18+35+50	1.37	1.37	1.65	1.65	3.20	4.57	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+18+18+35+60	1.29	1.29	1.54	1.54	3.00	5.14	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+18+18+35+71	1.20	1.20	1.44	1.44	2.81	5.70	13.80 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
15+15+18+18+42+42	1.38	1.38	1.66	1.66	3.86	3.86	13.80 3.50 - 16.50	3.153 0.850 - 5.143	13.25	13.85	14.45	99
15+15+18+18+42+50	1.31	1.31	1.57	1.57	3.67	4.37	13.80 3.50 - 16.50	3.160 0.850 - 5.150	13.28	13.88	14.48	99
15+15+18+18+42+60	1.23	1.23	1.48	1.48	3.45	4.93	13.80 3.50 - 16.50	3.160 0.850 - 5.150	13.28	13.88	14.48	99
15+15+18+18+42+71	1.16	1.16	1.39	1.39	3.24	5.47	13.80 3.50 - 16.50	3.143 0.850 - 5.133	13.20	13.80	14.40	99
15+15+18+18+50+50	1.25	1.25	1.50	1.50	4.16	4.16	13.80 3.50 - 16.50	3.147 0.850 - 5.137	13.22	13.82	14.42	99
15+15+18+18+50+60	1.18	1.18	1.41	1.41	3.92	4.70	13.80 3.50 - 16.50	3.160 0.850 - 5.150	13.28	13.88	14.48	99
15+15+18+20+20+20	1.92	1.92	2.30	2.56	2.56	2.56	13.80 3.50 - 16.50	3.143 0.850 - 5.133	13.20	13.80	14.40	99
15+15+18+20+20+22	1.84	1.84	2.21	2.45	2.45	2.70	13.50 3.50 - 16.40	3.143 0.850 - 5.183	13.20	13.80	14.40	99
15+15+18+20+20+25	1.81	1.81	2.17	2.41	2.41	3.01	13.60 3.50 - 16.25	3.046 0.850 - 5.176	12.80	13.38	13.96	99
15+15+18+20+20+35	1.66	1.66	1.99	2.21	2.21	3.87	13.60 3.50 - 15.96	2.886 0.850 - 5.176	12.12	12.67	13.22	99
15+15+18+20+20+42	1.57	1.57	1.88	2.09	2.09	4.39	13.60 3.50 - 16.10	2.966 0.850 - 5.176	12.46	13.03	13.60	99
15+15+18+20+20+50	1.48	1.48	1.77	1.97	1.97	4.93	13.60 3.50 - 16.26	3.050 0.850 - 5.170	12.81	13.39	13.97	99
15+15+18+20+20+60	1.38	1.38	1.65	1.84	1.84	5.51	13.60 3.50 - 16.46	3.160 0.850 - 5.170	13.28	13.88	14.48	99
15+15+18+20+20+71	1.28	1.28	1.54	1.71	1.71	6.07	13.60 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99
15+15+18+20+22+22	1.82	1.82	2.19	2.43	2.67	2.67	13.60 3.50 - 16.30	3.057 0.850 - 5.157	12.85	13.43	14.01	99
15+15+18+20+22+25	1.79	1.79	2.14	2.38	2.62	2.98	13.70 3.50 - 16.15	2.989 0.850 - 5.169	12.56	13.13	13.70	99
15+15+18+20+22+35	1.64	1.64	1.97	2.19	2.41	3.84	13.70 3.50 - 16.00	2.909 0.850 - 5.169	12.22	12.78	13.34	99
15+15+18+20+22+42	1.56	1.56	1.87	2.08	2.28	4.36	13.70 3.50 - 16.14	2.979 0.850 - 5.169	12.51	13.08	13.65	99
15+15+18+20+22+50	1.47	1.47	1.76	1.96	2.15	4.89	13.70 3.50 - 16.30	3.063 0.850 - 5.163	12.87	13.45	14.03	99
15+15+18+20+22+60	1.37	1.37	1.64	1.83	2.01	5.48	13.70 3.50 - 16.50	3.173 0.850 - 5.163	13.33	13.94	14.55	99
15+15+18+20+22+71	1.28	1.28	1.53	1.70	1.87	6.04	13.70 3.50 - 16.50	3.156 0.850 - 5.146	13.26	13.86	14.46	99
15+15+18+20+25+25	1.74	1.74	2.09	2.32	2.90	2.90	13.70 3.50 - 16.00	2.890 0.850 - 5.150	12.14	12.69	13.24	99
15+15+18+20+25+35	1.61	1.61	1.93	2.14	2.68	3.75	13.70 3.50 - 16.06	2.939 0.850 - 5.169	12.35	12.91	13.47	99
15+15+18+20+25+42	1.52	1.52	1.83	2.03	2.54	4.26	13.70 3.50 - 16.20	3.019 0.850 - 5.169	12.68	13.26	13.84	99
15+15+18+20+25+50	1.44	1.44	1.72	1.92	2.40	4.79	13.70 3.50 - 16.36	3.093 0.850 - 5.163	12.99	13.58	14.17	99
15+15+18+20+25+60	1.34	1.34	1.61	1.79	2.24	5.37	13.70 3.50 - 16.50	3.173 0.850 - 5.163	13.33	13.94	14.55	99
15+15+18+20+25+71	1.25	1.25	1.50	1.67	2.09	5.93	13.70 3.50 - 16.50	3.156 0.850 - 5.146	13.26	13.86	14.46	99
15+15+18+20+35+35	1.49	1.49	1.79	1.99	3.47	3.47	13.70 3.50 - 16.26	3.030 0.850 - 5.150	12.73	13.31	13.89	99
15+15+18+20+35+42	1.42	1.42	1.70	1.89	3.31	3.97	13.70 3.50 - 16.40	3.129 0.850 - 5.169	13.14	13.74	14.34	99
15+15+18+20+35+50	1.34	1.34	1.61	1.79	3.13	4.48	13.70 3.50 - 16.50	3.173 0.850 - 5.163	13.33	13.94	14.55	99
15+15+18+20+35+60	1.26	1.26	1.51	1.68	2.94	5.04	13.70 3.50 - 16.50	3.173 0.850 - 5.163	13.33	13.94	14.55	99
15+15+18+20+35+71	1.18	1.18	1.42	1.57	2.76	5.59	13.70 3.50 - 16.50	3.156 0.850 - 5.146	13.26	13.86	14.46	99
15+15+18+20+42+42	1.35	1.35	1.62	1.80	3.79	3.79	13.70 3.50 - 16.50	3.160 0.850 - 5.150	13.28	13.88	14.48	99
15+15+18+20+42+50	1.28	1.28	1.54	1.71	3.60	4.28	13.70 3.50 - 16.50	3.167 0.850 - 5.157	13.31	13.91	14.51	99
15+15+18+20+42+60	1.21	1.21	1.45	1.61	3.38	4.84	13.70 3.50 - 16.50	3.167 0.850 - 5.157	13.31	13.91	14.51	99
15+15+18+20+50+50	1.22	1.22	1.47	1.63	4.08	4.08	13.70 3.50 - 16.50	3.150 0.850 - 5.140	13.23	13.83	14.43	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
15+15+18+20+50+60	1.15	1.15	1.39	1.54	3.85	4.62	13.70 3.50 - 16.50	3.167 0.850 - 5.157	13.31	13.91	14.51	99
15+15+18+22+22+22	1.80	1.80	2.16	2.64	2.64	2.64	13.70 3.50 - 16.20	2.990 0.850 - 5.140	12.56	13.13	13.70	99
15+15+18+22+22+25	1.77	1.77	2.12	2.59	2.59	2.95	13.80 3.50 - 16.05	2.922 0.850 - 5.162	12.27	12.83	13.39	99
15+15+18+22+22+35	1.63	1.63	1.96	2.39	2.39	3.80	13.80 3.50 - 16.04	2.922 0.850 - 5.162	12.27	12.83	13.39	99
15+15+18+22+22+42	1.54	1.54	1.85	2.27	2.27	4.33	13.80 3.50 - 16.18	2.992 0.850 - 5.162	12.57	13.14	13.71	99
15+15+18+22+22+50	1.46	1.46	1.75	2.14	2.14	4.86	13.80 3.50 - 16.34	3.076 0.850 - 5.156	12.92	13.51	14.10	99
15+15+18+22+22+60	1.36	1.36	1.63	2.00	2.00	5.45	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+18+22+22+71	1.27	1.27	1.52	1.86	1.86	6.01	13.80 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
15+15+18+22+25+25	1.73	1.73	2.07	2.53	2.88	2.88	13.80 3.50 - 15.90	2.823 0.850 - 5.143	11.86	12.40	12.94	99
15+15+18+22+25+35	1.59	1.59	1.91	2.34	2.65	3.72	13.80 3.50 - 16.10	2.952 0.850 - 5.162	12.40	12.96	13.52	99
15+15+18+22+25+42	1.51	1.51	1.81	2.22	2.52	4.23	13.80 3.50 - 16.24	3.032 0.850 - 5.162	12.74	13.32	13.90	99
15+15+18+22+25+50	1.43	1.43	1.71	2.09	2.38	4.76	13.80 3.50 - 16.40	3.116 0.850 - 5.156	13.09	13.68	14.27	99
15+15+18+22+25+60	1.34	1.34	1.60	1.96	2.23	5.34	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+18+22+25+71	1.25	1.25	1.50	1.83	2.08	5.90	13.80 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
15+15+18+22+35+35	1.48	1.48	1.77	2.17	3.45	3.45	13.80 3.50 - 16.30	3.043 0.850 - 5.143	12.78	13.36	13.94	99
15+15+18+22+35+42	1.41	1.41	1.69	2.07	3.29	3.94	13.80 3.50 - 16.44	3.142 0.850 - 5.162	13.20	13.80	14.40	99
15+15+18+22+35+50	1.34	1.34	1.60	1.96	3.12	4.45	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+18+22+35+60	1.25	1.25	1.51	1.84	2.93	5.02	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+18+22+35+71	1.18	1.18	1.41	1.73	2.74	5.57	13.80 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
15+15+18+22+42+42	1.34	1.34	1.61	1.97	3.76	3.76	13.80 3.50 - 16.50	3.153 0.850 - 5.143	13.25	13.85	14.45	99
15+15+18+22+42+50	1.28	1.28	1.53	1.87	3.58	4.26	13.80 3.50 - 16.50	3.160 0.850 - 5.150	13.28	13.88	14.48	99
15+15+18+22+42+60	1.20	1.20	1.44	1.77	3.37	4.81	13.80 3.50 - 16.50	3.160 0.850 - 5.150	13.28	13.88	14.48	99
15+15+18+22+50+50	1.22	1.22	1.46	1.79	4.06	4.06	13.80 3.50 - 16.50	3.143 0.850 - 5.133	13.20	13.80	14.40	99
15+15+18+22+50+60	1.15	1.15	1.38	1.69	3.83	4.60	13.80 3.50 - 16.50	3.160 0.850 - 5.150	13.28	13.88	14.48	99
15+15+18+25+25+25	1.68	1.68	2.02	2.80	2.80	2.80	13.80 3.50 - 15.96	2.843 0.850 - 5.133	11.95	12.49	13.03	99
15+15+18+25+25+35	1.56	1.56	1.87	2.59	2.59	3.63	13.80 3.50 - 16.16	2.982 0.850 - 5.162	12.53	13.10	13.67	99
15+15+18+25+25+42	1.48	1.48	1.77	2.46	2.46	4.14	13.80 3.50 - 16.30	3.062 0.850 - 5.162	12.87	13.45	14.03	99
15+15+18+25+25+50	1.40	1.40	1.68	2.33	2.33	4.66	13.80 3.50 - 16.46	3.146 0.850 - 5.156	13.22	13.82	14.42	99
15+15+18+25+25+60	1.31	1.31	1.57	2.18	2.18	5.24	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+18+25+25+71	1.22	1.22	1.47	2.04	2.04	5.80	13.80 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
15+15+18+25+35+35	1.45	1.45	1.74	2.41	3.38	3.38	13.80 3.50 - 16.36	3.073 0.850 - 5.143	12.91	13.50	14.09	99
15+15+18+25+35+42	1.38	1.38	1.66	2.30	3.22	3.86	13.80 3.50 - 16.50	3.172 0.850 - 5.162	13.32	13.93	14.54	99
15+15+18+25+35+50	1.31	1.31	1.57	2.18	3.06	4.37	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+18+25+35+60	1.23	1.23	1.48	2.05	2.88	4.93	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+18+25+35+71	1.16	1.16	1.39	1.93	2.70	5.47	13.80 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
15+15+18+25+42+42	1.32	1.32	1.58	2.20	3.69	3.69	13.80 3.50 - 16.50	3.153 0.850 - 5.143	13.25	13.85	14.45	99
15+15+18+25+42+50	1.25	1.25	1.51	2.09	3.51	4.18	13.80 3.50 - 16.50	3.160 0.850 - 5.150	13.28	13.88	14.48	99
15+15+18+25+42+60	1.18	1.18	1.42	1.97	3.31	4.73	13.80 3.50 - 16.50	3.160 0.850 - 5.150	13.28	13.88	14.48	99
15+15+18+25+50+50	1.20	1.20	1.44	1.99	3.99	3.99	13.80 3.50 - 16.50	3.143 0.850 - 5.133	13.20	13.80	14.40	99
15+15+18+35+35+35	1.35	1.35	1.62	3.16	3.16	3.16	13.80 3.50 - 16.50	3.160 0.850 - 5.150	13.28	13.88	14.48	99
15+15+18+35+35+42	1.29	1.29	1.55	3.02	3.02	3.62	13.80 3.50 - 16.50	3.172 0.850 - 5.162	13.32	13.93	14.54	99
15+15+18+35+35+50	1.23	1.23	1.48	2.88	2.88	4.11	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+18+35+35+60	1.16	1.16	1.40	2.71	2.71	4.65	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+18+35+42+42	1.24	1.24	1.49	2.89	3.47	3.47	13.80 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99



**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
15+15+18+35+42+50	1.18	1.18	1.42	2.76	3.31	3.94	13.80 3.50 - 16.50	3.160 0.850 - 5.150	13.28	13.88	14.48	99
15+15+18+42+42+42	1.19	1.19	1.43	3.33	3.33	3.33	13.80 3.50 - 16.50	3.160 0.850 - 5.150	13.28	13.88	14.48	99
15+15+20+20+20+20	1.88	1.88	2.51	2.51	2.51	2.51	13.80 3.50 - 16.40	3.104 0.850 - 5.144	13.04	13.63	14.22	99
15+15+20+20+20+22	1.79	1.79	2.39	2.39	2.39	2.63	13.40 3.50 - 16.30	3.090 0.850 - 5.190	12.98	13.57	14.16	99
15+15+20+20+20+25	1.76	1.76	2.35	2.35	2.35	2.93	13.50 3.50 - 16.15	3.003 0.850 - 5.183	12.62	13.19	13.76	99
15+15+20+20+20+35	1.62	1.62	2.16	2.16	2.16	3.78	13.50 3.50 - 16.00	2.923 0.850 - 5.183	12.28	12.84	13.40	99
15+15+20+20+20+42	1.53	1.53	2.05	2.05	2.05	4.30	13.50 3.50 - 16.14	2.993 0.850 - 5.183	12.57	13.14	13.71	99
15+15+20+20+20+50	1.45	1.45	1.93	1.93	1.93	4.82	13.50 3.50 - 16.30	3.077 0.850 - 5.177	12.92	13.51	14.10	99
15+15+20+20+20+60	1.35	1.35	1.80	1.80	1.80	5.40	13.50 3.50 - 16.50	3.187 0.850 - 5.177	13.39	14.00	14.61	99
15+15+20+20+20+71	1.26	1.26	1.68	1.68	1.68	5.95	13.50 3.50 - 16.50	3.170 0.850 - 5.160	13.31	13.92	14.53	99
15+15+20+20+22+22	1.78	1.78	2.37	2.37	2.61	2.61	13.50 3.50 - 16.20	3.014 0.850 - 5.164	12.66	13.24	13.82	99
15+15+20+20+22+25	1.74	1.74	2.32	2.32	2.56	2.91	13.60 3.50 - 16.05	2.936 0.850 - 5.176	12.33	12.89	13.45	99
15+15+20+20+22+35	1.61	1.61	2.14	2.14	2.36	3.75	13.60 3.50 - 16.04	2.936 0.850 - 5.176	12.33	12.89	13.45	99
15+15+20+20+22+42	1.52	1.52	2.03	2.03	2.23	4.26	13.60 3.50 - 16.18	3.006 0.850 - 5.176	12.63	13.20	13.77	99
15+15+20+20+22+50	1.44	1.44	1.92	1.92	2.11	4.79	13.60 3.50 - 16.34	3.090 0.850 - 5.170	12.98	13.57	14.16	99
15+15+20+20+22+60	1.34	1.34	1.79	1.79	1.97	5.37	13.60 3.50 - 16.50	3.180 0.850 - 5.170	13.36	13.97	14.58	99
15+15+20+20+22+71	1.25	1.25	1.67	1.67	1.84	5.92	13.60 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99
15+15+20+20+25+25	1.70	1.70	2.27	2.27	2.83	2.83	13.60 3.50 - 15.90	2.837 0.850 - 5.157	11.92	12.46	13.00	99
15+15+20+20+25+35	1.57	1.57	2.09	2.09	2.62	3.66	13.60 3.50 - 16.10	2.966 0.850 - 5.176	12.46	13.03	13.60	99
15+15+20+20+25+42	1.49	1.49	1.99	1.99	2.48	4.17	13.60 3.50 - 16.24	3.046 0.850 - 5.176	12.80	13.38	13.96	99
15+15+20+20+25+50	1.41	1.41	1.88	1.88	2.34	4.69	13.60 3.50 - 16.40	3.130 0.850 - 5.170	13.15	13.75	14.35	99
15+15+20+20+25+60	1.32	1.32	1.75	1.75	2.19	5.26	13.60 3.50 - 16.50	3.180 0.850 - 5.170	13.36	13.97	14.58	99
15+15+20+20+25+71	1.23	1.23	1.64	1.64	2.05	5.82	13.60 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99
15+15+20+20+35+35	1.46	1.46	1.94	1.94	3.40	3.40	13.60 3.50 - 16.30	3.057 0.850 - 5.157	12.85	13.43	14.01	99
15+15+20+20+35+42	1.39	1.39	1.85	1.85	3.24	3.89	13.60 3.50 - 16.44	3.156 0.850 - 5.176	13.26	13.86	14.46	99
15+15+20+20+35+50	1.32	1.32	1.75	1.75	3.07	4.39	13.60 3.50 - 16.50	3.180 0.850 - 5.170	13.36	13.97	14.58	99
15+15+20+20+35+60	1.24	1.24	1.65	1.65	2.88	4.95	13.60 3.50 - 16.50	3.180 0.850 - 5.170	13.36	13.97	14.58	99
15+15+20+20+35+71	1.16	1.16	1.55	1.55	2.70	5.49	13.60 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99
15+15+20+20+42+42	1.32	1.32	1.77	1.77	3.71	3.71	13.60 3.50 - 16.50	3.167 0.850 - 5.157	13.31	13.91	14.51	99
15+15+20+20+42+50	1.26	1.26	1.68	1.68	3.53	4.20	13.60 3.50 - 16.50	3.174 0.850 - 5.164	13.33	13.94	14.55	99
15+15+20+20+42+60	1.19	1.19	1.58	1.58	3.32	4.74	13.60 3.50 - 16.50	3.174 0.850 - 5.164	13.33	13.94	14.55	99
15+15+20+20+50+50	1.20	1.20	1.60	1.60	4.00	4.00	13.60 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+15+20+20+50+60	1.13	1.13	1.51	1.51	3.78	4.53	13.60 3.50 - 16.50	3.174 0.850 - 5.164	13.33	13.94	14.55	99
15+15+20+22+22+22	1.76	1.76	2.34	2.58	2.58	2.58	13.60 3.50 - 16.10	2.937 0.850 - 5.147	12.34	12.90	13.46	99
15+15+20+22+22+25	1.73	1.73	2.30	2.53	2.53	2.88	13.70 3.50 - 15.95	2.879 0.850 - 5.169	12.09	12.64	13.19	99
15+15+20+22+22+35	1.59	1.59	2.12	2.34	2.34	3.72	13.70 3.50 - 16.08	2.949 0.850 - 5.169	12.39	12.95	13.51	99
15+15+20+22+22+42	1.51	1.51	2.01	2.22	2.22	4.23	13.70 3.50 - 16.22	3.029 0.850 - 5.169	12.72	13.30	13.88	99
15+15+20+22+22+50	1.43	1.43	1.90	2.09	2.09	4.76	13.70 3.50 - 16.38	3.103 0.850 - 5.163	13.04	13.63	14.22	99
15+15+20+22+22+60	1.33	1.33	1.78	1.96	1.96	5.34	13.70 3.50 - 16.50	3.173 0.850 - 5.163	13.33	13.94	14.55	99
15+15+20+22+22+71	1.25	1.25	1.66	1.83	1.83	5.90	13.70 3.50 - 16.50	3.156 0.850 - 5.146	13.26	13.86	14.46	99
15+15+20+22+25+35	1.56	1.56	2.08	2.28	2.59	3.63	13.70 3.50 - 16.14	2.960 0.850 - 5.150	12.43	13.00	13.57	99
15+15+20+22+25+42	1.48	1.48	1.97	2.17	2.46	4.14	13.70 3.50 - 16.28	3.059 0.850 - 5.169	12.85	13.43	14.01	99
15+15+20+22+25+50	1.40	1.40	1.86	2.05	2.33	4.66	13.70 3.50 - 16.44	3.143 0.850 - 5.163	13.20	13.80	14.40	99
15+15+20+22+25+60	1.31	1.31	1.75	1.92	2.18	5.24	13.70 3.50 - 16.50	3.173 0.850 - 5.163	13.33	13.94	14.55	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
15+15+20+22+25+71	1.22	1.22	1.63	1.79	2.04	5.79	13.70 3.50 - 16.50	3.156 0.850 - 5.146	13.26	13.86	14.46	99
15+15+20+22+35+35	1.45	1.45	1.93	2.12	3.38	3.38	13.70 3.50 - 16.34	3.070 0.850 - 5.150	12.89	13.48	14.07	99
15+15+20+22+35+42	1.38	1.38	1.84	2.02	3.22	3.86	13.70 3.50 - 16.48	3.169 0.850 - 5.169	13.31	13.92	14.53	99
15+15+20+22+35+50	1.31	1.31	1.75	1.92	3.05	4.36	13.70 3.50 - 16.50	3.173 0.850 - 5.163	13.33	13.94	14.55	99
15+15+20+22+35+60	1.23	1.23	1.64	1.80	2.87	4.92	13.70 3.50 - 16.50	3.173 0.850 - 5.163	13.33	13.94	14.55	99
15+15+20+22+35+71	1.15	1.15	1.54	1.69	2.69	5.46	13.70 3.50 - 16.50	3.156 0.850 - 5.146	13.26	13.86	14.46	99
15+15+20+22+42+42	1.32	1.32	1.76	1.93	3.69	3.69	13.70 3.50 - 16.50	3.160 0.850 - 5.150	13.28	13.88	14.48	99
15+15+20+22+42+50	1.25	1.25	1.67	1.84	3.51	4.18	13.70 3.50 - 16.50	3.167 0.850 - 5.157	13.31	13.91	14.51	99
15+15+20+22+42+60	1.18	1.18	1.57	1.73	3.31	4.72	13.70 3.50 - 16.50	3.167 0.850 - 5.157	13.31	13.91	14.51	99
15+15+20+22+50+50	1.19	1.19	1.59	1.75	3.98	3.98	13.70 3.50 - 16.50	3.150 0.850 - 5.140	13.23	13.83	14.43	99
15+15+20+25+25+25	1.64	1.64	2.19	2.74	2.74	2.74	13.70 3.50 - 16.00	2.897 0.850 - 5.157	12.17	12.72	13.27	99
15+15+20+25+25+35	1.52	1.52	2.03	2.54	2.54	3.55	13.70 3.50 - 16.20	3.019 0.850 - 5.169	12.68	13.26	13.84	99
15+15+20+25+25+42	1.45	1.45	1.93	2.41	2.41	4.05	13.70 3.50 - 16.34	3.089 0.850 - 5.169	12.98	13.57	14.16	99
15+15+20+25+25+50	1.37	1.37	1.83	2.28	2.28	4.57	13.70 3.50 - 16.50	3.173 0.850 - 5.163	13.33	13.94	14.55	99
15+15+20+25+25+60	1.28	1.28	1.71	2.14	2.14	5.14	13.70 3.50 - 16.50	3.173 0.850 - 5.163	13.33	13.94	14.55	99
15+15+20+25+25+71	1.20	1.20	1.60	2.00	2.00	5.69	13.70 3.50 - 16.50	3.156 0.850 - 5.146	13.26	13.86	14.46	99
15+15+20+25+35+35	1.42	1.42	1.89	2.36	3.31	3.31	13.70 3.50 - 16.40	3.110 0.850 - 5.150	13.07	13.66	14.25	99
15+15+20+25+35+42	1.35	1.35	1.80	2.25	3.15	3.79	13.70 3.50 - 16.50	3.179 0.850 - 5.169	13.35	13.96	14.57	99
15+15+20+25+35+50	1.28	1.28	1.71	2.14	3.00	4.28	13.70 3.50 - 16.50	3.173 0.850 - 5.163	13.33	13.94	14.55	99
15+15+20+25+35+60	1.21	1.21	1.61	2.01	2.82	4.84	13.70 3.50 - 16.50	3.173 0.850 - 5.163	13.33	13.94	14.55	99
15+15+20+25+42+42	1.29	1.29	1.72	2.15	3.62	3.62	13.70 3.50 - 16.50	3.156 0.850 - 5.146	13.26	13.86	14.46	99
15+15+20+25+42+50	1.23	1.23	1.64	2.05	3.45	4.10	13.70 3.50 - 16.50	3.167 0.850 - 5.157	13.31	13.91	14.51	99
15+15+20+25+42+60	1.16	1.16	1.55	1.94	3.25	4.64	13.70 3.50 - 16.50	3.167 0.850 - 5.157	13.31	13.91	14.51	99
15+15+20+25+50+50	1.17	1.17	1.57	1.96	3.91	3.91	13.70 3.50 - 16.50	3.150 0.850 - 5.140	13.23	13.83	14.43	99
15+15+20+35+35+35	1.33	1.33	1.77	3.09	3.09	3.09	13.70 3.50 - 16.50	3.167 0.850 - 5.157	13.31	13.91	14.51	99
15+15+20+35+35+42	1.27	1.27	1.69	2.96	2.96	3.55	13.70 3.50 - 16.50	3.179 0.850 - 5.169	13.35	13.96	14.57	99
15+15+20+35+35+50	1.21	1.21	1.61	2.82	2.82	4.03	13.70 3.50 - 16.50	3.173 0.850 - 5.163	13.33	13.94	14.55	99
15+15+20+35+35+60	1.14	1.14	1.52	2.66	2.66	4.57	13.70 3.50 - 16.50	3.173 0.850 - 5.163	13.33	13.94	14.55	99
15+15+20+35+42+42	1.22	1.22	1.62	2.84	3.40	3.40	13.70 3.50 - 16.50	3.156 0.850 - 5.146	13.26	13.86	14.46	99
15+15+20+35+42+50	1.16	1.16	1.55	2.71	3.25	3.87	13.70 3.50 - 16.50	3.167 0.850 - 5.157	13.31	13.91	14.51	99
15+15+20+42+42+42	1.17	1.17	1.56	3.27	3.27	3.27	13.70 3.50 - 16.50	3.167 0.850 - 5.157	13.31	13.91	14.51	99
15+15+22+22+22+22	1.74	1.74	2.55	2.55	2.55	2.55	13.70 3.50 - 16.00	2.891 0.850 - 5.151	12.15	12.70	13.25	99
15+15+22+22+22+25	1.71	1.71	2.51	2.51	2.51	2.85	13.80 3.50 - 15.92	2.852 0.850 - 5.162	11.99	12.53	13.07	99
15+15+22+22+22+35	1.58	1.58	2.32	2.32	2.32	3.69	13.80 3.50 - 16.12	2.962 0.850 - 5.162	12.44	13.01	13.58	99
15+15+22+22+22+42	1.50	1.50	2.20	2.20	2.20	4.20	13.80 3.50 - 16.26	3.042 0.850 - 5.162	12.78	13.36	13.94	99
15+15+22+22+22+50	1.42	1.42	2.08	2.08	2.08	4.73	13.80 3.50 - 16.42	3.126 0.850 - 5.156	13.13	13.73	14.33	99
15+15+22+22+22+60	1.33	1.33	1.95	1.95	1.95	5.31	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+22+22+22+71	1.24	1.24	1.82	1.82	1.82	5.87	13.80 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
15+15+22+22+25+25	1.67	1.67	2.45	2.45	2.78	2.78	13.80 3.50 - 15.98	2.863 0.850 - 5.143	12.02	12.57	13.12	99
15+15+22+22+25+35	1.54	1.54	2.27	2.27	2.57	3.60	13.80 3.50 - 16.18	2.992 0.850 - 5.162	12.57	13.14	13.71	99
15+15+22+22+25+42	1.47	1.47	2.15	2.15	2.45	4.11	13.80 3.50 - 16.32	3.072 0.850 - 5.162	12.90	13.49	14.08	99
15+15+22+22+25+50	1.39	1.39	2.04	2.04	2.32	4.63	13.80 3.50 - 16.48	3.156 0.850 - 5.156	13.26	13.86	14.46	99
15+15+22+22+25+60	1.30	1.30	1.91	1.91	2.17	5.21	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+22+22+25+71	1.22	1.22	1.79	1.79	2.03	5.76	13.80 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
15+15+22+22+35+35	1.44	1.44	2.11	2.11	3.35	3.35	13.80 3.50 - 16.38	3.083 0.850 - 5.143	12.95	13.54	14.13	99
15+15+22+22+35+42	1.37	1.37	2.01	2.01	3.20	3.84	13.80 3.50 - 16.50	3.172 0.850 - 5.162	13.32	13.93	14.54	99
15+15+22+22+35+50	1.30	1.30	1.91	1.91	3.04	4.34	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+22+22+35+60	1.22	1.22	1.80	1.80	2.86	4.90	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+22+22+35+71	1.15	1.15	1.69	1.69	2.68	5.44	13.80 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
15+15+22+22+42+42	1.31	1.31	1.92	1.92	3.67	3.67	13.80 3.50 - 16.50	3.153 0.850 - 5.143	13.25	13.85	14.45	99
15+15+22+22+42+50	1.25	1.25	1.83	1.83	3.49	4.16	13.80 3.50 - 16.50	3.160 0.850 - 5.150	13.28	13.88	14.48	99
15+15+22+22+42+60	1.18	1.18	1.73	1.73	3.29	4.70	13.80 3.50 - 16.50	3.160 0.850 - 5.150	13.28	13.88	14.48	99
15+15+22+22+50+50	1.19	1.19	1.74	1.74	3.97	3.97	13.80 3.50 - 16.50	3.143 0.850 - 5.133	13.20	13.80	14.40	99
15+15+22+25+25+25	1.63	1.63	2.39	2.72	2.72	2.72	13.80 3.50 - 16.04	2.910 0.850 - 5.150	12.22	12.78	13.34	99
15+15+22+25+25+35	1.51	1.51	2.22	2.52	2.52	3.53	13.80 3.50 - 16.24	3.032 0.850 - 5.162	12.74	13.32	13.90	99
15+15+22+25+25+42	1.44	1.44	2.11	2.40	2.40	4.03	13.80 3.50 - 16.38	3.102 0.850 - 5.162	13.03	13.62	14.21	99
15+15+22+25+25+50	1.36	1.36	2.00	2.27	2.27	4.54	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+22+25+25+60	1.28	1.28	1.87	2.13	2.13	5.11	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+22+25+25+71	1.20	1.20	1.75	1.99	1.99	5.66	13.80 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
15+15+22+25+35+35	1.41	1.41	2.07	2.35	3.29	3.29	13.80 3.50 - 16.44	3.123 0.850 - 5.143	13.12	13.72	14.32	99
15+15+22+25+35+42	1.34	1.34	1.97	2.24	3.14	3.76	13.80 3.50 - 16.50	3.172 0.850 - 5.162	13.32	13.93	14.54	99
15+15+22+25+35+50	1.28	1.28	1.87	2.13	2.98	4.26	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+22+25+35+60	1.20	1.20	1.77	2.01	2.81	4.81	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+22+25+42+42	1.29	1.29	1.89	2.14	3.60	3.60	13.80 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
15+15+22+25+42+50	1.22	1.22	1.80	2.04	3.43	4.08	13.80 3.50 - 16.50	3.160 0.850 - 5.150	13.28	13.88	14.48	99
15+15+22+25+42+60	1.16	1.16	1.70	1.93	3.24	4.63	13.80 3.50 - 16.50	3.160 0.850 - 5.150	13.28	13.88	14.48	99
15+15+22+25+50+50	1.17	1.17	1.72	1.95	3.90	3.90	13.80 3.50 - 16.50	3.143 0.850 - 5.133	13.20	13.80	14.40	99
15+15+22+35+35+35	1.32	1.32	1.93	3.08	3.08	3.08	13.80 3.50 - 16.50	3.160 0.850 - 5.150	13.28	13.88	14.48	99
15+15+22+35+35+42	1.26	1.26	1.85	2.95	2.95	3.53	13.80 3.50 - 16.50	3.172 0.850 - 5.162	13.32	13.93	14.54	99
15+15+22+35+35+50	1.20	1.20	1.77	2.81	2.81	4.01	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+22+35+42+42	1.21	1.21	1.78	2.82	3.39	3.39	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+22+35+42+50	1.16	1.16	1.70	2.70	3.24	3.85	13.80 3.50 - 16.50	3.160 0.850 - 5.150	13.28	13.88	14.48	99
15+15+22+42+42+42	1.16	1.16	1.71	3.26	3.26	3.26	13.80 3.50 - 16.50	3.160 0.850 - 5.150	13.28	13.88	14.48	99
15+15+25+25+25+25	1.59	1.59	2.65	2.65	2.65	2.65	13.80 3.50 - 16.10	2.934 0.850 - 5.144	12.33	12.89	13.45	99
15+15+25+25+25+35	1.48	1.48	2.46	2.46	2.46	3.45	13.80 3.50 - 16.30	3.062 0.850 - 5.162	12.87	13.45	14.03	99
15+15+25+25+25+42	1.41	1.41	2.35	2.35	2.35	3.94	13.80 3.50 - 16.44	3.142 0.850 - 5.162	13.20	13.80	14.40	99
15+15+25+25+25+50	1.34	1.34	2.23	2.23	2.23	4.45	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+25+25+25+60	1.25	1.25	2.09	2.09	2.09	5.02	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+25+25+25+71	1.18	1.18	1.96	1.96	1.96	5.57	13.80 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
15+15+25+25+35+35	1.38	1.38	2.30	2.30	3.22	3.22	13.80 3.50 - 16.50	3.153 0.850 - 5.143	13.25	13.85	14.45	99
15+15+25+25+35+42	1.32	1.32	2.20	2.20	3.08	3.69	13.80 3.50 - 16.50	3.172 0.850 - 5.162	13.32	13.93	14.54	99
15+15+25+25+35+50	1.25	1.25	2.09	2.09	2.93	4.18	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+25+25+35+60	1.18	1.18	1.97	1.97	2.76	4.73	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+25+25+42+42	1.26	1.26	2.10	2.10	3.53	3.53	13.80 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
15+15+25+25+42+50	1.20	1.20	2.01	2.01	3.37	4.01	13.80 3.50 - 16.50	3.160 0.850 - 5.150	13.28	13.88	14.48	99
15+15+25+25+50+50	1.15	1.15	1.92	1.92	3.83	3.83	13.80 3.50 - 16.50	3.160 0.850 - 5.150	13.28	13.88	14.48	99
15+15+25+35+35+35	1.29	1.29	2.16	3.02	3.02	3.02	13.80 3.50 - 16.50	3.160 0.850 - 5.150	13.28	13.88	14.48	99
15+15+25+35+35+42	1.24	1.24	2.07	2.89	2.89	3.47	13.80 3.50 - 16.50	3.172 0.850 - 5.162	13.32	13.93	14.54	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
15+15+25+35+35+50	1.18	1.18	1.97	2.76	2.76	3.94	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+25+35+42+42	1.19	1.19	1.98	2.78	3.33	3.33	13.80 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
15+15+35+35+35+35	1.22	1.22	2.84	2.84	2.84	2.84	13.80 3.50 - 16.50	3.160 0.850 - 5.150	13.28	13.88	14.48	99
15+15+35+35+35+42	1.17	1.17	2.73	2.73	2.73	3.27	13.80 3.50 - 16.50	3.172 0.850 - 5.162	13.32	13.93	14.54	99
15+18+18+18+18+18	1.90	2.28	2.28	2.28	2.28	2.28	13.30 3.50 - 16.40	3.016 0.850 - 5.156	12.67	13.25	13.83	99
15+18+18+18+18+20	1.92	2.30	2.30	2.30	2.30	2.56	13.70 3.50 - 16.50	3.113 0.850 - 5.153	13.08	13.67	14.26	99
15+18+18+18+18+22	1.90	2.28	2.28	2.28	2.28	2.79	13.80 3.50 - 16.45	3.140 0.850 - 5.160	13.19	13.79	14.39	99
15+18+18+18+18+25	1.86	2.23	2.23	2.23	2.23	3.10	13.90 3.50 - 16.30	3.053 0.850 - 5.153	12.83	13.41	13.99	99
15+18+18+18+18+42	1.62	1.94	1.94	1.94	1.94	4.53	13.90 3.50 - 16.08	2.933 0.850 - 5.153	12.32	12.88	13.44	99
15+18+18+18+18+50	1.52	1.83	1.83	1.83	1.83	5.07	13.90 3.50 - 16.24	3.017 0.850 - 5.147	12.67	13.25	13.83	99
15+18+18+18+18+60	1.42	1.70	1.70	1.70	1.70	5.67	13.90 3.50 - 16.44	3.127 0.850 - 5.147	13.13	13.73	14.33	99
15+18+18+18+18+71	1.32	1.58	1.58	1.58	1.58	6.25	13.90 3.50 - 16.50	3.140 0.850 - 5.130	13.19	13.79	14.39	99
15+18+18+18+20+20	1.91	2.30	2.30	2.30	2.55	2.55	13.90 3.50 - 16.45	3.114 0.850 - 5.134	13.09	13.68	14.27	99
15+18+18+18+20+22	1.85	2.22	2.22	2.22	2.47	2.72	13.70 3.50 - 16.35	3.097 0.850 - 5.167	13.01	13.60	14.19	99
15+18+18+18+20+25	1.82	2.18	2.18	2.18	2.42	3.03	13.80 3.50 - 16.20	3.010 0.850 - 5.160	12.65	13.22	13.79	99
15+18+18+18+20+35	1.67	2.00	2.00	2.00	2.23	3.90	13.80 3.50 - 15.98	2.880 0.850 - 5.160	12.10	12.65	13.20	99
15+18+18+18+20+42	1.58	1.90	1.90	1.90	2.11	4.42	13.80 3.50 - 16.12	2.960 0.850 - 5.160	12.43	13.00	13.57	99
15+18+18+18+20+50	1.49	1.79	1.79	1.79	1.99	4.96	13.80 3.50 - 16.28	3.044 0.850 - 5.154	12.79	13.37	13.95	99
15+18+18+18+20+60	1.39	1.67	1.67	1.67	1.85	5.56	13.80 3.50 - 16.48	3.154 0.850 - 5.154	13.25	13.85	14.45	99
15+18+18+18+20+71	1.29	1.55	1.55	1.55	1.73	6.12	13.80 3.50 - 16.50	3.147 0.850 - 5.137	13.22	13.82	14.42	99
15+18+18+18+22+22	1.83	2.20	2.20	2.20	2.69	2.69	13.80 3.50 - 16.25	3.011 0.850 - 5.141	12.65	13.22	13.79	99
15+18+18+18+22+25	1.80	2.16	2.16	2.16	2.64	3.00	13.90 3.50 - 16.10	2.943 0.850 - 5.153	12.36	12.92	13.48	99
15+18+18+18+22+35	1.65	1.99	1.99	1.99	2.43	3.86	13.90 3.50 - 16.02	2.903 0.850 - 5.153	12.20	12.75	13.30	99
15+18+18+18+22+42	1.57	1.88	1.88	1.88	2.30	4.39	13.90 3.50 - 16.16	2.973 0.850 - 5.153	12.49	13.06	13.63	99
15+18+18+18+22+50	1.48	1.77	1.77	1.77	2.17	4.93	13.90 3.50 - 16.32	3.057 0.850 - 5.147	12.85	13.43	14.01	99
15+18+18+18+22+60	1.38	1.66	1.66	1.66	2.03	5.52	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+18+18+18+22+71	1.29	1.54	1.54	1.54	1.89	6.09	13.90 3.50 - 16.50	3.140 0.850 - 5.130	13.19	13.79	14.39	99
15+18+18+18+25+25	1.75	2.10	2.10	2.10	2.92	2.92	13.90 3.50 - 15.95	2.844 0.850 - 5.134	11.95	12.49	13.03	99
15+18+18+18+25+35	1.62	1.94	1.94	1.94	2.69	3.77	13.90 3.50 - 16.08	2.933 0.850 - 5.153	12.32	12.88	13.44	99
15+18+18+18+25+42	1.53	1.84	1.84	1.84	2.56	4.29	13.90 3.50 - 16.22	3.013 0.850 - 5.153	12.65	13.23	13.81	99
15+18+18+18+25+50	1.45	1.74	1.74	1.74	2.41	4.83	13.90 3.50 - 16.38	3.087 0.850 - 5.147	12.97	13.56	14.15	99
15+18+18+18+25+60	1.35	1.62	1.62	1.62	2.26	5.42	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+18+18+18+25+71	1.26	1.52	1.52	1.52	2.11	5.98	13.90 3.50 - 16.50	3.140 0.850 - 5.130	13.19	13.79	14.39	99
15+18+18+18+35+35	1.50	1.80	1.80	1.80	3.50	3.50	13.90 3.50 - 16.28	3.024 0.850 - 5.134	12.70	13.28	13.86	99
15+18+18+18+35+42	1.43	1.71	1.71	1.71	3.33	4.00	13.90 3.50 - 16.42	3.123 0.850 - 5.153	13.12	13.72	14.32	99
15+18+18+18+35+50	1.35	1.62	1.62	1.62	3.16	4.51	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+18+18+18+35+60	1.27	1.53	1.53	1.53	2.97	5.09	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+18+18+18+35+71	1.19	1.43	1.43	1.43	2.78	5.64	13.90 3.50 - 16.50	3.140 0.850 - 5.130	13.19	13.79	14.39	99
15+18+18+18+42+42	1.36	1.64	1.64	1.64	3.82	3.82	13.90 3.50 - 16.50	3.144 0.850 - 5.134	13.21	13.81	14.41	99
15+18+18+18+42+50	1.30	1.55	1.55	1.55	3.63	4.32	13.90 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99
15+18+18+18+42+60	1.22	1.46	1.46	1.46	3.41	4.88	13.90 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99
15+18+18+18+50+50	1.23	1.48	1.48	1.48	4.11	4.11	13.90 3.50 - 16.50	3.134 0.850 - 5.124	13.16	13.76	14.36	99
15+18+18+18+50+60	1.16	1.40	1.40	1.40	3.88	4.66	13.90 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99
15+18+18+20+20+20	1.88	2.25	2.25	2.50	2.50	2.50	13.90 3.50 - 16.35	3.054 0.850 - 5.124	12.83	13.41	13.99	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)			220	230	240	
15+18+18+20+20+22	1.81	2.17	2.17	2.41	2.41	2.65	13.60 3.50 - 16.25	3.044 0.850 - 5.174	12.79	13.37	13.95	99		
15+18+18+20+20+25	1.77	2.13	2.13	2.36	2.36	2.95	13.70 3.50 - 16.10	2.957 0.850 - 5.167	12.43	12.99	13.55	99		
15+18+18+20+20+35	1.63	1.96	1.96	2.17	2.17	3.81	13.70 3.50 - 16.02	2.917 0.850 - 5.167	12.25	12.81	13.37	99		
15+18+18+20+20+42	1.55	1.85	1.85	2.06	2.06	4.33	13.70 3.50 - 16.16	2.987 0.850 - 5.167	12.55	13.12	13.69	99		
15+18+18+20+20+50	1.46	1.75	1.75	1.94	1.94	4.86	13.70 3.50 - 16.32	3.071 0.850 - 5.161	12.90	13.49	14.08	99		
15+18+18+20+20+60	1.36	1.63	1.63	1.81	1.81	5.44	13.70 3.50 - 16.50	3.171 0.850 - 5.161	13.32	13.93	14.54	99		
15+18+18+20+20+71	1.27	1.52	1.52	1.69	1.69	6.00	13.70 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99		
15+18+18+20+22+22	1.79	2.14	2.14	2.38	2.62	2.62	13.70 3.50 - 16.15	2.968 0.850 - 5.148	12.46	13.03	13.60	99		
15+18+18+20+22+25	1.75	2.11	2.11	2.34	2.57	2.92	13.80 3.50 - 16.00	2.900 0.850 - 5.160	12.19	12.74	13.29	99		
15+18+18+20+22+35	1.62	1.94	1.94	2.16	2.37	3.77	13.80 3.50 - 16.06	2.930 0.850 - 5.160	12.31	12.87	13.43	99		
15+18+18+20+22+42	1.53	1.84	1.84	2.04	2.25	4.29	13.80 3.50 - 16.20	3.010 0.850 - 5.160	12.65	13.22	13.79	99		
15+18+18+20+22+50	1.45	1.74	1.74	1.93	2.12	4.83	13.80 3.50 - 16.36	3.084 0.850 - 5.154	12.95	13.54	14.13	99		
15+18+18+20+22+60	1.35	1.62	1.62	1.80	1.98	5.41	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99		
15+18+18+20+22+71	1.26	1.51	1.51	1.68	1.85	5.97	13.80 3.50 - 16.50	3.147 0.850 - 5.137	13.22	13.82	14.42	99		
15+18+18+20+25+25	1.71	2.05	2.05	2.28	2.85	2.85	13.80 3.50 - 15.92	2.831 0.850 - 5.141	11.89	12.43	12.97	99		
15+18+18+20+25+35	1.58	1.90	1.90	2.11	2.63	3.69	13.80 3.50 - 16.12	2.960 0.850 - 5.160	12.43	13.00	13.57	99		
15+18+18+20+25+42	1.50	1.80	1.80	2.00	2.50	4.20	13.80 3.50 - 16.26	3.040 0.850 - 5.160	12.77	13.35	13.93	99		
15+18+18+20+25+50	1.42	1.70	1.70	1.89	2.36	4.73	13.80 3.50 - 16.42	3.124 0.850 - 5.154	13.12	13.72	14.32	99		
15+18+18+20+25+60	1.33	1.59	1.59	1.77	2.21	5.31	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99		
15+18+18+20+25+71	1.24	1.49	1.49	1.65	2.07	5.87	13.80 3.50 - 16.50	3.147 0.850 - 5.137	13.22	13.82	14.42	99		
15+18+18+20+35+35	1.47	1.76	1.76	1.96	3.43	3.43	13.80 3.50 - 16.32	3.051 0.850 - 5.141	12.82	13.40	13.98	99		
15+18+18+20+35+42	1.40	1.68	1.68	1.86	3.26	3.92	13.80 3.50 - 16.46	3.150 0.850 - 5.160	13.23	13.83	14.43	99		
15+18+18+20+35+50	1.33	1.59	1.59	1.77	3.10	4.42	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99		
15+18+18+20+35+60	1.25	1.50	1.50	1.66	2.91	4.99	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99		
15+18+18+20+35+71	1.17	1.40	1.40	1.56	2.73	5.54	13.80 3.50 - 16.50	3.147 0.850 - 5.137	13.22	13.82	14.42	99		
15+18+18+20+42+42	1.34	1.60	1.60	1.78	3.74	3.74	13.80 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99		
15+18+18+20+42+50	1.27	1.52	1.52	1.69	3.56	4.23	13.80 3.50 - 16.50	3.158 0.850 - 5.148	13.27	13.87	14.47	99		
15+18+18+20+42+60	1.20	1.44	1.44	1.60	3.35	4.79	13.80 3.50 - 16.50	3.158 0.850 - 5.148	13.27	13.87	14.47	99		
15+18+18+20+50+50	1.21	1.45	1.45	1.61	4.04	4.04	13.80 3.50 - 16.50	3.141 0.850 - 5.131	13.19	13.79	14.39	99		
15+18+18+22+22+22	1.77	2.12	2.12	2.59	2.59	2.59	13.80 3.50 - 16.05	2.908 0.850 - 5.148	12.21	12.77	13.33	99		
15+18+18+22+22+25	1.74	2.09	2.09	2.55	2.55	2.90	13.90 3.50 - 15.90	2.833 0.850 - 5.153	11.90	12.44	12.98	99		
15+18+18+22+22+35	1.60	1.92	1.92	2.35	2.35	3.74	13.90 3.50 - 16.10	2.943 0.850 - 5.153	12.36	12.92	13.48	99		
15+18+18+22+22+42	1.52	1.83	1.83	2.23	2.23	4.26	13.90 3.50 - 16.24	3.023 0.850 - 5.153	12.70	13.28	13.86	99		
15+18+18+22+22+50	1.44	1.73	1.73	2.11	2.11	4.79	13.90 3.50 - 16.40	3.107 0.850 - 5.147	13.06	13.65	14.24	99		
15+18+18+22+22+60	1.35	1.61	1.61	1.97	1.97	5.38	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99		
15+18+18+22+22+71	1.26	1.51	1.51	1.84	1.84	5.95	13.90 3.50 - 16.50	3.140 0.850 - 5.130	13.19	13.79	14.39	99		
15+18+18+22+25+25	1.70	2.03	2.03	2.49	2.83	2.83	13.90 3.50 - 15.96	2.844 0.850 - 5.134	11.95	12.49	13.03	99		
15+18+18+22+25+35	1.57	1.88	1.88	2.30	2.61	3.66	13.90 3.50 - 16.16	2.973 0.850 - 5.153	12.49	13.06	13.63	99		
15+18+18+22+25+42	1.49	1.79	1.79	2.18	2.48	4.17	13.90 3.50 - 16.30	3.053 0.850 - 5.153	12.83	13.41	13.99	99		
15+18+18+22+25+50	1.41	1.69	1.69	2.07	2.35	4.70	13.90 3.50 - 16.46	3.137 0.850 - 5.147	13.18	13.78	14.38	99		
15+18+18+22+25+60	1.32	1.58	1.58	1.94	2.20	5.28	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99		
15+18+18+22+25+71	1.23	1.48	1.48	1.81	2.06	5.84	13.90 3.50 - 16.50	3.140 0.850 - 5.130	13.19	13.79	14.39	99		
15+18+18+22+35+35	1.46	1.75	1.75	2.14	3.40	3.40	13.90 3.50 - 16.36	3.064 0.850 - 5.134	12.87	13.46	14.05	99		
15+18+18+22+35+42	1.39	1.67	1.67	2.04	3.24	3.89	13.90 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99		

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
15+18+18+22+35+50	1.32	1.58	1.58	1.94	3.08	4.40	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99	
15+18+18+22+35+60	1.24	1.49	1.49	1.82	2.90	4.96	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99	
15+18+18+22+35+71	1.16	1.40	1.40	1.71	2.72	5.51	13.90 3.50 - 16.50	3.140 0.850 - 5.130	13.19	13.79	14.39	99	
15+18+18+22+42+42	1.33	1.59	1.59	1.95	3.72	3.72	13.90 3.50 - 16.50	3.144 0.850 - 5.134	13.21	13.81	14.41	99	
15+18+18+22+42+50	1.26	1.52	1.52	1.85	3.54	4.21	13.90 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99	
15+18+18+22+42+60	1.19	1.43	1.43	1.75	3.34	4.77	13.90 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99	
15+18+18+22+50+50	1.21	1.45	1.45	1.77	4.02	4.02	13.90 3.50 - 16.50	3.134 0.850 - 5.124	13.16	13.76	14.36	99	
15+18+18+25+25+25	1.65	1.99	1.99	2.76	2.76	2.76	13.90 3.50 - 16.02	2.891 0.850 - 5.141	12.15	12.70	13.25	99	
15+18+18+25+25+35	1.53	1.84	1.84	2.56	2.56	3.58	13.90 3.50 - 16.22	3.013 0.850 - 5.153	12.65	13.23	13.81	99	
15+18+18+25+25+42	1.46	1.75	1.75	2.43	2.43	4.08	13.90 3.50 - 16.36	3.083 0.850 - 5.153	12.95	13.54	14.13	99	
15+18+18+25+25+50	1.38	1.66	1.66	2.30	2.30	4.60	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99	
15+18+18+25+25+60	1.30	1.55	1.55	2.16	2.16	5.18	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99	
15+18+18+25+25+71	1.21	1.45	1.45	2.02	2.02	5.74	13.90 3.50 - 16.50	3.140 0.850 - 5.130	13.19	13.79	14.39	99	
15+18+18+25+35+35	1.43	1.71	1.71	2.38	3.33	3.33	13.90 3.50 - 16.42	3.104 0.850 - 5.134	13.04	13.63	14.22	99	
15+18+18+25+35+42	1.36	1.64	1.64	2.27	3.18	3.82	13.90 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99	
15+18+18+25+35+50	1.30	1.55	1.55	2.16	3.02	4.32	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99	
15+18+18+25+35+60	1.22	1.46	1.46	2.03	2.85	4.88	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99	
15+18+18+25+42+42	1.30	1.56	1.56	2.17	3.65	3.65	13.90 3.50 - 16.50	3.140 0.850 - 5.130	13.19	13.79	14.39	99	
15+18+18+25+42+50	1.24	1.49	1.49	2.07	3.48	4.14	13.90 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99	
15+18+18+25+42+60	1.17	1.41	1.41	1.95	3.28	4.69	13.90 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99	
15+18+18+25+50+50	1.18	1.42	1.42	1.97	3.95	3.95	13.90 3.50 - 16.50	3.134 0.850 - 5.124	13.16	13.76	14.36	99	
15+18+18+35+35+35	1.34	1.60	1.60	3.12	3.12	3.12	13.90 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99	
15+18+18+35+35+42	1.28	1.53	1.53	2.98	2.98	3.58	13.90 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99	
15+18+18+35+35+50	1.22	1.46	1.46	2.85	2.85	4.06	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99	
15+18+18+35+42+42	1.23	1.47	1.47	2.86	3.43	3.43	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99	
15+18+18+35+42+50	1.17	1.41	1.41	2.73	3.28	3.90	13.90 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99	
15+18+18+42+42+42	1.18	1.41	1.41	3.30	3.30	3.30	13.90 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99	
15+18+20+20+20+20	1.85	2.21	2.46	2.46	2.46	2.46	13.90 3.50 - 16.25	3.005 0.850 - 5.135	12.63	13.20	13.77	99	
15+18+20+20+20+22	1.76	2.11	2.35	2.35	2.35	2.58	13.50 3.50 - 16.15	3.001 0.850 - 5.181	12.61	13.18	13.75	99	
15+18+20+20+20+25	1.73	2.07	2.31	2.31	2.31	2.88	13.60 3.50 - 16.00	2.914 0.850 - 5.174	12.24	12.80	13.36	99	
15+18+20+20+20+35	1.59	1.91	2.13	2.13	2.13	3.72	13.60 3.50 - 16.06	2.944 0.850 - 5.174	12.37	12.93	13.49	99	
15+18+20+20+20+42	1.51	1.81	2.01	2.01	2.01	4.23	13.60 3.50 - 16.20	3.024 0.850 - 5.174	12.70	13.28	13.86	99	
15+18+20+20+20+50	1.43	1.71	1.90	1.90	1.90	4.76	13.60 3.50 - 16.36	3.098 0.850 - 5.168	13.02	13.61	14.20	99	
15+18+20+20+20+60	1.33	1.60	1.78	1.78	1.78	5.33	13.60 3.50 - 16.50	3.178 0.850 - 5.168	13.35	13.96	14.57	99	
15+18+20+20+20+71	1.24	1.49	1.66	1.66	1.66	5.89	13.60 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99	
15+18+20+20+22+22	1.74	2.09	2.32	2.32	2.56	2.56	13.60 3.50 - 16.05	2.915 0.850 - 5.155	12.24	12.80	13.36	99	
15+18+20+20+22+25	1.71	2.06	2.28	2.28	2.51	2.85	13.70 3.50 - 15.90	2.847 0.850 - 5.167	11.96	12.50	13.04	99	
15+18+20+20+22+35	1.58	1.90	2.11	2.11	2.32	3.69	13.70 3.50 - 16.10	2.957 0.850 - 5.167	12.43	12.99	13.55	99	
15+18+20+20+22+42	1.50	1.80	2.00	2.00	2.20	4.20	13.70 3.50 - 16.24	3.037 0.850 - 5.167	12.76	13.34	13.92	99	
15+18+20+20+22+50	1.42	1.70	1.89	1.89	2.08	4.72	13.70 3.50 - 16.40	3.121 0.850 - 5.161	13.11	13.71	14.31	99	
15+18+20+20+22+60	1.33	1.59	1.77	1.77	1.94	5.30	13.70 3.50 - 16.50	3.171 0.850 - 5.161	13.32	13.93	14.54	99	
15+18+20+20+22+71	1.24	1.49	1.65	1.65	1.82	5.86	13.70 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99	
15+18+20+20+25+25	1.67	2.00	2.23	2.23	2.78	2.78	13.70 3.50 - 15.96	2.858 0.850 - 5.148	12.00	12.55	13.10	99	
15+18+20+20+25+35	1.55	1.85	2.06	2.06	2.58	3.61	13.70 3.50 - 16.16	2.987 0.850 - 5.167	12.55	13.12	13.69	99	

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
15+18+20+20+25+42	1.47	1.76	1.96	1.96	2.45	4.11	13.70 3.50 - 16.30	3.067 0.850 - 5.167	12.88	13.47	14.06	99
15+18+20+20+25+50	1.39	1.67	1.85	1.85	2.31	4.63	13.70 3.50 - 16.46	3.151 0.850 - 5.161	13.24	13.84	14.44	99
15+18+20+20+25+60	1.30	1.56	1.73	1.73	2.17	5.20	13.70 3.50 - 16.50	3.171 0.850 - 5.161	13.32	13.93	14.54	99
15+18+20+20+25+71	1.22	1.46	1.62	1.62	2.03	5.76	13.70 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
15+18+20+20+35+35	1.44	1.72	1.92	1.92	3.35	3.35	13.70 3.50 - 16.36	3.078 0.850 - 5.148	12.93	13.52	14.11	99
15+18+20+20+35+42	1.37	1.64	1.83	1.83	3.20	3.84	13.70 3.50 - 16.50	3.177 0.850 - 5.167	13.34	13.95	14.56	99
15+18+20+20+35+50	1.30	1.56	1.73	1.73	3.03	4.34	13.70 3.50 - 16.50	3.171 0.850 - 5.161	13.32	13.93	14.54	99
15+18+20+20+35+60	1.22	1.47	1.63	1.63	2.85	4.89	13.70 3.50 - 16.50	3.171 0.850 - 5.161	13.32	13.93	14.54	99
15+18+20+20+35+71	1.15	1.38	1.53	1.53	2.68	5.43	13.70 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
15+18+20+20+42+42	1.31	1.57	1.75	1.75	3.66	3.66	13.70 3.50 - 16.50	3.158 0.850 - 5.148	13.27	13.87	14.47	99
15+18+20+20+42+50	1.25	1.49	1.66	1.66	3.49	4.15	13.70 3.50 - 16.50	3.165 0.850 - 5.155	13.30	13.90	14.50	99
15+18+20+20+42+60	1.17	1.41	1.57	1.57	3.29	4.70	13.70 3.50 - 16.50	3.165 0.850 - 5.155	13.30	13.90	14.50	99
15+18+20+20+50+50	1.19	1.43	1.58	1.58	3.96	3.96	13.70 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
15+18+20+22+22+22	1.73	2.07	2.30	2.53	2.53	2.53	13.70 3.50 - 15.95	2.865 0.850 - 5.155	12.03	12.58	13.13	99
15+18+20+22+22+35	1.57	1.88	2.09	2.30	2.30	3.66	13.80 3.50 - 16.14	2.970 0.850 - 5.160	12.47	13.04	13.61	99
15+18+20+22+22+42	1.49	1.79	1.99	2.18	2.18	4.17	13.80 3.50 - 16.28	3.050 0.850 - 5.160	12.81	13.39	13.97	99
15+18+20+22+22+50	1.41	1.69	1.88	2.07	2.07	4.69	13.80 3.50 - 16.44	3.134 0.850 - 5.154	13.16	13.76	14.36	99
15+18+20+22+22+60	1.32	1.58	1.76	1.93	1.93	5.27	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+18+20+22+22+71	1.23	1.48	1.64	1.81	1.81	5.83	13.80 3.50 - 16.50	3.147 0.850 - 5.137	13.22	13.82	14.42	99
15+18+20+22+25+25	1.66	1.99	2.21	2.43	2.76	2.76	13.80 3.50 - 16.00	2.881 0.850 - 5.141	12.10	12.65	13.20	99
15+18+20+22+25+35	1.53	1.84	2.04	2.25	2.56	3.58	13.80 3.50 - 16.20	3.010 0.850 - 5.160	12.65	13.22	13.79	99
15+18+20+22+25+42	1.46	1.75	1.94	2.14	2.43	4.08	13.80 3.50 - 16.34	3.080 0.850 - 5.160	12.94	13.53	14.12	99
15+18+20+22+25+50	1.38	1.66	1.84	2.02	2.30	4.60	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+18+20+22+25+60	1.29	1.55	1.73	1.90	2.16	5.18	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+18+20+22+25+71	1.21	1.45	1.61	1.78	2.02	5.73	13.80 3.50 - 16.50	3.147 0.850 - 5.137	13.22	13.82	14.42	99
15+18+20+22+35+35	1.43	1.71	1.90	2.09	3.33	3.33	13.80 3.50 - 16.40	3.101 0.850 - 5.141	13.03	13.62	14.21	99
15+18+20+22+35+42	1.36	1.63	1.82	2.00	3.18	3.81	13.80 3.50 - 16.50	3.170 0.850 - 5.160	13.31	13.92	14.53	99
15+18+20+22+35+50	1.29	1.55	1.73	1.90	3.02	4.31	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+18+20+22+35+60	1.22	1.46	1.62	1.79	2.84	4.87	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+18+20+22+42+42	1.30	1.56	1.74	1.91	3.65	3.65	13.80 3.50 - 16.50	3.147 0.850 - 5.137	13.22	13.82	14.42	99
15+18+20+22+42+50	1.24	1.49	1.65	1.82	3.47	4.13	13.80 3.50 - 16.50	3.158 0.850 - 5.148	13.27	13.87	14.47	99
15+18+20+22+42+60	1.17	1.40	1.56	1.72	3.27	4.68	13.80 3.50 - 16.50	3.158 0.850 - 5.148	13.27	13.87	14.47	99
15+18+20+22+50+50	1.18	1.42	1.58	1.73	3.94	3.94	13.80 3.50 - 16.50	3.141 0.850 - 5.131	13.19	13.79	14.39	99
15+18+20+25+25+25	1.62	1.94	2.16	2.70	2.70	2.70	13.80 3.50 - 16.06	2.918 0.850 - 5.148	12.26	12.82	13.38	99
15+18+20+25+25+35	1.50	1.80	2.00	2.50	2.50	3.50	13.80 3.50 - 16.26	3.040 0.850 - 5.160	12.77	13.35	13.93	99
15+18+20+25+25+42	1.43	1.71	1.90	2.38	2.38	4.00	13.80 3.50 - 16.40	3.120 0.850 - 5.160	13.10	13.70	14.30	99
15+18+20+25+25+50	1.35	1.62	1.80	2.25	2.25	4.51	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+18+20+25+25+60	1.27	1.52	1.69	2.12	2.12	5.08	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+18+20+25+25+71	1.19	1.43	1.59	1.98	1.98	5.63	13.80 3.50 - 16.50	3.147 0.850 - 5.137	13.22	13.82	14.42	99
15+18+20+25+35+35	1.40	1.68	1.86	2.33	3.26	3.26	13.80 3.50 - 16.46	3.131 0.850 - 5.141	13.15	13.75	14.35	99
15+18+20+25+35+42	1.34	1.60	1.78	2.23	3.12	3.74	13.80 3.50 - 16.50	3.170 0.850 - 5.160	13.31	13.92	14.53	99
15+18+20+25+35+50	1.27	1.52	1.69	2.12	2.96	4.23	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+18+20+25+35+60	1.20	1.44	1.60	1.99	2.79	4.79	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+18+20+25+42+42	1.28	1.53	1.70	2.13	3.58	3.58	13.80 3.50 - 16.50	3.147 0.850 - 5.137	13.22	13.82	14.42	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
15+18+20+25+42+50	1.22	1.46	1.62	2.03	3.41	4.06	13.80 3.50 - 16.50	3.158 0.850 - 5.148	13.27	13.87	14.47	99	
15+18+20+25+42+60	1.15	1.38	1.53	1.92	3.22	4.60	13.80 3.50 - 16.50	3.158 0.850 - 5.148	13.27	13.87	14.47	99	
15+18+20+25+50+50	1.16	1.40	1.55	1.94	3.88	3.88	13.80 3.50 - 16.50	3.141 0.850 - 5.131	13.19	13.79	14.39	99	
15+18+20+35+35+35	1.31	1.57	1.75	3.06	3.06	3.06	13.80 3.50 - 16.50	3.158 0.850 - 5.148	13.27	13.87	14.47	99	
15+18+20+35+35+42	1.25	1.51	1.67	2.93	2.93	3.51	13.80 3.50 - 16.50	3.170 0.850 - 5.160	13.31	13.92	14.53	99	
15+18+20+35+35+50	1.20	1.44	1.60	2.79	2.79	3.99	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99	
15+18+20+35+42+42	1.20	1.44	1.60	2.81	3.37	3.37	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99	
15+18+20+35+42+50	1.15	1.38	1.53	2.68	3.22	3.83	13.80 3.50 - 16.50	3.158 0.850 - 5.148	13.27	13.87	14.47	99	
15+18+20+42+42+42	1.16	1.39	1.54	3.24	3.24	3.24	13.80 3.50 - 16.50	3.158 0.850 - 5.148	13.27	13.87	14.47	99	
15+18+22+22+22+22	1.71	2.05	2.51	2.51	2.51	2.51	13.80 3.50 - 15.92	2.832 0.850 - 5.142	11.90	12.44	12.98	99	
15+18+22+22+22+25	1.68	2.02	2.47	2.47	2.47	2.80	13.90 3.50 - 15.98	2.873 0.850 - 5.153	12.07	12.62	13.17	99	
15+18+22+22+22+35	1.56	1.87	2.28	2.28	2.28	3.63	13.90 3.50 - 16.18	2.983 0.850 - 5.153	12.53	13.10	13.67	99	
15+18+22+22+22+42	1.48	1.77	2.17	2.17	2.17	4.14	13.90 3.50 - 16.32	3.063 0.850 - 5.153	12.87	13.45	14.03	99	
15+18+22+22+22+50	1.40	1.68	2.05	2.05	2.05	4.66	13.90 3.50 - 16.48	3.147 0.850 - 5.147	13.22	13.82	14.42	99	
15+18+22+22+22+60	1.31	1.57	1.92	1.92	1.92	5.25	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99	
15+18+22+22+22+71	1.23	1.47	1.80	1.80	1.80	5.81	13.90 3.50 - 16.50	3.140 0.850 - 5.130	13.19	13.79	14.39	99	
15+18+22+22+25+25	1.64	1.97	2.41	2.41	2.74	2.74	13.90 3.50 - 16.04	2.894 0.850 - 5.134	12.16	12.71	13.26	99	
15+18+22+22+25+35	1.52	1.83	2.23	2.23	2.54	3.55	13.90 3.50 - 16.24	3.023 0.850 - 5.153	12.70	13.28	13.86	99	
15+18+22+22+25+42	1.45	1.74	2.12	2.12	2.41	4.05	13.90 3.50 - 16.38	3.093 0.850 - 5.153	12.99	13.58	14.17	99	
15+18+22+22+25+50	1.37	1.65	2.01	2.01	2.29	4.57	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99	
15+18+22+22+25+60	1.29	1.54	1.89	1.89	2.15	5.15	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99	
15+18+22+22+25+71	1.21	1.45	1.77	1.77	2.01	5.70	13.90 3.50 - 16.50	3.140 0.850 - 5.130	13.19	13.79	14.39	99	
15+18+22+22+35+35	1.42	1.70	2.08	2.08	3.31	3.31	13.90 3.50 - 16.44	3.114 0.850 - 5.134	13.09	13.68	14.27	99	
15+18+22+22+35+42	1.35	1.62	1.99	1.99	3.16	3.79	13.90 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99	
15+18+22+22+35+50	1.29	1.54	1.89	1.89	3.00	4.29	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99	
15+18+22+22+35+60	1.21	1.45	1.78	1.78	2.83	4.85	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99	
15+18+22+22+42+42	1.30	1.55	1.90	1.90	3.63	3.63	13.90 3.50 - 16.50	3.140 0.850 - 5.130	13.19	13.79	14.39	99	
15+18+22+22+42+50	1.23	1.48	1.81	1.81	3.45	4.11	13.90 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99	
15+18+22+22+42+60	1.16	1.40	1.71	1.71	3.26	4.66	13.90 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99	
15+18+22+22+50+50	1.18	1.41	1.73	1.73	3.93	3.93	13.90 3.50 - 16.50	3.134 0.850 - 5.124	13.16	13.76	14.36	99	
15+18+22+25+25+25	1.60	1.92	2.35	2.67	2.67	2.67	13.90 3.50 - 16.10	2.931 0.850 - 5.141	12.31	12.87	13.43	99	
15+18+22+25+25+35	1.49	1.79	2.18	2.48	2.48	3.48	13.90 3.50 - 16.30	3.053 0.850 - 5.153	12.83	13.41	13.99	99	
15+18+22+25+25+42	1.42	1.70	2.08	2.36	2.36	3.97	13.90 3.50 - 16.44	3.133 0.850 - 5.153	13.16	13.76	14.36	99	
15+18+22+25+25+50	1.35	1.61	1.97	2.24	2.24	4.48	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99	
15+18+22+25+25+60	1.26	1.52	1.85	2.11	2.11	5.05	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99	
15+18+22+25+25+71	1.18	1.42	1.74	1.97	1.97	5.61	13.90 3.50 - 16.50	3.140 0.850 - 5.130	13.19	13.79	14.39	99	
15+18+22+25+35+35	1.39	1.67	2.04	2.32	3.24	3.24	13.90 3.50 - 16.50	3.144 0.850 - 5.134	13.21	13.81	14.41	99	
15+18+22+25+35+42	1.33	1.59	1.95	2.21	3.10	3.72	13.90 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99	
15+18+22+25+35+50	1.26	1.52	1.85	2.11	2.95	4.21	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99	
15+18+22+25+35+60	1.19	1.43	1.75	1.99	2.78	4.77	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99	
15+18+22+25+42+42	1.27	1.53	1.86	2.12	3.56	3.56	13.90 3.50 - 16.50	3.140 0.850 - 5.130	13.19	13.79	14.39	99	
15+18+22+25+42+50	1.21	1.45	1.78	2.02	3.39	4.04	13.90 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99	
15+18+22+25+50+50	1.16	1.39	1.70	1.93	3.86	3.86	13.90 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99	
15+18+22+35+35+35	1.30	1.56	1.91	3.04	3.04	3.04	13.90 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99	



**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		power consumption(kW)	220	230	240		
15+18+22+35+35+42	1.25	1.50	1.83	2.91	2.91	3.50	13.90 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99	
15+18+22+35+35+50	1.19	1.43	1.75	2.78	2.78	3.97	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99	
15+18+22+35+42+42	1.20	1.44	1.76	2.80	3.36	3.36	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99	
15+18+25+25+25+25	1.57	1.88	2.61	2.61	2.61	2.61	13.90 3.50 - 16.16	2.961 0.850 - 5.141	12.43	13.00	13.57	99	
15+18+25+25+25+35	1.46	1.75	2.43	2.43	2.43	3.40	13.90 3.50 - 16.36	3.083 0.850 - 5.153	12.95	13.54	14.13	99	
15+18+25+25+25+42	1.39	1.67	2.32	2.32	2.32	3.89	13.90 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99	
15+18+25+25+25+50	1.32	1.58	2.20	2.20	2.20	4.40	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99	
15+18+25+25+25+60	1.24	1.49	2.07	2.07	2.07	4.96	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99	
15+18+25+25+25+71	1.16	1.40	1.94	1.94	1.94	5.51	13.90 3.50 - 16.50	3.140 0.850 - 5.130	13.19	13.79	14.39	99	
15+18+25+25+35+35	1.36	1.64	2.27	2.27	3.18	3.18	13.90 3.50 - 16.50	3.144 0.850 - 5.134	13.21	13.81	14.41	99	
15+18+25+25+35+42	1.30	1.56	2.17	2.17	3.04	3.65	13.90 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99	
15+18+25+25+35+50	1.24	1.49	2.07	2.07	2.90	4.14	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99	
15+18+25+25+35+60	1.17	1.41	1.95	1.95	2.73	4.69	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99	
15+18+25+25+42+42	1.25	1.50	2.08	2.08	3.50	3.50	13.90 3.50 - 16.50	3.140 0.850 - 5.130	13.19	13.79	14.39	99	
15+18+25+25+42+50	1.19	1.43	1.99	1.99	3.34	3.97	13.90 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99	
15+18+25+35+35+35	1.28	1.53	2.13	2.98	2.98	2.98	13.90 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99	
15+18+25+35+35+42	1.23	1.47	2.04	2.86	2.86	3.43	13.90 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99	
15+18+25+35+35+50	1.17	1.41	1.95	2.73	2.73	3.90	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99	
15+18+25+35+42+42	1.18	1.41	1.96	2.75	3.30	3.30	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99	
15+18+35+35+35+35	1.21	1.45	2.81	2.81	2.81	2.81	13.90 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99	
15+18+35+35+35+42	1.16	1.39	2.70	2.70	2.70	3.24	13.90 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99	
15+20+20+20+20+20	1.81	2.42	2.42	2.42	2.42	2.42	13.90 3.50 - 16.15	2.967 0.850 - 5.147	12.46	13.03	13.60	99	
15+20+20+20+20+22	1.72	2.29	2.29	2.29	2.29	2.52	13.40 3.50 - 16.05	2.948 0.850 - 5.188	12.39	12.95	13.51	99	
15+20+20+20+20+25	1.69	2.25	2.25	2.25	2.25	2.81	13.50 3.50 - 15.90	2.861 0.850 - 5.181	12.01	12.56	13.11	99	
15+20+20+20+20+35	1.56	2.08	2.08	2.08	2.08	3.63	13.50 3.50 - 16.10	2.971 0.850 - 5.181	12.48	13.05	13.62	99	
15+20+20+20+20+42	1.48	1.97	1.97	1.97	1.97	4.14	13.50 3.50 - 16.24	3.051 0.850 - 5.181	12.82	13.40	13.98	99	
15+20+20+20+20+50	1.40	1.86	1.86	1.86	1.86	4.66	13.50 3.50 - 16.40	3.135 0.850 - 5.175	13.17	13.77	14.37	99	
15+20+20+20+20+60	1.31	1.74	1.74	1.74	1.74	5.23	13.50 3.50 - 16.50	3.185 0.850 - 5.175	13.38	13.99	14.60	99	
15+20+20+20+20+71	1.22	1.63	1.63	1.63	1.63	5.77	13.50 3.50 - 16.50	3.168 0.850 - 5.158	13.31	13.91	14.51	99	
15+20+20+20+22+22	1.70	2.27	2.27	2.27	2.50	2.50	13.50 3.50 - 15.95	2.872 0.850 - 5.162	12.06	12.61	13.16	99	
15+20+20+20+22+35	1.55	2.06	2.06	2.06	2.27	3.61	13.60 3.50 - 16.14	2.984 0.850 - 5.174	12.53	13.10	13.67	99	
15+20+20+20+22+42	1.47	1.96	1.96	1.96	2.15	4.11	13.60 3.50 - 16.28	3.064 0.850 - 5.174	12.87	13.46	14.05	99	
15+20+20+20+22+50	1.39	1.85	1.85	1.85	2.04	4.63	13.60 3.50 - 16.44	3.148 0.850 - 5.168	13.23	13.83	14.43	99	
15+20+20+20+22+60	1.30	1.73	1.73	1.73	1.91	5.20	13.60 3.50 - 16.50	3.178 0.850 - 5.168	13.35	13.96	14.57	99	
15+20+20+20+22+71	1.21	1.62	1.62	1.62	1.78	5.75	13.60 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99	
15+20+20+20+25+25	1.63	2.18	2.18	2.18	2.72	2.72	13.60 3.50 - 16.00	2.895 0.850 - 5.155	12.16	12.71	13.26	99	
15+20+20+20+25+35	1.51	2.01	2.01	2.01	2.52	3.53	13.60 3.50 - 16.20	3.024 0.850 - 5.174	12.70	13.28	13.86	99	
15+20+20+20+25+42	1.44	1.92	1.92	1.92	2.39	4.02	13.60 3.50 - 16.34	3.094 0.850 - 5.174	13.00	13.59	14.18	99	
15+20+20+20+25+50	1.36	1.81	1.81	1.81	2.27	4.53	13.60 3.50 - 16.50	3.178 0.850 - 5.168	13.35	13.96	14.57	99	
15+20+20+20+25+60	1.28	1.70	1.70	1.70	2.13	5.10	13.60 3.50 - 16.50	3.178 0.850 - 5.168	13.35	13.96	14.57	99	
15+20+20+20+25+71	1.19	1.59	1.59	1.59	1.99	5.65	13.60 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99	
15+20+20+20+35+35	1.41	1.88	1.88	1.88	3.28	3.28	13.60 3.50 - 16.40	3.115 0.850 - 5.155	13.09	13.68	14.27	99	
15+20+20+20+35+42	1.34	1.79	1.79	1.79	3.13	3.76	13.60 3.50 - 16.50	3.184 0.850 - 5.174	13.37	13.98	14.59	99	
15+20+20+20+35+50	1.28	1.70	1.70	1.70	2.98	4.25	13.60 3.50 - 16.50	3.178 0.850 - 5.168	13.35	13.96	14.57	99	

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
15+20+20+20+35+60	1.20	1.60	1.60	1.60	2.80	4.80	13.60 3.50 - 16.50	3.178 0.850 - 5.168	13.35	13.96	14.57	99
15+20+20+20+42+42	1.28	1.71	1.71	1.71	3.59	3.59	13.60 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
15+20+20+20+42+50	1.22	1.63	1.63	1.63	3.42	4.07	13.60 3.50 - 16.50	3.172 0.850 - 5.162	13.32	13.93	14.54	99
15+20+20+20+42+60	1.15	1.54	1.54	1.54	3.23	4.61	13.60 3.50 - 16.50	3.172 0.850 - 5.162	13.32	13.93	14.54	99
15+20+20+20+50+50	1.17	1.55	1.55	1.55	3.89	3.89	13.60 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
15+20+20+22+22+22	1.69	2.25	2.25	2.47	2.47	2.47	13.60 3.50 - 15.92	2.852 0.850 - 5.162	11.99	12.53	13.07	99
15+20+20+22+22+25	1.66	2.21	2.21	2.43	2.43	2.76	13.70 3.50 - 15.98	2.887 0.850 - 5.167	12.13	12.68	13.23	99
15+20+20+22+22+35	1.53	2.04	2.04	2.25	2.25	3.58	13.70 3.50 - 16.18	2.997 0.850 - 5.167	12.59	13.16	13.73	99
15+20+20+22+22+42	1.46	1.94	1.94	2.14	2.14	4.08	13.70 3.50 - 16.32	3.077 0.850 - 5.167	12.92	13.51	14.10	99
15+20+20+22+22+50	1.38	1.84	1.84	2.02	2.02	4.60	13.70 3.50 - 16.48	3.161 0.850 - 5.161	13.28	13.88	14.48	99
15+20+20+22+22+60	1.29	1.72	1.72	1.90	1.90	5.17	13.70 3.50 - 16.50	3.171 0.850 - 5.161	13.32	13.93	14.54	99
15+20+20+22+22+71	1.21	1.61	1.61	1.77	1.77	5.72	13.70 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
15+20+20+22+25+25	1.62	2.16	2.16	2.37	2.70	2.70	13.70 3.50 - 16.04	2.908 0.850 - 5.148	12.21	12.77	13.33	99
15+20+20+22+25+35	1.50	2.00	2.00	2.20	2.50	3.50	13.70 3.50 - 16.24	3.037 0.850 - 5.167	12.76	13.34	13.92	99
15+20+20+22+25+42	1.43	1.90	1.90	2.09	2.38	4.00	13.70 3.50 - 16.38	3.107 0.850 - 5.167	13.06	13.65	14.24	99
15+20+20+22+25+50	1.35	1.80	1.80	1.98	2.25	4.51	13.70 3.50 - 16.50	3.171 0.850 - 5.161	13.32	13.93	14.54	99
15+20+20+22+25+60	1.27	1.69	1.69	1.86	2.11	5.07	13.70 3.50 - 16.50	3.171 0.850 - 5.161	13.32	13.93	14.54	99
15+20+20+22+25+71	1.19	1.58	1.58	1.74	1.98	5.62	13.70 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
15+20+20+22+35+35	1.40	1.86	1.86	2.05	3.26	3.26	13.70 3.50 - 16.44	3.128 0.850 - 5.148	13.14	13.74	14.34	99
15+20+20+22+35+42	1.33	1.78	1.78	1.96	3.11	3.74	13.70 3.50 - 16.50	3.177 0.850 - 5.167	13.34	13.95	14.56	99
15+20+20+22+35+50	1.27	1.69	1.69	1.86	2.96	4.23	13.70 3.50 - 16.50	3.171 0.850 - 5.161	13.32	13.93	14.54	99
15+20+20+22+35+60	1.19	1.59	1.59	1.75	2.79	4.78	13.70 3.50 - 16.50	3.171 0.850 - 5.161	13.32	13.93	14.54	99
15+20+20+22+42+42	1.28	1.70	1.70	1.87	3.57	3.57	13.70 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
15+20+20+22+42+50	1.22	1.62	1.62	1.78	3.40	4.05	13.70 3.50 - 16.50	3.165 0.850 - 5.155	13.30	13.90	14.50	99
15+20+20+22+42+60	1.15	1.53	1.53	1.68	3.21	4.59	13.70 3.50 - 16.50	3.165 0.850 - 5.155	13.30	13.90	14.50	99
15+20+20+22+50+50	1.16	1.55	1.55	1.70	3.87	3.87	13.70 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
15+20+20+25+25+25	1.58	2.11	2.11	2.63	2.63	2.63	13.70 3.50 - 16.10	2.945 0.850 - 5.155	12.37	12.93	13.49	99
15+20+20+25+25+35	1.47	1.96	1.96	2.45	2.45	3.43	13.70 3.50 - 16.30	3.067 0.850 - 5.167	12.88	13.47	14.06	99
15+20+20+25+25+42	1.40	1.86	1.86	2.33	2.33	3.91	13.70 3.50 - 16.44	3.147 0.850 - 5.167	13.22	13.82	14.42	99
15+20+20+25+25+50	1.33	1.77	1.77	2.21	2.21	4.42	13.70 3.50 - 16.50	3.171 0.850 - 5.161	13.32	13.93	14.54	99
15+20+20+25+25+60	1.25	1.66	1.66	2.08	2.08	4.98	13.70 3.50 - 16.50	3.171 0.850 - 5.161	13.32	13.93	14.54	99
15+20+20+25+25+71	1.17	1.56	1.56	1.95	1.95	5.53	13.70 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
15+20+20+25+35+35	1.37	1.83	1.83	2.28	3.20	3.20	13.70 3.50 - 16.50	3.158 0.850 - 5.148	13.27	13.87	14.47	99
15+20+20+25+35+42	1.31	1.75	1.75	2.18	3.05	3.66	13.70 3.50 - 16.50	3.177 0.850 - 5.167	13.34	13.95	14.56	99
15+20+20+25+35+50	1.25	1.66	1.66	2.08	2.91	4.15	13.70 3.50 - 16.50	3.171 0.850 - 5.161	13.32	13.93	14.54	99
15+20+20+25+35+60	1.17	1.57	1.57	1.96	2.74	4.70	13.70 3.50 - 16.50	3.171 0.850 - 5.161	13.32	13.93	14.54	99
15+20+20+25+42+42	1.25	1.67	1.67	2.09	3.51	3.51	13.70 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
15+20+20+25+42+50	1.19	1.59	1.59	1.99	3.35	3.98	13.70 3.50 - 16.50	3.165 0.850 - 5.155	13.30	13.90	14.50	99
15+20+20+25+50+50	1.14	1.52	1.52	1.90	3.81	3.81	13.70 3.50 - 16.50	3.165 0.850 - 5.155	13.30	13.90	14.50	99
15+20+20+35+35+35	1.28	1.71	1.71	3.00	3.00	3.00	13.70 3.50 - 16.50	3.165 0.850 - 5.155	13.30	13.90	14.50	99
15+20+20+35+35+42	1.23	1.64	1.64	2.87	2.87	3.45	13.70 3.50 - 16.50	3.177 0.850 - 5.167	13.34	13.95	14.56	99
15+20+20+35+35+50	1.17	1.57	1.57	2.74	2.74	3.91	13.70 3.50 - 16.50	3.171 0.850 - 5.161	13.32	13.93	14.54	99
15+20+20+35+42+42	1.18	1.57	1.57	2.76	3.31	3.31	13.70 3.50 - 16.50	3.171 0.850 - 5.161	13.32	13.93	14.54	99
15+20+22+22+22+22	1.67	2.23	2.45	2.45	2.45	2.45	13.70 3.50 - 15.96	2.865 0.850 - 5.155	12.03	12.58	13.13	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
15+20+22+22+22+25	1.64	2.19	2.41	2.41	2.41	2.74	13.80 3.50 - 16.02	2.910 0.850 - 5.160	12.22	12.78	13.34	99
15+20+22+22+22+35	1.52	2.03	2.23	2.23	2.23	3.55	13.80 3.50 - 16.22	3.020 0.850 - 5.160	12.68	13.26	13.84	99
15+20+22+22+22+42	1.45	1.93	2.12	2.12	2.12	4.05	13.80 3.50 - 16.36	3.090 0.850 - 5.160	12.98	13.57	14.16	99
15+20+22+22+22+50	1.37	1.83	2.01	2.01	2.01	4.57	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+20+22+22+22+60	1.29	1.71	1.89	1.89	1.89	5.14	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+20+22+22+22+71	1.20	1.60	1.77	1.77	1.77	5.70	13.80 3.50 - 16.50	3.147 0.850 - 5.137	13.22	13.82	14.42	99
15+20+22+22+25+25	1.60	2.14	2.35	2.35	2.67	2.67	13.80 3.50 - 16.08	2.921 0.850 - 5.141	12.27	12.83	13.39	99
15+20+22+22+25+35	1.49	1.99	2.18	2.18	2.48	3.47	13.80 3.50 - 16.28	3.050 0.850 - 5.160	12.81	13.39	13.97	99
15+20+22+22+25+42	1.42	1.89	2.08	2.08	2.36	3.97	13.80 3.50 - 16.42	3.130 0.850 - 5.160	13.15	13.75	14.35	99
15+20+22+22+25+50	1.34	1.79	1.97	1.97	2.24	4.48	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+20+22+22+25+60	1.26	1.68	1.85	1.85	2.10	5.05	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+20+22+22+25+71	1.18	1.58	1.73	1.73	1.97	5.60	13.80 3.50 - 16.50	3.147 0.850 - 5.137	13.22	13.82	14.42	99
15+20+22+22+35+35	1.39	1.85	2.04	2.04	3.24	3.24	13.80 3.50 - 16.48	3.141 0.850 - 5.141	13.19	13.79	14.39	99
15+20+22+22+35+42	1.33	1.77	1.95	1.95	3.10	3.72	13.80 3.50 - 16.50	3.170 0.850 - 5.160	13.31	13.92	14.53	99
15+20+22+22+35+50	1.26	1.68	1.85	1.85	2.95	4.21	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+20+22+22+35+60	1.19	1.59	1.74	1.74	2.78	4.76	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+20+22+22+42+42	1.27	1.69	1.86	1.86	3.56	3.56	13.80 3.50 - 16.50	3.147 0.850 - 5.137	13.22	13.82	14.42	99
15+20+22+22+42+50	1.21	1.61	1.78	1.78	3.39	4.04	13.80 3.50 - 16.50	3.158 0.850 - 5.148	13.27	13.87	14.47	99
15+20+22+22+50+50	1.16	1.54	1.70	1.70	3.85	3.85	13.80 3.50 - 16.50	3.158 0.850 - 5.148	13.27	13.87	14.47	99
15+20+22+25+25+25	1.57	2.09	2.30	2.61	2.61	2.61	13.80 3.50 - 16.14	2.958 0.850 - 5.148	12.43	12.99	13.55	99
15+20+22+25+25+35	1.46	1.94	2.14	2.43	2.43	3.40	13.80 3.50 - 16.34	3.080 0.850 - 5.160	12.94	13.53	14.12	99
15+20+22+25+25+42	1.39	1.85	2.04	2.32	2.32	3.89	13.80 3.50 - 16.48	3.160 0.850 - 5.160	13.28	13.88	14.48	99
15+20+22+25+25+50	1.32	1.76	1.93	2.20	2.20	4.39	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+20+22+25+25+60	1.24	1.65	1.82	2.07	2.07	4.96	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+20+22+25+25+71	1.16	1.55	1.71	1.94	1.94	5.50	13.80 3.50 - 16.50	3.147 0.850 - 5.137	13.22	13.82	14.42	99
15+20+22+25+35+35	1.36	1.82	2.00	2.27	3.18	3.18	13.80 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99
15+20+22+25+35+42	1.30	1.74	1.91	2.17	3.04	3.65	13.80 3.50 - 16.50	3.170 0.850 - 5.160	13.31	13.92	14.53	99
15+20+22+25+35+50	1.24	1.65	1.82	2.07	2.89	4.13	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+20+22+25+35+60	1.17	1.56	1.72	1.95	2.73	4.68	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+20+22+25+42+42	1.25	1.66	1.83	2.08	3.49	3.49	13.80 3.50 - 16.50	3.147 0.850 - 5.137	13.22	13.82	14.42	99
15+20+22+25+42+50	1.19	1.59	1.74	1.98	3.33	3.97	13.80 3.50 - 16.50	3.158 0.850 - 5.148	13.27	13.87	14.47	99
15+20+22+35+35+35	1.28	1.70	1.87	2.98	2.98	2.98	13.80 3.50 - 16.50	3.158 0.850 - 5.148	13.27	13.87	14.47	99
15+20+22+35+35+42	1.22	1.63	1.80	2.86	2.86	3.43	13.80 3.50 - 16.50	3.170 0.850 - 5.160	13.31	13.92	14.53	99
15+20+22+35+35+50	1.17	1.56	1.72	2.73	2.73	3.90	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+20+22+35+42+42	1.18	1.57	1.73	2.74	3.29	3.29	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+20+25+25+25+25	1.53	2.04	2.56	2.56	2.56	2.56	13.80 3.50 - 16.20	2.998 0.850 - 5.148	12.60	13.17	13.74	99
15+20+25+25+25+35	1.43	1.90	2.38	2.38	2.38	3.33	13.80 3.50 - 16.40	3.120 0.850 - 5.160	13.10	13.70	14.30	99
15+20+25+25+25+42	1.36	1.82	2.27	2.27	2.27	3.81	13.80 3.50 - 16.50	3.170 0.850 - 5.160	13.31	13.92	14.53	99
15+20+25+25+25+50	1.29	1.73	2.16	2.16	2.16	4.31	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+20+25+25+25+60	1.22	1.62	2.03	2.03	2.03	4.87	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+20+25+25+35+35	1.34	1.78	2.23	2.23	3.12	3.12	13.80 3.50 - 16.50	3.147 0.850 - 5.137	13.22	13.82	14.42	99
15+20+25+25+35+42	1.28	1.70	2.13	2.13	2.98	3.58	13.80 3.50 - 16.50	3.170 0.850 - 5.160	13.31	13.92	14.53	99
15+20+25+25+35+50	1.22	1.62	2.03	2.03	2.84	4.06	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+20+25+25+35+60	1.15	1.53	1.92	1.92	2.68	4.60	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
15+20+25+25+42+42	1.22	1.63	2.04	2.04	3.43	3.43	13.80 3.50 - 16.50	3.147 0.850 - 5.137	13.22	13.82	14.42	99
15+20+25+25+42+50	1.17	1.56	1.95	1.95	3.27	3.90	13.80 3.50 - 16.50	3.158 0.850 - 5.148	13.27	13.87	14.47	99
15+20+25+35+35+35	1.25	1.67	2.09	2.93	2.93	2.93	13.80 3.50 - 16.50	3.158 0.850 - 5.148	13.27	13.87	14.47	99
15+20+25+35+35+42	1.20	1.60	2.01	2.81	2.81	3.37	13.80 3.50 - 16.50	3.170 0.850 - 5.160	13.31	13.92	14.53	99
15+20+25+35+35+50	1.15	1.53	1.92	2.68	2.68	3.83	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+20+25+35+42+42	1.16	1.54	1.93	2.70	3.24	3.24	13.80 3.50 - 16.50	3.164 0.850 - 5.154	13.30	13.90	14.50	99
15+20+35+35+35+35	1.18	1.58	2.76	2.76	2.76	2.76	13.80 3.50 - 16.50	3.158 0.850 - 5.148	13.27	13.87	14.47	99
15+22+22+22+22+22	1.66	2.43	2.43	2.43	2.43	2.43	13.80 3.50 - 16.00	2.900 0.850 - 5.160	12.19	12.74	13.29	99
15+22+22+22+22+25	1.63	2.39	2.39	2.39	2.39	2.71	13.90 3.50 - 16.06	2.923 0.850 - 5.153	12.28	12.84	13.40	99
15+22+22+22+22+35	1.51	2.22	2.22	2.22	2.22	3.53	13.90 3.50 - 16.26	3.033 0.850 - 5.153	12.74	13.32	13.90	99
15+22+22+22+22+42	1.44	2.11	2.11	2.11	2.11	4.03	13.90 3.50 - 16.40	3.113 0.850 - 5.153	13.08	13.67	14.26	99
15+22+22+22+22+50	1.36	2.00	2.00	2.00	2.00	4.54	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+22+22+22+22+60	1.28	1.88	1.88	1.88	1.88	5.12	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+22+22+22+22+71	1.20	1.76	1.76	1.76	1.76	5.67	13.90 3.50 - 16.50	3.140 0.850 - 5.130	13.19	13.79	14.39	99
15+22+22+22+25+25	1.59	2.33	2.33	2.33	2.65	2.65	13.90 3.50 - 16.12	2.934 0.850 - 5.134	12.33	12.89	13.45	99
15+22+22+22+25+35	1.48	2.17	2.17	2.17	2.46	3.45	13.90 3.50 - 16.32	3.063 0.850 - 5.153	12.87	13.45	14.03	99
15+22+22+22+25+42	1.41	2.07	2.07	2.07	2.35	3.94	13.90 3.50 - 16.46	3.143 0.850 - 5.153	13.20	13.80	14.40	99
15+22+22+22+25+50	1.34	1.96	1.96	1.96	2.23	4.46	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+22+22+22+25+60	1.26	1.84	1.84	1.84	2.09	5.02	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+22+22+22+25+71	1.18	1.73	1.73	1.73	1.96	5.58	13.90 3.50 - 16.50	3.140 0.850 - 5.130	13.19	13.79	14.39	99
15+22+22+22+35+35	1.38	2.03	2.03	2.03	3.22	3.22	13.90 3.50 - 16.50	3.144 0.850 - 5.134	13.21	13.81	14.41	99
15+22+22+22+35+42	1.32	1.94	1.94	1.94	3.08	3.69	13.90 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99
15+22+22+22+35+50	1.26	1.84	1.84	1.84	2.93	4.19	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+22+22+22+35+60	1.18	1.74	1.74	1.74	2.76	4.74	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+22+22+22+42+42	1.26	1.85	1.85	1.85	3.54	3.54	13.90 3.50 - 16.50	3.140 0.850 - 5.130	13.19	13.79	14.39	99
15+22+22+22+42+50	1.21	1.77	1.77	1.77	3.37	4.02	13.90 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99
15+22+22+25+25+25	1.56	2.28	2.28	2.59	2.59	2.59	13.90 3.50 - 16.18	2.971 0.850 - 5.141	12.48	13.05	13.62	99
15+22+22+25+25+35	1.45	2.12	2.12	2.41	2.41	3.38	13.90 3.50 - 16.38	3.093 0.850 - 5.153	12.99	13.58	14.17	99
15+22+22+25+25+42	1.38	2.03	2.03	2.30	2.30	3.87	13.90 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99
15+22+22+25+25+50	1.31	1.92	1.92	2.19	2.19	4.37	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+22+22+25+25+60	1.23	1.81	1.81	2.06	2.06	4.93	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+22+22+25+25+71	1.16	1.70	1.70	1.93	1.93	5.48	13.90 3.50 - 16.50	3.140 0.850 - 5.130	13.19	13.79	14.39	99
15+22+22+25+35+35	1.35	1.99	1.99	2.26	3.16	3.16	13.90 3.50 - 16.50	3.144 0.850 - 5.134	13.21	13.81	14.41	99
15+22+22+25+35+42	1.30	1.90	1.90	2.16	3.02	3.63	13.90 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99
15+22+22+25+35+50	1.23	1.81	1.81	2.06	2.88	4.11	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+22+22+25+35+60	1.16	1.71	1.71	1.94	2.72	4.66	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+22+22+25+42+42	1.24	1.82	1.82	2.07	3.48	3.48	13.90 3.50 - 16.50	3.140 0.850 - 5.130	13.19	13.79	14.39	99
15+22+22+25+42+50	1.18	1.74	1.74	1.97	3.32	3.95	13.90 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99
15+22+22+35+35+35	1.27	1.86	1.86	2.97	2.97	2.97	13.90 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99
15+22+22+35+35+42	1.22	1.79	1.79	2.85	2.85	3.41	13.90 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99
15+22+22+35+35+50	1.16	1.71	1.71	2.72	2.72	3.88	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+22+22+35+42+42	1.17	1.72	1.72	2.73	3.28	3.28	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+22+25+25+25+25	1.52	2.23	2.54	2.54	2.54	2.54	13.90 3.50 - 16.24	3.011 0.850 - 5.141	12.65	13.22	13.79	99
15+22+25+25+25+35	1.42	2.08	2.36	2.36	2.36	3.31	13.90 3.50 - 16.44	3.133 0.850 - 5.153	13.16	13.76	14.36	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
15+22+25+25+25+42	1.35	1.99	2.26	2.26	2.26	3.79	13.90 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99
15+22+25+25+25+50	1.29	1.89	2.15	2.15	2.15	4.29	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+22+25+25+25+60	1.21	1.78	2.02	2.02	2.02	4.85	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+22+25+25+35+35	1.33	1.95	2.21	2.21	3.10	3.10	13.90 3.50 - 16.50	3.140 0.850 - 5.130	13.19	13.79	14.39	99
15+22+25+25+35+42	1.27	1.86	2.12	2.12	2.97	3.56	13.90 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99
15+22+25+25+35+50	1.21	1.78	2.02	2.02	2.83	4.04	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+22+25+25+42+42	1.22	1.79	2.03	2.03	3.41	3.41	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+22+25+25+42+50	1.16	1.71	1.94	1.94	3.26	3.88	13.90 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99
15+22+25+35+35+35	1.25	1.83	2.08	2.91	2.91	2.91	13.90 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99
15+22+25+35+35+42	1.20	1.76	2.00	2.80	2.80	3.36	13.90 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99
15+22+35+35+35+35	1.18	1.73	2.75	2.75	2.75	2.75	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+25+25+25+25+25	1.49	2.48	2.48	2.48	2.48	2.48	13.90 3.50 - 16.30	3.053 0.850 - 5.153	12.83	13.41	13.99	99
15+25+25+25+25+35	1.39	2.32	2.32	2.32	2.32	3.24	13.90 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99
15+25+25+25+25+42	1.33	2.21	2.21	2.21	2.21	3.72	13.90 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99
15+25+25+25+25+50	1.26	2.11	2.11	2.11	2.11	4.21	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+25+25+25+25+60	1.19	1.99	1.99	1.99	1.99	4.77	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+25+25+25+35+35	1.30	2.17	2.17	2.17	3.04	3.04	13.90 3.50 - 16.50	3.140 0.850 - 5.130	13.19	13.79	14.39	99
15+25+25+25+35+42	1.25	2.08	2.08	2.08	2.91	3.50	13.90 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99
15+25+25+25+35+50	1.19	1.99	1.99	1.99	2.78	3.97	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+25+25+25+42+42	1.20	2.00	2.00	2.00	3.36	3.36	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
15+25+25+35+35+35	1.23	2.04	2.04	2.86	2.86	2.86	13.90 3.50 - 16.50	3.151 0.850 - 5.141	13.24	13.84	14.44	99
15+25+25+35+35+42	1.18	1.96	1.96	2.75	2.75	3.30	13.90 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99
15+25+35+35+35+35	1.16	1.93	2.70	2.70	2.70	2.70	13.90 3.50 - 16.50	3.157 0.850 - 5.147	13.26	13.86	14.46	99
18+18+18+18+18+18	2.32	2.32	2.32	2.32	2.32	2.32	13.90 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99
18+18+18+18+18+20	2.29	2.29	2.29	2.29	2.29	2.55	14.00 3.50 - 16.40	3.104 0.850 - 5.144	13.04	13.63	14.22	99
18+18+18+18+18+22	2.23	2.23	2.23	2.23	2.23	2.73	13.90 3.50 - 16.30	3.051 0.850 - 5.151	12.82	13.40	13.98	99
18+18+18+18+18+25	2.19	2.19	2.19	2.19	2.19	3.04	14.00 3.50 - 16.15	2.964 0.850 - 5.144	12.45	13.02	13.59	99
18+18+18+18+18+35	2.02	2.02	2.02	2.02	2.02	3.92	14.00 3.50 - 16.00	2.884 0.850 - 5.144	12.12	12.67	13.22	99
18+18+18+18+18+42	1.91	1.91	1.91	1.91	1.91	4.45	14.00 3.50 - 16.14	2.954 0.850 - 5.144	12.41	12.97	13.53	99
18+18+18+18+18+50	1.80	1.80	1.80	1.80	1.80	5.00	14.00 3.50 - 16.30	3.038 0.850 - 5.138	12.76	13.34	13.92	99
18+18+18+18+18+60	1.68	1.68	1.68	1.68	1.68	5.60	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+18+18+18+71	1.57	1.57	1.57	1.57	1.57	6.17	14.00 3.50 - 16.50	3.131 0.850 - 5.121	13.15	13.75	14.35	99
18+18+18+18+20+20	2.25	2.25	2.25	2.25	2.50	2.50	14.00 3.50 - 16.30	3.025 0.850 - 5.125	12.71	13.29	13.87	99
18+18+18+18+20+22	2.18	2.18	2.18	2.18	2.42	2.66	13.80 3.50 - 16.20	3.008 0.850 - 5.158	12.64	13.21	13.78	99
18+18+18+18+20+25	2.14	2.14	2.14	2.14	2.38	2.97	13.90 3.50 - 16.05	2.911 0.850 - 5.151	12.22	12.78	13.34	99
18+18+18+18+20+35	1.97	1.97	1.97	1.97	2.19	3.83	13.90 3.50 - 16.04	2.911 0.850 - 5.151	12.22	12.78	13.34	99
18+18+18+18+20+42	1.87	1.87	1.87	1.87	2.07	4.36	13.90 3.50 - 16.18	2.981 0.850 - 5.151	12.52	13.09	13.66	99
18+18+18+18+20+50	1.76	1.76	1.76	1.76	1.96	4.89	13.90 3.50 - 16.34	3.065 0.850 - 5.145	12.87	13.46	14.05	99
18+18+18+18+20+60	1.65	1.65	1.65	1.65	1.83	5.49	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+18+18+18+20+71	1.53	1.53	1.53	1.53	1.71	6.05	13.90 3.50 - 16.50	3.138 0.850 - 5.128	13.18	13.78	14.38	99
18+18+18+18+22+22	2.16	2.16	2.16	2.16	2.64	2.64	13.90 3.50 - 16.10	2.922 0.850 - 5.132	12.27	12.83	13.39	99
18+18+18+18+22+25	2.12	2.12	2.12	2.12	2.59	2.94	14.00 3.50 - 15.95	2.854 0.850 - 5.144	11.99	12.53	13.07	99
18+18+18+18+22+35	1.95	1.95	1.95	1.95	2.39	3.80	14.00 3.50 - 16.08	2.924 0.850 - 5.144	12.28	12.84	13.40	99
18+18+18+18+22+42	1.85	1.85	1.85	1.85	2.26	4.32	14.00 3.50 - 16.22	3.004 0.850 - 5.144	12.62	13.19	13.76	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
18+18+18+18+22+50	1.75	1.75	1.75	1.75	2.14	4.86	14.00 3.50 - 16.38	3.078 0.850 - 5.138	12.93	13.52	14.11	99
18+18+18+18+22+60	1.64	1.64	1.64	1.64	2.00	5.45	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+18+18+22+71	1.53	1.53	1.53	1.53	1.87	6.02	14.00 3.50 - 16.50	3.131 0.850 - 5.121	13.15	13.75	14.35	99
18+18+18+18+25+25	2.07	2.07	2.07	2.07	2.87	2.87	14.00 3.50 - 16.50	3.135 0.850 - 5.125	13.17	13.77	14.37	99
18+18+18+18+25+35	1.91	1.91	1.91	1.91	2.65	3.71	14.00 3.50 - 16.14	2.954 0.850 - 5.144	12.41	12.97	13.53	99
18+18+18+18+25+42	1.81	1.81	1.81	1.81	2.52	4.23	14.00 3.50 - 16.28	3.034 0.850 - 5.144	12.74	13.32	13.90	99
18+18+18+18+25+50	1.71	1.71	1.71	1.71	2.38	4.76	14.00 3.50 - 16.44	3.118 0.850 - 5.138	13.09	13.69	14.29	99
18+18+18+18+25+60	1.61	1.61	1.61	1.61	2.23	5.35	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+18+18+25+71	1.50	1.50	1.50	1.50	2.08	5.92	14.00 3.50 - 16.50	3.131 0.850 - 5.121	13.15	13.75	14.35	99
18+18+18+18+35+35	1.77	1.77	1.77	1.77	3.45	3.45	14.00 3.50 - 16.34	3.045 0.850 - 5.125	12.79	13.37	13.95	99
18+18+18+18+35+42	1.69	1.69	1.69	1.69	3.29	3.95	14.00 3.50 - 16.48	3.144 0.850 - 5.144	13.21	13.81	14.41	99
18+18+18+18+35+50	1.61	1.61	1.61	1.61	3.12	4.46	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+18+18+35+60	1.51	1.51	1.51	1.51	2.93	5.03	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+18+18+35+71	1.42	1.42	1.42	1.42	2.75	5.58	14.00 3.50 - 16.50	3.131 0.850 - 5.121	13.15	13.75	14.35	99
18+18+18+18+42+42	1.62	1.62	1.62	1.62	3.77	3.77	14.00 3.50 - 16.50	3.135 0.850 - 5.125	13.17	13.77	14.37	99
18+18+18+18+42+50	1.54	1.54	1.54	1.54	3.59	4.27	14.00 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
18+18+18+18+42+60	1.45	1.45	1.45	1.45	3.38	4.83	14.00 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
18+18+18+18+50+50	1.47	1.47	1.47	1.47	4.07	4.07	14.00 3.50 - 16.50	3.125 0.850 - 5.115	13.12	13.72	14.32	99
18+18+18+20+20+20	2.21	2.21	2.21	2.46	2.46	2.46	14.00 3.50 - 16.20	2.982 0.850 - 5.132	12.53	13.10	13.67	99
18+18+18+20+20+22	2.13	2.13	2.13	2.36	2.36	2.60	13.70 3.50 - 16.10	2.955 0.850 - 5.165	12.42	12.98	13.54	99
18+18+18+20+20+25	2.09	2.09	2.09	2.32	2.32	2.90	13.80 3.50 - 15.95	2.868 0.850 - 5.158	12.05	12.60	13.15	99
18+18+18+20+20+35	1.93	1.93	1.93	2.14	2.14	3.74	13.80 3.50 - 16.08	2.938 0.850 - 5.158	12.34	12.90	13.46	99
18+18+18+20+20+42	1.83	1.83	1.83	2.03	2.03	4.26	13.80 3.50 - 16.22	3.018 0.850 - 5.158	12.67	13.25	13.83	99
18+18+18+20+20+50	1.73	1.73	1.73	1.92	1.92	4.79	13.80 3.50 - 16.38	3.092 0.850 - 5.152	12.99	13.58	14.17	99
18+18+18+20+20+60	1.61	1.61	1.61	1.79	1.79	5.38	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
18+18+18+20+20+71	1.51	1.51	1.51	1.67	1.67	5.94	13.80 3.50 - 16.50	3.145 0.850 - 5.135	13.21	13.81	14.41	99
18+18+18+20+22+22	2.11	2.11	2.11	2.34	2.57	2.57	13.80 3.50 - 16.00	2.879 0.850 - 5.139	12.09	12.64	13.19	99
18+18+18+20+22+25	2.07	2.07	2.07	2.30	2.53	2.87	13.90 3.50 - 15.92	2.841 0.850 - 5.151	11.94	12.48	13.02	99
18+18+18+20+22+35	1.91	1.91	1.91	2.12	2.33	3.71	13.90 3.50 - 16.12	2.951 0.850 - 5.151	12.40	12.96	13.52	99
18+18+18+20+22+42	1.81	1.81	1.81	2.01	2.22	4.23	13.90 3.50 - 16.26	3.031 0.850 - 5.151	12.73	13.31	13.89	99
18+18+18+20+22+50	1.71	1.71	1.71	1.90	2.09	4.76	13.90 3.50 - 16.42	3.115 0.850 - 5.145	13.09	13.68	14.27	99
18+18+18+20+22+60	1.60	1.60	1.60	1.78	1.96	5.35	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+18+18+20+22+71	1.50	1.50	1.50	1.66	1.83	5.91	13.90 3.50 - 16.50	3.138 0.850 - 5.128	13.18	13.78	14.38	99
18+18+18+20+25+25	2.02	2.02	2.02	2.24	2.80	2.80	13.90 3.50 - 15.98	2.852 0.850 - 5.132	11.99	12.53	13.07	99
18+18+18+20+25+35	1.87	1.87	1.87	2.07	2.59	3.63	13.90 3.50 - 16.18	2.981 0.850 - 5.151	12.52	13.09	13.66	99
18+18+18+20+25+42	1.77	1.77	1.77	1.97	2.46	4.14	13.90 3.50 - 16.32	3.061 0.850 - 5.151	12.86	13.44	14.02	99
18+18+18+20+25+50	1.68	1.68	1.68	1.87	2.33	4.66	13.90 3.50 - 16.48	3.145 0.850 - 5.145	13.21	13.81	14.41	99
18+18+18+20+25+60	1.57	1.57	1.57	1.75	2.19	5.25	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+18+18+20+25+71	1.47	1.47	1.47	1.64	2.04	5.81	13.90 3.50 - 16.50	3.138 0.850 - 5.128	13.18	13.78	14.38	99
18+18+18+20+35+35	1.74	1.74	1.74	1.93	3.38	3.38	13.90 3.50 - 16.38	3.072 0.850 - 5.132	12.90	13.49	14.08	99
18+18+18+20+35+42	1.66	1.66	1.66	1.84	3.22	3.87	13.90 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
18+18+18+20+35+50	1.57	1.57	1.57	1.75	3.06	4.37	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+18+18+20+35+60	1.48	1.48	1.48	1.64	2.88	4.93	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+18+18+20+35+71	1.39	1.39	1.39	1.54	2.70	5.48	13.90 3.50 - 16.50	3.138 0.850 - 5.128	13.18	13.78	14.38	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
18+18+18+20+42+42	1.58	1.58	1.58	1.76	3.69	3.69	13.90 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
18+18+18+20+42+50	1.51	1.51	1.51	1.67	3.52	4.19	13.90 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
18+18+18+20+42+60	1.42	1.42	1.42	1.58	3.32	4.74	13.90 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
18+18+18+20+50+50	1.44	1.44	1.44	1.60	3.99	3.99	13.90 3.50 - 16.50	3.132 0.850 - 5.122	13.15	13.75	14.35	99
18+18+18+22+22+22	2.09	2.09	2.09	2.55	2.55	2.55	13.90 3.50 - 15.90	2.819 0.850 - 5.139	11.84	12.38	12.92	99
18+18+18+22+22+25	2.05	2.05	2.05	2.50	2.50	2.85	14.00 3.50 - 15.96	2.854 0.850 - 5.144	11.99	12.53	13.07	99
18+18+18+22+22+35	1.89	1.89	1.89	2.32	2.32	3.68	14.00 3.50 - 16.16	2.964 0.850 - 5.144	12.45	13.02	13.59	99
18+18+18+22+22+42	1.80	1.80	1.80	2.20	2.20	4.20	14.00 3.50 - 16.30	3.044 0.850 - 5.144	12.79	13.37	13.95	99
18+18+18+22+22+50	1.70	1.70	1.70	2.08	2.08	4.73	14.00 3.50 - 16.46	3.128 0.850 - 5.138	13.14	13.74	14.34	99
18+18+18+22+22+60	1.59	1.59	1.59	1.95	1.95	5.32	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+18+22+22+71	1.49	1.49	1.49	1.82	1.82	5.88	14.00 3.50 - 16.50	3.131 0.850 - 5.121	13.15	13.75	14.35	99
18+18+18+22+25+25	2.00	2.00	2.00	2.44	2.78	2.78	14.00 3.50 - 16.02	2.875 0.850 - 5.125	12.08	12.63	13.18	99
18+18+18+22+25+35	1.85	1.85	1.85	2.26	2.57	3.60	14.00 3.50 - 16.22	3.004 0.850 - 5.144	12.62	13.19	13.76	99
18+18+18+22+25+42	1.76	1.76	1.76	2.15	2.45	4.11	14.00 3.50 - 16.36	3.074 0.850 - 5.144	12.91	13.50	14.09	99
18+18+18+22+25+50	1.67	1.67	1.67	2.04	2.32	4.64	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+18+22+25+60	1.57	1.57	1.57	1.91	2.17	5.22	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+18+22+25+71	1.47	1.47	1.47	1.79	2.03	5.78	14.00 3.50 - 16.50	3.131 0.850 - 5.121	13.15	13.75	14.35	99
18+18+18+22+35+35	1.73	1.73	1.73	2.11	3.36	3.36	14.00 3.50 - 16.42	3.095 0.850 - 5.125	13.00	13.59	14.18	99
18+18+18+22+35+42	1.65	1.65	1.65	2.01	3.20	3.84	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
18+18+18+22+35+50	1.57	1.57	1.57	1.91	3.04	4.35	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+18+22+35+60	1.47	1.47	1.47	1.80	2.87	4.91	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+18+22+42+42	1.58	1.58	1.58	1.93	3.68	3.68	14.00 3.50 - 16.50	3.131 0.850 - 5.121	13.15	13.75	14.35	99
18+18+18+22+42+50	1.50	1.50	1.50	1.83	3.50	4.17	14.00 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
18+18+18+22+42+60	1.42	1.42	1.42	1.73	3.30	4.72	14.00 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
18+18+18+22+50+50	1.43	1.43	1.43	1.75	3.98	3.98	14.00 3.50 - 16.50	3.125 0.850 - 5.115	13.12	13.72	14.32	99
18+18+18+25+25+25	1.95	1.95	1.95	2.71	2.71	2.71	14.00 3.50 - 16.08	2.912 0.850 - 5.132	12.23	12.79	13.35	99
18+18+18+25+25+35	1.81	1.81	1.81	2.52	2.52	3.53	14.00 3.50 - 16.28	3.034 0.850 - 5.144	12.74	13.32	13.90	99
18+18+18+25+25+42	1.73	1.73	1.73	2.40	2.40	4.03	14.00 3.50 - 16.42	3.114 0.850 - 5.144	13.09	13.68	14.27	99
18+18+18+25+25+50	1.64	1.64	1.64	2.27	2.27	4.55	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+18+25+25+60	1.54	1.54	1.54	2.13	2.13	5.12	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+18+25+25+71	1.44	1.44	1.44	2.00	2.00	5.68	14.00 3.50 - 16.50	3.131 0.850 - 5.121	13.15	13.75	14.35	99
18+18+18+25+35+35	1.69	1.69	1.69	2.35	3.29	3.29	14.00 3.50 - 16.48	3.125 0.850 - 5.125	13.12	13.72	14.32	99
18+18+18+25+35+42	1.62	1.62	1.62	2.24	3.14	3.77	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
18+18+18+25+35+50	1.54	1.54	1.54	2.13	2.99	4.27	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+18+25+35+60	1.45	1.45	1.45	2.01	2.82	4.83	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+18+25+42+42	1.55	1.55	1.55	2.15	3.61	3.61	14.00 3.50 - 16.50	3.131 0.850 - 5.121	13.15	13.75	14.35	99
18+18+18+25+42+50	1.47	1.47	1.47	2.05	3.44	4.09	14.00 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
18+18+18+25+50+50	1.41	1.41	1.41	1.96	3.91	3.91	14.00 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
18+18+18+35+35+35	1.58	1.58	1.58	3.08	3.08	3.08	14.00 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
18+18+18+35+35+42	1.52	1.52	1.52	2.95	2.95	3.54	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
18+18+18+35+35+50	1.45	1.45	1.45	2.82	2.82	4.02	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+18+35+42+42	1.46	1.46	1.46	2.83	3.40	3.40	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+18+42+42+42	1.40	1.40	1.40	3.27	3.27	3.27	14.00 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
18+18+20+20+20+20	2.17	2.17	2.41	2.41	2.41	2.41	14.00 3.50 - 16.10	2.916 0.850 - 5.126	12.25	12.81	13.37	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
18+18+20+20+20+22	2.07	2.07	2.31	2.31	2.31	2.54	13.60 3.50 - 16.00	2.912 0.850 - 5.172	12.23	12.79	13.35	99
18+18+20+20+20+25	2.04	2.04	2.26	2.26	2.26	2.83	13.70 3.50 - 15.92	2.855 0.850 - 5.165	11.99	12.54	13.09	99
18+18+20+20+20+35	1.88	1.88	2.09	2.09	2.09	3.66	13.70 3.50 - 16.12	2.965 0.850 - 5.165	12.45	13.02	13.59	99
18+18+20+20+20+42	1.79	1.79	1.99	1.99	1.99	4.17	13.70 3.50 - 16.26	3.045 0.850 - 5.165	12.79	13.37	13.95	99
18+18+20+20+20+50	1.69	1.69	1.88	1.88	1.88	4.69	13.70 3.50 - 16.42	3.129 0.850 - 5.159	13.14	13.74	14.34	99
18+18+20+20+20+60	1.58	1.58	1.76	1.76	1.76	5.27	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99
18+18+20+20+20+71	1.48	1.48	1.64	1.64	1.64	5.82	13.70 3.50 - 16.50	3.152 0.850 - 5.142	13.24	13.84	14.44	99
18+18+20+20+22+22	2.06	2.06	2.28	2.28	2.51	2.51	13.70 3.50 - 15.90	2.826 0.850 - 5.146	11.87	12.41	12.95	99
18+18+20+20+22+25	2.02	2.02	2.24	2.24	2.47	2.80	13.80 3.50 - 15.96	2.868 0.850 - 5.158	12.05	12.60	13.15	99
18+18+20+20+22+35	1.87	1.87	2.08	2.08	2.28	3.63	13.80 3.50 - 16.16	2.978 0.850 - 5.158	12.51	13.08	13.65	99
18+18+20+20+22+42	1.77	1.77	1.97	1.97	2.17	4.14	13.80 3.50 - 16.30	3.058 0.850 - 5.158	12.85	13.43	14.01	99
18+18+20+20+22+50	1.68	1.68	1.86	1.86	2.05	4.66	13.80 3.50 - 16.46	3.142 0.850 - 5.152	13.20	13.80	14.40	99
18+18+20+20+22+60	1.57	1.57	1.75	1.75	1.92	5.24	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
18+18+20+20+22+71	1.47	1.47	1.63	1.63	1.80	5.80	13.80 3.50 - 16.50	3.145 0.850 - 5.135	13.21	13.81	14.41	99
18+18+20+20+25+25	1.97	1.97	2.19	2.19	2.74	2.74	13.80 3.50 - 16.02	2.889 0.850 - 5.139	12.14	12.69	13.24	99
18+18+20+20+25+35	1.83	1.83	2.03	2.03	2.54	3.55	13.80 3.50 - 16.22	3.018 0.850 - 5.158	12.67	13.25	13.83	99
18+18+20+20+25+42	1.74	1.74	1.93	1.93	2.41	4.05	13.80 3.50 - 16.36	3.088 0.850 - 5.158	12.97	13.56	14.15	99
18+18+20+20+25+50	1.65	1.65	1.83	1.83	2.28	4.57	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
18+18+20+20+25+60	1.54	1.54	1.71	1.71	2.14	5.14	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
18+18+20+20+25+71	1.44	1.44	1.60	1.60	2.01	5.70	13.80 3.50 - 16.50	3.145 0.850 - 5.135	13.21	13.81	14.41	99
18+18+20+20+35+35	1.70	1.70	1.89	1.89	3.31	3.31	13.80 3.50 - 16.42	3.109 0.850 - 5.139	13.06	13.65	14.24	99
18+18+20+20+35+42	1.62	1.62	1.80	1.80	3.16	3.79	13.80 3.50 - 16.50	3.168 0.850 - 5.158	13.31	13.91	14.51	99
18+18+20+20+35+50	1.54	1.54	1.71	1.71	3.00	4.29	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
18+18+20+20+35+60	1.45	1.45	1.61	1.61	2.82	4.84	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
18+18+20+20+42+42	1.55	1.55	1.73	1.73	3.62	3.62	13.80 3.50 - 16.50	3.145 0.850 - 5.135	13.21	13.81	14.41	99
18+18+20+20+42+50	1.48	1.48	1.64	1.64	3.45	4.11	13.80 3.50 - 16.50	3.156 0.850 - 5.146	13.26	13.86	14.46	99
18+18+20+20+42+60	1.40	1.40	1.55	1.55	3.26	4.65	13.80 3.50 - 16.50	3.156 0.850 - 5.146	13.26	13.86	14.46	99
18+18+20+20+50+50	1.41	1.41	1.57	1.57	3.92	3.92	13.80 3.50 - 16.50	3.139 0.850 - 5.129	13.19	13.79	14.39	99
18+18+20+22+22+25	1.99	1.99	2.21	2.43	2.43	2.76	13.80 3.50 - 16.00	2.886 0.850 - 5.146	12.12	12.67	13.22	99
18+18+20+22+22+35	1.85	1.85	2.06	2.27	2.27	3.60	13.90 3.50 - 16.20	3.001 0.850 - 5.151	12.61	13.18	13.75	99
18+18+20+22+22+42	1.76	1.76	1.96	2.15	2.15	4.11	13.90 3.50 - 16.34	3.071 0.850 - 5.151	12.90	13.49	14.08	99
18+18+20+22+22+50	1.67	1.67	1.85	2.04	2.04	4.63	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+18+20+22+22+60	1.56	1.56	1.74	1.91	1.91	5.21	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+18+20+22+22+71	1.46	1.46	1.63	1.79	1.79	5.77	13.90 3.50 - 16.50	3.138 0.850 - 5.128	13.18	13.78	14.38	99
18+18+20+22+25+25	1.95	1.95	2.17	2.39	2.71	2.71	13.90 3.50 - 16.06	2.902 0.850 - 5.132	12.19	12.74	13.29	99
18+18+20+22+25+35	1.81	1.81	2.01	2.22	2.52	3.53	13.90 3.50 - 16.26	3.031 0.850 - 5.151	12.73	13.31	13.89	99
18+18+20+22+25+42	1.73	1.73	1.92	2.11	2.40	4.03	13.90 3.50 - 16.40	3.111 0.850 - 5.151	13.07	13.66	14.25	99
18+18+20+22+25+50	1.64	1.64	1.82	2.00	2.27	4.54	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+18+20+22+25+60	1.53	1.53	1.71	1.88	2.13	5.12	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+18+20+22+25+71	1.44	1.44	1.60	1.76	2.00	5.67	13.90 3.50 - 16.50	3.138 0.850 - 5.128	13.18	13.78	14.38	99
18+18+20+22+35+35	1.69	1.69	1.88	2.07	3.29	3.29	13.90 3.50 - 16.46	3.122 0.850 - 5.132	13.11	13.71	14.31	99
18+18+20+22+35+42	1.61	1.61	1.79	1.97	3.14	3.77	13.90 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
18+18+20+22+35+50	1.53	1.53	1.71	1.88	2.98	4.26	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+18+20+22+35+60	1.45	1.45	1.61	1.77	2.81	4.82	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99



**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
18+18+20+22+42+42	1.54	1.54	1.72	1.89	3.60	3.60	13.90 3.50 - 16.50	3.138 0.850 - 5.128	13.18	13.78	14.38	99
18+18+20+22+42+50	1.47	1.47	1.64	1.80	3.43	4.09	13.90 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
18+18+20+22+42+60	1.39	1.39	1.54	1.70	3.24	4.63	13.90 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
18+18+20+22+50+50	1.41	1.41	1.56	1.72	3.90	3.90	13.90 3.50 - 16.50	3.132 0.850 - 5.122	13.15	13.75	14.35	99
18+18+20+25+25+25	1.91	1.91	2.12	2.65	2.65	2.65	13.90 3.50 - 16.12	2.939 0.850 - 5.139	12.35	12.91	13.47	99
18+18+20+25+25+35	1.77	1.77	1.97	2.46	2.46	3.45	13.90 3.50 - 16.32	3.061 0.850 - 5.151	12.86	13.44	14.02	99
18+18+20+25+25+42	1.69	1.69	1.88	2.35	2.35	3.94	13.90 3.50 - 16.46	3.141 0.850 - 5.151	13.19	13.79	14.39	99
18+18+20+25+25+50	1.60	1.60	1.78	2.23	2.23	4.46	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+18+20+25+25+60	1.51	1.51	1.67	2.09	2.09	5.02	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+18+20+25+25+71	1.41	1.41	1.57	1.96	1.96	5.58	13.90 3.50 - 16.50	3.138 0.850 - 5.128	13.18	13.78	14.38	99
18+18+20+25+35+35	1.66	1.66	1.84	2.30	3.22	3.22	13.90 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
18+18+20+25+35+42	1.58	1.58	1.76	2.20	3.08	3.69	13.90 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
18+18+20+25+35+50	1.51	1.51	1.67	2.09	2.93	4.19	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+18+20+25+35+60	1.42	1.42	1.58	1.97	2.76	4.74	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+18+20+25+42+42	1.52	1.52	1.68	2.11	3.54	3.54	13.90 3.50 - 16.50	3.138 0.850 - 5.128	13.18	13.78	14.38	99
18+18+20+25+42+50	1.45	1.45	1.61	2.01	3.37	4.02	13.90 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
18+18+20+35+35+35	1.55	1.55	1.73	3.02	3.02	3.02	13.90 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
18+18+20+35+35+42	1.49	1.49	1.65	2.90	2.90	3.48	13.90 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
18+18+20+35+35+50	1.42	1.42	1.58	2.76	2.76	3.95	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+18+20+35+42+42	1.43	1.43	1.59	2.78	3.34	3.34	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+18+22+22+22+22	2.02	2.02	2.47	2.47	2.47	2.47	13.90 3.50 - 15.98	2.859 0.850 - 5.139	12.01	12.56	13.11	99
18+18+22+22+22+25	1.98	1.98	2.43	2.43	2.43	2.76	14.00 3.50 - 16.04	2.904 0.850 - 5.144	12.20	12.75	13.30	99
18+18+22+22+22+35	1.84	1.84	2.25	2.25	2.25	3.58	14.00 3.50 - 16.24	3.014 0.850 - 5.144	12.66	13.24	13.82	99
18+18+22+22+22+42	1.75	1.75	2.14	2.14	2.14	4.08	14.00 3.50 - 16.38	3.084 0.850 - 5.144	12.95	13.54	14.13	99
18+18+22+22+22+50	1.66	1.66	2.03	2.03	2.03	4.61	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+22+22+22+60	1.56	1.56	1.90	1.90	1.90	5.19	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+22+22+22+71	1.46	1.46	1.78	1.78	1.78	5.75	14.00 3.50 - 16.50	3.131 0.850 - 5.121	13.15	13.75	14.35	99
18+18+22+22+25+25	1.94	1.94	2.37	2.37	2.69	2.69	14.00 3.50 - 16.10	2.915 0.850 - 5.125	12.24	12.80	13.36	99
18+18+22+22+25+35	1.80	1.80	2.20	2.20	2.50	3.50	14.00 3.50 - 16.30	3.044 0.850 - 5.144	12.79	13.37	13.95	99
18+18+22+22+25+42	1.71	1.71	2.10	2.10	2.38	4.00	14.00 3.50 - 16.44	3.124 0.850 - 5.144	13.12	13.72	14.32	99
18+18+22+22+25+50	1.63	1.63	1.99	1.99	2.26	4.52	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+22+22+25+60	1.53	1.53	1.87	1.87	2.12	5.09	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+22+22+25+71	1.43	1.43	1.75	1.75	1.99	5.65	14.00 3.50 - 16.50	3.131 0.850 - 5.121	13.15	13.75	14.35	99
18+18+22+22+35+35	1.68	1.68	2.05	2.05	3.27	3.27	14.00 3.50 - 16.50	3.135 0.850 - 5.125	13.17	13.77	14.37	99
18+18+22+22+35+42	1.61	1.61	1.96	1.96	3.12	3.75	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
18+18+22+22+35+50	1.53	1.53	1.87	1.87	2.97	4.24	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+22+22+35+60	1.44	1.44	1.76	1.76	2.80	4.80	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+22+22+42+42	1.54	1.54	1.88	1.88	3.59	3.59	14.00 3.50 - 16.50	3.131 0.850 - 5.121	13.15	13.75	14.35	99
18+18+22+22+42+50	1.47	1.47	1.79	1.79	3.42	4.07	14.00 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
18+18+22+22+50+50	1.40	1.40	1.71	1.71	3.89	3.89	14.00 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
18+18+22+25+25+25	1.89	1.89	2.32	2.63	2.63	2.63	14.00 3.50 - 16.16	2.952 0.850 - 5.132	12.40	12.96	13.52	99
18+18+22+25+25+35	1.76	1.76	2.15	2.45	2.45	3.43	14.00 3.50 - 16.36	3.074 0.850 - 5.144	12.91	13.50	14.09	99
18+18+22+25+25+42	1.68	1.68	2.05	2.33	2.33	3.92	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
18+18+22+25+25+50	1.59	1.59	1.95	2.22	2.22	4.43	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
18+18+22+25+25+60	1.50	1.50	1.83	2.08	2.08	5.00	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+22+25+25+71	1.41	1.41	1.72	1.96	1.96	5.55	14.00 3.50 - 16.50	3.131 0.850 - 5.121	13.15	13.75	14.35	99
18+18+22+25+35+35	1.65	1.65	2.01	2.29	3.20	3.20	14.00 3.50 - 16.50	3.135 0.850 - 5.125	13.17	13.77	14.37	99
18+18+22+25+35+42	1.58	1.58	1.93	2.19	3.06	3.68	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
18+18+22+25+35+50	1.50	1.50	1.83	2.08	2.92	4.17	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+22+25+35+60	1.42	1.42	1.73	1.97	2.75	4.72	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+22+25+42+42	1.51	1.51	1.84	2.10	3.52	3.52	14.00 3.50 - 16.50	3.131 0.850 - 5.121	13.15	13.75	14.35	99
18+18+22+25+42+50	1.44	1.44	1.76	2.00	3.36	4.00	14.00 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
18+18+22+35+35+35	1.55	1.55	1.89	3.01	3.01	3.01	14.00 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
18+18+22+35+35+42	1.48	1.48	1.81	2.88	2.88	3.46	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
18+18+22+35+35+50	1.42	1.42	1.73	2.75	2.75	3.93	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+22+35+42+42	1.42	1.42	1.74	2.77	3.32	3.32	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+25+25+25+25	1.85	1.85	2.57	2.57	2.57	2.57	14.00 3.50 - 16.22	2.992 0.850 - 5.132	12.57	13.14	13.71	99
18+18+25+25+25+35	1.73	1.73	2.40	2.40	2.40	3.36	14.00 3.50 - 16.42	3.114 0.850 - 5.144	13.09	13.68	14.27	99
18+18+25+25+25+42	1.65	1.65	2.29	2.29	2.29	3.84	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
18+18+25+25+25+50	1.57	1.57	2.17	2.17	2.17	4.35	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+25+25+25+60	1.47	1.47	2.05	2.05	2.05	4.91	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+25+25+35+35	1.62	1.62	2.24	2.24	3.14	3.14	14.00 3.50 - 16.50	3.131 0.850 - 5.121	13.15	13.75	14.35	99
18+18+25+25+35+42	1.55	1.55	2.15	2.15	3.01	3.61	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
18+18+25+25+35+50	1.47	1.47	2.05	2.05	2.87	4.09	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+25+25+42+42	1.48	1.48	2.06	2.06	3.46	3.46	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+25+25+42+50	1.42	1.42	1.97	1.97	3.30	3.93	14.00 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
18+18+25+35+35+35	1.52	1.52	2.11	2.95	2.95	2.95	14.00 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
18+18+25+35+35+42	1.46	1.46	2.02	2.83	2.83	3.40	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
18+18+25+35+42+42	1.40	1.40	1.94	2.72	3.27	3.27	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+18+35+35+35+35	1.43	1.43	2.78	2.78	2.78	2.78	14.00 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
18+20+20+20+20+20	2.14	2.37	2.37	2.37	2.37	2.37	14.00 3.50 - 16.00	2.884 0.850 - 5.144	12.12	12.67	13.22	99
18+20+20+20+20+22	2.03	2.25	2.25	2.25	2.25	2.48	13.50 3.50 - 15.90	2.859 0.850 - 5.179	12.01	12.56	13.11	99
18+20+20+20+20+25	1.99	2.21	2.21	2.21	2.21	2.76	13.60 3.50 - 15.96	2.882 0.850 - 5.172	12.11	12.66	13.21	99
18+20+20+20+20+35	1.84	2.05	2.05	2.05	2.05	3.58	13.60 3.50 - 16.16	2.992 0.850 - 5.172	12.57	13.14	13.71	99
18+20+20+20+20+42	1.75	1.94	1.94	1.94	1.94	4.08	13.60 3.50 - 16.30	3.072 0.850 - 5.172	12.90	13.49	14.08	99
18+20+20+20+20+50	1.65	1.84	1.84	1.84	1.84	4.59	13.60 3.50 - 16.46	3.156 0.850 - 5.166	13.26	13.86	14.46	99
18+20+20+20+20+60	1.55	1.72	1.72	1.72	1.72	5.16	13.60 3.50 - 16.50	3.176 0.850 - 5.166	13.34	13.95	14.56	99
18+20+20+20+20+71	1.45	1.61	1.61	1.61	1.61	5.71	13.60 3.50 - 16.50	3.159 0.850 - 5.149	13.27	13.87	14.47	99
18+20+20+20+22+25	1.96	2.18	2.18	2.18	2.39	2.72	13.60 3.50 - 16.00	2.893 0.850 - 5.153	12.16	12.71	13.26	99
18+20+20+20+22+35	1.83	2.03	2.03	2.03	2.23	3.55	13.70 3.50 - 16.20	3.015 0.850 - 5.165	12.66	13.24	13.82	99
18+20+20+20+22+42	1.74	1.93	1.93	1.93	2.12	4.05	13.70 3.50 - 16.34	3.085 0.850 - 5.165	12.96	13.55	14.14	99
18+20+20+20+22+50	1.64	1.83	1.83	1.83	2.01	4.57	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99
18+20+20+20+22+60	1.54	1.71	1.71	1.71	1.88	5.14	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99
18+20+20+20+22+71	1.44	1.60	1.60	1.60	1.76	5.69	13.70 3.50 - 16.50	3.152 0.850 - 5.142	13.24	13.84	14.44	99
18+20+20+20+25+25	1.93	2.14	2.14	2.14	2.68	2.68	13.70 3.50 - 16.06	2.916 0.850 - 5.146	12.25	12.81	13.37	99
18+20+20+20+25+35	1.79	1.99	1.99	1.99	2.48	3.47	13.70 3.50 - 16.26	3.045 0.850 - 5.165	12.79	13.37	13.95	99
18+20+20+20+25+42	1.70	1.89	1.89	1.89	2.36	3.97	13.70 3.50 - 16.40	3.125 0.850 - 5.165	13.12	13.72	14.32	99
18+20+20+20+25+50	1.61	1.79	1.79	1.79	2.24	4.48	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
18+20+20+20+25+60	1.51	1.68	1.68	1.68	2.10	5.04	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99
18+20+20+20+25+71	1.42	1.57	1.57	1.57	1.97	5.59	13.70 3.50 - 16.50	3.152 0.850 - 5.142	13.24	13.84	14.44	99
18+20+20+20+35+35	1.67	1.85	1.85	1.85	3.24	3.24	13.70 3.50 - 16.46	3.136 0.850 - 5.146	13.17	13.77	14.37	99
18+20+20+20+35+42	1.59	1.77	1.77	1.77	3.09	3.71	13.70 3.50 - 16.50	3.175 0.850 - 5.165	13.33	13.94	14.55	99
18+20+20+20+35+50	1.51	1.68	1.68	1.68	2.94	4.20	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99
18+20+20+20+35+60	1.43	1.58	1.58	1.58	2.77	4.75	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99
18+20+20+20+42+42	1.52	1.69	1.69	1.69	3.55	3.55	13.70 3.50 - 16.50	3.152 0.850 - 5.142	13.24	13.84	14.44	99
18+20+20+20+42+50	1.45	1.61	1.61	1.61	3.38	4.03	13.70 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99
18+20+20+20+42+60	1.37	1.52	1.52	1.52	3.20	4.57	13.70 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99
18+20+20+20+50+50	1.39	1.54	1.54	1.54	3.85	3.85	13.70 3.50 - 16.50	3.146 0.850 - 5.136	13.22	13.82	14.42	99
18+20+20+22+22+22	1.99	2.21	2.21	2.43	2.43	2.43	13.70 3.50 - 15.98	2.873 0.850 - 5.153	12.07	12.62	13.17	99
18+20+20+22+22+25	1.96	2.17	2.17	2.39	2.39	2.72	13.80 3.50 - 16.04	2.918 0.850 - 5.158	12.26	12.82	13.38	99
18+20+20+22+22+35	1.81	2.01	2.01	2.22	2.22	3.53	13.80 3.50 - 16.24	3.028 0.850 - 5.158	12.72	13.30	13.88	99
18+20+20+22+22+42	1.73	1.92	1.92	2.11	2.11	4.03	13.80 3.50 - 16.38	3.098 0.850 - 5.158	13.02	13.61	14.20	99
18+20+20+22+22+50	1.63	1.82	1.82	2.00	2.00	4.54	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
18+20+20+22+22+60	1.53	1.70	1.70	1.87	1.87	5.11	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
18+20+20+22+22+71	1.44	1.60	1.60	1.75	1.75	5.66	13.80 3.50 - 16.50	3.145 0.850 - 5.135	13.21	13.81	14.41	99
18+20+20+22+25+25	1.91	2.12	2.12	2.34	2.65	2.65	13.80 3.50 - 16.10	2.929 0.850 - 5.139	12.30	12.86	13.42	99
18+20+20+22+25+35	1.77	1.97	1.97	2.17	2.46	3.45	13.80 3.50 - 16.30	3.058 0.850 - 5.158	12.85	13.43	14.01	99
18+20+20+22+25+42	1.69	1.88	1.88	2.07	2.35	3.94	13.80 3.50 - 16.44	3.138 0.850 - 5.158	13.18	13.78	14.38	99
18+20+20+22+25+50	1.60	1.78	1.78	1.96	2.23	4.45	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
18+20+20+22+25+60	1.51	1.67	1.67	1.84	2.09	5.02	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
18+20+20+22+25+71	1.41	1.57	1.57	1.73	1.96	5.57	13.80 3.50 - 16.50	3.145 0.850 - 5.135	13.21	13.81	14.41	99
18+20+20+22+35+35	1.66	1.84	1.84	2.02	3.22	3.22	13.80 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
18+20+20+22+35+42	1.58	1.76	1.76	1.93	3.08	3.69	13.80 3.50 - 16.50	3.168 0.850 - 5.158	13.31	13.91	14.51	99
18+20+20+22+35+50	1.51	1.67	1.67	1.84	2.93	4.18	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
18+20+20+22+35+60	1.42	1.58	1.58	1.73	2.76	4.73	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
18+20+20+22+42+42	1.51	1.68	1.68	1.85	3.53	3.53	13.80 3.50 - 16.50	3.145 0.850 - 5.135	13.21	13.81	14.41	99
18+20+20+22+42+50	1.44	1.60	1.60	1.77	3.37	4.01	13.80 3.50 - 16.50	3.156 0.850 - 5.146	13.26	13.86	14.46	99
18+20+20+22+50+50	1.38	1.53	1.53	1.69	3.83	3.83	13.80 3.50 - 16.50	3.156 0.850 - 5.146	13.26	13.86	14.46	99
18+20+20+25+25+25	1.87	2.08	2.08	2.59	2.59	2.59	13.80 3.50 - 16.16	2.966 0.850 - 5.146	12.46	13.03	13.60	99
18+20+20+25+25+35	1.74	1.93	1.93	2.41	2.41	3.38	13.80 3.50 - 16.36	3.088 0.850 - 5.158	12.97	13.56	14.15	99
18+20+20+25+25+42	1.66	1.84	1.84	2.30	2.30	3.86	13.80 3.50 - 16.50	3.168 0.850 - 5.158	13.31	13.91	14.51	99
18+20+20+25+25+50	1.57	1.75	1.75	2.18	2.18	4.37	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
18+20+20+25+25+60	1.48	1.64	1.64	2.05	2.05	4.93	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
18+20+20+25+25+71	1.39	1.54	1.54	1.93	1.93	5.47	13.80 3.50 - 16.50	3.145 0.850 - 5.135	13.21	13.81	14.41	99
18+20+20+25+35+35	1.62	1.80	1.80	2.25	3.16	3.16	13.80 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
18+20+20+25+35+42	1.55	1.73	1.73	2.16	3.02	3.62	13.80 3.50 - 16.50	3.168 0.850 - 5.158	13.31	13.91	14.51	99
18+20+20+25+35+50	1.48	1.64	1.64	2.05	2.88	4.11	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
18+20+20+25+35+60	1.40	1.55	1.55	1.94	2.71	4.65	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
18+20+20+25+42+42	1.49	1.65	1.65	2.07	3.47	3.47	13.80 3.50 - 16.50	3.145 0.850 - 5.135	13.21	13.81	14.41	99
18+20+20+25+42+50	1.42	1.58	1.58	1.97	3.31	3.94	13.80 3.50 - 16.50	3.156 0.850 - 5.146	13.26	13.86	14.46	99
18+20+20+35+35+35	1.52	1.69	1.69	2.96	2.96	2.96	13.80 3.50 - 16.50	3.156 0.850 - 5.146	13.26	13.86	14.46	99
18+20+20+35+35+42	1.46	1.62	1.62	2.84	2.84	3.41	13.80 3.50 - 16.50	3.168 0.850 - 5.158	13.31	13.91	14.51	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
18+20+20+35+35+50	1.40	1.55	1.55	2.71	2.71	3.88	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
18+20+20+35+42+42	1.40	1.56	1.56	2.73	3.27	3.27	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
18+20+22+22+22+22	1.97	2.19	2.41	2.41	2.41	2.41	13.80 3.50 - 16.02	2.896 0.850 - 5.146	12.17	12.72	13.27	99
18+20+22+22+22+25	1.94	2.16	2.37	2.37	2.37	2.69	13.90 3.50 - 16.08	2.931 0.850 - 5.151	12.31	12.87	13.43	99
18+20+22+22+22+35	1.80	2.00	2.20	2.20	2.20	3.50	13.90 3.50 - 16.28	3.041 0.850 - 5.151	12.78	13.36	13.94	99
18+20+22+22+22+42	1.71	1.90	2.09	2.09	2.09	4.00	13.90 3.50 - 16.42	3.121 0.850 - 5.151	13.11	13.71	14.31	99
18+20+22+22+22+50	1.62	1.81	1.99	1.99	1.99	4.51	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+20+22+22+22+60	1.53	1.70	1.86	1.86	1.86	5.09	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+20+22+22+22+71	1.43	1.59	1.75	1.75	1.75	5.64	13.90 3.50 - 16.50	3.138 0.850 - 5.128	13.18	13.78	14.38	99
18+20+22+22+25+25	1.90	2.11	2.32	2.32	2.63	2.63	13.90 3.50 - 16.14	2.942 0.850 - 5.132	12.36	12.92	13.48	99
18+20+22+22+25+35	1.76	1.96	2.15	2.15	2.45	3.43	13.90 3.50 - 16.34	3.071 0.850 - 5.151	12.90	13.49	14.08	99
18+20+22+22+25+42	1.68	1.87	2.05	2.05	2.33	3.92	13.90 3.50 - 16.48	3.151 0.850 - 5.151	13.24	13.84	14.44	99
18+20+22+22+25+50	1.59	1.77	1.95	1.95	2.21	4.43	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+20+22+22+25+60	1.50	1.66	1.83	1.83	2.08	4.99	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+20+22+22+25+71	1.41	1.56	1.72	1.72	1.95	5.54	13.90 3.50 - 16.50	3.138 0.850 - 5.128	13.18	13.78	14.38	99
18+20+22+22+35+35	1.65	1.83	2.01	2.01	3.20	3.20	13.90 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
18+20+22+22+35+42	1.57	1.75	1.92	1.92	3.06	3.67	13.90 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
18+20+22+22+35+50	1.50	1.66	1.83	1.83	2.91	4.16	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+20+22+22+35+60	1.41	1.57	1.73	1.73	2.75	4.71	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+20+22+22+42+42	1.51	1.67	1.84	1.84	3.52	3.52	13.90 3.50 - 16.50	3.138 0.850 - 5.128	13.18	13.78	14.38	99
18+20+22+22+42+50	1.44	1.60	1.76	1.76	3.36	3.99	13.90 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
18+20+22+25+25+25	1.85	2.06	2.27	2.57	2.57	2.57	13.90 3.50 - 16.20	2.989 0.850 - 5.139	12.56	13.13	13.70	99
18+20+22+25+25+35	1.73	1.92	2.11	2.40	2.40	3.36	13.90 3.50 - 16.40	3.111 0.850 - 5.151	13.07	13.66	14.25	99
18+20+22+25+25+42	1.65	1.83	2.01	2.29	2.29	3.84	13.90 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
18+20+22+25+25+50	1.56	1.74	1.91	2.17	2.17	4.34	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+20+22+25+25+60	1.47	1.64	1.80	2.04	2.04	4.91	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+20+22+25+35+35	1.61	1.79	1.97	2.24	3.14	3.14	13.90 3.50 - 16.50	3.138 0.850 - 5.128	13.18	13.78	14.38	99
18+20+22+25+35+42	1.54	1.72	1.89	2.15	3.00	3.60	13.90 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
18+20+22+25+35+50	1.47	1.64	1.80	2.04	2.86	4.09	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+20+22+25+35+60	1.39	1.54	1.70	1.93	2.70	4.63	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+20+22+25+42+42	1.48	1.64	1.81	2.06	3.45	3.45	13.90 3.50 - 16.50	3.138 0.850 - 5.128	13.18	13.78	14.38	99
18+20+22+25+42+50	1.41	1.57	1.73	1.96	3.30	3.93	13.90 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
18+20+22+35+35+35	1.52	1.68	1.85	2.95	2.95	2.95	13.90 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
18+20+22+35+35+42	1.45	1.62	1.78	2.83	2.83	3.39	13.90 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
18+20+22+35+35+50	1.39	1.54	1.70	2.70	2.70	3.86	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+20+22+35+42+42	1.40	1.55	1.71	2.72	3.26	3.26	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+20+25+25+25+25	1.81	2.01	2.52	2.52	2.52	2.52	13.90 3.50 - 16.26	3.019 0.850 - 5.139	12.68	13.26	13.84	99
18+20+25+25+25+35	1.69	1.88	2.35	2.35	2.35	3.29	13.90 3.50 - 16.46	3.141 0.850 - 5.151	13.19	13.79	14.39	99
18+20+25+25+25+42	1.61	1.79	2.24	2.24	2.24	3.77	13.90 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
18+20+25+25+25+50	1.53	1.71	2.13	2.13	2.13	4.26	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+20+25+25+25+60	1.45	1.61	2.01	2.01	2.01	4.82	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+20+25+25+35+35	1.58	1.76	2.20	2.20	3.08	3.08	13.90 3.50 - 16.50	3.138 0.850 - 5.128	13.18	13.78	14.38	99
18+20+25+25+35+42	1.52	1.68	2.11	2.11	2.95	3.54	13.90 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
18+20+25+25+35+50	1.45	1.61	2.01	2.01	2.81	4.02	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
18+20+25+25+42+42	1.45	1.62	2.02	2.02	3.39	3.39	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+20+25+25+42+50	1.39	1.54	1.93	1.93	3.24	3.86	13.90 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
18+20+25+35+35+35	1.49	1.65	2.07	2.90	2.90	2.90	13.90 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
18+20+25+35+35+42	1.43	1.59	1.99	2.78	2.78	3.34	13.90 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
18+20+35+35+35+35	1.41	1.56	2.73	2.73	2.73	2.73	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
18+22+22+22+22+22	1.95	2.39	2.39	2.39	2.39	2.39	13.90 3.50 - 16.06	2.921 0.850 - 5.151	12.27	12.83	13.39	99
18+22+22+22+22+25	1.92	2.35	2.35	2.35	2.35	2.67	14.00 3.50 - 16.12	2.944 0.850 - 5.144	12.37	12.93	13.49	99
18+22+22+22+22+35	1.79	2.18	2.18	2.18	2.18	3.48	14.00 3.50 - 16.32	3.054 0.850 - 5.144	12.83	13.41	13.99	99
18+22+22+22+22+42	1.70	2.08	2.08	2.08	2.08	3.97	14.00 3.50 - 16.46	3.134 0.850 - 5.144	13.16	13.76	14.36	99
18+22+22+22+22+50	1.62	1.97	1.97	1.97	1.97	4.49	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+22+22+22+22+60	1.52	1.86	1.86	1.86	1.86	5.06	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+22+22+22+22+71	1.42	1.74	1.74	1.74	1.74	5.62	14.00 3.50 - 16.50	3.131 0.850 - 5.121	13.15	13.75	14.35	99
18+22+22+22+25+25	1.88	2.30	2.30	2.30	2.61	2.61	14.00 3.50 - 16.18	2.955 0.850 - 5.125	12.42	12.98	13.54	99
18+22+22+22+25+35	1.75	2.14	2.14	2.14	2.43	3.40	14.00 3.50 - 16.38	3.084 0.850 - 5.144	12.95	13.54	14.13	99
18+22+22+22+25+42	1.67	2.04	2.04	2.04	2.32	3.89	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
18+22+22+22+25+50	1.58	1.94	1.94	1.94	2.20	4.40	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+22+22+22+25+60	1.49	1.82	1.82	1.82	2.07	4.97	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+22+22+22+25+71	1.40	1.71	1.71	1.71	1.94	5.52	14.00 3.50 - 16.50	3.131 0.850 - 5.121	13.15	13.75	14.35	99
18+22+22+22+35+35	1.64	2.00	2.00	2.00	3.18	3.18	14.00 3.50 - 16.50	3.135 0.850 - 5.125	13.17	13.77	14.37	99
18+22+22+22+35+42	1.57	1.91	1.91	1.91	3.04	3.65	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
18+22+22+22+35+50	1.49	1.82	1.82	1.82	2.90	4.14	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+22+22+22+35+60	1.41	1.72	1.72	1.72	2.74	4.69	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+22+22+22+42+42	1.50	1.83	1.83	1.83	3.50	3.50	14.00 3.50 - 16.50	3.131 0.850 - 5.121	13.15	13.75	14.35	99
18+22+22+22+42+50	1.43	1.75	1.75	1.75	3.34	3.98	14.00 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
18+22+22+25+25+25	1.84	2.25	2.25	2.55	2.55	2.55	14.00 3.50 - 16.24	3.002 0.850 - 5.132	12.61	13.18	13.75	99
18+22+22+25+25+35	1.71	2.10	2.10	2.38	2.38	3.33	14.00 3.50 - 16.44	3.124 0.850 - 5.144	13.12	13.72	14.32	99
18+22+22+25+25+42	1.64	2.00	2.00	2.27	2.27	3.82	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
18+22+22+25+25+50	1.56	1.90	1.90	2.16	2.16	4.32	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+22+22+25+25+60	1.47	1.79	1.79	2.03	2.03	4.88	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+22+22+25+35+35	1.61	1.96	1.96	2.23	3.12	3.12	14.00 3.50 - 16.50	3.131 0.850 - 5.121	13.15	13.75	14.35	99
18+22+22+25+35+42	1.54	1.88	1.88	2.13	2.99	3.59	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
18+22+22+25+35+50	1.47	1.79	1.79	2.03	2.85	4.07	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+22+22+25+42+42	1.47	1.80	1.80	2.05	3.44	3.44	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+22+22+25+42+50	1.41	1.72	1.72	1.96	3.28	3.91	14.00 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
18+22+22+35+35+35	1.51	1.84	1.84	2.93	2.93	2.93	14.00 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
18+22+22+35+35+42	1.45	1.77	1.77	2.82	2.82	3.38	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
18+22+25+25+25+25	1.80	2.20	2.50	2.50	2.50	2.50	14.00 3.50 - 16.30	3.038 0.850 - 5.138	12.76	13.34	13.92	99
18+22+25+25+25+35	1.68	2.05	2.33	2.33	2.33	3.27	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
18+22+25+25+25+42	1.61	1.96	2.23	2.23	2.23	3.75	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
18+22+25+25+25+50	1.53	1.87	2.12	2.12	2.12	4.24	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+22+25+25+25+60	1.44	1.76	2.00	2.00	2.00	4.80	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+22+25+25+35+35	1.58	1.93	2.19	2.19	3.06	3.06	14.00 3.50 - 16.50	3.131 0.850 - 5.121	13.15	13.75	14.35	99
18+22+25+25+35+42	1.51	1.84	2.10	2.10	2.93	3.52	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
18+22+25+25+35+50	1.44	1.76	2.00	2.00	2.80	4.00	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
18+22+25+25+42+42	1.45	1.77	2.01	2.01	3.38	3.38	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+22+25+35+35+35	1.48	1.81	2.06	2.88	2.88	2.88	14.00 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
18+22+25+35+35+42	1.42	1.74	1.98	2.77	2.77	3.32	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
18+22+35+35+35+35	1.40	1.71	2.72	2.72	2.72	2.72	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+25+25+25+25+25	1.76	2.45	2.45	2.45	2.45	2.45	14.00 3.50 - 16.36	3.074 0.850 - 5.144	12.91	13.50	14.09	99
18+25+25+25+25+35	1.65	2.29	2.29	2.29	2.29	3.20	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
18+25+25+25+25+42	1.58	2.19	2.19	2.19	2.19	3.68	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
18+25+25+25+25+50	1.50	2.08	2.08	2.08	2.08	4.17	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+25+25+25+25+60	1.42	1.97	1.97	1.97	1.97	4.72	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+25+25+25+35+35	1.55	2.15	2.15	2.15	3.01	3.01	14.00 3.50 - 16.50	3.131 0.850 - 5.121	13.15	13.75	14.35	99
18+25+25+25+35+42	1.48	2.06	2.06	2.06	2.88	3.46	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
18+25+25+25+35+50	1.42	1.97	1.97	1.97	2.75	3.93	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+25+25+25+42+42	1.42	1.98	1.98	1.98	3.32	3.32	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
18+25+25+35+35+35	1.46	2.02	2.02	2.83	2.83	2.83	14.00 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
18+25+25+35+35+42	1.40	1.94	1.94	2.72	2.72	3.27	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
20+20+20+20+20+20	2.33	2.33	2.33	2.33	2.33	2.33	14.00 3.50 - 15.90	2.818 0.850 - 5.138	11.84	12.38	12.92	99
20+20+20+20+20+25	2.14	2.14	2.14	2.14	2.14	2.68	13.40 3.50 - 16.00	2.926 0.850 - 5.186	12.29	12.85	13.41	99
20+20+20+20+20+35	2.00	2.00	2.00	2.00	2.00	3.50	13.50 3.50 - 16.20	3.029 0.850 - 5.179	12.72	13.30	13.88	99
20+20+20+20+20+42	1.90	1.90	1.90	1.90	1.90	3.99	13.50 3.50 - 16.34	3.099 0.850 - 5.179	13.02	13.61	14.20	99
20+20+20+20+20+50	1.80	1.80	1.80	1.80	1.80	4.50	13.50 3.50 - 16.50	3.183 0.850 - 5.173	13.37	13.98	14.59	99
20+20+20+20+20+60	1.69	1.69	1.69	1.69	1.69	5.06	13.50 3.50 - 16.50	3.183 0.850 - 5.173	13.37	13.98	14.59	99
20+20+20+20+20+71	1.58	1.58	1.58	1.58	1.58	5.61	13.50 3.50 - 16.50	3.166 0.850 - 5.156	13.30	13.90	14.50	99
20+20+20+20+22+22	2.18	2.18	2.18	2.18	2.40	2.40	13.50 3.50 - 15.98	2.880 0.850 - 5.160	12.10	12.65	13.20	99
20+20+20+20+22+25	2.14	2.14	2.14	2.14	2.36	2.68	13.60 3.50 - 16.04	2.932 0.850 - 5.172	12.32	12.88	13.44	99
20+20+20+20+22+35	1.99	1.99	1.99	1.99	2.18	3.47	13.60 3.50 - 16.24	3.042 0.850 - 5.172	12.78	13.36	13.94	99
20+20+20+20+22+42	1.89	1.89	1.89	1.89	2.08	3.97	13.60 3.50 - 16.38	3.112 0.850 - 5.172	13.08	13.67	14.26	99
20+20+20+20+22+50	1.79	1.79	1.79	1.79	1.97	4.47	13.60 3.50 - 16.50	3.176 0.850 - 5.166	13.34	13.95	14.56	99
20+20+20+20+22+60	1.68	1.68	1.68	1.68	1.85	5.04	13.60 3.50 - 16.50	3.176 0.850 - 5.166	13.34	13.95	14.56	99
20+20+20+20+22+71	1.57	1.57	1.57	1.57	1.73	5.58	13.60 3.50 - 16.50	3.159 0.850 - 5.149	13.27	13.87	14.47	99
20+20+20+20+25+25	2.09	2.09	2.09	2.09	2.62	2.62	13.60 3.50 - 16.10	2.943 0.850 - 5.153	12.36	12.92	13.48	99
20+20+20+20+25+35	1.94	1.94	1.94	1.94	2.43	3.40	13.60 3.50 - 16.30	3.072 0.850 - 5.172	12.90	13.49	14.08	99
20+20+20+20+25+42	1.85	1.85	1.85	1.85	2.31	3.89	13.60 3.50 - 16.44	3.152 0.850 - 5.172	13.24	13.84	14.44	99
20+20+20+20+25+50	1.75	1.75	1.75	1.75	2.19	4.39	13.60 3.50 - 16.50	3.176 0.850 - 5.166	13.34	13.95	14.56	99
20+20+20+20+25+60	1.65	1.65	1.65	1.65	2.06	4.95	13.60 3.50 - 16.50	3.176 0.850 - 5.166	13.34	13.95	14.56	99
20+20+20+20+25+71	1.55	1.55	1.55	1.55	1.93	5.49	13.60 3.50 - 16.50	3.159 0.850 - 5.149	13.27	13.87	14.47	99
20+20+20+20+35+35	1.81	1.81	1.81	1.81	3.17	3.17	13.60 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99
20+20+20+20+35+42	1.73	1.73	1.73	1.73	3.03	3.64	13.60 3.50 - 16.50	3.182 0.850 - 5.172	13.36	13.97	14.58	99
20+20+20+20+35+50	1.65	1.65	1.65	1.65	2.88	4.12	13.60 3.50 - 16.50	3.176 0.850 - 5.166	13.34	13.95	14.56	99
20+20+20+20+35+60	1.55	1.55	1.55	1.55	2.72	4.66	13.60 3.50 - 16.50	3.176 0.850 - 5.166	13.34	13.95	14.56	99
20+20+20+20+42+42	1.66	1.66	1.66	1.66	3.48	3.48	13.60 3.50 - 16.50	3.159 0.850 - 5.149	13.27	13.87	14.47	99
20+20+20+20+42+50	1.58	1.58	1.58	1.58	3.32	3.95	13.60 3.50 - 16.50	3.170 0.850 - 5.160	13.31	13.92	14.53	99
20+20+20+20+50+50	1.51	1.51	1.51	1.51	3.78	3.78	13.60 3.50 - 16.50	3.170 0.850 - 5.160	13.31	13.92	14.53	99
20+20+20+22+22+22	2.16	2.16	2.16	2.37	2.37	2.37	13.60 3.50 - 16.02	2.910 0.850 - 5.160	12.22	12.78	13.34	99
20+20+20+22+22+25	2.12	2.12	2.12	2.34	2.34	2.66	13.70 3.50 - 16.08	2.945 0.850 - 5.165	12.37	12.93	13.49	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
20+20+20+22+22+35	1.97	1.97	1.97	2.17	2.17	3.45	13.70 3.50 - 16.28	3.055 0.850 - 5.165	12.84	13.42	14.00	99
20+20+20+22+22+42	1.88	1.88	1.88	2.06	2.06	3.94	13.70 3.50 - 16.42	3.135 0.850 - 5.165	13.17	13.77	14.37	99
20+20+20+22+22+50	1.78	1.78	1.78	1.96	1.96	4.45	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99
20+20+20+22+22+60	1.67	1.67	1.67	1.84	1.84	5.01	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99
20+20+20+22+22+71	1.57	1.57	1.57	1.72	1.72	5.56	13.70 3.50 - 16.50	3.152 0.850 - 5.142	13.24	13.84	14.44	99
20+20+20+22+25+25	2.08	2.08	2.08	2.28	2.59	2.59	13.70 3.50 - 16.14	2.956 0.850 - 5.146	12.42	12.98	13.54	99
20+20+20+22+25+35	1.93	1.93	1.93	2.12	2.41	3.38	13.70 3.50 - 16.34	3.085 0.850 - 5.165	12.96	13.55	14.14	99
20+20+20+22+25+42	1.84	1.84	1.84	2.02	2.30	3.86	13.70 3.50 - 16.48	3.165 0.850 - 5.165	13.30	13.90	14.50	99
20+20+20+22+25+50	1.75	1.75	1.75	1.92	2.18	4.36	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99
20+20+20+22+25+60	1.64	1.64	1.64	1.80	2.05	4.92	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99
20+20+20+22+25+71	1.54	1.54	1.54	1.69	1.92	5.46	13.70 3.50 - 16.50	3.152 0.850 - 5.142	13.24	13.84	14.44	99
20+20+20+22+35+35	1.80	1.80	1.80	1.98	3.15	3.15	13.70 3.50 - 16.50	3.156 0.850 - 5.146	13.26	13.86	14.46	99
20+20+20+22+35+42	1.72	1.72	1.72	1.90	3.02	3.62	13.70 3.50 - 16.50	3.175 0.850 - 5.165	13.33	13.94	14.55	99
20+20+20+22+35+50	1.64	1.64	1.64	1.80	2.87	4.10	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99
20+20+20+22+35+60	1.55	1.55	1.55	1.70	2.71	4.64	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99
20+20+20+22+42+42	1.65	1.65	1.65	1.82	3.47	3.47	13.70 3.50 - 16.50	3.152 0.850 - 5.142	13.24	13.84	14.44	99
20+20+20+22+42+50	1.57	1.57	1.57	1.73	3.31	3.94	13.70 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99
20+20+20+25+25+25	2.03	2.03	2.03	2.54	2.54	2.54	13.70 3.50 - 16.20	3.003 0.850 - 5.153	12.62	13.19	13.76	99
20+20+20+25+25+35	1.89	1.89	1.89	2.36	2.36	3.31	13.70 3.50 - 16.40	3.125 0.850 - 5.165	13.12	13.72	14.32	99
20+20+20+25+25+42	1.80	1.80	1.80	2.25	2.25	3.79	13.70 3.50 - 16.50	3.175 0.850 - 5.165	13.33	13.94	14.55	99
20+20+20+25+25+50	1.71	1.71	1.71	2.14	2.14	4.28	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99
20+20+20+25+25+60	1.61	1.61	1.61	2.01	2.01	4.84	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99
20+20+20+25+35+35	1.77	1.77	1.77	2.21	3.09	3.09	13.70 3.50 - 16.50	3.152 0.850 - 5.142	13.24	13.84	14.44	99
20+20+20+25+35+42	1.69	1.69	1.69	2.11	2.96	3.55	13.70 3.50 - 16.50	3.175 0.850 - 5.165	13.33	13.94	14.55	99
20+20+20+25+35+50	1.61	1.61	1.61	2.01	2.82	4.03	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99
20+20+20+25+35+60	1.52	1.52	1.52	1.90	2.66	4.57	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99
20+20+20+25+42+42	1.62	1.62	1.62	2.03	3.40	3.40	13.70 3.50 - 16.50	3.152 0.850 - 5.142	13.24	13.84	14.44	99
20+20+20+25+42+50	1.55	1.55	1.55	1.94	3.25	3.87	13.70 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99
20+20+20+35+35+35	1.66	1.66	1.66	2.91	2.91	2.91	13.70 3.50 - 16.50	3.163 0.850 - 5.153	13.29	13.89	14.49	99
20+20+20+35+35+42	1.59	1.59	1.59	2.79	2.79	3.35	13.70 3.50 - 16.50	3.175 0.850 - 5.165	13.33	13.94	14.55	99
20+20+20+35+35+50	1.52	1.52	1.52	2.66	2.66	3.81	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99
20+20+20+35+42+42	1.53	1.53	1.53	2.68	3.21	3.21	13.70 3.50 - 16.50	3.169 0.850 - 5.159	13.31	13.92	14.53	99
20+20+22+22+22+22	2.14	2.14	2.35	2.35	2.35	2.35	13.70 3.50 - 16.06	2.923 0.850 - 5.153	12.28	12.84	13.40	99
20+20+22+22+22+25	2.11	2.11	2.32	2.32	2.32	2.63	13.80 3.50 - 16.12	2.958 0.850 - 5.158	12.43	12.99	13.55	99
20+20+22+22+22+35	1.96	1.96	2.15	2.15	2.15	3.43	13.80 3.50 - 16.32	3.068 0.850 - 5.158	12.88	13.47	14.06	99
20+20+22+22+22+42	1.86	1.86	2.05	2.05	2.05	3.92	13.80 3.50 - 16.46	3.148 0.850 - 5.158	13.23	13.83	14.43	99
20+20+22+22+22+50	1.77	1.77	1.95	1.95	1.95	4.42	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
20+20+22+22+22+60	1.66	1.66	1.83	1.83	1.83	4.99	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
20+20+22+22+22+71	1.56	1.56	1.72	1.72	1.72	5.54	13.80 3.50 - 16.50	3.145 0.850 - 5.135	13.21	13.81	14.41	99
20+20+22+22+25+25	2.06	2.06	2.27	2.27	2.57	2.57	13.80 3.50 - 16.18	2.969 0.850 - 5.139	12.47	13.04	13.61	99
20+20+22+22+25+35	1.92	1.92	2.11	2.11	2.40	3.35	13.80 3.50 - 16.38	3.098 0.850 - 5.158	13.02	13.61	14.20	99
20+20+22+22+25+42	1.83	1.83	2.01	2.01	2.28	3.84	13.80 3.50 - 16.50	3.168 0.850 - 5.158	13.31	13.91	14.51	99
20+20+22+22+25+50	1.74	1.74	1.91	1.91	2.17	4.34	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
20+20+22+22+25+60	1.63	1.63	1.80	1.80	2.04	4.90	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	240	
20+20+22+22+25+71	1.53	1.53	1.69	1.69	1.92	5.44	13.80 3.50 - 16.50	3.145 0.850 - 5.135	13.21	13.81	14.41	99
20+20+22+22+35+35	1.79	1.79	1.97	1.97	3.14	3.14	13.80 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
20+20+22+22+35+42	1.71	1.71	1.89	1.89	3.00	3.60	13.80 3.50 - 16.50	3.168 0.850 - 5.158	13.31	13.91	14.51	99
20+20+22+22+35+50	1.63	1.63	1.80	1.80	2.86	4.08	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
20+20+22+22+35+60	1.54	1.54	1.70	1.70	2.70	4.63	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
20+20+22+22+42+42	1.64	1.64	1.81	1.81	3.45	3.45	13.80 3.50 - 16.50	3.145 0.850 - 5.135	13.21	13.81	14.41	99
20+20+22+22+42+50	1.57	1.57	1.73	1.73	3.29	3.92	13.80 3.50 - 16.50	3.156 0.850 - 5.146	13.26	13.86	14.46	99
20+20+22+25+25+25	2.01	2.01	2.22	2.52	2.52	2.52	13.80 3.50 - 16.24	3.016 0.850 - 5.146	12.67	13.25	13.83	99
20+20+22+25+25+35	1.88	1.88	2.07	2.35	2.35	3.29	13.80 3.50 - 16.44	3.138 0.850 - 5.158	13.18	13.78	14.38	99
20+20+22+25+25+42	1.79	1.79	1.97	2.24	2.24	3.76	13.80 3.50 - 16.50	3.168 0.850 - 5.158	13.31	13.91	14.51	99
20+20+22+25+25+50	1.70	1.70	1.87	2.13	2.13	4.26	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
20+20+22+25+25+60	1.60	1.60	1.77	2.01	2.01	4.81	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
20+20+22+25+35+35	1.76	1.76	1.93	2.20	3.08	3.08	13.80 3.50 - 16.50	3.145 0.850 - 5.135	13.21	13.81	14.41	99
20+20+22+25+35+42	1.68	1.68	1.85	2.10	2.95	3.53	13.80 3.50 - 16.50	3.168 0.850 - 5.158	13.31	13.91	14.51	99
20+20+22+25+35+50	1.60	1.60	1.77	2.01	2.81	4.01	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
20+20+22+25+42+42	1.61	1.61	1.78	2.02	3.39	3.39	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
20+20+22+25+42+50	1.54	1.54	1.70	1.93	3.24	3.85	13.80 3.50 - 16.50	3.156 0.850 - 5.146	13.26	13.86	14.46	99
20+20+22+35+35+35	1.65	1.65	1.82	2.89	2.89	2.89	13.80 3.50 - 16.50	3.156 0.850 - 5.146	13.26	13.86	14.46	99
20+20+22+35+35+42	1.59	1.59	1.74	2.78	2.78	3.33	13.80 3.50 - 16.50	3.168 0.850 - 5.158	13.31	13.91	14.51	99
20+20+25+25+25+25	1.97	1.97	2.46	2.46	2.46	2.46	13.80 3.50 - 16.30	3.052 0.850 - 5.152	12.82	13.40	13.98	99
20+20+25+25+25+35	1.84	1.84	2.30	2.30	2.30	3.22	13.80 3.50 - 16.50	3.168 0.850 - 5.158	13.31	13.91	14.51	99
20+20+25+25+25+42	1.76	1.76	2.20	2.20	2.20	3.69	13.80 3.50 - 16.50	3.168 0.850 - 5.158	13.31	13.91	14.51	99
20+20+25+25+25+50	1.67	1.67	2.09	2.09	2.09	4.18	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
20+20+25+25+25+60	1.58	1.58	1.97	1.97	1.97	4.73	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
20+20+25+25+35+35	1.73	1.73	2.16	2.16	3.02	3.02	13.80 3.50 - 16.50	3.145 0.850 - 5.135	13.21	13.81	14.41	99
20+20+25+25+35+42	1.65	1.65	2.07	2.07	2.89	3.47	13.80 3.50 - 16.50	3.168 0.850 - 5.158	13.31	13.91	14.51	99
20+20+25+25+35+50	1.58	1.58	1.97	1.97	2.76	3.94	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
20+20+25+25+42+42	1.59	1.59	1.98	1.98	3.33	3.33	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
20+20+25+35+35+35	1.62	1.62	2.03	2.84	2.84	2.84	13.80 3.50 - 16.50	3.156 0.850 - 5.146	13.26	13.86	14.46	99
20+20+25+35+35+42	1.56	1.56	1.95	2.73	2.73	3.27	13.80 3.50 - 16.50	3.168 0.850 - 5.158	13.31	13.91	14.51	99
20+20+35+35+35+35	1.53	1.53	2.68	2.68	2.68	2.68	13.80 3.50 - 16.50	3.162 0.850 - 5.152	13.29	13.89	14.49	99
20+22+22+22+22+22	2.12	2.34	2.34	2.34	2.34	2.34	13.80 3.50 - 16.10	2.948 0.850 - 5.158	12.39	12.95	13.51	99
20+22+22+22+22+25	2.09	2.30	2.30	2.30	2.30	2.61	13.90 3.50 - 16.16	2.971 0.850 - 5.151	12.48	13.05	13.62	99
20+22+22+22+22+35	1.94	2.14	2.14	2.14	2.14	3.40	13.90 3.50 - 16.36	3.081 0.850 - 5.151	12.94	13.53	14.12	99
20+22+22+22+22+42	1.85	2.04	2.04	2.04	2.04	3.89	13.90 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
20+22+22+22+22+50	1.76	1.94	1.94	1.94	1.94	4.40	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
20+22+22+22+22+60	1.65	1.82	1.82	1.82	1.82	4.96	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
20+22+22+22+22+71	1.55	1.71	1.71	1.71	1.71	5.51	13.90 3.50 - 16.50	3.138 0.850 - 5.128	13.18	13.78	14.38	99
20+22+22+22+25+25	2.04	2.25	2.25	2.25	2.56	2.56	13.90 3.50 - 16.22	2.992 0.850 - 5.132	12.57	13.14	13.71	99
20+22+22+22+25+35	1.90	2.09	2.09	2.09	2.38	3.33	13.90 3.50 - 16.42	3.121 0.850 - 5.151	13.11	13.71	14.31	99
20+22+22+22+25+42	1.82	2.00	2.00	2.00	2.27	3.82	13.90 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
20+22+22+22+25+50	1.73	1.90	1.90	1.90	2.16	4.32	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
20+22+22+22+25+60	1.63	1.79	1.79	1.79	2.03	4.88	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
20+22+22+22+35+35	1.78	1.96	1.96	1.96	3.12	3.12	13.90 3.50 - 16.50	3.138 0.850 - 5.128	13.18	13.78	14.38	99



**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total	power consumption(kW)	220	230	240	
20+22+22+22+35+42	1.71	1.88	1.88	1.88	2.98	3.58	13.90 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
20+22+22+22+35+50	1.63	1.79	1.79	1.79	2.85	4.06	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
20+22+22+22+42+42	1.64	1.80	1.80	1.80	3.43	3.43	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
20+22+22+22+42+50	1.56	1.72	1.72	1.72	3.28	3.90	13.90 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
20+22+22+25+25+25	2.00	2.20	2.20	2.50	2.50	2.50	13.90 3.50 - 16.28	3.029 0.850 - 5.139	12.72	13.30	13.88	99
20+22+22+25+25+35	1.87	2.05	2.05	2.33	2.33	3.27	13.90 3.50 - 16.48	3.151 0.850 - 5.151	13.24	13.84	14.44	99
20+22+22+25+25+42	1.78	1.96	1.96	2.23	2.23	3.74	13.90 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
20+22+22+25+25+50	1.70	1.86	1.86	2.12	2.12	4.24	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
20+22+22+25+25+60	1.60	1.76	1.76	2.00	2.00	4.79	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
20+22+22+25+35+35	1.75	1.92	1.92	2.19	3.06	3.06	13.90 3.50 - 16.50	3.138 0.850 - 5.128	13.18	13.78	14.38	99
20+22+22+25+35+42	1.67	1.84	1.84	2.09	2.93	3.52	13.90 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
20+22+22+25+35+50	1.60	1.76	1.76	2.00	2.80	3.99	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
20+22+22+25+42+42	1.61	1.77	1.77	2.01	3.37	3.37	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
20+22+22+35+35+35	1.64	1.81	1.81	2.88	2.88	2.88	13.90 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
20+22+22+35+35+42	1.58	1.74	1.74	2.76	2.76	3.32	13.90 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
20+22+25+25+25+25	1.96	2.15	2.45	2.45	2.45	2.45	13.90 3.50 - 16.34	3.065 0.850 - 5.145	12.87	13.46	14.05	99
20+22+25+25+25+35	1.83	2.01	2.29	2.29	2.29	3.20	13.90 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
20+22+25+25+25+42	1.75	1.92	2.19	2.19	2.19	3.67	13.90 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
20+22+25+25+25+50	1.66	1.83	2.08	2.08	2.08	4.16	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
20+22+25+25+25+60	1.57	1.73	1.96	1.96	1.96	4.71	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
20+22+25+25+35+35	1.72	1.89	2.15	2.15	3.00	3.00	13.90 3.50 - 16.50	3.138 0.850 - 5.128	13.18	13.78	14.38	99
20+22+25+25+35+42	1.64	1.81	2.06	2.06	2.88	3.45	13.90 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
20+22+25+25+35+50	1.57	1.73	1.96	1.96	2.75	3.93	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
20+22+25+25+42+42	1.58	1.74	1.97	1.97	3.32	3.32	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
20+22+25+35+35+35	1.62	1.78	2.02	2.83	2.83	2.83	13.90 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
20+22+25+35+35+42	1.55	1.71	1.94	2.72	2.72	3.26	13.90 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
20+25+25+25+25+25	1.92	2.40	2.40	2.40	2.40	2.40	13.90 3.50 - 16.40	3.105 0.850 - 5.145	13.05	13.64	14.23	99
20+25+25+25+25+35	1.79	2.24	2.24	2.24	2.24	3.14	13.90 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
20+25+25+25+25+42	1.72	2.15	2.15	2.15	2.15	3.60	13.90 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
20+25+25+25+25+50	1.64	2.04	2.04	2.04	2.04	4.09	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
20+25+25+25+25+60	1.54	1.93	1.93	1.93	1.93	4.63	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
20+25+25+25+35+35	1.68	2.11	2.11	2.11	2.95	2.95	13.90 3.50 - 16.50	3.138 0.850 - 5.128	13.18	13.78	14.38	99
20+25+25+25+35+42	1.62	2.02	2.02	2.02	2.83	3.39	13.90 3.50 - 16.50	3.161 0.850 - 5.151	13.28	13.88	14.48	99
20+25+25+25+35+50	1.54	1.93	1.93	1.93	2.70	3.86	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
20+25+25+25+42+42	1.55	1.94	1.94	1.94	3.26	3.26	13.90 3.50 - 16.50	3.155 0.850 - 5.145	13.26	13.86	14.46	99
20+25+25+35+35+35	1.59	1.99	1.99	2.78	2.78	2.78	13.90 3.50 - 16.50	3.149 0.850 - 5.139	13.23	13.83	14.43	99
22+22+22+22+22+22	2.32	2.32	2.32	2.32	2.32	2.32	13.90 3.50 - 16.14	2.961 0.850 - 5.151	12.43	13.00	13.57	99
22+22+22+22+22+25	2.28	2.28	2.28	2.28	2.28	2.59	14.00 3.50 - 16.20	2.994 0.850 - 5.144	12.58	13.15	13.72	99
22+22+22+22+22+35	2.12	2.12	2.12	2.12	2.12	3.38	14.00 3.50 - 16.40	3.104 0.850 - 5.144	13.04	13.63	14.22	99
22+22+22+22+22+42	2.03	2.03	2.03	2.03	2.03	3.87	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
22+22+22+22+22+50	1.93	1.93	1.93	1.93	1.93	4.38	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
22+22+22+22+22+60	1.81	1.81	1.81	1.81	1.81	4.94	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
22+22+22+22+25+25	2.23	2.23	2.23	2.23	2.54	2.54	14.00 3.50 - 16.26	3.001 0.850 - 5.121	12.61	13.18	13.75	99
22+22+22+22+25+35	2.08	2.08	2.08	2.08	2.36	3.31	14.00 3.50 - 16.46	3.134 0.850 - 5.144	13.16	13.76	14.36	99

**MXZ-6F122VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)		220	230	240	
22+22+22+22+25+42	1.99	1.99	1.99	1.99	2.26	3.79	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
22+22+22+22+25+50	1.89	1.89	1.89	1.89	2.15	4.29	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
22+22+22+22+25+60	1.78	1.78	1.78	1.78	2.02	4.86	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
22+22+22+22+35+35	1.95	1.95	1.95	1.95	3.10	3.10	14.00 3.50 - 16.50	3.131 0.850 - 5.121	13.15	13.75	14.35	99
22+22+22+22+35+42	1.87	1.87	1.87	1.87	2.97	3.56	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
22+22+22+22+35+50	1.78	1.78	1.78	1.78	2.83	4.05	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
22+22+22+22+42+42	1.79	1.79	1.79	1.79	3.42	3.42	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
22+22+22+22+42+50	1.71	1.71	1.71	1.71	3.27	3.89	14.00 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
22+22+22+25+25+25	2.18	2.18	2.18	2.48	2.48	2.48	14.00 3.50 - 16.32	3.042 0.850 - 5.132	12.78	13.36	13.94	99
22+22+22+25+25+35	2.04	2.04	2.04	2.32	2.32	3.25	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
22+22+22+25+25+42	1.95	1.95	1.95	2.22	2.22	3.72	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
22+22+22+25+25+50	1.86	1.86	1.86	2.11	2.11	4.22	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
22+22+22+25+25+60	1.75	1.75	1.75	1.99	1.99	4.77	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
22+22+22+25+35+35	1.91	1.91	1.91	2.17	3.04	3.04	14.00 3.50 - 16.50	3.131 0.850 - 5.121	13.15	13.75	14.35	99
22+22+22+25+35+42	1.83	1.83	1.83	2.08	2.92	3.50	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
22+22+22+25+35+50	1.75	1.75	1.75	1.99	2.78	3.98	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
22+22+22+25+42+42	1.76	1.76	1.76	2.00	3.36	3.36	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
22+22+22+35+35+35	1.80	1.80	1.80	2.87	2.87	2.87	14.00 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
22+22+22+35+35+42	1.73	1.73	1.73	2.75	2.75	3.30	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
22+22+25+25+25+25	2.14	2.14	2.43	2.43	2.43	2.43	14.00 3.50 - 16.38	3.078 0.850 - 5.138	12.93	13.52	14.11	99
22+22+25+25+25+35	2.00	2.00	2.27	2.27	2.27	3.18	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
22+22+25+25+25+42	1.91	1.91	2.17	2.17	2.17	3.65	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
22+22+25+25+25+50	1.82	1.82	2.07	2.07	2.07	4.14	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
22+22+25+25+25+60	1.72	1.72	1.96	1.96	1.96	4.69	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
22+22+25+25+35+35	1.88	1.88	2.13	2.13	2.99	2.99	14.00 3.50 - 16.50	3.131 0.850 - 5.121	13.15	13.75	14.35	99
22+22+25+25+35+42	1.80	1.80	2.05	2.05	2.87	3.44	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
22+22+25+25+35+50	1.72	1.72	1.96	1.96	2.74	3.91	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
22+22+25+25+42+42	1.73	1.73	1.97	1.97	3.30	3.30	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
22+22+25+35+35+35	1.77	1.77	2.01	2.82	2.82	2.82	14.00 3.50 - 16.50	3.142 0.850 - 5.132	13.20	13.80	14.40	99
22+25+25+25+25+25	2.10	2.38	2.38	2.38	2.38	2.38	14.00 3.50 - 16.44	3.124 0.850 - 5.144	13.12	13.72	14.32	99
22+25+25+25+25+35	1.96	2.23	2.23	2.23	2.23	3.12	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
22+25+25+25+25+42	1.88	2.13	2.13	2.13	2.13	3.59	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
22+25+25+25+25+50	1.79	2.03	2.03	2.03	2.03	4.07	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
22+25+25+25+35+35	1.84	2.10	2.10	2.10	2.93	2.93	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
22+25+25+25+35+42	1.77	2.01	2.01	2.01	2.82	3.38	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
22+25+25+35+35+35	1.74	1.98	1.98	2.77	2.77	2.77	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
25+25+25+25+25+25	2.33	2.33	2.33	2.33	2.33	2.33	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
25+25+25+25+25+35	2.19	2.19	2.19	2.19	2.19	3.06	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
25+25+25+25+25+42	2.10	2.10	2.10	2.10	2.10	3.52	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
25+25+25+25+25+50	2.00	2.00	2.00	2.00	2.00	4.00	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
25+25+25+25+35+35	2.06	2.06	2.06	2.06	2.88	2.88	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99
25+25+25+25+35+42	1.98	1.98	1.98	1.98	2.77	3.32	14.00 3.50 - 16.50	3.154 0.850 - 5.144	13.25	13.85	14.45	99
25+25+25+35+35+35	1.94	1.94	1.94	2.72	2.72	2.72	14.00 3.50 - 16.50	3.148 0.850 - 5.138	13.23	13.83	14.43	99

**MXZ-2F53VFHZ COOLING**

Indoor units combination	Cooling capacity (kW)			Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Total			220	230	240	
15	1.50	-	1.50 - 2.10	0.490 - 0.860	2.06	2.15	2.24	99	
18	1.80	-	1.80 - 3.00	0.520 - 0.870	2.18	2.28	2.38	99	
20	2.00	-	2.00 1.50 - 2.80	0.490 - 1.300	3.02	3.16	3.30	99	
22	2.20	-	2.20 1.80 - 3.00	0.520 - 0.710	2.39	2.50	2.61	99	
25	2.50	-	2.50 1.80 - 3.30	0.520 - 0.800	2.53	2.64	2.75	99	
35	3.50	-	3.50 1.80 - 4.30	0.520 - 1.190	3.62	3.78	3.94	99	
42	4.20	-	4.20 1.80 - 5.00	0.520 - 1.360	4.66	4.87	5.08	99	
50	5.00	-	5.00 1.80 - 5.60	0.520 - 1.550	5.29	5.53	5.77	99	
15+15	1.50	1.50	3.00 1.10 - 4.80	0.640 0.300 - 1.520	2.69	2.81	2.93	99	
15+18	1.50	1.80	3.30 1.10 - 5.20	0.740 0.300 - 1.520	3.11	3.25	3.39	99	
15+20	1.50	2.00	3.50 1.10 - 5.40	0.810 0.300 - 1.520	3.41	3.56	3.71	99	
15+22	1.42	2.08	3.50 1.10 - 5.30	0.824 0.300 - 1.484	3.46	3.62	3.78	99	
15+25	1.46	2.44	3.90 1.10 - 4.80	0.887 0.300 - 1.477	3.73	3.90	4.07	99	
15+35	1.56	3.64	5.20 1.10 - 6.00	1.247 0.300 - 2.357	5.24	5.48	5.72	99	
15+42	1.37	3.83	5.20 1.10 - 6.00	1.247 0.300 - 2.357	5.24	5.48	5.72	99	
15+50	1.20	4.00	5.20 1.10 - 6.00	1.241 0.300 - 2.351	5.21	5.45	5.69	99	
18+18	1.75	1.75	3.50 1.10 - 5.50	0.791 0.300 - 1.471	3.32	3.47	3.62	99	
18+20	1.80	2.00	3.80 1.10 - 5.20	0.838 0.300 - 1.468	3.52	3.68	3.84	99	
18+22	1.76	2.15	3.90 1.10 - 4.80	0.885 0.300 - 1.475	3.72	3.89	4.06	99	
18+25	1.80	2.50	4.30 1.10 - 5.30	0.948 0.300 - 1.468	3.98	4.16	4.34	99	
18+35	1.80	3.50	5.30 1.10 - 6.00	1.238 0.300 - 2.348	5.20	5.44	5.68	99	
18+42	1.59	3.71	5.30 1.10 - 6.00	1.238 0.300 - 2.348	5.20	5.44	5.68	99	
18+50	1.40	3.90	5.30 1.10 - 6.00	1.232 0.300 - 2.342	5.17	5.41	5.65	99	
20+20	2.00	2.00	4.00 1.10 - 4.80	0.872 0.300 - 1.462	3.66	3.83	4.00	99	
20+22	1.90	2.10	4.00 1.10 - 5.20	0.942 0.300 - 1.482	3.96	4.14	4.32	99	
20+25	2.00	2.50	4.50 1.10 - 5.60	1.025 0.300 - 1.625	4.30	4.50	4.70	99	
20+35	1.89	3.31	5.20 1.10 - 6.00	1.245 0.300 - 2.355	5.23	5.47	5.71	99	
20+42	1.68	3.52	5.20 1.10 - 6.00	1.245 0.300 - 2.355	5.23	5.47	5.71	99	
20+50	1.49	3.71	5.20 1.10 - 6.00	1.239 0.300 - 2.349	5.20	5.44	5.68	99	
22+22	2.15	2.15	4.30 1.10 - 5.50	0.969 0.300 - 1.469	4.07	4.26	4.45	99	
22+25	2.29	2.61	4.90 1.10 - 5.80	1.108 0.300 - 1.908	4.66	4.87	5.08	99	
22+35	2.05	3.25	5.30 1.10 - 6.00	1.238 0.300 - 2.348	5.20	5.44	5.68	99	
22+42	1.82	3.48	5.30 1.10 - 6.00	1.238 0.300 - 2.348	5.20	5.44	5.68	99	
22+50	1.62	3.68	5.30 1.10 - 6.00	1.232 0.300 - 2.342	5.17	5.41	5.65	99	
25+25	2.65	2.65	5.30 1.10 - 6.00	1.232 0.300 - 2.342	5.17	5.41	5.65	99	
25+35	2.21	3.09	5.30 1.10 - 6.00	1.238 0.300 - 2.348	5.20	5.44	5.68	99	
25+42	1.98	3.32	5.30 1.10 - 6.00	1.238 0.300 - 2.348	5.20	5.44	5.68	99	
25+50	1.77	3.53	5.30 1.10 - 6.00	1.232 0.300 - 2.342	5.17	5.41	5.65	99	
35+35	2.65	2.65	5.30 1.10 - 6.00	1.232 0.300 - 2.342	5.17	5.41	5.65	99	

**MXZ-2F53VFHZ HEATING**

Indoor units combination	Cooling capacity (kW)			Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Total		220	230	240	
15	1.70	-	1.70 1.00 - 3.00	0.640 0.300 - 1.630	2.69	2.81	2.93	99
18	3.30	-	3.30 1.00 - 4.20	0.840 0.300 - 1.400	3.53	3.69	3.85	99
20	2.20	-	2.20 1.00 - 3.90	0.790 0.300 - 2.100	3.32	3.47	3.62	99
22	3.30	-	3.30 1.00 - 4.20	0.840 0.300 - 1.400	3.53	3.69	3.85	99
25	3.60	-	3.60 1.00 - 4.50	0.930 0.300 - 1.500	3.90	4.08	4.26	99
35	4.00	-	4.00 1.00 - 5.50	1.090 0.300 - 1.460	4.58	4.79	5.00	99
42	5.40	-	5.40 1.00 - 6.50	1.530 0.300 - 2.110	6.43	6.72	7.01	99
50	6.40	-	6.40 1.00 - 7.00	2.000 0.300 - 2.400	8.40	8.78	9.16	99
15+15	1.70	1.70	3.40 1.00 - 5.00	0.600 0.300 - 2.000	2.53	2.64	2.75	99
15+18	2.18	2.62	4.80 1.00 - 5.90	0.930 0.300 - 2.100	3.90	4.08	4.26	99
15+20	2.44	3.26	5.70 1.00 - 6.40	1.150 0.300 - 2.170	4.83	5.05	5.27	99
15+22	2.23	3.27	5.50 1.00 - 6.30	1.134 0.300 - 2.114	4.76	4.98	5.20	99
15+25	1.61	2.69	4.30 1.00 - 5.00	0.857 0.300 - 1.957	3.60	3.76	3.92	99
15+35	1.86	4.34	6.20 1.00 - 7.00	1.277 0.300 - 2.357	5.37	5.61	5.85	99
15+42	1.66	4.64	6.30 1.00 - 7.00	1.317 0.300 - 2.357	5.53	5.78	6.03	99
15+50	1.45	4.85	6.30 1.00 - 7.00	1.311 0.300 - 2.351	5.51	5.76	6.01	99
18+18	3.00	3.00	6.00 1.00 - 6.70	1.211 0.300 - 2.151	5.09	5.32	5.55	99
18+20	2.51	2.79	5.30 1.00 - 5.90	1.028 0.300 - 2.048	4.31	4.51	4.71	99
18+22	1.94	2.37	4.30 1.00 - 5.00	0.855 0.300 - 1.955	3.59	3.75	3.91	99
18+25	2.39	3.31	5.70 1.00 - 6.30	1.118 0.300 - 2.098	4.70	4.91	5.12	99
18+35	2.17	4.23	6.40 1.00 - 7.00	1.308 0.300 - 2.348	5.49	5.74	5.99	99
18+42	1.92	4.48	6.40 1.00 - 7.00	1.308 0.300 - 2.348	5.49	5.74	5.99	99
18+50	1.69	4.71	6.40 1.00 - 7.00	1.302 0.300 - 2.342	5.47	5.72	5.97	99
20+20	2.20	2.20	4.40 1.00 - 5.00	0.842 0.300 - 1.942	3.54	3.70	3.86	99
20+22	2.43	2.67	5.10 1.00 - 5.90	1.042 0.300 - 2.062	4.38	4.58	4.78	99
20+25	2.67	3.33	6.00 1.00 - 6.80	1.225 0.300 - 2.185	5.15	5.38	5.61	99
20+35	2.29	4.01	6.30 1.00 - 7.00	1.315 0.300 - 2.355	5.53	5.78	6.03	99
20+42	2.03	4.27	6.30 1.00 - 7.00	1.315 0.300 - 2.355	5.53	5.78	6.03	99
20+50	1.80	4.50	6.30 1.00 - 7.00	1.309 0.300 - 2.349	5.50	5.75	6.00	99
22+22	3.00	3.00	6.00 1.00 - 6.70	1.209 0.300 - 2.149	5.08	5.31	5.54	99
22+25	2.90	3.30	6.20 1.00 - 6.90	1.238 0.300 - 2.248	5.20	5.44	5.68	99
22+35	2.47	3.93	6.40 1.00 - 7.00	1.308 0.300 - 2.348	5.49	5.74	5.99	99
22+42	2.20	4.20	6.40 1.00 - 7.00	1.308 0.300 - 2.348	5.49	5.74	5.99	99
22+50	1.96	4.44	6.40 1.00 - 7.00	1.302 0.300 - 2.342	5.47	5.72	5.97	99
25+25	3.15	3.15	6.30 1.00 - 7.00	1.262 0.300 - 2.342	5.30	5.54	5.78	99
25+35	2.67	3.73	6.40 1.00 - 7.00	1.308 0.300 - 2.348	5.49	5.74	5.99	99
25+42	2.39	4.01	6.40 1.00 - 7.00	1.308 0.300 - 2.348	5.49	5.74	5.99	99
25+50	2.13	4.27	6.40 1.00 - 7.00	1.302 0.300 - 2.342	5.47	5.72	5.97	99
35+35	3.20	3.20	6.40 1.00 - 7.00	1.302 0.300 - 2.342	5.47	5.72	5.97	99

**MXZ-4F83VFHZ COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15	1.50	-	-	-	1.50 1.50 - 3.20	0.530 - 1.300	2.23	2.33	2.43	99
18	1.80	-	-	-	1.80 1.50 - 3.70	0.540 - 1.360	2.27	2.37	2.43	99
20	2.00	-	-	-	2.00 1.50 - 3.20	0.600 - 1.310	2.53	2.64	2.43	99
22	2.20	-	-	-	2.20 1.50 - 3.70	0.710 - 1.430	2.98	3.12	2.43	99
25	2.50	-	-	-	2.50 1.50 - 3.70	0.800 - 1.500	3.36	3.51	2.43	99
35	3.50	-	-	-	3.50 1.50 - 3.80	1.100 0.530 - 1.530	4.62	4.83	2.43	99
42	4.20	-	-	-	4.20 1.50 - 5.00	1.290 0.530 - 1.650	5.42	5.67	2.43	99
50	5.00	-	-	-	5.00 1.50 - 5.60	1.610 0.530 - 1.920	6.76	7.07	2.43	99
60	6.00	-	-	-	6.00 1.50 - 7.50	1.870 0.530 - 2.220	7.85	8.21	2.43	99
71	7.10	-	-	-	7.10 1.50 - 8.70	2.240 0.530 - 2.940	9.41	9.84	2.43	99
15+15	1.50	1.50	-	-	3.00 2.50 - 4.20	0.910 0.530 - 2.300	3.83	4.00	2.43	99
15+18	1.41	1.69	-	-	3.10 2.60 - 4.80	0.896 0.530 - 2.216	3.77	3.94	2.43	99
15+20	1.46	1.94	-	-	3.40 2.70 - 5.50	0.897 0.530 - 2.177	3.77	3.94	2.43	99
15+22	1.42	2.08	-	-	3.50 2.70 - 5.60	0.954 0.530 - 2.374	4.01	4.19	2.43	99
15+25	1.46	2.44	-	-	3.90 2.50 - 5.40	1.057 0.530 - 2.977	4.44	4.64	2.43	99
15+35	1.47	3.43	-	-	4.90 2.70 - 6.40	1.307 0.530 - 2.237	5.49	5.74	2.43	99
15+42	1.47	4.13	-	-	5.60 2.70 - 7.10	1.587 0.530 - 2.457	6.67	6.97	2.43	99
15+50	1.48	4.92	-	-	6.40 2.80 - 7.80	1.901 0.530 - 2.711	7.99	8.35	2.43	99
15+60	1.48	5.92	-	-	7.40 2.80 - 8.60	2.331 0.530 - 2.951	9.79	10.24	2.43	99
15+71	1.43	6.77	-	-	8.20 2.80 - 9.10	2.724 0.530 - 3.064	11.44	11.96	2.43	99
18+18	1.75	1.75	-	-	3.50 2.70 - 5.75	0.888 0.530 - 2.138	3.73	3.90	2.43	99
18+20	1.80	2.00	-	-	3.80 2.60 - 5.70	0.978 0.530 - 2.558	4.11	4.30	2.43	99
18+22	1.76	2.15	-	-	3.90 2.50 - 5.40	1.055 0.530 - 2.975	4.43	4.63	2.43	99
18+25	1.80	2.50	-	-	4.30 2.70 - 5.80	1.068 0.530 - 2.358	4.49	4.69	2.43	99
18+35	1.80	3.50	-	-	5.30 2.70 - 6.80	1.418 0.530 - 2.328	5.96	6.23	2.43	99
18+42	1.80	4.20	-	-	6.00 2.80 - 7.50	1.698 0.530 - 2.548	7.14	7.46	2.43	99
18+50	1.80	5.00	-	-	6.80 2.80 - 8.20	2.012 0.530 - 2.802	8.46	8.84	2.43	99
18+60	1.78	5.92	-	-	7.70 2.80 - 8.90	2.452 0.530 - 2.982	10.30	10.77	2.43	99
18+71	1.68	6.62	-	-	8.30 2.80 - 9.20	2.735 0.530 - 3.055	11.49	12.01	2.43	99
20+20	2.00	2.00	-	-	4.00 2.50 - 5.50	1.029 0.530 - 2.949	4.32	4.52	2.43	99
20+22	1.90	2.10	-	-	4.00 2.60 - 5.50	1.082 0.530 - 2.572	4.54	4.75	2.43	99
20+25	1.96	2.44	-	-	4.40 2.70 - 5.90	1.125 0.530 - 2.165	4.73	4.94	2.43	99
20+35	1.96	3.44	-	-	5.40 2.70 - 6.90	1.505 0.530 - 2.395	6.32	6.61	2.43	99
20+42	1.97	4.13	-	-	6.10 2.80 - 7.50	1.785 0.530 - 2.615	7.50	7.84	2.43	99
20+50	1.97	4.93	-	-	6.90 2.80 - 8.30	2.099 0.530 - 2.869	8.82	9.22	2.43	99
20+60	1.95	5.85	-	-	7.80 2.80 - 8.90	2.549 0.530 - 3.019	10.70	11.19	2.43	99
20+71	1.80	6.40	-	-	8.20 2.80 - 9.10	2.752 0.530 - 3.062	11.56	12.09	2.43	99
22+22	2.15	2.15	-	-	4.30 2.70 - 5.75	1.066 0.530 - 2.136	4.48	4.68	2.43	99
22+25	2.20	2.50	-	-	4.70 2.70 - 6.20	1.188 0.530 - 2.188	4.99	5.22	2.43	99

**MXZ-4F83VFHZ COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
22+35	2.20	3.50	-	-	5.70 2.70 - 7.20	1.578 0.530 - 2.448	6.63	6.93	2.43	99
22+42	2.20	4.20	-	-	6.40 2.80 - 7.80	1.858 0.530 - 2.678	7.81	8.16	2.43	99
22+50	2.20	5.00	-	-	7.20 2.80 - 8.50	2.182 0.530 - 2.892	9.16	9.58	2.43	99
22+60	2.17	5.93	-	-	8.10 2.80 - 9.10	2.632 0.530 - 3.042	11.06	11.56	2.43	99
22+71	1.96	6.34	-	-	8.30 2.80 - 9.20	2.765 0.530 - 3.055	11.61	12.14	2.43	99
25+25	2.50	2.50	-	-	5.00 2.70 - 6.50	1.279 0.530 - 2.209	5.38	5.62	2.43	99
25+35	2.50	3.50	-	-	6.00 2.80 - 7.50	1.698 0.530 - 2.548	7.14	7.46	2.43	99
25+42	2.50	4.20	-	-	6.70 2.80 - 8.10	1.978 0.530 - 2.768	8.31	8.69	2.43	99
25+50	2.50	5.00	-	-	7.50 2.80 - 8.70	2.322 0.530 - 2.942	9.76	10.20	2.43	99
25+60	2.44	5.86	-	-	8.30 2.80 - 9.20	2.732 0.530 - 3.072	11.48	12.00	2.43	99
25+71	2.16	6.14	-	-	8.30 2.80 - 9.20	2.785 0.530 - 3.055	11.70	12.23	2.43	99
35+35	3.50	3.50	-	-	7.00 2.80 - 8.40	2.079 0.530 - 2.849	8.73	9.13	2.43	99
35+42	3.50	4.20	-	-	7.70 2.80 - 8.80	2.418 0.530 - 2.978	10.16	10.62	2.43	99
35+50	3.42	4.88	-	-	8.30 2.80 - 9.20	2.732 0.530 - 3.072	11.48	12.00	2.43	99
35+60	3.06	5.24	-	-	8.30 2.80 - 9.20	2.792 0.530 - 3.072	11.73	12.26	2.43	99
35+71	2.74	5.56	-	-	8.30 2.80 - 9.20	2.815 0.530 - 3.085	11.82	12.36	2.43	99
42+42	4.15	4.15	-	-	8.30 2.80 - 9.20	2.709 0.530 - 3.059	11.38	11.90	2.43	99
42+50	3.79	4.51	-	-	8.30 2.80 - 9.20	2.766 0.530 - 3.066	11.62	12.15	2.43	99
42+71	3.08	5.22	-	-	8.30 2.90 - 9.20	2.826 0.530 - 3.136	11.87	12.41	2.43	99
50+50	4.15	4.15	-	-	8.30 2.80 - 9.20	2.803 0.530 - 3.053	11.77	12.31	2.43	99
50+60	3.77	4.53	-	-	8.30 2.90 - 9.20	2.826 0.530 - 3.116	11.87	12.41	2.43	99
50+71	3.43	4.87	-	-	8.30 2.90 - 9.20	2.819 0.530 - 3.149	11.84	12.38	2.43	99
60+60	4.15	4.15	-	-	8.30 2.90 - 9.20	2.823 0.530 - 3.153	11.86	12.40	2.43	99
60+71	3.80	4.50	-	-	8.30 2.90 - 9.20	2.812 0.530 - 3.142	11.81	12.35	2.43	99
71+71	4.15	4.15	-	-	8.30 2.90 - 9.20	2.826 0.530 - 3.146	11.87	12.41	2.43	99
15+15+15	1.50	1.50	1.50	-	4.50 2.90 - 6.00	1.110 0.530 - 3.190	4.66	4.87	2.43	99
15+15+18	1.41	1.41	1.69	-	4.50 3.00 - 6.50	1.219 0.530 - 2.969	5.12	5.35	2.43	99
15+15+20	1.44	1.44	1.92	-	4.80 3.10 - 7.20	1.250 0.530 - 2.790	5.25	5.49	2.43	99
15+15+22	1.41	1.41	2.07	-	4.90 3.10 - 7.60	1.307 0.530 - 2.617	5.49	5.74	2.43	99
15+15+25	1.45	1.45	2.41	-	5.30 3.20 - 8.30	1.360 0.530 - 2.590	5.71	5.97	2.43	99
15+15+35	1.45	1.45	3.39	-	6.30 3.20 - 8.30	1.570 0.530 - 2.590	6.60	6.90	2.43	99
15+15+42	1.46	1.46	4.08 *	-	7.00 3.20 - 8.80	1.820 0.530 - 4.310	7.64	7.99	2.43	99
15+15+50	1.39	1.39	4.63 *	-	7.40 3.20 - 9.00	2.044 0.530 - 5.234	8.59	8.98	2.43	99
15+15+60	1.28	1.28	5.13	-	7.70 3.30 - 9.00	2.264 0.530 - 5.234	9.51	9.94	2.43	99
15+15+71	1.19	1.19	5.62	-	8.00 3.30 - 9.00	2.477 0.530 - 5.217	10.41	10.88	2.43	99
15+18+18	1.44	1.73	1.73	-	4.90 3.10 - 7.50	1.251 0.530 - 2.681	5.25	5.49	2.43	99
15+18+20	1.47	1.77	1.96	-	5.20 3.20 - 8.10	1.311 0.530 - 2.521	5.51	5.76	2.43	99
15+18+22	1.45	1.73	2.12	-	5.30 3.20 - 8.30	1.358 0.530 - 2.588	5.70	5.96	2.43	99
15+18+25	1.47	1.77	2.46	-	5.70 3.10 - 8.30	1.401 0.530 - 3.031	5.88	6.15	2.43	99

**MXZ-4F83VFHZ COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+18+35	1.48	1.77	3.45	-	6.70 3.20 - 8.60	1.661 0.530 - 3.051	6.97	7.29	2.43	99
15+18+42	1.48	1.78	4.14 *	-	7.40 3.20 - 9.10	1.931 0.530 - 5.231	8.11	8.48	2.43	99
15+18+60	1.27	1.53	5.10	-	7.90 3.30 - 9.10	2.315 0.530 - 5.225	9.73	10.17	2.43	99
15+18+71	1.18	1.42	5.60	-	8.20 3.30 - 9.10	2.538 0.530 - 5.208	10.67	11.15	2.43	99
15+20+20	1.47	1.96	1.96	-	5.40 3.20 - 8.40	1.332 0.530 - 2.562	5.60	5.85	2.43	99
15+20+22	1.42	1.89	2.08	-	5.40 3.10 - 8.10	1.405 0.530 - 2.895	5.90	6.17	2.43	99
15+20+25	1.45	1.93	2.42	-	5.80 3.00 - 8.10	1.448 0.530 - 3.338	6.08	6.36	2.43	99
15+20+35	1.46	1.94	3.40	-	6.80 3.20 - 8.60	1.748 0.530 - 3.678	7.35	7.68	2.43	99
15+20+42	1.44	1.92	4.04 *	-	7.40 3.20 - 9.00	1.978 0.530 - 5.238	8.31	8.69	2.43	99
15+20+50	1.34	1.79	4.47 *	-	7.60 3.20 - 9.00	2.152 0.530 - 5.232	9.04	9.45	2.43	99
15+20+60	1.23	1.64	4.93	-	7.80 3.30 - 9.00	2.362 0.530 - 5.232	9.92	10.37	2.43	99
15+20+71	1.15	1.53	5.43	-	8.10 3.30 - 9.00	2.565 0.530 - 5.215	10.77	11.26	2.43	99
15+22+22	1.45	2.13	2.13	-	5.70 3.00 - 8.10	1.409 0.530 - 3.169	5.92	6.19	2.43	99
15+22+25	1.48	2.16	2.46	-	6.10 3.10 - 8.30	1.491 0.530 - 3.031	6.27	6.55	2.43	99
15+22+35	1.48	2.17	3.45	-	7.10 3.20 - 8.90	1.811 0.530 - 4.301	7.60	7.95	2.43	99
15+22+42	1.42	2.09	3.99 *	-	7.50 3.20 - 9.10	2.021 0.530 - 5.231	8.49	8.88	2.43	99
15+22+50	1.33	1.95	4.43 *	-	7.70 3.20 - 9.10	2.185 0.530 - 5.225	9.18	9.60	2.43	99
15+22+60	1.24	1.81	4.95	-	8.00 3.30 - 9.10	2.405 0.530 - 5.225	10.10	10.56	2.43	99
15+22+71	1.14	1.67	5.39	-	8.20 3.30 - 9.10	2.558 0.530 - 5.208	10.74	11.23	2.43	99
15+25+25	1.48	2.46	2.46	-	6.40 3.20 - 8.40	1.542 0.530 - 2.562	6.48	6.77	2.43	99
15+25+35	1.48	2.47	3.45	-	7.40 3.20 - 9.10	1.931 0.530 - 5.231	8.11	8.48	2.43	99
15+25+42	1.39	2.32	3.89 *	-	7.60 3.20 - 9.10	2.081 0.530 - 5.231	8.74	9.14	2.43	99
15+25+50	1.30	2.17	4.33 *	-	7.80 3.30 - 9.10	2.255 0.530 - 5.225	9.47	9.90	2.43	99
15+25+60	1.22	2.03	4.86	-	8.10 3.30 - 9.10	2.465 0.530 - 5.225	10.36	10.83	2.43	99
15+25+71	1.11	1.85	5.25	-	8.20 3.30 - 9.10	2.558 0.530 - 5.208	10.74	11.23	2.43	99
15+35+35	1.36	3.17	3.17	-	7.70 3.20 - 9.10	2.132 0.530 - 5.212	8.95	9.36	2.43	99
15+35+42	1.29	3.01	3.61 *	-	7.90 3.30 - 9.10	2.301 0.530 - 5.231	9.67	10.11	2.43	99
15+35+50	1.22	2.84	4.05 *	-	8.10 3.30 - 9.10	2.465 0.530 - 5.225	10.36	10.83	2.43	99
15+35+60	1.12	2.61	4.47	-	8.20 3.30 - 9.10	2.575 0.530 - 5.225	10.82	11.31	2.43	99
15+35+71	1.02	2.37	4.81	-	8.20 3.30 - 9.10	2.548 0.530 - 5.208	10.70	11.19	2.43	99
15+42+42	1.21	3.39	3.39 *	-	8.00 3.30 - 9.10	2.432 0.530 - 5.212	10.22	10.68	2.43	99
15+42+50	1.15	3.22	3.83 *	-	8.20 3.30 - 9.10	2.569 0.530 - 5.219	10.79	11.28	2.43	99
15+42+60	1.05	2.94	4.21	-	8.20 3.30 - 9.10	2.559 0.530 - 5.219	10.75	11.24	2.43	99
15+42+71	0.96	2.69	4.55	-	8.20 3.30 - 9.10	2.542 0.530 - 5.202	10.67	11.16	2.43	99
15+50+50	1.07	3.57	3.57 *	-	8.20 3.30 - 9.10	2.556 0.530 - 5.206	10.74	11.23	2.43	99
15+50+60	0.98	3.28	3.94	-	8.20 3.30 - 9.10	2.559 0.530 - 5.219	10.75	11.24	2.43	99
15+50+71	0.90	3.01	4.28	-	8.20 3.30 - 9.10	2.542 0.530 - 5.202	10.67	11.16	2.43	99
15+60+60	0.91	3.64	3.64	-	8.20 3.30 - 9.10	2.546 0.530 - 5.206	10.69	11.18	2.43	99
18+18+18	1.77	1.77	1.77	-	5.30 3.20 - 8.40	1.285 0.530 - 2.385	5.39	5.64	2.43	99

**MXZ-4F83VFHZ COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+18+20	1.80	1.80	2.00	-	5.60 3.10 - 8.40	1.362 0.530 - 2.722	5.72	5.98	2.43	99
18+18+22	1.77	1.77	2.16	-	5.70 3.10 - 8.30	1.399 0.530 - 3.029	5.87	6.14	2.43	99
18+18+25	1.80	1.80	2.50	-	6.10 3.00 - 8.30	1.452 0.530 - 3.172	6.10	6.38	2.43	99
18+18+35	1.80	1.80	3.50	-	7.10 3.20 - 8.90	1.762 0.530 - 3.982	7.40	7.74	2.43	99
18+18+42	1.75	1.75	4.09 *	-	7.60 3.20 - 9.20	1.992 0.530 - 5.222	8.37	8.75	2.43	99
18+18+50	1.63	1.63	4.53 *	-	7.80 3.20 - 9.20	2.156 0.530 - 5.216	9.06	9.47	2.43	99
18+18+60	1.52	1.52	5.06	-	8.10 3.30 - 9.20	2.376 0.530 - 5.216	9.98	10.43	2.43	99
18+18+71	1.40	1.40	5.51	-	8.30 3.30 - 9.20	2.549 0.530 - 5.199	10.70	11.19	2.43	99
18+20+20	1.80	2.00	2.00	-	5.80 3.10 - 8.40	1.373 0.530 - 3.003	5.77	6.03	2.43	99
18+20+22	1.74	1.93	2.13	-	5.80 3.00 - 8.10	1.446 0.530 - 3.336	6.07	6.35	2.43	99
18+20+25	1.77	1.97	2.46	-	6.20 3.10 - 8.30	1.509 0.530 - 2.879	6.34	6.63	2.43	99
18+20+35	1.78	1.97	3.45	-	7.20 3.20 - 8.90	1.849 0.530 - 4.609	7.77	8.12	2.43	99
18+20+42	1.69	1.88	3.94 *	-	7.50 3.20 - 9.10	2.039 0.530 - 5.229	8.56	8.95	2.43	99
18+20+50	1.58	1.75	4.38 *	-	7.70 3.20 - 9.10	2.203 0.530 - 5.223	9.26	9.68	2.43	99
18+20+60	1.47	1.63	4.90	-	8.00 3.30 - 9.10	2.423 0.530 - 5.223	10.18	10.64	2.43	99
18+20+71	1.35	1.50	5.34	-	8.20 3.30 - 9.10	2.556 0.530 - 5.206	10.74	11.23	2.43	99
18+22+22	1.77	2.16	2.16	-	6.10 3.10 - 8.30	1.470 0.530 - 3.010	6.18	6.46	2.43	99
18+22+25	1.80	2.20	2.50	-	6.50 3.20 - 8.50	1.552 0.530 - 2.572	6.52	6.82	2.43	99
18+22+35	1.80	2.20	3.50	-	7.50 3.20 - 9.20	1.922 0.530 - 5.222	8.07	8.44	2.43	99
18+22+42	1.69	2.07	3.94 *	-	7.70 3.20 - 9.20	2.072 0.530 - 5.222	8.70	9.10	2.43	99
18+22+50	1.58	1.93	4.39 *	-	7.90 3.30 - 9.20	2.246 0.530 - 5.216	9.43	9.86	2.43	99
18+22+60	1.48	1.80	4.92	-	8.20 3.30 - 9.20	2.456 0.530 - 5.216	10.32	10.79	2.43	99
18+22+71	1.35	1.65	5.31	-	8.30 3.30 - 9.20	2.549 0.530 - 5.199	10.70	11.19	2.43	99
18+25+25	1.80	2.50	2.50	-	6.80 3.20 - 8.70	1.633 0.530 - 3.023	6.86	7.17	2.43	99
18+25+35	1.75	2.44	3.41	-	7.60 3.20 - 9.20	1.992 0.530 - 5.222	8.37	8.75	2.43	99
18+25+42	1.65	2.29	3.85 *	-	7.80 3.20 - 9.20	2.142 0.530 - 5.222	9.00	9.41	2.43	99
18+25+50	1.55	2.15	4.30 *	-	8.00 3.30 - 9.20	2.306 0.530 - 5.216	9.69	10.13	2.43	99
18+25+60	1.43	1.99	4.78	-	8.20 3.30 - 9.20	2.526 0.530 - 5.216	10.61	11.09	2.43	99
18+25+71	1.31	1.82	5.17	-	8.30 3.30 - 9.20	2.549 0.530 - 5.199	10.70	11.19	2.43	99
18+35+35	1.60	3.10	3.10	-	7.80 3.20 - 9.20	2.183 0.530 - 5.203	9.17	9.59	2.43	99
18+35+42	1.52	2.95	3.54 *	-	8.00 3.30 - 9.20	2.352 0.530 - 5.222	9.88	10.33	2.43	99
18+35+50	1.43	2.79	3.98 *	-	8.20 3.30 - 9.20	2.526 0.530 - 5.216	10.61	11.09	2.43	99
18+35+60	1.32	2.57	4.41	-	8.30 3.30 - 9.20	2.566 0.530 - 5.216	10.78	11.27	2.43	99
18+35+71	1.20	2.34	4.75	-	8.30 3.30 - 9.20	2.539 0.530 - 5.199	10.67	11.15	2.43	99
18+42+42	1.45	3.38	3.38 *	-	8.20 3.30 - 9.20	2.493 0.530 - 5.203	10.47	10.95	2.43	99
18+42+50	1.36	3.17	3.77 *	-	8.30 3.30 - 9.20	2.560 0.530 - 5.210	10.75	11.24	2.43	99
18+42+60	1.25	2.91	4.15	-	8.30 3.30 - 9.20	2.550 0.530 - 5.210	10.71	11.20	2.43	99
18+42+71	1.14	2.66	4.50	-	8.30 3.30 - 9.20	2.533 0.530 - 5.193	10.64	11.12	2.43	99
18+50+50	1.27	3.52	3.52 *	-	8.30 3.30 - 9.20	2.537 0.530 - 5.197	10.66	11.14	2.43	99



**MXZ-4F83VFHZ COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+50+60	1.17	3.24	3.89	-	8.30 3.30 - 9.20	2.550 0.530 - 5.210	10.71	11.20	2.43	99
18+50+71	1.07	2.99	4.24	-	8.30 3.30 - 9.20	2.533 0.530 - 5.193	10.64	11.12	2.43	99
18+60+60	1.08	3.61	3.61	-	8.30 3.30 - 9.20	2.537 0.530 - 5.197	10.66	11.14	2.43	99
20+20+20	2.00	2.00	2.00	-	6.00 3.00 - 8.30	1.386 0.530 - 3.276	5.83	6.09	2.43	99
20+20+22	1.90	1.90	2.09	-	5.90 3.10 - 8.10	1.503 0.530 - 3.043	6.31	6.60	2.43	99
20+20+25	1.94	1.94	2.42	-	6.30 3.20 - 8.30	1.566 0.530 - 2.586	6.58	6.88	2.43	99
20+20+35	1.95	1.95	3.41	-	7.30 3.20 - 9.00	1.936 0.530 - 5.236	8.13	8.50	2.43	99
20+20+42	1.83	1.83	3.84 *	-	7.50 3.20 - 9.00	2.086 0.530 - 5.236	8.76	9.16	2.43	99
20+20+50	1.71	1.71	4.28 *	-	7.70 3.30 - 9.00	2.260 0.530 - 5.230	9.50	9.93	2.43	99
20+20+60	1.60	1.60	4.80	-	8.00 3.30 - 9.00	2.470 0.530 - 5.230	10.38	10.85	2.43	99
20+20+71	1.46	1.46	5.18	-	8.10 3.30 - 9.00	2.563 0.530 - 5.213	10.77	11.26	2.43	99
20+22+22	1.94	2.13	2.13	-	6.20 3.10 - 8.20	1.517 0.530 - 2.717	6.37	6.66	2.43	99
20+22+25	1.97	2.17	2.46	-	6.60 3.20 - 8.50	1.619 0.530 - 2.739	6.80	7.11	2.43	99
20+22+35	1.95	2.14	3.41	-	7.50 3.20 - 9.10	1.969 0.530 - 5.229	8.27	8.65	2.43	99
20+22+42	1.81	1.99	3.80 *	-	7.60 3.20 - 9.10	2.129 0.530 - 5.229	8.94	9.35	2.43	99
20+22+50	1.72	1.89	4.29 *	-	7.90 3.30 - 9.10	2.293 0.530 - 5.223	9.63	10.07	2.43	99
20+22+60	1.59	1.75	4.76	-	8.10 3.30 - 9.10	2.513 0.530 - 5.223	10.56	11.04	2.43	99
20+22+71	1.45	1.60	5.15	-	8.20 3.30 - 9.10	2.556 0.530 - 5.206	10.74	11.23	2.43	99
20+25+25	1.97	2.46	2.46	-	6.90 3.20 - 8.70	1.720 0.530 - 3.650	7.22	7.55	2.43	99
20+25+35	1.88	2.34	3.28	-	7.50 3.20 - 9.10	2.039 0.530 - 5.229	8.56	8.95	2.43	99
20+25+42	1.77	2.21	3.72 *	-	7.70 3.20 - 9.10	2.189 0.530 - 5.229	9.19	9.61	2.43	99
20+25+50	1.66	2.08	4.16 *	-	7.90 3.30 - 9.10	2.353 0.530 - 5.223	9.88	10.33	2.43	99
20+25+60	1.56	1.95	4.69	-	8.20 3.30 - 9.10	2.573 0.530 - 5.223	10.81	11.30	2.43	99
20+25+71	1.41	1.77	5.02	-	8.20 3.30 - 9.10	2.546 0.530 - 5.206	10.69	11.18	2.43	99
20+35+35	1.73	3.03	3.03	-	7.80 3.30 - 9.10	2.240 0.530 - 5.210	9.41	9.84	2.43	99
20+35+42	1.65	2.89	3.46 *	-	8.00 3.30 - 9.10	2.409 0.530 - 5.229	10.12	10.58	2.43	99
20+35+50	1.56	2.73	3.90 *	-	8.20 3.30 - 9.10	2.573 0.530 - 5.223	10.81	11.30	2.43	99
20+35+60	1.43	2.50	4.28	-	8.20 3.30 - 9.10	2.573 0.530 - 5.223	10.81	11.30	2.43	99
20+35+71	1.30	2.28	4.62	-	8.20 3.30 - 9.10	2.546 0.530 - 5.206	10.69	11.18	2.43	99
20+42+42	1.58	3.31	3.31 *	-	8.20 3.30 - 9.10	2.540 0.530 - 5.210	10.67	11.16	2.43	99
20+42+50	1.46	3.08	3.66 *	-	8.20 3.30 - 9.10	2.567 0.530 - 5.217	10.78	11.27	2.43	99
20+42+60	1.34	2.82	4.03	-	8.20 3.30 - 9.10	2.557 0.530 - 5.217	10.74	11.23	2.43	99
20+42+71	1.23	2.59	4.38	-	8.20 3.30 - 9.10	2.540 0.530 - 5.200	10.67	11.16	2.43	99
20+50+50	1.37	3.42	3.42 *	-	8.20 3.30 - 9.10	2.544 0.530 - 5.204	10.68	11.17	2.43	99
20+50+60	1.26	3.15	3.78	-	8.20 3.30 - 9.10	2.557 0.530 - 5.217	10.74	11.23	2.43	99
20+50+71	1.16	2.91	4.13	-	8.20 3.30 - 9.10	2.540 0.530 - 5.200	10.67	11.16	2.43	99
20+60+60	1.17	3.51	3.51	-	8.20 3.30 - 9.10	2.544 0.530 - 5.204	10.68	11.17	2.43	99
22+22+22	2.17	2.17	2.17	-	6.50 3.20 - 8.40	1.533 0.530 - 2.383	6.44	6.73	2.43	99
22+22+25	2.20	2.20	2.50	-	6.90 3.20 - 8.70	1.692 0.530 - 3.352	7.11	7.43	2.43	99

**MXZ-4F83VFHZ COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
22+22+35	2.12	2.12	3.37	-	7.60 3.20 - 9.20	2.012 0.530 - 5.222	8.46	8.84	2.43	99
22+22+42	2.00	2.00	3.81 *	-	7.80 3.20 - 9.20	2.162 0.530 - 5.222	9.08	9.49	2.43	99
22+22+50	1.87	1.87	4.26 *	-	8.00 3.30 - 9.20	2.326 0.530 - 5.216	9.78	10.22	2.43	99
22+22+60	1.76	1.76	4.79	-	8.30 3.30 - 9.20	2.546 0.530 - 5.216	10.69	11.18	2.43	99
22+22+71	1.59	1.59	5.12	-	8.30 3.30 - 9.20	2.549 0.530 - 5.199	10.70	11.19	2.43	99
22+25+25	2.20	2.50	2.50	-	7.20 3.20 - 9.00	1.783 0.530 - 4.273	7.49	7.83	2.43	99
22+25+35	2.07	2.35	3.29	-	7.70 3.20 - 9.20	2.072 0.530 - 5.222	8.70	9.10	2.43	99
22+25+42	1.95	2.22	3.73 *	-	7.90 3.20 - 9.20	2.222 0.530 - 5.222	9.34	9.76	2.43	99
22+25+50	1.84	2.09	4.18 *	-	8.10 3.30 - 9.20	2.396 0.530 - 5.216	10.06	10.52	2.43	99
22+25+60	1.71	1.94	4.65	-	8.30 3.30 - 9.20	2.566 0.530 - 5.216	10.78	11.27	2.43	99
22+25+71	1.55	1.76	4.99	-	8.30 3.30 - 9.20	2.539 0.530 - 5.199	10.67	11.15	2.43	99
22+35+35	1.91	3.04	3.04	-	8.00 3.30 - 9.20	2.273 0.530 - 5.203	9.55	9.98	2.43	99
22+35+42	1.80	2.86	3.44 *	-	8.10 3.30 - 9.20	2.442 0.530 - 5.222	10.25	10.72	2.43	99
22+35+50	1.71	2.71	3.88 *	-	8.30 3.30 - 9.20	2.566 0.530 - 5.216	10.78	11.27	2.43	99
22+35+60	1.56	2.48	4.26	-	8.30 3.30 - 9.20	2.556 0.530 - 5.216	10.74	11.23	2.43	99
22+35+71	1.43	2.27	4.60	-	8.30 3.30 - 9.20	2.539 0.530 - 5.199	10.67	11.15	2.43	99
22+42+42	1.72	3.29	3.29 *	-	8.30 3.30 - 9.20	2.553 0.530 - 5.203	10.72	11.21	2.43	99
22+42+50	1.60	3.06	3.64 *	-	8.30 3.30 - 9.20	2.560 0.530 - 5.210	10.75	11.24	2.43	99
22+42+60	1.47	2.81	4.02	-	8.30 3.30 - 9.20	2.550 0.530 - 5.210	10.71	11.20	2.43	99
22+42+71	1.35	2.58	4.37	-	8.30 3.30 - 9.20	2.533 0.530 - 5.193	10.64	11.12	2.43	99
22+50+50	1.50	3.40	3.40 *	-	8.30 3.30 - 9.20	2.537 0.530 - 5.197	10.66	11.14	2.43	99
22+50+60	1.38	3.14	3.77	-	8.30 3.30 - 9.20	2.550 0.530 - 5.210	10.71	11.20	2.43	99
22+50+71	1.28	2.90	4.12	-	8.30 3.30 - 9.20	2.533 0.530 - 5.193	10.64	11.12	2.43	99
22+60+60	1.29	3.51	3.51	-	8.30 3.30 - 9.20	2.537 0.530 - 5.197	10.66	11.14	2.43	99
25+25+25	2.50	2.50	2.50	-	7.50 3.20 - 9.20	1.876 0.530 - 5.176	7.88	8.24	2.43	99
25+25+35	2.29	2.29	3.21	-	7.80 3.20 - 9.20	2.142 0.530 - 5.222	9.00	9.41	2.43	99
25+25+42	2.17	2.17	3.65 *	-	8.00 3.30 - 9.20	2.292 0.530 - 5.222	9.63	10.07	2.43	99
25+25+50	2.05	2.05	4.10 *	-	8.20 3.30 - 9.20	2.456 0.530 - 5.216	10.32	10.79	2.43	99
25+25+60	1.89	1.89	4.53	-	8.30 3.30 - 9.20	2.566 0.530 - 5.216	10.78	11.27	2.43	99
25+25+71	1.71	1.71	4.87	-	8.30 3.30 - 9.20	2.539 0.530 - 5.199	10.67	11.15	2.43	99
25+35+35	2.11	2.95	2.95	-	8.00 3.30 - 9.20	2.333 0.530 - 5.203	9.80	10.25	2.43	99
25+35+42	2.01	2.81	3.38 *	-	8.20 3.30 - 9.20	2.512 0.530 - 5.222	10.55	11.03	2.43	99
25+35+50	1.89	2.64	3.77 *	-	8.30 3.30 - 9.20	2.566 0.530 - 5.216	10.78	11.27	2.43	99
25+35+60	1.73	2.42	4.15	-	8.30 3.30 - 9.20	2.556 0.530 - 5.216	10.74	11.23	2.43	99
25+35+71	1.58	2.22	4.50	-	8.30 3.30 - 9.20	2.539 0.530 - 5.199	10.67	11.15	2.43	99
25+42+42	1.90	3.20	3.20 *	-	8.30 3.30 - 9.20	2.553 0.530 - 5.203	10.72	11.21	2.43	99
25+42+50	1.77	2.98	3.55 *	-	8.30 3.30 - 9.20	2.550 0.530 - 5.210	10.71	11.20	2.43	99
25+42+60	1.63	2.74	3.92	-	8.30 3.30 - 9.20	2.550 0.530 - 5.210	10.71	11.20	2.43	99
25+42+71	1.50	2.53	4.27	-	8.30 3.30 - 9.20	2.533 0.530 - 5.193	10.64	11.12	2.43	99

**MXZ-4F83VFHZ COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
25+50+50	1.66	3.32	3.32 *	-	8.30 3.30 - 9.20	2.537 0.530 - 5.197	10.66	11.14	2.43	99
25+50+60	1.54	3.07	3.69	-	8.30 3.30 - 9.20	2.550 0.530 - 5.210	10.71	11.20	2.43	99
25+60+60	1.43	3.43	3.43	-	8.30 3.30 - 9.20	2.533 0.530 - 5.193	10.64	11.12	2.43	99
35+35+35	2.77	2.77	2.77	-	8.30 3.30 - 9.20	2.526 0.530 - 5.176	10.61	11.09	2.43	99
35+35+42	2.59	2.59	3.11 *	-	8.30 3.30 - 9.20	2.572 0.530 - 5.222	10.81	11.30	2.43	99
35+35+50	2.42	2.42	3.46 *	-	8.30 3.30 - 9.20	2.556 0.530 - 5.216	10.74	11.23	2.43	99
35+35+60	2.23	2.23	3.83	-	8.30 3.30 - 9.20	2.556 0.530 - 5.216	10.74	11.23	2.43	99
35+35+71	2.06	2.06	4.18	-	8.30 3.30 - 9.20	2.539 0.530 - 5.199	10.67	11.15	2.43	99
35+42+42	2.44	2.93	2.93 *	-	8.30 3.30 - 9.20	2.543 0.530 - 5.203	10.68	11.17	2.43	99
35+42+50	2.29	2.74	3.27 *	-	8.30 3.30 - 9.20	2.550 0.530 - 5.210	10.71	11.20	2.43	99
35+42+60	2.12	2.54	3.64	-	8.30 3.30 - 9.20	2.550 0.530 - 5.210	10.71	11.20	2.43	99
35+50+50	2.15	3.07	3.07 *	-	8.30 3.30 - 9.20	2.533 0.530 - 5.193	10.64	11.12	2.43	99
35+50+60	2.00	2.86	3.43	-	8.30 3.30 - 9.20	2.550 0.530 - 5.210	10.71	11.20	2.43	99
42+42+42	2.77	2.77	2.77 *	-	8.30 3.30 - 9.20	2.533 0.530 - 5.193	10.64	11.12	2.43	99
42+42+50	2.60	2.60	3.10 *	-	8.30 3.30 - 9.20	2.544 0.530 - 5.204	10.68	11.17	2.43	99
42+42+60	2.42	2.42	3.46	-	8.30 3.30 - 9.20	2.544 0.530 - 5.204	10.68	11.17	2.43	99
42+50+50	2.45	2.92	2.92 *	-	8.30 3.30 - 9.20	2.527 0.530 - 5.187	10.62	11.10	2.43	99
15+15+15+15	1.50	1.50	1.50	1.50	6.00 3.10 - 8.40	1.354 0.530 - 4.034	5.69	5.95	2.43	99
15+15+15+18	1.40	1.40	1.40	1.69	5.90 3.10 - 8.20	1.502 0.530 - 4.352	6.31	6.60	2.43	99
15+15+15+20	1.43	1.43	1.43	1.91	6.20 3.10 - 8.40	1.573 0.530 - 4.543	6.61	6.91	2.43	99
15+15+15+22	1.41	1.41	1.41	2.07	6.30 3.10 - 8.50	1.670 0.530 - 4.740	7.01	7.33	2.43	99
15+15+15+25	1.44	1.44	1.44	2.39	6.70 3.10 - 8.80	1.783 0.530 - 5.033	7.49	7.83	2.43	99
15+15+15+35	1.41	1.41	1.41	3.28	7.50 3.20 - 8.90	2.093 0.530 - 5.223	8.79	9.19	2.43	99
15+15+15+42	1.36	1.36	1.36	3.81 *	7.90 3.30 - 8.90	2.293 0.530 - 5.223	9.63	10.07	2.43	99
15+15+15+50	1.09	1.09	1.09	3.63 *	6.90 3.10 - 8.90	1.737 0.530 - 5.217	7.30	7.63	2.43	99
15+15+15+60	1.14	1.14	1.14	4.57	8.00 3.30 - 8.90	2.117 0.530 - 5.217	8.90	9.30	2.43	99
15+15+15+71	1.03	1.03	1.03	4.90	8.00 3.40 - 8.90	2.100 0.530 - 5.200	8.82	9.22	2.43	99
15+15+18+18	1.43	1.43	1.72	1.72	6.30 3.10 - 8.50	1.604 0.530 - 4.624	6.73	7.04	2.43	99
15+15+18+20	1.46	1.46	1.75	1.94	6.60 3.10 - 8.70	1.694 0.530 - 4.824	7.12	7.44	2.43	99
15+15+18+22	1.44	1.44	1.72	2.11	6.70 3.10 - 8.80	1.781 0.530 - 5.031	7.48	7.82	2.43	99
15+15+18+25	1.46	1.46	1.75	2.43	7.10 3.10 - 9.00	1.884 0.530 - 5.214	7.91	8.27	2.43	99
15+15+18+42	1.17	1.17	1.40	3.27 *	7.00 3.10 - 9.00	1.824 0.530 - 5.214	7.66	8.01	2.43	99
15+15+18+50	1.07	1.07	1.29	3.57 *	7.00 3.10 - 9.00	1.678 0.530 - 5.208	7.05	7.37	2.43	99
15+15+18+60	1.13	1.13	1.35	4.50	8.10 3.30 - 9.00	2.108 0.530 - 5.208	8.86	9.26	2.43	99
15+15+18+71	1.02	1.02	1.23	4.83	8.10 3.40 - 9.00	2.091 0.530 - 5.191	8.78	9.18	2.43	99
15+15+20+20	1.46	1.46	1.94	1.94	6.80 3.10 - 8.90	1.755 0.530 - 5.005	7.37	7.71	2.43	99
15+15+20+22	1.42	1.42	1.89	2.08	6.80 3.10 - 8.80	1.868 0.530 - 5.228	7.84	8.20	2.43	99
15+15+20+25	1.42	1.42	1.89	2.37	7.10 3.10 - 8.90	1.951 0.530 - 5.221	8.20	8.57	2.43	99
15+15+20+35	1.38	1.38	1.84	3.21	7.80 3.30 - 8.90	2.231 0.530 - 5.221	9.37	9.80	2.43	99

**MXZ-4F83VFHZ COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+15+20+42	1.13	1.13	1.50	3.15 *	6.90 3.10 - 8.90	1.791 0.530 - 5.221	7.53	7.87	2.43	99
15+15+20+50	1.20	1.20	1.60	4.00 *	8.00 3.30 - 8.90	2.115 0.530 - 5.215	8.89	9.29	2.43	99
15+15+20+60	1.09	1.09	1.45	4.36	8.00 3.40 - 8.90	2.115 0.530 - 5.215	8.89	9.29	2.43	99
15+15+20+71	0.99	0.99	1.32	4.69	8.00 3.40 - 8.90	2.098 0.530 - 5.198	8.81	9.21	2.43	99
15+15+22+22	1.42	1.42	2.08	2.08	7.00 3.10 - 8.90	1.902 0.530 - 5.202	7.99	8.35	2.43	99
15+15+22+25	1.42	1.42	2.09	2.37	7.30 3.20 - 9.00	1.994 0.530 - 5.214	8.38	8.76	2.43	99
15+15+22+35	1.38	1.38	2.02	3.22	8.00 3.30 - 9.00	2.284 0.530 - 5.214	9.59	10.03	2.43	99
15+15+22+42	1.12	1.12	1.64	3.13 *	7.00 3.10 - 9.00	1.754 0.530 - 5.214	7.37	7.70	2.43	99
15+15+22+50	1.19	1.19	1.75	3.97 *	8.10 3.30 - 9.00	2.108 0.530 - 5.208	8.86	9.26	2.43	99
15+15+22+60	1.08	1.08	1.59	4.34	8.10 3.40 - 9.00	2.108 0.530 - 5.208	8.86	9.26	2.43	99
15+15+22+71	0.99	0.99	1.45	4.68	8.10 3.40 - 9.00	2.091 0.530 - 5.191	8.78	9.18	2.43	99
15+15+25+25	1.43	1.43	2.38	2.38	7.60 3.20 - 9.00	2.065 0.530 - 5.195	8.68	9.07	2.43	99
15+15+25+35	1.17	1.17	1.94	2.72	7.00 3.10 - 9.00	1.824 0.530 - 5.214	7.66	8.01	2.43	99
15+15+25+42	1.08	1.08	1.80	3.03 *	7.00 3.10 - 9.00	1.704 0.530 - 5.214	7.15	7.48	2.43	99
15+15+25+50	1.16	1.16	1.93	3.86 *	8.10 3.30 - 9.00	2.108 0.530 - 5.208	8.86	9.26	2.43	99
15+15+25+60	1.06	1.06	1.76	4.23	8.10 3.40 - 9.00	2.108 0.530 - 5.208	8.86	9.26	2.43	99
15+15+25+71	0.96	0.96	1.61	4.56	8.10 3.40 - 9.00	2.091 0.530 - 5.191	8.78	9.18	2.43	99
15+15+35+35	1.22	1.22	2.84	2.84	8.10 3.30 - 9.00	2.095 0.530 - 5.195	8.80	9.20	2.43	99
15+15+35+42	1.14	1.14	2.65	3.18 *	8.10 3.30 - 9.00	2.114 0.530 - 5.214	8.88	9.28	2.43	99
15+15+35+50	1.06	1.06	2.47	3.52 *	8.10 3.40 - 9.00	2.108 0.530 - 5.208	8.86	9.26	2.43	99
15+15+35+60	0.97	0.97	2.27	3.89	8.10 3.40 - 9.00	2.108 0.530 - 5.208	8.86	9.26	2.43	99
15+15+35+71	0.89	0.89	2.08	4.23	8.10 3.40 - 9.00	2.091 0.530 - 5.191	8.78	9.18	2.43	99
15+15+42+42	1.07	1.07	2.98 *	2.98 *	8.10 3.40 - 9.00	2.095 0.530 - 5.195	8.80	9.20	2.43	99
15+15+42+50	1.00	1.00	2.79 *	3.32 *	8.10 3.50 - 9.00	1.802 0.530 - 5.202	7.57	7.91	2.43	99
15+15+42+60	0.92	0.92	2.58 *	3.68	8.10 3.40 - 9.00	2.102 0.530 - 5.202	8.83	9.23	2.43	99
15+15+42+71	0.85	0.85	2.38 *	4.02	8.10 3.40 - 9.00	2.085 0.530 - 5.185	8.76	9.16	2.43	99
15+15+50+50	0.93	0.93	3.12 *	3.12 *	8.10 3.40 - 9.00	2.089 0.530 - 5.189	8.77	9.17	2.43	99
15+15+50+60	0.87	0.87	2.89 *	3.47	8.10 3.40 - 9.00	2.102 0.530 - 5.202	8.83	9.23	2.43	99
15+18+18+18	1.46	1.75	1.75	1.75	6.70 3.10 - 8.80	1.705 0.530 - 4.895	7.16	7.49	2.43	99
15+18+18+20	1.48	1.77	1.77	1.97	7.00 3.10 - 9.00	1.805 0.530 - 5.105	7.59	7.93	2.43	99
15+18+18+22	1.46	1.75	1.75	2.14	7.10 3.10 - 9.00	1.882 0.530 - 5.212	7.91	8.27	2.43	99
15+18+18+25	1.46	1.75	1.75	2.43	7.40 3.20 - 9.10	1.965 0.530 - 5.205	8.25	8.63	2.43	99
15+18+18+35	1.41	1.70	1.70	3.30	8.10 3.30 - 9.10	2.245 0.530 - 5.205	9.43	9.86	2.43	99
15+18+18+42	1.15	1.37	1.37	3.21 *	7.10 3.10 - 9.10	1.765 0.530 - 5.205	7.41	7.75	2.43	99
15+18+18+50	1.22	1.46	1.46	4.06 *	8.20 3.30 - 9.10	2.099 0.530 - 5.199	8.82	9.22	2.43	99
15+18+18+60	1.11	1.33	1.33	4.43	8.20 3.40 - 9.10	2.099 0.530 - 5.199	8.82	9.22	2.43	99
15+18+18+71	1.01	1.21	1.21	4.77	8.20 3.50 - 9.10	1.782 0.530 - 5.182	7.49	7.83	2.43	99
15+18+20+20	1.48	1.78	1.97	1.97	7.20 3.10 - 9.10	1.856 0.530 - 5.186	7.80	8.15	2.43	99
15+18+20+22	1.42	1.70	1.89	2.08	7.10 3.10 - 8.90	1.949 0.530 - 5.219	8.19	8.56	2.43	99

**MXZ-4F83VFHZ COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+18+20+25	1.42	1.71	1.90	2.37	7.40 3.20 - 9.00	2.022 0.530 - 5.212	8.49	8.88	2.43	99
15+18+20+35	1.38	1.66	1.84	3.22	8.10 3.30 - 9.00	2.312 0.530 - 5.212	9.71	10.15	2.43	99
15+18+20+42	1.11	1.33	1.47	3.09 *	7.00 3.10 - 9.00	1.732 0.530 - 5.212	7.28	7.61	2.43	99
15+18+20+50	1.18	1.42	1.57	3.93 *	8.10 3.30 - 9.00	2.106 0.530 - 5.206	8.85	9.25	2.43	99
15+18+20+60	1.08	1.29	1.43	4.30	8.10 3.40 - 9.00	2.106 0.530 - 5.206	8.85	9.25	2.43	99
15+18+20+71	0.98	1.18	1.31	4.64	8.10 3.40 - 9.00	2.089 0.530 - 5.189	8.77	9.17	2.43	99
15+18+22+22	1.42	1.71	2.09	2.09	7.30 3.20 - 9.00	1.973 0.530 - 5.193	8.28	8.66	2.43	99
15+18+22+25	1.44	1.73	2.12	2.41	7.70 3.20 - 9.10	2.075 0.530 - 5.205	8.71	9.11	2.43	99
15+18+22+35	1.18	1.42	1.74	2.76	7.10 3.10 - 9.10	1.815 0.530 - 5.205	7.62	7.97	2.43	99
15+18+22+42	1.10	1.32	1.61	3.07 *	7.10 3.10 - 9.10	1.695 0.530 - 5.205	7.12	7.44	2.43	99
15+18+22+50	1.17	1.41	1.72	3.90 *	8.20 3.30 - 9.10	2.099 0.530 - 5.199	8.82	9.22	2.43	99
15+18+22+60	1.07	1.28	1.57	4.28	8.20 3.40 - 9.10	2.099 0.530 - 5.199	8.82	9.22	2.43	99
15+18+22+71	0.98	1.17	1.43	4.62	8.20 3.40 - 9.10	2.082 0.530 - 5.182	8.74	9.14	2.43	99
15+18+25+35	1.15	1.37	1.91	2.67	7.10 3.10 - 9.10	1.746 0.530 - 5.186	7.34	7.67	2.43	99
15+18+25+42	1.23	1.48	2.05	3.44 *	8.20 3.30 - 9.10	2.105 0.530 - 5.205	8.84	9.24	2.43	99
15+18+25+50	1.14	1.37	1.90	3.80 *	8.20 3.30 - 9.10	2.099 0.530 - 5.199	8.82	9.22	2.43	99
15+18+25+60	1.04	1.25	1.74	4.17	8.20 3.40 - 9.10	2.099 0.530 - 5.199	8.82	9.22	2.43	99
15+18+25+71	0.95	1.14	1.59	4.51	8.20 3.40 - 9.10	2.082 0.530 - 5.182	8.74	9.14	2.43	99
15+18+35+35	1.19	1.43	2.79	2.79	8.20 3.30 - 9.10	2.086 0.530 - 5.186	8.76	9.16	2.43	99
15+18+35+42	1.12	1.34	2.61	3.13 *	8.20 3.40 - 9.10	2.105 0.530 - 5.205	8.84	9.24	2.43	99
15+18+35+50	1.04	1.25	2.43	3.47 *	8.20 3.40 - 9.10	2.099 0.530 - 5.199	8.82	9.22	2.43	99
15+18+35+60	0.96	1.15	2.24	3.84	8.20 3.40 - 9.10	2.099 0.530 - 5.199	8.82	9.22	2.43	99
15+18+35+71	0.88	1.06	2.06	4.19	8.20 3.40 - 9.10	2.082 0.530 - 5.182	8.74	9.14	2.43	99
15+18+42+42	1.05	1.26	2.94 *	2.94 *	8.20 3.40 - 9.10	2.086 0.530 - 5.186	8.76	9.16	2.43	99
15+18+42+50	0.98	1.18	2.76 *	3.28 *	8.20 3.40 - 9.10	2.093 0.530 - 5.193	8.79	9.19	2.43	99
15+18+42+60	0.91	1.09	2.55 *	3.64	8.20 3.40 - 9.10	2.093 0.530 - 5.193	8.79	9.19	2.43	99
15+18+50+50	0.92	1.11	3.08 *	3.08 *	8.20 3.40 - 9.10	2.076 0.530 - 5.176	8.72	9.12	2.43	99
15+18+50+60	0.86	1.03	2.87 *	3.44	8.20 3.40 - 9.10	2.093 0.530 - 5.193	8.79	9.19	2.43	99
15+20+20+20	1.46	1.95	1.95	1.95	7.30 3.10 - 9.10	1.906 0.530 - 5.176	8.01	8.37	2.43	99
15+20+20+22	1.38	1.84	1.84	2.03	7.10 3.20 - 8.80	2.006 0.530 - 5.226	8.43	8.81	2.43	99
15+20+20+25	1.41	1.88	1.88	2.34	7.50 3.20 - 8.90	2.089 0.530 - 5.219	8.77	9.17	2.43	99
15+20+20+35	1.15	1.53	1.53	2.68	6.90 3.10 - 8.90	1.829 0.530 - 5.219	7.68	8.03	2.43	99
15+20+20+42	1.07	1.42	1.42	2.99 *	6.90 3.10 - 8.90	1.709 0.530 - 5.219	7.18	7.51	2.43	99
15+20+20+50	1.14	1.52	1.52	3.81 *	8.00 3.30 - 8.90	2.113 0.530 - 5.213	8.88	9.28	2.43	99
15+20+20+60	1.04	1.39	1.39	4.17	8.00 3.40 - 8.90	2.113 0.530 - 5.213	8.88	9.28	2.43	99
15+20+20+71	0.95	1.27	1.27	4.51	8.00 3.40 - 8.90	2.096 0.530 - 5.196	8.81	9.21	2.43	99
15+20+22+22	1.41	1.87	2.06	2.06	7.40 3.20 - 8.90	2.040 0.530 - 5.200	8.57	8.96	2.43	99
15+20+22+25	1.41	1.88	2.07	2.35	7.70 3.20 - 9.00	2.142 0.530 - 5.212	9.00	9.41	2.43	99
15+20+22+35	1.14	1.52	1.67	2.66	7.00 3.10 - 9.00	1.782 0.530 - 5.212	7.49	7.83	2.43	99

**MXZ-4F83VFHZ COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+20+22+42	1.06	1.41	1.56	2.97 *	7.00 3.10 - 9.00	1.672 0.530 - 5.212	7.02	7.34	2.43	99
15+20+22+50	1.14	1.51	1.67	3.79 *	8.10 3.30 - 9.00	2.106 0.530 - 5.206	8.85	9.25	2.43	99
15+20+22+60	1.04	1.38	1.52	4.15	8.10 3.40 - 9.00	2.106 0.530 - 5.206	8.85	9.25	2.43	99
15+20+22+71	0.95	1.27	1.39	4.49	8.10 3.40 - 9.00	2.089 0.530 - 5.189	8.77	9.17	2.43	99
15+20+25+25	1.39	1.86	2.32	2.32	7.90 3.30 - 9.00	2.203 0.530 - 5.193	9.26	9.68	2.43	99
15+20+25+35	1.11	1.47	1.84	2.58	7.00 3.10 - 9.00	1.732 0.530 - 5.212	7.28	7.61	2.43	99
15+20+25+42	1.19	1.59	1.99	3.34 *	8.10 3.30 - 9.00	2.112 0.530 - 5.212	8.88	9.28	2.43	99
15+20+25+50	1.10	1.47	1.84	3.68 *	8.10 3.40 - 9.00	2.106 0.530 - 5.206	8.85	9.25	2.43	99
15+20+25+60	1.01	1.35	1.69	4.05	8.10 3.40 - 9.00	2.106 0.530 - 5.206	8.85	9.25	2.43	99
15+20+25+71	0.93	1.24	1.55	4.39	8.10 3.40 - 9.00	2.089 0.530 - 5.189	8.77	9.17	2.43	99
15+20+35+35	1.16	1.54	2.70	2.70	8.10 3.30 - 9.00	2.093 0.530 - 5.193	8.79	9.19	2.43	99
15+20+35+42	1.08	1.45	2.53	3.04 *	8.10 3.40 - 9.00	2.112 0.530 - 5.212	8.88	9.28	2.43	99
15+20+35+50	1.01	1.35	2.36	3.38 *	8.10 3.40 - 9.00	2.106 0.530 - 5.206	8.85	9.25	2.43	99
15+20+35+60	0.93	1.25	2.18	3.74	8.10 3.40 - 9.00	2.106 0.530 - 5.206	8.85	9.25	2.43	99
15+20+35+71	0.86	1.15	2.01	4.08	8.10 3.40 - 9.00	2.089 0.530 - 5.189	8.77	9.17	2.43	99
15+20+42+42	1.02	1.36	2.86 *	2.86 *	8.10 3.40 - 9.00	2.093 0.530 - 5.193	8.79	9.19	2.43	99
15+20+42+50	0.96	1.28	2.68 *	3.19 *	8.10 3.40 - 9.00	2.100 0.530 - 5.200	8.82	9.22	2.43	99
15+20+42+60	0.89	1.18	2.48 *	3.55	8.10 3.40 - 9.00	2.100 0.530 - 5.200	8.82	9.22	2.43	99
15+20+50+50	0.90	1.20	3.00 *	3.00 *	8.10 3.40 - 9.00	2.083 0.530 - 5.183	8.75	9.15	2.43	99
15+20+50+60	0.84	1.12	2.79 *	3.35	8.10 3.40 - 9.00	2.100 0.530 - 5.200	8.82	9.22	2.43	99
15+22+22+22	1.41	2.06	2.06	2.06	7.60 3.20 - 9.00	2.083 0.530 - 5.183	8.75	9.15	2.43	99
15+22+22+25	1.41	2.07	2.07	2.35	7.90 3.30 - 9.10	2.195 0.530 - 5.205	9.22	9.64	2.43	99
15+22+22+35	1.13	1.66	1.66	2.64	7.10 3.10 - 9.10	1.745 0.530 - 5.205	7.33	7.66	2.43	99
15+22+22+42	1.22	1.79	1.79	3.41 *	8.20 3.30 - 9.10	2.105 0.530 - 5.205	8.84	9.24	2.43	99
15+22+22+50	1.13	1.66	1.66	3.76 *	8.20 3.30 - 9.10	2.099 0.530 - 5.199	8.82	9.22	2.43	99
15+22+22+60	1.03	1.52	1.52	4.13	8.20 3.40 - 9.10	2.099 0.530 - 5.199	8.82	9.22	2.43	99
15+22+22+71	0.95	1.39	1.39	4.48	8.20 3.40 - 9.10	2.082 0.530 - 5.182	8.74	9.14	2.43	99
15+22+25+25	1.40	2.05	2.33	2.33	8.10 3.30 - 9.10	2.256 0.530 - 5.186	9.48	9.91	2.43	99
15+22+25+35	1.10	1.61	1.83	2.56	7.10 3.10 - 9.10	1.695 0.530 - 5.205	7.12	7.44	2.43	99
15+22+25+42	1.18	1.73	1.97	3.31 *	8.20 3.30 - 9.10	2.105 0.530 - 5.205	8.84	9.24	2.43	99
15+22+25+50	1.10	1.61	1.83	3.66 *	8.20 3.40 - 9.10	2.099 0.530 - 5.199	8.82	9.22	2.43	99
15+22+25+60	1.01	1.48	1.68	4.03	8.20 3.50 - 9.10	1.799 0.530 - 5.199	7.56	7.90	2.43	99
15+22+25+71	0.92	1.36	1.54	4.38	8.20 3.40 - 9.10	2.082 0.530 - 5.182	8.74	9.14	2.43	99
15+22+35+35	1.15	1.69	2.68	2.68	8.20 3.30 - 9.10	2.086 0.530 - 5.186	8.76	9.16	2.43	99
15+22+35+42	1.08	1.58	2.52	3.02 *	8.20 3.40 - 9.10	2.105 0.530 - 5.205	8.84	9.24	2.43	99
15+22+35+50	1.01	1.48	2.35	3.36 *	8.20 3.50 - 9.10	1.799 0.530 - 5.199	7.56	7.90	2.43	99
15+22+35+60	0.93	1.37	2.17	3.73	8.20 3.40 - 9.10	2.099 0.530 - 5.199	8.82	9.22	2.43	99
15+22+35+71	0.86	1.26	2.01	4.07	8.20 3.40 - 9.10	2.082 0.530 - 5.182	8.74	9.14	2.43	99
15+22+42+42	1.02	1.49	2.85 *	2.85 *	8.20 3.40 - 9.10	2.086 0.530 - 5.186	8.76	9.16	2.43	99

**MXZ-4F83VFHZ COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+22+42+50	0.95	1.40	2.67 *	3.18 *	8.20 3.40 - 9.10	2.093 - 5.193	8.79	9.19	2.43	99
15+22+42+60	0.88	1.30	2.48 *	3.54	8.20 3.40 - 9.10	2.093 - 5.193	8.79	9.19	2.43	99
15+22+50+50	0.90	1.32	2.99 *	2.99 *	8.20 3.40 - 9.10	2.076 - 5.176	8.72	9.12	2.43	99
15+25+25+25	1.18	1.97	1.97	1.97	7.10 3.10 - 9.10	1.803 - 5.193	7.58	7.92	2.43	99
15+25+25+35	1.23	2.05	2.05	2.87	8.20 3.30 - 9.10	2.105 - 5.205	8.84	9.24	2.43	99
15+25+25+42	1.15	1.92	1.92	3.22 *	8.20 3.30 - 9.10	2.105 - 5.205	8.84	9.24	2.43	99
15+25+25+50	1.07	1.78	1.78	3.57 *	8.20 3.40 - 9.10	2.099 - 5.199	8.82	9.22	2.43	99
15+25+25+60	0.98	1.64	1.64	3.94	8.20 3.40 - 9.10	2.099 - 5.199	8.82	9.22	2.43	99
15+25+25+71	0.90	1.51	1.51	4.28	8.20 3.40 - 9.10	2.082 - 5.182	8.74	9.14	2.43	99
15+25+35+35	1.12	1.86	2.61	2.61	8.20 3.40 - 9.10	2.086 - 5.186	8.76	9.16	2.43	99
15+25+35+42	1.05	1.75	2.45	2.94 *	8.20 3.40 - 9.10	2.105 - 5.205	8.84	9.24	2.43	99
15+25+35+50	0.98	1.64	2.30	3.28 *	8.20 3.40 - 9.10	2.099 - 5.199	8.82	9.22	2.43	99
15+25+35+60	0.91	1.52	2.13	3.64	8.20 3.40 - 9.10	2.099 - 5.199	8.82	9.22	2.43	99
15+25+42+42	0.99	1.65	2.78 *	2.78 *	8.20 3.40 - 9.10	2.082 - 5.182	8.74	9.14	2.43	99
15+25+42+50	0.93	1.55	2.61 *	3.11 *	8.20 3.40 - 9.10	2.093 - 5.193	8.79	9.19	2.43	99
15+25+42+60	0.87	1.44	2.43 *	3.46	8.20 3.40 - 9.10	2.093 - 5.193	8.79	9.19	2.43	99
15+25+50+50	0.88	1.46	2.93 *	2.93 *	8.20 3.40 - 9.10	2.076 - 5.176	8.72	9.12	2.43	99
15+35+35+35	1.03	2.39	2.39	2.39	8.20 3.40 - 9.10	2.093 - 5.193	8.79	9.19	2.43	99
15+35+35+42	0.97	2.26	2.26	2.71 *	8.20 3.40 - 9.10	2.105 - 5.205	8.84	9.24	2.43	99
15+35+35+50	0.91	2.13	2.13	3.04 *	8.20 3.40 - 9.10	2.099 - 5.199	8.82	9.22	2.43	99
15+35+35+60	0.85	1.98	1.98	3.39	8.20 3.40 - 9.10	2.099 - 5.199	8.82	9.22	2.43	99
15+35+42+42	0.92	2.14	2.57 *	2.57 *	8.20 3.40 - 9.10	2.082 - 5.182	8.74	9.14	2.43	99
15+35+42+50	0.87	2.02	2.43 *	2.89 *	8.20 3.40 - 9.10	2.093 - 5.193	8.79	9.19	2.43	99
15+42+42+42	0.87	2.44	2.44 *	2.44 *	8.20 3.40 - 9.10	2.093 - 5.193	8.79	9.19	2.43	99
18+18+18+18	1.78	1.78	1.78	1.78	7.10 3.10 - 9.10	1.827 - 5.187	7.67	8.02	2.43	99
18+18+18+20	1.78	1.78	1.78	1.97	7.30 3.10 - 9.20	1.896 - 5.196	7.97	8.33	2.43	99
18+18+18+22	1.75	1.75	1.75	2.14	7.40 3.20 - 9.10	1.963 - 5.203	8.25	8.62	2.43	99
18+18+18+25	1.75	1.75	1.75	2.44	7.70 3.20 - 9.20	2.036 - 5.196	8.55	8.94	2.43	99
18+18+18+35	1.46	1.46	1.46	2.83	7.20 3.10 - 9.20	1.816 - 5.196	7.63	7.98	2.43	99
18+18+18+42	1.35	1.35	1.35	3.15 *	7.20 3.10 - 9.20	1.706 - 5.196	7.16	7.49	2.43	99
18+18+18+50	1.44	1.44	1.44	3.99 *	8.30 3.30 - 9.20	2.090 - 5.190	8.78	9.18	2.43	99
18+18+18+60	1.31	1.31	1.31	4.37	8.30 3.40 - 9.20	2.090 - 5.190	8.78	9.18	2.43	99
18+18+18+71	1.20	1.20	1.20	4.71	8.30 3.40 - 9.20	2.073 - 5.173	8.70	9.10	2.43	99
18+18+20+20	1.78	1.78	1.97	1.97	7.50 3.20 - 9.20	1.937 - 5.177	8.14	8.51	2.43	99
18+18+20+22	1.71	1.71	1.90	2.09	7.40 3.20 - 9.00	2.020 - 5.210	8.48	8.87	2.43	99
18+18+20+25	1.71	1.71	1.90	2.38	7.70 3.20 - 9.10	2.103 - 5.203	8.84	9.24	2.43	99
18+18+20+35	1.40	1.40	1.56	2.73	7.10 3.10 - 9.10	1.793 - 5.203	7.53	7.87	2.43	99
18+18+20+42	1.30	1.30	1.45	3.04 *	7.10 3.10 - 9.10	1.673 - 5.203	7.03	7.35	2.43	99
18+18+20+50	1.39	1.39	1.55	3.87 *	8.20 3.30 - 9.10	2.097 - 5.197	8.81	9.21	2.43	99

**MXZ-4F83VFHZ COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+18+20+60	1.27	1.27	1.41	4.24	8.20 3.40 - 9.10	2.097 0.530 - 5.197	8.81	9.21	2.43	99
18+18+20+71	1.16	1.16	1.29	4.58	8.20 3.40 - 9.10	2.080 0.530 - 5.180	8.73	9.13	2.43	99
18+18+22+22	1.73	1.73	2.12	2.12	7.70 3.20 - 9.10	2.054 0.530 - 5.184	8.63	9.02	2.43	99
18+18+22+35	1.39	1.39	1.70	2.71	7.20 3.10 - 9.20	1.756 0.530 - 5.196	7.37	7.71	2.43	99
18+18+22+42	1.49	1.49	1.83	3.49 *	8.30 3.30 - 9.20	2.096 0.530 - 5.196	8.81	9.21	2.43	99
18+18+22+50	1.38	1.38	1.69	3.84 *	8.30 3.30 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
18+18+22+60	1.27	1.27	1.55	4.22	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
18+18+22+71	1.16	1.16	1.42	4.57	8.30 3.40 - 9.20	2.073 0.530 - 5.173	8.70	9.10	2.43	99
18+18+25+25	1.72	1.72	2.38	2.38	8.20 3.30 - 9.20	2.217 0.530 - 5.177	9.32	9.74	2.43	99
18+18+25+35	1.35	1.35	1.88	2.63	7.20 3.10 - 9.20	1.706 0.530 - 5.196	7.16	7.49	2.43	99
18+18+25+42	1.45	1.45	2.01	3.38 *	8.30 3.30 - 9.20	2.096 0.530 - 5.196	8.81	9.21	2.43	99
18+18+25+50	1.35	1.35	1.87	3.74 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
18+18+25+60	1.23	1.23	1.71	4.12	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
18+18+25+71	1.13	1.13	1.57	4.46	8.30 3.40 - 9.20	2.073 0.530 - 5.173	8.70	9.10	2.43	99
18+18+35+35	1.41	1.41	2.74	2.74	8.30 3.30 - 9.20	2.077 0.530 - 5.177	8.72	9.12	2.43	99
18+18+35+42	1.32	1.32	2.57	3.08 *	8.30 3.40 - 9.20	2.096 0.530 - 5.196	8.81	9.21	2.43	99
18+18+35+50	1.23	1.23	2.40	3.43 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
18+18+35+60	1.14	1.14	2.22	3.80	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
18+18+35+71	1.05	1.05	2.05	4.15	8.30 3.40 - 9.20	2.073 0.530 - 5.173	8.70	9.10	2.43	99
18+18+42+42	1.25	1.25	2.91 *	2.91 *	8.30 3.40 - 9.20	2.077 0.530 - 5.177	8.72	9.12	2.43	99
18+18+42+50	1.17	1.17	2.72 *	3.24 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	8.75	9.15	2.43	99
18+18+42+60	1.08	1.08	2.53 *	3.61	8.30 3.40 - 9.20	2.084 0.530 - 5.184	8.75	9.15	2.43	99
18+18+50+50	1.10	1.10	3.05 *	3.05 *	8.30 3.40 - 9.20	2.067 0.530 - 5.167	8.69	9.08	2.43	99
18+20+20+20	1.75	1.95	1.95	1.95	7.60 3.20 - 9.20	1.994 0.530 - 5.184	8.38	8.76	2.43	99
18+20+20+22	1.69	1.88	1.88	2.06	7.50 3.20 - 8.90	2.087 0.530 - 5.217	8.77	9.17	2.43	99
18+20+20+35	1.35	1.51	1.51	2.63	7.00 3.10 - 9.00	1.770 0.530 - 5.210	7.43	7.77	2.43	99
18+20+20+42	1.46	1.62	1.62	3.40 *	8.10 3.30 - 9.00	2.110 0.530 - 5.210	8.87	9.27	2.43	99
18+20+20+50	1.35	1.50	1.50	3.75 *	8.10 3.30 - 9.00	2.104 0.530 - 5.204	8.84	9.24	2.43	99
18+20+20+60	1.24	1.37	1.37	4.12	8.10 3.40 - 9.00	2.104 0.530 - 5.204	8.84	9.24	2.43	99
18+20+20+71	1.13	1.26	1.26	4.46	8.10 3.40 - 9.00	2.087 0.530 - 5.187	8.77	9.17	2.43	99
18+20+22+22	1.69	1.88	2.07	2.07	7.70 3.20 - 9.00	2.121 0.530 - 5.191	8.91	9.31	2.43	99
18+20+22+25	1.69	1.88	2.07	2.35	8.00 3.30 - 9.10	2.213 0.530 - 5.203	9.30	9.72	2.43	99
18+20+22+35	1.35	1.49	1.64	2.62	7.10 3.10 - 9.10	1.723 0.530 - 5.203	7.24	7.57	2.43	99
18+20+22+42	1.45	1.61	1.77	3.38 *	8.20 3.30 - 9.10	2.103 0.530 - 5.203	8.84	9.24	2.43	99
18+20+22+50	1.34	1.49	1.64	3.73 *	8.20 3.40 - 9.10	2.097 0.530 - 5.197	8.81	9.21	2.43	99
18+20+22+60	1.23	1.37	1.50	4.10	8.20 3.40 - 9.10	2.097 0.530 - 5.197	8.81	9.21	2.43	99
18+20+22+71	1.13	1.25	1.38	4.44	8.20 3.40 - 9.10	2.080 0.530 - 5.180	8.73	9.13	2.43	99
18+20+25+25	1.68	1.86	2.33	2.33	8.20 3.30 - 9.10	2.284 0.530 - 5.184	9.59	10.03	2.43	99
18+20+25+35	1.30	1.45	1.81	2.54	7.10 3.10 - 9.10	1.673 0.530 - 5.203	7.03	7.35	2.43	99



**MXZ-4F83VFHZ COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+20+25+42	1.41	1.56	1.95	3.28 *	8.20 3.30 - 9.10	2.103 - 5.203	8.84	9.24	2.43	99
18+20+25+50	1.31	1.45	1.81	3.63 *	8.20 3.40 - 9.10	2.097 - 5.197	8.81	9.21	2.43	99
18+20+25+60	1.20	1.33	1.67	4.00	8.20 3.40 - 9.10	2.097 - 5.197	8.81	9.21	2.43	99
18+20+25+71	1.10	1.22	1.53	4.34	8.20 3.40 - 9.10	2.080 - 5.180	8.73	9.13	2.43	99
18+20+35+35	1.37	1.52	2.66	2.66	8.20 3.30 - 9.10	2.084 - 5.184	8.75	9.15	2.43	99
18+20+35+42	1.28	1.43	2.50	2.99 *	8.20 3.40 - 9.10	2.103 - 5.203	8.84	9.24	2.43	99
18+20+35+50	1.20	1.33	2.33	3.33 *	8.20 3.40 - 9.10	2.097 - 5.197	8.81	9.21	2.43	99
18+20+35+60	1.11	1.23	2.16	3.70	8.20 3.40 - 9.10	2.097 - 5.197	8.81	9.21	2.43	99
18+20+35+71	1.03	1.14	1.99	4.04	8.20 3.40 - 9.10	2.080 - 5.180	8.73	9.13	2.43	99
18+20+42+42	1.21	1.34	2.82 *	2.82 *	8.20 3.50 - 9.10	1.784 - 5.184	7.49	7.83	2.43	99
18+20+42+50	1.14	1.26	2.65 *	3.15 *	8.20 3.40 - 9.10	2.091 - 5.191	8.78	9.18	2.43	99
18+20+42+60	1.05	1.17	2.46 *	3.51	8.20 3.40 - 9.10	2.091 - 5.191	8.78	9.18	2.43	99
18+20+50+50	1.07	1.19	2.97 *	2.97 *	8.20 3.40 - 9.10	2.074 - 5.174	8.71	9.11	2.43	99
18+22+22+22	1.69	2.07	2.07	2.07	7.90 3.30 - 9.10	2.181 - 5.191	9.16	9.58	2.43	99
18+22+22+25	1.70	2.07	2.07	2.36	8.20 3.30 - 9.20	2.266 - 5.196	9.52	9.95	2.43	99
18+22+22+35	1.34	1.63	1.63	2.60	7.20 3.10 - 9.20	1.686 - 5.196	7.08	7.40	2.43	99
18+22+22+42	1.44	1.76	1.76	3.35 *	8.30 3.30 - 9.20	2.096 - 5.196	8.81	9.21	2.43	99
18+22+22+50	1.33	1.63	1.63	3.71 *	8.30 3.40 - 9.20	2.090 - 5.190	8.78	9.18	2.43	99
18+22+22+60	1.22	1.50	1.50	4.08	8.30 3.50 - 9.20	1.790 - 5.190	7.52	7.86	2.43	99
18+22+22+71	1.12	1.37	1.37	4.43	8.30 3.40 - 9.20	2.073 - 5.173	8.70	9.10	2.43	99
18+22+25+25	1.44	1.76	2.00	2.00	7.20 3.10 - 9.20	1.787 - 5.177	7.51	7.85	2.43	99
18+22+25+35	1.49	1.83	2.08	2.91	8.30 3.30 - 9.20	2.096 - 5.196	8.81	9.21	2.43	99
18+22+25+42	1.40	1.71	1.94	3.26 *	8.30 3.30 - 9.20	2.096 - 5.196	8.81	9.21	2.43	99
18+22+25+50	1.30	1.59	1.80	3.61 *	8.30 3.40 - 9.20	2.090 - 5.190	8.78	9.18	2.43	99
18+22+25+60	1.20	1.46	1.66	3.98	8.30 3.40 - 9.20	2.090 - 5.190	8.78	9.18	2.43	99
18+22+25+71	1.10	1.34	1.53	4.33	8.30 3.40 - 9.20	2.073 - 5.173	8.70	9.10	2.43	99
18+22+35+35	1.36	1.66	2.64	2.64	8.30 3.40 - 9.20	2.077 - 5.177	8.72	9.12	2.43	99
18+22+35+42	1.28	1.56	2.48	2.98 *	8.30 3.40 - 9.20	2.096 - 5.196	8.81	9.21	2.43	99
18+22+35+50	1.20	1.46	2.32	3.32 *	8.30 3.40 - 9.20	2.090 - 5.190	8.78	9.18	2.43	99
18+22+35+60	1.11	1.35	2.15	3.69	8.30 3.40 - 9.20	2.090 - 5.190	8.78	9.18	2.43	99
18+22+42+42	1.20	1.47	2.81 *	2.81 *	8.30 3.40 - 9.20	2.073 - 5.173	8.70	9.10	2.43	99
18+22+42+50	1.13	1.38	2.64 *	3.14 *	8.30 3.40 - 9.20	2.084 - 5.184	8.75	9.15	2.43	99
18+22+42+60	1.05	1.29	2.45 *	3.51	8.30 3.40 - 9.20	2.084 - 5.184	8.75	9.15	2.43	99
18+22+50+50	1.07	1.30	2.96 *	2.96 *	8.30 3.40 - 9.20	2.067 - 5.167	8.69	9.08	2.43	99
18+25+25+25	1.39	1.94	1.94	1.94	7.20 3.10 - 9.20	1.744 - 5.184	7.33	7.66	2.43	99
18+25+25+35	1.45	2.01	2.01	2.82	8.30 3.30 - 9.20	2.096 - 5.196	8.81	9.21	2.43	99
18+25+25+42	1.36	1.89	1.89	3.17 *	8.30 3.40 - 9.20	2.096 - 5.196	8.81	9.21	2.43	99
18+25+25+50	1.27	1.76	1.76	3.52 *	8.30 3.40 - 9.20	2.090 - 5.190	8.78	9.18	2.43	99
18+25+25+60	1.17	1.62	1.62	3.89	8.30 3.40 - 9.20	2.090 - 5.190	8.78	9.18	2.43	99

**MXZ-4F83VFHZ COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+25+25+71	1.07	1.49	1.49	4.24	8.30 3.40 - 9.20	2.073 0.530 - 5.173	8.70	9.10	2.43	99
18+25+35+35	1.32	1.84	2.57	2.57	8.30 3.40 - 9.20	2.077 0.530 - 5.177	8.72	9.12	2.43	99
18+25+35+42	1.25	1.73	2.42	2.91 *	8.30 3.40 - 9.20	2.096 0.530 - 5.196	8.81	9.21	2.43	99
18+25+35+50	1.17	1.62	2.27	3.24 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
18+25+35+60	1.08	1.50	2.11	3.61	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
18+25+42+42	1.18	1.63	2.74 *	2.74 *	8.30 3.40 - 9.20	2.073 0.530 - 5.173	8.70	9.10	2.43	99
18+25+42+50	1.11	1.54	2.58 *	3.07 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	8.75	9.15	2.43	99
18+25+42+60	1.03	1.43	2.40 *	3.43	8.30 3.40 - 9.20	2.084 0.530 - 5.184	8.75	9.15	2.43	99
18+25+50+50	1.04	1.45	2.90 *	2.90 *	8.30 3.40 - 9.20	2.067 0.530 - 5.167	8.69	9.08	2.43	99
18+35+35+35	1.21	2.36	2.36	2.36	8.30 3.40 - 9.20	2.084 0.530 - 5.184	8.75	9.15	2.43	99
18+35+35+42	1.15	2.23	2.23	2.68 *	8.30 3.40 - 9.20	2.096 0.530 - 5.196	8.81	9.21	2.43	99
18+35+35+50	1.08	2.11	2.11	3.01 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
18+35+42+42	1.09	2.12	2.54 *	2.54 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
18+35+42+50	1.03	2.00	2.40 *	2.86 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	8.75	9.15	2.43	99
18+42+42+42	1.04	2.42	2.42 *	2.42 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	8.75	9.15	2.43	99
20+20+20+20	1.95	1.95	1.95	1.95	7.80 3.20 - 9.20	2.048 0.530 - 5.178	8.60	8.99	2.43	99
20+20+20+22	1.83	1.83	1.83	2.01	7.50 3.20 - 8.80	2.154 0.530 - 5.224	9.05	9.46	2.43	99
20+20+20+25	1.84	1.84	1.84	2.29	7.80 3.30 - 8.90	2.227 0.530 - 5.217	9.35	9.78	2.43	99
20+20+20+35	1.45	1.45	1.45	2.54	6.90 3.10 - 8.90	1.737 0.530 - 5.217	7.30	7.63	2.43	99
20+20+20+42	1.57	1.57	1.57	3.29 *	8.00 3.30 - 8.90	2.117 0.530 - 5.217	8.90	9.30	2.43	99
20+20+20+50	1.45	1.45	1.45	3.64 *	8.00 3.40 - 8.90	2.111 0.530 - 5.211	8.87	9.27	2.43	99
20+20+20+60	1.33	1.33	1.33	4.00	8.00 3.40 - 8.90	2.111 0.530 - 5.211	8.87	9.27	2.43	99
20+20+20+71	1.22	1.22	1.22	4.34	8.00 3.40 - 8.90	2.094 0.530 - 5.194	8.80	9.20	2.43	99
20+20+22+22	1.83	1.83	2.02	2.02	7.70 3.30 - 8.90	2.188 0.530 - 5.198	9.19	9.61	2.43	99
20+20+22+25	1.84	1.84	2.02	2.30	8.00 3.30 - 9.00	2.280 0.530 - 5.210	9.57	10.01	2.43	99
20+20+22+35	1.44	1.44	1.59	2.53	7.00 3.10 - 9.00	1.700 0.530 - 5.210	7.15	7.47	2.43	99
20+20+22+42	1.56	1.56	1.71	3.27 *	8.10 3.30 - 9.00	2.110 0.530 - 5.210	8.87	9.27	2.43	99
20+20+22+50	1.45	1.45	1.59	3.62 *	8.10 3.40 - 9.00	2.104 0.530 - 5.204	8.84	9.24	2.43	99
20+20+22+60	1.33	1.33	1.46	3.98	8.10 3.50 - 9.00	1.804 0.530 - 5.204	7.58	7.92	2.43	99
20+20+22+71	1.22	1.22	1.34	4.32	8.10 3.40 - 9.00	2.087 0.530 - 5.187	8.77	9.17	2.43	99
20+20+25+25	1.56	1.56	1.94	1.94	7.00 3.10 - 9.00	1.801 0.530 - 5.191	7.57	7.91	2.43	99
20+20+25+35	1.62	1.62	2.03	2.84	8.10 3.30 - 9.00	2.110 0.530 - 5.210	8.87	9.27	2.43	99
20+20+25+42	1.51	1.51	1.89	3.18 *	8.10 3.30 - 9.00	2.110 0.530 - 5.210	8.87	9.27	2.43	99
20+20+25+50	1.41	1.41	1.76	3.52 *	8.10 3.40 - 9.00	2.104 0.530 - 5.204	8.84	9.24	2.43	99
20+20+25+60	1.30	1.30	1.62	3.89	8.10 3.40 - 9.00	2.104 0.530 - 5.204	8.84	9.24	2.43	99
20+20+25+71	1.19	1.19	1.49	4.23	8.10 3.40 - 9.00	2.087 0.530 - 5.187	8.77	9.17	2.43	99
20+20+35+35	1.47	1.47	2.58	2.58	8.10 3.40 - 9.00	2.091 0.530 - 5.191	8.78	9.18	2.43	99
20+20+35+42	1.38	1.38	2.42	2.91 *	8.10 3.40 - 9.00	2.110 0.530 - 5.210	8.87	9.27	2.43	99
20+20+35+50	1.30	1.30	2.27	3.24 *	8.10 3.40 - 9.00	2.104 0.530 - 5.204	8.84	9.24	2.43	99

**MXZ-4F83VFHZ COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
20+20+35+60	1.20	1.20	2.10	3.60	8.10 3.40 - 9.00	2.104 0.530 - 5.204	8.84	9.24	2.43	99
20+20+42+42	1.31	1.31	2.74 *	2.74 *	8.10 3.40 - 9.00	2.087 0.530 - 5.187	8.77	9.17	2.43	99
20+20+42+50	1.23	1.23	2.58 *	3.07 *	8.10 3.40 - 9.00	2.098 0.530 - 5.198	8.81	9.21	2.43	99
20+20+42+60	1.14	1.14	2.40 *	3.42	8.10 3.40 - 9.00	2.098 0.530 - 5.198	8.81	9.21	2.43	99
20+20+50+50	1.16	1.16	2.89 *	2.89 *	8.10 3.40 - 9.00	2.081 0.530 - 5.181	8.74	9.14	2.43	99
20+22+22+22	1.86	2.05	2.05	2.05	8.00 3.30 - 9.00	2.238 0.530 - 5.198	9.40	9.83	2.43	99
20+22+22+25	1.60	1.76	1.76	1.99	7.10 3.10 - 9.10	1.823 0.530 - 5.203	7.66	8.01	2.43	99
20+22+22+35	1.43	1.58	1.58	2.51	7.10 3.10 - 9.10	1.663 0.530 - 5.203	6.98	7.30	2.43	99
20+22+22+42	1.55	1.70	1.70	3.25 *	8.20 3.30 - 9.10	2.103 0.530 - 5.203	8.84	9.24	2.43	99
20+22+22+50	1.44	1.58	1.58	3.60 *	8.20 3.40 - 9.10	2.097 0.530 - 5.197	8.81	9.21	2.43	99
20+22+22+60	1.32	1.45	1.45	3.97	8.20 3.40 - 9.10	2.097 0.530 - 5.197	8.81	9.21	2.43	99
20+22+22+71	1.21	1.34	1.34	4.31	8.20 3.40 - 9.10	2.080 0.530 - 5.180	8.73	9.13	2.43	99
20+22+25+25	1.54	1.70	1.93	1.93	7.10 3.10 - 9.10	1.754 0.530 - 5.184	7.37	7.70	2.43	99
20+22+25+35	1.61	1.77	2.01	2.81	8.20 3.30 - 9.10	2.103 0.530 - 5.203	8.84	9.24	2.43	99
20+22+25+42	1.50	1.66	1.88	3.16 *	8.20 3.30 - 9.10	2.103 0.530 - 5.203	8.84	9.24	2.43	99
20+22+25+50	1.40	1.54	1.75	3.50 *	8.20 3.40 - 9.10	2.097 0.530 - 5.197	8.81	9.21	2.43	99
20+22+25+60	1.29	1.42	1.61	3.87	8.20 3.40 - 9.10	2.097 0.530 - 5.197	8.81	9.21	2.43	99
20+22+25+71	1.19	1.31	1.49	4.22	8.20 3.40 - 9.10	2.080 0.530 - 5.180	8.73	9.13	2.43	99
20+22+35+35	1.46	1.61	2.56	2.56	8.20 3.40 - 9.10	2.084 0.530 - 5.184	8.75	9.15	2.43	99
20+22+35+42	1.38	1.52	2.41	2.89 *	8.20 3.40 - 9.10	2.103 0.530 - 5.203	8.84	9.24	2.43	99
20+22+35+50	1.29	1.42	2.26	3.23 *	8.20 3.40 - 9.10	2.097 0.530 - 5.197	8.81	9.21	2.43	99
20+22+35+60	1.20	1.32	2.09	3.59	8.20 3.40 - 9.10	2.097 0.530 - 5.197	8.81	9.21	2.43	99
20+22+42+42	1.30	1.43	2.73 *	2.73 *	8.20 3.40 - 9.10	2.080 0.530 - 5.180	8.73	9.13	2.43	99
20+22+42+50	1.22	1.35	2.57 *	3.06 *	8.20 3.40 - 9.10	2.091 0.530 - 5.191	8.78	9.18	2.43	99
20+22+42+60	1.14	1.25	2.39 *	3.42	8.20 3.40 - 9.10	2.091 0.530 - 5.191	8.78	9.18	2.43	99
20+22+50+50	1.15	1.27	2.89 *	2.89 *	8.20 3.40 - 9.10	2.074 0.530 - 5.174	8.71	9.11	2.43	99
20+25+25+25	1.49	1.87	1.87	1.87	7.10 3.10 - 9.10	1.711 0.530 - 5.191	7.18	7.51	2.43	99
20+25+25+35	1.56	1.95	1.95	2.73	8.20 3.30 - 9.10	2.103 0.530 - 5.203	8.84	9.24	2.43	99
20+25+25+42	1.46	1.83	1.83	3.08 *	8.20 3.40 - 9.10	2.103 0.530 - 5.203	8.84	9.24	2.43	99
20+25+25+50	1.37	1.71	1.71	3.42 *	8.20 3.40 - 9.10	2.097 0.530 - 5.197	8.81	9.21	2.43	99
20+25+25+60	1.26	1.58	1.58	3.78	8.20 3.40 - 9.10	2.097 0.530 - 5.197	8.81	9.21	2.43	99
20+25+25+71	1.16	1.45	1.45	4.13	8.20 3.40 - 9.10	2.080 0.530 - 5.180	8.73	9.13	2.43	99
20+25+35+35	1.43	1.78	2.50	2.50	8.20 3.40 - 9.10	2.084 0.530 - 5.184	8.75	9.15	2.43	99
20+25+35+42	1.34	1.68	2.35	2.82 *	8.20 3.50 - 9.10	1.803 0.530 - 5.203	7.58	7.92	2.43	99
20+25+35+50	1.26	1.58	2.21	3.15 *	8.20 3.40 - 9.10	2.097 0.530 - 5.197	8.81	9.21	2.43	99
20+25+35+60	1.17	1.46	2.05	3.51	8.20 3.40 - 9.10	2.097 0.530 - 5.197	8.81	9.21	2.43	99
20+25+42+42	1.27	1.59	2.67 *	2.67 *	8.20 3.40 - 9.10	2.080 0.530 - 5.180	8.73	9.13	2.43	99
20+25+42+50	1.20	1.50	2.51 *	2.99 *	8.20 3.40 - 9.10	2.091 0.530 - 5.191	8.78	9.18	2.43	99
20+25+50+50	1.13	1.41	2.83 *	2.83 *	8.20 3.40 - 9.10	2.091 0.530 - 5.191	8.78	9.18	2.43	99

**MXZ-4F83VFHZ COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
20+35+35+35	1.31	2.30	2.30	2.30	8.20 3.40 - 9.10	2.091 0.530 - 5.191	8.78	9.18	2.43	99
20+35+35+42	1.24	2.17	2.17	2.61 *	8.20 3.40 - 9.10	2.103 0.530 - 5.203	8.84	9.24	2.43	99
20+35+35+50	1.17	2.05	2.05	2.93 *	8.20 3.40 - 9.10	2.097 0.530 - 5.197	8.81	9.21	2.43	99
20+35+42+42	1.18	2.06	2.48 *	2.48 *	8.20 3.40 - 9.10	2.097 0.530 - 5.197	8.81	9.21	2.43	99
22+22+22+22	2.05	2.05	2.05	2.05	8.20 3.30 - 9.10	2.291 0.530 - 5.191	9.62	10.06	2.43	99
22+22+22+25	1.74	1.74	1.74	1.98	7.20 3.10 - 9.20	1.786 0.530 - 5.196	7.50	7.84	2.43	99
22+22+22+35	1.81	1.81	1.81	2.88	8.30 3.30 - 9.20	2.096 0.530 - 5.196	8.81	9.21	2.43	99
22+22+22+42	1.69	1.69	1.69	3.23 *	8.30 3.30 - 9.20	2.096 0.530 - 5.196	8.81	9.21	2.43	99
22+22+22+50	1.57	1.57	1.57	3.58 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
22+22+22+60	1.45	1.45	1.45	3.95	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
22+22+22+71	1.33	1.33	1.33	4.30	8.30 3.40 - 9.20	2.073 0.530 - 5.173	8.70	9.10	2.43	99
22+22+25+25	1.69	1.69	1.91	1.91	7.20 3.10 - 9.20	1.717 0.530 - 5.177	7.21	7.54	2.43	99
22+22+25+35	1.76	1.76	2.00	2.79	8.30 3.30 - 9.20	2.096 0.530 - 5.196	8.81	9.21	2.43	99
22+22+25+42	1.65	1.65	1.87	3.14 *	8.30 3.40 - 9.20	2.096 0.530 - 5.196	8.81	9.21	2.43	99
22+22+25+50	1.53	1.53	1.74	3.49 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
22+22+25+60	1.42	1.42	1.61	3.86	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
22+22+25+71	1.30	1.30	1.48	4.21	8.30 3.40 - 9.20	2.073 0.530 - 5.173	8.70	9.10	2.43	99
22+22+35+35	1.60	1.60	2.55	2.55	8.30 3.40 - 9.20	2.077 0.530 - 5.177	8.72	9.12	2.43	99
22+22+35+42	1.51	1.51	2.40	2.88 *	8.30 3.40 - 9.20	2.096 0.530 - 5.196	8.81	9.21	2.43	99
22+22+35+50	1.42	1.42	2.25	3.22 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
22+22+35+60	1.31	1.31	2.09	3.58	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
22+22+42+42	1.43	1.43	2.72 *	2.72 *	8.30 3.40 - 9.20	2.073 0.530 - 5.173	8.70	9.10	2.43	99
22+22+42+50	1.34	1.34	2.56 *	3.05 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	8.75	9.15	2.43	99
22+22+50+50	1.27	1.27	2.88 *	2.88 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	8.75	9.15	2.43	99
22+25+25+25	1.63	1.86	1.86	1.86	7.20 3.10 - 9.20	1.674 0.530 - 5.184	7.03	7.35	2.43	99
22+25+25+35	1.71	1.94	1.94	2.71	8.30 3.30 - 9.20	2.096 0.530 - 5.196	8.81	9.21	2.43	99
22+25+25+42	1.60	1.82	1.82	3.06 *	8.30 3.40 - 9.20	2.096 0.530 - 5.196	8.81	9.21	2.43	99
22+25+25+50	1.50	1.70	1.70	3.40 *	8.30 3.50 - 9.20	1.790 0.530 - 5.190	7.52	7.86	2.43	99
22+25+25+60	1.38	1.57	1.57	3.77	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
22+25+25+71	1.28	1.45	1.45	4.12	8.30 3.40 - 9.20	2.073 0.530 - 5.173	8.70	9.10	2.43	99
22+25+35+35	1.56	1.77	2.48	2.48	8.30 3.40 - 9.20	2.077 0.530 - 5.177	8.72	9.12	2.43	99
22+25+35+42	1.47	1.67	2.34	2.81 *	8.30 3.40 - 9.20	2.096 0.530 - 5.196	8.81	9.21	2.43	99
22+25+35+50	1.38	1.57	2.20	3.14 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
22+25+35+60	1.29	1.46	2.05	3.51	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
22+25+42+42	1.39	1.58	2.66 *	2.66 *	8.30 3.40 - 9.20	2.073 0.530 - 5.173	8.70	9.10	2.43	99
22+25+42+50	1.31	1.49	2.51 *	2.99 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	8.75	9.15	2.43	99
22+35+35+35	1.44	2.29	2.29	2.29	8.30 3.40 - 9.20	2.084 0.530 - 5.184	8.75	9.15	2.43	99
22+35+35+42	1.36	2.17	2.17	2.60 *	8.30 3.40 - 9.20	2.096 0.530 - 5.196	8.81	9.21	2.43	99
22+35+35+50	1.29	2.05	2.05	2.92 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99

**MXZ-4F83VFHZ COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
22+35+42+42	1.30	2.06	2.47 *	2.47 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
25+25+25+25	2.08	2.08	2.08	2.08	8.30 3.30 - 9.20	2.084 0.530 - 5.184	8.75	9.15	2.43	99
25+25+25+35	1.89	1.89	1.89	2.64	8.30 3.40 - 9.20	2.096 0.530 - 5.196	8.81	9.21	2.43	99
25+25+25+42	1.77	1.77	1.77	2.98 *	8.30 3.40 - 9.20	2.096 0.530 - 5.196	8.81	9.21	2.43	99
25+25+25+50	1.66	1.66	1.66	3.32 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
25+25+25+60	1.54	1.54	1.54	3.69	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
25+25+35+35	1.73	1.73	2.42	2.42	8.30 3.40 - 9.20	2.073 0.530 - 5.173	8.70	9.10	2.43	99
25+25+35+42	1.63	1.63	2.29	2.74 *	8.30 3.40 - 9.20	2.096 0.530 - 5.196	8.81	9.21	2.43	99
25+25+35+50	1.54	1.54	2.15	3.07 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
25+25+35+60	1.43	1.43	2.00	3.43	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
25+25+42+42	1.55	1.55	2.60 *	2.60 *	8.30 3.40 - 9.20	2.073 0.530 - 5.173	8.70	9.10	2.43	99
25+25+42+50	1.46	1.46	2.45 *	2.92 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	8.75	9.15	2.43	99
25+35+35+35	1.60	2.23	2.23	2.23	8.30 3.40 - 9.20	2.084 0.530 - 5.184	8.75	9.15	2.43	99
25+35+35+42	1.51	2.12	2.12	2.54 *	8.30 3.40 - 9.20	2.096 0.530 - 5.196	8.81	9.21	2.43	99
25+35+35+50	1.43	2.00	2.00	2.86 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
25+35+42+42	1.44	2.02	2.42 *	2.42 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	8.78	9.18	2.43	99
35+35+35+35	2.08	2.08	2.08	2.08	8.30 3.40 - 9.20	2.084 0.530 - 5.184	8.75	9.15	2.43	99

\* In case of MSZ-AP42/50VG or SLZ-M50FA, Rated capacity is lower than another model.

Total connect indoor unit	
3 or more units	
MSZ-AP42VG	90%
MSZ-AP50VG	80%
SLZ-M50FA	70%

ex.) MSZ-LN18VG2 + MSZ-LN25VG2 + MSZ-AP42VG

- MSZ-LN18VG2 : Rated capacity is 1.65kW
- MSZ-LN25VG2 : Rated capacity is 2.29kW
- MSZ-AP42VG : Rated capacity is 3.47kW (=3.85\*0.9)

**MXZ-4F83VFHZ HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15	1.70	-	-	-	1.70 1.70 - 3.20	0.850 - 1.450	3.57	3.73	3.89	99
18	3.30	-	-	-	3.30 1.70 - 4.60	1.100 - 1.570	4.62	4.83	3.89	99
20	2.20	-	-	-	2.20 1.70 - 3.40	1.040 - 1.450	4.37	4.57	3.89	99
22	3.30	-	-	-	3.30 1.70 - 4.80	1.100 - 1.620	4.62	4.83	3.89	99
25	3.60	-	-	-	3.60 1.70 - 5.10	1.200 - 1.670	5.04	5.27	3.89	99
35	4.00	-	-	-	4.00 1.70 - 5.60	1.250 - 1.760	5.25	5.49	3.89	99
42	5.40	-	-	-	5.40 1.70 - 6.50	1.770 - 2.020	7.43	7.77	3.89	99
50	7.20	-	-	-	7.20 1.70 - 7.50	2.290 - 2.800	9.62	10.06	3.89	99
60	7.90	-	-	-	7.90 1.70 - 8.90	2.290 - 3.340	9.62	10.06	3.89	99
71	8.60	-	-	-	8.60 1.70 - 9.70	2.480 - 3.710	10.42	10.89	3.89	99
15+15	1.70	1.70	-	-	3.40 2.70 - 5.30	0.940 - 3.350	3.95	4.13	3.89	99
15+18	2.18	2.62	-	-	4.80 2.80 - 6.80	1.306 - 2.866	5.49	5.74	3.89	99
15+20	2.57	3.43	-	-	6.00 2.80 - 7.80	1.567 - 2.557	6.58	6.88	3.89	99
15+22	2.39	3.51	-	-	5.90 2.80 - 8.00	1.574 - 2.604	6.61	6.91	3.89	99
15+25	1.61	2.69	-	-	4.30 2.70 - 7.00	1.187 - 3.147	4.98	5.21	3.89	99
15+35	2.13	4.97	-	-	7.10 2.80 - 9.35	1.997 - 2.847	8.39	8.77	3.89	99
15+42	1.95	5.45	-	-	7.40 2.80 - 9.70	2.087 - 3.047	8.77	9.17	3.89	99
15+50	1.78	5.92	-	-	7.70 2.80 - 10.10	2.191 - 3.271	9.20	9.62	3.89	99
15+60	1.66	6.64	-	-	8.30 2.80 - 10.80	2.491 - 3.781	10.46	10.94	3.89	99
15+71	1.55	7.35	-	-	8.90 2.80 - 11.60	2.884 - 4.434	12.12	12.67	3.89	99
18+18	3.25	3.25	-	-	6.50 2.80 - 8.30	1.678 - 2.388	7.05	7.37	3.89	99
18+20	2.61	2.89	-	-	5.50 2.80 - 7.70	1.438 - 2.768	6.05	6.32	3.89	99
18+22	1.94	2.37	-	-	4.30 2.70 - 7.00	1.185 - 3.145	4.97	5.20	3.89	99
18+25	2.55	3.55	-	-	6.10 2.80 - 8.00	1.558 - 2.588	6.54	6.84	3.89	99
18+35	2.48	4.82	-	-	7.30 2.80 - 9.50	2.028 - 2.928	8.52	8.91	3.89	99
18+42	2.28	5.32	-	-	7.60 2.80 - 9.90	2.128 - 3.128	8.94	9.35	3.89	99
18+50	2.09	5.81	-	-	7.90 2.80 - 10.30	2.222 - 3.342	9.34	9.76	3.89	99
18+60	1.98	6.62	-	-	8.60 2.80 - 11.10	2.622 - 3.992	11.02	11.52	3.89	99
18+71	1.82	7.18	-	-	9.00 2.80 - 11.60	2.875 - 4.425	12.08	12.63	3.89	99
20+20	2.20	2.20	-	-	4.40 2.70 - 7.00	1.159 - 3.119	4.87	5.09	3.89	99
20+22	2.52	2.78	-	-	5.30 2.80 - 7.70	1.452 - 2.782	6.10	6.38	3.89	99
20+25	2.93	3.67	-	-	6.60 2.80 - 8.50	1.745 - 2.475	7.33	7.66	3.89	99
20+35	2.65	4.65	-	-	7.30 2.80 - 9.60	2.065 - 2.985	8.68	9.07	3.89	99
20+42	2.45	5.15	-	-	7.60 2.80 - 10.00	2.155 - 3.185	9.05	9.46	3.89	99
20+50	2.26	5.64	-	-	7.90 2.80 - 10.40	2.259 - 3.409	9.49	9.92	3.89	99
20+60	2.15	6.45	-	-	8.60 2.80 - 11.30	2.719 - 4.149	11.42	11.94	3.89	99
20+71	1.96	6.94	-	-	8.90 2.80 - 11.60	2.882 - 4.432	12.11	12.66	3.89	99
22+22	3.25	3.25	-	-	6.50 2.80 - 8.30	1.676 - 2.386	7.04	7.36	3.89	99
22+25	3.23	3.67	-	-	6.90 2.80 - 8.80	1.838 - 2.618	7.72	8.07	3.89	99

**MXZ-4F83VFHZ HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
22+35	2.89	4.61	-	-	7.50 2.80 - 9.70	2.078 0.850 - 3.038	8.73	9.13	3.89	99
22+42	2.68	5.12	-	-	7.80 2.80 - 10.10	2.178 0.850 - 3.238	9.15	9.57	3.89	99
22+50	2.48	5.63	-	-	8.10 2.80 - 10.60	2.342 0.850 - 3.552	9.84	10.29	3.89	99
22+60	2.39	6.51	-	-	8.90 2.80 - 11.40	2.802 0.850 - 4.292	11.77	12.31	3.89	99
22+71	2.13	6.87	-	-	9.00 2.80 - 11.60	2.875 0.850 - 4.425	12.08	12.63	3.89	99
25+25	3.60	3.60	-	-	7.20 2.80 - 9.35	1.969 0.850 - 2.819	8.27	8.65	3.89	99
25+35	3.17	4.43	-	-	7.60 2.80 - 9.90	2.128 0.850 - 3.128	8.94	9.35	3.89	99
25+42	2.95	4.95	-	-	7.90 2.80 - 10.20	2.218 0.850 - 3.318	9.32	9.74	3.89	99
25+50	2.80	5.60	-	-	8.40 2.80 - 10.80	2.482 0.850 - 3.772	10.43	10.90	3.89	99
25+60	2.65	6.35	-	-	9.00 2.80 - 11.60	2.892 0.850 - 4.442	12.15	12.70	3.89	99
25+71	2.34	6.66	-	-	9.00 2.80 - 11.60	2.875 0.850 - 4.425	12.08	12.63	3.89	99
35+35	4.00	4.00	-	-	8.00 2.80 - 10.40	2.239 0.850 - 3.389	9.40	9.83	3.89	99
35+42	3.86	4.64	-	-	8.50 2.80 - 11.00	2.578 0.850 - 3.928	10.83	11.32	3.89	99
35+50	3.71	5.29	-	-	9.00 2.80 - 11.60	2.892 0.850 - 4.442	12.15	12.70	3.89	99
35+60	3.32	5.68	-	-	9.00 2.80 - 11.60	2.892 0.850 - 4.442	12.15	12.70	3.89	99
35+71	2.97	6.03	-	-	9.00 2.80 - 11.60	2.875 0.850 - 4.425	12.08	12.63	3.89	99
42+42	4.50	4.50	-	-	9.00 2.80 - 11.60	2.879 0.850 - 4.429	12.09	12.64	3.89	99
42+50	4.11	4.89	-	-	9.00 2.80 - 11.60	2.886 0.850 - 4.436	12.12	12.67	3.89	99
42+71	3.35	5.65	-	-	9.00 2.80 - 11.60	2.886 0.850 - 4.436	12.12	12.67	3.89	99
50+50	4.50	4.50	-	-	9.00 2.80 - 11.60	2.873 0.850 - 4.423	12.07	12.62	3.89	99
50+60	4.09	4.91	-	-	9.00 2.80 - 11.60	2.886 0.850 - 4.436	12.12	12.67	3.89	99
50+71	3.72	5.28	-	-	9.00 2.80 - 11.60	2.869 0.850 - 4.419	12.05	12.60	3.89	99
60+60	4.50	4.50	-	-	9.00 2.80 - 11.60	2.873 0.850 - 4.423	12.07	12.62	3.89	99
60+71	4.12	4.88	-	-	9.00 2.90 - 11.60	2.852 0.850 - 4.402	11.99	12.53	3.89	99
71+71	4.50	4.50	-	-	9.00 2.90 - 11.60	2.856 0.850 - 4.406	11.99	12.54	3.89	99
15+15+15	1.70	1.70	1.70	-	5.10 3.10 - 9.20	1.040 0.850 - 3.900	4.37	4.57	3.89	99
15+15+18	1.91	1.91	2.29	-	6.10 3.10 - 10.00	1.369 0.850 - 4.109	5.75	6.01	3.89	99
15+15+20	2.13	2.13	2.84	-	7.10 3.20 - 10.50	1.550 0.850 - 4.210	6.51	6.81	3.89	99
15+15+22	2.25	2.25	3.30	-	7.80 3.20 - 11.10	1.757 0.850 - 4.337	7.38	7.72	3.89	99
15+15+25	2.29	2.29	3.82	-	8.40 3.20 - 11.50	1.870 0.850 - 4.440	7.85	8.21	3.89	99
15+15+35	1.94	1.94	4.52	-	8.40 3.20 - 11.50	2.530 0.850 - 4.440	10.63	11.11	3.89	99
15+15+42	1.83	1.83	5.13	-	8.80 3.20 - 11.60	2.620 0.850 - 4.440	11.01	11.51	3.89	99
15+15+50	1.65	1.65	5.50	-	8.80 3.20 - 11.60	2.544 0.850 - 4.434	10.68	11.17	3.89	99
15+15+60	1.47	1.47	5.87	-	8.80 3.20 - 11.60	2.524 0.850 - 4.434	10.60	11.08	3.89	99
15+15+71	1.31	1.31	6.19	-	8.80 3.20 - 11.60	2.487 0.850 - 4.417	10.45	10.92	3.89	99
15+18+18	2.21	2.65	2.65	-	7.50 3.20 - 10.80	1.631 0.850 - 4.251	6.85	7.16	3.89	99
15+18+20	2.41	2.89	3.21	-	8.50 3.20 - 11.30	1.831 0.850 - 4.371	7.69	8.04	3.89	99
15+18+22	2.29	2.75	3.36	-	8.40 3.20 - 11.50	1.868 0.850 - 4.438	7.84	8.20	3.89	99
15+18+25	1.89	2.27	3.15	-	7.30 3.10 - 11.10	1.631 0.850 - 4.431	6.85	7.16	3.89	99

**MXZ-4F83VFHZ HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+18+35	1.96	2.36	4.58	-	8.90 3.20 - 11.60	2.691 0.850 - 4.431	11.31	11.82	3.89	99
15+18+42	1.78	2.14	4.98	-	8.90 3.20 - 11.60	2.551 0.850 - 4.431	10.71	11.20	3.89	99
15+18+60	1.44	1.72	5.74	-	8.90 3.20 - 11.60	2.505 0.850 - 4.425	10.52	11.00	3.89	99
15+18+71	1.28	1.54	6.08	-	8.90 3.20 - 11.60	2.468 0.850 - 4.408	10.37	10.84	3.89	99
15+20+20	2.32	3.09	3.09	-	8.50 3.20 - 11.50	1.842 0.850 - 4.412	7.74	8.09	3.89	99
15+20+22	1.97	2.63	2.89	-	7.50 3.20 - 11.20	1.725 0.850 - 4.445	7.25	7.58	3.89	99
15+20+25	1.60	2.13	2.67	-	6.40 3.10 - 10.80	1.488 0.850 - 4.438	6.25	6.53	3.89	99
15+20+35	1.89	2.51	4.40	-	8.80 3.20 - 11.60	2.658 0.850 - 4.438	11.16	11.67	3.89	99
15+20+42	1.71	2.29	4.80	-	8.80 3.20 - 11.60	2.558 0.850 - 4.438	10.74	11.23	3.89	99
15+20+50	1.55	2.07	5.18	-	8.80 3.20 - 11.60	2.532 0.850 - 4.432	10.64	11.12	3.89	99
15+20+60	1.39	1.85	5.56	-	8.80 3.20 - 11.60	2.512 0.850 - 4.432	10.55	11.03	3.89	99
15+20+71	1.25	1.66	5.89	-	8.80 3.20 - 11.60	2.475 0.850 - 4.415	10.40	10.87	3.89	99
15+22+22	1.73	2.54	2.54	-	6.80 3.10 - 10.90	1.549 0.850 - 4.419	6.50	6.80	3.89	99
15+22+25	1.77	2.59	2.94	-	7.30 3.10 - 11.10	1.901 0.850 - 4.431	7.99	8.35	3.89	99
15+22+35	1.85	2.72	4.33	-	8.90 3.20 - 11.60	2.611 0.850 - 4.431	10.97	11.47	3.89	99
15+22+42	1.69	2.48	4.73	-	8.90 3.20 - 11.60	2.541 0.850 - 4.431	10.67	11.16	3.89	99
15+22+50	1.53	2.25	5.11	-	8.90 3.20 - 11.60	2.525 0.850 - 4.425	10.61	11.09	3.89	99
15+22+60	1.38	2.02	5.51	-	8.90 3.20 - 11.60	2.505 0.850 - 4.425	10.52	11.00	3.89	99
15+22+71	1.24	1.81	5.85	-	8.90 3.20 - 11.60	2.468 0.850 - 4.408	10.37	10.84	3.89	99
15+25+25	1.96	3.27	3.27	-	8.50 3.20 - 11.50	2.502 0.850 - 4.412	10.51	10.99	3.89	99
15+25+35	1.78	2.97	4.15	-	8.90 3.20 - 11.60	2.551 0.850 - 4.431	10.71	11.20	3.89	99
15+25+42	1.63	2.71	4.56	-	8.90 3.20 - 11.60	2.541 0.850 - 4.431	10.67	11.16	3.89	99
15+25+50	1.48	2.47	4.94	-	8.90 3.20 - 11.60	2.515 0.850 - 4.425	10.57	11.05	3.89	99
15+25+60	1.34	2.23	5.34	-	8.90 3.20 - 11.60	2.495 0.850 - 4.425	10.48	10.96	3.89	99
15+25+71	1.20	2.00	5.69	-	8.90 3.20 - 11.60	2.458 0.850 - 4.408	10.32	10.79	3.89	99
15+35+35	1.57	3.66	3.66	-	8.90 3.20 - 11.60	2.512 0.850 - 4.412	10.55	11.03	3.89	99
15+35+42	1.45	3.39	4.06	-	8.90 3.20 - 11.60	2.521 0.850 - 4.431	10.59	11.07	3.89	99
15+35+50	1.34	3.12	4.45	-	8.90 3.20 - 11.60	2.495 0.850 - 4.425	10.48	10.96	3.89	99
15+35+60	1.21	2.83	4.85	-	8.90 3.20 - 11.60	2.475 0.850 - 4.425	10.40	10.87	3.89	99
15+35+71	1.10	2.57	5.22	-	8.90 3.20 - 11.60	2.448 0.850 - 4.408	10.28	10.75	3.89	99
15+42+42	1.35	3.78	3.78	-	8.90 3.20 - 11.60	2.482 0.850 - 4.412	10.43	10.90	3.89	99
15+42+50	1.25	3.49	4.16	-	8.90 3.20 - 11.60	2.479 0.850 - 4.419	10.42	10.89	3.89	99
15+42+60	1.14	3.19	4.56	-	8.90 3.20 - 11.60	2.459 0.850 - 4.419	10.33	10.80	3.89	99
15+42+71	1.03	2.89	4.88	-	8.80 3.20 - 11.30	2.442 0.820 - 4.482	10.25	10.72	3.89	99
15+50+50	1.16	3.87	3.87	-	8.90 3.20 - 11.60	2.456 0.850 - 4.406	10.32	10.79	3.89	99
15+50+60	1.07	3.56	4.27	-	8.90 3.20 - 11.60	2.449 0.850 - 4.419	10.29	10.76	3.89	99
15+50+71	0.94	3.13	4.44	-	8.50 3.30 - 10.30	2.492 0.680 - 4.822	10.46	10.94	3.89	99
15+60+60	0.96	3.82	3.82	-	8.60 3.20 - 10.50	2.486 0.700 - 4.786	10.45	10.92	3.89	99
18+18+18	2.97	2.97	2.97	-	8.90 3.20 - 11.60	1.885 0.850 - 4.385	7.92	8.28	3.89	99



**MXZ-4F83VFHZ HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+18+20	2.64	2.64	2.93	-	8.20 3.20 - 11.30	1.772 0.850 - 4.422	7.44	7.78	3.89	99
18+18+22	2.27	2.27	2.77	-	7.30 3.10 - 11.10	1.629 0.850 - 4.429	6.84	7.15	3.89	99
18+18+25	2.07	2.07	2.87	-	7.00 3.10 - 10.90	1.682 0.850 - 4.422	7.07	7.39	3.89	99
18+18+35	2.28	2.28	4.44	-	9.00 3.20 - 11.60	2.622 0.850 - 4.422	11.02	11.52	3.89	99
18+18+42	2.08	2.08	4.85	-	9.00 3.20 - 11.60	2.532 0.850 - 4.422	10.64	11.12	3.89	99
18+18+50	1.88	1.88	5.23	-	9.00 3.20 - 11.60	2.516 0.850 - 4.416	10.57	11.05	3.89	99
18+18+60	1.69	1.69	5.63	-	9.00 3.20 - 11.60	2.496 0.850 - 4.416	10.48	10.96	3.89	99
18+18+71	1.51	1.51	5.97	-	9.00 3.20 - 11.60	2.459 0.850 - 4.399	10.33	10.80	3.89	99
18+20+20	2.30	2.55	2.55	-	7.40 3.10 - 11.10	1.603 0.850 - 4.403	6.73	7.04	3.89	99
18+20+22	1.92	2.13	2.35	-	6.40 3.10 - 10.80	1.486 0.850 - 4.436	6.25	6.53	3.89	99
18+20+25	2.20	2.44	3.06	-	7.70 3.20 - 11.20	2.109 0.850 - 4.429	8.86	9.26	3.89	99
18+20+35	2.19	2.44	4.27	-	8.90 3.20 - 11.60	2.589 0.850 - 4.429	10.88	11.37	3.89	99
18+20+42	2.00	2.23	4.67	-	8.90 3.20 - 11.60	2.539 0.850 - 4.429	10.67	11.15	3.89	99
18+20+50	1.82	2.02	5.06	-	8.90 3.20 - 11.60	2.513 0.850 - 4.423	10.56	11.04	3.89	99
18+20+60	1.63	1.82	5.45	-	8.90 3.20 - 11.60	2.493 0.850 - 4.423	10.47	10.95	3.89	99
18+20+71	1.47	1.63	5.80	-	8.90 3.20 - 11.60	2.456 0.850 - 4.406	10.32	10.79	3.89	99
18+22+22	2.12	2.59	2.59	-	7.30 3.10 - 11.10	1.880 0.850 - 4.410	7.90	8.26	3.89	99
18+22+25	2.38	2.91	3.31	-	8.60 3.20 - 11.50	2.512 0.850 - 4.422	10.55	11.03	3.89	99
18+22+35	2.16	2.64	4.20	-	9.00 3.20 - 11.60	2.542 0.850 - 4.422	10.67	11.16	3.89	99
18+22+42	1.98	2.41	4.61	-	9.00 3.20 - 11.60	2.532 0.850 - 4.422	10.64	11.12	3.89	99
18+22+50	1.80	2.20	5.00	-	9.00 3.20 - 11.60	2.506 0.850 - 4.416	10.53	11.01	3.89	99
18+22+60	1.62	1.98	5.40	-	9.00 3.20 - 11.60	2.486 0.850 - 4.416	10.45	10.92	3.89	99
18+22+71	1.46	1.78	5.76	-	9.00 3.20 - 11.60	2.449 0.850 - 4.399	10.29	10.76	3.89	99
18+25+25	2.38	3.31	3.31	-	9.00 3.20 - 11.60	2.663 0.850 - 4.403	11.19	11.70	3.89	99
18+25+35	2.08	2.88	4.04	-	9.00 3.20 - 11.60	2.532 0.850 - 4.422	10.64	11.12	3.89	99
18+25+42	1.91	2.65	4.45	-	9.00 3.20 - 11.60	2.522 0.850 - 4.422	10.60	11.08	3.89	99
18+25+50	1.74	2.42	4.84	-	9.00 3.20 - 11.60	2.496 0.850 - 4.416	10.48	10.96	3.89	99
18+25+60	1.57	2.18	5.24	-	9.00 3.20 - 11.60	2.476 0.850 - 4.416	10.40	10.87	3.89	99
18+25+71	1.42	1.97	5.61	-	9.00 3.20 - 11.60	2.449 0.850 - 4.399	10.29	10.76	3.89	99
18+35+35	1.84	3.58	3.58	-	9.00 3.20 - 11.60	2.493 0.850 - 4.403	10.47	10.95	3.89	99
18+35+42	1.71	3.32	3.98	-	9.00 3.20 - 11.60	2.502 0.850 - 4.422	10.51	10.99	3.89	99
18+35+50	1.57	3.06	4.37	-	9.00 3.20 - 11.60	2.476 0.850 - 4.416	10.40	10.87	3.89	99
18+35+60	1.43	2.79	4.78	-	9.00 3.20 - 11.60	2.466 0.850 - 4.416	10.36	10.83	3.89	99
18+35+71	1.31	2.54	5.15	-	9.00 3.20 - 11.60	2.429 0.850 - 4.399	10.21	10.67	3.89	99
18+42+42	1.59	3.71	3.71	-	9.00 3.20 - 11.60	2.473 0.850 - 4.403	10.39	10.86	3.89	99
18+42+50	1.47	3.44	4.09	-	9.00 3.20 - 11.60	2.460 0.850 - 4.410	10.33	10.80	3.89	99
18+42+60	1.35	3.15	4.50	-	9.00 3.20 - 11.60	2.450 0.850 - 4.410	10.29	10.76	3.89	99
18+42+71	1.21	2.82	4.77	-	8.80 3.20 - 11.00	2.453 0.770 - 4.603	10.30	10.77	3.89	99
18+50+50	1.37	3.81	3.81	-	9.00 3.20 - 11.60	2.437 0.850 - 4.397	10.23	10.70	3.89	99

**MXZ-4F83VFHZ HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+50+60	1.25	3.48	4.17	-	8.90 3.20 - 11.30	2.450 0.820 - 4.490	10.29	10.76	3.89	99
18+50+71	1.10	3.06	4.34	-	8.50 3.30 - 10.00	2.503 0.630 - 4.943	10.51	10.99	3.89	99
18+60+60	1.12	3.74	3.74	-	8.60 3.30 - 10.10	2.497 0.650 - 4.907	10.49	10.97	3.89	99
20+20+20	2.20	2.20	2.20	-	6.60 3.10 - 10.80	1.426 0.850 - 4.376	5.99	6.26	3.89	99
20+20+22	2.29	2.29	2.52	-	7.10 3.10 - 11.10	1.913 0.850 - 4.443	8.03	8.40	3.89	99
20+20+25	2.58	2.58	3.23	-	8.40 3.20 - 11.50	2.526 0.850 - 4.436	10.61	11.09	3.89	99
20+20+35	2.35	2.35	4.11	-	8.80 3.20 - 11.60	2.556 0.850 - 4.436	10.74	11.23	3.89	99
20+20+42	2.15	2.15	4.51	-	8.80 3.20 - 11.60	2.546 0.850 - 4.436	10.69	11.18	3.89	99
20+20+50	1.96	1.96	4.89	-	8.80 3.20 - 11.60	2.520 0.850 - 4.430	10.59	11.07	3.89	99
20+20+60	1.76	1.76	5.28	-	8.80 3.20 - 11.60	2.500 0.850 - 4.430	10.50	10.98	3.89	99
20+20+71	1.59	1.59	5.63	-	8.80 3.20 - 11.60	2.463 0.850 - 4.413	10.35	10.82	3.89	99
20+22+22	2.50	2.75	2.75	-	8.00 3.20 - 11.30	2.297 0.850 - 4.417	9.65	10.09	3.89	99
20+22+25	2.66	2.92	3.32	-	8.90 3.20 - 11.60	2.709 0.850 - 4.429	11.38	11.90	3.89	99
20+22+35	2.31	2.54	4.05	-	8.90 3.20 - 11.60	2.549 0.850 - 4.429	10.70	11.19	3.89	99
20+22+42	2.12	2.33	4.45	-	8.90 3.20 - 11.60	2.529 0.850 - 4.429	10.63	11.11	3.89	99
20+22+50	1.93	2.13	4.84	-	8.90 3.20 - 11.60	2.513 0.850 - 4.423	10.56	11.04	3.89	99
20+22+60	1.75	1.92	5.24	-	8.90 3.20 - 11.60	2.493 0.850 - 4.423	10.47	10.95	3.89	99
20+22+71	1.58	1.73	5.59	-	8.90 3.20 - 11.60	2.456 0.850 - 4.406	10.32	10.79	3.89	99
20+25+25	2.54	3.18	3.18	-	8.90 3.20 - 11.60	2.630 0.850 - 4.410	11.05	11.55	3.89	99
20+25+35	2.23	2.78	3.89	-	8.90 3.20 - 11.60	2.539 0.850 - 4.429	10.67	11.15	3.89	99
20+25+42	2.05	2.56	4.30	-	8.90 3.20 - 11.60	2.529 0.850 - 4.429	10.63	11.11	3.89	99
20+25+50	1.87	2.34	4.68	-	8.90 3.20 - 11.60	2.503 0.850 - 4.423	10.51	10.99	3.89	99
20+25+60	1.70	2.12	5.09	-	8.90 3.20 - 11.60	2.483 0.850 - 4.423	10.43	10.90	3.89	99
20+25+71	1.53	1.92	5.45	-	8.90 3.20 - 11.60	2.446 0.850 - 4.406	10.27	10.74	3.89	99
20+35+35	1.98	3.46	3.46	-	8.90 3.20 - 11.60	2.500 0.850 - 4.410	10.50	10.98	3.89	99
20+35+42	1.84	3.21	3.85	-	8.90 3.20 - 11.60	2.509 0.850 - 4.429	10.54	11.02	3.89	99
20+35+50	1.70	2.97	4.24	-	8.90 3.20 - 11.60	2.483 0.850 - 4.423	10.43	10.90	3.89	99
20+35+60	1.55	2.71	4.64	-	8.90 3.20 - 11.60	2.473 0.850 - 4.423	10.39	10.86	3.89	99
20+35+71	1.41	2.47	5.02	-	8.90 3.20 - 11.60	2.436 0.850 - 4.406	10.23	10.70	3.89	99
20+42+42	1.71	3.59	3.59	-	8.90 3.20 - 11.60	2.470 0.850 - 4.410	10.38	10.85	3.89	99
20+42+50	1.59	3.34	3.97	-	8.90 3.20 - 11.60	2.467 0.850 - 4.417	10.36	10.83	3.89	99
20+42+60	1.46	3.06	4.38	-	8.90 3.20 - 11.60	2.457 0.850 - 4.417	10.32	10.79	3.89	99
20+42+71	1.29	2.72	4.59	-	8.60 3.20 - 10.70	2.470 0.730 - 4.690	10.38	10.85	3.89	99
20+50+50	1.48	3.71	3.71	-	8.90 3.20 - 11.60	2.444 0.850 - 4.404	10.26	10.73	3.89	99
20+50+60	1.35	3.38	4.06	-	8.80 3.20 - 11.10	2.467 0.780 - 4.587	10.36	10.83	3.89	99
20+50+71	1.18	2.94	4.18	-	8.30 3.30 - 9.70	2.520 0.600 - 5.030	10.59	11.07	3.89	99
20+60+60	1.20	3.60	3.60	-	8.40 3.30 - 9.80	2.514 0.610 - 4.994	10.56	11.04	3.89	99
22+22+22	2.97	2.97	2.97	-	8.90 3.20 - 11.60	2.683 0.850 - 4.383	11.27	11.78	3.89	99
22+22+25	2.87	2.87	3.26	-	9.00 3.20 - 11.60	2.662 0.850 - 4.422	11.18	11.69	3.89	99

**MXZ-4F83VFHZ HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
22+22+35	2.51	2.51	3.99	-	9.00 3.20 - 11.60	2.532 0.850 - 4.422	10.64	11.12	3.89	99
22+22+42	2.30	2.30	4.40	-	9.00 3.20 - 11.60	2.522 0.850 - 4.422	10.60	11.08	3.89	99
22+22+50	2.11	2.11	4.79	-	9.00 3.20 - 11.60	2.496 0.850 - 4.416	10.48	10.96	3.89	99
22+22+60	1.90	1.90	5.19	-	9.00 3.20 - 11.60	2.476 0.850 - 4.416	10.40	10.87	3.89	99
22+22+71	1.72	1.72	5.56	-	9.00 3.20 - 11.60	2.449 0.850 - 4.399	10.29	10.76	3.89	99
22+25+25	2.75	3.13	3.13	-	9.00 3.20 - 11.60	2.583 0.850 - 4.403	10.85	11.34	3.89	99
22+25+35	2.41	2.74	3.84	-	9.00 3.20 - 11.60	2.532 0.850 - 4.422	10.64	11.12	3.89	99
22+25+42	2.22	2.53	4.25	-	9.00 3.20 - 11.60	2.512 0.850 - 4.422	10.55	11.03	3.89	99
22+25+50	2.04	2.32	4.64	-	9.00 3.20 - 11.60	2.496 0.850 - 4.416	10.48	10.96	3.89	99
22+25+60	1.85	2.10	5.05	-	9.00 3.20 - 11.60	2.476 0.850 - 4.416	10.40	10.87	3.89	99
22+25+71	1.68	1.91	5.42	-	9.00 3.20 - 11.60	2.439 0.850 - 4.399	10.24	10.71	3.89	99
22+35+35	2.15	3.42	3.42	-	9.00 3.20 - 11.60	2.493 0.850 - 4.403	10.47	10.95	3.89	99
22+35+42	2.00	3.18	3.82	-	9.00 3.20 - 11.60	2.492 0.850 - 4.422	10.46	10.94	3.89	99
22+35+50	1.85	2.94	4.21	-	9.00 3.20 - 11.60	2.476 0.850 - 4.416	10.40	10.87	3.89	99
22+35+60	1.69	2.69	4.62	-	9.00 3.20 - 11.60	2.456 0.850 - 4.416	10.32	10.79	3.89	99
22+35+71	1.53	2.43	4.94	-	8.90 3.20 - 11.30	2.439 0.820 - 4.479	10.24	10.71	3.89	99
22+42+42	1.87	3.57	3.57	-	9.00 3.20 - 11.60	2.463 0.850 - 4.403	10.35	10.82	3.89	99
22+42+50	1.74	3.32	3.95	-	9.00 3.20 - 11.60	2.460 0.850 - 4.410	10.33	10.80	3.89	99
22+42+60	1.60	3.05	4.35	-	9.00 3.20 - 11.60	2.440 0.850 - 4.410	10.25	10.72	3.89	99
22+42+71	1.42	2.71	4.58	-	8.70 3.20 - 10.50	2.473 0.700 - 4.773	10.39	10.86	3.89	99
22+50+50	1.62	3.69	3.69	-	9.00 3.20 - 11.60	2.437 0.850 - 4.397	10.23	10.70	3.89	99
22+50+60	1.47	3.33	4.00	-	8.80 3.20 - 10.80	2.470 0.750 - 4.660	10.38	10.85	3.89	99
22+50+71	1.29	2.94	4.17	-	8.40 3.30 - 9.50	2.523 0.560 - 5.113	10.60	11.08	3.89	99
22+60+60	1.30	3.55	3.55	-	8.40 3.30 - 9.60	2.517 0.580 - 5.067	10.57	11.05	3.89	99
25+25+25	3.00	3.00	3.00	-	9.00 3.20 - 11.60	2.496 0.850 - 4.376	10.48	10.96	3.89	99
25+25+35	2.65	2.65	3.71	-	9.00 3.20 - 11.60	2.522 0.850 - 4.422	10.60	11.08	3.89	99
25+25+42	2.45	2.45	4.11	-	9.00 3.20 - 11.60	2.512 0.850 - 4.422	10.55	11.03	3.89	99
25+25+50	2.25	2.25	4.50	-	9.00 3.20 - 11.60	2.486 0.850 - 4.416	10.45	10.92	3.89	99
25+25+60	2.05	2.05	4.91	-	9.00 3.20 - 11.60	2.466 0.850 - 4.416	10.36	10.83	3.89	99
25+25+71	1.86	1.86	5.28	-	9.00 3.20 - 11.60	2.439 0.850 - 4.399	10.24	10.71	3.89	99
25+35+35	2.37	3.32	3.32	-	9.00 3.20 - 11.60	2.483 0.850 - 4.403	10.43	10.90	3.89	99
25+35+42	2.21	3.09	3.71	-	9.00 3.20 - 11.60	2.492 0.850 - 4.422	10.46	10.94	3.89	99
25+35+50	2.05	2.86	4.09	-	9.00 3.20 - 11.60	2.466 0.850 - 4.416	10.36	10.83	3.89	99
25+35+60	1.88	2.63	4.50	-	9.00 3.20 - 11.60	2.456 0.850 - 4.416	10.32	10.79	3.89	99
25+35+71	1.68	2.35	4.77	-	8.80 3.20 - 11.00	2.459 0.770 - 4.609	10.33	10.80	3.89	99
25+42+42	2.06	3.47	3.47	-	9.00 3.20 - 11.60	2.453 0.850 - 4.403	10.30	10.77	3.89	99
25+42+50	1.92	3.23	3.85	-	9.00 3.20 - 11.60	2.450 0.850 - 4.410	10.29	10.76	3.89	99
25+42+60	1.77	2.98	4.25	-	9.00 3.20 - 11.50	2.450 0.830 - 4.450	10.29	10.76	3.89	99
25+42+71	1.56	2.62	4.42	-	8.60 3.30 - 10.10	2.493 0.650 - 4.903	10.47	10.95	3.89	99

**MXZ-4F83VFHZ HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
25+50+50	1.80	3.60	3.60	-	9.00 3.20 - 11.60	2.427 0.850 - 4.397	10.20	10.66	3.89	99
25+50+60	1.61	3.22	3.87	-	8.70 3.20 - 10.50	2.490 0.700 - 4.790	10.46	10.94	3.89	99
25+60+60	1.43	3.43	3.43	-	8.30 3.30 - 9.20	2.533 0.530 - 5.193	10.64	11.12	3.89	99
35+35+35	3.00	3.00	3.00	-	9.00 3.20 - 11.60	2.436 0.850 - 4.376	10.23	10.70	3.89	99
35+35+42	2.81	2.81	3.38	-	9.00 3.20 - 11.60	2.472 0.850 - 4.422	10.39	10.86	3.89	99
35+35+50	2.63	2.63	3.75	-	9.00 3.20 - 11.60	2.456 0.850 - 4.416	10.32	10.79	3.89	99
35+35+60	2.40	2.40	4.11	-	8.90 3.20 - 11.10	2.466 0.780 - 4.586	10.36	10.83	3.89	99
35+35+71	2.09	2.09	4.23	-	8.40 3.30 - 9.70	2.519 0.600 - 5.029	10.58	11.06	3.89	99
35+42+42	2.65	3.18	3.18	-	9.00 3.20 - 11.60	2.443 0.850 - 4.403	10.26	10.73	3.89	99
35+42+50	2.48	2.98	3.54	-	9.00 3.20 - 11.50	2.450 0.830 - 4.450	10.29	10.76	3.89	99
35+42+60	2.20	2.64	3.77	-	8.60 3.30 - 10.20	2.500 0.660 - 4.870	10.50	10.98	3.89	99
35+50+50	2.26	3.22	3.22	-	8.70 3.20 - 10.50	2.473 0.700 - 4.773	10.39	10.86	3.89	99
35+50+60	2.00	2.86	3.43	-	8.30 3.30 - 9.20	2.550 0.530 - 5.210	10.71	11.20	3.89	99
42+42+42	3.00	3.00	3.00	-	9.00 3.20 - 11.60	2.423 0.850 - 4.393	10.18	10.64	3.89	99
42+42+50	2.73	2.73	3.25	-	8.70 3.20 - 10.60	2.484 0.720 - 4.744	10.44	10.91	3.89	99
42+42+60	2.42	2.42	3.46	-	8.30 3.30 - 9.30	2.534 0.550 - 5.164	10.65	11.13	3.89	99
42+50+50	2.48	2.96	2.96	-	8.40 3.30 - 9.60	2.507 0.580 - 5.057	10.53	11.01	3.89	99
15+15+15+15	1.70	1.70	1.70	1.70	6.80 3.10 - 9.90	1.404 0.850 - 3.134	5.90	6.17	3.89	99
15+15+15+18	1.67	1.67	1.67	2.00	7.00 3.10 - 10.30	1.542 0.850 - 3.482	6.48	6.77	3.89	99
15+15+15+20	1.71	1.71	1.71	2.28	7.40 3.10 - 10.60	1.603 0.850 - 3.683	6.73	7.04	3.89	99
15+15+15+22	1.72	1.72	1.72	2.53	7.70 3.20 - 10.90	1.680 0.850 - 3.900	7.06	7.38	3.89	99
15+15+15+25	1.78	1.78	1.78	2.96	8.30 3.20 - 11.30	1.773 0.850 - 4.213	7.45	7.79	3.89	99
15+15+15+35	1.63	1.63	1.63	3.81	8.70 3.20 - 11.60	1.853 0.850 - 4.423	7.79	8.14	3.89	99
15+15+15+42	1.50	1.50	1.50	4.20	8.70 3.20 - 11.60	1.863 0.850 - 4.423	7.82	8.18	3.89	99
15+15+15+50	1.37	1.37	1.37	4.58	8.70 3.20 - 11.60	1.827 0.850 - 4.417	7.67	8.02	3.89	99
15+15+15+60	1.24	1.24	1.24	4.97	8.70 3.20 - 11.60	1.837 0.850 - 4.417	7.72	8.07	3.89	99
15+15+15+71	1.13	1.13	1.13	5.33	8.70 3.20 - 11.60	1.800 0.850 - 4.400	7.57	7.91	3.89	99
15+15+18+18	1.73	1.73	2.07	2.07	7.60 3.20 - 10.80	1.614 0.850 - 3.774	6.78	7.09	3.89	99
15+15+18+20	1.79	1.79	2.14	2.38	8.10 3.20 - 11.00	1.694 0.850 - 3.994	7.12	7.44	3.89	99
15+15+18+22	1.78	1.78	2.13	2.61	8.30 3.20 - 11.30	1.771 0.850 - 4.211	7.44	7.78	3.89	99
15+15+18+25	1.81	1.81	2.17	3.01	8.80 3.20 - 11.60	1.834 0.850 - 4.414	7.70	8.05	3.89	99
15+15+18+42	1.47	1.47	1.76	4.11	8.80 3.20 - 11.60	1.834 0.850 - 4.414	7.70	8.05	3.89	99
15+15+18+50	1.35	1.35	1.62	4.49	8.80 3.20 - 11.60	1.808 0.850 - 4.408	7.59	7.94	3.89	99
15+15+18+60	1.22	1.22	1.47	4.89	8.80 3.20 - 11.60	1.818 0.850 - 4.408	7.63	7.98	3.89	99
15+15+18+71	1.11	1.11	1.33	5.25	8.80 3.20 - 11.60	1.791 0.850 - 4.391	7.53	7.87	3.89	99
15+15+20+20	1.80	1.80	2.40	2.40	8.40 3.20 - 11.30	1.745 0.850 - 4.185	7.33	7.66	3.89	99
15+15+20+22	1.79	1.79	2.39	2.63	8.60 3.20 - 11.60	1.848 0.850 - 4.428	7.77	8.12	3.89	99
15+15+20+25	1.74	1.74	2.32	2.90	8.70 3.20 - 11.60	1.841 0.850 - 4.421	7.74	8.09	3.89	99
15+15+20+35	1.54	1.54	2.05	3.58	8.70 3.20 - 11.60	1.861 0.850 - 4.421	7.81	8.17	3.89	99

**MXZ-4F83VFHZ HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+15+20+42	1.42	1.42	1.89	3.97	8.70 3.20 - 11.60	1.831 0.850 - 4.421	7.69	8.04	3.89	99
15+15+20+50	1.31	1.31	1.74	4.35	8.70 3.20 - 11.60	1.835 0.850 - 4.415	7.71	8.06	3.89	99
15+15+20+60	1.19	1.19	1.58	4.75	8.70 3.20 - 11.60	1.825 0.850 - 4.415	7.66	8.01	3.89	99
15+15+20+71	1.08	1.08	1.44	5.10	8.70 3.20 - 11.60	1.798 0.850 - 4.398	7.56	7.90	3.89	99
15+15+22+22	1.76	1.76	2.59	2.59	8.70 3.20 - 11.60	1.822 0.850 - 4.402	7.65	8.00	3.89	99
15+15+22+25	1.71	1.71	2.51	2.86	8.80 3.20 - 11.60	1.844 0.850 - 4.414	7.75	8.10	3.89	99
15+15+22+35	1.52	1.52	2.23	3.54	8.80 3.20 - 11.60	1.854 0.850 - 4.414	7.79	8.14	3.89	99
15+15+22+42	1.40	1.40	2.06	3.93	8.80 3.20 - 11.60	1.824 0.850 - 4.414	7.66	8.01	3.89	99
15+15+22+50	1.29	1.29	1.90	4.31	8.80 3.20 - 11.60	1.828 0.850 - 4.408	7.68	8.03	3.89	99
15+15+22+60	1.18	1.18	1.73	4.71	8.80 3.20 - 11.60	1.818 0.850 - 4.408	7.63	7.98	3.89	99
15+15+22+71	1.07	1.07	1.57	5.08	8.80 3.20 - 11.60	1.791 0.850 - 4.391	7.53	7.87	3.89	99
15+15+25+25	1.65	1.65	2.75	2.75	8.80 3.20 - 11.60	1.825 0.850 - 4.395	7.66	8.01	3.89	99
15+15+25+35	1.47	1.47	2.44	3.42	8.80 3.20 - 11.60	1.834 0.850 - 4.414	7.70	8.05	3.89	99
15+15+25+42	1.36	1.36	2.27	3.81	8.80 3.20 - 11.60	1.824 0.850 - 4.414	7.66	8.01	3.89	99
15+15+25+50	1.26	1.26	2.10	4.19	8.80 3.20 - 11.60	1.828 0.850 - 4.408	7.68	8.03	3.89	99
15+15+25+60	1.15	1.15	1.91	4.59	8.80 3.20 - 11.60	1.818 0.850 - 4.408	7.63	7.98	3.89	99
15+15+25+71	1.05	1.05	1.75	4.96	8.80 3.20 - 11.60	1.791 0.850 - 4.391	7.53	7.87	3.89	99
15+15+35+35	1.32	1.32	3.08	3.08	8.80 3.20 - 11.60	1.815 0.850 - 4.395	7.62	7.97	3.89	99
15+15+35+42	1.23	1.23	2.88	3.45	8.80 3.20 - 11.60	1.824 0.850 - 4.414	7.66	8.01	3.89	99
15+15+35+50	1.15	1.15	2.68	3.83	8.80 3.20 - 11.60	1.818 0.850 - 4.408	7.63	7.98	3.89	99
15+15+35+60	1.06	1.06	2.46	4.22	8.80 3.20 - 11.60	1.808 0.850 - 4.408	7.59	7.94	3.89	99
15+15+35+71	0.97	0.97	2.26	4.59	8.80 3.20 - 11.60	1.791 0.850 - 4.391	7.53	7.87	3.89	99
15+15+42+42	1.16	1.16	3.24	3.24	8.80 3.20 - 11.60	1.805 0.850 - 4.395	7.59	7.93	3.89	99
15+15+42+50	1.08	1.08	3.03	3.61	8.80 3.50 - 11.60	1.602 0.850 - 4.402	6.73	7.04	3.89	99
15+15+42+60	1.00	1.00	2.80	4.00	8.80 3.20 - 11.60	1.802 0.850 - 4.402	7.57	7.91	3.89	99
15+15+42+71	0.92	0.92	2.58	4.37	8.80 3.20 - 11.60	1.785 0.850 - 4.385	7.50	7.84	3.89	99
15+15+50+50	1.02	1.02	3.38	3.38	8.80 3.20 - 11.60	1.789 0.850 - 4.389	7.52	7.86	3.89	99
15+15+50+60	0.94	0.94	3.14	3.77	8.80 3.20 - 11.60	1.802 0.850 - 4.402	7.57	7.91	3.89	99
15+18+18+18	1.80	2.17	2.17	2.17	8.30 3.20 - 11.20	1.705 0.850 - 4.065	7.16	7.49	3.89	99
15+18+18+20	1.84	2.21	2.21	2.45	8.70 3.20 - 11.50	1.795 0.850 - 4.295	7.54	7.88	3.89	99
15+18+18+22	1.81	2.17	2.17	2.65	8.80 3.20 - 11.60	1.832 0.850 - 4.412	7.70	8.05	3.89	99
15+18+18+25	1.76	2.11	2.11	2.93	8.90 3.20 - 11.60	1.835 0.850 - 4.405	7.71	8.06	3.89	99
15+18+18+35	1.55	1.86	1.86	3.62	8.90 3.20 - 11.60	1.845 0.850 - 4.405	7.75	8.10	3.89	99
15+18+18+42	1.44	1.72	1.72	4.02	8.90 3.20 - 11.60	1.815 0.850 - 4.405	7.62	7.97	3.89	99
15+18+18+50	1.32	1.59	1.59	4.41	8.90 3.20 - 11.60	1.819 0.850 - 4.399	7.64	7.99	3.89	99
15+18+18+60	1.20	1.44	1.44	4.81	8.90 3.20 - 11.60	1.809 0.850 - 4.399	7.59	7.94	3.89	99
15+18+18+71	1.09	1.31	1.31	5.18	8.90 3.50 - 11.60	1.582 0.850 - 4.382	6.65	6.95	3.89	99
15+18+20+20	1.83	2.19	2.44	2.44	8.90 3.20 - 11.60	1.806 0.850 - 4.386	7.59	7.93	3.89	99
15+18+20+22	1.74	2.09	2.32	2.55	8.70 3.20 - 11.60	1.839 0.850 - 4.419	7.73	8.08	3.89	99

**MXZ-4F83VFHZ HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+18+20+25	1.69	2.03	2.26	2.82	8.80 3.20 - 11.60	1.842 0.850 - 4.412	7.74	8.09	3.89	99
15+18+20+35	1.50	1.80	2.00	3.50	8.80 3.20 - 11.60	1.852 0.850 - 4.412	7.78	8.13	3.89	99
15+18+20+42	1.39	1.67	1.85	3.89	8.80 3.20 - 11.60	1.822 0.850 - 4.412	7.65	8.00	3.89	99
15+18+20+50	1.28	1.54	1.71	4.27	8.80 3.20 - 11.60	1.826 0.850 - 4.406	7.67	8.02	3.89	99
15+18+20+60	1.17	1.40	1.56	4.67	8.80 3.20 - 11.60	1.816 0.850 - 4.406	7.63	7.98	3.89	99
15+18+20+71	1.06	1.28	1.42	5.04	8.80 3.20 - 11.60	1.789 0.850 - 4.389	7.52	7.86	3.89	99
15+18+22+22	1.71	2.06	2.51	2.51	8.80 3.20 - 11.60	1.823 0.850 - 4.393	7.66	8.01	3.89	99
15+18+22+25	1.67	2.00	2.45	2.78	8.90 3.20 - 11.60	1.835 0.850 - 4.405	7.71	8.06	3.89	99
15+18+22+35	1.48	1.78	2.18	3.46	8.90 3.20 - 11.60	1.825 0.850 - 4.405	7.66	8.01	3.89	99
15+18+22+42	1.38	1.65	2.02	3.85	8.90 3.20 - 11.60	1.815 0.850 - 4.405	7.62	7.97	3.89	99
15+18+22+50	1.27	1.53	1.86	4.24	8.90 3.20 - 11.60	1.819 0.850 - 4.399	7.64	7.99	3.89	99
15+18+22+60	1.16	1.39	1.70	4.64	8.90 3.20 - 11.60	1.809 0.850 - 4.399	7.59	7.94	3.89	99
15+18+22+71	1.06	1.27	1.55	5.02	8.90 3.20 - 11.60	1.782 0.850 - 4.382	7.49	7.83	3.89	99
15+18+25+35	1.44	1.72	2.39	3.35	8.90 3.20 - 11.60	1.796 0.850 - 4.386	7.55	7.89	3.89	99
15+18+25+42	1.34	1.60	2.23	3.74	8.90 3.20 - 11.60	1.825 0.850 - 4.405	7.66	8.01	3.89	99
15+18+25+50	1.24	1.48	2.06	4.12	8.90 3.20 - 11.60	1.809 0.850 - 4.399	7.59	7.94	3.89	99
15+18+25+60	1.13	1.36	1.89	4.53	8.90 3.20 - 11.60	1.799 0.850 - 4.399	7.56	7.90	3.89	99
15+18+25+71	1.03	1.24	1.72	4.90	8.90 3.20 - 11.60	1.782 0.850 - 4.382	7.49	7.83	3.89	99
15+18+35+35	1.30	1.56	3.02	3.02	8.90 3.20 - 11.60	1.806 0.850 - 4.386	7.59	7.93	3.89	99
15+18+35+42	1.21	1.46	2.83	3.40	8.90 3.20 - 11.60	1.815 0.850 - 4.405	7.62	7.97	3.89	99
15+18+35+50	1.13	1.36	2.64	3.77	8.90 3.20 - 11.60	1.799 0.850 - 4.399	7.56	7.90	3.89	99
15+18+35+60	1.04	1.25	2.43	4.17	8.90 3.20 - 11.60	1.799 0.850 - 4.399	7.56	7.90	3.89	99
15+18+35+71	0.96	1.15	2.24	4.55	8.90 3.20 - 11.60	1.782 0.850 - 4.382	7.49	7.83	3.89	99
15+18+42+42	1.14	1.37	3.19	3.19	8.90 3.20 - 11.60	1.786 0.850 - 4.386	7.50	7.84	3.89	99
15+18+42+50	1.07	1.28	2.99	3.56	8.90 3.20 - 11.60	1.793 0.850 - 4.393	7.53	7.87	3.89	99
15+18+42+60	0.99	1.19	2.77	3.96	8.90 3.20 - 11.60	1.793 0.850 - 4.393	7.53	7.87	3.89	99
15+18+50+50	1.00	1.20	3.35	3.35	8.90 3.20 - 11.60	1.776 0.850 - 4.376	7.46	7.80	3.89	99
15+18+50+60	0.93	1.12	3.11	3.73	8.90 3.20 - 11.60	1.793 0.850 - 4.393	7.53	7.87	3.89	99
15+20+20+20	1.78	2.37	2.37	2.37	8.90 3.20 - 11.60	1.796 0.850 - 4.376	7.55	7.89	3.89	99
15+20+20+22	1.68	2.23	2.23	2.46	8.60 3.20 - 11.60	1.856 0.850 - 4.426	7.80	8.15	3.89	99
15+20+20+25	1.63	2.18	2.18	2.72	8.70 3.20 - 11.60	1.849 0.850 - 4.419	7.77	8.12	3.89	99
15+20+20+35	1.45	1.93	1.93	3.38	8.70 3.20 - 11.60	1.839 0.850 - 4.419	7.73	8.08	3.89	99
15+20+20+42	1.35	1.79	1.79	3.77	8.70 3.20 - 11.60	1.829 0.850 - 4.419	7.68	8.03	3.89	99
15+20+20+50	1.24	1.66	1.66	4.14	8.70 3.20 - 11.60	1.833 0.850 - 4.413	7.70	8.05	3.89	99
15+20+20+60	1.13	1.51	1.51	4.54	8.70 3.20 - 11.60	1.823 0.850 - 4.413	7.66	8.01	3.89	99
15+20+20+71	1.04	1.38	1.38	4.90	8.70 3.20 - 11.60	1.796 0.850 - 4.396	7.55	7.89	3.89	99
15+20+22+22	1.65	2.20	2.42	2.42	8.70 3.20 - 11.60	1.830 0.850 - 4.400	7.69	8.04	3.89	99
15+20+22+25	1.61	2.15	2.36	2.68	8.80 3.20 - 11.60	1.842 0.850 - 4.412	7.74	8.09	3.89	99
15+20+22+35	1.43	1.91	2.10	3.35	8.80 3.20 - 11.60	1.822 0.850 - 4.412	7.65	8.00	3.89	99

**MXZ-4F83VFHZ HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+20+22+42	1.33	1.78	1.96	3.73	8.80 3.20 - 11.60	1.812 0.850 - 4.412	7.61	7.96	3.89	99
15+20+22+50	1.23	1.64	1.81	4.11	8.80 3.20 - 11.60	1.816 0.850 - 4.406	7.63	7.98	3.89	99
15+20+22+60	1.13	1.50	1.65	4.51	8.80 3.20 - 11.60	1.806 0.850 - 4.406	7.59	7.93	3.89	99
15+20+22+71	1.03	1.38	1.51	4.88	8.80 3.20 - 11.60	1.789 0.850 - 4.389	7.52	7.86	3.89	99
15+20+25+25	1.55	2.07	2.59	2.59	8.80 3.20 - 11.60	1.833 0.850 - 4.393	7.70	8.05	3.89	99
15+20+25+35	1.39	1.85	2.32	3.24	8.80 3.20 - 11.60	1.822 0.850 - 4.412	7.65	8.00	3.89	99
15+20+25+42	1.29	1.73	2.16	3.62	8.80 3.20 - 11.60	1.832 0.850 - 4.412	7.70	8.05	3.89	99
15+20+25+50	1.20	1.60	2.00	4.00	8.80 3.20 - 11.60	1.816 0.850 - 4.406	7.63	7.98	3.89	99
15+20+25+60	1.10	1.47	1.83	4.40	8.80 3.20 - 11.60	1.806 0.850 - 4.406	7.59	7.93	3.89	99
15+20+25+71	1.01	1.34	1.68	4.77	8.80 3.20 - 11.60	1.789 0.850 - 4.389	7.52	7.86	3.89	99
15+20+35+35	1.26	1.68	2.93	2.93	8.80 3.20 - 11.60	1.813 0.850 - 4.393	7.61	7.96	3.89	99
15+20+35+42	1.18	1.57	2.75	3.30	8.80 3.20 - 11.60	1.822 0.850 - 4.412	7.65	8.00	3.89	99
15+20+35+50	1.10	1.47	2.57	3.67	8.80 3.20 - 11.60	1.806 0.850 - 4.406	7.59	7.93	3.89	99
15+20+35+60	1.02	1.35	2.37	4.06	8.80 3.20 - 11.60	1.806 0.850 - 4.406	7.59	7.93	3.89	99
15+20+35+71	0.94	1.25	2.18	4.43	8.80 3.20 - 11.60	1.789 0.850 - 4.389	7.52	7.86	3.89	99
15+20+42+42	1.11	1.48	3.11	3.11	8.80 3.20 - 11.60	1.793 0.850 - 4.393	7.53	7.87	3.89	99
15+20+42+50	1.04	1.39	2.91	3.46	8.80 3.20 - 11.60	1.800 0.850 - 4.400	7.57	7.91	3.89	99
15+20+42+60	0.96	1.28	2.70	3.85	8.80 3.20 - 11.60	1.800 0.850 - 4.400	7.57	7.91	3.89	99
15+20+50+50	0.98	1.30	3.26	3.26	8.80 3.20 - 11.60	1.783 0.850 - 4.383	7.49	7.83	3.89	99
15+20+50+60	0.91	1.21	3.03	3.64	8.80 3.20 - 11.60	1.800 0.850 - 4.400	7.57	7.91	3.89	99
15+22+22+22	1.63	2.39	2.39	2.39	8.80 3.20 - 11.60	1.813 0.850 - 4.383	7.61	7.96	3.89	99
15+22+22+25	1.59	2.33	2.33	2.65	8.90 3.20 - 11.60	1.845 0.850 - 4.405	7.75	8.10	3.89	99
15+22+22+35	1.42	2.08	2.08	3.31	8.90 3.20 - 11.60	1.815 0.850 - 4.405	7.62	7.97	3.89	99
15+22+22+42	1.32	1.94	1.94	3.70	8.90 3.20 - 11.60	1.825 0.850 - 4.405	7.66	8.01	3.89	99
15+22+22+50	1.22	1.80	1.80	4.08	8.90 3.20 - 11.60	1.809 0.850 - 4.399	7.59	7.94	3.89	99
15+22+22+60	1.12	1.65	1.65	4.49	8.90 3.20 - 11.60	1.799 0.850 - 4.399	7.56	7.90	3.89	99
15+22+22+71	1.03	1.51	1.51	4.86	8.90 3.20 - 11.60	1.782 0.850 - 4.382	7.49	7.83	3.89	99
15+22+25+25	1.53	2.25	2.56	2.56	8.90 3.20 - 11.60	1.826 0.850 - 4.386	7.67	8.02	3.89	99
15+22+25+35	1.38	2.02	2.29	3.21	8.90 3.20 - 11.60	1.815 0.850 - 4.405	7.62	7.97	3.89	99
15+22+25+42	1.28	1.88	2.14	3.59	8.90 3.20 - 11.60	1.825 0.850 - 4.405	7.66	8.01	3.89	99
15+22+25+50	1.19	1.75	1.99	3.97	8.90 3.20 - 11.60	1.809 0.850 - 4.399	7.59	7.94	3.89	99
15+22+25+60	1.09	1.60	1.82	4.38	8.90 3.50 - 11.60	1.599 0.850 - 4.399	6.71	7.02	3.89	99
15+22+25+71	1.00	1.47	1.67	4.75	8.90 3.20 - 11.60	1.782 0.850 - 4.382	7.49	7.83	3.89	99
15+22+35+35	1.25	1.83	2.91	2.91	8.90 3.20 - 11.60	1.796 0.850 - 4.386	7.55	7.89	3.89	99
15+22+35+42	1.17	1.72	2.73	3.28	8.90 3.20 - 11.60	1.815 0.850 - 4.405	7.62	7.97	3.89	99
15+22+35+50	1.09	1.60	2.55	3.65	8.90 3.50 - 11.60	1.599 0.850 - 4.399	6.71	7.02	3.89	99
15+22+35+60	1.01	1.48	2.36	4.05	8.90 3.20 - 11.60	1.799 0.850 - 4.399	7.56	7.90	3.89	99
15+22+35+71	0.93	1.37	2.18	4.42	8.90 3.20 - 11.60	1.782 0.850 - 4.382	7.49	7.83	3.89	99
15+22+42+42	1.10	1.62	3.09	3.09	8.90 3.20 - 11.60	1.786 0.850 - 4.386	7.50	7.84	3.89	99

**MXZ-4F83VFHZ HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+22+42+50	1.03	1.52	2.90	3.45	8.90 3.20 - 11.60	1.793 0.850 - 4.393	7.53	7.87	3.89	99
15+22+42+60	0.96	1.41	2.69	3.84	8.90 3.20 - 11.60	1.793 0.850 - 4.393	7.53	7.87	3.89	99
15+22+50+50	0.97	1.43	3.25	3.25	8.90 3.20 - 11.60	1.776 0.850 - 4.376	7.46	7.80	3.89	99
15+25+25+25	1.48	2.47	2.47	2.47	8.90 3.20 - 11.60	1.813 0.850 - 4.393	7.61	7.96	3.89	99
15+25+25+35	1.34	2.23	2.23	3.12	8.90 3.20 - 11.60	1.825 0.850 - 4.405	7.66	8.01	3.89	99
15+25+25+42	1.25	2.08	2.08	3.49	8.90 3.20 - 11.60	1.815 0.850 - 4.405	7.62	7.97	3.89	99
15+25+25+50	1.16	1.93	1.93	3.87	8.90 3.20 - 11.60	1.809 0.850 - 4.399	7.59	7.94	3.89	99
15+25+25+60	1.07	1.78	1.78	4.27	8.90 3.20 - 11.60	1.799 0.850 - 4.399	7.56	7.90	3.89	99
15+25+25+71	0.98	1.64	1.64	4.65	8.90 3.20 - 11.60	1.782 0.850 - 4.382	7.49	7.83	3.89	99
15+25+35+35	1.21	2.02	2.83	2.83	8.90 3.20 - 11.60	1.796 0.850 - 4.386	7.55	7.89	3.89	99
15+25+35+42	1.14	1.90	2.66	3.19	8.90 3.20 - 11.60	1.805 0.850 - 4.405	7.59	7.93	3.89	99
15+25+35+50	1.07	1.78	2.49	3.56	8.90 3.20 - 11.60	1.799 0.850 - 4.399	7.56	7.90	3.89	99
15+25+35+60	0.99	1.65	2.31	3.96	8.90 3.20 - 11.60	1.799 0.850 - 4.399	7.56	7.90	3.89	99
15+25+42+42	1.08	1.79	3.01	3.01	8.90 3.20 - 11.60	1.782 0.850 - 4.382	7.49	7.83	3.89	99
15+25+42+50	1.01	1.69	2.83	3.37	8.90 3.20 - 11.60	1.793 0.850 - 4.393	7.53	7.87	3.89	99
15+25+42+60	0.94	1.57	2.63	3.76	8.90 3.20 - 11.60	1.793 0.850 - 4.393	7.53	7.87	3.89	99
15+25+50+50	0.95	1.59	3.18	3.18	8.90 3.20 - 11.60	1.776 0.850 - 4.376	7.46	7.80	3.89	99
15+35+35+35	1.11	2.60	2.60	2.60	8.90 3.20 - 11.60	1.793 0.850 - 4.393	7.53	7.87	3.89	99
15+35+35+42	1.05	2.45	2.45	2.94	8.90 3.20 - 11.60	1.805 0.850 - 4.405	7.59	7.93	3.89	99
15+35+35+50	0.99	2.31	2.31	3.30	8.90 3.20 - 11.60	1.799 0.850 - 4.399	7.56	7.90	3.89	99
15+35+35+60	0.92	2.15	2.15	3.68	8.90 3.20 - 11.60	1.799 0.850 - 4.399	7.56	7.90	3.89	99
15+35+42+42	1.00	2.32	2.79	2.79	8.90 3.20 - 11.60	1.782 0.850 - 4.382	7.49	7.83	3.89	99
15+35+42+50	0.94	2.19	2.63	3.13	8.90 3.20 - 11.60	1.793 0.850 - 4.393	7.53	7.87	3.89	99
15+42+42+42	0.95	2.65	2.65	2.65	8.90 3.20 - 11.60	1.793 0.850 - 4.393	7.53	7.87	3.89	99
18+18+18+18	2.23	2.23	2.23	2.23	8.90 3.20 - 11.60	1.807 0.850 - 4.387	7.59	7.94	3.89	99
18+18+18+20	2.19	2.19	2.19	2.43	9.00 3.20 - 11.60	1.816 0.850 - 4.396	7.63	7.98	3.89	99
18+18+18+22	2.11	2.11	2.11	2.58	8.90 3.20 - 11.60	1.833 0.850 - 4.403	7.70	8.05	3.89	99
18+18+18+25	2.05	2.05	2.05	2.85	9.00 3.20 - 11.60	1.826 0.850 - 4.396	7.67	8.02	3.89	99
18+18+18+35	1.82	1.82	1.82	3.54	9.00 3.20 - 11.60	1.816 0.850 - 4.396	7.63	7.98	3.89	99
18+18+18+42	1.69	1.69	1.69	3.94	9.00 3.20 - 11.60	1.806 0.850 - 4.396	7.59	7.93	3.89	99
18+18+18+50	1.56	1.56	1.56	4.33	9.00 3.20 - 11.60	1.810 0.850 - 4.390	7.60	7.95	3.89	99
18+18+18+60	1.42	1.42	1.42	4.74	9.00 3.20 - 11.60	1.800 0.850 - 4.390	7.57	7.91	3.89	99
18+18+18+71	1.30	1.30	1.30	5.11	9.00 3.20 - 11.60	1.773 0.850 - 4.373	7.45	7.79	3.89	99
18+18+20+20	2.13	2.13	2.37	2.37	9.00 3.20 - 11.60	1.807 0.850 - 4.377	7.59	7.94	3.89	99
18+18+20+22	2.03	2.03	2.26	2.48	8.80 3.20 - 11.60	1.840 0.850 - 4.410	7.73	8.08	3.89	99
18+18+20+25	1.98	1.98	2.20	2.75	8.90 3.20 - 11.60	1.833 0.850 - 4.403	7.70	8.05	3.89	99
18+18+20+35	1.76	1.76	1.96	3.42	8.90 3.20 - 11.60	1.823 0.850 - 4.403	7.66	8.01	3.89	99
18+18+20+42	1.63	1.63	1.82	3.81	8.90 3.20 - 11.60	1.803 0.850 - 4.403	7.58	7.92	3.89	99
18+18+20+50	1.51	1.51	1.68	4.20	8.90 3.20 - 11.60	1.807 0.850 - 4.397	7.59	7.94	3.89	99



**MXZ-4F83VFHZ HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+18+20+60	1.38	1.38	1.53	4.60	8.90 3.20 - 11.60	1.797 0.850 - 4.397	7.55	7.89	3.89	99
18+18+20+71	1.26	1.26	1.40	4.98	8.90 3.20 - 11.60	1.780 0.850 - 4.380	7.48	7.82	3.89	99
18+18+22+22	2.00	2.00	2.45	2.45	8.90 3.20 - 11.60	1.814 0.850 - 4.384	7.62	7.97	3.89	99
18+18+22+35	1.74	1.74	2.13	3.39	9.00 3.20 - 11.60	1.806 0.850 - 4.396	7.59	7.93	3.89	99
18+18+22+42	1.62	1.62	1.98	3.78	9.00 3.20 - 11.60	1.816 0.850 - 4.396	7.63	7.98	3.89	99
18+18+22+50	1.50	1.50	1.83	4.17	9.00 3.20 - 11.60	1.800 0.850 - 4.390	7.57	7.91	3.89	99
18+18+22+60	1.37	1.37	1.68	4.58	9.00 3.20 - 11.60	1.790 0.850 - 4.390	7.52	7.86	3.89	99
18+18+22+71	1.26	1.26	1.53	4.95	9.00 3.20 - 11.60	1.773 0.850 - 4.373	7.45	7.79	3.89	99
18+18+25+25	1.88	1.88	2.62	2.62	9.00 3.20 - 11.60	1.817 0.850 - 4.377	7.63	7.98	3.89	99
18+18+25+35	1.69	1.69	2.34	3.28	9.00 3.20 - 11.60	1.806 0.850 - 4.396	7.59	7.93	3.89	99
18+18+25+42	1.57	1.57	2.18	3.67	9.00 3.20 - 11.60	1.816 0.850 - 4.396	7.63	7.98	3.89	99
18+18+25+50	1.46	1.46	2.03	4.05	9.00 3.20 - 11.60	1.800 0.850 - 4.390	7.57	7.91	3.89	99
18+18+25+60	1.34	1.34	1.86	4.46	9.00 3.20 - 11.60	1.790 0.850 - 4.390	7.52	7.86	3.89	99
18+18+25+71	1.23	1.23	1.70	4.84	9.00 3.20 - 11.60	1.773 0.850 - 4.373	7.45	7.79	3.89	99
18+18+35+35	1.53	1.53	2.97	2.97	9.00 3.20 - 11.60	1.787 0.850 - 4.377	7.51	7.85	3.89	99
18+18+35+42	1.43	1.43	2.79	3.35	9.00 3.20 - 11.60	1.806 0.850 - 4.396	7.59	7.93	3.89	99
18+18+35+50	1.34	1.34	2.60	3.72	9.00 3.20 - 11.60	1.790 0.850 - 4.390	7.52	7.86	3.89	99
18+18+35+60	1.24	1.24	2.40	4.12	9.00 3.20 - 11.60	1.790 0.850 - 4.390	7.52	7.86	3.89	99
18+18+35+71	1.14	1.14	2.22	4.50	9.00 3.20 - 11.60	1.773 0.850 - 4.373	7.45	7.79	3.89	99
18+18+42+42	1.35	1.35	3.15	3.15	9.00 3.20 - 11.60	1.777 0.850 - 4.377	7.46	7.80	3.89	99
18+18+42+50	1.27	1.27	2.95	3.52	9.00 3.20 - 11.60	1.784 0.850 - 4.384	7.49	7.83	3.89	99
18+18+42+60	1.17	1.17	2.74	3.91	9.00 3.20 - 11.60	1.784 0.850 - 4.384	7.49	7.83	3.89	99
18+18+50+50	1.19	1.19	3.31	3.31	9.00 3.20 - 11.60	1.767 0.850 - 4.367	7.42	7.76	3.89	99
18+20+20+20	2.08	2.31	2.31	2.31	9.00 3.20 - 11.60	1.814 0.850 - 4.384	7.62	7.97	3.89	99
18+20+20+22	1.96	2.18	2.18	2.39	8.70 3.20 - 11.60	1.847 0.850 - 4.417	7.76	8.11	3.89	99
18+20+20+35	1.70	1.89	1.89	3.31	8.80 3.20 - 11.60	1.820 0.850 - 4.410	7.64	7.99	3.89	99
18+20+20+42	1.58	1.76	1.76	3.70	8.80 3.20 - 11.60	1.830 0.850 - 4.410	7.69	8.04	3.89	99
18+20+20+50	1.47	1.63	1.63	4.07	8.80 3.20 - 11.60	1.814 0.850 - 4.404	7.62	7.97	3.89	99
18+20+20+60	1.34	1.49	1.49	4.47	8.80 3.20 - 11.60	1.804 0.850 - 4.404	7.58	7.92	3.89	99
18+20+20+71	1.23	1.36	1.36	4.84	8.80 3.20 - 11.60	1.787 0.850 - 4.387	7.51	7.85	3.89	99
18+20+22+22	1.93	2.15	2.36	2.36	8.80 3.20 - 11.60	1.821 0.850 - 4.391	7.65	8.00	3.89	99
18+20+22+25	1.88	2.09	2.30	2.62	8.90 3.20 - 11.60	1.843 0.850 - 4.403	7.74	8.09	3.89	99
18+20+22+35	1.69	1.87	2.06	3.28	8.90 3.20 - 11.60	1.813 0.850 - 4.403	7.61	7.96	3.89	99
18+20+22+42	1.57	1.75	1.92	3.66	8.90 3.20 - 11.60	1.823 0.850 - 4.403	7.66	8.01	3.89	99
18+20+22+50	1.46	1.62	1.78	4.05	8.90 3.20 - 11.60	1.807 0.850 - 4.397	7.59	7.94	3.89	99
18+20+22+60	1.34	1.48	1.63	4.45	8.90 3.20 - 11.60	1.797 0.850 - 4.397	7.55	7.89	3.89	99
18+20+22+71	1.22	1.36	1.49	4.82	8.90 3.20 - 11.60	1.780 0.850 - 4.380	7.48	7.82	3.89	99
18+20+25+25	1.82	2.02	2.53	2.53	8.90 3.20 - 11.60	1.824 0.850 - 4.384	7.66	8.01	3.89	99
18+20+25+35	1.63	1.82	2.27	3.18	8.90 3.20 - 11.60	1.803 0.850 - 4.403	7.58	7.92	3.89	99

**MXZ-4F83VFHZ HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240		
18+20+25+42	1.53	1.70	2.12	3.56	8.90 3.20 - 11.60	1.823 - 4.403	0.850	7.66	8.01	3.89	99
18+20+25+50	1.42	1.58	1.97	3.94	8.90 3.20 - 11.60	1.807 - 4.397	0.850	7.59	7.94	3.89	99
18+20+25+60	1.30	1.45	1.81	4.34	8.90 3.20 - 11.60	1.797 - 4.397	0.850	7.55	7.89	3.89	99
18+20+25+71	1.20	1.33	1.66	4.72	8.90 3.20 - 11.60	1.780 - 4.380	0.850	7.48	7.82	3.89	99
18+20+35+35	1.48	1.65	2.88	2.88	8.90 3.20 - 11.60	1.794 - 4.384	0.850	7.54	7.88	3.89	99
18+20+35+42	1.39	1.55	2.71	3.25	8.90 3.20 - 11.60	1.813 - 4.403	0.850	7.61	7.96	3.89	99
18+20+35+50	1.30	1.45	2.53	3.62	8.90 3.20 - 11.60	1.797 - 4.397	0.850	7.55	7.89	3.89	99
18+20+35+60	1.20	1.34	2.34	4.02	8.90 3.20 - 11.60	1.797 - 4.397	0.850	7.55	7.89	3.89	99
18+20+35+71	1.11	1.24	2.16	4.39	8.90 3.20 - 11.60	1.780 - 4.380	0.850	7.48	7.82	3.89	99
18+20+42+42	1.31	1.46	3.06	3.06	8.90 3.50 - 11.60	1.584 - 4.384	0.850	6.66	6.96	3.89	99
18+20+42+50	1.23	1.37	2.88	3.42	8.90 3.20 - 11.60	1.791 - 4.391	0.850	7.53	7.87	3.89	99
18+20+42+60	1.14	1.27	2.67	3.81	8.90 3.20 - 11.60	1.791 - 4.391	0.850	7.53	7.87	3.89	99
18+20+50+50	1.16	1.29	3.22	3.22	8.90 3.20 - 11.60	1.774 - 4.374	0.850	7.45	7.79	3.89	99
18+22+22+22	1.91	2.33	2.33	2.33	8.90 3.20 - 11.60	1.831 - 4.391	0.850	7.69	8.04	3.89	99
18+22+22+25	1.86	2.28	2.28	2.59	9.00 3.20 - 11.60	1.836 - 4.396	0.850	7.71	8.06	3.89	99
18+22+22+35	1.67	2.04	2.04	3.25	9.00 3.20 - 11.60	1.806 - 4.396	0.850	7.59	7.93	3.89	99
18+22+22+42	1.56	1.90	1.90	3.63	9.00 3.20 - 11.60	1.816 - 4.396	0.850	7.63	7.98	3.89	99
18+22+22+50	1.45	1.77	1.77	4.02	9.00 3.20 - 11.60	1.800 - 4.390	0.850	7.57	7.91	3.89	99
18+22+22+60	1.33	1.62	1.62	4.43	9.00 3.50 - 11.60	1.590 - 4.390	0.850	6.68	6.98	3.89	99
18+22+22+71	1.22	1.49	1.49	4.80	9.00 3.20 - 11.60	1.773 - 4.373	0.850	7.45	7.79	3.89	99
18+22+25+25	1.80	2.20	2.50	2.50	9.00 3.20 - 11.60	1.797 - 4.377	0.850	7.55	7.89	3.89	99
18+22+25+35	1.62	1.98	2.25	3.15	9.00 3.20 - 11.60	1.816 - 4.396	0.850	7.63	7.98	3.89	99
18+22+25+42	1.51	1.85	2.10	3.53	9.00 3.20 - 11.60	1.806 - 4.396	0.850	7.59	7.93	3.89	99
18+22+25+50	1.41	1.72	1.96	3.91	9.00 3.20 - 11.60	1.800 - 4.390	0.850	7.57	7.91	3.89	99
18+22+25+60	1.30	1.58	1.80	4.32	9.00 3.20 - 11.60	1.790 - 4.390	0.850	7.52	7.86	3.89	99
18+22+25+71	1.19	1.46	1.65	4.70	9.00 3.20 - 11.60	1.773 - 4.373	0.850	7.45	7.79	3.89	99
18+22+35+35	1.47	1.80	2.86	2.86	9.00 3.20 - 11.60	1.787 - 4.377	0.850	7.51	7.85	3.89	99
18+22+35+42	1.38	1.69	2.69	3.23	9.00 3.20 - 11.60	1.796 - 4.396	0.850	7.55	7.89	3.89	99
18+22+35+50	1.30	1.58	2.52	3.60	9.00 3.20 - 11.60	1.790 - 4.390	0.850	7.52	7.86	3.89	99
18+22+35+60	1.20	1.47	2.33	4.00	9.00 3.20 - 11.60	1.790 - 4.390	0.850	7.52	7.86	3.89	99
18+22+42+42	1.31	1.60	3.05	3.05	9.00 3.20 - 11.60	1.773 - 4.373	0.850	7.45	7.79	3.89	99
18+22+42+50	1.23	1.50	2.86	3.41	9.00 3.20 - 11.60	1.784 - 4.384	0.850	7.49	7.83	3.89	99
18+22+42+60	1.14	1.39	2.66	3.80	9.00 3.20 - 11.60	1.784 - 4.384	0.850	7.49	7.83	3.89	99
18+22+50+50	1.16	1.41	3.21	3.21	9.00 3.20 - 11.60	1.767 - 4.367	0.850	7.42	7.76	3.89	99
18+25+25+25	1.74	2.42	2.42	2.42	9.00 3.20 - 11.60	1.794 - 4.384	0.850	7.54	7.88	3.89	99
18+25+25+35	1.57	2.18	2.18	3.06	9.00 3.20 - 11.60	1.816 - 4.396	0.850	7.63	7.98	3.89	99
18+25+25+42	1.47	2.05	2.05	3.44	9.00 3.20 - 11.60	1.806 - 4.396	0.850	7.59	7.93	3.89	99
18+25+25+50	1.37	1.91	1.91	3.81	9.00 3.20 - 11.60	1.790 - 4.390	0.850	7.52	7.86	3.89	99
18+25+25+60	1.27	1.76	1.76	4.22	9.00 3.20 - 11.60	1.790 - 4.390	0.850	7.52	7.86	3.89	99

**MXZ-4F83VFHZ HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+25+25+71	1.17	1.62	1.62	4.60	9.00 3.20 - 11.60	1.773 0.850 - 4.373	7.45	7.79	3.89	99
18+25+35+35	1.43	1.99	2.79	2.79	9.00 3.20 - 11.60	1.787 0.850 - 4.377	7.51	7.85	3.89	99
18+25+35+42	1.35	1.88	2.63	3.15	9.00 3.20 - 11.60	1.796 0.850 - 4.396	7.55	7.89	3.89	99
18+25+35+50	1.27	1.76	2.46	3.52	9.00 3.20 - 11.60	1.790 0.850 - 4.390	7.52	7.86	3.89	99
18+25+35+60	1.17	1.63	2.28	3.91	9.00 3.20 - 11.60	1.790 0.850 - 4.390	7.52	7.86	3.89	99
18+25+42+42	1.28	1.77	2.98	2.98	9.00 3.20 - 11.60	1.773 0.850 - 4.373	7.45	7.79	3.89	99
18+25+42+50	1.20	1.67	2.80	3.33	9.00 3.20 - 11.60	1.784 0.850 - 4.384	7.49	7.83	3.89	99
18+25+42+60	1.12	1.55	2.61	3.72	9.00 3.20 - 11.60	1.784 0.850 - 4.384	7.49	7.83	3.89	99
18+25+50+50	1.13	1.57	3.15	3.15	9.00 3.20 - 11.60	1.767 0.850 - 4.367	7.42	7.76	3.89	99
18+35+35+35	1.32	2.56	2.56	2.56	9.00 3.20 - 11.60	1.784 0.850 - 4.384	7.49	7.83	3.89	99
18+35+35+42	1.25	2.42	2.42	2.91	9.00 3.20 - 11.60	1.796 0.850 - 4.396	7.55	7.89	3.89	99
18+35+35+50	1.17	2.28	2.28	3.26	9.00 3.20 - 11.60	1.790 0.850 - 4.390	7.52	7.86	3.89	99
18+35+42+42	1.18	2.30	2.76	2.76	9.00 3.20 - 11.60	1.790 0.850 - 4.390	7.52	7.86	3.89	99
18+35+42+50	1.12	2.17	2.61	3.10	9.00 3.20 - 11.60	1.784 0.850 - 4.384	7.49	7.83	3.89	99
18+42+42+42	1.13	2.63	2.63	2.63	9.00 3.20 - 11.60	1.784 0.850 - 4.384	7.49	7.83	3.89	99
20+20+20+20	2.25	2.25	2.25	2.25	9.00 3.20 - 11.60	1.808 0.850 - 4.378	7.59	7.94	3.89	99
20+20+20+22	2.10	2.10	2.10	2.31	8.60 3.20 - 11.60	1.854 0.850 - 4.424	7.79	8.14	3.89	99
20+20+20+25	2.05	2.05	2.05	2.56	8.70 3.20 - 11.60	1.857 0.850 - 4.417	7.81	8.16	3.89	99
20+20+20+35	1.83	1.83	1.83	3.21	8.70 3.20 - 11.60	1.827 0.850 - 4.417	7.67	8.02	3.89	99
20+20+20+42	1.71	1.71	1.71	3.58	8.70 3.20 - 11.60	1.837 0.850 - 4.417	7.72	8.07	3.89	99
20+20+20+50	1.58	1.58	1.58	3.95	8.70 3.20 - 11.60	1.821 0.850 - 4.411	7.65	8.00	3.89	99
20+20+20+60	1.45	1.45	1.45	4.35	8.70 3.20 - 11.60	1.811 0.850 - 4.411	7.60	7.95	3.89	99
20+20+20+71	1.33	1.33	1.33	4.72	8.70 3.20 - 11.60	1.794 0.850 - 4.394	7.54	7.88	3.89	99
20+20+22+22	2.07	2.07	2.28	2.28	8.70 3.20 - 11.60	1.838 0.850 - 4.398	7.72	8.07	3.89	99
20+20+22+25	2.02	2.02	2.23	2.53	8.80 3.20 - 11.60	1.850 0.850 - 4.410	7.77	8.12	3.89	99
20+20+22+35	1.81	1.81	2.00	3.18	8.80 3.20 - 11.60	1.820 0.850 - 4.410	7.64	7.99	3.89	99
20+20+22+42	1.69	1.69	1.86	3.55	8.80 3.20 - 11.60	1.830 0.850 - 4.410	7.69	8.04	3.89	99
20+20+22+50	1.57	1.57	1.73	3.93	8.80 3.20 - 11.60	1.814 0.850 - 4.404	7.62	7.97	3.89	99
20+20+22+60	1.44	1.44	1.59	4.33	8.80 3.50 - 11.60	1.604 0.850 - 4.404	6.73	7.04	3.89	99
20+20+22+71	1.32	1.32	1.46	4.70	8.80 3.20 - 11.60	1.787 0.850 - 4.387	7.51	7.85	3.89	99
20+20+25+25	1.96	1.96	2.44	2.44	8.80 3.20 - 11.60	1.811 0.850 - 4.391	7.60	7.95	3.89	99
20+20+25+35	1.76	1.76	2.20	3.08	8.80 3.20 - 11.60	1.830 0.850 - 4.410	7.69	8.04	3.89	99
20+20+25+42	1.64	1.64	2.06	3.45	8.80 3.20 - 11.60	1.820 0.850 - 4.410	7.64	7.99	3.89	99
20+20+25+50	1.53	1.53	1.91	3.83	8.80 3.20 - 11.60	1.814 0.850 - 4.404	7.62	7.97	3.89	99
20+20+25+60	1.41	1.41	1.76	4.22	8.80 3.20 - 11.60	1.804 0.850 - 4.404	7.58	7.92	3.89	99
20+20+25+71	1.29	1.29	1.62	4.59	8.80 3.20 - 11.60	1.787 0.850 - 4.387	7.51	7.85	3.89	99
20+20+35+35	1.60	1.60	2.80	2.80	8.80 3.20 - 11.60	1.801 0.850 - 4.391	7.57	7.91	3.89	99
20+20+35+42	1.50	1.50	2.63	3.16	8.80 3.20 - 11.60	1.810 0.850 - 4.410	7.60	7.95	3.89	99
20+20+35+50	1.41	1.41	2.46	3.52	8.80 3.20 - 11.60	1.804 0.850 - 4.404	7.58	7.92	3.89	99

**MXZ-4F83VFHZ HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
20+20+35+60	1.30	1.30	2.28	3.91	8.80 3.20 - 11.60	1.804 0.850 - 4.404	7.58	7.92	3.89	99
20+20+42+42	1.42	1.42	2.98	2.98	8.80 3.20 - 11.60	1.787 0.850 - 4.387	7.51	7.85	3.89	99
20+20+42+50	1.33	1.33	2.80	3.33	8.80 3.20 - 11.60	1.798 0.850 - 4.398	7.56	7.90	3.89	99
20+20+42+60	1.24	1.24	2.60	3.72	8.80 3.20 - 11.60	1.798 0.850 - 4.398	7.56	7.90	3.89	99
20+20+50+50	1.26	1.26	3.14	3.14	8.80 3.20 - 11.60	1.781 0.850 - 4.381	7.48	7.82	3.89	99
20+22+22+22	2.05	2.25	2.25	2.25	8.80 3.20 - 11.60	1.838 0.850 - 4.398	7.72	8.07	3.89	99
20+22+22+25	2.00	2.20	2.20	2.50	8.90 3.20 - 11.60	1.823 0.850 - 4.403	7.66	8.01	3.89	99
20+22+22+35	1.80	1.98	1.98	3.15	8.90 3.20 - 11.60	1.803 0.850 - 4.403	7.58	7.92	3.89	99
20+22+22+42	1.68	1.85	1.85	3.53	8.90 3.20 - 11.60	1.813 0.850 - 4.403	7.61	7.96	3.89	99
20+22+22+50	1.56	1.72	1.72	3.90	8.90 3.20 - 11.60	1.807 0.850 - 4.397	7.59	7.94	3.89	99
20+22+22+60	1.44	1.58	1.58	4.31	8.90 3.20 - 11.60	1.797 0.850 - 4.397	7.55	7.89	3.89	99
20+22+22+71	1.32	1.45	1.45	4.68	8.90 3.20 - 11.60	1.780 0.850 - 4.380	7.48	7.82	3.89	99
20+22+25+25	1.93	2.13	2.42	2.42	8.90 3.20 - 11.60	1.794 0.850 - 4.384	7.54	7.88	3.89	99
20+22+25+35	1.75	1.92	2.18	3.05	8.90 3.20 - 11.60	1.823 0.850 - 4.403	7.66	8.01	3.89	99
20+22+25+42	1.63	1.80	2.04	3.43	8.90 3.20 - 11.60	1.813 0.850 - 4.403	7.61	7.96	3.89	99
20+22+25+50	1.52	1.67	1.90	3.80	8.90 3.20 - 11.60	1.797 0.850 - 4.397	7.55	7.89	3.89	99
20+22+25+60	1.40	1.54	1.75	4.20	8.90 3.20 - 11.60	1.797 0.850 - 4.397	7.55	7.89	3.89	99
20+22+25+71	1.29	1.42	1.61	4.58	8.90 3.20 - 11.60	1.780 0.850 - 4.380	7.48	7.82	3.89	99
20+22+35+35	1.59	1.75	2.78	2.78	8.90 3.20 - 11.60	1.794 0.850 - 4.384	7.54	7.88	3.89	99
20+22+35+42	1.50	1.65	2.62	3.14	8.90 3.20 - 11.60	1.803 0.850 - 4.403	7.58	7.92	3.89	99
20+22+35+50	1.40	1.54	2.45	3.50	8.90 3.20 - 11.60	1.797 0.850 - 4.397	7.55	7.89	3.89	99
20+22+35+60	1.30	1.43	2.27	3.90	8.90 3.20 - 11.60	1.797 0.850 - 4.397	7.55	7.89	3.89	99
20+22+42+42	1.41	1.55	2.97	2.97	8.90 3.20 - 11.60	1.780 0.850 - 4.380	7.48	7.82	3.89	99
20+22+42+50	1.33	1.46	2.79	3.32	8.90 3.20 - 11.60	1.791 0.850 - 4.391	7.53	7.87	3.89	99
20+22+42+60	1.24	1.36	2.60	3.71	8.90 3.20 - 11.60	1.791 0.850 - 4.391	7.53	7.87	3.89	99
20+22+50+50	1.25	1.38	3.13	3.13	8.90 3.20 - 11.60	1.774 0.850 - 4.374	7.45	7.79	3.89	99
20+25+25+25	1.87	2.34	2.34	2.34	8.90 3.20 - 11.60	1.801 0.850 - 4.391	7.57	7.91	3.89	99
20+25+25+35	1.70	2.12	2.12	2.97	8.90 3.20 - 11.60	1.823 0.850 - 4.403	7.66	8.01	3.89	99
20+25+25+42	1.59	1.99	1.99	3.34	8.90 3.20 - 11.60	1.813 0.850 - 4.403	7.61	7.96	3.89	99
20+25+25+50	1.48	1.85	1.85	3.71	8.90 3.20 - 11.60	1.797 0.850 - 4.397	7.55	7.89	3.89	99
20+25+25+60	1.37	1.71	1.71	4.11	8.90 3.20 - 11.60	1.797 0.850 - 4.397	7.55	7.89	3.89	99
20+25+25+71	1.26	1.58	1.58	4.48	8.90 3.20 - 11.60	1.780 0.850 - 4.380	7.48	7.82	3.89	99
20+25+35+35	1.55	1.93	2.71	2.71	8.90 3.20 - 11.60	1.794 0.850 - 4.384	7.54	7.88	3.89	99
20+25+35+42	1.46	1.82	2.55	3.06	8.90 3.50 - 11.60	1.603 0.850 - 4.403	6.73	7.04	3.89	99
20+25+35+50	1.37	1.71	2.40	3.42	8.90 3.20 - 11.60	1.797 0.850 - 4.397	7.55	7.89	3.89	99
20+25+35+60	1.27	1.59	2.23	3.81	8.90 3.20 - 11.60	1.797 0.850 - 4.397	7.55	7.89	3.89	99
20+25+42+42	1.38	1.72	2.90	2.90	8.90 3.20 - 11.60	1.780 0.850 - 4.380	7.48	7.82	3.89	99
20+25+42+50	1.30	1.62	2.73	3.25	8.90 3.20 - 11.60	1.791 0.850 - 4.391	7.53	7.87	3.89	99
20+25+50+50	1.23	1.53	3.07	3.07	8.90 3.20 - 11.60	1.791 0.850 - 4.391	7.53	7.87	3.89	99

**MXZ-4F83VFHZ HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
20+35+35+35	1.42	2.49	2.49	2.49	8.90 3.20 - 11.60	1.791 0.850 - 4.391	7.53	7.87	3.89	99
20+35+35+42	1.35	2.36	2.36	2.83	8.90 3.20 - 11.60	1.803 0.850 - 4.403	7.58	7.92	3.89	99
20+35+35+50	1.27	2.23	2.23	3.18	8.90 3.20 - 11.60	1.797 0.850 - 4.397	7.55	7.89	3.89	99
20+35+42+42	1.28	2.24	2.69	2.69	8.90 3.20 - 11.60	1.797 0.850 - 4.397	7.55	7.89	3.89	99
22+22+22+22	2.23	2.23	2.23	2.23	8.90 3.20 - 11.60	1.831 0.850 - 4.391	7.69	8.04	3.89	99
22+22+22+25	2.18	2.18	2.18	2.47	9.00 3.20 - 11.60	1.816 0.850 - 4.396	7.63	7.98	3.89	99
22+22+22+35	1.96	1.96	1.96	3.12	9.00 3.20 - 11.60	1.816 0.850 - 4.396	7.63	7.98	3.89	99
22+22+22+42	1.83	1.83	1.83	3.50	9.00 3.20 - 11.60	1.806 0.850 - 4.396	7.59	7.93	3.89	99
22+22+22+50	1.71	1.71	1.71	3.88	9.00 3.20 - 11.60	1.790 0.850 - 4.390	7.52	7.86	3.89	99
22+22+22+60	1.57	1.57	1.57	4.29	9.00 3.20 - 11.60	1.790 0.850 - 4.390	7.52	7.86	3.89	99
22+22+22+71	1.45	1.45	1.45	4.66	9.00 3.20 - 11.60	1.773 0.850 - 4.373	7.45	7.79	3.89	99
22+22+25+25	2.11	2.11	2.39	2.39	9.00 3.20 - 11.60	1.787 0.850 - 4.377	7.51	7.85	3.89	99
22+22+25+35	1.90	1.90	2.16	3.03	9.00 3.20 - 11.60	1.816 0.850 - 4.396	7.63	7.98	3.89	99
22+22+25+42	1.78	1.78	2.03	3.41	9.00 3.20 - 11.60	1.806 0.850 - 4.396	7.59	7.93	3.89	99
22+22+25+50	1.66	1.66	1.89	3.78	9.00 3.20 - 11.60	1.790 0.850 - 4.390	7.52	7.86	3.89	99
22+22+25+60	1.53	1.53	1.74	4.19	9.00 3.20 - 11.60	1.790 0.850 - 4.390	7.52	7.86	3.89	99
22+22+25+71	1.41	1.41	1.61	4.56	9.00 3.20 - 11.60	1.773 0.850 - 4.373	7.45	7.79	3.89	99
22+22+35+35	1.74	1.74	2.76	2.76	9.00 3.20 - 11.60	1.787 0.850 - 4.377	7.51	7.85	3.89	99
22+22+35+42	1.64	1.64	2.60	3.12	9.00 3.20 - 11.60	1.796 0.850 - 4.396	7.55	7.89	3.89	99
22+22+35+50	1.53	1.53	2.44	3.49	9.00 3.20 - 11.60	1.790 0.850 - 4.390	7.52	7.86	3.89	99
22+22+35+60	1.42	1.42	2.27	3.88	9.00 3.20 - 11.60	1.790 0.850 - 4.390	7.52	7.86	3.89	99
22+22+42+42	1.55	1.55	2.95	2.95	9.00 3.20 - 11.60	1.773 0.850 - 4.373	7.45	7.79	3.89	99
22+22+42+50	1.46	1.46	2.78	3.31	9.00 3.20 - 11.60	1.784 0.850 - 4.384	7.49	7.83	3.89	99
22+22+50+50	1.38	1.38	3.13	3.13	9.00 3.20 - 11.60	1.784 0.850 - 4.384	7.49	7.83	3.89	99
22+25+25+25	2.04	2.32	2.32	2.32	9.00 3.20 - 11.60	1.794 0.850 - 4.384	7.54	7.88	3.89	99
22+25+25+35	1.85	2.10	2.10	2.94	9.00 3.20 - 11.60	1.806 0.850 - 4.396	7.59	7.93	3.89	99
22+25+25+42	1.74	1.97	1.97	3.32	9.00 3.20 - 11.60	1.806 0.850 - 4.396	7.59	7.93	3.89	99
22+25+25+50	1.62	1.84	1.84	3.69	9.00 3.50 - 11.60	1.590 0.850 - 4.390	6.68	6.98	3.89	99
22+25+25+60	1.50	1.70	1.70	4.09	9.00 3.20 - 11.60	1.790 0.850 - 4.390	7.52	7.86	3.89	99
22+25+25+71	1.38	1.57	1.57	4.47	9.00 3.20 - 11.60	1.773 0.850 - 4.373	7.45	7.79	3.89	99
22+25+35+35	1.69	1.92	2.69	2.69	9.00 3.20 - 11.60	1.777 0.850 - 4.377	7.46	7.80	3.89	99
22+25+35+42	1.60	1.81	2.54	3.05	9.00 3.20 - 11.60	1.796 0.850 - 4.396	7.55	7.89	3.89	99
22+25+35+50	1.50	1.70	2.39	3.41	9.00 3.20 - 11.60	1.790 0.850 - 4.390	7.52	7.86	3.89	99
22+25+35+60	1.39	1.58	2.22	3.80	9.00 3.20 - 11.60	1.790 0.850 - 4.390	7.52	7.86	3.89	99
22+25+42+42	1.51	1.72	2.89	2.89	9.00 3.20 - 11.60	1.773 0.850 - 4.373	7.45	7.79	3.89	99
22+25+42+50	1.42	1.62	2.72	3.24	9.00 3.20 - 11.60	1.784 0.850 - 4.384	7.49	7.83	3.89	99
22+35+35+35	1.56	2.48	2.48	2.48	9.00 3.20 - 11.60	1.784 0.850 - 4.384	7.49	7.83	3.89	99
22+35+35+42	1.48	2.35	2.35	2.82	9.00 3.20 - 11.60	1.796 0.850 - 4.396	7.55	7.89	3.89	99
22+35+35+50	1.39	2.22	2.22	3.17	9.00 3.20 - 11.60	1.790 0.850 - 4.390	7.52	7.86	3.89	99

**MXZ-4F83VFHZ HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
22+35+42+42	1.40	2.23	2.68	2.68	9.00 3.20 - 11.60	1.790 0.850 - 4.390	7.52	7.86	3.89	99
25+25+25+25	2.25	2.25	2.25	2.25	9.00 3.20 - 11.60	1.804 0.850 - 4.384	7.58	7.92	3.89	99
25+25+25+35	2.05	2.05	2.05	2.86	9.00 3.20 - 11.60	1.806 0.850 - 4.396	7.59	7.93	3.89	99
25+25+25+42	1.92	1.92	1.92	3.23	9.00 3.20 - 11.60	1.796 0.850 - 4.396	7.55	7.89	3.89	99
25+25+25+50	1.80	1.80	1.80	3.60	9.00 3.20 - 11.60	1.790 0.850 - 4.390	7.52	7.86	3.89	99
25+25+25+60	1.67	1.67	1.67	4.00	9.00 3.20 - 11.60	1.790 0.850 - 4.390	7.52	7.86	3.89	99
25+25+35+35	1.88	1.88	2.63	2.63	9.00 3.20 - 11.60	1.773 0.850 - 4.373	7.45	7.79	3.89	99
25+25+35+42	1.77	1.77	2.48	2.98	9.00 3.20 - 11.60	1.796 0.850 - 4.396	7.55	7.89	3.89	99
25+25+35+50	1.67	1.67	2.33	3.33	9.00 3.20 - 11.60	1.790 0.850 - 4.390	7.52	7.86	3.89	99
25+25+35+60	1.55	1.55	2.17	3.72	9.00 3.20 - 11.60	1.790 0.850 - 4.390	7.52	7.86	3.89	99
25+25+42+42	1.68	1.68	2.82	2.82	9.00 3.20 - 11.60	1.773 0.850 - 4.373	7.45	7.79	3.89	99
25+25+42+50	1.58	1.58	2.66	3.17	9.00 3.20 - 11.60	1.784 0.850 - 4.384	7.49	7.83	3.89	99
25+35+35+35	1.73	2.42	2.42	2.42	9.00 3.20 - 11.60	1.784 0.850 - 4.384	7.49	7.83	3.89	99
25+35+35+42	1.64	2.30	2.30	2.76	9.00 3.20 - 11.60	1.796 0.850 - 4.396	7.55	7.89	3.89	99
25+35+35+50	1.55	2.17	2.17	3.10	9.00 3.20 - 11.60	1.790 0.850 - 4.390	7.52	7.86	3.89	99
25+35+42+42	1.56	2.19	2.63	2.63	9.00 3.20 - 11.60	1.790 0.850 - 4.390	7.52	7.86	3.89	99
35+35+35+35	2.25	2.25	2.25	2.25	9.00 3.20 - 11.60	1.784 0.850 - 4.384	7.49	7.83	3.89	99